

SHEUNG SHUI SLAUGHTERHOUSE

SUPPLEMENTARY ENVIRONMENTAL IMPACT ASSESSMENT

(APPENDICES)

prepared by
**ENVIRO-CHEM ENGINEERING &
LABORATORY CO., LTD**
15 August 1995
(Revision B)

Report Control Number : 016

Appendices

1. Supplementary Environmental Impact Assessment (SEIA) of the Revised Proposals for the Sheung Shui Slaughterhouse
- 4.1 Requirements for a Slaughterhouse
- 4.2 Condition for a Slaughterhouse
- 4.3 Guidelines on the Transport/Handling/Care of Pigs
- 4.4 Code of Practice for the Welfare of Animals -- Cattle
- 4.5 Public Health and Municipal Services Ordinance (Chapter 132)
- 6.1 Meteorological Data Measured at Shek Wu Hui Sewage Treatment Plant
- 6.2 Cumulative Odour Impacts on ASRs by On-site Emission Sources
 - Scenario 1: Full-scale BPP with Mitigation Measures
 - Scenario 2: Full-scale BPP without Mitigation Measure
- 6.3 Cumulative Odour Impacts on ASRs by On-site Emission Sources
 - Scenario 3: Reduced-scale BPP with Mitigation Measures
 - Scenario 4: Reduced-scale BPP without Mitigation Measures
- 6.4 The Highest Odour Impact Contour
 - A. Full-scale BPP with Mitigation Measures
 - B. Full-scale BPP without Mitigation Measure
 - C. Reduced-scale BPP with Mitigation Measures
 - D. Reduced-scale BPP without Mitigation Measure
- 6.5 Construction Activities Dust Impact on Air Sensitive Receivers
- 6.6
 - a. Odour Neutralizing
 - b. Odour Deodorization
- 6.7 Air Quality Impact (Stack Emission)
 - A. Full-scale BPP
 - B. Reduced-scale BPP



- 7.1 Photos Taken on Site
- 7.2 Predicted Day-time Plant Operation Noise (No Mitigations)
- 7.3 Predicted Night-time Plant Operation Noise (No Mitigations)
- 7.4 Predicted Vehicular Noise Within Site Boundary (No Mitigations)
- 7.5 Predicted Day-Time Plant Operation Noise (With 2m to 4m high barriers)
- 7.6 Predicted Night-Time Plant Operation noise (With 2m to 4m high barriers)
- 7.7 Predicted Vehicular Noise Within Site Boundary (With 2m to 4m high barriers)
- 7.8 Output Files of "Road Noise" (No Mitigations)
- 7.9 Input Files of "Road Noise" (No Mitigations)
- 7.10 Output Files of "Road Noise" (With 2m high barrier)
- 7.11 Input Files of "Road Noise" (With 2m high barrier)
- 7.12 Output Files of "Road Noise" (With 3m high barrier)
- 7.13 Input Files of "Road Noise" (With 3m high barrier)
- 7.14 Prediction of Train Noise from Siding (No Mitigation)
- 7.15 Prediction of Train Noise from Siding (with 2m to 4m high barrier)
- 8.1 Sewage Services (Sewage Charge) Regulation
- 12.1 Wastewater Treatment Plant Operation Manual/Scrubbers

Appendix A: Contract Clauses and Operation Requirements

Appendix B: Schedule of Accommodation for Sheung Shui Slaughterhouse

Appendix 1

Supplementary Environmental Impact Assessment(SEIA) of the Revised Proposals for the Sheung Shui Slaughterhouse



Sheung Shui Slaughterhouse
Supplementary Environmental Impact Assessment (SEIA)

1. Introduction

- 1.1 Having considered the implications of the Sheung Shui Slaughterhouse and the funding options, the Administration decided that the Sheung Shui Slaughterhouse should be a Government-funded project, but managed by a private operator, subject to an acceptable agreement being arranged with the Government.
- 1.2 EPD supports the proposed development in order that the closure of the Kennedy Town Abattoir could be effected as early as possible. An initial review by EPD indicates that the Sheung Shui site is environmentally suitable, subject to more detailed control measures to be worked out. A detailed SEIA study shall be carried out by the project proponent or its works agent to work out necessary mitigation measures and environmental protection measures.
- 1.3 The slaughterhouse has a daily throughput of 5000 pigs and 400 heads of cattle, together with holding spaces for 12,000 pigs and 2,200 heads of cattle. A by-product plant (BPP) may be built as an ancillary facility to the slaughterhouse. No on-site incineration facility shall be built.

2. Purpose of the SEIA Study

- 2.1 The purpose of the SEIA is to provide information on the nature and cumulative extent of environmental impacts arising from the construction and operation of the Sheung Shui Slaughterhouse. This information will contribute to decisions on :-
 - (i) the conditions, requirements and necessary environmental protection measures for incorporation into the detailed design, construction and operation of the proposed development and the contractual agreement between Government and the future operator; and
 - (ii) the acceptability of any residual impacts after mitigation measures are implemented.
- 2.2 The SEIA study shall cover the Sheung Shui Slaughterhouse and the ancillary BPP if required, together with any on-site and off-site impacts associated with the construction and operation of the Slaughterhouse.

3. Responsibility for SEIA Study

- 3.1 In accordance with the PELB, Technical Circular No. 2/92, the SEIA study shall be undertaken by the proponent, or any department, agency or contractor or whom responsibility for implementation is given by the proponent.
- 3.2 The works agent responsible for undertaking the design and construction shall implement the necessary pollution controls and environmental protection measures relating to the design and construction of the project, and the environmental monitoring and auditing programme for the construction phase identified in the study. The operator of the Slaughterhouse shall be responsible for implementing the necessary environmental protection measures relating to the operation of the project,

operational controls, management measures, the recommended environmental monitoring and auditing programme for the operational phase to ensure that the project's expected environmental performance is achieved.

4. **Timing of the study**

The SEIA final report shall be ready at least 6 weeks before presenting the study outcome to the Advisory Council for the Environment (ACE).

5. **Objectives of the SEIA Study**

5.1 The objectives of the assessment are as follows :-

- (i) to describe the proposed development and the requirements for carrying out the developments;
- (ii) to identify and describe the elements of the community and environment likely to be affected by the developments;
- (iii) to identify, assess and evaluate the net (i.e. after practicable mitigation) environmental impacts and cumulative effects expected to arise during the operation and construction phases of the developments in relation to the neighbouring land uses and waterbodies;
- (iv) to propose infrastructure provision or mitigation measures so as to minimize pollution, environmental disturbance or mitigation measures so as to minimize pollution, environmental disturbance and nuisance during construction and operation of the developments;
- (v) to identify, assess and specify methods, measures and standards, to be included in the detailed design and in the contractual agreement between Government and the proponent, which are necessary to mitigate these impacts and reduce them to acceptable levels;
- (vi) to design and specify the environmental monitoring and audit requirements necessary to ensure the effectiveness of the environmental protection measures adopted.

6. **General Requirements of the SEIA Study**

6.1 To meet all of the objectives listed in section 5 above including :-

- (i) carrying out any necessary environmental survey and baseline monitoring work to achieve the objectives;
- (ii) quantifying, by use of models or other predictive methods, the environmental impacts arising from the construction and operation of the development;
- (iii) proposing practicable, effective and enforceable measures to mitigate effectively any significant environmental impacts in the short-and long-term; and

- (iv) outlining a programme by which the environmental impacts of the project can be monitored, audited and assessed.

6.2 The works agent and the consultants shall liaise with relevant Government Departments and agencies, their consultants and all other parties involved in these and any other projects or developments likely to be affected by these development.

6.3 The reporting of the SEIA shall consist of the following :-

- (i) an inception report to set out the approach, the proposed methodology and the programme of study. The inception report shall be submitted within 2 weeks of the commencement of the study;
- (ii) the SEIA report shall cover all air, noise, effluent and wastes aspects including recommendations of practicable mitigation measures. The content of the SEIA report shall include all technical requirements as outlined in Section 7 below;
- (iii) an Executive Summary Report in both English and Chinese of the environmental assessment, highlighting the issues of concern to the community, the residual environmental impacts, requirements for implementation of the project, and the basis and implications of those requirements. It is intended that the information contained therein would enable the proponent and the Government in undertaking any public consultation; and
- (iv) the final reports and the Executive Summary will be made available to the public in accordance with the PELB General Circular 2/94. The SEIA study findings shall be presented to the ACE for consideration.

7. Technical Requirements of the SEIA Study

7.1 The content of the SEIA shall consider, but not limited to, the following:

7.1.1 Operational Phase Assessment

- (i) Air Pollution Impact Study
 - (a) assess the background air quality in the study area for the purpose of evaluating the cumulative air quality impacts of the plant;
 - (b) conduct an emission appraisal for the aerial emissions (including odour) from the plant such as its animal holding and unloading areas, the slaughter area, ventilation outlets, waste storage areas, the by-products plant and waste treatment system etc. and those during the animal transportation of animals associated with its operation including vehicular and odorous emissions;
 - (c) assess and evaluate the net and cumulative impacts of the aerial emissions identified in item (b) above, at receptors that can be affected by the emissions,
 - (d) propose effective mitigation measures, suitable plant and equipment design, control technologies, management and administrative controls to reduce

cumulative air pollution and odour impacts on nearby receptors to acceptable levels;

- (e) provide pollutant and odour level contours at ground level and different heights above ground as specified by Director of Environmental Protection (DEP), for the examination of the land use impacts of any residual emissions after the implementation of the recommended mitigation measures.

(ii) Noise Pollution Study

- (a) identify, assess and evaluate noise impact from the slaughtering operations, including the loading and unloading of animals during the day, squealing noise from pigs during various process associated with the slaughterhouse operations, the BPP and noise during marketing activities;
- (b) describe slaughterhouse technology and management on noise impact, of one of the major slaughterhouses in Hong Kong as a reference for evaluation of the Sheung Shui Slaughterhouse;
- (c) identify, assess and evaluate noise impact from various transpiration process associated with the slaughterhouse operations; and
- (d) propose effective noise mitigation measures, suitable plant design including the use of noise enclosure and noise barriers, suitable routing for animal transportation, and administrative and operational controls to reduce noise impact to acceptable levels. The need for noise barriers for the access road shall be assessed.

(iii) Wastewater Disposal

- (a) identify the sources and characteristics of wastewater, quantity the wastewater discharges, and propose effective and adequate wastewater collection, transfer, treatment and disposal methods for treating the wastewater to standards acceptable to the DEP. In particular, the consultant shall propose the necessary pretreatment facilities to pretreat the wastewater to meet Technical Memorandum (TM) standards before discharge. An estimate of the quantity and characteristics of the pretreatment effluent shall be given. The information to be provided by the consultants in this aspect shall include a conceptual design, a layout plan, cost estimates (both capital and recurrent expenditure) and requirements for the pretreatment facilities; and
- (b) look into opportunities of minimizing wastewater arising from the operation of the slaughterhouse and the BPP. This may include recycling and reuse of the treated wastewater for operations within the premises and propose management and operation practice that could help minimize wastewater at source.

(iv) Waste Management, Recycling and Disposal

- (a) identify, qualify and characterize the waste arising from the operation of the slaughterhouse, including the manure from animal

holding areas and during slaughtering; animal parts caught by drainage traps, coagulated blood for rendering in the BPP, dead animal carcasses, and diseased animal carcasses etc.;

- (b) propose effective waste disposal method and programme; extensive transport of wastes should be avoided or minimized as far as practicable; identify the types and quantity of wastes that need to be disposed of at the Centralized Incineration Facility and proposed suitable collection and transportation of such wastes with due regard to the avoidance of cross-contamination of non-contaminated carcasses, cleansing and disinfection of vehicles, respectable and abattoir areas; and
- (c) identify and quantify the wastes to be processed in the by-product plant for recycling and/or re-use; identify, quantify and characterize the waste arising from the BPP (e.g. residues) and proposed effective waste disposal method.

(v) **Impacts on Land Use**

- (a) the overall impacts in respect of noise and air pollution nuisances on the nearby existing and planned sensitive uses shall be assessed and evaluated. The buffer distance requirement between the BPP and existing and planned sensitive uses shall be assessed and evaluated. The suitability of adjacent planned land uses shall be evaluated. The outcome of the assessment shall form an input to DPO/ST&NE for planning or reviewing future land uses in the area; and
- (b) the net environmental benefits of the provision of a railway siding by KCRC for direct unloading of livestock at the Sheung Shui Facility shall be assessed and evaluated.

(vi) **Visual impacts**

the visual impact of the Slaughterhouse on the nearby visually sensitive areas shall be assessed and evaluated. Suitable landscaping, planting and building designs shall be proposed to soften the impacts and to blend in with the surrounding environment.

7.1.2 Construction Phase Assessment

- (i) the method and sequence of construction shall be analysed with respect to air/dust, noise, waste and water pollution;
- (ii) the impacts of duct and noise producing process, plant, vehicles and machinery on adjacent air and noise sensitive receivers shall be assessed and evaluated;

- (iii) the impacts of the surface water runoff and other wastewater discharges during the construction stage on the nearby watercourses shall be assessed and evaluated; and
- (iv) the impacts arising from the disposal of wastes shall be assessed and suitable waste collection, recycling and transport and disposal methods shall be proposed.

7.2 Sensitive Uses

Due consideration shall be given to existing and future land uses in the study area and sensitive receivers shall be identified. Future land uses shall include those that will be occupied during the construction and operational phases.

7.3 The assessment shall be carried out in accordance with the following criteria:

- (i) reference should be made to the Chapter 9 of the "Hong Kong Planning Standards and Guidelines" and other relevant Ordinances, Regulations, Technical Memoranda and guidelines;
- (ii) in odour impact assessment, any odour prediction at a receptor equal to the exceeding 5 odour units bases on a prediction averaging time of 5 seconds shall be considered as an indication of odour nuisance to the receptors. For odour monitoring 2 odour units at the receptors shall be the criteria for the odour nuisance;
- (iii) the methodology of the assessment used including the estimation of pollutant emission rates, dispersion models, input parameters, receptor locations and meteorological conditions etc., should be agreed with the DEP. Cost-effective amelioration measures, for situations where the predicted cumulative air pollution levels exceed the Hong Kong Air Quality Objectives, shall be proposed; and
- (iv) in the course of noise assessment, the record and background of the detailed noise analysis and evaluation shall be submitted to the Director of Environmental Protection for comment.

7.4 Environmental management Plan and Mitigation Measures

An environmental management plan shall be devised, following the necessary consultation with appropriate departments, to the satisfaction of the Director of Environmental Protection, covering the proposed effective mitigation measures, the management and operational controls to reduce impacts and the action plan. The environmental management plan shall include the monitoring and audit requirements as outlined in the paragraph below. Effective mitigation measures shall be proposed to reduce impacts to acceptable levels and to minimize the occurrence and consequence of predicted impacts inn terms of the layout and design of the development, the duration of polluting activities, construction methods and equipment, operational procedures and administrative controls. All relevant requirements in the Environmental Management Plan shall be incorporated into the contractual agreement between Government and the future operator. The consultants shall be prepare cost estimates for the proposed mitigation measures.

7.5 Environmental Monitoring and Audit (EM&A) Requirements

(i) Environmental Monitoring

The Consultants shall identify and recommend environmental monitoring requirements for all construction, post-project and operational phases of the development. These requirements shall include but not be limited to the identification of sensitive receivers, monitoring locations, monitoring parameters and frequencies, monitoring equipment to be used, and any other necessary programmes for baseline monitoring, impact and compliance monitoring, and data management of monitoring results.

(ii) Environmental Audit

The Consultants shall identify and recommend environmental audit requirements for all construction, post-project and operational phases of the development. These requirements shall include but not be limited to :

- (a) organization and management structure, and procedures for auditing of the implementation of respective environmental mitigation measures recommended for the detailed design, contract document preparation, construction, post-project operation stages of the development;
 - (b) environmental quality performance limits for compliance auditing for each of the recommended monitoring parameters to ensure compliance with acceptance criteria recommended by the SEIA. These limits shall give indication of a deteriorating environmental quality and shall allow proactive responses to be taken. (The commonly used approach is a set of trigger, action and target level);
 - (c) organization and management structure, and procedures for reviewing the monitoring results and auditing the compliance of the monitoring data with the environmental quality performance limits (point (b) above). project contractual and regulatory requirements, and environmental policies and standards;
 - (d) Even/Action plans for impact and compliance monitoring;
 - (e) complaints handling, liaison and consultation procedures; and
 - (f) reporting procedures, report formats and reporting frequency including periodical reports and annual reviews to cover all construction and post-project/operational phases of the development.
- (iii) The Consultants shall prepare an Environmental Schedule (Manual) which covers the requirements and recommendations in Section 7.5(i) and (ii)

above. The Manual shall also contain a summary list of recommended environmental mitigation measures. This Manual shall be used as a guideline for environmental monitoring and audit during the construction and post-project operational phases.

8. Liaison and Administration

8.1 The SEIA Study will be managed by an Environmental Study Management Group (ESMG) chaired by a representative of DEP. This shall be the forum for liaison with Government departments and agencies, providing guidance to the study consultant, and for the comment and review of the work and outputs of the study. All secretarial services will be provided by the consultants.

8.2 The Consultants will be expected to communicate and correspond directly with other Government Departments to obtain information in connection with the project, copying such correspondence to the ESGM, who will cooperate with and assist the Consultants to obtain information and arrange meetings with Government Departments. The consultants will be required to attend meeting for presentation of the study results to District Boards, Regional Council, ACE, etc.,

9. Report Requirements

9.1 The consultants shall produce the following reports to the Director of Environmental Protection :-


- (i) draft SEIA Final Report35 copies
- (ii) SEIA Final Report80 copies
- (iii) Executive Summary Report150 copies

More copies of reports may be required by the DEP if necessary.

9.2 The consultants shall also supply the government with appropriate copies of such technical notes, working papers, briefs, supporting documents and other relevant inputs and may be required during the Environmental Study.

9.3 In addition, the proponent shall comply with the requirements laid down in the PELB General Circular No. 2/94 on the Public Access to Environmental Impact Assessment Reports. The consultants shall assist the works agent in undertaking public consultations.





Appendix 4.1

Requirements for a Slaughterhouse



REQUIREMENTS FOR SLAUGHTERHOUSE

IMPORTANT

The permission of the Architectural Services Department must be obtained prior to carrying out any building or drainage work. It is the applicant's responsibility to seek approval from Architectural Services Department.

The issue of a licence under the Slaughterhouse (Urban Council) Bylaws, Cap. 132 does not exempt the licensee from meeting any requirement or condition imposed by the Architectural Services Department, Fire Services Department, Agriculture and Fisheries Department, Environmental Protection Department and Labour Department.

1. In applying for a slaughterhouse licence from the Council, the applicant must provide three copies of a plan, drawn as nearly as possible to scale, showing the layout and ventilation system of the proposed slaughterhouse to the Council for consideration. The applicant must sign each plan certifying that it is correct. The submission of plans shall be accompanied by an explanatory note giving an outline of the method of operation of the slaughterhouse and the nature of the management and supervision to be provided by the applicant.
2. The plans shall include particulars of the following:-
 - (i) Space allocated as lairages for the marketing, holding, waiting and isolation of animals.
 - (ii) Space allocated for the stunning, bleeding, scalding, dehairing, dehiding, dressing, inspection and for the hanging of carcasses prior to delivery.
 - (iii) Space allocated for the cleaning of offals.
 - (iv) Space allocated for the isolation slaughter of sick, injured or potentially violent animals.
 - (v) Space allocated for the unloading of live animals and the loading of wholesome carcasses including parking spaces.
 - (vi) Space allocated for the storage of edible blood, bristles, foeder and hides.
 - (vii) Space allocated for blood coagulation and storage.
 - (viii) Locker rooms, shower rooms, toilets and hose connections for cleansing purposes.
 - (ix) Drainage system (both surface and underground) for the slaughterhouse and to include grease interceptor and waste water treatment system if installed.

- (x) Health Inspectors' Office, Agriculture and Fisheries Department's Office, Laboratory for examining meat and blood samples, rest rooms for government staff and slaughterhouse personnel and office of the slaughterhouse.
 - (xi) Refrigeration rooms, boiler room, storerooms, refuse rooms, air compressor room and diesel oil tank.
 - (xii) Strong room for the storage of firearms and ammunition.
 - (xiii) Passageways, all means of exit, entry and internal communication.
 - (xiv) The siting of all slaughtering and dressing equipment/device of substantial and permanent nature including overhead rails, conveyors, sterilizers, weighing machines, wash-up sinks and wash-hand basins.
 - (xv) The slaughterhalls, isolation slaughter rooms, offal cleaning rooms, workrooms, and hanging rooms showing the finish of walls, floors and ceilings.
3. The layout of the slaughterhouse shall be designed so as:
- (i) to permit only a one way flow of animals/carcases through the following stages:
 - (a) admission of live animals to the lairages;
 - (b) admission of live animals to stunning points;
 - (c) slaughtering, dressing and inspection of animals in the slaughterhalls;
 - (d) handing of carcasses in the hanging rooms prior to delivery.
 - (ii) to permit the functioning of all operations under hygienic conditions;
 - (iii) to ensure that the live animal reception areas and lairages shall be separated from the slaughter and meat delivery areas;
 - (iv) to permit the collection, storage and removal of solid waste materials without causing any possible contamination to dressed carcasses;
 - (v) to ensure that no lairages, toilets or shower rooms shall be built above the slaughterhalls, isolation slaughter rooms, refrigeration rooms and hanging rooms.
4. Lairage facilities shall be provided complying with the following:
- (i) The lairages shall be separated from the slaughter and the meat delivery areas.
 - (ii) The lairages shall be either a separate building and connected to the slaughterhall by a passageway or separated from the slaughterhall by a partition wall extending to the full height of the lairage with no openings except a passageway for animal and staff.
 - (iii) Separate isolation lairages shall be provided for the accommodation of sick, injured, potentially violent or suspect animals.

- (iv) Adequate and conveniently located hose connections or water points for clean up purposes shall be provided in the lairages.
- (v) The lairages shall be provided with facilities for watering and feeding of animals.
- (vi) The floor of the lairages shall be of impervious and non-slip materials, the height of the wall from the floor to the ceiling shall not be less than 3.4m and the internal surface of the walls shall be surfaced with smooth non-absorbent material to a height of not less than 2.0m.
- (vii) The lairages shall be of sufficient area to hold, at any one time, all animals likely to be slaughtered on any one day. The area required shall be calculated on the basis of 0.7m² for each head of pig, goat or sheep and 3m² for each head of cattle or soliped.

5. The following facility shall be provided in the slaughterhouse:


- (i) Adequate space in the slaughterhall for the slaughtering and dressing activities to be carried out satisfactorily; sufficient area in the slaughterhall for the exclusive use of Health Inspectors to carry out post-mortem examination of carcasses and offals.
- (ii) Suitable and separate accommodation for the emptying and cleaning of stomachs and intestines (offal cleaning), the storage of bristles, the retention of meat found unfit for human consumption, the storage of edible blood, the storage and coagulation of inedible blood, the storage of hide, the storage of dangerous goods and the storage of refuse.
- (iii) Separate isolation slaughter rooms for the slaughter of sick, injured or potentially violent animals.
- (iv) Equipment for the supply of steam or heat to the scalding tanks, sterilizers, wash-up sinks, wash-hand basins and showers.
- (v) Hanging rooms and/or a covered meat dispatch bank for vehicles to collect wholesome carcasses.
- (vi) Adequate changing rooms, shower rooms, toilets, storerooms and offices for slaughterhouse personnel and government staff.
- (vii) Separate and adequate refrigeration storage rooms for the treatment of beef carcasses affected with localized cysticercus bovis and for the temporary storage of wholesome carcasses awaiting delivery and condemned meat and dead animals, pending disposal. Refrigeration rooms for the treatment of localized cysticercus bovis affected carcasses shall be equipped with a fixed self-registry device which accurately records the temperature in the room as well as time during which the temperature has been maintained. Acceptable tolerance for such a device is plus or minus one degree Celsius.
- (viii) An overhead system of rails to ensure that the bleeding, dehairing, dehiding, dressing and inspection of animals can be carried out off the floor.

- (ix) A strong room of adequate size and designed to the satisfaction of Commissioner of Police, for the storage of arms and ammunition used in connection with the stunning of animals.
6. Wall and floor finishes shall comply with the following requirements:
- (i) The floors of the slaughterhalls, isolation slaughter rooms, offal cleaning rooms, workrooms and hanging rooms shall be surfaced with non-slip material and fitted in such a way as to facilitate easy cleaning and draining of water; the channelling of water towards drains fitted with gratings shall take place under cover of impervious construction.
 - (ii) The internal surface of walls in the slaughterhalls, isolation slaughter rooms, offal cleaning rooms shall be surfaced with smooth, durable, impervious and washable material which shall be of a light colour from the floor to the ceiling. The junction between the walls and floors shall be covered.
 - (iii) The internal surface of walls in the workrooms and hanging rooms shall be surfaced with smooth, durable, impervious and washable material which shall be of a light colour from the floor to a height of not less than 2m. The junction between the walls and floors shall be covered.
 - (iv) The floor of the refrigeration room must be evenly surfaced with a hard and non-absorbent materials. The internal walls must be surfaced with smooth and impervious material from floor to ceiling.
7. The following equipment shall be provided:
- (i) Adequate and conveniently located hose connections for clean-up purpose in the slaughterhalls, isolation slaughter rooms, offal cleaning rooms, workrooms, hanging rooms and lairages.
 - (ii) Adequate number of sterilizers for cleaning and disinfecting knives and tools conveniently located in the pig/cattle carcass inspected areas, isolation slaughter rooms and along each cattle and pig dressing line. The equipment shall be provided with a supply of hot and cold water facilities for maintain the required temperature of the water in the sterilizers at not less than 82°C.
 - (iii) A sufficient number of wash-hand basins and wash-up sinks of glazed earthenware or other approved material and of adequate size, conveniently located in the slaughterhalls, isolation slaughter rooms, offal cleaning rooms, workrooms and hanging rooms. Each basin/sink shall be provided with a supply of hot or cold running water.
 - (iv) A sufficient number of working tables in the pig and cattle offal cleaning rooms. These tables shall be made of non-absorbent material and constructed to a height of not less than 150mm above the floor surface and laid in fall towards drainage.

All equipment and fittings in the slaughterhalls, isolation slaughter rooms, offal cleaning rooms, workrooms and hanging rooms shall be of such material and of such construction as to enable them to be kept clean and except for chopping blocks, cutting boards, brooms and handles of implements, shall not be of wood but shall be of metal or other durable material resistant to corrosion.

8. Roads, loading bays, parking areas shall be provided and shall comply with the following requirements:
- (i) Roadways, driveways, parking area and loading/unloading areas within the precincts of the slaughterhouse shall be properly paved.
 - (ii) Covered loading bays for vehicles to load wholesome carcasses shall be provided. If the loading bays are to be used as hanging rooms, walls on three sides of the loading bay shall be provided and requirements applicable to hanging rooms shall also apply to the loading bays.
9. Water Supply
- (i) Water supply shall be from public mains or from an approved source. Equipment using potable water shall be so installed as to prevent back-siphonage into the mains water systems.
 - (ii) All pipes for flushing purpose shall be clearly differentiated from those carrying drinking water, shall not be cross-connected with the potable supply, shall not pass through rooms containing fresh meat and shall not be used for cleansing the floors of the slaughterhalls, isolation slaughter rooms, offal cleaning rooms, workrooms, and hanging rooms and meat delivery vehicles.
10. Lighting and Ventilation
- (i) The slaughterhouse shall be provided with well distributed artificial light of an overall intensity of not less than 220 lux throughout the slaughterhalls, isolation slaughter rooms, offal cleaning rooms, workrooms and hanging rooms. In areas where meat inspection is carried out, the overall intensity of artificial light shall not be less than 550 lux.
 - (ii) Adequate ventilation, both natural and artificial, shall be provided to the satisfaction of the Council. This may be furnished by means of windows, skylights and by mechanical means such as installation of electric fans and/or a fan-end-duct system. Heat extraction system in the slaughterhall shall also be provided.
11. Adequate shower and changing facilities shall be provided in the premises and the number of water closets, flushed urinals and wash-hand basins shall not be less than 23, 13, 46 respectively for male staff and 5, 0, 6 for female staff respectively as shown on the proposed plans.
- (i) Rooms containing water closets/urinals shall not communicate directly with the slaughterhalls, isolation slaughter room, offal cleaning rooms, workrooms and hanging rooms.
 - (ii) The floor and internal walls of rooms containing water closets and urinals shall be constructed in accordance with the Building (Standards of Sanitary Fitments, Plumbing, Drainage Works and Latrines) Regulations Cap. 123.
 - (iii) Adequate wash-hand basins with hot or cold running water shall be conveniently located in the toilet and shower rooms.

- (iv) Suitable and adequate shower facilities shall be provided next to the changing or locker rooms.
 - (v) Suitable and sufficient accommodation shall be provided for slaughterhouse personnel and government staff to change their clothes.
 - (vi) An adequate number of lockers shall be provided in the changing rooms for slaughterhouse personnel and government staff. To facilitate cleaning beneath the lockers, they shall be placed above the floor on legs or supports. Seats shall be in the form of plastic or wooden planks.
12. The drainage system for the slaughterhall, offal rooms, hanging rooms and lairages shall be fitted with bucket traps for the interception and collection of solid waste and these shall be maintained in proper working order.
 13. Effective means to exclude pests from the slaughterhouse shall be provided.
 14. A proper security service shall be provided for an efficient security control of the slaughterhouse.
 15. Vehicles for the conveyance of dressed carcasses and offals from the slaughterhouse shall be of a type approved by the Council.
 16. Sufficient notices prohibiting smoking and spitting shall be conspicuously and permanently displayed in the slaughterhall, isolation slaughter room, offal cleaning room, workrooms and hanging room.
 17. The slaughterhouse licence will be issued upon the compliance of all licensing requirements and upon the effective date of the contract between the Government and the Hong Kong Slaughterhouse Co. Ltd.
 18. All airducts should be rendered rat-proof.



Appendix 4.2

Conditions for a Slaughterhouse

CONDITIONS FOR SLAUGHTERHOUSE

1. The licensee shall comply with any directions given by the Council regarding the operation of the slaughterhouse.
2. The layout of the slaughterhouse premises shall be kept in strict conformity with that shown in the final plan approved by the Council and no alteration or addition shall be made to the premises or to the layout of facilities without the prior approval of the Council.
3. The slaughterhouse opening hours for the admission and slaughter of animals shall be approved by the Council.
4. The slaughterhouse shall only be used for the slaughter of bovine animals, pigs, goats, sheep or solipeds and shall not be used for the slaughter of any other animals or for other purpose.
5. All operations required for the slaughter and dressing of carcasses, the processing of offals and blood shall be carried out at places and by methods in a hygienic manner as approved by the Council.
6. Sufficient impervious containers with close-fitting lids shall be provided for the collection and storage of blood (including coagulated blood). The blood shall be removed daily and the receptacles must be thoroughly cleansed immediately after being emptied.
7. Sufficient containers with covers shall be provided for the storage of all refuse and other waste matter awaiting disposal.
8. All refuse and other solid waste matter shall be removed daily in such a manner as not to cause any nuisance and necessary steps shall be taken to prevent the presence of pests the slaughterhouse.
9. Smoking and spitting shall be prohibited in the slaughterhalls, isolation slaughter rooms, offal cleaning rooms, workrooms and hanging rooms.
10. All knives and equipment for the slaughtering and dressing of animals must not be used for any other purpose.
11. Slaughter knives and stunding equipment shall be cleansed immediately after slaughter and kept in safe custody under lock and key.
12. Scabbards and similar devices for the temporary retention of knives, steels, etc. shall be constructed of non-corrosive metal and must be easy to clean and disinfect.
13. The use of rags and wooden or other duct boards on the floors of slaughterhalls, isolation slaughter rooms, offal cleaning rooms, workrooms and hanging rooms is prohibited.
14. Personal effects such as clothing, footwear, luggage, and other articles shall not be stored or left in any slaughterhalls, isolation slaughter rooms, offal cleaning rooms, workrooms and hanging rooms.

15. Clean overalls or outer garments, headgear and non-slip rubber boots shall be provided for all staff on duty and must be worn by them.
16. Any open cut or abrasion on any exposed parts of persons working in the slaughterhouse shall be protected with a waterproof dressing or sticking plaster.
17. A sufficient number of first aid boxes together with suitable and sufficient bandages, dressings (including waterproof dressings) and antiseptics for first aid treatment shall be provided and maintained at appropriate and easily accessible positions for the use of persons in the slaughterhouse.
18. All wash-hand basins and wash-up sinks shall be provided with an adequate supply of soap, paper towels and any other materials as may be required by the Council.
19. Each water closet shall be provided with an adequate supply of toilet papers.
20. No carcasses and offals from the slaughterhouse shall be permitted to be delivered in vehicles other than those approved by the Council.
21. Except with the prior permission from the Council, the licensee shall not permit the slaughter of animals for supply to any premises other than meat retailing outlets licensed by the Municipal Councils.
22. The licensee shall maintain for his slaughterhouse a register in which he shall record the names, business addresses (the actual location for selling meat) and other relevant particulars of owners of animals delivered for slaughter at the slaughterhouse.
23. The licensee shall not deny to any religious community reasonable facilities for slaughtering animals, using method which accords with their religious belief and is authorised by the Council.
24. Keeping of animals shall be confined to lairages provided specifically in the slaughterhouse for this purpose and so assigned by the Council in the approved plan.
25. The number of animals to be kept at the lairage must not exceed at any one time the maximum capacity which the lairage can hold.
26. The licensee shall at all reasonable times permit the Director of Urban Services, the Director of Agriculture & Fisheries, the Director of Architectural Services, the Director of Environmental Protection, the Director of Fire Services, the Director of Electrical and Mechanical Services, Commissioner for Labour, the Director of Civil Engineering Services, or their representatives to have free access to every part of the slaughterhouse for the purpose of inspection of the premises and any animals, machinery and installations therein.
27. No dogs, cats or pets shall be allowed to be present in the slaughterhouse.
28. The licensee, or a manager nominated by the licensee in writing to the Council and acceptable to the Council, shall conduct the business in person at the slaughterhouse.
29. Lubricating oil used in machinery and overhead rails in slaughterhalls, isolation slaughter rooms, offal cleaning rooms, workrooms and hanging rooms shall be of non-toxic nature.

30. Except with prior permission from an authorised officer, stunning and bleeding of cattle shall only be carried out in the respective approved areas.
31. The stunning, bleeding, scalding and dressing of animals shall only be carried out in the respective approved areas.
32. Any fumes, steam and hot air generated from the working process in the licensed slaughterhouse or from any extraction system installed therein shall be discharged into the open air in such a manner as not to be a nuisance.
33. The licensee shall comply with all requirements imposed by the Director of Environmental Protection in connection with the pollution control for operating a slaughterhouse.
34. The licensee shall cooperate with the Commissioner of Police in carrying out necessary measures to ensure the security and maintenance of good order within the slaughterhouse. The forms and conditions for the issue of entry permits shall be subject to prior approval of the Council.
35. All buildings, equipment and other facilities shall be maintained in a state of good repair and working order.
36. The premises shall be kept in a reasonably clean condition at all times and the slaughterhall, offal rooms, work rooms and hanging rooms shall be washed clean after each operation.
37. Dry mucking of manure within the animal holding pens shall be carried out as far as practicable to reduce the volume of solid waste matter which may enter the drainage system. Good housekeeping shall be maintained to minimise odour nuisance arising from the operation or activity within the premises.
38. Animal carcasses, condemned meat and offal awaiting disposal shall be refrigerated. Waste materials arising from the slaughter of animals and animal wastes generated within the premises shall be stored in suitable covered containers. All these wastes, animal carcasses and condemned meat and offal shall be disposed of as soon as possible and in any case not exceeding 24 hours after generation, at places and by method which are in accordance with written directives given by the Council.
39. All operations required for the slaughter and dressing of carcasses, and collection of edible blood shall be carried out in a hygienic manner by methods approved by the Council.
40. No carcasses and offals shall be allowed to touch the floor and slaughtering should be suspended if there is a break-down of the dressing line and associated equipment of electric power failure.
41. This licence will lapse if the licensee's lease with the Government expires or is terminated.
42. Immunization Cards of all employees must be produced for cross checked and inspection whenever requested officers.
43. The ventilating system must, at all times when the slaughter house are open for business, be kept fully in operation.

44. Only edible dye/colours shall be used for the stamping, marking or labelling of the carcasses and offal.



Appendix 4.3

Guidelines on Transport/Handling/Care of Pigs:

A.Road Transport by Lorry within H.K.

B.Local Sea Transport

C.International Transport by Sea

D.Rail Transport

E.Housing of Pigs in Lairages, etc.

F.Walkways, Ramps, Gang-Planks, etc.

G.Baskets, Crates, Cages, etc.

Delivery Vehicles:

Meat

Offal

Ref.: AF LSK 13/6 III : December 1989 : Pig Guidelines A (BILINGUAL)

AGRICULTURE & FISHERIES DEPT. HONG KONG

GUIDELINES ON TRANSPORT/HANDLING/CARE OF PIGS

Index

- A. Road Transport by Lorry within Hong Kong
 - Journeys not exceeding 2 hours
 - B. Local Sea Transport
 - Journey not exceeding 2 hours
 - C. Sea Transport
 - Journeys exceeding 2 hours (pigs arriving from outside Hong Kong),
 - (with space requirement for journeys exceeding 24 hours).
 - D. Rail Transport
 - E. Housing of Pigs in Lairages, etc.
 - F. Ramps & Slopes
 - G. Baskets, Crates, Cages, etc. for transporting pigs
-

"Porkers" are defined as pigs weighing from 48 kg to 90 kg.

In practice, nearly all porkers will weigh between 60 kg and 90 kg, and the majority of porkers are expected to weigh between 70 kg and 90 kg.

"Lairage Porkers" are defined as pig weighing over 90 kg.

In practice, "large porkers" will mostly weigh between 90 kg and 110 kg.

"Roasters" are defined as pigs weighting from 20 kg to 49 kg.

These guidelines will be subject to review from time to time if found necessary



Pigs by Road

Ref.: AF LSK 13/6 III : December 1989 : Pig Guidelines A (BILINGUAL)

AGRICULTURE & FISHERIES DEPT. HONG KONG

**GUIDELINES FOR ROAD TRANSPORT BY LORRY
OF PIGS WITHIN HONG KONG**

(For pigs not held in crates, cages, baskets, etc.)

(For Journeys not expected to exceed 2 hours duration)

1. **Space.** There must be no overcrowding or squeezing of animals, and animals must not be forced to climb on top of on one another.

The minimum space allowance are :

for "Porkers" : 0.35 m² per pig minimum;

for "Large Porkers" : 3.38m² per pig minimum;

for "Roasters" : 0.2m² per pig minimum;

"Porkers" means pigs weighing from 48 kg to 90 kg;

"Large Porkers" means pigs weighing over 90 kg;

"Roasters" means pigs weighing from 20 kg to 48 kg.

These are minimum space allowances per pig. If the pigs appear to be overcrowded, they should be given more space. More space may also be needed in very hot weather.

2. **Vehicle Design** The vehicle must be designed so that animals are safe and will not fall out or jump out, and so that the animals are comfortably accommodated.
3. **Cleaning** The vehicle must be kept clean.
4. **Driving.** Drivers must drive carefully for the welfare of the animals.
5. **Loading & Unloading, etc.** Gang-planks, ramps, platform, tail-gate etc. must be firm, stable, in good condition, humane and suitable for the purpose. Shade from the sun and shelter from rain and inclement weather should be provided. Facilities should include provision for proper inspection and checking of the animals, and for identification and separation of weak or sick or injured animals.

6. **Sloping Ramps** should be properly designed and constructed for the purpose, and should not be too steep. Please see separate guidelines on ramps and slopes.
7. **Handling Animals.** Excessive beating or other inhumane (cruel) methods are unacceptable. Offenders are liable to prosecution.
8. **Drinking Water.** Although pigs may be without drinking water during the road journey (not exceeding 2 hours), they must all be given water to drink, easily accessible to each pig, before and after the journey.
9. **Temperature.** Overheating of the pigs must always be prevented.
10. **Shade and Shelter.** The pigs should all be shaded from the sun; and should all be protected from rain, inclement weather, and other adversities.
11. **Improvements to Lorries.** Where necessary, lorries should be further improved. Improvements to be considered may include :
 - (a) **Tail-gate and side-flaps :** The gaps around tail-gate or side-flap hinges should be covered or filled when pigs walk across them. Foot-holds, such as smooth cross-battens should be provided where necessary to prevent pigs slipping when walking on tail-gates.
 - (b) **Sides :** The wooden side-slate should be adjusted so that pigs can walk under them during loading/unloading, without hitting their backs.
 - (c) **Partitions and /or Padding, etc.** may be appropriate inside lorries in certain circumstances to protect pigs from injury or falling out.
 - (d) **Internal Gates and/or Adjustable Partitions** inside lorries may be fitted in order to confine pigs into smaller groups.
 - (e) **Other improvements** should be made as appropriate.

Note : Relevant provisions of the Prevention of Cruelty to Animals Ordinance Cap. 169, and other relevant legislation, are also applicable.



Pigs by Lighter

Ref. AF LSK 13/6 III (December 1989) : Pig Guideline B (BILINGUAL)

AGRICULTURE & FISHERIES DEPT. HONG KONG

**GUIDELINE FOR LOCAL SEA TRANSPORT OF
PIGS BY "LIGHTERS"**

CROSS-HARBOR TRANSPORT & TRANSPORT WITHIN HONG KONG WATERS

(For pigs not held in crates, cages, baskets, etc.)

(For journeys not expected to exceed 2 hours duration)

1. **Space.** There must be no overcrowding or squeezing of animals, and animals must not be forced to climb on top of one another.

The minimum space allowance are:-

for "Porkers"	:	0.35m ² per pig minimum
for "Large Porkers"	:	0.38m ² per pig minimum
for "Roasters"	:	0.2m ² per pig minimum

"Porkers" means pigs weighing g from 48 kg to 90 kg;

"Large porkers" means pigs weighing over 90 kg;

"Roasters" means pigs weighting from 20 kg to 48 kg.

1. These are minimum space allowances per pig. If the pigs appear to be overcrowded, they should be given more space. More space may also be needed in very hot weather.
2. **Shade.** The pigs should be shaded from the sun. Provision of shade should be in accordance with safe designs for the vessel.
3. **Shelter.** The pigs should be protected from rough sea, inclement weather, and other adversities.
4. **Flooring & Comfort.** The pigs should be comfortably accommodated on suitable non-slip floors in the boats.
5. **Drinking Water.** Drinking water should be provided for the pigs before the journey and as soon as possible after the journey.

6. **Pens.** The pigs should be enclosed within pens which effectively prevent them from falling off the boat. The pigs must be safely accommodate on the vessel. It is desirable that internal gates or adjustable partitions be fitted and used when appropriate in order to confine pigs into smaller groups.
7. **Cooling.** The pigs should always be accommodated with very good ventilation. Overheating must not be allowed to occur in hot weather. In hot weather, cooling is very important.
8. **Handling.** Excessive beating or other inhumane (cruel) treatment is unacceptable.
9. **Loading & Unloading, etc.** Ramps for the pigs to walk on off the boats must be solid and substantial and suitable for the purpose. They should have suitable battens on the floors to minimize slipping, and must have fenced slides to prevent the pigs falling off. They should fit properly, and must be suitable for the purpose. Shade and shelter should be available. Provision for inspecting and checking animals is required, and for separating sick/weak/injured animals. Please also see guidelines for ramps and slopes.
10. **Cleanings.** The vessel must be kept clean.
11. **Conditions.** Transport during unacceptably rough sea conditions should be avoided.

- Note : - The Prevention of Cruelty to Animals Ordinance, Cap. 169 is relevant
- Appropriate provisions of the Public Health (Animals & Birds) Ordinance and Regulations, Cap. 139 are relevant.
- Other appropriate legislation is applicable as relevant.



Pigs by Sea

Ref: AF LSK 13/6 III : December 1989 : Pig Guidelines A (BILINGUAL)

AGRICULTURE & FISHERIES DEPT. HONG KONG

GUIDELINES FOR INTERNATIONAL TRANSPORT OF PIGS BY SEA

(For pigs traveling to Hong Kong from elsewhere by sea)

1. The provisions of the PREVENTION OF CRUELTY TO ANIMALS ORDINANCE & REGULATIONS, Cap. 169, are applicable.
2. The Terms of the SPECIAL PERMIT (where required) are applicable.
3. The relevant provisions of the PUBLIC HEALTH (ANIMALS & BIRDS) ORDINANCE and REGULATIONS, Cap. 139, are applicable.
4. Minimum space : 0.7m² per pigs over 40 kg *
 0.35m² per pigs under 40 kg *

Considered as applicable for journey exceeding 24 hours.

5. Food and water must be provided, accessible to the pigs.
6. The pigs must be comfortable and humanely treated at all times.

* as stated in Prevention of Cruelty to Animals Regulations (Cap. 169) for import by sea.

Ref.: AF LSK 13/6 III : December 1989 : Pig Guidelines A (BILINGUAL)

AGRICULTURE & FISHERIES DEPT. HONG KONG

GUIDELINES FOR RAIL TRANSPORT OF PIGS

Minimum standards for transport of pigs by railway (rail vehicle; railway wagons)

* * * * *

1. **General.** Animals must not be overcrowded. All animals must be given sufficient space to enable them to stand, sit and lie comfortably at all times, and to enable each animal to have easy access to drinking water at all times and to food when provided. Space must also be sufficient to enable good cooling and ventilation to all animals. Adequate standards must be maintained to ensure the comfort and welfare of all the animals.
2. **Ventilation.** Railway wagons must be properly and adequately ventilated. Overheating of animals must always be prevented. Good cooling and ventilation are essential.
3. **Opening.** Windows and other openings should be designed to prevent animals from getting their heads or limbs through (except doors when open solely during unloading or loading). When necessary, bars of mesh should be used over the windows or other openings.
4. **Water.** A constant and adequate supply of clear fresh drinking water must be provided, easily accessible to all animals.
5. **Comfort.** The wagons must permit the animals to stand, sit and lie comfortably and must permit access by staff to check the animals.
6. **Bedding.** Suitable bedding should be provided if appropriate for the animals.
7. **Cleanliness.** The wagons and all equipment and facilities should be kept as clean as possible.
8. **Tying.** Pigs should not be tied or caged in railway wagons.
9. **Food.** Adequate food should be provided as appropriate.
10. **Floors.** The floors of the railway wagons must be suitable for the animals transported.



11. **Design.** The designs of the railway wagons must be adequate for the animals carried.
12. **Stage.** The animals must always be given sufficient space for their comfort and welfare.
13. **Movement.** Movement of the train/railway wagons must be carried out smoothly and properly for the comfort and welfare of the animals.
14. **Handling etc.** Beating or other inhumane treatment are unacceptable.
15. **Shelter.** Wagons should be equipped with a roof and be so constructed as to protect animals against inclement weather conditions.
16. **Caring.** The animals should be inspected frequently and regularly to ensure their comfort and welfare at all times. Inspections should be carried out by properly trained and experienced persons who are fully capable of inspecting and handling animals and related matters. Any problems must be rectified immediately.
17. **Safety.** Wagons should be escape-proof, and so constructed as to protect animals and to prevent animals from falling or jumping off.
18. **Loading and Unloading**
 - (a) **Loading and unloading** should be fully supervised and regulated by properly trained and experienced persons.
 - (b) **Animals** should be unloaded as soon as possible after arrival at the destination.
 - (c) **Gangplanks, Ramps, Platforms, etc.** must be firm, stable, in good condition, humane and suitable for the purpose. Where appropriate, they should have suitable battens on the floor to prevent slipping and fenced sides to prevent animals from falling or jumping off. They should fit properly.
 - (d) **Shade** from the sun and **Shelter** from rain and inclement weather should be provided.
 - (e) **Inspection.** The facilities should include provision for proper inspection and checking of the animals, for identification and separation of weak or sick or injured animals, for identification and separation of weak or sick or injured animals, and provision for treatment and care or emergency slaughter of animals in need of this.

19. **Sloping Rails** should be properly designed and constructed for the purpose, and should not be too steep. Where possible, sloping ramps should be avoided and flat or flatter facilities should be provided instead, e.g. platforms. Please also see separate guidelines on ramps and slopes.

- Notes: - The Prevention of Cruelty to Animals Ordinance and Regulations (Cap. 169) are relevant.
- Appropriate provisions of the Public Health (Animals and Birds) Ordinance and Regulations (Cap. 139) are relevant.
 - Other appropriate legislation is applicable as relevant.



Pigs in Lairages

Ref.: AF LSK 13/6 III : December 1989 : Pig Guidelines A (BILINGUAL)

AGRICULTURE & FISHERIES DEPT. HONG KONG

GUIDELINES FOR HOUSING OF PIGS BY LAIRAGES ETC.

1. The space allowances should be comfortable floor space actually available to the pigs, and do not include space occupied by water troughs, railings, passages, etc., which should be additional space.

The minimum space allowances for pigs of different size are given in the following table:

	Usual weight range	Minimum lairage floor space per pig
Porker and Large Porker	over 48 kg	0.70m ²
Roasters	20 kg to 49 kg	0.35m ²
Suckling	under 20 kg	0.20m ²

2. **Air Spaces.** Sufficient air space and height of buildings used for housing pigs are necessary to ensure adequate ventilation, air-charge and air-circulation. In general, lairage building should be not less than 3.6 metres high (floor to ceiling).
3. **Drinking Water.** The pigs should all have access to fresh clean drinking water at all times. Troughs and other water containers should be designs to prevent animals lying in them of defaecating/urinating into them, to prevent from being knocked over, and so on.
4. **Food.** The pigs should be given proper and adequate food at suitable intervals.
5. **Beating or any kind of inhumane (cruel) treatment is not permitted.**
6. **Sick, injured, and suffering** animals must be identified, and must be humanely dealt with as a matter of urgency.
7. **Shelter.** Animals should be sheltered from sun, rain, inclement weather, and other adversities.
8. **Temperature.** Overheating of pigs must be prevented. Good cooling and ventilation must always be maintained.
10. **Inspection.** The animals must be inspected frequently and regularly to ensure their comfort and welfare. Problems must be rectified promptly.

11. **Design & Construction.** The accommodation etc. must be properly designed for the comfort and welfare of the animals. Adequate ventilation and lighting should be provided for pens, walkways, etc.

12. **Drainage.** Proper and effective drainage must always be maintained.

Notes :- The Prevention of Cruelty to Animals Ordinance & Regulations, Cap. 169 are relevant.

- The relevant provisions of the Public Health (Animals & Birds) Ordinance and Regulations, Cap. 139, are applicable.

- Appropriate provision of other applicable legislation are relevant.



Ref.: AF LSK 13/6 III : December 1989 : Pig Guidelines A (BILINGUAL)

AGRICULTURE & FISHERIES DEPT. HONG KONG

GUIDELINES ON WALKWAYS, RAMPS & GANG-PLANKS, ETC. FOR LIVESTOCK

1. General

The following guidelines set out the basic requirements to be considered when designing and constructing walkways, ramps, etc. for livestock. Steep slopes should be avoided. **Gentle Gradients are recommended**, and, generally, the less steep, the better.

2. General Standards

- (a) All walkways, ramps, gang-planks, etc.:
 - (i) should be firm, stable and in good condition;
 - (ii) should be of solid and substantial construction;
 - (iii) should be properly designed and constructed and suitable for the purpose;
 - (iv) should not have difficult steps;
 - (v) should have suitable battens on their floors to minimize slipping;
 - (vi) should have non-slip flooring as far as possible;
 - (vii) should have fenced/walled sides to prevent animals from falling off;
 - (viii) should fit properly;
 - (ix) should be designed, constructed, maintained and used so that they do not cause injury or danger to animals or people, and so that the animals cannot escape;
 - (x) should be maintained and kept in good conditions;
 - (xi) should be used only when properly supervised and controlled by sufficient numbers of capable and experienced personnel; and
 - (xii) should be kept as clean as possible.

- (b) Ramps, gang-planks, etc.; which are situ when livestock are held or penned adjacent to them, should have gates/barriers which can be closed to prevent animals jumping or falling off.



Ref.: AF LSK 13/6 III : December 1989 : Pig Guidelines A (BILINGUAL)

AGRICULTURE & FISHERIES DEPT. HONG KONG

**GUIDELINES ON BASKETS/CRATES/CAGES
USED TO TRANSPORT PIGS FOR SHORT JOURNEYS
(NOT EXCEEDING TWO HOURS)**

1. Baskets/crates/cages used for transport pigs should :-
 - (a) be large enough to hold the pigs comfortably,
 - (b) be generally suitable for the animals contained inside,
 - (c) be strong, to hold and protect the animals,
 - (d) be constructed so as to prevent animals from being injured,
 - (e) be constructed so as to prevent limbs of other parts of animals from projecting out,
 - (f) be kept clean, and
 - (g) be properly ventilated.
2. Baskets/crates/cages used for pigs should have comfortable floors/bottoms capable of taking the weight of the pigs in reasonable comfort.
3. Baskets/crates/cages used for pigs should be sufficiently long to enable the pigs to stretch out lengthwise without scraping or hurting their noses, etc.
4. When stacked, baskets/crates/cages used for pigs should be so stacked as to :-
 - (a) ensure stability,
 - (b) enable every animal to be clearly seen and inspected,
 - (c) allow proper and sufficient ventilation for the comfort of each animal,
 - (d) position all pigs facing in the same direction as those above and below them to prevent urine, faeces, etc. falling on the heads of pigs below, and
 - (e) ensure the reasonable comfort of the pigs.
5. Baskets/crates/cages containing pigs must never be thrown, dropped, allowed to fall, rolled, dragged or otherwise mishandled.
6. Pigs in baskets/crates/cages should be shaded from the sun and protected from inclement weather.
7. The requirements of the Prevention of Cruelty to Animals Ordinance and Regulations, Cap. 169, must be complied with.

(A) Requirement for meat Delivery Vehicles

1. The vehicle must be a goods vehicle licensed under the Road Traffic Ordinance.
2. The external surfaces of the vehicle shall be constructed with metal and can be properly and thoroughly cleaned.
3. The driver's compartment shall be completely separated from the compartment where meat and offal are to be conveyed.
4. Meat Conveying Compartment
 - (a) The compartment for the conveyance of meat shall be enclosed on all sides and the internal surfaces shall be lined with smooth, impervious, non-absorbent and corrosion resistant materials, e.g. stainless steel or aluminum plates;
 - (b) Rear doors shall be of the roller-shutter type. Panels and openings providing access to the meat compartment shall be made close-fitting and non-detachable;
 - (c) Unless it is fitted with proper insulating and refrigeration system, the meat compartment must either be provided with sufficient insect-proof ventilation openings or with a least one electric propulsion/extraction fans at the front/rear of the compartment;
 - (d) Not less than one drain hole leading to a detachable receptacle adequately covered to prevent spillage of the collection of drippings/liquid from the meat compartment shall be provided and installed underneath the floor surface of the vehicle;
 - (e) Metal curbs raised to not less than 20 mm above the floor level of the meat compartment shall be provided along the perimeters of the floor to prevent the dripping of liquid from the vehicle onto the road surface;
 - (f) Metal racks or shelves provided in the meat compartment for the storage of meat shall be raised to not less than 6 cm and not more than 30 cm above the floor level of the compartment, and made detachable to facilitate cleaning, see sketch attached;
 - (g) Racks or shelves shall be constructed with metal rods which should be spaced with a clearance between two rods of not less than 5 cm and not more than 12 cm, as shown on sketch attached;



- (h) A central walkway with a width of not less than 30 cm and not more than 45 cm shall be provided in the meat compartment to facilitate loading and unloading, as shown on sketch attached;

- (i) Racks, shelves, roller-shutter and hooks provided in the meat compartment shall be made of smooth, impervious, non-absorbent and corrosion resistant materials and they shall be constructed and, installed in such manner as to facilitate cleaning and avoid the contamination of meat;

- (j) Hooks, trays or containers made of smooth, impervious, non-absorbent and corrosion resistant materials shall be provided for hanging or the storage of offal.



(A) Requirements for Offal Delivery Vehicles

- (1) The vehicle must be suitable for purpose and licensed under the Road Traffic Ordinance.
- (2) The external surfaces of the vehicle shall be constructed with metal and can be properly and thoroughly cleaned.
- (3) The compartment where the offals are to be conveyed shall be completely separated from the driver's/seating compartment.
- (4) The compartment for the conveyance of offals shall be enclosed on all sides and the internal surfaces shall be lined with smooth, impervious, non-absorbent and corrosion resistant materials.
- (5) An impervious tray of suitable size shall be provided on the floor of the offal conveying compartment to prevent drippings onto the road surfaces.
- (6) Adequate number of containers (with covers) suitable for storing offals shall be provided.

(B) Conditions for Vehicles and Persons Engaged in Offal Delivery

- (1) Offals shall be placed or stored in containers before loading onto the conveying compartment of the vehicle and offal must not be placed on the floor of the conveying compartment and must be adequately protected against contamination and deterioration.
- (2) The doors, panels and openings providing access to the conveying compartment must be kept tightly closed all the time while the vehicle is in motion.
- (3) The vehicle must be kept clean at all the time when used for transportation of offal.
- (4) No other articles shall be conveyed in the vehicle together with the offal.
- (5) The vehicle must at no time be used for the transportation of live animals or any other product likely to affect or contaminate the offal.
- (6) While the vehicle is remaining in the abattoir, the driver must obey all reasonable orders and instructions given by the abattoir staff on duty and must not park any vehicle in such a manner as to cause obstruction.
- (7) The vehicle will not be allowed to remain in the abattoir when not actually engaged in offal delivery work.



- (8) Every person engaged in the delivery of offal shall at all time wear clean and washable protective clothing and head cover.
- (9) Every person who is engaged in delivery of offal shall refrain from splitting, smoking and littering.
- (10) No person is allowed to remain in the offal conveying compartment at any time except engaging the actual loading and unloading of offal or cleaning of the vehicle.
- (11) The owner of the vehicle must submit the vehicle for inspection by the Abattoir Management at such a time and place as directed by the Abattoir Manger when required.
- (12) The entry permit is respect of the vehicle shall be conspicuously displayed on the front wind screen.





Appendix 4.4

Code of Practice for the Welfare of Animals --- Cattle

- A.Guidelines for the Transport by Road**
- B.Guidelines for the Transport by Lighters/Barges**
- C.Guidelines for the Transport by Sea**
- D.Guidelines for the Transport by Rail**
- E.Guidelines for Housing in Lairages, etc.**
- F.Supplementary Guidelines on Tying Cattle**

[Ref. (23) AF LSK 13/5 (May. 89) Cattle Guidelines 7

Agriculture and Fisheries Department, Hong Kong

CODE OF PRACTICE FOR THE WELFARE OF ANIMALS - C A T T L E

INTRODUCTION

The following set of guidelines is intended as a guide for all those who are involved in different aspects of transporting, housing, or handling cattle. It aims to emphasize responsibilities of the owners, attendants, handlers, and drivers to ensure that the welfare of cattle is constantly being protected and that these animals are transported, handled and kept without injury or unnecessary suffering. The Guidelines thus seek to set out certain basic and minimum standards relevant to animal welfare. The Guidelines do not replace relevant legal requirements or legislation, such as the Prevention of Cruelty to Animals Ordinance and Regulations, Cap. 169 and the Public Health (Animals and Birds) Ordinance and Regulations, Cap. 139; but the Guidelines should be taken as complementary to such legislation.

For the purpose of these Guidelines, the word 'cattle' will refer to all bovine stock, and includes buffaloes.

CONTENTS

- A. Guidelines for the transport of cattle by road
- B. Guidelines for the transport of cattle by lighters(barges - cross-harbour transport and voyages within Hong Kong waters
- C. Guidelines for international transport of cattle by sea
- D. Guidelines for the transport of cattle by rail
- E. Guidelines for housing of cattle in lairages, etc.
- F. Supplementary Guidelines on tying cattle

Ref. : AF LSK 13/5 (May 89) Cattle Guidelines A
Agriculture and Fisheries Department, Hong Kong

Cattle by road A

CODE OF PRACTICE FOR THE WELFARE OF ANIMALS - CATTLE (A)

GUIDELINES FOR THE TRANSPORT OF CATTLE BY ROAD WITHIN HONG KONG

Space

1. **Space.** There must be no overcrowding or squeezing of animals, and animals must not be forced to climb on top of one another or to stand over other animals or to lie under other animals.

The minimum space allowances are -

- For Cattle of average weight about 400 kg :
1.25m² per animal minimum
for journeys in Hong Kong not expected to exceed 2 hours.

More space should be provided if the cattle are significantly larger.

Cattle with very large horns should also be given extra space.
Entire bulls may also need extra space if they are restless.

Standards for transport vehicles

2. **Cleaning.** Cattle-carrying vehicles should be kept as clean as is practicable.
3. **Sharp protrusions.** There should be no sharp edges or other protrusions on the framework, floor, tail-gate, side flaps etc of the vehicle which can cause injury to the animals.
4. **Floor.** The floor should be made of a suitable material so as to be of adequate strength and to provide sufficient foothold for the animals. For vehicles dedicated to the transport of cattle and other livestock, properly fitted or permanently installed footholds are necessary; these must be of a suitable form and design for the comfort and safety of the animals carried.
5. **Safety.** Cattle-carrying vehicles should be escape-proof and so constructed as to ensure the safety of the animals being conveyed.
6. **Shelter.** Vehicles should also be equipped with a roof which ensures effective protection against bad weather.
7. **Comfort.** Vehicles should be suitable for the comfort and safety of the animals.

Loading and Unloading

8. **Loading and unloading facilities and equipment** should be constructed so that they are unlikely to result in injury of the animals or escape of the animals. The facilities and equipment should be strong and stable. Where appropriate, they should be fitted with suitable sides, fences and/or gates.

9. Gang-planks, ramps, platforms, tail-gates, side-flaps, etc., must be firm, stable, in good condition, and fitted with footholds and sides as necessary for the safety and humane handling of the animals. (Additional guidelines on ramps etc. are being prepared separately.)
10. Gaps. Gaps around tail-gate or side-flap hinges of lorries, etc. should be properly covered or filled when animals walk across them.
11. Loading and unloading animals. Cattle should be loaded and unloaded in a way that does not cause them injury. Cattle should be unloaded as soon as is practicable after arrival at the destination.
12. Arrival. Arrival and unloading places should be designed and constructed to enable prompt unloading of arriving animals into sheltered comfortable facilities where they can be inspected, rested and watered.

General

13. Ventilation. Adequate ventilation should be maintained. Overheating of the animals should be prevented.
14. Drinking water. During local transport, which normally is not expected to exceed 2 hours, cattle may be without drinking water. However, they should be watered immediately before and after the journey.
15. Handling animals. Excessive beating or other cruel treatment is unacceptable.
16. Driving. Drivers should drive carefully for the welfare of the animals.
17. Typing. Animals should not be tied unless this is necessary in the interests of the animals. Animals must not be tied by the nose. Any tying arrangements must be humane, and must permit the animal to stand, sit and lie comfortably.
18. Ropes, etc. Any ropes etc. attached to animals must be humanely fitted/attached, and must be so arranged that they do not drag on the ground and so that they are not likely to become caught up or tangled with objects or other animals, and so that they are not likely to cause the animal to trip up.
19. Checks. The driver, or other person in charge of the vehicle or animals, should check the animals and their comfort and welfare. Any problems should be rectified promptly.

- Notes:** (i) Relevant legislation is also applicable. This includes the Prevention of Cruelty to Animals Ordinance and Regulations (Cap. 169), the Public Health (Animals & Birds) Regulations (Cap. 139), and such other legislation as may be relevant.
- (ii) For the purposes of these Guidelines, the word 'cattle' refers to all bovine stock and includes buffaloes.

(Ref. : AF LSK 13/5 (May 89) Cattle Guidelines B)

Agriculture and Fisheries Department, Hong Kong

Cattle by lighter B

CODE OF PRACTICE FOR THE WELFARE OF ANIMALS - CATTLE (B)

GUIDELINES FOR THE LOCAL TRANSPORT OF CATTLE BY LIGHTERS/BARGES

For the purposes of these guidelines, local transport of cattle by lighters/barges refers to cross-harbour transport and transport within Hong Kong waters for journeys which are not expected to exceed 2 hours duration.

Space

1. **Space.** There must be no overcrowding or squeezing of animals, and animals must not be forced to climb on top of one another, or to stand over other animals or to lie under other animals.

The minimum space allowances are -

- For Cattle of average weight about 400 kg :
1.25m² per animal minimum

For journeys in Hong Kong waters not expected to exceed 2 hours.

More space should be provided if the cattle are significantly larger.

Cattle with very large horns should also be given extra space.

Entire bulls may also need extra space if they are restless.

Standards for transport vessels

2. **Design.** The design of vessels should be such that cattle transported will be properly protected from injury or unnecessary suffering, and from exposure to adverse weather or sea.
3. **Shade.** Having regard to the weather conditions likely to be met, pens on any exposed deck will need to be shaded. Provision of shade should be in accordance with safe designs for the vessel.
4. **Shelter.** Cattle should be protected from rough sea, inclement weather, and other adversities.
5. **Floor.** The floor on which cattle will be accommodated should be made of a suitable non-slip material; and should be designed to allow cattle to both stand and lie comfortably, without slipping. Suitable battens may be incorporated if appropriate.
6. **Pens.** Cattle should be carried in pens which effectively prevent them from falling off the vessel. The cattle must be safely and comfortably accommodated on the vessel. Where appropriate, internal gates or adjustable partitions should be fitted and used to confine the cattle into small groups.

7. **Safety.** Cattle-carrying lighters/barges should be escape-proof and so constructed as to ensure the safety of the animals being carried.
8. **Cleaning.** Cattle-carrying vessel should be kept as clean as is practicable.
9. **Ventilation.** Adequate provision should be made for the ventilation of all spaces/pens in which cattle are carried.
10. **Maintenance.** Vessels for transport of cattle should be maintained in good working condition.

Loading and Unloading

11. **Loading and unloading facilities and equipment** should be constructed so that they are unlikely to result in injury of the cattle or escape of the cattle, and so that the cattle cannot jump or fall into the sea. The facilities and equipment should be strong and stable. Fences, railings and gates should be provided as appropriate.
12. **Ramp, Gangplanks, etc.** Loading facilities for cattle to walk on and off the vessel should be constructed so that they are unlikely to injure the animals. They must be firm, stable and in good condition. They should have fenced sides to prevent cattle falling off. The floors should be non-slip and/or fitted with footholds to provide a good grip. Difficult steps and steep gradients must be avoided.
- 12a. Additional guidelines on ramps etc. are being prepared separately.

General

13. **Weather conditions.** Transport during unacceptably rough sea conditions should be avoided.
14. **Cooling.** Overheating, especially during hot weather, should be avoided.
15. **Drinking water.** The cattle should be watered as soon as possible before and after the journey.
16. **Handling animals.** Excessive beating or other cruel treatment is unacceptable.
17. **Tying.** Animals should not be tied unless this is necessary in the interests of the animals. Animals must not be tied by the nose. Any tying arrangements must be humane, and must permit the animals to stand, sit and lie comfortably.
18. **Ropes, etc.** Any ropes, etc. attached to animals must be humanely fitted/attached, and must be so arranged that they do not drag on the ground and so that they are not likely to become caught up or tangled with objects or other animals, and so that they are not likely to cause the animal to trip up.
19. **Check.** The master of the vessel, and any other person in charge of the vessel and/or animals, should check the animals for their comfort and welfare. Any problems should be rectified promptly.



Notes: (i) Relevant legislation is also applicable and includes -

- The Prevention of Cruelty to Animals Ordinance and Regulations, Cap. 169,
- The Public Health (Animals & Birds) Regulations, Cap. 139,
- and such other legislation as may be applicable.

(ii) For the purposes of these Guidelines, the word 'cattle' refers to all bovine stock and includes buffaloes.

(File Ref. : AF LSK 13/5 (May 89) Cattle Guidelines D)
Agriculture and Fisheries Department, Hong Kong

Cattle by rail D

CODE OF PRACTICE FOR THE WELFARE OF ANIMALS - CATTLE (D)

GUIDELINES FOR THE TRANSPORT OF CATTLE BY RAIL (RAILWAY WAGONS)

Minimum standards for transport of cattle (including buffaloes) by railway (rail vehicle; railway wagons)

Space

1. **Space requirement.** Cattle should be given sufficient space and room to stand and to lie down comfortably, and to enable each animal to have easy access to drinking water at all times, and to food when provided. Space must always be sufficient for the comfort and welfare of the cattle.

Standards for the railway wagons

2. **Design.** Railway wagons for the transport of cattle should be suitable for their intended purpose.
3. **Cleaning.** Railway wagons should be kept as clean as is practicable.
4. **Ventilation.** Adequate ventilation should be provided. Overheating of animals should always be prevented.
5. **Windows and other openings.** These should be so designed as to prevent cattle from getting their heads or limbs jammed there (except wagon doors when open solely for the period of loading or unloading animals). When appropriate, bars or mesh should be fitted over the windows or other openings.
6. **Floors.** Wagon floors should be made of a suitable material so as to be of adequate strength and to provide sufficient foothold for the animals. If appropriate, suitable bedding should be provided. The floor should be suitable for cattle to stand and lie comfortably, and should be maintained in a suitable condition for this.
7. **Safety.** Wagons should be escape-proof and so constructed as to ensure the safety of the animals being carried, and of the public.
8. **Shelter.** Wagons should be equipped with a roof and be so constructed as to protect animals against inclement weather conditions.

Welfare of cattle in railway wagons

9. **Tying.** Cattle should not be tied unless this is necessary in the interests and safety of the animals or the public. Cattle must not be tied by the nose. Any tying arrangement should permit the animals to stand and lie down comfortably, and to drink and feed.
10. **Access by staff.** Cattle should be loaded in such a way as to allow access by attendants to check the animals when necessary.

11. **Drinking water.** Cattle should be supplied with a constant and adequate quantity of clean drinking water.
12. **Food.** When appropriate, adequate food should be provided.
13. **Inspection.** The animals should be regularly inspected to ensure their comfort and welfare. The attendants should be properly trained and experienced persons. Any problems should be rectified immediately.

Loading and Unloading of cattle

14. **Loading and unloading.** Should be fully supervised and regulated by properly trained and experienced persons.
15. **Animals should be unloaded as soon as possible after arrival at the destination.**
16. **Gangplanks, ramps, platforms, etc. must be firm, stable, in good condition, humans, and suitable for the purpose.** Where appropriate, they should have suitable battens on the floor to minimise slipping, and fenced sides where appropriate to prevent animals from falling or jumping off. They should fit properly.
(Additional guidelines on ramps etc. are being prepared separately.)
17. **Shade from the sun and shelter from rain and inclement weather should be provided.**
18. **Inspection.** The facilities should include provision for proper inspection and checking of the animals, for identification and separation of weak or sick or injured animals, and provision for treatment and care or emergency slaughter of animals in need of this.

General

19. **Handling animals.** Excessive beating or other cruel treatment is unacceptable.

- Notes:**
- The Prevention of Cruelty to Animals Ordinance and Regulations, Cap. 169 are relevant
 - Appropriate provisions of the Public Health (Animals & Birds) Ordinance and Regulations, Cap. 139 are relevant
 - Other appropriate legislation is applicable as relevant.

(File Ref. : AF LSK 13/5 (May 89) Cattle Guidelines E)

Agriculture and Fisheries Department, Hong Kong

Cattle in lairages E

CODE OF PRACTICE FOR THE WELFARE OF ANIMALS - CATTLE (E)

GUIDELINES FOR HOUSING OF CATTLE IN LAIRAGES ETC.
TYING

1. When animals are tied up, the rope should be of sufficient length to enable them to stand, lie, move, feed and drink comfortably.
2. The means of attaching the rope to the animal should be humane, e.g. a proper halter.
3. Ropes, rope-ends, knots, etc. must be properly fitted so that they do not hurt the animal, e.g. by rubbing in the eye, or by cutting or rubbing sensitive parts of the animal.
4. Wire should not be used.
- 5.(a) For tying animals, a proper humane rope halter is usually best. (The halter should not include any rope or attachment which passes through the nose).
 - (b) An alternative and normally acceptable method is to tie the animals by the horns.
 - (c) Tying animals by the nose should be avoided if possible. It is not a good method for humane considerations.

If a person needs to tie any animal by the nose, he should only do so if he cannot tie it by a suitable alternative method. However, any means of tying by the nose must be humane. For example : unsatisfactory attachments to the nose (e.g. wire, rusty bolts, etc.) must not be used; and animals must not be tied by the nose if the nose is injured or sore.

6. It is important that surplus devices, ropes, knots, wires, and so on must be removed from the animals as soon as they arrive (or before)
7. Length of rope : Animals must not be tied up by ropes which are too short.

(As a general guide, the length of the tying rope from the animal to the tying point)

 - (i) should not be less than 20 inches (50 cm) when the animal is tied by a proper humane halter (which does not include attachment through the nose);
 - (ii) should not be less than 28 inches (70 cm) when the animal is tied by the horns (which does not include attachments through the nose);
 - (iii) should not be less than 24 inches (60 cm) when the animal is tied directly by the nose; tying by the nose should be avoided whenever possible).

The animal must be able to stand, lie, move, feed and drink comfortably. If the length of the tying rope is insufficient to permit this, then the rope must be longer. (In some situations, due to positions of tying points, size of water troughs, or other factors, the above lengths may be insufficient. In such cases the ropes must be longer)

8. Animals must never be tied by the nose during transport, and must never be tied by the nose at any time when on vehicles, trains or vessels, etc.

Spacing between tied cattle

9. Tied animals should be separated by sufficient space to prevent them from fighting or getting tangled up in one another's tying ropes etc.

10. Where possible, the distance between tied cattle should be 1.2 metres or more.

11. In some of the older lairages, the official tying points are fitted at 900 mm (0.9 metre) spacing. In such lairages, the cattle may be tied at 0.9 metre spacing if properly tied to the official tying points.

12. Cattle should never be tied closer together than 0.9 metres, unless

- (i) for routine cases, a Veterinary Officer of Agriculture & Fisheries Department has agreed in writing.
- or (ii) in urgent cases, the officer-in-charge of the lairages has given consent.

13. When new lairages are built, or when lairages are rebuilt or renovated, etc. tying points should normally be spaced at least 1.2 metres apart and should be of a design suitable for human tying of cattle.

14. Cattle should be tied greater distances apart in circumstances when this is necessary to prevent fighting, tangles, etc.

Loose penning

15. Cattle may be loose-penned if

- (i) they are all safely confined within an escape-proof pen, surrounded by effective railings, gates, etc., and
- (ii) they do not fight; and
- (iii) they are humanely accommodated; and
- (iv) the attendants are able to adequately inspect, clean, feed and water them; and
- (v) it is safe to loose-pen them; and
- (vi) there is sufficient trough space for all animals to drink and to eat easily and sufficiently; and
- (vii) all the animals are able to easily gain access to drinking water at all times, and to food when provided.

Space for loose-penned cattle

16. When loose-penned, cattle should have not less than 3.0m² space per animal. (this is space available to the animals, and excludes space occupied by troughs, passages, and so on).

Conditions where cattle are kept

17. Animals must only be kept in places which are reasonably clean, dry, well-drained, comfortable and suitable for the animals to stand and lie in reasonable comfort.

(Reasonable wetness caused by washing water is permitted provided that it promptly drains away and does not accumulate).

18. Animals must not be kept where dirt, water or excrement has accumulated, nor in places through which such dirt, water or excrement flows or drains.

19. **CLEANLINESS.** Lairages should be kept clean as far as is practicable.

20. **DRAINAGE.** Effective drainage should be maintained.

21. **SHELTER.** Animals should be sheltered from sun, rain, inclement weather, and other adversities.

22. **TEMPERATURE.** Overheating of cattle must be prevented. When weather conditions are hot, good cooling should be provided.

23. **VENTILATION.** Good ventilation should be maintained.

24. **LIGHTING.** Sufficient lighting should be provided.

Food and Water

25. **DRINKING WATER.** The cattle should all have access to fresh clean drinking water at all times. Troughs and other water containers should be designed to prevent animals lying in them or defecating/urinating into them, and to prevent them from being knocked over, and so on.

However, where troughs are used as dual-purpose troughs for both feeding and watering cattle, the water may be temporarily emptied from the troughs to enable the troughs to be used for fodder at feeding times. After feeding, the troughs must be refilled with clean drinking water. The feeding time period without water in the troughs must never exceed one hour.

All animals must have a constant and adequate supply of clear fresh water to drink.

26. **FOOD.** All animals must be fed regularly with sufficient suitable food of satisfactory quality.

General

27. **INSPECTION.** The animals must be inspected frequently and regularly to ensure their comfort and welfare. Problems must be rectified promptly.

28. **SICK, INJURED AND SUFFERING** animals must be identified, and must be humanely dealt with as a matter of urgency.

29. **BEATING OF ANY KIND OF INHUMANE (CRUEL) TREATMENT IS NOT PERMITTED.**

Notes :

(i) The Prevention of Cruelty to Animals Ordinance and Regulations (Cap. 169) are relevant.

(ii) The Prevention of Cruelty to Animals Ordinance, Cap. 169, includes the following clauses.

Section 3(1)(g):

"Any person who-

"brings into the Colony, or drives, carries, transports, removes, or has or knowingly suffers to be had or kept under his control or on his premises, any animal in any way which may cause it needless or avoidable suffering;

"shall be liable on summary conviction to a fine of \$5,000 - and to imprisonment for 6 months."

Section 392) :

"..... an owner shall be deemed to have permitted cruelty if he shall have failed to exercise reasonable care and supervision in respect of the protection of the animal therefrom"

(iii) The Public Health (Animals and Birds) Regulations, Cap. 139, are also relevant.

(iv) The Public Health (Animals and Birds) Regulations, Cap. 139 include the following clause -

Regulation 41 :

"..... The owners of such animals shall provide proper and sufficient food and shall send men in sufficient numbers to look after, feed and water such animals"

(v) Owners of animals kept in the lairages (including the cattle depot and the abattoir lairages) thus have a responsibility in law to ensure that their animals are always properly cared for.

(vi) In order to avoid the situation that an animal's owner and/or his animal owner and/or his animal attendants are absent from the depot when their animal(s) need attention, owners should ensure that they or their staff are present at the depot and lairages to attend to the animals, and that when absent from the depot or lairages they can be contacted to attend immediately when necessary.

(vii) Where serious cases of cruelty are discovered in the lairages, the suffering animal(s) may be seized, and/or owners (and/or other responsible persons) may be prosecuted.

(File Ref. : AF LSK 13/5 (May 89) Cattle Guidelines F)

Agriculture and Fisheries Department, Hong Kong

Cattle F

CODE OF PRACTICE FOR THE WELFARE OF ANIMALS - CATTLE (F)

SUPPLEMENTARY GUIDELINES ON TYING CATTLE

Examples of various methods of tying cattle	:	Page 2
How to make, fit and tie a halter	:	Page 3
Tying cattle by the horns: pointers on proper tying	:	Page 4
Don't tie animals too short	:	Page 5



Appendix 4.5

Public Health and Municipal Services Ordinance(Chapter 132)

SLAUGHTERHOUSES (REGIONAL COUNCIL) BYLAWS

(Cap. 132, section 77)

[19 April 1991]

PART I

PRELIMINARY

1. Citation

These bylaws may be cited as the Slaughterhouses (Regional Council) Bylaws.

2. Application

These bylaws apply to the Regional Council area only.

3. Interpretation

In these bylaws, unless the context otherwise requires—

“authorized officer” means—

(a) a health inspector; and

(b) a public officer appointed under bylaw 4(1);

“carcass” means the body of a dead food animal;

“condemned meat and offal” means any carcass, or part of a carcass, which has been found to be unfit for human consumption by an authorized officer under these bylaws;

“Council” means the Regional Council;

“dressed carcass” means, in respect of a bovine animal, sheep or soliped, a carcass from which the offal, hide and head have been removed and, in respect of a swine or goat, a carcass from which the offal has been removed;

“entry permit” means an entry permit issued under bylaw 32(1);

“food animal” means live bovine animal, swine, goat, sheep or soliped;

“lairage” means a part of a licensed slaughterhouse which is used for the confinement of food animals, and includes a reception lairage for admission of food animals into the licensed slaughterhouse, a waiting lairage for the confinement of food animals awaiting slaughter, and an isolation lairage for the confinement of food animals in segregation from other food animals in the licensed slaughterhouse;

“licence” means a licence issued under bylaw 9(1);

“licensed slaughterhouse” means a slaughterhouse in respect of which a licence has been issued under bylaw 9;

“licensee” means a person to whom a licence has been issued;

“offal” means any part of a carcass which is removed therefrom during the process of dressing it, but does not include the hide or skin;

“register” means a register maintained by a licensee under bylaw 7(1).

4. Appointment of authorized officers

(1) The Council may appoint in writing any public officer as an authorized officer for the purpose of such provisions of these bylaws as the Council may specify.

(2) An authorized officer shall, in the exercise of his powers and the performance of his duties under these bylaws, comply with any directions given to him by the Council.

5. Slaughtering of food animals for human consumption

- (1) No person shall—
- (a) slaughter any food animal; or
 - (b) dress any carcass,

for human consumption except in a licensed slaughterhouse.

(2) Notwithstanding paragraph (1), the Council may authorize in writing the slaughtering or dressing of any food animal or carcass for human consumption in a place other than in a licensed slaughterhouse in such manner and subject to such conditions as it thinks fit.

6. Examination fees

(1) A licensee shall pay to the Council an examination fee as prescribed in Schedule 1 in respect of each food animal examined under bylaw 15(1) or each carcass or dressed carcass and offal examined under bylaw 21(1).

(2) A licensee shall pay the fees due from him to the Council under paragraph (1) within 14 days after the issue to him of a demand note for the fees which have been incurred.

(3) The Council may reduce, waive or refund, in whole or in part, any fee payable under paragraph (1).

7. Register to be maintained by licensee

(1) A licensee shall maintain in the licensed slaughterhouse a register, in the form as set out in Schedule 2, in which he shall record each day the details of examinations made under bylaws 15(1) and 21(1) during that day.

(2) Each page of the register shall be consecutively numbered.

(3) Each daily entry in the register shall be signed by the licensee and countersigned by an authorized officer.

(4) The licensee shall notify an authorized officer of any alteration which he makes to the register and shall obtain the signature of the authorized officer against the alteration.

(5) The licensee shall keep any record made under paragraph (1) and keep the same available for inspection for at least 2 years after the day to which it relates.

8. Power to inspect register

A licensee shall, upon being requested to do so by the Council or an authorized officer, produce the register to the Council or the authorized officer for inspection.

PART II

LICENSING

9. Licence for operation of a slaughterhouse

(1) No person shall use or occupy any premises as a slaughterhouse, except under and in accordance with a licence issued by the Council upon payment of the appropriate fee as prescribed in Schedule 3 according to the maximum number of animals permitted to be slaughtered in the premises.

(2) A licence shall be subject to such conditions and restrictions as may be imposed by the Council under section 125(1) of the Ordinance.

(3) A licence shall be valid for a period of 12 months from the date of issue and may be renewed upon payment of the appropriate fee as prescribed in Schedule 3 according to the maximum number of animals permitted to be slaughtered in the premises.

(4) Where the Council is satisfied that a licence is lost or destroyed, the Council may upon payment of the appropriate fee as prescribed in Schedule 3 issue a duplicate.

10. Application for licence other than on renewal

(1) Every application for a licence shall be made in writing and be accompanied by 3 sets of plans, as nearly as may be to scale, of the whole of the premises to which the licence will relate and such plan shall include such particulars and shall be accompanied by such further particulars as may be required by the Council.

(2) Every set of plans, or any modification thereof, which is approved by the Council, shall be endorsed to that effect by the Council and one set shall be returned to the applicant and the remaining 2 sets shall be retained by the Council.

(3) No licence shall be issued to an applicant until the Council is satisfied that the premises to which the application relates conform to the plans approved under paragraph (2).

11. Restriction on alteration of premises

After the issue or renewal of a licence, no licensee shall, without the written consent of the Council, make or cause or permit to be made in respect of the premises to which the licence relates, any alteration or addition which would result in a material deviation from the plans approved under bylaw 10(2).

PART III

ADMISSION OF ANIMALS

12. Restriction on admission

- (1) No person shall bring into or keep in any licensed slaughterhouse—
 - (a) any animal other than a food animal;
 - (b) any food animal for any purpose other than for slaughter for human consumption, except with the consent of an authorized officer; and
 - (c) any carcass except as provided in paragraph (2).
- (2) A person may bring a carcass into a licensed slaughterhouse for examination under bylaw 21(1) if—
 - (a) the carcass has been bled; and
 - (b) it is accompanied by a certificate from an authorized officer and, in the case of soliped sent in by the Royal Hong Kong Jockey Club, by a Veterinary Officer appointed by that Club, stating—
 - (i) the exact time and date of killing and bleeding;
 - (ii) the reason for the slaughter of the food animal;

- (iii) that, to his knowledge, the food animal was not slaughtered by reason of disease or is not for any other cause unfit for human consumption; and
- (iv) that, to his knowledge, no drug which could affect the fitness of the carcass (including the offal) for human consumption was administered to the food animal before it was slaughtered.

13. Admission form to be completed

A licensee shall report to an authorized officer on a daily basis the details of food animals and carcasses brought into his licensed slaughterhouse by completing a form as set out in Schedule 4.

14. Refusal of food animal admission

(1) An authorized officer may refuse, or direct the licensee to refuse, to admit a food animal to a licensed slaughterhouse if in his opinion there is insufficient accommodation available in the licensed slaughterhouse for the food animal.

(2) No licensee shall, except in accordance with paragraph (1) or where there is other lawful excuse, refuse the admission of a food animal into a licensed slaughterhouse for slaughter.

(3) No licensee shall refuse admission of a food animal solely on account of its place of origin.

15. Power of authorized officer to examine and cause segregation of food animals

(1) The Council may require any food animal admitted to a licensed slaughterhouse to be examined by an authorized officer.

(2) If an authorized officer has reason to believe that a food animal admitted to a licensed slaughterhouse is suffering from disease, contamination or injury, he may direct the licensee to segregate the food animal from the other food animals and detain it in an isolation lairage of the licensed slaughterhouse.

(3) No person shall remove any food animal from the isolation lairage of a licensed slaughterhouse without the permission of an authorized officer.

16. Segregated food animals may be slaughtered

(1) An authorized officer may cause a food animal which has been segregated under bylaw 15 to be slaughtered in isolation.

(2) Where a food animal is slaughtered under paragraph (1), the authorized officer shall notify the licensee or his manager of the slaughter and the licensee or his manager shall inform the owner of the food animal.

(3) An authorized officer may cause the carcass, the whole or part of the dressed carcass or the offal of a food animal which is slaughtered under paragraph (1) and found to be unfit for human consumption under bylaw 21(1) to be destroyed in such manner as he thinks fit.

17. Prohibition of removal of food animals

Except with the permission of an authorized officer, no person shall take out alive a food animal which has been brought into a licensed slaughterhouse.

PART IV

SLAUGHTER AND EXAMINATION

18. Method of killing

(1) Subject to paragraph (2), no licensee shall permit the killing of a food animal in his licensed slaughterhouse unless the food animal has first been rendered unconscious by means of a captive bolt pistol or electric stunner in proper repair and working order or by any other means which have been approved by the Council.

(2) The Council may authorize the slaughter of a food animal in a licensed slaughterhouse by any method specially required by any religion and no licensee shall deny a religious community such slaughtering facilities.

19. Slaughtering only in approved places

No person shall slaughter a food animal in any part of a licensed slaughterhouse other than those parts which are shown in the relevant plans approved by the Council under bylaw 10(2) for slaughter of food animals of that kind.

20. Application to licensee for slaughtering services

(1) Any person who requires slaughterhouse services or desires to use the facilities of a licensed slaughterhouse for the purpose of slaughtering shall make written application to the licensee.

(2) Except as provided for in bylaw 14, no person shall be refused slaughterhouse services or the use of the facilities in a licensed slaughterhouse for slaughtering his food animals during those hours which have been approved by the Council for that purpose.

**21. Examination and disposal of carcass,
dressed carcass and offal**

(1) An authorized officer shall examine the carcass, or dressed carcass and offal of every food animal which is slaughtered in a licensed slaughterhouse or which is brought into a licensed slaughterhouse under bylaw 12(2) and shall detain the carcass or the whole or part of the dressed carcass or offal if in his opinion it is unfit for human consumption.

(2) An authorized officer may cause the carcass or the whole or part of the dressed carcass or offal detained under paragraph (1) to be destroyed in such manner as he thinks fit.

PART V

**MARKING AND TRANSPORTATION OF
SLAUGHTERED FOOD ANIMALS**

**22. Authorized officer to mark dressed carcass
and offal fit for human consumption**

(1) An authorized officer who examines any dressed carcass or offal under bylaw 21(1) shall, if he is satisfied that it is fit for human consumption, apply to it the appropriate mark specified in Schedule 5.

(2) No person, other than an authorized officer in accordance with paragraph (1), shall mark any dressed carcass or offal with a mark specified in Schedule 5.

(3) No person shall mark any dressed carcass or offal with a mark so closely resembling a mark specified in Schedule 5 as to be likely to mislead.

**23. Removal of carcass, unmarked dressed
carcass or offal prohibited**

(1) Except for disposal in accordance with bylaws 30 and 31, or with the consent of an authorized officer, no person shall remove from a licensed slaughterhouse—

(a) any carcass; or

(b) any dressed carcass or offal which has not been marked in accordance with bylaw 22(1).

(2) A consent given by an authorized officer under paragraph (1) shall be in writing and shall specify the reason why it is given.

24. Carcass, dressed carcass or offal may be seized and destroyed if bylaws contravened

(1) An authorized officer may seize and detain any carcass, dressed carcass or offal if he suspects on reasonable grounds that an offence under bylaw 22(2) or (3) or 23(1) has been committed in relation to such carcass, dressed carcass or offal.

(2) An authorized officer may cause a carcass or the whole or part of any dressed carcass or offal seized and detained under paragraph (1) to be destroyed in such manner as he thinks fit.

25. Requirements for transportation of dressed carcass and offal

(1) No person shall transport, and no licensee shall permit to be transported from a licensed slaughterhouse, the whole or part of a dressed carcass or offal except in a motor vehicle approved in writing by an authorized officer and subject to the requirements specified in Schedule 6.

(2) Notwithstanding paragraph (1), an authorized officer may give consent to transportation by other means of conveyance subject to such conditions as he thinks fit.

(3) Any approval given by an authorized officer under paragraph (1) or (2) may be withdrawn at any time upon written notice.

PART VI

GENERAL REQUIREMENTS FOR A LICENSED SLAUGHTERHOUSE

26. Lighting

A licensee shall install and maintain—

- (a) adequate lighting in the licensed slaughterhouse to the satisfaction of the Council;
- (b) artificial lighting of an overall intensity of at least 220 lux if artificial lighting is provided in the slaughterhall or workrooms of the licensed slaughterhouse; and
- (c) artificial lighting of an overall intensity of at least 550 lux if artificial lighting is provided in any place in the licensed slaughterhouse where examinations are carried out under bylaw 21(1).

27. Maintenance of drains and cleanliness

A licensee shall keep—

- (a) the drains provided in or in connection with the licensed slaughterhouse in proper and efficient working order;

- (b) all appliances, instruments, equipment and fittings clean and in good repair and condition;
- (c) clean all the windows, ceilings, floors, walls, and all other interior surfaces and parts of any slaughterhall, offal cleaning room, dressed carcass hanging room or workroom;
- (d) all toilets and sanitary fittings clean and in good repair and condition;
- (e) every lairage in the licensed slaughterhouse clean and in good repair and condition; and
- (f) every sterilizer clean and in good working order.

28. Person suffering from infectious disease

No licensee shall cause, suffer or permit any person whom he knows or has reason to believe to be suffering from any infectious disease to enter into his licensed slaughterhouse or to take part in the slaughtering of any food animal for human consumption or in the handling or transportation of the dressed carcass or offal of such food animal.

PART VII

**DISPOSAL OF CARCASS, CONDEMNED MEAT AND OFFAL
AND WASTE MATTER OF FOOD ANIMAL**

**29. Licensee's general duty to dispose of
condemned meat and offal, etc.**

(1) Subject to bylaws 16(3), 21(2) and 24(2), a licensee shall in accordance with bylaws 30 and 31 dispose of all condemned meat and offal arising from examination of the carcasses or dressed carcasses or offal of food animals.

(2) A licensee shall in accordance with bylaws 30 and 31 dispose of—

- (a) any food animal found dead before slaughter with the exception of a carcass brought to the licensed slaughterhouse for examination under bylaw 12(2);
- (b) the blood of a food animal other than that collected for edible purposes from a slaughtered food animal under hygienic conditions which satisfy an authorized officer;
- (c) loose hairs, bristles, stomach contents and other unwanted parts of a carcass and waste matter obtained from a slaughtered food animal; and
- (d) all food animal manure and other refuse, garbage or filth generated in his licensed slaughterhouse.

30. Collection, storage and removal

- (1) A licensee shall—
 - (a) upon the completion of the slaughtering of any food animal or the dressing of any carcass in the licensed slaughterhouse cause all waste to be collected and deposited in impervious covered containers;
 - (b) cause each container to be thoroughly cleaned immediately after it has been used for collection, removal and disposal; and
 - (c) cause each container when not in actual use to be kept clean.
- (2) A licensee shall keep or cause to be kept all carcasses and condemned meat and offal waiting for disposal under refrigeration.
- (3) A licensee shall cause all waste mentioned in bylaw 29 to be removed from the licensed slaughterhouse as soon as possible but in any case not exceeding 24 hours after generation.

31. Disposal

Save with the prior consent in writing of the Council, a licensee shall only dispose of the waste referred to in bylaw 29 at places and by methods which are in accordance with written directives given by the Council.

PART VIII

MAINTENANCE OF ORDER

32. Restriction of entry into licensed slaughterhouses

- (1) No person, other than the licensee or his employee, shall enter, remain in or take a motor vehicle into a licensed slaughterhouse without a valid entry permit for himself, and for the vehicle (if any), issued by the licensee of the licensed slaughterhouse.
- (2) A licensee of a licensed slaughterhouse may issue an entry permit subject to such conditions as he thinks fit.
- (3) The person to whom an entry permit has been issued shall, while he enters, remains in or takes a motor vehicle into a licensed slaughterhouse, affix in a prominent position to his outer clothing and the windscreen of the motor vehicle (if any) the appropriate entry permit such that the details shown on the entry permit are clearly visible.
- (4) The licensee, his employee or agent may order a person without an entry permit for himself to leave the licensed slaughterhouse and remove or cause to be removed therefrom the motor vehicle (if any) the person takes in.

(5) The licensee, his employee or agent may order a person with an entry permit for himself to remove or cause to be removed therefrom any vehicle which the person takes in if it is without an entry permit.

(6) If a person fails to comply with an order under paragraph (4) or (5), the licensee or his employee or agent may remove or cause to be removed from the licensed slaughterhouse the person or the motor vehicle as the case may require.

33. Issue and cancellation of entry permit

No licensee shall refuse to issue or cancel an entry permit except with the written consent of an authorized officer who is satisfied that it is necessary to do so for the efficient operation of the licensed slaughterhouse.

34. Obedience to orders

(1) A person who is employed by a licensee or who is permitted by a licensee to work in a licensed slaughterhouse shall obey every lawful order given to him by the licensee or by an authorized officer and shall at all times conduct himself in the licensed slaughterhouse in an orderly manner.

(2) If a person fails to comply with an order given to him under paragraph (1), the licensee, his employee or agent may require, with the consent of an authorized officer, the person to leave the licensed slaughterhouse forthwith.

35. Prohibition of spitting or causing nuisance

No person shall spit or cause a nuisance within a licensed slaughterhouse.

PART IX

MISCELLANEOUS

36. Offences

Any person who contravenes bylaw 5(1), 7, 8, 9(1), 11, 12(1), 13, 14(2), 15(3), 17, 18, 19, 20(2), 22(2) or (3), 23(1), 25(1), 26, 27, 28, 29, 30, 31, 32(1), (3) or (4), 33, 34(1) or 35 commits an offence.

37. Penalties

(1) Any person who commits an offence under bylaw 5(1) or 9(1) is liable to a fine of \$25,000 and to imprisonment for 6 months and, in the case of a continuing offence, is liable, in addition, to a fine of \$500 for each day during which it is proved to the satisfaction of the court that the offence has continued.

(2) Any person who commits an offence under these bylaws (other than bylaw 5(1) or 9(1)) is liable to a fine of \$10,000 and to imprisonment for 6 months and, in the case of a continuing offence under bylaw 26, 27, 30 or 31, is liable, in addition, to a fine of \$250 for each day during which it is proved to the satisfaction of the court that the offence has continued.

38. Saving

Nothing in these bylaws shall derogate from or in any way affect the provisions of the Public Health (Animals and Birds) Regulations (Cap. 139 sub. leg.), the Prevention of Cruelty to Animals Ordinance (Cap. 136) or the Firearms and Ammunition Regulations (Cap. 238 sub. leg.).


39. Name in which proceedings for offences may be brought

Without prejudice to the provisions of any other enactment relating to the prosecution of criminal offences and without prejudice to the powers of the Attorney General in relation to such offences, a prosecution for any offence under any of the provisions of these bylaws may be brought in the name of the Council.

40. (Omitted as spent)

41. Existing licences

A licence granted under by-law 4 of the Slaughter-houses (Regional Council) By-laws (Cap. 132 sub. leg.) repealed by bylaw 40 of these bylaws and in force immediately before the commencement of these bylaws shall continue in force after such commencement and have effect according to its tenor as if it were a licence granted under bylaw 9 of these bylaws.



Appendix 6.1

Meteorological Data Measured at Shek Wu Hui Sewage Treatment Plant



Sheung Shui Slaughter House

Supplementary Environmental Impact Assessment (Final Report)

14	13	-3.669	-0.655	0.009	15	33	-3.559	-0.759	0.004	16	53	0.000	-0.909	0.000
14	14	-3.960	-0.613	0.002	15	34	-3.045	-0.557	0.004	16	54	0.000	-0.372	0.000
14	15	-4.128	-0.631	0.004	15	35	-3.500	-0.629	0.000	16	55	0.000	0.000	0.003
14	16	-4.108	-0.888	0.001	15	36	-2.819	-0.798	0.003	16	56	0.000	0.000	0.000
14	17	-3.048	-0.802	0.004	15	37	-2.514	-1.122	0.000	16	57	0.000	-0.571	0.000
14	18	-3.169	-0.943	0.000	15	38	-3.130	-0.747	0.001	16	58	0.000	-0.214	0.017
14	19	-3.644	-1.192	0.001	15	39	-3.928	-0.988	0.003	16	59	0.000	0.050	0.000
14	20	-2.867	-0.864	0.002	15	40	-3.853	-1.112	0.001	17	0	0.000	0.374	0.010
14	21	-3.236	-0.613	0.000	15	41	-3.497	-0.777	0.001	17	1	0.000	0.472	0.001
14	22	-3.391	-0.872	0.001	15	42	-3.417	-0.634	0.006	17	2	0.000	0.617	0.008
14	23	-3.204	-1.218	0.000	15	43	-3.335	-0.532	0.009	17	3	0.000	-0.301	0.019
14	24	-3.050	-1.513	0.005	15	44	-3.491	-0.877	0.018	17	4	0.002	-0.973	0.004
14	25	-2.909	-0.278	0.006	15	45	-3.328	-1.723	0.002	17	5	-0.009	-1.686	0.006
14	26	-4.062	-1.150	0.004	15	46	-3.126	-2.109	0.000	17	6	0.000	-1.599	0.002
14	27	-3.802	-1.199	0.004	15	47	-3.380	-2.052	0.000	17	7	-0.012	-1.091	0.003
14	28	-3.962	-1.432	0.003	15	48	-2.568	-2.138	0.000	17	8	0.000	-0.718	0.018
14	29	-3.545	-0.610	0.004	15	49	-1.735	-1.678	0.003	17	9	-0.394	-1.443	0.004
14	30	-4.233	-0.355	0.000	15	50	-2.483	-1.112	0.001	17	10	-0.019	-1.618	0.006
14	31	-3.552	-0.625	0.000	15	51	-2.813	-0.981	0.002	17	11	0.000	-1.639	0.002
14	32	-3.730	-0.495	0.000	15	52	-2.793	-0.944	0.001	17	12	0.017	-1.536	0.003
14	33	-3.580	-0.794	0.000	15	53	-2.911	-0.771	0.000	17	13	-0.051	-1.810	0.000
14	34	-2.345	-0.561	0.007	15	54	-2.448	-0.931	0.000	17	14	-0.017	-1.196	0.003
14	35	-2.524	-0.224	0.003	15	55	-2.087	-0.564	0.000	17	15	-0.666	-1.945	0.002
14	36	-2.039	-0.099	0.003	15	56	-1.661	-0.113	0.002	17	16	-0.160	-1.425	0.001
14	37	-2.349	-0.243	0.005	15	57	-1.601	-0.215	0.000	17	17	-0.770	-1.310	0.004
14	38	-2.203	-0.872	0.003	15	58	-1.610	-0.219	0.000	17	18	-0.149	-1.645	0.000
14	39	-1.969	-0.498	0.004	15	59	-1.368	-0.322	0.000	17	19	-0.678	-2.099	0.001
14	40	-2.670	-0.225	0.003	16	0	-1.550	-0.476	0.000	17	20	-0.037	-2.075	0.001
14	41	-2.835	-0.167	0.003	16	1	-1.339	-0.482	0.000	17	21	-0.180	-1.644	0.006
14	42	-2.414	-0.378	0.002	16	2	-1.484	-0.396	0.000	17	22	-0.398	-1.350	0.000
14	43	-2.741	-0.208	0.005	16	3	-1.355	-0.255	0.000	17	23	-0.271	-2.392	0.001
14	44	-2.768	-0.288	0.000	16	4	-1.291	-0.121	0.000	17	24	-0.232	-1.562	0.010
14	45	-2.504	-0.059	0.005	16	5	-1.593	-0.129	0.001	17	25	-0.371	-2.075	0.001
14	46	-2.686	0.013	0.003	16	6	-1.108	-0.185	0.000	17	26	-0.699	-1.664	0.001
14	47	-2.079	-0.588	0.013	16	7	-1.066	-0.303	0.000	17	27	-0.549	-1.413	0.000
14	48	-3.087	-1.422	0.002	16	8	-1.590	-0.157	0.000	17	28	-0.472	-2.006	0.000
14	49	-2.745	-0.861	0.018	16	9	-1.345	-0.057	0.000	17	29	-0.325	-1.961	0.001
14	50	-2.764	-0.859	0.011	16	10	-0.908	-0.000	0.001	17	30	-0.109	-1.409	0.001
14	51	-2.903	-0.927	0.003	16	11	-1.103	0.000	0.000	17	31	0.000	-1.491	0.000
14	52	-3.270	-0.328	0.002	16	12	-0.951	-0.189	0.000	17	32	0.000	-1.433	0.000
14	53	-3.267	-0.312	0.002	16	13	-0.765	-0.129	0.000	17	33	-0.031	-1.546	0.000
14	54	-2.355	-0.091	0.006	16	14	-0.291	-0.314	0.000	17	34	0.000	-1.581	0.000
14	55	-2.038	-0.160	0.002	16	15	-0.002	0.000	0.000	17	35	0.000	-1.242	0.002
14	56	-1.893	-0.334	0.001	16	16	0.000	0.000	0.000	17	36	0.000	-1.088	0.000
14	57	-2.406	-0.016	0.005	16	17	0.000	0.000	0.000	17	37	0.000	-1.115	0.003
14	58	-3.449	-0.770	0.002	16	18	0.000	0.000	0.001	17	38	0.000	-1.319	0.000
14	59	-4.204	-0.983	0.004	16	19	0.000	0.000	0.000	17	39	0.000	-1.425	0.000
15	0	-4.184	-0.733	0.011	16	20	0.000	0.000	0.000	17	40	-0.113	-1.354	0.001
15	1	-4.487	-0.204	0.002	16	21	0.000	-0.087	0.000	17	41	-0.307	-1.194	0.000
15	2	-4.313	-0.756	0.008	16	22	0.000	-0.337	0.000	17	42	-0.150	-0.766	0.001
15	3	-5.213	-1.503	0.005	16	23	0.000	-0.070	0.000	17	43	0.100	-1.282	0.002
15	4	-5.403	-1.482	0.006	16	24	0.000	-0.413	0.000	17	44	-0.261	-1.550	0.002
15	5	-4.505	-0.848	0.009	16	25	0.000	-0.651	0.000	17	45	-0.588	-1.773	0.000
15	6	-4.555	-0.785	0.000	16	26	0.000	-0.381	0.000	17	46	-0.386	-1.591	0.000
15	7	-4.376	-1.028	0.003	16	27	0.000	-0.482	0.000	17	47	-0.200	-1.331	0.000
15	8	-4.883	-1.071	0.009	16	28	-0.537	-0.543	0.000	17	48	-0.000	-1.289	0.000
15	9	-4.417	-0.711	0.008	16	29	-0.654	-0.376	0.000	17	49	0.000	-1.331	0.000
15	10	-4.831	-0.326	0.003	16	30	-0.078	-0.036	0.000	17	50	0.000	-1.107	0.001
15	11	-4.131	-0.247	0.009	16	31	-0.001	-0.477	0.000	17	51	-0.060	-1.224	0.001
15	12	-3.976	-0.203	0.004	16	32	0.000	-0.626	0.001	17	52	-0.001	-1.302	0.000
15	13	-3.709	-0.700	0.004	16	33	0.000	-0.306	0.000	17	53	-0.002	-1.452	0.000
15	14	-4.197	-0.987	-0.000	16	34	0.000	0.000	0.000	17	54	0.000	-1.448	0.000
15	15	-3.733	-1.240	0.000	16	35	0.000	0.000	0.000	17	55	0.000	-1.267	0.000
15	16	-2.922	-1.190	0.000	16	36	0.000	0.000	0.000	17	56	0.000	-1.026	0.000
15	17	-2.495	-0.767	0.004	16	37	0.000	0.000	0.000	17	57	0.000	-0.944	0.000
15	18	-2.822	-0.552	0.005	16	38	0.000	0.000	0.000	17	58	0.000	-0.776	0.000
15	19	-3.274	-1.047	0.002	16	39	0.000	0.000	0.000	17	59	0.000	-0.601	0.000
15	20	-2.880	-1.475	0.005	16	40	0.000	0.000	0.000	18	0	0.000	-0.315	0.000
15	21	-2.634	-1.225	0.003	16	41	0.000	0.000	0.000	18	1	0.000	-0.145	0.000
15	22	-2.545	-0.851	0.000	16	42	0.000	0.000	0.000	18	2	0.000	-0.602	0.000
15	23	-1.960	-1.051	0.001	16	43	0.000	0.000	0.000	18	3	0.000	-0.642	0.000
15	24	-2.217	-2.430	0.001	16	44	0.000	0.102	0.003	18	4	0.000	-0.597	0.000
15	25	-1.819	-2.191	0.023	16	45	0.000	0.149	0.011	18	5	0.000	-0.016	0.000
15	26	-2.497	-2.924	0.008	16	46	0.000	0.019	0.045	18	6	0.000	-0.283	0.000
15	27	-3.417	-2.903	0.007	16	47	0.000	0.000	0.033	18	7	0.000	-0.207	0.000
15	28	-3.823	-1.770	0.000	16	48	0.000	-0.003	0.009	18	8	0.000	0.000	0.000
15	29	-2.907	-1.730	0.000	16	49	0.000	0.000	0.000	18	9	0.000	0.000	0.000
15	30	-2.487	-1.032	0.004	16	50	0.000	0.000	0.000	18	10	0.000	0.000	0.000
15	31	-2.058	-0.901	0.006	16	51	0.000	-0.416	0.016	18	11	0.000	0.000	0.000
15	32	-1.157	0.000	0.000	16	52	0.000	0.000	0.000	18	12	0.000	0.000	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

18	13	0.000	0.000	0.000	19	33	0.000	-0.736	0.000	20	53	0.036	-1.341	0.003
18	14	0.000	0.000	0.000	19	34	0.000	-1.040	0.000	20	54	0.000	-1.091	0.001
18	15	-0.030	0.000	0.000	19	35	0.000	-1.054	0.000	20	55	0.000	-1.230	0.003
18	16	-0.784	-0.090	0.000	19	36	0.000	-0.754	0.000	20	56	0.000	-1.245	0.000
18	17	-0.628	-0.230	0.000	19	37	0.000	-1.105	0.000	20	57	0.001	-1.300	0.002
18	18	-0.067	0.000	0.000	19	38	0.000	-1.040	0.000	20	58	0.001	-1.127	0.002
18	19	0.000	0.000	0.000	19	39	-0.366	-0.914	0.000	20	59	0.000	-0.825	0.008
18	20	0.000	-0.310	0.000	19	40	-0.564	-1.028	0.000	21	0	0.000	-0.585	0.002
18	21	0.000	-0.051	0.000	19	41	0.000	-1.176	0.000	21	1	0.000	-0.859	0.000
18	22	0.000	-0.027	0.000	19	42	0.000	-0.944	0.000	21	2	0.000	-0.871	0.000
18	23	0.000	-0.849	0.000	19	43	0.000	-0.717	0.000	21	3	0.000	-0.495	0.000
18	24	0.000	-0.830	0.000	19	44	0.000	-0.478	0.000	21	4	0.000	-0.485	0.002
18	25	-0.196	-1.073	0.000	19	45	0.000	-0.798	0.000	21	5	0.000	-0.592	0.001
18	26	-0.673	-1.365	0.000	19	46	0.000	-0.577	0.000	21	6	0.387	-0.078	0.003
18	27	-0.647	-1.403	0.000	19	47	0.000	-0.046	0.000	21	7	0.537	-0.109	0.006
18	28	-0.865	-1.554	0.000	19	48	0.000	0.000	0.000	21	8	0.016	0.000	0.003
18	29	-0.319	-1.358	0.001	19	49	0.000	-0.046	0.000	21	9	0.000	0.007	0.001
18	30	-0.499	-1.363	0.000	19	50	0.000	-0.352	0.000	21	10	0.000	0.075	0.024
18	31	-0.346	-1.251	0.000	19	51	0.000	-0.607	0.000	21	11	0.000	0.008	0.003
18	32	-0.657	-0.931	0.000	19	52	0.000	-0.366	0.000	21	12	0.000	0.000	0.000
18	33	-0.164	-0.537	0.000	19	53	0.000	-0.236	0.000	21	13	1.155	0.019	0.000
18	34	0.000	-0.262	0.000	19	54	0.000	-0.606	0.000	21	14	1.548	0.028	0.000
18	35	-0.742	-0.341	0.000	19	55	0.000	-0.743	0.000	21	15	1.511	0.000	0.002
18	36	-0.749	-0.746	0.000	19	56	0.000	-0.668	0.000	21	16	0.492	0.324	0.003
18	37	-0.543	-0.781	0.000	19	57	0.000	-0.639	0.000	21	17	0.000	0.193	0.015
18	38	-0.631	-0.478	0.000	19	58	-0.246	-0.728	0.000	21	18	0.000	0.593	0.001
18	39	-0.587	-0.572	0.000	19	59	0.000	-0.789	0.000	21	19	0.000	0.351	0.000
18	40	-0.211	-0.749	0.000	20	0	-0.024	-1.095	0.000	21	20	0.000	-0.001	0.004
18	41	-0.244	-0.830	0.000	20	1	-0.326	-1.516	0.000	21	21	0.000	0.000	0.000
18	42	0.000	-1.085	0.000	20	2	-0.099	-1.521	0.000	21	22	0.000	0.000	0.000
18	43	-0.104	-1.065	0.000	20	3	-0.269	-1.752	0.000	21	23	0.000	0.000	0.000
18	44	-0.488	-1.114	0.000	20	4	-0.213	-1.643	0.000	21	24	0.000	0.000	0.000
18	45	-0.079	-1.430	0.000	20	5	-0.813	-1.884	0.001	21	25	0.000	0.000	0.000
18	46	0.000	-1.348	0.000	20	6	-0.567	-1.903	0.000	21	26	0.072	0.052	0.000
18	47	0.000	-1.247	0.000	20	7	-0.667	-1.829	0.000	21	27	0.357	0.361	0.005
18	48	0.000	-1.178	0.000	20	8	-0.112	-1.498	0.001	21	28	0.000	0.336	0.008
18	49	0.000	-1.139	0.000	20	9	-0.230	-1.857	0.001	21	29	0.361	0.322	0.008
18	50	0.000	-0.959	0.000	20	10	-0.157	-1.705	0.002	21	30	0.154	0.349	0.000
18	51	0.000	-1.072	0.000	20	11	0.000	-1.681	0.000	21	31	0.000	0.115	0.027
18	52	0.000	-0.856	0.000	20	12	-0.174	-1.755	0.000	21	32	0.000	0.000	0.010
18	53	0.000	-0.531	0.000	20	13	-0.186	-1.857	0.001	21	33	0.000	0.263	0.000
18	54	0.000	-0.027	0.000	20	14	-0.005	-1.968	0.000	21	34	0.000	0.144	0.000
18	55	0.000	0.000	0.000	20	15	0.000	-1.882	0.000	21	35	0.000	0.368	0.009
18	56	0.000	0.000	0.000	20	16	0.000	-1.810	0.000	21	36	0.000	0.168	0.055
18	57	0.000	0.000	0.000	20	17	0.000	-1.807	0.000	21	37	0.266	0.106	0.081
18	58	0.000	0.000	0.000	20	18	0.000	-1.721	0.000	21	38	0.235	0.000	0.001
18	59	0.000	0.000	0.000	20	19	0.000	-1.612	0.000	21	39	0.000	0.000	0.000
19	0	0.000	0.000	0.000	20	20	0.000	-1.760	0.000	21	40	0.000	0.000	0.000
19	1	0.000	0.000	0.000	20	21	0.000	-1.499	0.000	21	41	0.000	0.000	0.000
19	2	0.000	-0.223	0.000	20	22	0.000	-1.546	0.000	21	42	0.000	0.000	0.000
19	3	0.000	-0.764	0.000	20	23	0.000	-1.530	0.000	21	43	0.000	0.000	0.000
19	4	0.000	-0.399	0.000	20	24	0.000	-1.387	0.000	21	44	0.865	0.000	0.001
19	5	0.000	-0.450	0.000	20	25	0.000	-1.394	0.000	21	45	0.852	0.000	0.000
19	6	0.000	-0.439	0.000	20	26	0.000	-0.860	0.000	21	46	1.089	0.082	0.000
19	7	0.000	-0.358	0.000	20	27	0.000	-0.700	0.000	21	47	1.665	-0.020	0.005
19	8	0.000	-0.409	0.000	20	28	0.011	-0.778	0.002	21	48	1.589	0.001	0.003
19	9	0.000	-0.478	0.000	20	29	0.000	-0.466	0.001	21	49	2.141	-0.013	0.005
19	10	0.000	-0.161	0.000	20	30	0.000	-1.135	0.000	21	50	2.005	0.026	0.003
19	11	0.000	-0.000	0.000	20	31	0.000	-0.951	0.001	21	51	1.549	0.000	0.004
19	12	0.000	0.000	0.000	20	32	-0.068	-1.143	0.000	21	52	1.805	0.012	0.001
19	13	0.000	0.000	0.000	20	33	-0.001	-1.219	0.000	21	53	0.724	0.008	0.016
19	14	0.000	0.000	0.000	20	34	0.000	-1.179	0.000	21	54	0.000	-0.002	0.003
19	15	0.000	0.000	0.000	20	35	0.000	-1.351	0.000	21	55	0.000	0.061	0.012
19	16	0.000	0.000	0.000	20	36	0.000	-1.402	0.000	21	56	0.000	0.007	0.005
19	17	0.000	0.000	0.000	20	37	-0.147	-1.588	0.001	21	57	0.000	0.025	0.001
19	18	0.000	0.000	0.000	20	38	-0.391	-1.670	0.002	21	58	0.000	0.000	0.001
19	19	0.000	-0.077	0.000	20	39	0.000	-1.599	0.000	21	59	0.000	-0.004	0.004
19	20	0.000	-0.817	0.000	20	40	0.000	-1.721	0.003	22	0	0.000	0.000	0.009
19	21	0.000	-0.831	0.000	20	41	-0.006	-1.673	0.000	22	1	0.000	-0.039	0.003
19	22	0.000	-0.713	0.000	20	42	0.000	-1.428	0.000	22	2	0.000	0.000	0.000
19	23	0.000	-0.722	0.000	20	43	0.000	-1.485	0.000	22	3	0.000	-0.023	0.000
19	24	0.000	-0.775	0.000	20	44	0.000	-1.425	0.000	22	4	0.000	0.000	0.000
19	25	0.000	-0.562	0.000	20	45	0.000	-1.447	0.000	22	5	0.000	0.000	0.001
19	26	0.000	0.000	0.000	20	46	0.000	-1.095	0.000	22	6	0.000	0.000	0.008
19	27	0.000	0.000	0.000	20	47	0.000	-0.989	0.001	22	7	0.000	0.000	0.000
19	28	0.000	-0.003	0.000	20	48	0.000	-1.112	0.000	22	8	0.000	0.000	0.000
19	29	0.000	0.000	0.000	20	49	0.001	-1.059	0.004	22	9	0.000	0.000	0.000
19	30	0.000	-0.017	0.000	20	50	0.008	-1.143	0.003	22	10	0.000	0.000	0.000
19	31	0.000	0.000	0.000	20	51	-0.001	-1.438	0.001	22	11	0.000	0.000	0.000
19	32	0.000	-0.297	0.000	20	52	0.000	-1.320	0.001	22	12	0.000	0.000	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

22	13	0.000	0.000	0.000	23	33	-4.939	-3.445	0.040	0	50	0.000	-0.548	0.000
22	14	0.000	0.000	0.007	23	34	-3.830	-3.215	0.048	0	51	0.000	-0.655	0.000
22	15	0.000	0.000	0.000	23	35	-4.639	-1.914	0.009	0	52	0.000	-0.607	0.000
22	16	0.000	0.000	0.000	23	36	-3.791	-1.354	0.034	0	53	0.000	-0.590	0.000
22	17	0.000	0.000	0.000	23	37	-2.351	-1.332	0.028	0	54	0.000	-0.404	0.000
22	18	0.000	0.000	0.000	23	38	-1.332	-0.802	0.012	0	55	0.000	-0.062	0.000
22	19	0.000	0.000	0.000	23	39	-2.449	-0.940	0.011	0	56	0.000	-0.512	0.000
22	20	0.000	0.000	0.000	23	40	-2.371	-0.313	0.064	0	57	0.000	-0.406	0.000
22	21	0.000	0.000	0.000	23	41	-3.507	-0.449	0.023	0	58	0.000	-0.480	0.000
22	22	0.000	0.000	0.001	23	42	-3.175	-0.093	0.002	0	59	0.000	-0.277	0.000
22	23	0.000	0.000	0.006	23	43	-3.098	-0.297	0.005	1	0	0.000	-0.037	0.000
22	24	0.000	0.000	0.000	23	44	-2.566	-0.327	0.001	1	1	0.000	0.000	0.000
22	25	0.000	-0.000	0.000	23	45	-2.138	-0.661	0.000	1	2	0.000	0.000	0.000
22	26	0.000	-0.149	0.000	23	46	-1.802	-0.706	0.000	1	3	0.000	0.011	0.000
22	27	0.000	-0.745	0.000	23	47	-1.145	-0.405	0.001	1	4	0.000	0.000	0.000
22	28	0.000	-0.916	0.001	23	48	-0.962	-0.165	0.000	1	5	0.000	-0.001	0.000
22	29	0.000	-0.233	0.012	23	49	-0.071	0.000	0.000	1	6	0.000	-0.077	0.000
22	30	0.000	-0.270	0.001	23	50	0.000	0.000	0.001	1	7	0.000	0.000	0.000
22	31	0.000	-0.119	0.001	23	51	0.000	0.000	0.000	1	8	0.000	0.000	0.000
22	32	0.000	0.000	0.001	23	52	0.000	0.000	0.000	1	9	0.000	0.000	0.000
22	33	0.000	-0.012	0.002	23	53	-0.414	-0.000	0.000	1	10	0.000	0.000	0.000
22	34	0.000	-0.099	0.000	23	54	-1.281	0.052	0.002	1	11	0.000	0.083	0.000
22	35	0.000	-0.292	0.006	23	55	-2.150	-0.059	0.002	1	12	0.000	0.379	0.000
22	36	0.000	-0.417	0.002	23	56	-1.777	-0.413	0.006	1	13	0.000	0.452	0.000
22	37	0.000	-0.247	0.011	23	57	-2.712	-0.424	0.017	1	14	0.000	0.223	0.011
22	38	0.000	-0.466	0.000	23	58	-2.120	-0.374	0.007	1	15	0.000	0.322	0.000
22	39	0.000	-0.180	0.000	23	59	-2.142	-0.124	0.003	1	16	0.000	0.450	0.011
22	40	0.000	-0.019	0.003						1	17	0.000	0.597	0.006
22	41	0.000	-0.088	0.000						1	18	0.000	0.478	0.001
22	42	0.000	0.000	0.000	03/07/95					1	19	0.000	0.302	0.015
22	43	0.000	0.000	0.000	0	0	-2.130	-0.181	0.000	1	20	0.000	0.148	0.057
22	44	-0.001	0.000	0.000	0	1	-1.874	0.001	0.002	1	21	0.537	0.010	0.024
22	45	0.000	0.000	0.000	0	2	-1.578	0.077	0.001	1	22	0.984	0.000	0.000
22	46	0.000	-0.109	0.000	0	3	-1.362	0.091	0.001	1	23	0.998	0.000	0.000
22	47	0.000	-0.000	0.000	0	4	-1.743	0.411	0.001	1	24	0.929	0.000	0.000
22	48	0.000	0.000	0.000	0	5	-1.603	0.196	0.000	1	25	0.625	0.000	0.002
22	49	0.000	0.000	0.000	0	6	-1.217	0.000	0.001	1	26	0.295	0.000	0.000
22	50	0.000	0.000	0.000	0	7	-1.004	0.000	0.000	1	27	0.053	0.000	0.002
22	51	0.000	0.000	0.000	0	8	-0.791	0.000	0.000	1	28	0.364	0.693	0.005
22	52	0.000	0.000	0.000	0	9	-0.967	0.000	0.000	1	29	0.134	0.570	0.001
22	53	0.000	0.000	0.000	0	10	-1.399	-0.097	0.000	1	30	0.000	0.272	0.002
22	54	0.000	0.000	0.000	0	11	-1.340	0.022	0.000	1	31	0.000	0.110	0.010
22	55	0.000	-0.121	0.000	0	12	-1.132	0.002	0.001	1	32	0.000	0.000	0.003
22	56	0.000	-0.076	0.000	0	13	-2.196	-0.142	0.001	1	33	0.000	0.000	0.000
22	57	0.000	0.000	0.000	0	14	-2.343	0.002	0.000	1	34	0.000	0.000	0.000
22	58	0.000	0.000	0.000	0	15	-1.933	-0.002	0.000	1	35	0.000	0.000	0.000
22	59	0.000	0.000	0.000	0	16	-1.940	0.001	0.000	1	36	0.000	0.000	0.000
23	0	0.000	0.078	0.008	0	17	-1.970	0.005	0.001	1	37	0.000	0.000	0.000
23	1	0.000	0.673	0.000	0	18	-1.748	0.000	0.000	1	38	0.000	0.000	0.000
23	2	0.000	0.500	0.000	0	19	-1.941	0.000	0.000	1	39	0.000	0.000	0.000
23	3	0.000	0.042	0.000	0	20	-1.558	-0.013	0.000	1	40	0.000	0.000	0.000
23	4	0.000	0.201	0.000	0	21	-1.676	0.000	0.000	1	41	0.000	0.000	0.000
23	5	0.000	0.233	0.000	0	22	-1.406	0.003	0.000	1	42	0.000	0.000	0.000
23	6	0.000	0.346	0.005	0	23	-0.910	0.000	0.000	1	43	0.000	-0.426	0.002
23	7	0.000	0.570	0.002	0	24	-0.581	0.000	0.000	1	44	0.000	-0.620	0.000
23	8	0.000	0.530	0.000	0	25	-0.294	0.000	0.000	1	45	0.000	-0.723	0.000
23	9	0.000	0.439	0.004	0	26	-0.014	0.000	0.000	1	46	0.000	-1.146	0.000
23	10	0.000	0.160	0.031	0	27	0.000	0.000	0.000	1	47	0.000	-1.164	0.000
23	11	0.000	0.212	0.056	0	28	0.000	0.000	0.005	1	48	0.000	-1.397	0.000
23	12	0.000	0.000	0.011	0	29	0.000	0.000	0.000	1	49	-0.966	-0.912	0.000
23	13	0.000	0.029	0.000	0	30	0.000	0.000	0.002	1	50	-1.238	-0.690	0.000
23	14	0.000	0.011	0.004	0	31	0.001	0.000	0.006	1	51	-1.090	-0.916	0.000
23	15	-0.001	0.000	0.000	0	32	-0.000	0.000	0.000	1	52	-1.049	-0.583	0.000
23	16	0.000	0.000	0.000	0	33	0.000	0.000	0.041	1	53	-1.196	-0.324	0.000
23	17	0.000	-0.018	0.000	0	34	0.001	0.000	0.042	1	54	-1.083	-0.178	0.000
23	18	0.000	-0.007	0.004	0	35	0.000	0.000	0.008	1	55	-1.299	-0.015	0.000
23	19	0.000	-0.002	0.000	0	36	0.000	0.000	0.004	1	56	-0.861	0.000	0.000
23	20	0.000	-0.330	0.000	0	37	0.000	0.000	0.000	1	57	-0.872	-0.041	0.000
23	21	-1.368	-0.627	0.000	0	38	0.000	0.000	0.000	1	58	-0.407	-0.635	0.000
23	22	-2.015	-2.263	0.000	0	39	0.000	0.000	0.000	1	59	0.000	-0.678	0.000
23	23	-2.109	-2.706	0.006	0	40	0.000	-0.122	0.002	2	0	0.000	-0.591	0.000
23	24	-3.654	-1.331	0.015	0	41	0.000	-0.459	0.000	2	1	0.000	-0.150	0.000
23	25	-5.587	-2.607	0.065	0	42	0.000	-0.103	0.002	2	2	0.000	-0.398	0.000
23	26	-6.581	-2.210	0.016	0	43	0.000	-0.414	0.000	2	3	0.000	-0.358	0.000
23	27	-6.295	-1.616	0.014	0	44	-0.040	-1.039	0.000	2	4	0.000	-0.581	0.000
23	28	-5.396	-2.245	0.014	0	45	-0.009	-1.460	0.000	2	5	0.000	-0.065	0.000
23	29	-4.171	-2.725	0.066	0	46	-0.025	-1.234	0.000	2	6	0.000	0.000	0.000



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

2	10	0.000	0.000	0.000	3	30	0.000	0.000	0.000	4	50	0.606	0.189	0.004
2	11	0.000	0.000	0.000	3	31	0.000	0.000	0.000	4	51	0.589	0.125	0.001
2	12	0.000	0.000	0.000	3	32	0.000	0.000	0.000	4	52	0.449	0.000	0.019
2	13	0.000	0.000	0.000	3	33	0.000	0.014	0.066	4	53	0.838	0.175	0.008
2	14	0.000	0.000	0.000	3	34	0.000	0.000	0.005	4	54	0.459	0.364	0.012
2	15	0.000	0.000	0.000	3	35	0.000	0.009	0.006	4	55	0.908	0.467	0.001
2	16	0.000	0.000	0.000	3	36	0.000	0.104	0.005	4	56	1.067	0.520	0.000
2	17	0.000	0.000	0.000	3	37	0.000	0.770	0.003	4	57	0.970	0.551	0.002
2	18	0.000	0.000	0.000	3	38	0.000	0.642	0.004	4	58	0.730	0.263	0.007
2	19	0.000	0.000	0.000	3	39	0.000	0.691	0.017	4	59	0.824	0.265	0.002
2	20	0.000	0.000	0.000	3	40	0.000	0.645	0.009	5	0	0.846	0.167	0.012
2	21	0.000	0.000	0.000	3	41	0.000	0.696	0.003	5	1	1.107	0.414	0.001
2	22	0.000	0.000	0.000	3	42	-0.001	0.808	0.002	5	2	1.257	0.445	0.000
2	23	0.000	0.000	0.000	3	43	0.000	0.721	0.011	5	3	1.108	0.361	0.002
2	24	0.000	0.000	0.000	3	44	-0.000	1.012	0.005	5	4	1.271	0.284	0.008
2	25	0.000	0.000	0.000	3	45	-0.000	0.983	0.000	5	5	1.087	0.132	0.000
2	26	0.000	0.000	0.000	3	46	0.000	0.880	0.002	5	6	0.993	0.001	0.000
2	27	0.000	0.000	0.000	3	47	0.000	0.797	0.012	5	7	1.138	0.000	0.001
2	28	0.000	0.000	0.000	3	48	0.000	0.623	0.022	5	8	1.225	-0.000	0.000
2	29	0.000	0.000	0.000	3	49	0.000	1.193	0.001	5	9	1.173	0.000	0.000
2	30	0.000	0.000	0.000	3	50	0.000	1.070	0.001	5	10	1.152	-0.001	0.000
2	31	0.000	0.000	0.000	3	51	0.000	0.912	0.012	5	11	0.984	0.000	0.000
2	32	0.000	0.000	0.000	3	52	0.000	0.796	0.006	5	12	0.701	0.000	0.000
2	33	0.000	0.000	0.000	3	53	0.000	0.730	0.005	5	13	0.386	0.000	0.000
2	34	0.000	0.000	0.000	3	54	0.000	0.991	0.000	5	14	0.511	0.000	0.000
2	35	0.000	0.000	0.001	3	55	0.000	0.884	0.000	5	15	0.262	0.000	0.000
2	36	0.000	0.000	0.008	3	56	0.000	0.662	0.003	5	16	0.715	0.000	0.000
2	37	0.000	0.000	0.006	3	57	0.000	0.847	0.000	5	17	0.768	0.029	0.000
2	38	0.000	0.000	0.000	3	58	0.000	0.624	-0.000	5	18	0.383	0.056	0.003
2	39	0.261	0.000	0.000	3	59	0.000	0.298	0.000	5	19	0.467	0.000	0.000
2	40	0.691	0.000	0.000	4	0	0.000	0.477	0.004	5	20	0.430	0.000	0.000
2	41	0.042	0.000	0.000	4	1	0.000	0.377	0.022	5	21	0.616	0.019	0.000
2	42	0.000	0.000	0.000	4	2	0.035	0.034	0.071	5	22	0.490	0.058	0.000
2	43	0.000	0.000	0.000	4	3	0.000	0.261	0.052	5	23	0.025	0.025	0.000
2	44	0.000	0.000	0.000	4	4	0.054	0.204	0.051	5	24	-0.476	0.822	0.000
2	45	0.000	0.000	0.000	4	5	0.000	0.306	0.060	5	25	-1.164	1.745	0.001
2	46	0.000	0.000	0.000	4	6	0.000	0.327	0.024	5	26	-1.468	2.085	0.001
2	47	0.000	0.000	0.000	4	7	0.000	0.385	0.026	5	27	-1.169	1.512	0.000
2	48	0.529	0.000	0.000	4	8	0.000	0.433	0.035	5	28	-0.382	1.277	0.005
2	49	0.933	0.000	0.000	4	9	0.000	0.358	0.003	5	29	-0.012	1.756	0.003
2	50	0.768	0.000	0.000	4	10	0.000	0.324	0.041	5	30	0.142	1.774	0.014
2	51	0.957	0.000	0.000	4	11	0.000	0.158	0.032	5	31	0.423	1.908	0.004
2	52	1.043	0.000	0.000	4	12	0.000	0.136	0.044	5	32	0.343	1.036	0.024
2	53	0.950	0.000	0.000	4	13	0.000	0.136	0.017	5	33	0.472	1.269	0.011
2	54	1.014	0.091	0.000	4	14	0.000	0.042	0.017	5	34	0.525	0.794	0.029
2	55	0.811	0.325	0.005	4	15	0.000	0.036	0.008	5	35	0.753	1.049	0.007
2	56	0.598	0.029	0.007	4	16	0.000	0.000	0.000	5	36	0.733	0.729	0.014
2	57	0.850	0.063	0.008	4	17	0.000	0.014	0.000	5	37	0.300	0.544	0.026
2	58	0.963	0.279	0.003	4	18	0.000	0.137	0.000	5	38	0.367	0.605	0.007
2	59	0.427	0.173	0.011	4	19	0.000	0.000	0.000	5	39	0.351	0.287	0.000
3	0	0.406	0.349	0.041	4	20	0.000	0.000	0.000	5	40	0.040	0.000	0.000
3	1	0.811	-0.056	0.068	4	21	0.000	0.000	0.000	5	41	0.000	-0.233	0.000
3	2	0.596	-0.025	0.005	4	22	0.000	0.000	0.000	5	42	0.000	-0.684	0.000
3	3	0.549	0.000	0.005	4	23	0.000	0.000	0.000	5	43	0.000	-0.815	0.001
3	4	0.238	0.000	0.000	4	24	0.000	0.000	0.000	5	44	0.291	-0.550	0.000
3	5	0.306	0.000	0.000	4	25	0.000	0.000	0.000	5	45	0.105	-0.643	0.001
3	6	0.057	0.000	0.000	4	26	0.000	0.000	0.000	5	46	0.106	-0.574	0.000
3	7	0.000	0.000	0.000	4	27	0.000	0.000	0.000	5	47	0.054	-0.070	0.000
3	8	0.000	0.000	0.000	4	28	0.000	0.000	0.000	5	48	0.380	-0.095	0.000
3	9	0.000	0.000	0.000	4	29	0.000	0.000	0.000	5	49	0.941	-0.116	0.000
3	10	0.000	0.000	0.000	4	30	0.000	-0.031	0.000	5	50	1.177	0.244	0.004
3	11	0.001	0.000	0.045	4	31	0.000	-0.000	0.000	5	51	0.855	0.128	0.000
3	12	0.011	-0.000	0.067	4	32	0.000	0.000	0.000	5	52	0.314	0.186	0.000
3	13	0.000	0.000	0.000	4	33	0.000	0.000	0.000	5	53	0.599	0.116	0.002
3	14	0.000	0.000	0.002	4	34	0.000	0.000	0.000	5	54	1.138	-0.173	0.000
3	15	0.000	0.000	0.000	4	35	0.000	0.000	0.000	5	55	0.480	-0.237	0.000
3	16	0.000	0.000	0.000	4	36	0.000	0.000	0.000	5	56	0.173	0.090	0.002
3	17	0.000	-0.065	0.000	4	37	0.000	0.000	0.000	5	57	0.787	0.418	0.002
3	18	0.000	-0.006	0.000	4	38	0.000	0.000	0.000	5	58	0.720	0.101	0.006
3	19	-0.000	-0.005	0.000	4	39	0.000	0.023	0.000	5	59	0.975	0.119	0.003
3	20	0.000	0.000	0.000	4	40	0.000	0.001	0.000	6	0	0.889	0.696	0.008
3	21	0.000	0.137	0.017	4	41	0.000	0.000	0.000	6	1	0.549	0.393	0.008
3	22	0.000	0.000	0.043	4	42	0.000	0.001	0.000	6	2	0.282	0.733	0.000
3	23	0.000	0.021	0.027	4	43	0.000	0.181	0.003	6	3	0.602	0.655	0.002
3	24	0.000	0.561	0.015	4	44	0.000	0.105	0.000	6	4	1.144	0.510	0.004
3	25	0.000	0.135	0.028	4	45	0.735	0.313	0.000	6	5	1.172	0.276	0.006
3	26	0.000	0.006	0.018	4	46	0.992	0.251	0.000	6	6	1.189	0.426	0.003
3	27	0.000	0.000	0.004	4	47	1.130	0.022	0.000	6	7	1.454	0.055	0.002
3	28	0.000	0.000	0.000	4	48	1.248	0.082	0.001	6	8	1.251	0.005	0.005



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

6	10	0.802	-0.009	0.003	7	30	0.864	0.000	0.000	8	50	0.000	0.000	0.000
6	11	0.715	0.077	0.001	7	31	0.842	0.000	0.000	8	51	0.000	0.000	0.000
6	12	0.367	0.639	0.004	7	32	0.903	0.000	0.000	8	52	0.000	0.000	0.000
6	13	0.120	0.660	0.002	7	33	0.990	-0.248	0.000	8	53	0.000	0.000	0.000
6	14	0.010	1.351	0.008	7	34	1.047	-0.687	0.000	8	54	0.000	-0.001	0.000
6	15	-0.000	1.539	0.004	7	35	0.196	-0.468	0.012	8	55	0.000	0.000	0.000
6	16	0.000	1.408	0.001	7	36	0.293	-0.828	0.003	8	56	0.000	0.093	0.009
6	17	-0.007	1.494	0.000	7	37	1.189	-1.086	0.000	8	57	-0.001	0.468	0.054
6	18	-0.076	2.174	0.000	7	38	0.996	-0.996	0.002	8	58	0.000	0.576	0.001
6	19	0.102	2.541	0.006	7	39	1.061	-0.817	0.000	8	59	0.002	0.570	0.008
6	20	0.153	2.540	0.017	7	40	0.757	-0.689	0.001	9	0	0.042	0.605	0.002
6	21	0.093	2.844	0.030	7	41	0.933	-0.553	0.006	9	1	0.002	0.613	0.013
6	22	0.234	2.287	0.006	7	42	1.170	-0.398	0.000	9	2	0.000	0.362	0.000
6	23	0.428	1.779	0.003	7	43	0.851	-0.370	0.000	9	3	0.000	0.743	0.016
6	24	1.059	2.112	0.010	7	44	0.659	-0.301	0.000	9	4	0.000	0.532	0.001
6	25	1.030	2.032	0.000	7	45	0.361	-0.145	0.000	9	5	0.000	0.495	0.000
6	26	1.660	1.064	0.013	7	46	0.013	-0.106	0.000	9	6	0.000	0.433	0.000
6	27	1.197	0.972	0.018	7	47	0.000	0.000	0.000	9	7	0.000	0.355	0.000
6	28	1.778	0.742	0.023	7	48	0.005	0.000	0.000	9	8	0.053	0.657	0.002
6	29	1.016	0.378	0.059	7	49	0.019	0.000	0.000	9	9	0.180	0.345	0.044
6	30	0.712	0.960	0.001	7	50	0.000	0.000	0.000	9	10	0.645	0.455	0.000
6	31	0.327	0.320	0.000	7	51	-0.087	0.000	0.000	9	11	0.427	0.423	0.000
6	32	0.081	0.506	0.001	7	52	0.000	0.244	0.021	9	12	0.172	0.237	0.001
6	33	0.893	0.134	0.010	7	53	-0.000	0.702	0.025	9	13	0.052	0.009	0.096
6	34	0.483	0.085	0.006	7	54	0.009	0.775	0.006	9	14	0.543	0.000	0.006
6	35	0.504	0.000	0.002	7	55	0.086	0.788	0.003	9	15	0.444	0.000	0.037
6	36	0.165	0.000	0.000	7	56	0.000	1.067	0.008	9	16	0.702	0.000	0.000
6	37	0.275	-0.156	0.000	7	57	0.000	1.076	0.001	9	17	0.933	0.000	0.000
6	38	0.676	-0.156	0.004	7	58	0.000	0.802	0.004	9	18	0.971	0.000	0.000
6	39	0.920	-0.051	0.000	7	59	0.072	0.466	0.022	9	19	1.017	0.000	0.000
6	40	0.907	-0.384	0.001	8	0	0.381	0.720	0.014	9	20	1.156	0.000	0.000
6	41	0.273	-0.379	0.001	8	1	0.184	0.527	0.027	9	21	1.101	0.000	0.000
6	42	0.645	-0.639	0.000	8	2	0.507	0.651	0.005	9	22	1.141	0.000	0.000
6	43	0.777	-0.270	0.003	8	3	0.766	0.493	0.002	9	23	1.280	0.000	0.000
6	44	0.820	-0.225	0.000	8	4	1.003	0.213	0.001	9	24	1.328	0.000	0.000
6	45	0.707	-0.201	0.000	8	5	1.149	0.390	0.000	9	25	1.342	0.000	0.000
6	46	0.375	-0.008	0.000	8	6	1.091	0.139	0.000	9	26	1.304	0.000	0.000
6	47	0.142	0.000	0.000	8	7	0.816	0.000	0.000	9	27	1.063	0.000	0.000
6	48	0.248	-0.335	0.000	8	8	0.421	0.000	0.008	9	28	1.096	-0.272	0.000
6	49	0.368	-0.086	0.000	8	9	0.505	0.000	0.002	9	29	1.043	-0.061	0.001
6	50	0.220	-0.018	0.000	8	10	0.453	0.000	0.000	9	30	0.881	-0.479	0.000
6	51	0.480	-0.143	0.000	8	11	0.110	0.320	0.005	9	31	0.529	-0.541	0.000
6	52	0.505	-0.001	0.000	8	12	0.149	0.660	0.001	9	32	0.737	-0.796	0.000
6	53	0.706	0.000	0.000	8	13	0.063	0.835	0.001	9	33	0.233	-0.685	0.000
6	54	0.583	0.000	0.000	8	14	0.000	0.788	0.000	9	34	0.172	-0.409	0.000
6	55	0.258	0.000	0.000	8	15	-0.001	0.657	0.001	9	35	0.159	-0.561	0.000
6	56	0.000	0.000	0.000	8	16	0.000	0.834	0.001	9	36	0.059	-0.490	0.000
6	57	0.000	0.000	0.000	8	17	-0.000	0.639	0.011	9	37	0.000	-0.459	0.000
6	58	0.000	0.000	0.000	8	18	-0.000	0.553	0.009	9	38	0.006	-0.761	0.000
6	59	0.000	0.000	0.000	8	19	0.000	0.206	0.036	9	39	0.000	-0.213	0.000
7	0	0.000	0.000	0.000	8	20	0.000	0.468	0.030	9	40	0.000	-0.000	0.000
7	1	0.000	0.000	0.000	8	21	0.000	0.204	0.014	9	41	0.001	-0.198	0.000
7	2	0.000	0.000	0.000	8	22	0.000	0.000	0.000	9	42	0.148	-0.591	0.000
7	3	0.000	0.000	0.000	8	23	0.000	0.000	0.000	9	43	0.143	-0.850	0.000
7	4	-0.001	0.000	0.000	8	24	-0.000	0.026	0.025	9	44	0.228	-0.521	0.000
7	5	0.000	0.000	0.000	8	25	0.000	0.209	0.017	9	45	0.510	-0.409	0.000
7	6	0.137	0.000	0.001	8	26	0.000	0.126	0.018	9	46	0.088	-0.409	0.002
7	7	0.805	0.000	0.000	8	27	0.000	0.012	0.024	9	47	0.218	-0.559	0.000
7	8	0.843	0.000	0.000	8	28	0.000	0.008	0.055	9	48	0.411	-0.313	0.001
7	9	0.669	0.000	0.000	8	29	0.000	0.451	0.012	9	49	0.308	-0.322	0.001
7	10	0.486	0.000	0.000	8	30	0.000	0.398	0.004	9	50	0.815	-0.328	0.001
7	11	0.450	0.000	0.000	8	31	0.000	0.421	0.005	9	51	0.868	-0.156	0.000
7	12	0.591	0.000	0.000	8	32	0.000	0.519	0.000	9	52	0.521	-1.114	0.004
7	13	0.764	0.000	0.000	8	33	0.000	0.420	0.005	9	53	0.587	-1.717	0.001
7	14	0.670	0.000	0.001	8	34	0.000	0.351	0.013	9	54	0.668	-1.224	0.000
7	15	0.684	0.000	0.000	8	35	0.183	0.146	0.040	9	55	0.689	-0.980	0.001
7	16	0.634	0.000	0.000	8	36	0.475	0.001	0.034	9	56	0.113	-0.560	0.000
7	17	0.532	0.000	0.000	8	37	0.391	0.011	0.012	9	57	0.257	-0.421	0.000
7	18	0.997	0.000	0.002	8	38	0.141	0.021	0.035	9	58	0.017	-0.001	0.000
7	19	0.838	0.000	0.002	8	39	0.000	0.000	0.000	9	59	0.145	-0.012	0.000
7	20	0.477	0.000	0.000	8	40	0.000	0.000	0.000	10	0	0.513	-0.259	0.000
7	21	0.579	0.000	0.003	8	41	0.024	0.000	0.019	10	1	0.913	-0.354	0.000
7	22	0.283	0.000	0.001	8	42	0.380	0.002	0.026	10	2	1.424	-0.552	0.000
7	23	0.000	0.000	0.002	8	43	0.621	0.007	0.002	10	3	1.163	-0.205	0.002
7	24	0.000	0.000	0.000	8	44	0.595	0.000	0.000	10	4	1.384	0.079	0.000
7	25	0.000	0.000	0.000	8	45	0.458	0.000	0.000	10	5	1.463	0.008	0.002
7	26	0.159	0.000	0.000	8	46	0.495	0.000	0.000	10	6	1.666	-0.000	0.002
7	27	0.590	0.000	0.000	8	47	0.396	0.000	0.000	10	7	1.336	0.000	0.000



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

10	10	0.743	0.265	0.003	11	30	1.128	-3.588	0.011	12	50	-0.368	-1.178	0.000
10	11	0.869	0.097	0.004	11	31	0.720	-3.365	0.027	12	51	0.047	-1.527	0.003
10	12	1.200	0.042	0.000	11	32	0.790	-3.510	0.018	12	52	0.066	-1.373	-0.002
10	13	1.424	0.002	0.002	11	33	0.684	-2.527	0.054	12	53	0.098	-1.620	0.011
10	14	1.441	0.264	0.007	11	34	0.697	-3.234	0.009	12	54	-0.061	-1.547	0.020
10	15	1.382	0.041	0.003	11	35	0.324	-3.103	0.015	12	55	0.056	-1.107	0.000
10	16	1.406	0.052	0.002	11	36	0.461	-2.801	0.010	12	56	-0.075	-1.115	0.000
10	17	1.562	0.211	0.005	11	37	0.271	-3.084	0.005	12	57	-0.211	-0.939	0.000
10	18	1.578	0.254	0.005	11	38	-0.058	-2.751	0.008	12	58	0.179	-0.918	0.003
10	19	1.338	0.010	0.007	11	39	-0.046	-3.027	0.003	12	59	0.002	-1.369	0.003
10	20	1.205	0.301	0.016	11	40	-0.042	-2.480	0.013	13	0	0.282	-1.452	0.000
10	21	1.337	0.196	0.018	11	41	0.383	-2.345	0.008	13	1	0.317	-1.397	0.018
10	22	1.371	0.064	0.028	11	42	0.452	-2.016	0.002	13	2	-0.294	-2.275	0.009
10	23	1.380	0.113	0.017	11	43	0.679	-1.909	0.002	13	3	0.086	-2.083	0.007
10	24	1.426	0.017	0.024	11	44	0.551	-1.134	0.001	13	4	-0.000	-1.794	-0.001
10	25	1.599	0.003	0.008	11	45	0.170	-1.145	0.010	13	5	0.033	-0.915	0.001
10	26	1.583	0.062	0.016	11	46	0.313	-0.891	0.002	13	6	-0.328	-1.306	0.004
10	27	1.481	0.118	0.015	11	47	0.159	-1.148	0.003	13	7	-1.063	-1.803	0.021
10	28	1.323	0.231	0.038	11	48	0.705	-1.814	0.000	13	8	-0.892	-1.976	0.006
10	29	1.379	0.124	0.039	11	49	0.461	-1.497	0.000	13	9	-0.642	-2.002	-0.000
10	30	1.661	0.048	0.043	11	50	0.430	-1.219	0.002	13	10	-0.294	-1.697	0.002
10	31	1.553	0.117	0.027	11	51	0.848	-1.623	0.001	13	11	-0.258	-1.737	0.000
10	32	1.468	0.330	0.070	11	52	0.418	-1.153	0.005	13	12	-0.282	-1.845	0.001
10	33	1.282	0.037	0.082	11	53	0.822	-1.108	0.001	13	13	-0.274	-1.722	0.001
10	34	1.523	0.030	0.055	11	54	0.694	-1.203	0.003	13	14	-0.582	-1.371	0.000
10	35	2.013	0.001	0.043	11	55	0.808	-1.316	0.001	13	15	-0.051	-1.252	0.000
10	36	2.138	-0.012	0.038	11	56	0.776	-2.031	0.002	13	16	-0.198	-1.074	0.000
10	37	2.042	-0.083	0.007	11	57	0.003	-1.679	0.006	13	17	-0.037	-0.416	0.000
10	38	1.995	-0.049	0.027	11	58	0.706	-1.293	0.001	13	18	-0.160	-1.153	0.000
10	39	1.948	-0.111	0.025	11	59	0.244	-2.393	0.001	13	19	-0.391	-1.330	0.000
10	40	2.035	-0.001	0.036	12	0	0.101	-1.777	0.002	13	20	-0.293	-1.324	0.000
10	41	2.214	-0.083	0.089	12	1	-0.169	-0.810	0.014	13	21	-0.005	-1.146	0.002
10	42	1.994	-0.155	0.061	12	2	-0.032	-2.044	0.010	13	22	-0.427	-0.672	0.002
10	43	2.743	-0.225	0.030	12	3	0.206	-2.221	0.017	13	23	-0.796	-1.121	0.000
10	44	2.334	-0.143	0.134	12	4	-0.310	-3.320	0.027	13	24	-1.191	-1.573	0.000
10	45	2.548	-0.127	0.077	12	5	-1.279	-3.417	0.004	13	25	-0.631	-1.444	0.000
10	46	2.582	-0.068	0.086	12	6	-0.988	-3.491	0.015	13	26	-0.212	-1.238	0.005
10	47	2.641	-0.181	0.093	12	7	-1.477	-3.750	0.017	13	27	-1.493	-1.611	0.005
10	48	2.179	-0.123	0.128	12	8	-0.618	-3.180	0.015	13	28	-1.445	-1.181	0.002
10	49	2.056	-0.165	0.121	12	9	-0.250	-3.772	0.014	13	29	-0.367	-1.268	0.005
10	50	1.882	-0.000	0.059	12	10	-0.519	-4.229	0.036	13	30	-1.003	-0.707	-0.001
10	51	2.035	0.013	0.057	12	11	-0.956	-3.967	0.047	13	31	-1.048	-1.587	0.007
10	52	2.086	-0.014	0.119	12	12	-1.006	-3.651	0.070	13	32	-1.904	-1.123	0.000
10	53	2.391	-0.043	0.052	12	13	-0.763	-3.770	0.019	13	33	-1.099	-0.659	0.037
10	54	2.434	-0.042	0.086	12	14	-0.518	-3.778	0.018	13	34	-1.800	-1.324	0.010
10	55	2.455	-0.022	0.091	12	15	-0.760	-3.062	0.011	13	35	-0.619	-1.615	0.042
10	56	2.877	0.073	0.043	12	16	-0.644	-2.759	0.005	13	36	-0.324	-1.646	0.024
10	57	3.072	-0.059	0.102	12	17	-0.447	-2.965	0.005	13	37	-0.933	-1.674	0.056
10	58	2.813	0.069	0.131	12	18	-0.399	-3.745	0.015	13	38	-0.759	-2.502	0.090
10	59	2.397	0.020	0.060	12	19	-0.331	-3.131	0.019	13	39	-1.413	-1.791	0.032
11	0	2.058	0.187	0.115	12	20	-0.566	-3.087	0.004	13	40	-2.369	-1.350	0.032
11	1	2.512	0.028	0.062	12	21	-0.497	-3.450	0.008	13	41	-3.425	-0.570	0.007
11	2	2.372	0.057	0.093	12	22	-0.140	-2.486	0.001	13	42	-2.467	-0.526	0.019
11	3	1.931	0.089	0.066	12	23	-0.106	-2.867	0.002	13	43	-2.311	-1.147	0.005
11	4	2.079	-0.031	0.057	12	24	-0.269	-2.156	0.004	13	44	-2.637	-1.384	0.022
11	5	1.947	-0.020	0.044	12	25	0.046	-1.792	0.010	13	45	-1.833	-2.702	0.026
11	6	1.825	-0.157	0.006	12	26	-0.006	-1.923	0.003	13	46	-1.865	-2.387	0.056
11	7	1.657	-0.010	0.003	12	27	-0.051	-2.433	0.005	13	47	-1.887	-0.987	0.115
11	8	1.440	-0.115	0.019	12	28	-0.217	-1.899	0.002	13	48	-2.539	-1.630	0.038
11	9	1.457	0.000	0.007	12	29	-0.333	-1.703	0.002	13	49	-2.750	-1.715	0.057
11	10	1.343	-0.087	0.003	12	30	-0.531	-2.158	0.003	13	50	-2.975	-1.137	0.041
11	11	1.148	-0.273	0.001	12	31	-0.501	-2.777	0.004	13	51	-2.894	-0.788	0.003
11	12	0.804	-0.223	0.006	12	32	-0.545	-3.527	-0.002	13	52	-2.749	-0.671	0.004
11	13	1.645	-0.522	0.000	12	33	-0.496	-2.994	-0.000	13	53	-2.633	-0.812	0.012
11	14	1.554	-0.114	0.004	12	34	-0.133	-2.609	0.004	13	54	-2.622	-0.630	0.008
11	15	1.400	-0.042	0.006	12	35	-0.709	-3.033	0.009	13	55	-3.231	-1.083	0.004
11	16	1.220	-0.245	0.009	12	36	0.211	-1.691	0.006	13	56	-2.983	-1.150	0.009
11	17	1.301	-0.114	0.007	12	37	-0.017	-1.667	0.001	13	57	-1.690	-1.445	0.021
11	18	1.737	-0.397	0.006	12	38	-0.688	-2.980	0.005	13	58	-0.869	-1.850	0.031
11	19	1.380	-0.124	0.000	12	39	-0.019	-2.141	0.002	13	59	-0.373	-2.053	0.013
11	20	0.282	0.096	0.040	12	40	-0.413	-1.891	0.004	14	0	-0.808	-2.308	0.011
11	21	0.779	-0.447	0.009	12	41	-0.411	-2.284	0.004	14	1	-0.431	-1.664	0.002
11	22	1.185	-0.725	0.005	12	42	-0.328	-1.767	-0.001	14	2	-0.623	-1.413	0.001
11	23	1.169	-1.011	0.012	12	43	-0.125	-1.932	0.001	14	3	-0.246	-1.379	0.000
11	24	0.607	-2.088	0.006	12	44	-0.396	-1.424	0.000	14	4	-0.036	-1.143	0.000
11	25	0.455	-2.961	0.005	12	45	-0.666	-0.720	0.001	14	5	-0.175	-1.391	0.000
11	26	0.144	-2.088	0.003	12	46	-0.688	-1.011	0.000	14	6	-0.309	-1.631	0.000
11	27	0.233	-2.581	0.018	12	47	-0.902	-2.217	0.001	14	7	-0.008	-1.237	0.000
11	28	0.405	-3.911	0.013	12	48	-0.150	-1.361	0.001	14	8	0.002	-1.218	0.005



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

14	10	0.418	-1.241	0.004	15	30	0.000	-0.461	0.000	16	50	0.000	-0.659	0.001
14	11	0.149	-0.835	0.077	15	31	0.134	-0.224	0.000	16	51	0.210	-0.730	0.013
14	12	0.763	-1.846	0.011	15	32	0.284	0.000	0.000	16	52	1.182	0.019	0.006
14	13	0.528	-1.722	-0.001	15	33	0.825	-0.003	0.000	16	53	0.833	0.078	0.039
14	14	0.657	-1.265	0.074	15	34	0.465	0.031	0.000	16	54	0.263	0.001	0.010
14	15	0.492	-1.138	0.033	15	35	0.098	-0.010	0.000	16	55	0.470	0.000	0.010
14	16	0.922	-1.702	0.031	15	36	0.000	0.000	0.000	16	56	0.467	-0.447	0.003
14	17	0.322	-1.246	0.009	15	37	0.000	0.000	0.000	16	57	0.315	0.033	0.002
14	18	0.289	-1.365	0.001	15	38	0.000	0.000	0.002	16	58	0.966	0.000	0.011
14	19	0.158	-0.678	0.037	15	39	0.000	0.443	0.000	16	59	0.988	-0.020	0.002
14	20	0.520	-1.512	0.021	15	40	0.000	0.810	0.000	17	0	1.300	-0.028	0.002
14	21	0.591	-1.335	0.009	15	41	0.482	0.677	0.001	17	1	1.343	-0.132	0.011
14	22	1.062	-1.694	0.000	15	42	0.745	0.549	0.004	17	2	0.982	-0.001	0.013
14	23	0.870	-1.257	0.003	15	43	1.116	0.306	0.001	17	3	1.054	-0.001	0.002
14	24	0.328	-1.484	0.001	15	44	0.903	0.000	0.000	17	4	0.403	-0.371	0.001
14	25	0.712	-1.284	0.000	15	45	0.456	0.000	0.000	17	5	0.794	-0.410	0.021
14	26	0.336	-0.863	0.005	15	46	0.403	0.015	0.000	17	6	1.037	-0.401	0.017
14	27	0.393	-1.125	0.005	15	47	0.357	0.138	0.015	17	7	1.227	-0.439	0.000
14	28	0.640	-1.593	0.006	15	48	1.121	0.497	0.000	17	8	0.729	-0.046	0.000
14	29	0.376	-1.503	0.002	15	49	1.124	0.720	0.000	17	9	0.107	-0.577	0.000
14	30	0.164	-1.279	0.010	15	50	1.022	0.791	0.002	17	10	0.726	-0.858	0.000
14	31	0.423	-1.019	0.003	15	51	1.196	0.668	0.000	17	11	0.722	-0.579	0.000
14	32	0.385	-0.336	0.007	15	52	1.030	0.326	0.003	17	12	1.148	-0.936	0.006
14	33	-0.918	-1.103	0.019	15	53	0.944	0.421	0.011	17	13	1.238	-0.786	0.014
14	34	-1.374	-1.266	0.022	15	54	1.182	0.538	0.000	17	14	1.464	-0.853	0.006
14	35	0.369	-1.482	0.009	15	55	1.237	0.164	0.000	17	15	1.574	-0.849	0.004
14	36	0.098	-0.985	0.001	15	56	1.010	0.166	0.000	17	16	1.589	-0.526	0.002
14	37	-0.090	-1.388	-0.000	15	57	1.076	0.000	0.001	17	17	1.197	-0.473	0.018
14	38	-0.036	-1.395	0.000	15	58	1.118	0.000	0.001	17	18	0.877	-0.107	0.028
14	39	0.034	-0.717	-0.001	15	59	0.894	0.000	0.000	17	19	0.498	-0.114	0.032
14	40	0.000	-0.325	0.000	16	0	1.021	-0.095	0.000	17	20	0.025	-0.370	0.008
14	41	0.027	-1.196	0.001	16	1	0.957	-0.055	0.003	17	21	0.151	-0.269	0.008
14	42	0.013	-1.519	0.000	16	2	1.140	-0.038	0.000	17	22	0.904	-0.018	0.001
14	43	0.001	-1.235	0.000	16	3	1.444	-0.200	0.001	17	23	0.098	0.000	0.002
14	44	0.264	-0.991	0.005	16	4	1.327	-0.190	0.024	17	24	0.826	-0.616	0.014
14	45	0.371	-0.612	0.007	16	5	1.185	-0.243	0.009	17	25	1.700	-0.915	0.008
14	46	0.020	-1.166	0.006	16	6	1.530	-0.025	0.009	17	26	2.000	-0.880	0.043
14	47	-0.048	-1.536	0.000	16	7	1.666	-0.014	0.010	17	27	1.908	-0.891	0.021
14	48	0.167	-1.041	0.006	16	8	1.776	0.004	0.001	17	28	1.908	-0.832	0.024
14	49	-0.503	-1.093	0.006	16	9	1.666	0.016	0.002	17	29	1.297	-0.403	0.034
14	50	-0.157	-0.906	0.005	16	10	1.339	0.000	0.003	17	30	1.438	-0.587	0.011
14	51	-0.044	-1.206	0.000	16	11	0.839	0.074	0.014	17	31	1.276	-0.392	0.037
14	52	0.015	-0.777	0.000	16	12	1.051	0.053	0.004	17	32	1.160	-0.424	0.025
14	53	-0.012	-0.908	0.000	16	13	1.786	-0.054	0.014	17	33	1.207	-0.318	0.012
14	54	0.007	-1.141	0.000	16	14	1.858	0.007	0.033	17	34	1.573	-0.353	0.020
14	55	0.110	-0.942	0.001	16	15	2.011	0.003	0.020	17	35	1.567	-0.272	0.028
14	56	0.172	-1.024	0.009	16	16	1.728	0.009	0.009	17	36	1.321	-0.451	0.032
14	57	0.039	-0.966	0.001	16	17	1.563	-0.082	0.017	17	37	1.399	-0.285	0.029
14	58	0.000	-0.695	0.000	16	18	1.561	0.022	0.065	17	38	1.061	-0.376	0.043
14	59	0.000	-0.693	0.000	16	19	1.727	-0.030	0.015	17	39	1.471	-0.702	0.015
15	0	-0.000	-0.872	0.000	16	20	1.439	-0.160	0.005	17	40	1.685	-0.543	0.007
15	1	-0.063	-1.100	0.002	16	21	1.551	-0.077	0.005	17	41	1.309	-0.678	0.008
15	2	0.052	-1.413	0.002	16	22	1.081	0.212	0.024	17	42	1.343	-0.666	0.003
15	3	0.148	-1.679	0.002	16	23	1.342	0.044	0.017	17	43	1.212	-0.527	0.007
15	4	0.018	-1.341	0.000	16	24	1.699	0.127	0.016	17	44	1.020	-0.642	0.022
15	5	0.050	-0.702	0.001	16	25	1.336	0.038	0.017	17	45	0.056	-0.706	0.015
15	6	0.076	-0.350	0.003	16	26	1.352	0.238	0.026	17	46	0.416	-0.389	0.036
15	7	0.012	-0.553	0.002	16	27	1.576	0.310	0.029	17	47	0.893	-0.500	0.004
15	8	0.099	-0.227	0.002	16	28	1.148	0.292	0.025	17	48	0.847	-0.298	0.028
15	9	0.080	-0.747	0.006	16	29	1.367	0.225	0.020	17	49	0.802	-0.050	0.016
15	10	0.062	-1.167	0.000	16	30	1.041	0.012	0.079	17	50	1.244	0.002	0.004
15	11	-0.001	-1.269	0.000	16	31	0.701	0.009	0.034	17	51	1.261	-0.000	0.015
15	12	0.004	-0.271	0.007	16	32	0.734	-0.000	0.019	17	52	1.378	0.004	0.018
15	13	-0.195	-1.420	0.000	16	33	0.937	-0.000	0.003	17	53	1.590	0.004	0.039
15	14	0.119	-0.972	0.024	16	34	0.574	0.161	0.005	17	54	1.606	-0.004	0.052
15	15	0.133	-0.581	0.004	16	35	0.019	0.151	0.013	17	55	1.505	-0.002	0.010
15	16	0.196	-1.064	0.006	16	36	0.001	0.292	0.097	17	56	1.290	0.001	0.026
15	17	0.000	-0.638	0.004	16	37	0.000	-0.554	0.023	17	57	1.167	0.057	0.037
15	18	0.000	-0.699	0.003	16	38	-0.001	-0.946	0.004	17	58	1.231	0.042	0.069
15	19	0.000	-0.278	0.003	16	39	-0.000	-1.197	0.010	17	59	1.301	0.000	0.011
15	20	0.000	-0.019	0.011	16	40	0.022	-1.051	0.011	18	0	1.074	0.020	0.000
15	21	0.000	-0.365	0.000	16	41	0.000	-1.104	-0.003	18	1	0.736	0.009	0.002
15	22	0.000	-0.510	0.000	16	42	-0.000	-0.713	0.055	18	2	0.051	0.000	0.014
15	23	0.000	-0.680	0.000	16	43	-0.001	-0.920	0.001	18	3	0.000	0.000	0.000
15	24	0.000	-0.811	0.000	16	44	0.000	-0.798	0.001	18	4	0.067	0.000	0.000
15	25	0.000	-0.665	0.000	16	45	0.000	-0.527	0.001	18	5	0.560	-0.001	0.000
15	26	0.000	-0.488	0.000	16	46	0.000	-0.441	0.000	18	6	0.577	0.000	0.000
15	27	0.000	-0.127	0.000	16	47	0.000	-0.196	0.002	18	7	0.404	0.011	0.006
15	28	0.000	0.000	0.001	16	48	-0.009	-0.692	0.001	18	8	0.012	0.004	0.003



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

18	7	-0.007	1.501	0.001	19	27	0.531	0.671	0.005	20	47	1.121	0.194	0.019
18	8	-0.001	1.274	0.004	19	28	0.191	0.841	0.002	20	48	1.115	0.000	0.022
18	9	-0.064	1.320	0.003	19	29	0.002	0.960	0.001	20	49	1.092	0.000	0.000
18	10	0.000	1.396	0.000	19	30	0.181	0.883	0.002	20	50	0.919	0.000	0.015
18	11	0.000	1.245	0.001	19	31	0.461	0.750	0.035	20	51	1.378	0.364	0.012
18	12	0.000	1.220	0.001	19	32	0.550	0.803	0.005	20	52	1.677	0.158	0.006
18	13	-0.000	0.744	0.002	19	33	0.702	0.609	0.007	20	53	1.633	0.259	0.027
18	14	0.021	0.783	0.003	19	34	0.786	0.691	0.010	20	54	1.589	0.134	0.031
18	15	0.212	1.153	0.000	19	35	0.767	0.909	0.014	20	55	1.533	0.155	0.015
18	16	0.166	1.075	0.000	19	36	0.987	0.857	0.010	20	56	1.060	0.079	0.003
18	17	0.024	0.923	0.002	19	37	1.093	0.695	0.001	20	57	0.633	0.112	0.002
18	18	0.215	0.884	0.008	19	38	0.921	0.233	0.026	20	58	0.956	0.082	0.000
18	19	0.755	0.825	0.002	19	39	0.759	0.000	0.011	20	59	0.773	0.304	0.004
18	20	1.106	0.323	0.001	19	40	1.073	0.297	0.002	21	0	0.908	0.258	0.005
18	21	1.234	0.303	0.000	19	41	1.102	0.723	0.004	21	1	1.195	0.818	0.001
18	22	1.390	1.131	0.000	19	42	1.109	0.576	0.000	21	2	0.605	0.927	0.003
18	23	1.177	1.203	0.001	19	43	0.877	0.711	0.001	21	3	0.569	0.844	0.002
18	24	1.193	1.274	0.000	19	44	0.340	0.987	0.003	21	4	0.337	0.336	0.004
18	25	0.943	1.276	0.001	19	45	0.180	0.715	0.010	21	5	0.141	0.281	0.022
18	26	0.916	1.293	0.001	19	46	0.131	0.810	0.009	21	6	0.514	0.339	0.000
18	27	0.844	1.202	0.001	19	47	0.024	1.029	0.011	21	7	0.478	0.502	0.000
18	28	1.158	1.072	0.001	19	48	0.011	0.901	0.015	21	8	0.721	0.834	0.000
18	29	1.459	1.069	0.000	19	49	-0.004	0.693	0.031	21	9	0.685	0.870	0.000
18	30	1.221	0.995	0.000	19	50	0.000	0.746	0.012	21	10	0.619	0.749	0.001
18	31	1.197	1.266	0.000	19	51	0.000	0.880	0.000	21	11	0.691	0.831	0.000
18	32	1.237	1.091	0.000	19	52	0.135	0.733	0.028	21	12	0.678	0.710	0.002
18	33	1.230	0.784	0.000	19	53	0.277	0.926	0.001	21	13	0.573	0.839	0.003
18	34	0.724	0.906	0.003	19	54	0.401	0.934	0.001	21	14	0.582	1.031	0.000
18	35	0.951	1.087	0.001	19	55	0.129	0.331	0.063	21	15	0.563	1.120	0.003
18	36	1.091	1.186	0.001	19	56	-0.002	0.000	0.039	21	16	0.431	1.004	0.003
18	37	1.084	1.171	0.000	19	57	0.224	0.000	0.063	21	17	0.306	0.855	0.006
18	38	0.838	0.857	0.000	19	58	0.248	0.000	0.114	21	18	0.277	0.941	0.008
18	39	0.838	0.629	0.001	19	59	0.459	0.006	0.012	21	19	0.570	0.902	0.001
18	40	0.758	0.445	0.001	20	0	0.155	0.681	0.031	21	20	0.626	0.941	0.001
18	41	0.753	0.147	0.003	20	1	0.374	0.824	0.004	21	21	1.097	0.612	0.000
18	42	0.778	0.003	0.003	20	2	0.443	0.853	0.000	21	22	0.972	0.098	0.010
18	43	0.786	0.000	0.000	20	3	0.464	0.747	0.001	21	23	0.857	0.197	0.003
18	44	0.736	0.000	0.011	20	4	0.515	0.733	0.004	21	24	1.275	0.125	0.000
18	45	0.511	0.000	0.029	20	5	0.825	0.625	0.008	21	25	1.259	-0.007	0.001
18	46	0.302	0.000	0.014	20	6	0.815	0.397	0.003	21	26	1.832	-0.113	0.009
18	47	0.471	0.000	0.005	20	7	0.804	0.033	0.000	21	27	1.730	-0.037	0.013
18	48	0.569	0.000	0.000	20	8	0.445	0.082	0.046	21	28	1.567	-0.274	0.009
18	49	0.684	0.000	0.010	20	9	0.503	0.000	0.044	21	29	1.562	0.000	0.005
18	50	0.653	0.000	0.000	20	10	0.786	0.003	0.000	21	30	1.410	0.000	0.020
18	51	0.401	0.112	0.003	20	11	1.016	0.168	0.000	21	31	1.099	0.000	0.007
18	52	0.349	0.747	0.005	20	12	0.535	0.053	0.004	21	32	0.962	0.000	0.007
18	53	0.389	0.907	0.002	20	13	0.622	0.011	0.000	21	33	1.197	0.000	0.001
18	54	0.092	1.107	0.004	20	14	0.453	0.054	0.010	21	34	0.850	0.000	0.001
18	55	0.096	1.088	0.000	20	15	0.668	0.000	0.020	21	35	0.538	0.000	0.000
18	56	0.082	0.891	0.001	20	16	1.136	0.000	0.019	21	36	0.453	0.001	0.011
18	57	-0.001	0.999	0.001	20	17	1.365	0.000	0.004	21	37	0.535	-0.031	0.003
18	58	0.000	0.820	0.009	20	18	0.915	0.000	0.015	21	38	0.963	-0.455	0.001
18	59	0.029	0.602	0.014	20	19	0.765	0.000	0.028	21	39	1.003	-0.524	0.000
19	0	0.001	0.819	0.000	20	20	0.820	0.056	0.026	21	40	0.614	-0.202	0.004
19	1	-0.001	0.463	0.013	20	21	0.884	0.097	0.030	21	41	0.009	0.000	0.008
19	2	-0.002	0.000	0.014	20	22	1.145	0.167	0.017	21	42	0.000	0.000	0.002
19	3	-0.001	0.000	0.033	20	23	1.198	0.000	0.008	21	43	0.015	0.000	0.018
19	4	0.000	0.000	0.019	20	24	0.727	0.000	0.026	21	44	0.013	0.001	0.061
19	5	0.000	0.000	0.064	20	25	1.062	0.004	0.017	21	45	-0.058	0.000	0.013
19	6	0.004	0.000	0.101	20	26	0.962	0.020	0.001	21	46	-0.002	0.000	0.082
19	7	0.408	0.000	0.036	20	27	0.705	0.000	0.034	21	47	-0.041	0.000	0.085
19	8	0.289	0.000	0.001	20	28	0.831	0.033	0.039	21	48	-0.291	0.000	0.009
19	9	0.302	0.000	0.000	20	29	1.036	0.167	0.026	21	49	-0.790	0.000	0.000
19	10	0.532	-0.001	0.001	20	30	1.147	0.313	0.032	21	50	-0.889	0.000	0.000
19	11	0.759	0.000	0.001	20	31	0.999	0.289	0.021	21	51	-0.532	0.000	0.000
19	12	0.973	0.000	0.001	20	32	0.836	0.196	0.054	21	52	-0.952	0.000	0.000
19	13	0.855	0.000	0.002	20	33	0.977	0.001	0.013	21	53	-1.336	0.000	0.000
19	14	0.737	0.000	0.003	20	34	0.866	0.000	0.046	21	54	-1.024	-0.018	0.000
19	15	1.047	0.000	0.007	20	35	0.889	0.000	0.001	21	55	-0.448	-0.049	0.000
19	16	1.635	0.000	0.012	20	36	0.717	0.000	0.048	21	56	-0.323	0.000	0.000
19	17	1.887	0.000	0.013	20	37	0.581	0.000	0.035	21	57	-0.405	-0.003	0.000
19	18	2.068	0.000	0.021	20	38	0.957	0.189	0.015	21	58	-0.149	0.004	0.019
19	19	1.776	-0.000	0.030	20	39	1.169	0.680	0.011	21	59	-0.002	0.000	0.005
19	20	1.521	0.157	0.017	20	40	1.213	0.218	0.027	22	0	0.007	0.000	0.074
19	21	0.824	0.355	0.016	20	41	1.246	0.460	0.014	22	1	0.035	0.000	0.047
19	22	0.723	0.174	0.019	20	42	1.159	0.406	0.005	22	2	0.554	0.000	0.015
19	23	0.683	0.305	0.019	20	43	0.785	0.227	0.030	22	3	0.531	0.000	0.032
19	24	0.803	0.640	0.007	20	44	1.017	0.401	0.010	22	4	0.209	0.000	0.049
19	25	0.978	0.655	0.003	20	45	1.142	0.219	0.035	22	5	0.226	-0.000	0.054
19	26	0.785	0.217	0.004	20	46	1.421	0.476	0.026	22	6	0.063	0.000	0.009





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

22	7	0.000	0.000	0.000	23	27	0.462	0.354	0.140	0	44	1.642	0.526	0.041	
22	8	0.027	0.000	0.000	23	28	0.840	0.063	0.052	0	45	1.090	0.448	0.036	
22	9	0.000	0.000	0.000	23	29	1.229	0.179	0.010	0	46	1.075	0.236	0.012	
22	10	-0.255	0.000	0.000	23	30	0.967	0.162	0.077	0	47	1.172	0.075	0.043	
22	11	-0.256	0.000	0.000	23	31	0.883	0.146	0.019	0	48	1.469	0.283	0.018	
22	12	-0.003	0.000	0.000	23	32	0.547	0.226	0.000	0	49	1.528	0.275	0.026	
22	13	0.089	0.000	0.000	23	33	0.473	0.551	0.063	0	50	1.618	0.316	0.044	
22	14	0.162	0.005	0.000	23	34	0.814	0.837	0.035	0	51	0.882	0.126	0.075	
22	15	0.445	0.000	0.004	23	35	0.926	0.501	0.000	0	52	0.796	0.076	0.029	
22	16	0.132	0.000	0.092	23	36	0.805	0.212	0.018	0	53	1.054	0.061	0.004	
22	17	0.122	0.097	0.090	23	37	0.775	0.092	0.071	0	54	1.512	0.103	0.013	
22	18	0.106	0.112	0.100	23	38	0.814	0.033	0.023	0	55	1.606	0.088	0.019	
22	19	0.029	0.006	0.070	23	39	0.835	0.000	0.000	0	56	1.686	-0.000	0.023	
22	20	0.193	0.175	0.062	23	40	0.399	0.111	0.007	0	57	1.492	0.000	0.013	
22	21	0.485	0.048	0.179	23	41	0.865	0.081	0.019	0	58	1.557	-0.224	0.018	
22	22	0.911	0.003	0.007	23	42	0.806	0.170	0.044	0	59	1.365	-0.034	0.018	
22	23	0.704	0.567	0.026	23	43	1.127	0.397	0.024	1	0	1.297	0.000	0.005	
22	24	0.195	0.896	0.027	23	44	1.277	0.406	0.014	1	1	1.286	-0.283	0.021	
22	25	0.263	1.032	0.001	23	45	1.201	0.400	0.024	1	2	0.819	-0.461	0.039	
22	26	0.345	0.780	0.012	23	46	1.397	0.342	0.021	1	3	1.565	-0.905	0.035	
22	27	0.228	0.610	0.033	23	47	1.646	0.184	0.019	1	4	1.803	-0.834	0.049	
22	28	0.327	0.725	0.025	23	48	1.763	-0.000	0.024	1	5	1.991	-0.713	0.071	
22	29	0.497	0.736	0.042	23	49	1.751	-0.001	0.039	1	6	2.303	-0.540	0.049	
22	30	0.513	0.428	0.041	23	50	2.337	-0.209	0.015	1	7	1.751	-0.249	0.058	
22	31	0.450	0.663	0.001	23	51	2.572	-0.006	0.049	1	8	1.571	-0.177	0.026	
22	32	0.291	0.336	0.083	23	52	2.631	0.014	0.065	1	9	1.158	-0.159	0.029	
22	33	0.720	0.396	0.051	23	53	2.652	0.005	0.072	1	10	0.621	-0.102	0.004	
22	34	0.538	0.055	0.046	23	54	2.633	0.002	0.072	1	11	0.617	-0.295	0.003	
22	35	0.835	0.000	0.000	23	55	2.167	0.140	0.060	1	12	0.326	0.000	0.000	
22	36	0.746	0.000	0.000	23	56	2.643	-0.093	0.080	1	13	0.087	0.000	0.000	
22	37	0.768	0.461	0.001	23	57	2.463	-0.051	0.020	1	14	-0.282	0.000	-0.000	
22	38	0.215	0.546	0.016	23	58	1.881	-0.135	0.051	1	15	-0.191	0.003	0.024	
22	39	0.248	0.883	0.035	23	59	2.105	-0.179	0.038	1	16	0.002	0.006	0.083	
22	40	0.155	0.875	0.009						1	17	0.136	0.013	0.144	
22	41	0.234	0.637	0.046						1	18	0.003	0.000	0.000	
22	42	0.395	0.770	0.008						1	19	0.137	0.000	0.000	
22	43	0.506	0.729	0.007	05/07/95	0	0	2.208	-0.678	0.028	1	20	0.000	-0.001	0.008
22	44	0.626	0.306	0.001	0	1	2.366	-0.623	0.032	1	21	0.254	0.000	0.000	
22	45	0.452	0.276	0.002	0	2	2.191	-0.311	0.068	1	22	0.504	0.007	0.000	
22	46	0.700	0.303	0.035	0	3	2.476	-0.475	0.033	1	23	0.862	0.000	0.000	
22	47	1.019	0.000	0.010	0	4	2.495	-0.610	0.057	1	24	0.952	0.000	0.012	
22	48	0.968	0.032	0.016	0	5	2.502	-0.367	0.023	1	25	1.134	0.000	0.009	
22	49	1.224	-0.067	0.027	0	6	2.071	-0.250	0.035	1	26	1.235	0.000	0.006	
22	50	1.380	0.077	0.032	0	7	1.551	-0.292	0.041	1	27	1.038	0.000	0.002	
22	51	0.828	0.004	0.045	0	8	1.199	-0.065	0.031	1	28	1.095	0.000	0.009	
22	52	0.598	0.000	0.000	0	9	0.827	-0.330	0.041	1	29	0.991	0.000	0.017	
22	53	0.552	0.000	0.000	0	10	0.959	-0.453	0.009	1	30	0.729	0.000	0.010	
22	54	0.615	0.000	0.000	0	11	1.366	-0.383	0.015	1	31	1.187	0.032	0.009	
22	55	0.595	0.000	0.000	0	12	1.309	-0.673	0.042	1	32	1.273	-0.000	0.024	
22	56	0.642	0.000	0.000	0	13	1.381	-0.490	0.015	1	33	0.856	-0.001	0.003	
22	57	0.768	-0.034	0.000	0	14	1.321	-0.118	0.007	1	34	0.808	0.011	0.003	
22	58	0.780	-0.183	0.000	0	15	0.965	-0.048	0.001	1	35	0.844	0.000	0.000	
22	59	1.039	-0.175	0.005	0	16	1.002	0.000	0.002	1	36	0.801	0.000	0.006	
23	0	1.130	-0.264	0.013	0	17	0.676	0.000	0.000	1	37	0.806	-0.383	0.017	
23	1	1.270	-0.173	0.009	0	18	0.111	0.000	0.000	1	38	1.076	-1.333	0.056	
23	2	1.040	0.000	0.011	0	19	0.512	-0.360	0.000	1	39	1.670	-1.357	0.040	
23	3	0.659	0.000	0.002	0	20	0.989	-0.099	0.000	1	40	1.679	-0.638	0.015	
23	4	0.577	0.000	0.002	0	21	1.578	0.073	0.008	1	41	1.461	-0.511	0.037	
23	5	0.054	0.000	0.000	0	22	1.488	0.058	0.023	1	42	1.270	-0.447	0.053	
23	6	-0.000	0.000	0.000	0	23	0.879	0.003	0.102	1	43	1.398	-0.424	0.007	
23	7	0.002	0.006	0.076	0	24	1.138	0.060	0.060	1	44	1.187	-0.273	0.028	
23	8	0.001	0.000	0.097	0	25	1.398	0.147	0.057	1	45	1.528	-0.188	0.024	
23	9	0.000	0.000	0.000	0	26	1.845	0.220	0.070	1	46	1.363	0.000	0.015	
23	10	0.000	0.000	0.000	0	27	1.909	0.061	0.048	1	47	1.646	-0.379	0.022	
23	11	0.077	0.000	0.001	0	28	1.729	0.062	0.027	1	48	1.074	-0.508	0.031	
23	12	0.000	0.000	0.006	0	29	1.419	0.216	0.008	1	49	0.997	-0.241	0.036	
23	13	0.007	0.000	0.000	0	30	1.237	0.236	0.011	1	50	1.170	-0.171	0.014	
23	14	0.019	0.000	0.000	0	31	1.256	0.491	0.021	1	51	0.942	0.048	0.019	
23	15	0.000	0.000	0.000	0	32	1.254	0.364	0.044	1	52	1.530	0.689	0.027	
23	16	0.001	0.000	0.000	0	33	1.501	0.481	0.017	1	53	2.063	0.442	0.042	
23	17	0.091	0.000	0.000	0	34	1.697	0.367	0.011	1	54	1.702	0.146	0.046	
23	18	0.000	0.000	0.000	0	35	2.064	0.290	0.024	1	55	1.945	-0.002	0.038	
23	19	0.048	0.000	0.000	0	36	2.106	0.230	0.019	1	56	1.923	0.038	0.016	
23	20	-0.002	0.000	0.000	0	37	2.068	0.275	0.028	1	57	1.512	-0.011	0.014	
23	21	0.000	0.000	0.000	0	38	2.138	0.439	0.028	1	58	1.193	0.005	0.017	
23	22	0.252	0.001	0.008	0	39	2.169	0.413	0.035	1	59	0.554	0.000	0.025	
23	23	0.114	0.000	0.020	0	40	2.136	0.238	0.024	2	0	0.649	-0.008	0.002	
23	24	-0.060	0.000	0.018	0	41	2.131	0.332	0.028	2	1	0.601	0.000	0.000	

2	4	0.442	-0.586	0.032	3	24	1.127	-0.978	0.019	4	44	0.376	-1.173	0.004
2	5	0.514	-0.722	0.009	3	25	1.370	-0.167	0.029	4	45	0.615	-1.112	0.000
2	6	0.296	-0.813	-0.016	3	26	0.880	-0.029	0.011	4	46	0.232	-1.166	0.002
2	7	-0.280	-0.240	0.001	3	27	0.855	-0.824	0.104	4	47	0.181	-1.214	0.001
2	8	-0.381	-0.200	0.000	3	28	0.085	-0.938	0.021	4	48	0.267	-1.008	0.001
2	9	-0.403	-0.566	0.000	3	29	0.274	-1.092	0.005	4	49	0.349	-1.206	0.000
2	10	-0.318	-1.269	-0.002	3	30	0.843	-1.086	0.021	4	50	0.103	-0.572	0.000
2	11	-0.103	-1.401	-0.001	3	31	1.118	-0.649	0.008	4	51	0.292	-0.000	0.007
2	12	0.066	-1.346	-0.002	3	32	0.874	-0.796	0.030	4	52	0.015	0.000	0.053
2	13	-0.099	-1.221	0.000	3	33	0.539	-1.025	0.019	4	53	0.001	0.284	0.093
2	14	-0.213	-1.152	0.003	3	34	0.842	-0.614	0.008	4	54	-0.003	0.562	0.070
2	15	-0.512	-0.230	0.000	3	35	0.482	-1.329	0.047	4	55	0.129	0.379	0.109
2	16	-0.582	-0.003	0.001	3	36	0.949	-2.025	0.034	4	56	0.032	0.303	0.142
2	17	-0.361	-0.153	0.000	3	37	0.634	-1.684	0.044	4	57	0.187	0.545	0.053
2	18	0.001	0.000	0.000	3	38	0.779	-1.805	0.014	4	58	0.230	0.488	0.016
2	19	0.444	0.000	0.004	3	39	0.866	-1.766	0.026	4	59	0.610	1.161	0.055
2	20	0.730	0.000	0.002	3	40	0.607	-1.565	0.009	5	0	0.768	1.495	0.027
2	21	1.010	0.147	0.000	3	41	0.439	-1.672	0.025	5	1	0.986	1.446	0.053
2	22	1.128	0.990	0.020	3	42	0.301	-2.121	0.022	5	2	0.725	1.170	0.071
2	23	1.346	1.182	0.014	3	43	-0.120	-1.762	0.010	5	3	0.829	1.098	0.001
2	24	1.510	1.208	0.016	3	44	-0.169	-2.308	0.013	5	4	0.924	0.862	0.015
2	25	1.424	1.279	0.026	3	45	-0.273	-2.217	-0.008	5	5	0.910	0.575	0.012
2	26	1.288	1.142	0.036	3	46	-0.418	-2.428	0.011	5	6	1.202	0.546	0.030
2	27	1.426	0.830	0.034	3	47	-0.126	-2.277	0.017	5	7	1.197	0.419	0.064
2	28	1.366	0.529	0.033	3	48	0.029	-2.062	0.010	5	8	1.129	0.197	0.006
2	29	1.506	0.498	0.023	3	49	0.291	-2.002	0.024	5	9	1.287	0.016	0.036
2	30	1.589	0.430	0.064	3	50	0.960	-1.449	0.015	5	10	1.442	0.000	0.034
2	31	0.679	0.433	0.056	3	51	0.508	-1.299	0.016	5	11	1.415	0.000	0.028
2	32	0.508	0.336	0.017	3	52	1.253	-1.246	0.030	5	12	1.486	0.000	0.021
2	33	-0.886	0.037	-0.018	3	53	1.234	-1.485	0.020	5	13	1.437	-0.002	0.011
2	34	-1.208	0.211	-0.003	3	54	1.045	-1.224	0.007	5	14	1.314	-0.013	0.011
2	35	-1.508	0.105	0.008	3	55	1.527	-0.933	0.008	5	15	1.046	-0.013	0.003
2	36	-1.502	-0.000	0.000	3	56	1.469	-1.078	0.065	5	16	0.743	0.000	0.002
2	37	-0.946	0.000	-0.004	3	57	0.961	-1.420	0.102	5	17	1.158	0.002	0.002
2	38	-0.231	0.042	0.000	3	58	1.040	-1.184	0.071	5	18	0.986	-0.000	0.003
2	39	-0.081	0.105	0.017	3	59	1.623	-1.487	0.151	5	19	0.989	0.019	0.005
2	40	-0.613	0.000	0.000	4	0	1.609	-1.000	0.024	5	20	0.897	0.000	0.007
2	41	-0.483	0.000	0.000	4	1	1.229	-0.831	0.012	5	21	0.759	0.002	0.007
2	42	-0.308	0.000	0.000	4	2	2.013	-0.700	0.073	5	22	0.253	0.306	0.050
2	43	0.001	0.000	0.000	4	3	1.877	-0.580	0.025	5	23	0.451	0.200	0.055
2	44	-0.009	0.000	0.044	4	4	1.532	-0.004	0.016	5	24	0.175	0.418	0.094
2	45	-0.967	0.142	0.004	4	5	1.806	0.012	0.036	5	25	0.086	0.327	0.038
2	46	-1.276	0.689	0.004	4	6	1.945	0.092	0.071	5	26	0.008	0.197	0.117
2	47	-1.100	0.670	0.001	4	7	2.089	-0.001	0.075	5	27	0.003	0.671	0.061
2	48	-0.269	0.641	0.000	4	8	2.427	-0.043	0.065	5	28	0.000	0.654	0.005
2	49	0.015	0.050	0.179	4	9	2.452	-0.000	0.046	5	29	0.040	0.593	0.009
2	50	0.066	0.000	0.142	4	10	2.229	-0.237	0.076	5	30	0.028	0.543	0.009
2	51	0.008	-0.064	0.005	4	11	2.126	-0.390	0.034	5	31	0.146	0.452	0.044
2	52	-0.256	-0.937	0.000	4	12	2.098	-0.734	0.025	5	32	0.546	0.736	0.044
2	53	-0.200	-0.566	0.000	4	13	1.923	-0.360	0.032	5	33	0.757	1.023	0.034
2	54	0.001	-0.024	0.015	4	14	1.933	-0.208	0.021	5	34	0.684	0.947	0.009
2	55	-0.116	0.903	0.043	4	15	1.932	0.015	0.082	5	35	0.626	0.930	0.009
2	56	-0.314	1.086	0.002	4	16	1.961	0.000	0.025	5	36	0.605	0.820	0.016
2	57	-0.847	0.412	-0.001	4	17	1.926	0.041	0.023	5	37	0.511	0.967	0.012
2	58	-0.678	0.057	0.000	4	18	1.881	-0.171	0.132	5	38	1.033	0.831	0.017
2	59	-0.182	0.422	0.024	4	19	2.100	-0.476	0.105	5	39	1.237	1.112	0.000
3	0	0.010	0.063	0.051	4	20	2.094	-0.735	0.094	5	40	0.918	1.214	0.024
3	1	0.014	0.025	0.150	4	21	1.931	-0.785	0.041	5	41	1.040	1.155	0.034
3	2	0.001	0.003	0.021	4	22	2.099	-0.712	0.020	5	42	1.061	1.206	0.019
3	3	0.070	0.070	0.006	4	23	1.957	-0.582	0.011	5	43	1.082	1.208	0.025
3	4	0.539	0.858	0.023	4	24	1.683	-0.598	0.014	5	44	1.209	1.131	0.059
3	5	0.781	1.048	0.022	4	25	1.297	-0.650	0.024	5	45	1.412	0.992	0.028
3	6	0.949	0.763	0.000	4	26	1.418	-0.870	0.024	5	46	1.567	0.618	0.031
3	7	1.011	0.481	0.051	4	27	1.380	-0.876	0.010	5	47	1.314	0.416	0.051
3	8	1.392	0.534	0.036	4	28	1.564	-0.687	0.007	5	48	1.951	0.316	0.045
3	9	1.490	0.114	0.055	4	29	1.472	-0.593	0.022	5	49	2.001	0.179	0.035
3	10	1.740	0.063	0.036	4	30	1.405	-0.453	0.020	5	50	1.713	0.000	0.009
3	11	1.955	0.052	0.014	4	31	1.570	-0.420	0.044	5	51	1.329	-0.000	0.027
3	12	2.031	0.219	0.049	4	32	1.262	-0.595	0.020	5	52	1.127	-0.000	0.002
3	13	2.072	0.296	0.090	4	33	1.148	-0.572	0.010	5	53	1.034	-0.003	0.002
3	14	1.989	0.240	0.096	4	34	1.175	-0.807	0.010	5	54	0.976	-0.245	0.000
3	15	1.374	0.081	0.152	4	35	1.127	-1.088	0.032	5	55	0.814	-0.005	0.009
3	16	1.187	-0.447	0.172	4	36	0.677	-0.848	0.024	5	56	0.557	0.000	0.000
3	17	0.665	-1.565	0.000	4	37	0.585	-1.054	0.024	5	57	0.002	0.000	0.000
3	18	-0.046	-1.554	0.016	4	38	0.303	-1.307	0.001	5	58	-0.354	0.000	0.003
3	19	0.354	-1.432	-0.002	4	39	0.370	-1.235	0.001	5	59	-1.444	-0.201	0.027
3	20	0.732	-1.074	0.006	4	40	0.193	-1.198	0.003	6	0	-1.294	-0.046	0.002
3	21	0.931	-0.277	0.042	4	41	0.272	-1.187	0.000	6	1	-0.830	0.000	0.000
3	22	0.519	-0.935	0.015	4	42	0.046	-1.034	0.002	6	2	-0.633	0.000	0.000
3	23	0.222	-1.222	0.038	4	43	0.682	-1.254	0.000	6	3	-0.630	0.012	0.006





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

10	4	-2.213	-0.208	0.123	11	24	-3.651	-0.807	0.006	12	44	-1.776	-1.678	0.070
10	5	-2.141	-0.171	0.046	11	25	-3.939	-0.717	0.054	12	45	-1.402	-2.100	0.116
10	6	-2.604	-0.425	0.042	11	26	-4.152	-1.495	-0.019	12	46	-0.989	-2.702	0.053
10	7	-2.878	-1.037	0.002	11	27	-3.127	-1.472	0.001	12	47	-0.153	-3.712	0.010
10	8	-2.753	-0.482	-0.005	11	28	-3.582	-2.417	-0.013	12	48	-0.169	-2.809	0.049
10	9	-2.423	-0.244	0.020	11	29	-2.908	-2.554	0.021	12	49	0.150	-2.507	0.069
10	10	-2.312	-0.600	-0.009	11	30	-2.064	-2.590	-0.014	12	50	-0.183	-2.104	0.160
10	11	-2.434	-0.513	-0.006	11	31	-3.453	-1.113	0.032	12	51	-0.269	-2.367	-0.019
10	12	-2.452	-0.561	-0.005	11	32	-3.661	-0.299	0.025	12	52	0.183	-1.673	0.038
10	13	-2.368	-0.557	-0.023	11	33	-2.532	-0.001	0.019	12	53	-0.198	-1.592	0.012
10	14	-1.550	-0.562	0.004	11	34	-2.886	-0.623	0.037	12	54	-0.445	-1.291	0.010
10	15	-1.408	-0.741	-0.026	11	35	-2.729	-0.218	0.024	12	55	-0.414	-2.745	0.055
10	16	-1.104	-0.651	0.040	11	36	-3.586	-0.756	0.009	12	56	-0.113	-2.915	0.048
10	17	-1.461	-1.317	0.007	11	37	-3.401	-0.946	-0.022	12	57	-1.309	-3.532	0.031
10	18	-2.112	-2.021	0.008	11	38	-2.108	-1.403	0.043	12	58	-0.855	-2.373	0.097
10	19	-2.319	-1.425	-0.048	11	39	-2.729	-2.735	0.060	12	59	-1.896	-1.696	0.103
10	20	-1.311	-1.525	-0.008	11	40	-1.266	-2.645	0.029	13	0	-2.655	-1.980	0.051
10	21	-1.606	-1.431	0.015	11	41	-1.434	-2.135	-0.008	13	1	-2.383	-2.624	0.064
10	22	-2.122	-0.722	-0.010	11	42	-1.893	-2.083	0.164	13	2	-2.514	-2.613	-0.005
10	23	-1.600	-0.715	0.009	11	43	-4.120	-1.184	0.004	13	3	-1.035	-3.457	0.044
10	24	-1.122	-1.206	0.020	11	44	-2.683	-0.758	-0.045	13	4	-1.268	-3.623	-0.002
10	25	-1.170	-0.608	-0.003	11	45	-2.170	-0.360	0.014	13	5	-1.134	-2.800	0.001
10	26	-1.051	-0.363	-0.092	11	46	-2.362	-1.678	0.044	13	6	-0.671	-1.826	0.046
10	27	-0.632	-0.104	-0.044	11	47	-3.732	-2.927	0.019	13	7	-0.611	-0.567	0.086
10	28	-0.500	0.469	0.017	11	48	-3.224	-1.992	-0.013	13	8	-0.933	-0.457	0.078
10	29	-2.464	0.464	0.053	11	49	-3.210	-0.376	0.007	13	9	-1.575	-0.424	0.036
10	30	-2.532	0.125	0.064	11	50	-4.042	-1.311	0.027	13	10	-1.111	-0.750	0.029
10	31	-2.833	0.109	-0.012	11	51	-3.577	-2.875	0.018	13	11	-0.919	-0.770	0.079
10	32	-2.553	-0.511	-0.003	11	52	-2.237	-2.599	0.006	13	12	-2.173	-2.435	0.088
10	33	-2.261	0.013	0.020	11	53	-1.395	-1.880	0.029	13	13	-0.550	-3.635	0.025
10	34	-2.838	0.127	0.087	11	54	-0.969	-2.304	-0.052	13	14	-0.171	-3.882	0.017
10	35	-2.947	0.048	0.004	11	55	-1.495	-1.110	0.110	13	15	-0.034	-1.852	0.132
10	36	-2.510	0.087	-0.002	11	56	-1.673	-1.675	0.078	13	16	0.237	-2.534	0.088
10	37	-2.827	0.072	-0.002	11	57	-1.902	-2.119	0.143	13	17	-0.056	-2.541	0.059
10	38	-2.493	-0.067	0.014	11	58	-2.835	-1.572	0.056	13	18	0.123	-3.610	0.043
10	39	-2.796	-0.744	0.021	11	59	-2.090	0.017	0.051	13	19	-0.497	-2.826	0.053
10	40	-2.647	-1.103	0.010	12	0	-3.131	-0.581	0.036	13	20	-0.228	-3.742	0.025
10	41	-2.449	-0.740	0.038	12	1	-4.189	-1.765	0.024	13	21	-0.230	-3.477	0.026
10	42	-2.244	-0.486	0.041	12	2	-3.891	-3.216	0.026	13	22	-0.702	-3.387	0.010
10	43	-2.606	0.229	0.024	12	3	-4.016	-1.202	0.085	13	23	0.011	-3.025	0.048
10	44	-3.220	0.011	0.021	12	4	-3.387	-0.700	-0.024	13	24	-0.512	-3.296	0.043
10	45	-4.565	0.198	0.007	12	5	-2.076	-0.719	0.026	13	25	-0.765	-3.385	0.046
10	46	-2.988	-0.036	0.034	12	6	-2.079	-2.103	0.057	13	26	-0.302	-2.585	-0.011
10	47	-3.991	-0.141	0.019	12	7	-1.831	-2.497	0.028	13	27	-0.418	-2.716	-0.004
10	48	-4.100	-0.532	0.010	12	8	-3.597	-2.150	0.021	13	28	-0.857	-4.142	0.090
10	49	-4.379	-0.740	0.013	12	9	-3.399	-0.731	0.004	13	29	-1.949	-2.509	0.080
10	50	-3.870	-1.574	0.001	12	10	-2.490	-0.450	0.055	13	30	-1.318	-2.719	0.011
10	51	-3.837	-1.445	0.034	12	11	-1.243	-1.465	-0.030	13	31	-1.607	-3.601	0.023
10	52	-4.237	-0.636	0.064	12	12	-1.396	-1.186	0.041	13	32	-1.009	-3.372	0.061
10	53	-4.704	0.618	0.013	12	13	-1.547	-0.496	0.076	13	33	-0.537	-4.364	0.014
10	54	-3.841	0.802	0.036	12	14	-3.746	-1.531	0.029	13	34	-1.020	-3.985	0.014
10	55	-3.476	0.254	0.025	12	15	-5.206	-0.548	-0.007	13	35	-1.458	-4.260	0.046
10	56	-3.955	-0.092	0.038	12	16	-4.182	-0.181	0.032	13	36	-1.583	-4.075	-0.006
10	57	-2.968	0.597	0.139	12	17	-3.354	0.035	0.033	13	37	-0.704	-3.681	0.017
10	58	-3.727	0.586	0.046	12	18	-3.364	-0.786	0.075	13	38	-0.256	-4.463	0.050
10	59	-3.692	-0.089	0.024	12	19	-3.477	-1.475	0.026	13	39	-1.050	-3.339	0.119
11	0	-2.876	0.564	0.060	12	20	-2.681	-0.949	0.068	13	40	-1.935	-3.562	0.025
11	1	-2.920	0.079	0.065	12	21	-2.778	-0.866	0.018	13	41	-2.181	-3.225	0.048
11	2	-4.982	0.203	0.057	12	22	-3.616	-0.600	0.022	13	42	-1.560	-3.947	0.012
11	3	-4.080	0.002	0.043	12	23	-2.854	-1.679	0.046	13	43	-0.998	-3.387	0.058
11	4	-2.916	-0.112	0.029	12	24	-1.543	-2.130	0.038	13	44	-2.319	-3.696	0.049
11	5	-3.392	-0.368	0.060	12	25	-2.081	-1.462	-0.035	13	45	-2.105	-3.436	0.029
11	6	-3.001	-0.304	0.023	12	26	-2.740	-1.211	0.010	13	46	-3.159	-2.998	0.072
11	7	-2.666	0.069	0.045	12	27	-2.343	-1.292	0.031	13	47	-2.925	-3.666	0.028
11	8	-2.976	-0.181	0.031	12	28	-2.384	-1.077	0.021	13	48	-1.189	-2.701	0.114
11	9	-2.793	-0.139	0.025	12	29	-1.973	-1.728	0.004	13	49	-3.742	-3.111	0.040
11	10	-3.678	-0.467	-0.010	12	30	-0.846	-1.721	0.066	13	50	-3.624	-3.362	0.032
11	11	-4.476	-1.405	0.053	12	31	0.277	-2.218	0.087	13	51	-3.597	-2.293	0.013
11	12	-4.096	-2.459	-0.004	12	32	-0.171	-2.987	0.039	13	52	-2.613	-3.298	-0.005
11	13	-4.706	-2.481	-0.007	12	33	-0.383	-2.788	0.052	13	53	-2.141	-4.769	-0.032
11	14	-3.367	-2.159	-0.005	12	34	-0.241	-3.412	-0.004	13	54	-2.168	-5.807	0.023
11	15	-2.905	-1.287	0.020	12	35	-0.233	-2.502	0.026	13	55	-1.825	-3.575	0.102
11	16	-2.587	-1.507	0.010	12	36	-0.096	-1.847	0.001	13	56	-2.911	-2.921	0.055
11	17	-3.093	-1.781	-0.008	12	37	0.051	-1.558	0.065	13	57	-1.708	-3.947	0.018
11	18	-3.229	-1.595	-0.046	12	38	-2.612	-1.654	0.035	13	58	-2.506	-4.247	0.045
11	19	-2.565	-1.815	-0.024	12	39	-3.614	-1.307	0.014	13	59	-1.958	-3.962	0.046
11	20	-1.692	-2.509	0.032	12	40	-2.330	-2.051	0.006	14	0	-1.889	-3.339	0.029
11	21	-1.114	-1.554	0.118	12	41	-2.847	-1.844	-0.012	14	1	-1.215	-2.387	0.091
11	22	-1.739	-0.814	0.044	12	42	-2.300	-1.117	-0.054	14	2	-2.055	-3.081	0.034
11	23	-1.266	-0.231	0.023	12	43	-3.046	-2.019	0.011	14	3	-2.489	-3.085	0.121



18	10	0.000	0.000	0.015	19	30	0.330	0.010	0.011	20	50	-4.322	3.482	0.007
18	11	0.000	0.000	0.008	19	31	0.424	0.000	0.001	20	51	-5.236	3.654	0.019
18	12	0.000	0.000	0.050	19	32	0.775	-0.019	0.003	20	52	-5.013	2.677	0.034
18	13	0.000	0.000	0.000	19	33	0.941	0.000	0.008	20	53	-3.618	1.847	0.043
18	14	0.000	0.000	-0.000	19	34	0.162	0.006	0.000	20	54	-4.816	1.879	0.014
18	15	0.321	0.055	0.007	19	35	0.000	0.000	0.003	20	55	-3.485	1.969	-0.003
18	16	0.887	0.000	0.022	19	36	0.000	0.000	0.030	20	56	-3.520	2.187	-0.004
18	17	0.249	0.000	0.000	19	37	0.000	0.000	0.007	20	57	-2.973	2.141	0.016
18	18	0.058	0.154	0.007	19	38	0.184	0.000	0.001	20	58	-2.427	1.895	0.009
18	19	0.223	0.420	0.012	19	39	0.150	0.225	0.029	20	59	-2.987	2.654	0.002
18	20	0.106	-0.001	0.000	19	40	0.511	0.525	0.000	21	0	-2.720	1.321	0.019
18	21	1.060	-0.000	0.015	19	41	0.448	0.568	0.002	21	1	-2.027	1.344	0.034
18	22	0.517	0.000	0.007	19	42	0.391	0.607	0.012	21	2	-1.871	1.825	-0.009
18	23	0.145	0.000	0.011	19	43	0.477	0.596	0.007	21	3	-2.686	1.664	0.011
18	24	0.500	0.000	0.000	19	44	0.033	0.337	0.002	21	4	-3.509	1.647	0.018
18	25	0.000	0.000	0.007	19	45	-0.016	0.748	0.028	21	5	-2.505	0.547	0.004
18	26	0.000	-0.106	0.002	19	46	0.122	0.894	0.070	21	6	-1.152	0.743	0.054
18	27	0.058	-0.072	0.016	19	47	-0.066	1.269	0.040	21	7	-1.206	0.363	0.011
18	28	-0.002	-0.339	0.011	19	48	-0.217	1.745	0.046	21	8	-0.893	0.462	0.045
18	29	0.002	-0.486	0.002	19	49	-0.290	1.820	0.036	21	9	-0.290	0.984	0.045
18	30	-0.000	-0.606	0.001	19	50	-0.037	1.771	0.010	21	10	-0.035	0.846	0.033
18	31	0.019	-0.294	0.001	19	51	-0.010	1.662	0.041	21	11	-0.827	0.167	-0.001
18	32	0.000	-0.276	0.000	19	52	0.000	1.743	0.038	21	12	-0.577	0.056	0.000
18	33	0.000	0.000	0.000	19	53	-0.001	1.386	0.026	21	13	-0.448	0.270	0.001
18	34	0.000	0.000	0.000	19	54	0.000	1.209	0.022	21	14	-1.400	0.797	-0.001
18	35	0.000	0.000	0.000	19	55	0.000	0.966	0.011	21	15	-1.348	1.169	-0.026
18	36	0.000	-0.095	0.000	19	56	0.000	0.908	0.010	21	16	-0.741	0.764	0.017
18	37	0.000	-0.001	0.000	19	57	0.000	0.655	0.016	21	17	-0.582	1.422	0.002
18	38	0.000	0.000	0.000	19	58	0.001	0.663	0.040	21	18	-0.543	1.734	-0.001
18	39	0.000	0.000	0.000	19	59	0.000	0.583	0.019	21	19	-0.140	1.171	0.016
18	40	0.000	-0.008	0.000	20	0	0.000	0.882	0.019	21	20	-0.074	1.335	0.030
18	41	0.000	0.001	0.000	20	1	0.000	1.021	0.010	21	21	-0.051	1.378	0.009
18	42	-0.045	-0.011	0.000	20	2	-0.001	1.061	0.016	21	22	-0.042	1.729	0.037
18	43	0.000	-0.153	0.000	20	3	-0.001	1.003	0.028	21	23	-0.010	1.831	0.041
18	44	0.000	-0.002	0.000	20	4	-0.002	1.088	0.040	21	24	-0.003	1.705	0.032
18	45	0.000	0.000	0.000	20	5	-0.001	1.167	0.037	21	25	-0.013	1.157	0.061
18	46	0.000	0.000	0.000	20	6	0.000	1.309	0.022	21	26	-0.206	1.564	0.031
18	47	0.000	0.000	0.000	20	7	0.002	1.063	0.025	21	27	-0.136	1.731	0.026
18	48	0.000	0.000	0.000	20	8	0.000	0.934	0.021	21	28	0.003	1.757	0.058
18	49	0.000	0.000	0.000	20	9	0.000	0.534	0.024	21	29	-0.027	2.050	0.053
18	50	0.000	0.000	0.000	20	10	0.992	0.168	0.044	21	30	0.013	1.628	0.034
18	51	0.000	0.000	0.000	20	11	1.269	0.000	0.049	21	31	-0.000	0.867	0.088
18	52	0.000	0.000	0.000	20	12	1.238	-0.556	0.021	21	32	0.000	0.631	0.081
18	53	0.000	0.000	0.000	20	13	1.014	-1.095	0.035	21	33	-0.000	0.878	0.062
18	54	0.000	0.000	0.000	20	14	0.505	-1.416	0.013	21	34	0.003	1.307	0.028
18	55	0.124	-0.279	0.000	20	15	-0.342	-1.999	0.010	21	35	0.000	0.647	0.056
18	56	0.534	-1.005	0.000	20	16	-0.475	-2.554	0.016	21	36	0.000	0.272	0.022
18	57	0.538	-0.975	0.000	20	17	-1.745	-2.671	0.026	21	37	0.000	-0.164	0.001
18	58	0.169	-0.832	0.000	20	18	-2.234	-3.207	0.062	21	38	0.279	-1.094	0.012
18	59	0.166	-0.583	0.000	20	19	-3.561	-3.569	0.052	21	39	0.650	-1.317	0.008
19	0	0.461	-0.058	0.000	20	20	-2.224	-3.615	0.033	21	40	0.523	-1.183	0.008
19	1	0.809	-0.228	0.000	20	21	-2.614	-3.801	0.016	21	41	0.484	-0.953	0.010
19	2	1.096	-0.088	0.000	20	22	-2.312	-4.172	0.007	21	42	0.000	-1.344	0.003
19	3	0.419	-0.346	0.000	20	23	-1.717	-3.349	0.004	21	43	0.000	-1.035	0.006
19	4	0.006	-0.596	0.000	20	24	-1.566	-3.195	0.015	21	44	0.000	-0.759	0.004
19	5	0.006	-0.374	0.024	20	25	-1.350	-2.558	0.014	21	45	0.000	-0.438	0.009
19	6	0.000	0.000	0.016	20	26	-1.118	-1.849	0.036	21	46	0.000	-0.024	0.008
19	7	0.143	0.000	0.004	20	27	-1.374	-1.796	0.029	21	47	0.000	0.000	0.002
19	8	0.244	0.000	0.000	20	28	-1.594	-2.096	0.021	21	48	0.000	0.000	0.000
19	9	0.000	0.000	0.000	20	29	-1.650	-2.505	0.013	21	49	0.000	0.000	0.000
19	10	0.000	0.000	0.003	20	30	-1.627	-2.359	0.015	21	50	0.000	0.000	0.000
19	11	0.072	-0.141	0.004	20	31	-1.508	-2.676	0.001	21	51	0.000	0.000	0.000
19	12	0.000	-0.733	0.000	20	32	-1.260	-2.204	0.006	21	52	-0.001	0.374	0.052
19	13	0.000	-0.108	0.000	20	33	-2.240	-2.425	0.029	21	53	0.000	0.000	0.008
19	14	0.000	0.000	0.001	20	34	-1.585	-2.424	0.026	21	54	0.000	0.000	0.065
19	15	0.000	0.000	0.000	20	35	-2.452	-2.915	0.017	21	55	0.000	0.000	0.021
19	16	0.000	0.000	0.028	20	36	-2.636	-1.791	0.017	21	56	0.737	0.010	0.034
19	17	0.000	0.000	0.074	20	37	-0.968	-1.655	0.032	21	57	1.182	0.000	0.004
19	18	0.000	0.000	0.003	20	38	-2.475	-2.397	0.010	21	58	1.427	0.003	0.023
19	19	0.000	-0.001	0.011	20	39	-1.926	-1.687	0.013	21	59	1.436	-0.006	0.007
19	20	0.000	0.000	0.000	20	40	-1.596	-1.634	0.004	22	0	1.333	-0.019	0.006
19	21	0.000	0.000	0.002	20	41	-2.082	-1.331	-0.002	22	1	1.176	0.033	0.028
19	22	0.000	0.000	0.000	20	42	-1.858	-0.744	-0.009	22	2	1.692	0.088	0.016
19	23	0.000	0.000	0.002	20	43	-1.776	-0.294	0.003	22	3	1.065	0.028	0.010
19	24	0.168	0.000	0.005	20	44	-1.931	-0.102	0.005	22	4	0.947	0.000	0.022
19	25	0.654	0.000	0.000	20	45	-2.299	-0.099	0.005	22	5	1.066	0.008	0.030
19	26	0.256	0.000	0.000	20	46	-3.089	-0.652	0.020	22	6	1.248	0.033	0.008
19	27	0.454	0.000	0.000	20	47	-2.673	1.632	0.002	22	7	1.102	0.008	0.005
19	28	0.533	0.000	0.015	20	48	-3.256	2.081	0.061	22	8	0.947	0.000	0.000
19	29	0.462	0.000	0.012	20	49	-4.862	3.361	0.022	22	9	0.814	0.000	0.016





Sheung Shui Slaughter House

Supplementary Environmental Impact Assessment (Final Report)

2	7	-0.003	0.183	0.152	3	27	0.030	0.084	0.202	4	47	0.644	0.000	0.000
2	8	-0.003	0.408	0.079	3	28	0.258	0.000	0.000	4	48	0.728	0.000	0.001
2	9	0.028	0.201	0.106	3	29	0.283	0.000	0.000	4	49	0.974	0.000	0.007
2	10	0.484	0.000	0.023	3	30	0.071	0.000	0.000	4	50	1.055	0.000	0.000
2	11	0.706	0.106	0.029	3	31	-0.039	-0.003	0.000	4	51	1.075	0.000	0.000
2	12	0.748	0.138	0.030	3	32	-0.345	-0.276	0.002	4	52	0.959	0.000	0.000
2	13	0.945	0.000	0.001	3	33	-0.438	-0.549	0.000	4	53	0.831	0.000	0.000
2	14	0.717	0.000	0.000	3	34	-0.396	-0.183	0.000	4	54	0.497	0.000	0.000
2	15	0.686	-0.325	0.001	3	35	-0.037	0.000	0.000	4	55	0.419	0.000	0.000
2	16	0.603	-0.610	0.006	3	36	0.000	0.000	0.000	4	56	0.094	0.000	0.019
2	17	0.711	-0.701	0.011	3	37	0.000	0.000	0.000	4	57	0.070	0.000	0.024
2	18	0.215	-0.425	0.002	3	38	0.041	0.053	0.207	4	58	0.058	0.000	0.025
2	19	0.095	-0.009	0.000	3	39	0.003	0.001	0.161	4	59	-0.113	0.000	0.000
2	20	0.219	0.000	0.000	3	40	0.000	0.024	0.148	5	0	-0.526	-0.000	0.000
2	21	0.353	0.090	0.002	3	41	0.019	0.085	0.158	5	1	-0.522	0.007	0.000
2	22	0.265	0.253	0.130	3	42	0.001	0.000	0.172	5	2	-0.881	0.000	0.000
2	23	0.315	0.000	0.000	3	43	0.000	0.005	0.168	5	3	-0.866	0.000	0.001
2	24	-0.000	0.005	0.134	3	44	0.046	0.009	0.217	5	4	-0.829	0.000	0.000
2	25	0.045	0.517	0.130	3	45	0.010	0.007	0.169	5	5	-0.395	0.000	0.003
2	26	0.380	0.650	0.023	3	46	0.000	0.000	0.025	5	6	-0.192	0.000	0.000
2	27	0.528	0.559	0.012	3	47	0.000	0.000	0.000	5	7	0.000	0.000	0.001
2	28	0.634	0.704	0.015	3	48	-0.244	-0.031	0.000	5	8	-0.001	0.000	0.015
2	29	0.498	0.814	0.013	3	49	-0.512	-0.174	0.000	5	9	-0.155	0.000	0.003
2	30	0.584	1.011	0.005	3	50	-0.341	-0.559	0.000	5	10	-0.160	0.000	0.007
2	31	0.671	0.937	0.004	3	51	-0.192	-0.613	0.000	5	11	-0.408	0.000	0.000
2	32	0.779	0.950	0.012	3	52	-0.007	-0.558	0.000	5	12	-0.460	0.000	0.000
2	33	0.984	0.924	0.028	3	53	0.000	-0.511	0.000	5	13	-0.204	0.000	0.000
2	34	1.008	0.856	0.021	3	54	0.000	-0.564	0.000	5	14	-0.139	0.000	0.000
2	35	0.975	0.806	0.011	3	55	0.000	-0.628	0.000	5	15	-0.004	0.006	0.004
2	36	1.011	0.701	0.005	3	56	0.000	-0.555	0.000	5	16	0.000	0.000	0.008
2	37	0.996	0.571	0.003	3	57	0.000	-0.375	0.000	5	17	-0.547	0.000	0.003
2	38	0.641	0.214	0.103	3	58	0.000	-0.411	0.000	5	18	-1.049	0.000	0.005
2	39	0.618	0.138	0.118	3	59	0.000	-0.323	0.000	5	19	-1.027	0.000	0.009
2	40	0.561	0.110	0.077	4	0	0.000	-0.465	0.000	5	20	-0.836	0.000	0.008
2	41	0.590	0.000	0.011	4	1	0.000	-0.477	0.000	5	21	-0.845	0.000	0.001
2	42	0.480	0.446	0.024	4	2	0.000	-0.497	0.000	5	22	-0.864	0.000	0.000
2	43	0.434	0.640	0.007	4	3	0.000	-0.264	0.000	5	23	-1.038	0.000	0.000
2	44	0.425	0.655	0.004	4	4	0.000	-0.109	0.000	5	24	-1.058	0.000	0.000
2	45	0.253	0.791	0.054	4	5	-0.001	0.000	0.000	5	25	-1.074	0.000	0.000
2	46	0.335	0.876	0.022	4	6	0.000	0.000	0.000	5	26	-1.122	-0.000	0.000
2	47	0.357	0.830	0.002	4	7	0.000	0.000	0.000	5	27	-1.252	0.000	0.000
2	48	0.112	0.580	0.020	4	8	0.000	0.000	0.000	5	28	-1.166	0.000	0.000
2	49	0.000	0.719	0.008	4	9	0.000	0.000	0.000	5	29	-1.352	0.000	0.000
2	50	0.033	0.938	0.021	4	10	-0.189	0.000	0.000	5	30	-1.507	-0.224	0.000
2	51	0.000	0.956	0.037	4	11	-0.307	0.000	0.000	5	31	-1.619	-0.313	0.000
2	52	0.000	0.864	0.000	4	12	-0.331	0.000	0.000	5	32	-1.618	-0.090	0.000
2	53	0.052	0.787	0.008	4	13	-0.400	0.000	0.000	5	33	-1.542	-0.146	0.004
2	54	0.306	0.438	0.036	4	14	-0.459	0.000	0.000	5	34	-1.626	-0.105	0.001
2	55	0.320	0.129	0.084	4	15	-0.476	0.000	0.000	5	35	-1.862	-0.106	0.001
2	56	0.477	0.109	0.147	4	16	-0.583	0.000	0.000	5	36	-1.576	-0.068	0.002
2	57	0.578	0.000	0.032	4	17	-0.690	0.000	0.000	5	37	-1.184	-0.037	0.001
2	58	0.833	0.000	0.032	4	18	-0.735	0.000	0.000	5	38	-0.980	-0.006	0.001
2	59	0.665	0.000	0.017	4	19	-0.738	0.000	0.000	5	39	-1.109	0.000	0.001
3	0	0.428	0.000	0.030	4	20	-0.792	0.000	0.000	5	40	-1.334	0.000	0.001
3	1	0.413	0.024	0.027	4	21	-0.802	0.000	0.000	5	41	-1.557	-0.000	0.002
3	2	0.268	0.390	0.145	4	22	-0.621	0.000	0.000	5	42	-1.432	-0.047	0.012
3	3	0.145	0.375	0.029	4	23	-0.428	0.000	0.000	5	43	-1.289	-0.020	0.007
3	4	0.145	0.195	0.054	4	24	-0.017	0.000	0.003	5	44	-1.120	0.000	0.001
3	5	0.003	0.000	0.168	4	25	-0.018	0.000	0.000	5	45	-1.056	0.000	0.000
3	6	0.004	0.045	0.099	4	26	0.000	0.000	0.000	5	46	-0.910	0.000	0.000
3	7	0.006	0.046	0.183	4	27	-0.064	0.000	0.000	5	47	-0.611	0.000	0.001
3	8	-0.009	0.000	0.121	4	28	-0.155	0.000	0.001	5	48	-0.290	0.000	0.019
3	9	0.061	0.000	0.077	4	29	0.000	0.000	0.000	5	49	-0.000	0.000	0.000
3	10	0.023	0.000	0.197	4	30	0.000	0.000	0.000	5	50	0.000	0.000	0.000
3	11	0.222	0.002	0.143	4	31	0.000	0.000	0.000	5	51	-0.246	0.000	0.000
3	12	0.270	0.000	0.001	4	32	0.000	0.000	0.000	5	52	-0.000	0.000	-0.001
3	13	0.523	0.004	0.000	4	33	0.000	0.000	0.000	5	53	-0.265	0.000	0.003
3	14	0.496	0.000	0.022	4	34	0.034	0.000	0.027	5	54	-0.555	0.000	-0.011
3	15	0.362	0.093	0.199	4	35	0.167	0.000	0.000	5	55	-0.185	0.000	0.001
3	16	0.605	0.363	0.082	4	36	0.267	0.000	0.001	5	56	-0.118	0.000	0.000
3	17	0.644	0.315	0.138	4	37	0.290	0.000	0.000	5	57	0.000	0.000	0.000
3	18	0.919	0.621	0.011	4	38	0.211	0.000	0.000	5	58	0.000	0.000	0.000
3	19	0.817	0.573	0.011	4	39	0.031	0.011	0.013	5	59	0.000	0.000	0.000
3	20	0.823	0.447	0.052	4	40	0.001	0.051	0.195	6	0	0.000	0.000	0.000
3	21	0.679	0.166	0.142	4	41	-0.001	0.000	0.091	6	1	0.000	-0.267	0.003
3	22	0.829	0.088	0.029	4	42	0.074	0.000	0.082	6	2	0.000	-0.583	0.000
3	23	0.679	0.057	0.033	4	43	0.461	0.000	0.013	6	3	0.005	-0.649	0.000
3	24	0.445	0.000	0.042	4	44	0.447	0.000	0.070	6	4	0.000	-0.622	0.000
3	25	0.150	0.005	0.112	4	45	0.613	0.000	0.040	6	5	0.040	-0.259	0.000
3	26	0.118	0.025	0.058	4	46	0.557	0.000	0.000	6	6	0.098	-0.251	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

10	7	-1.194	-0.347	0.010	11	27	-3.596	-0.594	0.012	12	47	-4.421	-3.820	0.023
10	8	-1.268	-0.143	0.021	11	28	-3.824	-0.982	0.015	12	48	-4.538	-3.308	0.019
10	9	-1.246	-0.249	0.023	11	29	-3.893	-0.976	-0.003	12	49	-4.357	-1.150	0.034
10	10	-1.196	-0.324	0.018	11	30	-2.169	-0.371	0.018	12	50	-6.283	-1.568	0.021
10	11	-0.568	-0.004	0.041	11	31	-2.651	-0.986	0.015	12	51	-5.549	-2.656	0.001
10	12	-0.991	-1.044	0.018	11	32	-2.597	-0.930	0.013	12	52	-4.930	-2.873	0.022
10	13	-0.660	-0.025	0.081	11	33	-2.343	-1.010	0.015	12	53	-5.049	-2.157	0.032
10	14	-0.326	0.025	0.152	11	34	-4.885	-0.770	0.033	12	54	-5.726	-1.848	0.031
10	15	-0.510	-0.455	0.130	11	35	-5.308	-1.031	0.027	12	55	-5.472	-1.834	0.021
10	16	-0.930	-1.038	-0.002	11	36	-4.766	-0.501	0.023	12	56	-4.798	-1.912	0.061
10	17	-0.820	-0.611	0.001	11	37	-5.012	-0.053	0.019	12	57	-6.358	-2.558	0.002
10	18	-0.939	-0.383	-0.009	11	38	-4.581	0.160	0.026	12	58	-6.126	-2.351	0.061
10	19	-0.949	-0.373	-0.009	11	39	-4.146	-0.134	0.031	12	59	-5.791	-2.232	0.036
10	20	-0.409	-0.169	0.008	11	40	-4.053	-0.227	0.021	13	0	-4.361	-1.644	0.025
10	21	-0.126	-1.299	0.026	11	41	-3.105	-0.309	0.036	13	1	-2.552	-3.253	0.038
10	22	-0.173	-1.554	-0.008	11	42	-3.262	-0.490	0.022	13	2	-3.561	-4.130	0.080
10	23	-0.105	-1.546	-0.028	11	43	-3.583	-0.214	0.017	13	3	-3.163	-5.452	0.087
10	24	0.250	-1.204	0.038	11	44	-3.091	-0.532	0.017	13	4	-4.189	-3.653	0.124
10	25	-0.366	-1.439	0.029	11	45	-3.326	-1.288	0.004	13	5	-1.932	-3.049	0.083
10	26	-2.141	-1.159	0.017	11	46	-3.146	-0.061	0.029	13	6	-1.707	-4.498	0.034
10	27	-3.140	-0.640	0.076	11	47	-3.593	-0.528	0.011	13	7	-1.550	-4.501	0.024
10	28	-2.246	-0.905	0.065	11	48	-3.573	-0.051	0.020	13	8	-2.285	-4.197	0.028
10	29	-1.146	-2.272	0.055	11	49	-3.863	-0.504	0.008	13	9	-1.119	-3.331	0.003
10	30	-0.857	-1.247	0.161	11	50	-3.679	-0.970	0.003	13	10	-1.261	-2.674	0.023
10	31	-0.242	-0.344	0.142	11	51	-2.760	-0.589	0.017	13	11	-1.364	-2.961	0.035
10	32	0.003	-1.595	-0.004	11	52	-3.742	-0.488	0.019	13	12	-2.330	-2.370	-0.005
10	33	-0.662	-1.655	-0.013	11	53	-3.033	-0.322	0.010	13	13	-1.513	-1.710	0.046
10	34	-0.053	-1.210	0.003	11	54	-2.905	-0.269	0.025	13	14	-1.080	-1.244	0.032
10	35	-0.721	-2.580	0.042	11	55	-3.646	-0.382	-0.003	13	15	-1.562	-1.938	0.000
10	36	-2.382	-1.855	0.022	11	56	-3.687	-0.500	-0.000	13	16	-1.840	-1.840	0.010
10	37	-1.998	-2.179	0.013	11	57	-3.151	-0.849	-0.022	13	17	-0.654	-1.812	0.107
10	38	-2.149	-1.787	0.044	11	58	-2.187	-0.195	-0.011	13	18	-1.001	-1.207	0.030
10	39	-2.718	-2.860	0.030	11	59	-1.984	-0.486	0.014	13	19	-2.064	-1.137	0.067
10	40	-2.183	-3.668	0.059	12	0	-2.869	-1.020	-0.007	13	20	-2.733	-2.193	0.012
10	41	-3.205	-0.827	0.050	12	1	-2.302	-0.602	-0.008	13	21	-1.958	-1.934	0.015
10	42	-2.737	-0.147	-0.001	12	2	-2.759	-1.791	0.025	13	22	-1.658	-1.776	0.024
10	43	-2.324	-0.907	0.015	12	3	-2.762	-3.036	-0.002	13	23	-1.034	-2.748	0.078
10	44	-4.205	-0.623	0.012	12	4	-2.594	-2.007	-0.025	13	24	-1.199	-3.290	0.083
10	45	-5.187	-0.831	0.041	12	5	-1.668	-2.399	0.011	13	25	-1.803	-2.932	0.026
10	46	-4.464	-3.509	0.010	12	6	-2.592	-2.687	0.019	13	26	-1.034	-3.223	0.075
10	47	-3.471	-3.788	0.066	12	7	-3.576	-2.703	0.010	13	27	-1.637	-3.065	0.045
10	48	-3.456	-3.358	0.028	12	8	-2.229	-3.096	0.053	13	28	-1.804	-3.347	0.026
10	49	-5.102	-3.098	0.023	12	9	-1.324	-3.586	0.025	13	29	-2.304	-3.225	0.024
10	50	-4.588	-0.500	0.007	12	10	-1.245	-2.716	0.028	13	30	-1.177	-2.650	0.072
10	51	-3.639	-0.585	0.004	12	11	-1.362	-3.391	0.015	13	31	-1.763	-3.340	0.033
10	52	-3.884	-0.926	0.027	12	12	-3.492	-3.725	0.002	13	32	-1.768	-3.047	0.032
10	53	-2.868	-1.002	0.050	12	13	-2.786	-2.659	0.019	13	33	-2.732	-2.227	0.040
10	54	-4.025	-0.822	0.026	12	14	-3.373	-2.133	0.026	13	34	-3.579	-1.713	0.033
10	55	-3.249	-2.089	0.010	12	15	-2.571	-2.888	0.024	13	35	-4.360	-0.959	0.021
10	56	-3.016	-1.386	-0.001	12	16	-2.287	-2.731	0.030	13	36	-4.060	-0.740	0.023
10	57	-3.644	-1.720	0.042	12	17	-0.707	-2.926	0.044	13	37	-4.135	-1.162	0.012
10	58	-4.442	-2.223	-0.005	12	18	-1.741	-3.279	0.050	13	38	-4.076	-1.136	0.003
10	59	-3.587	-2.660	0.016	12	19	-1.615	-3.153	0.020	13	39	-2.850	-1.267	0.005
11	0	-3.204	-3.480	0.025	12	20	-2.395	-3.278	0.007	13	40	-4.475	-1.540	0.033
11	1	-4.197	-2.163	0.013	12	21	-1.822	-3.082	0.038	13	41	-3.709	-1.628	0.018
11	2	-2.407	-2.270	0.041	12	22	-1.610	-3.104	0.017	13	42	-3.493	-1.055	0.030
11	3	-2.659	-1.972	0.048	12	23	-1.710	-3.633	0.015	13	43	-3.951	-1.941	0.012
11	4	-3.598	-1.609	0.002	12	24	-1.441	-2.767	0.010	13	44	-3.373	-1.036	0.042
11	5	-3.731	-0.681	0.030	12	25	-1.849	-3.008	0.015	13	45	-3.499	-2.694	0.052
11	6	-4.320	0.257	0.024	12	26	-2.162	-3.077	0.004	13	46	-2.438	-1.719	0.094
11	7	-5.475	-0.136	0.019	12	27	-2.224	-4.554	0.020	13	47	-4.800	-1.100	0.029
11	8	-4.505	-0.072	0.037	12	28	-2.371	-4.709	0.071	13	48	-4.027	-2.032	0.008
11	9	-4.353	0.070	0.035	12	29	-2.145	-2.899	0.049	13	49	-3.631	-2.013	0.104
11	10	-4.253	-0.850	0.044	12	30	-1.309	-2.959	0.068	13	50	-3.900	-1.800	0.056
11	11	-2.901	-0.144	0.065	12	31	-2.479	-3.798	0.011	13	51	-3.800	-1.827	0.034
11	12	-2.881	-0.644	-0.004	12	32	-0.976	-4.026	0.050	13	52	-2.976	-2.461	0.207
11	13	-2.136	-2.203	0.002	12	33	-1.223	-3.164	0.048	13	53	-3.399	-1.384	0.032
11	14	-1.529	-2.394	0.003	12	34	-2.010	-4.054	0.023	13	54	-4.076	-1.478	0.019
11	15	-1.527	-1.262	0.023	12	35	-1.426	-3.836	-0.005	13	55	-3.637	-1.695	0.038
11	16	-3.221	-0.058	0.029	12	36	-1.224	-3.451	0.044	13	56	-3.736	-1.652	0.022
11	17	-3.615	0.066	0.031	12	37	-1.390	-2.451	0.032	13	57	-3.165	-1.401	0.032
11	18	-4.002	0.577	0.032	12	38	-1.709	-3.061	0.119	13	58	-2.651	-1.383	0.028
11	19	-3.729	0.083	0.007	12	39	-2.635	-2.932	0.052	13	59	-3.904	-2.759	0.054
11	20	-3.842	-0.042	0.022	12	40	-2.508	-3.923	-0.049	14	0	-2.946	-2.425	0.005
11	21	-3.938	-0.373	0.027	12	41	-1.477	-3.299	0.031	14	1	-3.807	-1.231	0.015
11	22	-3.231	-1.063	0.031	12	42	-1.815	-4.028	0.010	14	2	-3.045	-1.882	0.005
11	23	-2.637	-0.418	0.029	12	43	-3.122	-4.848	0.057	14	3	-2.984	-2.516	0.001
11	24	-3.405	-0.854	0.032	12	44	-3.070	-3.210	0.043	14	4	-2.701	-3.401	0.016
11	25	-4.754	-1.374	0.005	12	45	-3.906	-3.594	0.030	14	5	-3.678	-1.768	0.050
11	26	-4.205	-1.132	0.009	12	46	-5.146	-3.633	0.001	14	6	-3.502	-1.360	0.086





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

14	7	-3.058	-1.866	0.016	15	27	-0.807	0.007	0.000	16	47	-1.190	-1.514	0.005
14	8	-3.751	-2.782	-0.015	15	28	-0.690	-0.006	-0.001	16	48	-1.489	-1.936	0.000
14	9	-3.241	-1.455	0.023	15	29	-0.492	0.028	0.014	16	49	-1.288	-1.228	0.027
14	10	-3.586	-1.666	-0.000	15	30	-0.848	0.094	0.010	16	50	-1.017	-2.041	-0.007
14	11	-2.519	-2.873	0.019	15	31	-1.026	0.000	0.001	16	51	-0.735	-1.672	0.002
14	12	-2.448	-2.255	0.040	15	32	-0.511	0.050	0.099	16	52	-1.170	-1.662	0.051
14	13	-3.094	-1.742	0.048	15	33	-0.598	0.066	0.025	16	53	-2.053	-1.952	-0.021
14	14	-4.074	-1.405	0.043	15	34	-0.116	0.000	0.010	16	54	-1.635	-2.277	0.020
14	15	-1.839	-2.227	0.010	15	35	-0.111	0.000	-0.007	16	55	-1.981	-2.534	0.055
14	16	-0.748	-2.339	0.064	15	36	-0.295	0.000	0.001	16	56	-3.046	-3.312	0.013
14	17	-0.433	-2.577	0.014	15	37	-0.109	0.000	0.000	16	57	-3.713	-2.708	0.050
14	18	-0.001	-2.031	0.017	15	38	-0.125	-0.001	0.000	16	58	-5.246	-2.708	0.043
14	19	-0.423	-2.698	0.012	15	39	-0.515	0.004	0.006	16	59	-4.824	-3.405	0.029
14	20	-0.794	-3.241	0.045	15	40	-0.380	0.307	0.010	17	0	-6.133	-1.973	0.212
14	21	-0.688	-3.047	0.035	15	41	-0.409	-0.044	0.000	17	1	-9.721	-0.971	0.156
14	22	-0.444	-3.326	0.023	15	42	-0.455	-0.170	0.076	17	2	-9.266	-2.663	0.117
14	23	-0.397	-3.805	0.005	15	43	-0.197	0.005	0.015	17	3	-9.290	-2.852	0.051
14	24	-0.001	-3.107	0.026	15	44	-0.146	0.066	0.000	17	4	-9.555	-3.083	0.050
14	25	0.102	-2.721	0.030	15	45	-0.053	0.095	0.048	17	5	-6.950	-4.105	0.019
14	26	0.354	-2.658	0.022	15	46	0.010	0.000	0.090	17	6	-6.807	-2.796	0.054
14	27	-0.273	-2.847	0.067	15	47	0.001	0.140	0.118	17	7	-6.788	-3.000	0.050
14	28	-0.323	-3.442	0.018	15	48	0.000	0.000	0.067	17	8	-6.394	-2.625	0.031
14	29	-0.462	-3.342	0.025	15	49	0.000	0.001	0.037	17	9	-6.266	-1.679	0.098
14	30	-0.361	-3.112	-0.001	15	50	0.342	-0.000	0.028	17	10	-5.848	-1.790	0.079
14	31	-0.216	-2.427	0.009	15	51	0.173	0.000	0.000	17	11	-5.990	-1.578	0.047
14	32	-0.482	-2.059	0.021	15	52	0.038	0.025	0.129	17	12	-6.388	-1.039	0.085
14	33	-0.807	-2.372	-0.028	15	53	0.002	0.011	0.162	17	13	-5.755	-2.163	0.033
14	34	-0.547	-2.61	0.006	15	54	0.254	0.078	0.054	17	14	-4.971	-1.068	0.047
14	35	-0.934	-2.162	0.007	15	55	0.211	-0.041	0.003	17	15	-5.592	-1.592	0.050
14	36	-0.826	-2.107	0.032	15	56	0.046	-0.316	0.001	17	16	-5.623	-3.056	0.159
14	37	-0.452	-2.005	0.077	15	57	0.126	0.000	0.000	17	17	-4.862	-1.457	0.064
14	38	-0.705	-1.719	0.095	15	58	-0.407	-0.040	0.001	17	18	-5.555	-1.257	0.047
14	39	-0.643	-2.621	0.013	15	59	-0.515	-0.349	0.012	17	19	-3.812	-0.950	0.081
14	40	-0.423	-1.889	0.047	16	0	-0.423	-0.329	0.002	17	20	-2.644	-1.385	0.034
14	41	-0.510	-2.091	0.021	16	1	-0.528	-0.348	0.003	17	21	-2.026	-2.679	0.042
14	42	-0.869	-2.291	0.006	16	2	-0.161	-0.617	0.000	17	22	-1.501	-2.798	0.074
14	43	-0.418	-1.756	0.028	16	3	-0.110	-0.839	0.002	17	23	-1.016	-2.327	0.016
14	44	-0.128	-1.900	0.019	16	4	-0.543	-1.186	0.000	17	24	-0.368	-1.649	0.014
14	45	0.007	-2.045	0.009	16	5	-0.312	-0.867	0.003	17	25	-0.115	-1.652	0.002
14	46	-0.093	-1.970	0.012	16	6	-0.102	-0.829	0.016	17	26	-0.163	-0.660	0.002
14	47	-0.144	-2.035	-0.003	16	7	0.128	-1.369	0.012	17	27	0.067	-0.885	0.046
14	48	-0.673	-2.044	0.006	16	8	0.334	-1.086	-0.001	17	28	-0.013	-0.121	0.007
14	49	-0.822	-1.863	0.009	16	9	0.117	-0.870	0.002	17	29	-0.012	0.000	0.000
14	50	-0.619	-1.840	0.038	16	10	0.561	-0.888	0.003	17	30	0.000	0.000	0.000
14	51	-0.732	-1.359	0.021	16	11	0.958	-1.363	0.019	17	31	-0.000	0.113	0.081
14	52	-0.488	-1.159	-0.013	16	12	0.610	-1.559	0.018	17	32	-0.897	0.443	0.000
14	53	-0.643	-0.690	0.005	16	13	0.353	-1.677	0.041	17	33	-0.808	0.564	0.000
14	54	-0.879	-0.729	0.018	16	14	0.552	-1.268	0.032	17	34	-0.028	0.769	0.017
14	55	-0.491	-1.119	0.016	16	15	0.049	-1.160	0.023	17	35	-0.053	0.915	0.023
14	56	-0.394	-1.275	-0.002	16	16	0.094	-1.719	-0.008	17	36	0.000	0.042	0.163
14	57	-0.326	-0.658	0.005	16	17	-0.503	-1.354	0.004	17	37	-0.091	0.001	0.010
14	58	-0.238	-0.747	0.026	16	18	-0.724	-1.744	0.021	17	38	0.357	-0.189	0.033
14	59	-0.926	-0.910	0.006	16	19	-0.364	-1.875	0.014	17	39	0.169	-0.135	0.043
15	0	-0.503	-0.786	-0.000	16	20	-0.348	-1.845	0.015	17	40	0.496	-0.047	0.105
15	1	-0.483	0.000	0.009	16	21	-0.318	-2.294	0.007	17	41	0.223	0.000	0.177
15	2	-0.312	-0.000	0.011	16	22	-0.308	-2.066	0.007	17	42	0.000	0.000	0.057
15	3	-0.783	0.008	0.011	16	23	-0.355	-2.147	0.014	17	43	0.119	0.000	0.107
15	4	-0.600	0.000	0.002	16	24	-0.412	-1.840	0.055	17	44	0.246	-0.004	0.102
15	5	-0.708	-0.083	0.001	16	25	-0.741	-1.643	0.011	17	45	-0.187	-0.770	0.017
15	6	-0.463	0.039	0.019	16	26	-0.732	-1.513	0.022	17	46	-0.416	-0.930	-0.020
15	7	-0.309	0.214	0.039	16	27	-0.699	-1.572	-0.003	17	47	-0.081	-0.047	-0.015
15	8	-0.225	0.059	0.050	16	28	-0.680	-1.531	0.002	17	48	-0.106	0.000	0.012
15	9	-0.088	0.421	0.027	16	29	-0.753	-1.521	0.016	17	49	-0.555	0.000	-0.007
15	10	-0.077	0.849	0.081	16	30	-0.588	-1.601	0.015	17	50	-0.641	0.000	0.000
15	11	-0.063	0.579	0.112	16	31	-0.261	-1.736	0.001	17	51	-0.115	0.000	0.000
15	12	-0.156	0.736	0.010	16	32	-0.458	-1.470	0.000	17	52	-0.507	0.000	0.003
15	13	-0.007	0.712	0.112	16	33	-0.195	-1.846	0.012	17	53	-1.167	0.488	0.000
15	14	-0.031	0.966	0.055	16	34	0.382	-1.616	0.017	17	54	-0.257	0.865	0.012
15	15	-0.003	0.776	0.103	16	35	0.344	-1.265	0.062	17	55	-0.183	1.198	0.034
15	16	0.003	0.068	0.148	16	36	0.144	-1.690	0.025	17	56	-0.178	1.130	0.013
15	17	-0.030	0.000	0.027	16	37	0.435	-1.847	0.068	17	57	-0.077	1.008	0.008
15	18	0.046	0.008	0.107	16	38	1.483	-1.574	0.008	17	58	-0.009	0.527	0.083
15	19	-0.000	0.614	0.076	16	39	0.623	-1.924	-0.023	17	59	-0.027	0.712	0.052
15	20	0.069	0.573	0.003	16	40	-0.069	-1.720	0.006	18	0	0.001	0.518	0.123
15	21	0.026	0.667	0.005	16	41	-0.382	-1.850	0.022	18	1	0.003	0.960	0.059
15	22	0.016	0.411	0.020	16	42	-0.252	-0.960	0.103	18	2	0.047	1.084	0.007
15	23	-0.002	0.099	0.095	16	43	-0.306	-0.993	0.064	18	3	-0.001	1.264	0.009
15	24	-0.100	0.011	0.047	16	44	-0.950	-1.877	0.013	18	4	-0.000	1.239	0.033
15	25	-0.031	0.077	0.055	16	45	-0.917	-2.491	-0.018	18	5	0.085	1.366	0.004
15	26	-0.826	0.014	0.002	16	46	-0.924	-1.789	0.001	18	6	-0.071	1.500	0.015





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

R M YOUNG 26700 SERIES
DATA TRANSLATOR/RECORDER

Time hour	Time mins	U M/S	V M/S	W M/S
--------------	--------------	----------	----------	----------

06/07/95

22	14	1.817	-0.952	0.056
22	15	0.982	-1.224	0.017
22	16	2.447	-1.797	0.005
22	17	1.254	-1.168	0.058
22	18	0.652	-0.802	0.115
22	19	0.612	-0.503	0.011
22	20	0.901	-0.331	-0.001
22	21	1.342	-1.047	0.001
22	22	1.308	-0.803	0.014
22	23	0.662	-0.228	0.017
22	24	1.039	-0.484	0.022
22	25	1.447	0.167	0.021
22	26	2.219	-0.037	0.014
22	27	1.819	0.043	0.041
22	28	1.781	0.110	0.011
22	29	1.764	0.195	0.029
22	30	1.189	0.075	0.008
22	31	0.897	0.000	0.001
22	32	1.389	-0.002	0.005
22	33	1.515	-0.030	0.003
22	34	1.579	-0.060	0.005
22	35	1.155	0.661	0.002
22	36	1.785	0.357	0.013
22	37	1.708	0.088	0.008
22	38	1.632	0.347	0.013
22	39	2.664	0.296	0.014
22	40	2.277	0.319	0.007
22	41	2.500	0.008	0.009
22	42	2.060	-0.055	0.004
22	43	1.614	0.008	0.006
22	44	2.214	0.052	0.015
22	45	2.033	-0.012	0.020
22	46	1.452	0.170	0.003
22	47	1.854	0.014	0.020
22	48	1.938	0.026	0.010
22	49	1.126	-0.059	0.000
22	50	1.141	-0.109	0.004
22	51	1.603	-0.046	0.001
22	52	1.538	-0.002	0.001
22	53	1.396	-0.118	0.001
22	54	1.072	-0.593	0.008
22	55	1.324	-0.522	0.022
22	56	1.491	-0.769	0.001
22	57	1.916	-0.281	0.034
22	58	1.953	-0.649	0.019
22	59	2.177	-1.170	0.007
23	0	2.618	-1.128	0.017
23	1	2.002	-0.854	0.019
23	2	1.362	-0.558	0.000
23	3	1.201	-0.885	0.001
23	4	1.301	-0.247	0.002
23	5	0.892	-0.583	0.002
23	6	1.163	-0.420	0.000
23	7	0.413	-0.059	0.000
23	8	0.666	-0.324	0.005
23	9	1.255	-0.424	0.005
23	10	2.214	-0.818	0.011
23	11	1.143	-0.721	0.018
23	12	1.929	-0.674	0.016
23	13	2.130	-1.136	0.004
23	14	1.382	-1.528	0.005
23	15	1.098	-0.580	0.007
23	16	1.445	-0.373	0.025
23	17	1.699	-0.316	0.071
23	18	1.479	-0.501	0.028
23	19	1.753	-0.798	0.009
23	20	1.551	-1.334	0.001
23	21	1.000	-0.915	0.006
23	22	0.821	-0.259	0.001
23	23	0.724	-0.396	0.017
23	24	1.220	-0.668	0.005

07/07/95

23	25	1.836	-0.315	0.050
23	26	2.054	-0.266	0.007
23	27	1.509	-0.402	0.007
23	28	1.403	0.013	0.002
23	29	1.208	-0.073	0.000
23	30	0.729	-0.322	0.002
23	31	0.291	-1.000	0.011
23	32	0.724	-0.795	0.037
23	33	1.000	-0.099	0.052
23	34	0.105	-0.755	0.005
23	35	-0.411	-1.054	-0.011
23	36	-0.938	-0.205	0.000
23	37	-0.038	-0.305	0.071
23	38	-0.188	-1.084	0.004
23	39	-0.496	-0.932	-0.000
23	40	-0.850	-0.688	0.000
23	41	-1.050	-0.392	0.000
23	42	-0.940	-0.114	0.002
23	43	-0.195	-0.713	0.000
23	44	0.041	-1.090	0.001
23	45	-0.279	-1.132	0.000
23	46	0.047	-1.627	-0.004
23	47	-0.434	-1.716	0.001
23	48	-1.076	-0.953	0.000
23	49	0.392	-1.581	0.015
23	50	0.683	-2.149	0.013
23	51	1.313	-1.461	-0.006
23	52	0.465	-1.087	0.003
23	53	0.310	-1.092	0.012
23	54	0.604	-0.836	0.013
23	55	0.759	-0.033	0.009
23	56	0.200	0.336	0.017
23	57	-0.024	0.714	0.004
23	58	0.000	0.367	0.000
23	59	0.006	0.039	0.019

0	42	1.052	-0.135	0.011
0	43	1.536	-0.485	0.007
0	44	2.449	-1.336	0.011
0	45	2.315	-1.888	0.005
0	46	0.502	-1.555	0.017
0	47	-0.129	-0.808	0.007
0	48	-0.363	-0.370	0.000
0	49	-0.540	-0.132	0.000
0	50	0.000	0.000	0.000
0	51	0.000	0.000	0.000
0	52	0.000	0.000	0.000
0	53	-0.012	0.000	0.000
0	54	0.295	-0.527	0.000
0	55	0.608	-0.387	0.000
0	56	0.814	-0.392	0.000
0	57	0.820	-0.125	0.000
0	58	0.322	0.119	0.026
0	59	0.889	-1.226	0.002
1	0	0.351	-0.613	0.001
1	1	0.979	0.111	0.002
1	2	2.594	-0.345	0.050
1	3	2.542	-0.133	0.024
1	4	2.359	0.173	0.019
1	5	1.929	0.081	0.002
1	6	1.013	0.101	0.007
1	7	0.934	-0.182	0.009
1	8	0.429	-0.611	0.011
1	9	0.976	-1.198	0.011
1	10	1.712	-0.028	0.003
1	11	1.056	0.000	0.000
1	12	0.431	0.000	0.000
1	13	0.641	0.000	0.000
1	14	0.584	0.000	0.000
1	15	0.794	0.000	0.000
1	16	0.285	0.078	0.038
1	17	0.833	0.772	0.010
1	18	1.128	0.843	0.003
1	19	1.367	0.738	0.003
1	20	1.022	0.666	0.003
1	21	0.894	0.141	-0.000
1	22	0.902	0.012	0.042
1	23	0.843	0.008	0.000
1	24	0.792	0.041	0.006
1	25	1.118	0.008	0.009
1	26	0.765	0.000	0.000
1	27	0.203	0.000	0.000
1	28	0.000	0.000	0.000
1	29	0.053	0.173	0.035
1	30	0.092	0.110	0.057
1	31	-0.000	-0.000	0.016
1	32	0.000	0.000	0.000
1	33	0.000	-0.124	0.001
1	34	0.449	-0.425	0.000
1	35	0.143	-0.039	0.003
1	36	1.199	0.000	0.001
1	37	1.116	0.009	0.008
1	38	1.127	0.208	0.007
1	39	0.880	0.103	0.014
1	40	0.977	0.000	0.001
1	41	0.790	0.001	0.000
1	42	1.547	0.070	0.000
1	43	1.399	-0.002	0.007
1	44	1.008	0.269	0.006
1	45	1.380	0.057	0.002
1	46	1.213	0.405	0.001
1	47	1.400	0.288	0.010
1	48	1.113	0.013	0.002
1	49	1.259	0.312	0.011
1	50	1.800	0.488	0.016
1	51	1.573	0.057	0.009
1	52	1.875	0.077	0.002
1	53	1.995	-0.026	0.010
1	54	1.904	0.034	0.003
1	55	2.070	0.354	0.019
1	56	2.552	0.251	0.011
1	57	1.845	0.141	0.002
1	58	1.450	0.159	0.003
1	59	1.511	0.198	0.004
2	0	1.587	0.087	0.003
2	1	1.993	-0.051	0.001



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

2	2	1.445	0.108	0.003	3	22	0.000	0.000	0.000	4	42	0.813	0.000	0.000
2	3	1.088	0.134	0.000	3	23	0.000	0.000	0.013	4	43	0.708	0.000	0.000
2	4	1.460	0.184	0.000	3	24	0.030	0.281	0.023	4	44	0.616	0.000	0.000
2	5	1.454	0.304	0.002	3	25	0.000	0.380	0.001	4	45	0.454	0.000	0.000
2	6	1.406	0.107	0.000	3	26	0.000	0.167	0.007	4	46	0.850	0.000	0.000
2	7	1.564	0.130	0.000	3	27	-0.001	0.363	0.043	4	47	0.825	-0.148	0.000
2	8	1.578	0.213	0.000	3	28	-0.000	0.193	0.024	4	48	0.834	-0.414	0.000
2	9	1.442	0.468	0.019	3	29	0.000	0.667	0.000	4	49	0.821	-0.025	0.000
2	10	2.388	-0.152	0.089	3	30	0.000	0.773	0.001	4	50	0.713	0.000	0.000
2	11	1.923	0.592	0.046	3	31	0.033	0.615	0.000	4	51	0.684	0.000	0.000
2	12	1.806	0.796	0.025	3	32	0.104	0.333	0.000	4	52	0.871	0.000	0.000
2	13	1.750	0.727	0.004	3	33	0.000	0.368	0.029	4	53	0.740	0.000	0.000
2	14	1.550	0.557	0.029	3	34	0.002	0.620	0.029	4	54	0.743	0.000	0.000
2	15	1.927	-0.015	0.002	3	35	-0.002	0.593	0.023	4	55	0.602	0.000	0.000
2	16	1.971	0.174	0.011	3	36	0.001	0.567	0.010	4	56	0.473	0.000	0.000
2	17	1.806	0.070	0.003	3	37	0.000	0.500	0.038	4	57	0.477	0.000	0.000
2	18	1.337	0.000	0.001	3	38	-0.207	0.288	0.000	4	58	0.518	0.000	0.000
2	19	1.378	-0.026	0.000	3	39	-0.361	0.000	0.000	4	59	0.534	0.000	0.000
2	20	1.522	0.009	0.004	3	40	-0.038	0.000	0.019	5	0	0.255	0.000	0.000
2	21	1.345	-0.243	0.000	3	41	0.000	0.643	0.041	5	1	0.000	0.000	0.000
2	22	0.939	-0.080	0.000	3	42	-0.001	0.838	0.001	5	2	0.000	0.000	0.000
2	23	0.631	0.000	0.000	3	43	-0.002	0.986	0.000	5	3	0.082	0.000	0.008
2	24	0.789	0.034	0.000	3	44	0.000	1.055	0.002	5	4	0.005	0.000	0.008
2	25	0.970	0.079	0.003	3	45	0.008	1.098	0.000	5	5	0.010	0.000	0.008
2	26	1.469	0.077	0.001	3	46	0.105	1.223	0.001	5	6	0.001	0.173	0.057
2	27	1.916	0.372	0.003	3	47	0.055	1.217	0.001	5	7	0.000	0.383	0.002
2	28	1.336	0.172	0.011	3	48	0.076	1.224	0.004	5	8	0.000	0.428	0.000
2	29	2.092	0.043	0.016	3	49	0.121	1.198	0.001	5	9	0.025	0.417	0.008
2	30	1.911	-0.057	0.007	3	50	0.111	1.327	0.003	5	10	0.013	0.372	0.021
2	31	1.188	-0.111	0.008	3	51	0.155	1.189	0.007	5	11	0.001	0.493	0.012
2	32	1.524	0.030	0.005	3	52	0.064	1.082	0.008	5	12	-0.006	0.590	0.029
2	33	1.321	-0.012	0.001	3	53	0.001	1.274	0.018	5	13	-0.000	0.625	0.000
2	34	1.534	0.059	0.007	3	54	-0.007	1.257	0.009	5	14	0.000	0.766	0.001
2	35	1.477	0.025	0.002	3	55	0.000	1.250	0.000	5	15	0.037	0.835	0.002
2	36	1.695	-0.196	0.000	3	56	0.000	1.321	0.001	5	16	0.064	0.871	0.006
2	37	1.913	-0.191	0.003	3	57	0.000	1.209	0.002	5	17	0.000	0.858	0.000
2	38	1.378	-0.043	0.000	3	58	0.000	1.276	0.000	5	18	0.026	0.812	0.001
2	39	0.851	0.351	0.006	3	59	0.000	1.310	0.001	5	19	-0.000	0.982	0.000
2	40	1.054	0.106	0.013	4	0	0.000	1.219	0.000	5	20	0.000	0.951	0.000
2	41	1.558	0.066	0.010	4	1	0.000	1.155	0.000	5	21	-0.002	0.788	0.000
2	42	1.263	0.003	0.003	4	2	0.000	0.950	0.000	5	22	0.234	0.914	0.001
2	43	1.015	0.117	0.002	4	3	0.000	0.829	0.002	5	23	0.763	1.155	0.002
2	44	0.793	-0.000	0.005	4	4	0.082	0.820	0.001	5	24	1.149	1.199	0.001
2	45	0.819	-0.204	0.018	4	5	0.324	0.617	0.022	5	25	1.483	1.086	0.001
2	46	0.834	0.252	0.008	4	6	0.321	0.766	0.003	5	26	1.732	1.033	0.000
2	47	0.167	0.312	0.024	4	7	0.143	0.642	0.002	5	27	1.905	0.817	0.013
2	48	0.612	0.186	0.050	4	8	0.169	0.414	0.002	5	28	1.763	0.802	0.001
2	49	1.191	0.267	0.027	4	9	0.281	0.454	0.001	5	29	1.134	0.662	0.009
2	50	0.693	0.200	0.015	4	10	0.073	0.449	0.022	5	30	1.362	0.762	0.003
2	51	0.626	0.004	0.004	4	11	0.160	0.596	0.001	5	31	1.178	0.694	0.002
2	52	0.674	0.156	0.002	4	12	0.163	0.654	0.000	5	32	1.512	0.938	0.000
2	53	1.213	0.075	0.002	4	13	0.323	0.783	0.000	5	33	1.391	0.934	0.001
2	54	1.241	0.000	0.001	4	14	0.347	0.718	0.000	5	34	1.496	1.029	0.000
2	55	0.902	0.000	0.000	4	15	0.222	0.615	0.000	5	35	1.382	0.930	0.000
2	56	0.441	0.120	0.008	4	16	0.154	0.581	0.000	5	36	1.221	0.865	0.000
2	57	0.270	0.020	0.077	4	17	0.000	0.795	0.000	5	37	1.118	0.578	0.000
2	58	0.080	0.082	0.036	4	18	0.000	0.628	0.000	5	38	1.091	0.559	0.000
2	59	0.000	0.000	0.032	4	19	0.000	0.551	0.000	5	39	1.068	0.499	0.000
3	0	0.000	0.000	0.000	4	20	0.047	0.483	0.000	5	40	0.922	0.346	0.002
3	1	0.000	0.000	0.000	4	21	0.587	0.326	0.002	5	41	0.936	0.470	0.012
3	2	0.000	0.009	0.000	4	22	0.555	0.000	0.000	5	42	1.202	0.699	0.000
3	3	0.007	0.000	0.027	4	23	0.697	0.000	0.000	5	43	1.204	0.750	0.000
3	4	0.003	0.477	0.035	4	24	0.706	0.000	0.000	5	44	1.065	0.847	0.000
3	5	0.003	0.086	0.047	4	25	0.522	0.000	0.000	5	45	1.020	0.699	0.000
3	6	0.000	0.112	0.069	4	26	0.313	0.000	0.000	5	46	1.027	0.555	0.001
3	7	0.041	0.546	0.024	4	27	0.043	0.000	0.025	5	47	0.646	0.143	0.002
3	8	0.107	0.484	0.041	4	28	0.000	0.000	0.001	5	48	0.826	0.203	0.021
3	9	0.007	0.432	0.000	4	29	-0.005	0.000	0.006	5	49	1.145	0.465	0.000
3	10	-0.028	0.074	0.004	4	30	0.000	0.221	0.008	5	50	1.166	0.406	0.000
3	11	0.002	0.119	0.027	4	31	-0.001	0.817	0.026	5	51	1.258	0.228	0.000
3	12	-0.053	0.289	0.001	4	32	-0.001	0.803	0.007	5	52	1.315	0.013	0.000
3	13	0.005	0.234	0.037	4	33	-0.006	0.972	0.000	5	53	1.405	0.000	0.000
3	14	-0.000	0.004	0.012	4	34	0.000	0.925	0.000	5	54	1.250	0.000	0.000
3	15	0.087	0.250	0.059	4	35	0.000	0.980	0.001	5	55	1.029	0.000	0.000
3	16	0.000	0.326	0.001	4	36	-0.000	0.826	0.001	5	56	0.902	0.000	0.000
3	17	0.006	0.005	0.047	4	37	0.000	0.688	0.000	5	57	0.852	0.000	0.000
3	18	-0.001	0.151	0.060	4	38	0.027	0.477	0.002	5	58	0.779	0.000	0.000
3	19	0.009	0.034	0.065	4	39	0.170	0.427	0.003	5	59	0.753	0.000	0.000
3	20	0.000	0.000	0.010	4	40	0.694	0.243	0.000	6	0	0.770	-0.000	0.000
3	21	0.000	0.000	0.003	4	41	0.791	-0.000	0.000	6	1	0.913	-0.095	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

6	2	0.940	-0.020	0.000	7	22	1.238	0.011	0.009	8	42	2.715	0.720	0.043
6	3	1.067	-0.004	0.000	7	23	2.488	0.211	0.003	8	43	3.828	1.003	0.029
6	4	1.492	-0.047	0.000	7	24	1.743	-0.016	0.008	8	44	3.675	1.753	0.034
6	5	1.443	0.063	0.002	7	25	1.582	-0.390	0.007	8	45	4.064	0.730	0.035
6	6	1.489	0.027	0.000	7	26	1.448	-0.371	0.008	8	46	3.163	0.763	0.012
6	7	1.950	0.007	0.000	7	27	1.395	-0.020	0.001	8	47	3.054	1.576	0.043
6	8	1.411	-0.178	0.004	7	28	0.964	-0.105	0.025	8	48	2.799	1.377	0.022
6	9	1.195	-0.049	0.001	7	29	1.623	-0.561	0.003	8	49	3.099	1.727	0.048
6	10	1.374	0.018	0.000	7	30	1.478	-0.468	0.007	8	50	3.856	3.015	0.067
6	11	1.002	0.402	0.000	7	31	2.537	-0.588	0.001	8	51	4.115	1.635	0.030
6	12	1.304	0.478	0.000	7	32	1.909	-0.434	0.002	8	52	3.239	0.752	0.041
6	13	1.216	0.467	0.000	7	33	1.467	-0.452	0.004	8	53	3.778	1.246	0.024
6	14	1.118	0.431	0.000	7	34	1.981	-0.040	0.002	8	54	3.656	1.885	0.014
6	15	0.968	0.247	0.000	7	35	1.426	-0.252	0.001	8	55	3.543	1.813	0.021
6	16	0.476	0.607	0.002	7	36	1.554	-0.531	0.000	8	56	3.239	1.108	0.067
6	17	0.487	0.401	0.002	7	37	2.059	-0.607	0.001	8	57	3.325	1.339	0.018
6	18	0.705	0.864	0.000	7	38	2.427	-0.274	0.001	8	58	2.599	1.154	0.035
6	19	0.732	0.812	0.000	7	39	1.621	-0.118	0.002	8	59	2.669	1.437	0.041
6	20	0.550	0.768	0.003	7	40	1.493	-0.004	0.029	9	0	2.394	0.424	0.068
6	21	0.635	0.900	0.005	7	41	1.139	0.341	0.001	9	1	3.046	1.359	0.023
6	22	0.548	0.756	0.002	7	42	2.277	0.301	0.000	9	2	3.542	2.392	0.017
6	23	0.395	0.996	0.000	7	43	1.982	0.183	0.002	9	3	3.314	2.287	0.025
6	24	0.676	0.956	0.000	7	44	1.189	0.424	0.016	9	4	4.379	1.636	0.018
6	25	0.491	0.745	0.000	7	45	1.347	0.110	0.018	9	5	3.153	2.294	0.041
6	26	0.455	1.081	0.000	7	46	0.986	0.213	0.013	9	6	4.219	1.568	0.029
6	27	0.019	1.018	0.000	7	47	1.417	0.112	0.021	9	7	3.732	1.357	0.024
6	28	0.077	1.005	0.001	7	48	1.719	-0.637	0.010	9	8	3.061	0.454	0.042
6	29	0.011	1.146	0.001	7	49	2.127	-0.864	0.003	9	9	2.906	0.510	0.030
6	30	0.162	1.291	0.000	7	50	1.835	-0.642	0.001	9	10	3.894	1.171	0.039
6	31	0.081	1.206	0.000	7	51	2.448	-0.013	0.004	9	11	4.147	0.722	0.028
6	32	0.065	1.211	0.000	7	52	2.929	-0.178	0.002	9	12	3.616	0.424	0.033
6	33	0.017	1.286	0.000	7	53	2.526	0.057	0.003	9	13	3.294	-0.056	0.075
6	34	0.070	1.190	0.000	7	54	2.486	0.649	0.005	9	14	2.651	0.147	0.084
6	35	-0.000	1.283	0.000	7	55	2.204	1.133	0.002	9	15	3.547	0.645	0.042
6	36	-0.007	1.192	0.003	7	56	2.365	0.642	0.002	9	16	4.296	0.410	0.049
6	37	0.000	1.154	0.000	7	57	1.272	0.336	0.014	9	17	3.631	0.568	0.039
6	38	0.000	0.947	0.000	7	58	1.635	1.098	0.002	9	18	3.897	0.182	0.045
6	39	-0.004	0.587	0.000	7	59	2.133	1.782	0.009	9	19	4.327	-0.102	0.021
6	40	0.176	0.544	0.010	8	0	2.619	0.861	0.010	9	20	3.151	-0.073	0.018
6	41	0.335	0.414	0.002	8	1	2.256	0.184	0.002	9	21	2.338	0.117	0.083
6	42	0.249	0.474	0.006	8	2	1.803	0.273	0.016	9	22	3.476	0.182	0.012
6	43	0.578	-0.401	0.001	8	3	2.420	-0.076	0.007	9	23	3.476	0.586	0.015
6	44	0.697	0.197	0.003	8	4	1.829	0.516	0.000	9	24	2.513	1.331	0.083
6	45	0.897	1.168	0.000	8	5	1.799	0.618	0.002	9	25	3.604	1.413	0.037
6	46	0.732	1.123	0.003	8	6	2.105	0.251	0.000	9	26	2.895	0.316	0.061
6	47	0.962	0.885	0.000	8	7	2.107	0.081	0.007	9	27	2.481	0.478	0.052
6	48	0.676	0.761	0.004	8	8	1.660	0.156	0.007	9	28	2.673	0.991	0.039
6	49	0.521	0.460	0.000	8	9	1.511	0.011	0.006	9	29	2.602	0.187	0.043
6	50	0.427	0.723	0.002	8	10	1.758	0.287	0.001	9	30	3.797	1.727	0.072
6	51	0.613	0.279	0.000	8	11	1.910	0.284	0.003	9	31	3.205	0.229	0.072
6	52	0.741	0.019	0.000	8	12	1.677	0.832	0.019	9	32	4.260	0.005	0.033
6	53	0.737	0.066	0.000	8	13	2.732	1.817	0.003	9	33	3.333	0.083	0.067
6	54	1.029	0.442	0.002	8	14	2.298	1.069	0.013	9	34	3.603	-0.037	0.041
6	55	1.239	0.531	0.000	8	15	2.593	0.839	0.005	9	35	2.906	0.054	0.052
6	56	1.027	0.275	0.000	8	16	2.636	1.124	0.007	9	36	2.760	-0.070	0.029
6	57	0.862	0.114	0.002	8	17	2.257	0.647	0.008	9	37	2.289	0.245	0.023
6	58	1.065	0.000	0.001	8	18	2.075	1.001	0.011	9	38	2.040	-0.014	0.143
6	59	0.893	0.013	0.004	8	19	2.436	0.902	0.016	9	39	2.017	0.258	0.096
7	0	0.615	-0.011	0.000	8	20	2.540	0.660	0.009	9	40	2.675	0.511	0.029
7	1	0.787	-0.089	0.004	8	21	1.568	0.376	0.042	9	41	1.571	0.618	0.105
7	2	0.944	-0.005	0.000	8	22	1.974	0.414	0.008	9	42	2.072	0.287	0.064
7	3	0.741	0.027	0.000	8	23	2.103	1.168	0.010	9	43	2.207	0.189	0.050
7	4	0.632	0.115	0.004	8	24	2.704	1.269	0.040	9	44	2.329	0.559	0.029
7	5	1.810	-0.333	0.002	8	25	2.077	0.218	0.013	9	45	2.263	-0.106	0.125
7	6	1.971	-0.485	0.005	8	26	2.368	0.416	0.022	9	46	1.776	-0.243	0.048
7	7	2.427	-0.114	0.005	8	27	2.295	0.354	0.015	9	47	1.504	-0.775	0.060
7	8	2.342	-0.515	0.004	8	28	3.004	0.369	0.011	9	48	0.723	-3.090	0.050
7	9	2.139	-0.537	0.001	8	29	2.347	0.917	0.044	9	49	0.189	-4.376	0.053
7	10	1.243	-0.348	0.009	8	30	3.707	1.978	0.012	9	50	0.140	-2.663	0.030
7	11	1.684	-0.591	0.017	8	31	3.398	1.365	0.006	9	51	-0.037	-3.638	0.009
7	12	2.287	-0.014	0.006	8	32	2.806	0.786	0.005	9	52	0.900	-3.192	0.040
7	13	2.106	-0.021	0.003	8	33	2.343	0.548	0.021	9	53	0.161	-2.074	0.019
7	14	2.036	-0.344	0.005	8	34	2.086	0.869	0.029	9	54	0.437	-2.099	0.022
7	15	2.025	-0.686	0.004	8	35	2.708	1.177	0.025	9	55	0.194	-1.835	0.026
7	16	2.362	-0.566	0.004	8	36	4.027	1.598	0.028	9	56	-0.001	-1.903	0.003
7	17	2.096	-0.560	0.011	8	37	3.549	1.419	0.023	9	57	0.535	-1.826	-0.000
7	18	1.709	-0.623	0.006	8	38	3.081	1.218	0.016	9	58	0.557	-1.941	0.008
7	19	1.264	-0.031	0.011	8	39	2.961	0.938	0.015	9	59	0.631	-0.846	0.034
7	20	1.527	-0.043	0.003	8	40	2.522	0.537	0.003	10	0	0.019	-0.143	-0.000
7	21	0.841	-0.136	0.016	8	41	2.603	1.495	0.021	10	1	0.050	-0.786	0.032



Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

10	2	0.208	-0.602	0.012	11	22	2.029	-2.639	0.010	12	42	1.300	-2.507	0.045
10	3	0.107	-0.588	0.002	11	23	3.052	-1.189	0.010	12	43	1.349	-1.804	0.050
10	4	0.239	-1.272	0.006	11	24	2.960	-1.391	0.011	12	44	2.721	-0.307	0.018
10	5	0.168	-1.694	0.001	11	25	2.243	-1.635	0.010	12	45	5.216	0.234	0.049
10	6	-0.075	-1.804	0.010	11	26	2.394	-1.042	0.030	12	46	4.085	-0.189	0.096
10	7	0.020	-2.177	0.001	11	27	2.476	-0.504	0.016	12	47	2.524	-1.215	0.052
10	8	0.293	-1.039	0.036	11	28	2.320	-0.967	0.019	12	48	2.883	-0.502	0.028
10	9	0.209	-0.508	0.022	11	29	2.471	-0.622	0.013	12	49	3.015	0.190	0.118
10	10	0.379	-0.642	0.007	11	30	1.522	-1.305	0.042	12	50	3.006	-0.276	0.134
10	11	0.689	-0.946	0.000	11	31	2.333	-2.333	0.005	12	51	3.322	-1.155	0.020
10	12	0.098	-0.210	0.000	11	32	1.763	-3.019	0.022	12	52	1.041	-1.246	0.030
10	13	-0.227	-0.005	0.000	11	33	2.043	-1.309	0.020	12	53	1.260	-1.737	0.023
10	14	0.616	-1.484	0.002	11	34	2.823	-1.816	0.012	12	54	0.826	-2.414	0.066
10	15	0.363	-1.566	0.007	11	35	3.117	-2.199	0.004	12	55	1.490	-1.388	0.037
10	16	0.161	-0.549	0.000	11	36	2.573	-1.396	0.006	12	56	0.344	-1.833	0.084
10	17	-0.309	-1.028	0.000	11	37	1.641	-0.781	0.027	12	57	1.055	-1.724	0.018
10	18	-0.113	-1.349	-0.000	11	38	4.588	-0.105	0.037	12	58	2.731	-0.772	0.018
10	19	1.171	-1.131	-0.001	11	39	3.796	-0.428	0.005	12	59	2.234	-1.566	0.044
10	20	1.215	-0.807	0.012	11	40	2.649	-0.531	0.026	13	0	0.858	-1.896	0.024
10	21	0.571	-0.479	0.000	11	41	3.520	-0.177	0.040	13	1	0.961	-2.443	0.028
10	22	0.783	-0.798	0.008	11	42	3.763	-0.193	0.028	13	2	1.116	-1.701	0.012
10	23	0.162	-1.765	0.015	11	43	3.446	-1.475	0.016	13	3	1.443	-2.461	0.027
10	24	0.540	-0.261	0.021	11	44	2.142	-1.235	0.003	13	4	1.185	-4.891	0.020
10	25	1.355	-0.192	0.001	11	45	1.251	-2.008	0.051	13	5	2.320	-2.988	0.020
10	26	1.452	-0.242	0.025	11	46	2.432	-0.584	0.017	13	6	4.107	-0.445	0.013
10	27	1.836	-0.049	0.007	11	47	2.964	-0.451	0.021	13	7	2.475	-0.438	0.022
10	28	1.426	-0.048	0.010	11	48	3.578	-2.415	0.006	13	8	2.582	0.017	0.032
10	29	1.625	-0.084	0.004	11	49	3.119	-1.522	0.021	13	9	1.604	-0.878	0.064
10	30	1.681	-0.008	0.003	11	50	2.731	-1.044	0.038	13	10	2.583	-0.100	0.012
10	31	1.348	0.011	0.030	11	51	2.827	-2.022	0.004	13	11	2.419	-1.731	0.010
10	32	1.941	0.009	0.000	11	52	4.463	-2.692	0.019	13	12	1.702	-1.048	-0.001
10	33	1.344	-0.345	0.001	11	53	3.269	-0.602	0.052	13	13	0.832	-1.056	0.011
10	34	1.868	-0.131	0.012	11	54	4.680	-0.562	0.032	13	14	1.391	-1.721	0.037
10	35	2.313	-0.213	0.002	11	55	3.166	-0.647	0.027	13	15	1.729	-1.474	0.026
10	36	1.281	-1.489	0.003	11	56	1.531	-1.832	0.012	13	16	1.843	-1.692	0.024
10	37	0.797	-2.504	-0.002	11	57	1.964	-1.006	0.004	13	17	1.413	-0.764	0.007
10	38	1.663	-1.334	0.002	11	58	4.249	-1.360	0.016	13	18	1.769	-1.996	0.030
10	39	0.626	-1.278	0.013	11	59	3.573	-2.520	0.031	13	19	1.525	-2.009	0.014
10	40	1.765	-3.342	0.004	12	0	4.573	-2.733	0.027	13	20	2.912	-2.404	0.008
10	41	2.178	-2.500	0.002	12	1	2.956	-1.878	0.037	13	21	3.099	-0.534	0.073
10	42	1.598	-2.136	0.000	12	2	1.392	-1.000	0.014	13	22	1.608	-2.081	0.017
10	43	0.853	-1.190	0.012	12	3	5.098	-2.486	0.017	13	23	2.656	-2.487	0.008
10	44	0.614	-0.815	0.007	12	4	3.803	-2.987	0.029	13	24	2.091	-3.016	0.028
10	45	1.475	-0.466	0.009	12	5	3.896	-1.149	0.038	13	25	1.380	-0.882	0.024
10	46	1.079	-1.984	0.020	12	6	2.636	-1.615	0.011	13	26	1.529	-0.547	0.023
10	47	0.385	-2.201	0.015	12	7	1.553	-2.949	0.043	13	27	2.824	-1.740	0.008
10	48	1.314	-2.563	0.003	12	8	1.936	-2.370	0.031	13	28	3.633	-0.568	0.028
10	49	0.214	-2.008	0.005	12	9	2.407	-1.870	0.009	13	29	5.267	-2.159	0.061
10	50	0.412	-2.267	0.005	12	10	2.222	-4.415	0.055	13	30	5.906	-2.101	0.046
10	51	0.237	-2.545	0.004	12	11	4.351	-0.832	0.017	13	31	4.693	-1.259	0.069
10	52	0.328	-2.356	0.004	12	12	5.024	-1.248	0.033	13	32	6.387	-0.305	0.045
10	53	0.649	-2.826	0.004	12	13	4.051	-2.175	0.019	13	33	5.986	-0.186	0.048
10	54	1.125	-2.792	0.001	12	14	3.046	-0.874	0.013	13	34	6.499	-0.621	0.050
10	55	1.106	-2.227	0.000	12	15	2.271	-0.797	0.030	13	35	4.785	-0.130	0.021
10	56	0.372	-2.073	0.006	12	16	3.234	-1.674	0.013	13	36	3.958	-0.650	0.039
10	57	0.810	-1.951	0.011	12	17	2.888	-1.952	0.005	13	37	2.238	-0.804	0.096
10	58	1.222	-2.127	0.010	12	18	1.736	-1.647	0.005	13	38	1.907	-3.681	0.037
10	59	0.830	-1.126	0.024	12	19	3.018	-2.426	0.031	13	39	3.842	-2.434	0.063
11	0	1.007	-1.878	0.007	12	20	3.580	-1.599	0.012	13	40	2.952	-1.283	0.029
11	1	1.683	-1.430	0.009	12	21	3.534	-1.138	0.027	13	41	1.461	-0.380	0.014
11	2	3.302	-1.504	0.020	12	22	3.450	-3.322	0.026	13	42	2.137	-1.617	0.072
11	3	2.743	-2.513	0.008	12	23	1.527	-3.232	0.032	13	43	3.209	-1.517	0.048
11	4	4.101	-2.618	0.009	12	24	1.711	-2.999	0.001	13	44	4.709	-3.527	0.052
11	5	3.005	-2.604	0.006	12	25	2.139	-1.916	0.025	13	45	2.027	-2.856	0.114
11	6	1.894	-0.736	0.034	12	26	2.400	-0.175	0.075	13	46	2.597	-3.584	0.058
11	7	1.705	-1.503	0.003	12	27	2.269	-0.757	0.026	13	47	1.048	-3.108	0.082
11	8	3.070	-1.359	0.012	12	28	3.467	-0.505	0.029	13	48	3.433	-2.678	0.072
11	9	4.689	-2.831	0.018	12	29	4.339	-0.677	0.022	13	49	3.468	-1.772	0.125
11	10	3.621	-2.795	0.019	12	30	3.420	-1.769	0.023	13	50	4.114	-0.138	0.086
11	11	3.119	-1.559	0.022	12	31	3.769	-2.219	0.035	13	51	3.070	-0.899	0.119
11	12	0.725	-2.172	0.015	12	32	3.052	-0.752	0.072	13	52	5.406	-0.509	0.108
11	13	1.269	-3.333	0.010	12	33	2.276	-1.989	0.037	13	53	5.178	-2.149	0.158
11	14	1.434	-2.147	0.006	12	34	2.978	-1.437	0.054	13	54	3.531	-2.845	0.098
11	15	1.090	-1.911	0.008	12	35	3.669	-1.382	0.043	13	55	1.233	-1.965	0.148
11	16	1.818	-2.756	0.014	12	36	2.896	-2.182	0.023	13	56	2.653	-2.154	0.241
11	17	3.140	-3.307	0.008	12	37	2.775	-2.546	0.023	13	57	3.829	-1.295	0.170
11	18	4.729	-3.124	0.026	12	38	3.366	-1.949	0.028	13	58	6.815	-0.253	0.252
11	19	3.651	-2.184	0.006	12	39	1.701	-2.070	0.022	13	59	5.044	-2.538	0.058
11	20	2.102	-1.683	0.004	12	40	0.965	-2.153	0.016	14	0	3.983	-1.833	0.119
11	21	1.618	-1.878	0.023	12	41	2.706	-2.265	0.013	14	1	2.343	-3.183	0.104





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

18	2	4.100	-2.479	0.251	19	22	2.529	-0.390	0.107	20	42	1.452	1.176	0.088
18	3	3.256	-1.695	0.355	19	23	1.702	0.207	0.093	20	43	1.687	0.989	0.268
18	4	2.211	-2.503	0.385	19	24	1.373	0.233	0.108	20	44	1.398	0.794	0.156
18	5	1.478	-2.788	0.314	19	25	1.669	0.355	0.143	20	45	1.840	0.943	0.323
18	6	0.957	-1.927	0.305	19	26	1.502	0.312	0.403	20	46	1.606	0.041	0.334
18	7	3.181	-2.414	0.233	19	27	1.677	0.329	0.141	20	47	2.354	0.509	0.133
18	8	2.696	-2.534	0.239	19	28	1.950	0.130	0.340	20	48	1.731	0.606	0.434
18	9	3.094	-2.211	0.196	19	29	0.173	-1.832	0.235	20	49	3.441	0.354	0.514
18	10	2.307	-0.993	0.249	19	30	0.682	0.633	0.436	20	50	2.130	-0.207	0.485
18	11	3.274	-1.767	0.332	19	31	1.469	1.355	0.069	20	51	2.729	-1.441	0.142
18	12	1.582	-1.708	0.355	19	32	0.886	1.495	0.083	20	52	2.775	-1.431	0.304
18	13	1.763	-0.892	0.397	19	33	2.068	0.869	0.213	20	53	2.384	-0.296	0.356
18	14	3.608	-0.614	0.192	19	34	1.582	-0.837	0.103	20	54	1.115	0.017	0.323
18	15	3.377	0.068	0.160	19	35	1.655	-0.012	0.236	20	55	2.305	0.280	0.264
18	16	3.206	-0.342	0.213	19	36	2.011	1.203	0.410	20	56	1.621	-0.153	0.197
18	17	2.053	-0.556	0.539	19	37	2.311	1.910	0.167	20	57	1.725	0.208	0.215
18	18	3.171	-0.530	0.210	19	38	2.173	1.784	0.068	20	58	2.192	-0.069	0.131
18	19	4.481	-0.925	0.127	19	39	1.750	1.852	0.097	20	59	3.220	-0.104	0.403
18	20	3.617	-1.888	0.296	19	40	2.284	1.503	0.091	21	0	3.278	-0.076	0.270
18	21	3.672	-1.377	0.260	19	41	2.756	1.797	0.220	21	1	2.826	-0.595	0.128
18	22	3.483	-2.423	0.276	19	42	2.317	1.146	0.119	21	2	1.973	-0.006	0.357
18	23	3.512	-2.679	0.367	19	43	2.327	1.594	0.065	21	3	2.766	0.103	0.327
18	24	3.499	-2.669	0.267	19	44	2.322	1.216	0.130	21	4	3.692	0.088	0.311
18	25	2.622	-2.479	0.385	19	45	2.495	0.982	0.129	21	5	2.991	-0.911	0.381
18	26	1.792	-0.473	0.269	19	46	2.590	0.646	0.142	21	6	3.539	-0.113	0.247
18	27	1.408	-1.281	0.137	19	47	2.428	1.855	0.141	21	7	3.191	-0.935	0.205
18	28	0.622	-0.876	0.327	19	48	2.738	2.292	0.209	21	8	2.289	-0.746	0.383
18	29	2.272	-1.010	0.337	19	49	2.626	1.342	0.228	21	9	3.362	-0.439	0.241
18	30	2.502	-1.007	0.680	19	50	2.848	0.858	0.202	21	10	1.653	-0.107	0.407
18	31	3.914	-1.158	0.375	19	51	2.527	1.316	0.235	21	11	1.867	-0.534	0.983
18	32	2.896	-0.781	0.588	19	52	3.355	1.000	0.289	21	12	3.587	-0.773	0.233
18	33	3.859	-1.300	0.374	19	53	3.218	1.089	0.204	21	13	4.132	-1.272	0.122
18	34	3.409	-1.665	0.376	19	54	3.856	1.248	0.201	21	14	2.880	-0.379	0.190
18	35	4.119	-3.068	0.234	19	55	3.291	1.001	0.207	21	15	2.104	0.044	0.271
18	36	3.509	-3.548	0.255	19	56	2.759	1.007	0.316	21	16	2.904	0.377	0.838
18	37	2.585	-2.267	0.075	19	57	2.058	1.045	0.535	21	17	3.174	-0.230	0.297
18	38	3.728	-2.370	0.186	19	58	2.305	1.235	0.126	21	18	3.222	-0.906	0.302
18	39	3.506	-0.594	0.307	19	59	1.442	0.316	0.276	21	19	3.952	-1.366	0.195
18	40	2.431	-1.341	0.328	20	0	1.846	0.612	0.159	21	20	4.082	-0.435	0.274
18	41	2.697	-1.911	0.140	20	1	2.318	0.573	0.153	21	21	4.093	-1.357	0.516
18	42	2.757	-1.750	0.073	20	2	1.844	0.862	0.243	21	22	2.808	-0.730	0.570
18	43	2.872	-1.176	0.155	20	3	1.762	1.128	0.158	21	23	2.862	-0.179	0.380
18	44	2.306	-3.046	0.075	20	4	1.437	1.162	0.107	21	24	2.659	-1.028	0.211
18	45	2.852	-2.364	0.176	20	5	0.875	1.180	0.101	21	25	2.317	-0.914	0.561
18	46	3.983	-1.131	0.141	20	6	1.186	1.087	0.146	21	26	0.895	-1.339	0.735
18	47	3.152	-1.358	0.333	20	7	1.070	1.356	0.144	21	27	2.127	-0.903	0.190
18	48	2.363	-0.838	0.319	20	8	1.120	1.068	0.161	21	28	1.520	-1.839	0.411
18	49	4.150	-0.297	0.405	20	9	0.949	0.947	0.104	21	29	1.866	-1.501	0.223
18	50	4.226	-0.944	0.153	20	10	1.593	1.818	0.073	21	30	2.126	-0.722	0.158
18	51	2.292	-0.302	0.434	20	11	1.784	1.845	0.086	21	31	2.131	-0.775	0.428
18	52	3.814	-2.056	0.327	20	12	2.151	1.677	0.087	21	32	2.525	-1.207	0.186
18	53	3.793	-3.285	0.190	20	13	2.431	1.458	0.119	21	33	3.915	-1.174	0.237
18	54	2.421	-1.303	0.149	20	14	1.957	1.425	0.149	21	34	3.987	-0.918	0.189
18	55	2.674	-0.433	0.338	20	15	2.145	1.339	0.044	21	35	3.327	-1.627	0.286
18	56	1.958	-3.079	0.366	20	16	2.119	1.152	0.169	21	36	2.428	-1.697	0.182
18	57	1.857	-4.315	0.267	20	17	2.016	0.166	0.152	21	37	1.663	-1.789	0.388
18	58	1.774	-3.575	0.326	20	18	2.095	0.041	0.093	21	38	1.715	-1.878	0.216
18	59	1.321	-3.656	0.259	20	19	1.687	0.826	0.103	21	39	2.965	-1.171	0.158
19	0	2.643	-2.744	0.212	20	20	1.910	0.607	0.308	21	40	2.967	-1.396	0.239
19	1	3.233	-1.301	0.419	20	21	2.574	0.955	0.291	21	41	2.534	-1.103	0.260
19	2	2.334	-2.373	0.172	20	22	2.042	0.152	0.162	21	42	3.299	-1.760	0.182
19	3	1.424	-2.477	0.289	20	23	1.763	0.317	0.076	21	43	2.794	-1.805	0.323
19	4	0.653	-1.701	0.475	20	24	1.530	0.440	0.081	21	44	1.917	-0.692	0.295
19	5	2.968	-0.165	0.350	20	25	1.945	0.239	0.062	21	45	1.976	-0.541	0.355
19	6	3.600	-0.444	0.265	20	26	2.460	0.867	0.097	21	46	2.291	-0.215	0.517
19	7	3.746	-0.389	0.401	20	27	1.490	1.000	0.126	21	47	2.892	-0.486	0.208
19	8	3.076	-0.814	0.240	20	28	1.747	0.554	0.135	21	48	2.988	0.062	0.202
19	9	2.911	-1.413	0.294	20	29	1.893	0.496	0.099	21	49	2.814	-0.440	0.321
19	10	3.145	-0.261	0.439	20	30	0.725	0.321	0.142	21	50	2.026	-0.109	0.587
19	11	4.427	-0.504	0.222	20	31	2.013	0.272	0.097	21	51	3.941	-0.385	0.582
19	12	3.985	-0.621	0.256	20	32	2.137	0.659	0.245	21	52	3.459	-0.421	0.287
19	13	2.607	-0.284	0.388	20	33	2.462	0.839	0.303	21	53	1.254	-0.844	0.530
19	14	2.760	-0.431	0.131	20	34	2.564	0.573	0.130	21	54	2.146	-0.338	0.310
19	15	1.406	-0.108	0.166	20	35	2.454	0.397	0.163	21	55	1.887	-0.693	0.538
19	16	2.542	0.174	0.261	20	36	2.709	0.599	0.122	21	56	2.036	-1.316	0.196
19	17	3.026	-0.215	0.353	20	37	2.815	0.652	0.212	21	57	2.735	-1.309	0.160
19	18	3.712	-0.165	0.459	20	38	2.094	1.245	0.298	21	58	1.470	-1.297	0.332
19	19	3.596	-0.005	0.430	20	39	1.734	0.548	0.415	21	59	1.324	-1.122	0.227
19	20	2.135	0.009	0.426	20	40	1.646	0.420	0.097	22	0	2.527	-0.822	0.250
19	21	2.855	0.043	0.312	20	41	2.115	0.987	0.097	22	1	2.844	-0.461	0.083





22	2	1.376	-0.222	0.109
22	3	2.502	-0.113	0.187
22	4	3.329	-0.098	0.177
22	5	2.868	-0.676	0.393
22	6	3.264	-1.366	0.218
22	7	3.410	-2.021	0.253
22	8	2.327	0.005	0.144
22	9	1.849	-0.089	0.412
22	10	2.198	-0.726	0.342
22	11	1.428	-1.374	0.209
22	12	1.743	-1.722	0.359
22	13	3.350	-0.258	0.361
22	14	2.836	-0.622	0.316
22	15	1.424	-1.161	0.198
22	16	2.615	-0.322	0.261
22	17	2.123	-0.646	0.521
22	18	2.377	-0.447	0.290
22	19	2.045	-0.342	0.304
22	20	2.411	0.059	0.193
22	21	2.826	-0.454	0.230
22	22	2.669	-0.042	0.157
22	23	2.029	0.403	0.237
22	24	3.396	-0.712	0.378
22	25	4.225	-0.191	0.366
22	26	3.794	-0.283	0.369
22	27	3.577	-1.049	0.307
22	28	3.247	-0.660	0.588
22	29	3.906	-1.772	0.366
22	30	2.658	-3.226	0.226
22	31	3.153	-3.308	0.330
22	32	2.250	-1.886	0.426
22	33	2.403	-0.631	0.296
22	34	1.734	-0.355	0.611
22	35	2.978	-0.755	0.239
22	36	3.744	-1.558	0.559
22	37	4.747	-1.016	0.268
22	38	4.515	-0.191	0.452
22	39	4.625	-0.692	0.143
22	40	4.399	-1.105	0.310
22	41	3.149	-0.703	0.461
22	42	4.197	-0.799	0.210
22	43	3.806	-0.155	0.243
22	44	4.900	-0.044	0.648
22	45	3.149	-1.006	0.428
22	46	4.351	-1.034	0.238
22	47	2.946	-0.733	0.375
22	48	2.830	-0.707	0.331
22	49	1.946	-0.427	0.452
22	50	3.876	-1.047	0.266
22	51	3.402	-0.660	0.378
22	52	3.937	-0.389	0.317
22	53	3.358	-0.401	0.278
22	54	5.320	0.092	0.456
22	55	5.211	0.106	0.407
22	56	4.409	-0.350	0.223
22	57	3.994	-0.059	0.361
22	58	4.402	-1.027	0.226
22	59	3.932	-0.990	0.305
23	0	3.153	-1.709	0.357
23	1	2.567	-2.520	0.447
23	2	3.846	-3.633	0.082
23	3	3.780	-2.028	0.132
23	4	3.337	-1.457	0.252
23	5	2.188	-0.458	0.340
23	6	2.705	-0.485	0.350
23	7	3.843	-1.292	0.383
23	8	5.276	-0.551	0.513
23	9	4.653	-1.203	0.508
23	10	4.789	-2.614	0.309
23	11	4.258	-1.176	0.283
23	12	4.963	-0.449	0.329
23	13	4.114	-1.358	0.318
23	14	4.449	-0.696	0.592
23	15	3.465	-1.198	0.475
23	16	3.584	-0.308	0.381
23	17	5.376	-1.678	0.392
23	18	2.352	-1.036	0.580
23	19	3.398	-0.462	0.258
23	20	2.175	-1.405	0.169
23	21	1.329	-1.475	0.167

23	22	1.541	-1.389	0.559
23	23	1.228	-1.528	0.189
23	24	2.834	-1.826	0.219
23	25	1.826	-1.828	0.169
23	26	1.509	-0.828	0.390
23	27	2.265	-1.954	0.188
23	28	1.750	-1.478	0.393
23	29	1.963	-0.903	0.073
23	30	1.536	-2.066	0.171
23	31	1.364	-0.854	0.499
23	32	2.054	-1.934	0.298
23	33	2.852	-2.133	0.232
23	34	5.129	-2.072	0.317
23	35	3.397	-2.440	0.451
23	36	3.040	-1.586	0.190
23	37	2.655	-0.615	0.340
23	38	2.310	-0.669	0.210
23	39	1.410	-0.645	0.149
23	40	1.915	-1.420	0.256
23	41	2.307	-2.896	0.182
23	42	2.283	-2.577	0.048
23	43	1.970	-2.035	0.107
23	44	2.287	-1.043	0.146
23	45	1.611	-1.916	0.139
23	46	1.363	-0.448	0.342
23	47	1.376	-0.002	0.342
23	48	2.183	0.457	0.276
23	49	1.900	0.575	0.158
23	50	1.623	0.621	0.204
23	51	2.026	0.620	0.247
23	52	2.732	0.331	0.139
23	53	2.416	0.220	0.203
23	54	2.829	0.577	0.233
23	55	3.027	-0.076	0.219
23	56	2.932	-0.103	0.092
23	57	2.810	-0.153	0.194
23	58	2.864	0.077	0.192
23	59	3.061	-0.158	0.215

08/07/95

0	0	3.398	-0.255	0.147
0	1	3.440	-0.837	0.253
0	2	2.591	-0.121	0.229
0	3	2.212	-0.124	0.203
0	4	2.116	-0.149	0.166
0	5	1.568	-0.109	0.191
0	6	2.343	-0.378	0.062
0	7	1.789	-0.439	0.295
0	8	1.855	-0.662	0.234
0	9	1.450	-1.585	0.083
0	10	2.256	-0.550	0.373
0	11	2.549	-0.373	0.297
0	12	1.944	-0.491	0.194
0	13	2.385	-0.191	0.245
0	14	1.973	0.292	0.237
0	15	2.218	0.631	0.161
0	16	2.369	0.625	0.210
0	17	2.833	0.714	0.132
0	18	3.678	0.729	0.139
0	19	3.866	0.182	0.160
0	20	3.263	0.735	0.228
0	21	3.239	0.620	0.212
0	22	2.776	0.533	0.136
0	23	2.885	0.765	0.186
0	24	2.888	0.553	0.184
0	25	2.509	0.230	0.282
0	26	2.516	0.378	0.288
0	27	2.798	0.878	0.192
0	28	2.862	0.674	0.201
0	29	2.368	0.103	0.155
0	30	2.676	0.286	0.137
0	31	2.549	0.216	0.222
0	32	2.607	0.299	0.124
0	33	2.570	0.219	0.212
0	34	2.155	0.140	0.190
0	35	1.819	0.112	0.123
0	36	2.360	0.149	0.137
0	37	2.382	-0.030	0.137
0	38	2.995	-0.090	0.178

0	39	2.612	-0.132	0.206
0	40	2.975	-0.114	0.172
0	41	2.948	-0.409	0.195
0	42	1.740	-0.493	0.175
0	43	1.808	-0.427	0.109
0	44	2.198	-0.261	0.133
0	45	2.239	-0.492	0.212
0	46	2.635	-0.521	0.212
0	47	2.183	0.139	0.220
0	48	2.503	-0.251	0.228
0	49	2.614	-0.469	0.100
0	50	2.145	-0.414	0.186
0	51	2.658	-0.380	0.131
0	52	2.362	-0.058	0.227
0	53	3.304	-0.177	0.153
0	54	3.388	-0.246	0.156
0	55	3.328	-0.606	0.258
0	56	2.947	-0.392	0.133
0	57	2.206	-0.191	0.284
0	58	1.692	-0.133	0.223
0	59	1.532	-0.104	0.060
1	0	1.620	0.054	0.025
1	1	1.785	-0.047	0.092
1	2	2.563	-0.429	0.140
1	3	2.250	-0.153	0.109
1	4	1.840	-0.251	0.033
1	5	1.519	-0.033	0.083
1	6	2.197	-0.126	0.066
1	7	2.050	-0.398	0.052
1	8	1.459	-0.381	0.061
1	9	1.506	-0.371	0.025
1	10	1.345	-0.243	0.043
1	11	1.440	-0.221	0.056
1	12	1.351	0.077	0.005
1	13	1.155	0.460	0.023
1	14	1.475	-0.086	0.017
1	15	1.174	-0.351	0.056
1	16	1.125	-0.611	0.003
1	17	1.313	-0.477	0.118
1	18	1.206	0.328	0.227
1	19	1.913	0.309	0.076
1	20	1.805	0.666	0.097
1	21	1.568	0.741	0.107
1	22	1.974	0.451	0.133
1	23	2.078	0.410	0.118
1	24	2.012	1.008	0.107
1	25	1.860	0.705	0.069
1	26	1.739	0.739	0.124
1	27	1.643	0.643	0.104
1	28	1.538	1.063	0.045
1	29	1.299	1.112	0.005
1	30	1.047	1.095	0.042
1	31	0.960	0.908	0.024
1	32	1.010	0.979	0.011
1	33	0.684	0.862	0.061
1	34	0.669	0.747	0.053
1	35	0.584	0.859	0.021
1	36	1.358	0.707	0.052
1	37	2.077	0.713	0.094
1	38	2.479	0.074	0.164
1	39	3.028	-0.350	0.131
1	40	2.919	0.157	0.110
1	41	2.404	0.433	0.099
1	42	2.287	0.291	0.123
1	43	2.534	0.666	0.055
1	44	2.309	0.685	0.145
1	45	2.012	0.885	0.120
1	46	2.275	0.495	0.090
1	47	2.521	0.251	0.130
1	48	1.926	0.075	0.068
1	49	2.208	0.458	0.138
1	50	2.511	0.272	0.105
1	51	2.646	0.269	0.122
1	52	2.274	-0.084	0.033
1	53	1.882	-0.082	0.101
1	54	2.339	0.007	0.045
1	55	2.602	0.051	0.082
1	56	2.745	0.004	0.105
1	57	2.411	-0.231	0.116
1	58	1.536	-0.047	0.132





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

1	59	1.966	-0.146	0.145	3	19	1.473	-1.315	0.014	4	39	0.047	0.066	0.019
2	0	2.147	-0.084	0.104	3	20	2.015	-1.395	0.003	4	40	0.000	0.411	0.023
2	1	1.872	0.012	0.061	3	21	1.517	-0.737	0.004	4	41	0.024	0.097	0.054
2	2	2.302	0.057	0.030	3	22	0.980	-0.701	0.017	4	42	0.000	0.534	0.011
2	3	1.951	0.036	0.021	3	23	1.240	-0.614	0.014	4	43	0.002	0.377	0.005
2	4	1.799	0.094	0.057	3	24	1.567	0.018	0.019	4	44	0.108	0.043	0.037
2	5	2.107	-0.017	0.060	3	25	2.140	0.117	0.008	4	45	0.000	0.000	0.009
2	6	1.817	0.088	0.017	3	26	1.917	0.276	0.016	4	46	0.000	0.000	0.003
2	7	1.606	0.100	0.090	3	27	1.779	0.195	0.004	4	47	0.000	0.000	0.000
2	8	1.362	0.225	0.142	3	28	1.757	0.238	0.000	4	48	0.000	0.000	0.005
2	9	1.624	0.115	0.054	3	29	0.272	0.152	0.016	4	49	0.000	0.003	0.006
2	10	1.169	0.138	0.049	3	30	-0.001	0.319	0.032	4	50	0.572	0.000	0.000
2	11	1.846	-0.006	0.057	3	31	0.000	0.646	0.001	4	51	0.922	0.017	0.000
2	12	1.943	0.029	0.036	3	32	0.275	0.314	0.000	4	52	0.606	-0.006	0.000
2	13	2.135	0.263	0.017	3	33	-0.001	0.286	0.062	4	53	0.553	0.000	0.000
2	14	2.267	0.150	0.114	3	34	0.000	0.431	0.011	4	54	1.063	0.000	0.001
2	15	2.048	0.003	0.096	3	35	-0.000	0.586	0.020	4	55	0.776	0.000	0.000
2	16	1.901	0.225	0.073	3	36	0.146	0.965	0.001	4	56	0.906	0.000	0.000
2	17	1.930	-0.003	0.133	3	37	0.000	0.639	0.003	4	57	0.760	0.000	0.019
2	18	2.025	-0.075	0.055	3	38	0.000	0.714	0.000	4	58	0.290	0.039	0.031
2	19	1.789	0.000	0.020	3	39	0.007	0.857	0.000	4	59	-0.006	0.000	0.000
2	20	1.687	-0.063	0.007	3	40	0.521	0.798	0.000	5	0	0.181	0.000	0.000
2	21	1.236	0.000	0.002	3	41	0.648	0.803	0.000	5	1	1.292	0.035	0.004
2	22	1.071	-0.023	0.003	3	42	0.470	0.914	0.000	5	2	2.095	-0.066	0.013
2	23	1.202	-0.168	0.015	3	43	0.668	1.158	0.000	5	3	1.309	-0.211	0.003
2	24	2.187	0.051	0.040	3	44	0.667	1.030	0.005	5	4	1.309	-0.203	0.005
2	25	2.535	-0.106	0.030	3	45	0.797	1.170	0.001	5	5	1.446	0.041	0.004
2	26	2.057	0.240	0.042	3	46	0.666	0.982	0.002	5	6	1.142	0.376	0.000
2	27	1.899	0.025	0.026	3	47	0.522	1.086	0.002	5	7	0.452	0.478	0.002
2	28	1.874	-0.076	0.031	3	48	0.463	0.937	0.002	5	8	0.422	0.076	0.008
2	29	1.261	-0.180	0.001	3	49	0.589	1.083	0.001	5	9	0.513	0.000	0.000
2	30	0.974	-0.051	0.000	3	50	0.323	1.148	0.008	5	10	0.631	0.000	0.000
2	31	1.111	0.002	0.003	3	51	0.586	1.159	0.000	5	11	0.639	-0.033	0.000
2	32	1.061	0.197	0.015	3	52	0.711	1.026	0.003	5	12	0.558	-0.075	0.000
2	33	0.996	0.254	0.029	3	53	0.477	0.922	0.005	5	13	0.569	-0.112	0.000
2	34	1.184	0.000	0.001	3	54	0.359	0.837	0.004	5	14	0.627	0.000	0.000
2	35	1.275	0.020	0.008	3	55	0.183	0.935	0.000	5	15	1.002	0.000	0.000
2	36	1.021	0.010	0.002	3	56	0.052	0.784	0.000	5	16	0.666	-0.107	0.000
2	37	1.031	0.004	0.006	3	57	0.021	0.682	0.004	5	17	0.326	0.001	0.000
2	38	1.191	0.074	0.011	3	58	-0.002	0.840	0.015	5	18	0.682	0.000	0.000
2	39	1.226	-0.013	0.023	3	59	0.000	0.756	0.001	5	19	0.446	0.028	0.003
2	40	1.303	-0.051	0.027	4	0	-0.003	0.434	0.026	5	20	0.649	0.571	0.006
2	41	1.014	-0.001	0.011	4	1	0.000	0.857	0.000	5	21	0.963	0.803	0.007
2	42	1.032	0.000	0.012	4	2	0.019	0.961	0.002	5	22	0.785	0.995	0.001
2	43	0.539	0.000	0.000	4	3	0.391	0.708	0.001	5	23	1.236	0.899	0.005
2	44	0.112	0.000	0.000	4	4	0.031	0.441	0.008	5	24	1.166	0.375	0.001
2	45	0.101	0.001	0.017	4	5	0.009	0.295	0.020	5	25	0.666	0.221	0.005
2	46	0.006	0.000	0.046	4	6	0.000	0.006	0.030	5	26	0.277	0.137	0.008
2	47	0.514	0.000	0.000	4	7	-0.014	0.000	0.025	5	27	0.369	0.000	0.000
2	48	0.885	0.000	0.000	4	8	0.000	0.014	0.062	5	28	0.667	0.000	0.000
2	49	1.326	0.181	0.002	4	9	-0.001	0.231	0.047	5	29	0.743	0.000	0.000
2	50	1.672	-0.226	0.006	4	10	0.000	0.543	0.003	5	30	0.878	-0.014	0.000
2	51	1.066	0.577	0.014	4	11	0.000	0.575	0.002	5	31	0.741	0.000	0.000
2	52	1.697	0.517	0.017	4	12	0.000	0.290	0.007	5	32	0.647	-0.102	0.000
2	53	2.276	0.509	0.031	4	13	0.213	0.094	0.005	5	33	0.084	-0.020	0.000
2	54	1.965	0.713	0.014	4	14	0.324	0.045	0.000	5	34	0.000	-0.075	0.000
2	55	1.864	0.296	0.022	4	15	0.340	0.000	0.016	5	35	0.000	0.000	0.000
2	56	1.359	0.456	0.025	4	16	0.862	0.000	0.000	5	36	0.000	0.000	0.000
2	57	1.298	0.287	0.060	4	17	0.871	0.000	0.000	5	37	0.000	0.000	0.000
2	58	1.716	0.221	0.019	4	18	0.911	0.371	0.000	5	38	0.000	0.024	0.000
2	59	1.153	0.389	0.019	4	19	0.669	0.791	0.001	5	39	0.000	0.003	0.000
3	0	0.963	0.157	0.034	4	20	0.608	0.567	0.000	5	40	0.000	0.011	0.007
3	1	0.447	0.530	0.001	4	21	0.581	0.477	0.000	5	41	0.000	0.043	0.016
3	2	0.038	0.218	0.017	4	22	1.061	0.429	0.011	5	42	-0.002	0.485	0.010
3	3	0.124	0.060	0.035	4	23	1.303	0.000	0.000	5	43	-0.007	0.621	0.002
3	4	0.198	-0.038	0.034	4	24	1.030	0.000	0.008	5	44	0.000	0.678	0.002
3	5	0.317	-0.215	0.020	4	25	1.076	0.000	0.002	5	45	0.000	0.820	0.000
3	6	0.682	-0.124	0.047	4	26	0.813	0.000	0.000	5	46	0.000	0.730	0.012
3	7	0.851	0.683	0.025	4	27	0.265	0.000	0.010	5	47	0.000	0.540	0.003
3	8	1.389	0.808	0.011	4	28	0.000	-0.116	0.002	5	48	-0.001	0.531	0.001
3	9	1.407	0.555	0.006	4	29	-0.840	-0.640	0.000	5	49	0.000	0.507	0.015
3	10	1.333	0.343	0.019	4	30	-0.661	-0.847	0.000	5	50	-0.003	0.454	0.021
3	11	1.505	0.454	0.013	4	31	-0.150	-0.671	0.000	5	51	0.001	0.147	0.053
3	12	1.529	0.320	0.009	4	32	0.609	0.003	0.000	5	52	-0.001	0.000	0.013
3	13	1.577	0.260	0.015	4	33	0.897	0.605	0.012	5	53	0.000	0.000	0.000
3	14	2.049	0.390	0.013	4	34	1.076	0.913	0.001	5	54	0.000	0.000	0.000
3	15	1.992	0.308	0.024	4	35	0.790	0.882	0.001	5	55	0.000	0.007	0.018
3	16	1.899	0.079	0.011	4	36	0.483	0.621	0.011	5	56	0.000	0.445	0.012
3	17	1.520	-0.040	0.004	4	37	0.561	0.861	0.003	5	57	0.000	0.511	0.002
3	18	1.173	-0.512	0.015	4	38	0.284	0.617	0.009	5	58	0.000	0.594	0.006





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

5	59	0.000	0.787	0.000	7	19	1.677	0.080	0.005	8	39	1.936	0.949	0.008
6	0	0.000	0.971	0.000	7	20	1.692	0.439	0.022	8	40	1.899	1.080	0.005
6	1	0.098	0.970	0.000	7	21	1.948	0.434	0.010	8	41	2.114	0.164	0.029
6	2	0.241	0.829	0.000	7	22	2.201	0.259	0.004	8	42	1.658	0.113	0.006
6	3	0.282	0.900	0.002	7	23	2.811	0.520	0.011	8	43	2.338	0.297	0.017
6	4	0.096	0.953	0.001	7	24	2.564	1.261	0.014	8	44	2.334	0.305	0.023
6	5	-0.000	0.589	0.002	7	25	1.904	0.695	0.015	8	45	2.197	0.763	0.034
6	6	0.000	0.662	0.003	7	26	2.432	0.980	0.003	8	46	2.641	1.148	0.017
6	7	0.000	0.310	0.029	7	27	2.083	1.047	0.021	8	47	2.225	1.286	0.012
6	8	0.000	0.000	0.003	7	28	2.822	1.737	0.020	8	48	2.166	1.534	0.028
6	9	0.447	0.145	0.000	7	29	2.779	1.708	0.012	8	49	2.656	2.324	0.032
6	10	0.950	0.028	0.001	7	30	3.330	1.040	0.007	8	50	3.177	1.743	0.017
6	11	0.841	0.000	0.000	7	31	2.741	1.269	0.010	8	51	3.017	0.813	0.043
6	12	0.315	0.106	0.000	7	32	2.026	0.984	0.013	8	52	2.998	1.034	0.031
6	13	0.120	0.000	0.000	7	33	2.813	1.558	0.008	8	53	3.599	1.286	0.046
6	14	0.000	0.000	0.003	7	34	2.034	1.349	0.012	8	54	3.671	0.741	0.052
6	15	0.430	0.000	0.000	7	35	2.116	0.876	0.019	8	55	3.482	1.488	0.061
6	16	1.134	0.000	0.000	7	36	1.636	0.939	0.019	8	56	4.219	2.049	0.049
6	17	1.059	0.000	0.000	7	37	2.110	0.684	0.015	8	57	4.116	2.114	0.047
6	18	1.407	0.154	0.000	7	38	2.317	1.032	0.010	8	58	3.872	1.924	0.047
6	19	1.155	0.074	0.000	7	39	1.943	0.803	0.011	8	59	3.956	1.636	0.050
6	20	0.822	0.000	0.000	7	40	2.270	1.423	0.033	9	0	3.084	0.238	0.031
6	21	0.980	0.000	0.000	7	41	2.605	0.755	0.008	9	1	3.083	0.253	0.037
6	22	1.003	0.000	0.000	7	42	2.248	0.560	0.015	9	2	4.219	0.184	0.016
6	23	0.678	0.164	0.001	7	43	3.221	1.795	0.013	9	3	5.333	2.104	0.036
6	24	0.741	0.012	0.002	7	44	2.643	0.399	0.029	9	4	4.493	1.135	0.060
6	25	1.066	0.001	0.000	7	45	2.788	0.986	0.027	9	5	4.376	0.911	0.056
6	26	1.154	0.140	0.000	7	46	3.206	0.784	0.016	9	6	5.237	0.362	0.046
6	27	1.351	0.043	0.000	7	47	2.769	1.035	0.025	9	7	4.745	0.250	0.097
6	28	1.276	0.287	0.004	7	48	3.207	0.993	0.020	9	8	5.053	0.539	0.050
6	29	1.291	0.466	0.001	7	49	3.045	1.263	0.025	9	9	4.725	0.630	0.059
6	30	0.996	0.262	0.004	7	50	2.710	1.147	0.029	9	10	5.900	1.442	0.095
6	31	1.202	0.491	0.006	7	51	3.269	1.834	0.005	9	11	4.900	1.832	0.075
6	32	1.234	0.883	0.000	7	52	3.591	1.471	0.004	9	12	4.423	1.104	0.079
6	33	0.528	0.247	0.004	7	53	3.758	1.534	0.007	9	13	4.565	0.695	0.056
6	34	0.733	0.125	0.000	7	54	3.929	0.704	0.009	9	14	3.914	0.945	0.121
6	35	1.309	0.106	0.002	7	55	2.615	0.763	0.047	9	15	4.531	2.026	0.047
6	36	1.231	0.222	0.004	7	56	2.746	1.680	0.017	9	16	3.808	2.259	0.105
6	37	1.570	0.243	0.006	7	57	3.449	1.227	0.011	9	17	4.921	2.277	0.087
6	38	2.302	0.462	0.002	7	58	3.063	0.575	0.012	9	18	5.889	2.130	0.086
6	39	2.398	0.000	0.012	7	59	2.475	0.548	0.036	9	19	5.002	0.608	0.132
6	40	2.748	-0.211	0.007	8	0	2.913	0.499	0.043	9	20	4.224	0.767	0.078
6	41	2.346	0.153	0.002	8	1	3.896	1.472	0.012	9	21	3.568	0.752	0.107
6	42	2.108	0.143	0.009	8	2	3.167	1.614	0.017	9	22	3.701	0.503	0.063
6	43	2.621	0.068	0.006	8	3	3.069	1.851	0.032	9	23	2.774	0.225	0.125
6	44	2.683	0.019	0.009	8	4	3.723	0.525	0.016	9	24	4.833	0.428	0.019
6	45	1.942	0.164	0.000	8	5	3.469	0.932	0.020	9	25	3.524	0.176	0.031
6	46	1.591	0.025	0.001	8	6	2.921	0.982	0.042	9	26	3.011	-0.339	0.080
6	47	1.772	0.143	0.001	8	7	2.966	1.266	0.024	9	27	4.191	-0.690	0.018
6	48	2.372	0.084	0.005	8	8	3.768	1.689	0.028	9	28	4.108	-1.707	0.045
6	49	2.471	0.154	0.002	8	9	3.159	1.360	0.014	9	29	4.220	-0.981	0.036
6	50	2.408	0.102	0.000	8	10	2.719	1.061	0.036	9	30	2.527	-0.699	0.069
6	51	1.955	0.386	0.001	8	11	2.900	1.668	0.052	9	31	3.492	-0.259	0.079
6	52	2.166	0.347	0.000	8	12	2.273	0.780	0.098	9	32	4.668	-0.159	0.024
6	53	1.512	-0.056	0.000	8	13	2.468	0.562	0.034	9	33	4.561	-0.523	0.046
6	54	1.651	-0.006	0.002	8	14	2.939	0.221	0.078	9	34	3.594	-0.054	0.092
6	55	1.876	0.048	0.002	8	15	3.295	0.533	0.019	9	35	4.125	1.366	0.027
6	56	1.875	0.187	0.001	8	16	3.515	1.713	0.077	9	36	3.812	0.447	0.018
6	57	1.358	-0.031	0.001	8	17	3.141	1.370	0.090	9	37	4.527	0.581	0.057
6	58	1.463	0.000	0.001	8	18	3.227	0.328	0.070	9	38	5.486	1.757	0.043
6	59	1.549	0.075	0.001	8	19	3.278	0.817	0.031	9	39	4.854	1.057	0.088
7	0	1.618	0.488	0.003	8	20	3.529	1.790	0.028	9	40	5.609	0.101	0.071
7	1	1.804	0.165	0.002	8	21	3.847	1.778	0.025	9	41	4.116	-0.011	0.019
7	2	1.435	0.052	0.002	8	22	2.821	1.086	0.037	9	42	3.439	0.798	0.118
7	3	2.459	0.039	0.007	8	23	2.893	0.900	0.038	9	43	4.768	0.710	0.034
7	4	1.901	-0.249	0.020	8	24	3.342	0.994	0.027	9	44	3.288	0.404	0.059
7	5	1.993	-0.123	0.004	8	25	2.892	0.957	0.029	9	45	4.883	1.420	0.019
7	6	1.758	-0.033	0.001	8	26	2.452	0.268	0.051	9	46	4.844	0.469	0.038
7	7	1.957	-0.037	0.004	8	27	2.574	0.198	0.035	9	47	3.954	0.246	0.054
7	8	2.150	0.049	0.011	8	28	2.798	0.852	0.004	9	48	3.693	-0.228	0.064
7	9	1.536	-0.533	0.004	8	29	2.967	1.440	0.019	9	49	4.088	-0.267	0.043
7	10	1.861	-0.574	0.006	8	30	2.276	1.544	0.022	9	50	2.742	0.027	0.056
7	11	1.351	0.030	0.003	8	31	2.342	1.663	0.014	9	51	3.308	1.550	0.017
7	12	0.802	-0.218	0.004	8	32	3.182	1.919	0.014	9	52	4.264	1.953	0.031
7	13	1.336	0.176	0.003	8	33	3.177	2.203	0.020	9	53	4.128	0.698	0.106
7	14	1.593	-0.013	0.002	8	34	2.440	2.129	0.023	9	54	5.630	-0.275	0.032
7	15	1.623	-0.026	0.008	8	35	2.940	2.026	0.020	9	55	5.064	0.673	0.038
7	16	1.703	0.191	0.008	8	36	3.034	1.795	0.008	9	56	4.713	1.301	0.026
7	17	1.890	0.249	0.007	8	37	1.588	1.487	0.005	9	57	4.093	2.042	0.051
7	18	1.945	0.358	0.005	8	38	2.189	1.194	0.005	9	58	4.165	1.043	0.031





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

10	0	3.871	0.498	0.952
10	1	3.675	1.582	0.064
10	2	2.384	-0.292	0.075
10	3	3.511	1.120	0.055
10	4	4.853	1.981	0.078
10	5	5.530	2.196	0.084
10	6	4.383	1.557	0.037
10	7	3.776	1.510	0.087
10	8	3.495	1.703	0.097
10	9	4.468	2.846	0.085
10	10	4.153	1.689	0.057
10	11	3.924	2.420	0.047
10	12	3.545	2.385	0.117
10	13	3.376	2.396	0.140
10	14	3.075	0.958	0.107
10	15	2.909	1.263	0.087
10	16	1.924	0.022	0.231
10	17	2.935	0.569	0.062
10	18	4.087	0.392	0.061
10	19	2.527	0.355	0.017
10	20	2.203	0.130	0.183
10	21	2.496	0.001	0.103
10	22	2.968	0.564	0.109
10	23	4.112	2.352	0.130
10	24	3.638	1.228	0.103
10	25	2.302	0.014	0.125
10	26	3.756	0.099	0.073
10	27	3.693	-0.157	0.091
10	28	4.129	-0.118	0.067
10	29	3.144	0.554	0.094
10	30	2.999	0.513	0.029
10	31	2.520	0.328	0.065
10	32	2.961	0.721	0.071
10	33	4.253	-0.028	0.046
10	34	3.372	0.506	0.141
10	35	3.446	0.185	0.054
10	36	3.234	0.064	0.177
10	37	3.451	-0.039	0.020
10	38	3.418	0.262	0.062
10	39	3.516	0.979	0.095
10	40	3.370	1.260	0.044
10	41	3.811	0.051	0.031
10	42	2.399	0.206	0.103
10	43	3.027	0.088	0.047
10	44	3.567	-0.170	0.070
10	45	3.216	-0.207	0.030
10	46	4.175	1.797	0.118
10	47	4.585	2.484	0.088
10	48	3.951	2.219	0.031
10	49	3.509	2.143	0.034
10	50	2.813	1.562	0.051
10	51	3.933	2.084	0.131
10	52	4.793	2.595	0.111
10	53	4.857	2.695	0.148
10	54	5.407	2.940	0.051
10	55	4.272	1.708	0.092
10	56	4.474	0.787	0.106
10	57	4.003	1.151	0.056
10	58	3.785	1.720	0.091
10	59	3.800	1.305	0.023
11	0	3.216	1.345	0.027
11	1	3.797	0.607	0.061
11	2	4.487	0.281	0.068
11	3	3.141	0.271	0.075
11	4	3.435	0.492	0.054
11	5	4.151	0.031	0.091
11	6	4.173	1.144	0.056
11	7	3.967	1.739	0.087
11	8	3.900	1.406	0.134
11	9	3.844	1.274	0.071
11	10	3.880	1.110	0.079
11	11	4.433	-0.005	0.091
11	12	3.788	-0.012	0.093
11	13	3.559	-0.502	0.057





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

R M YOUNG 26700 SERIES
DATA TRANSLATOR/RECORDER

Time U V W
hour mins M/S M/S M/S

08/07/95

14	33	4.202	0.363	0.378	15	44	5.712	0.720	0.440	17	4	3.100	0.174	0.186
14	34	3.428	0.700	0.388	15	45	5.742	1.231	0.261	17	5	3.969	0.006	0.189
14	35	4.024	1.234	0.285	15	46	4.699	1.305	0.335	17	6	2.802	0.111	0.445
14	36	5.002	1.491	0.174	15	47	5.785	1.549	0.398	17	7	3.891	0.443	0.191
14	37	4.667	0.762	0.229	15	48	4.029	0.678	0.456	17	8	3.283	0.173	0.281
14	38	5.424	0.258	0.324	15	49	5.475	2.072	0.319	17	9	3.928	0.325	0.376
14	39	5.176	1.499	0.312	15	50	6.319	1.743	0.367	17	10	4.034	0.136	0.173
14	40	5.463	0.450	0.214	15	51	5.098	1.234	0.488	17	11	4.479	-0.108	0.138
14	41	3.820	-0.309	0.322	15	52	5.811	1.040	0.302	17	12	3.296	0.292	0.253
14	42	4.525	0.971	0.344	15	53	4.753	1.604	0.307	17	13	3.834	0.085	0.195
14	43	5.033	0.115	0.259	15	54	4.054	1.810	0.379	17	14	3.242	0.265	0.203
14	44	5.253	-0.083	0.436	15	55	6.507	2.682	0.341	17	15	4.170	0.850	0.308
14	45	4.594	0.121	0.297	15	56	6.341	2.732	0.474	17	16	4.225	1.125	0.217
14	46	5.141	0.234	0.348	15	57	6.185	1.862	0.434	17	17	3.336	1.067	0.293
14	47	4.420	0.159	0.297	15	58	6.107	0.811	0.396	17	18	4.107	1.135	0.102
14	48	4.278	-0.140	0.315	15	59	5.166	1.487	0.438	17	19	3.002	0.007	0.412
14	49	2.869	-0.333	0.222	16	0	5.116	2.249	0.355	17	20	3.230	0.700	0.180
14	50	3.669	-0.088	0.084	16	1	5.312	2.186	0.511	17	21	4.304	0.513	0.250
14	51	3.359	-1.751	0.207	16	2	5.489	1.546	0.502	17	22	3.252	0.525	0.292
14	52	3.134	0.104	0.505	16	3	6.527	1.804	0.434	17	23	3.681	1.122	0.261
14	53	3.667	0.850	0.430	16	4	5.767	1.656	0.406	17	24	4.159	0.641	0.252
14	54	3.388	0.735	0.396	16	5	4.691	0.834	0.646	17	25	4.361	1.495	0.194
14	55	3.216	0.936	0.438	16	6	3.904	0.703	0.748	17	26	3.888	1.363	0.146
14	56	3.168	0.904	0.280	16	7	5.776	0.971	0.392	17	27	3.728	2.251	0.250
14	57	2.984	0.540	0.280	16	8	5.255	1.099	0.278	17	28	3.120	1.990	0.220
14	58	2.776	0.302	0.316	16	9	3.339	0.159	0.737	17	29	2.990	1.931	0.209
14	59	2.929	-0.501	0.274	16	10	4.004	0.049	0.518	17	30	2.613	2.069	0.115
15	0	2.171	0.137	0.339	16	11	3.578	0.082	0.435	17	31	3.199	2.574	0.156
15	1	2.748	0.718	0.363	16	12	4.803	0.868	0.388	17	32	3.566	2.228	0.228
15	2	2.666	0.738	0.004	16	13	5.772	0.145	0.423	17	33	3.126	1.902	0.269
15	3	2.682	1.063	0.001	16	14	4.842	0.673	0.374	17	34	3.262	2.217	0.176
15	4	3.571	0.109	0.027	16	15	5.053	0.866	0.176	17	35	2.810	1.983	0.137
15	5	3.367	0.494	0.120	16	16	3.853	-0.309	0.361	17	36	2.667	1.486	0.221
15	6	3.803	0.451	0.139	16	17	3.839	-0.107	0.302	17	37	2.481	1.669	0.138
15	7	3.611	0.203	0.041	16	18	3.865	-0.477	0.185	17	38	3.671	1.976	0.117
15	8	2.765	0.040	0.230	16	19	3.786	-0.225	0.258	17	39	2.850	1.333	0.195
15	9	2.421	0.376	0.245	16	20	3.837	0.088	0.407	17	40	2.988	0.199	0.226
15	10	3.092	0.456	0.366	16	21	3.222	0.126	0.570	17	41	2.683	0.645	0.415
15	11	3.422	0.021	0.167	16	22	3.527	-0.118	0.256	17	42	3.398	1.527	0.148
15	12	2.881	-0.222	0.207	16	23	2.531	-0.389	0.191	17	43	4.116	0.718	0.213
15	13	2.148	0.121	0.136	16	24	3.763	-0.068	0.250	17	44	3.414	-0.081	0.267
15	14	3.494	1.460	0.207	16	25	4.328	-0.090	0.140	17	45	4.075	0.320	0.178
15	15	3.596	1.613	0.506	16	26	5.028	0.172	0.283	17	46	4.336	0.382	0.187
15	16	2.701	0.728	0.771	16	27	4.177	-0.049	0.392	17	47	5.224	-0.168	0.151
15	17	2.762	0.349	0.326	16	28	3.607	-1.050	0.192	17	48	3.552	-0.002	0.294
15	18	3.816	0.583	0.469	16	29	3.992	-1.152	0.193	17	49	3.261	-0.008	0.179
15	19	4.408	0.728	0.202	16	30	3.866	-0.691	0.403	17	50	3.545	0.483	0.194
15	20	3.954	-0.201	0.218	16	31	4.419	-0.500	0.458	17	51	3.543	0.182	0.132
15	21	3.081	-0.060	0.496	16	32	4.415	0.210	0.271	17	52	3.821	-0.004	0.181
15	22	3.357	-0.207	0.205	16	33	4.338	0.104	0.325	17	53	3.509	0.013	0.159
15	23	3.744	0.156	0.177	16	34	5.562	0.049	0.361	17	54	2.869	0.216	0.250
15	24	3.649	0.056	0.132	16	35	4.461	-0.122	0.228	17	55	3.277	0.594	0.085
15	25	3.271	1.019	0.098	16	36	3.610	0.156	0.021	17	56	3.411	0.367	0.147
15	26	3.190	0.215	0.350	16	37	3.912	1.335	0.189	17	57	4.254	0.029	0.122
15	27	2.589	0.399	0.603	16	38	3.633	0.100	0.371	17	58	3.922	0.256	0.161
15	28	3.932	2.232	0.291	16	39	4.356	-0.170	0.286	17	59	3.948	0.791	0.339
15	29	4.251	2.780	0.361	16	40	4.349	0.027	0.271	18	0	4.242	0.145	0.291
15	30	4.143	1.667	0.243	16	41	5.324	0.270	0.266	18	1	4.357	-0.024	0.213
15	31	3.778	-0.122	0.360	16	42	4.172	0.043	0.372	18	2	3.649	0.860	0.299
15	32	3.450	0.032	0.242	16	43	4.077	0.280	0.222	18	3	4.088	0.420	0.125
15	33	4.573	1.637	0.327	16	44	5.110	0.242	0.287	18	4	4.227	0.083	0.145
15	34	4.539	2.064	0.348	16	45	5.730	0.126	0.249	18	5	3.499	0.150	0.208
15	35	4.233	2.296	0.420	16	46	3.489	-0.519	0.304	18	6	3.767	0.524	0.362
15	36	4.451	2.006	0.368	16	47	3.376	-0.333	0.217	18	7	4.067	-0.029	0.355
15	37	4.888	1.062	0.295	16	48	3.331	-0.024	0.234	18	8	3.845	0.592	0.148
15	38	5.805	2.794	0.362	16	49	3.813	0.007	0.188	18	9	2.742	0.507	0.291
15	39	5.988	3.116	0.378	16	50	3.447	0.097	0.172	18	10	3.419	0.132	0.271
15	40	5.791	2.611	0.354	16	51	3.288	-0.196	0.283	18	11	3.943	0.114	0.164
15	41	5.130	1.127	0.529	16	52	5.036	0.095	0.275	18	12	4.076	0.061	0.148
15	42	5.113	0.664	0.320	16	53	3.466	-0.639	0.422	18	13	3.288	-0.196	0.376
15	43	5.682	0.913	0.374	16	54	4.553	0.135	0.286	18	14	3.133	0.283	0.198
					16	55	5.794	-0.095	0.367	18	15	3.543	0.680	0.126
					16	56	3.258	-0.574	0.458	18	16	2.872	1.176	0.140
					16	57	3.484	-0.118	0.252	18	17	3.293	0.053	0.142
					16	58	3.525	-0.243	0.347	18	18	3.347	0.428	0.148
					16	59	3.853	-1.227	0.395	18	19	3.421	0.856	0.201
					17	0	2.839	-0.039	0.300	18	20	4.039	0.459	0.195
					17	1	2.667	-0.141	0.382	18	21	3.059	-0.086	0.141
					17	2	2.982	0.554	0.287	18	22	4.298	-0.013	0.125
					17	3	2.534	0.257	0.331	18	23	3.816	-0.112	0.195



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

18	24	2.845	0.119	0.204	19	44	1.724	-0.058	0.126	21	4	2.000	0.155	0.179
18	25	3.801	-0.202	0.100	19	45	1.296	0.079	0.124	21	5	2.272	0.578	0.129
18	26	2.953	-0.092	0.202	19	46	1.854	0.109	0.141	21	6	2.390	0.619	0.079
18	27	2.488	0.563	0.089	19	47	2.068	0.163	0.037	21	7	2.881	0.330	0.078
18	28	2.916	0.088	0.200	19	48	1.902	0.078	0.016	21	8	2.018	0.481	0.196
18	29	2.811	0.009	0.180	19	49	1.835	0.131	0.095	21	9	1.787	0.511	0.145
18	30	2.633	-0.065	0.170	19	50	1.410	0.317	0.084	21	10	2.218	0.169	0.116
18	31	2.090	0.254	0.136	19	51	1.559	0.002	0.071	21	11	2.128	0.494	0.119
18	32	3.672	0.185	0.169	19	52	1.308	0.534	0.092	21	12	3.004	0.419	0.090
18	33	3.085	-0.075	0.206	19	53	1.944	0.005	0.109	21	13	2.573	0.243	0.074
18	34	3.988	-0.407	0.156	19	54	2.265	-0.005	0.025	21	14	2.328	0.232	0.190
18	35	4.340	0.081	0.182	19	55	2.004	-0.005	0.055	21	15	2.605	0.417	0.168
18	36	4.053	0.137	0.146	19	56	2.494	0.080	0.050	21	16	2.529	0.117	0.095
18	37	3.469	0.185	0.134	19	57	2.499	-0.034	0.034	21	17	1.971	0.089	0.122
18	38	3.715	0.151	0.157	19	58	2.679	0.025	0.112	21	18	2.675	-0.064	0.083
18	39	3.623	-0.013	0.112	19	59	2.989	-0.046	0.060	21	19	2.147	-0.023	0.108
18	40	4.006	-0.188	0.124	20	0	2.470	-0.076	0.046	21	20	1.610	0.020	0.142
18	41	3.347	-0.634	0.058	20	1	2.164	0.111	0.050	21	21	1.765	0.163	0.195
18	42	2.062	-0.655	0.218	20	2	2.540	-0.013	0.062	21	22	2.222	0.463	0.107
18	43	2.170	-0.375	0.245	20	3	2.740	-0.005	0.059	21	23	3.045	0.403	0.075
18	44	3.935	-0.116	0.099	20	4	2.122	0.047	0.067	21	24	2.732	0.376	0.155
18	45	4.042	-0.811	0.165	20	5	2.627	0.008	0.067	21	25	3.149	0.409	0.104
18	46	2.461	-0.960	0.230	20	6	2.598	0.001	0.066	21	26	2.282	0.393	0.086
18	47	2.961	-0.008	0.153	20	7	2.938	0.074	0.037	21	27	2.367	0.435	0.138
18	48	3.837	0.105	0.189	20	8	3.095	0.235	0.117	21	28	2.902	0.874	0.076
18	49	3.042	-0.019	0.046	20	9	2.974	0.151	0.133	21	29	3.189	1.110	0.107
18	50	2.778	-0.040	0.084	20	10	3.065	0.423	0.069	21	30	2.796	0.406	0.118
18	51	2.244	-0.053	0.172	20	11	2.981	0.186	0.048	21	31	2.572	0.710	0.108
18	52	2.865	-0.192	0.092	20	12	2.230	0.575	0.075	21	32	3.174	1.047	0.101
18	53	2.470	0.003	0.235	20	13	2.586	0.278	0.048	21	33	3.508	0.935	0.180
18	54	2.451	-0.337	0.221	20	14	2.799	-0.038	0.115	21	34	3.196	1.045	0.094
18	55	1.690	-0.647	0.183	20	15	2.273	0.168	0.118	21	35	3.005	0.475	0.174
18	56	3.109	-0.076	0.128	20	16	2.482	0.189	0.150	21	36	2.867	0.336	0.155
18	57	2.971	-0.555	0.204	20	17	2.156	0.101	0.095	21	37	3.737	1.176	0.138
18	58	1.989	-0.242	0.240	20	18	2.163	0.146	0.046	21	38	3.457	0.571	0.129
18	59	3.015	0.012	0.166	20	19	2.290	0.186	0.045	21	39	3.372	0.174	0.037
19	0	3.759	-0.973	0.069	20	20	2.392	0.284	0.073	21	40	3.668	0.250	0.074
19	1	2.634	-0.196	0.108	20	21	2.185	0.280	0.084	21	41	3.275	0.400	0.133
19	2	2.504	-0.066	0.163	20	22	1.999	0.125	0.100	21	42	3.280	0.283	0.053
19	3	3.853	-0.374	0.175	20	23	1.914	0.351	0.066	21	43	2.566	0.412	0.147
19	4	4.109	0.093	0.153	20	24	2.141	0.170	0.069	21	44	2.851	0.394	0.100
19	5	3.550	-1.205	0.107	20	25	2.097	0.298	0.061	21	45	2.833	0.763	0.107
19	6	3.261	-1.674	0.095	20	26	2.341	0.396	0.068	21	46	2.705	0.282	0.080
19	7	2.702	-0.120	0.174	20	27	2.699	0.224	0.119	21	47	2.158	0.202	0.165
19	8	3.109	-0.685	0.119	20	28	2.602	0.243	0.037	21	48	2.147	0.350	0.135
19	9	2.546	-1.785	0.168	20	29	2.243	0.197	0.091	21	49	2.438	0.822	0.065
19	10	3.218	-0.712	0.117	20	30	2.538	0.317	0.071	21	50	2.282	0.467	0.095
19	11	3.435	-0.627	0.104	20	31	2.192	0.116	0.094	21	51	2.437	0.540	0.126
19	12	2.430	-0.135	0.188	20	32	2.586	0.114	0.067	21	52	2.364	0.392	0.104
19	13	3.725	-0.142	0.126	20	33	2.398	0.186	0.094	21	53	2.603	0.415	0.099
19	14	3.096	-0.553	0.116	20	34	2.420	0.327	0.087	21	54	2.506	0.043	0.074
19	15	3.504	-0.799	0.109	20	35	2.632	0.370	0.038	21	55	2.027	0.019	0.094
19	16	4.166	-1.981	0.069	20	36	2.319	0.195	0.079	21	56	2.294	0.108	0.040
19	17	3.004	-1.566	0.039	20	37	2.042	0.070	0.071	21	57	2.399	0.137	0.076
19	18	2.422	-0.697	0.143	20	38	2.435	0.367	0.020	21	58	3.242	0.505	0.066
19	19	3.445	-0.547	0.100	20	39	2.296	0.398	0.059	21	59	2.737	0.397	0.105
19	20	3.664	-1.463	0.103	20	40	2.397	0.456	0.051	22	0	3.416	0.412	0.090
19	21	2.519	-0.367	0.114	20	41	2.396	0.398	0.065	22	1	2.122	0.056	0.146
19	22	3.153	-0.558	0.126	20	42	2.209	0.514	0.021	22	2	2.162	0.008	0.094
19	23	4.239	-1.621	0.136	20	43	2.301	0.762	0.057	22	3	2.178	0.047	0.126
19	24	2.862	-0.746	0.135	20	44	2.562	0.734	0.091	22	4	2.799	-0.019	0.085
19	25	3.541	-0.097	0.131	20	45	2.087	0.484	0.076	22	5	2.386	0.004	0.083
19	26	4.164	-0.203	0.165	20	46	2.562	0.460	0.051	22	6	2.634	0.350	0.122
19	27	4.389	-0.147	0.082	20	47	2.579	0.651	0.075	22	7	3.312	-0.107	0.047
19	28	3.870	-0.024	0.111	20	48	2.725	0.519	0.067	22	8	3.798	0.165	0.047
19	29	4.117	-0.299	0.161	20	49	2.408	0.458	0.084	22	9	2.452	0.059	0.167
19	30	4.573	0.041	0.165	20	50	2.495	0.665	0.124	22	10	2.728	0.056	0.097
19	31	3.712	-0.306	0.103	20	51	2.229	0.071	0.183	22	11	2.267	0.299	0.121
19	32	3.501	0.171	0.103	20	52	2.317	0.127	0.148	22	12	1.794	0.139	0.169
19	33	2.652	0.295	0.064	20	53	2.700	0.362	0.060	22	13	2.593	0.012	0.081
19	34	2.252	0.194	0.092	20	54	2.691	0.513	0.113	22	14	2.523	0.035	0.103
19	35	2.589	0.304	0.077	20	55	2.611	0.329	0.092	22	15	2.410	0.424	0.101
19	36	2.080	0.363	0.060	20	56	3.224	0.286	0.143	22	16	2.735	0.276	0.033
19	37	2.894	0.268	0.100	20	57	2.857	0.113	0.111	22	17	2.999	0.542	0.113
19	38	2.167	0.118	0.125	20	58	2.990	0.388	0.074	22	18	3.174	0.092	0.089
19	39	2.682	0.033	0.045	20	59	2.156	0.343	0.137	22	19	2.801	0.423	0.130
19	40	2.311	0.018	0.082	21	0	1.814	0.374	0.100	22	20	2.668	0.392	0.100
19	41	2.529	0.164	0.069	21	1	2.482	0.878	0.067	22	21	2.106	0.193	0.139
19	42	2.345	0.003	0.075	21	2	2.199	0.122	0.110	22	22	2.747	0.074	0.070
19	43	1.951	0.175	0.081	21	3	2.438	0.171	0.083	22	23	3.442	0.003	0.107





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

22	24	2.701	0.269	0.041	23	44	3.810	0.670	0.094	1	1	1.567	0.691	0.107
22	25	2.159	0.040	0.085	23	45	3.247	0.061	0.078	1	2	2.654	0.715	0.054
22	26	1.794	0.355	0.103	23	46	3.349	0.544	0.020	1	3	2.385	0.486	0.068
22	27	1.676	0.262	0.160	23	47	3.182	0.884	0.047	1	4	2.526	0.647	0.096
22	28	2.139	0.500	0.067	23	48	3.160	0.550	0.062	1	5	2.864	0.884	0.058
22	29	2.598	0.387	0.043	23	49	2.546	0.717	0.108	1	6	2.186	0.544	0.066
22	30	2.761	0.072	0.179	23	50	3.213	1.318	0.086	1	7	2.178	0.710	0.119
22	31	2.101	0.278	0.076	23	51	2.797	0.487	0.084	1	8	2.393	0.177	0.041
22	32	2.699	0.606	0.061	23	52	1.695	1.029	0.113	1	9	2.669	0.185	0.016
22	33	2.649	0.357	0.102	23	53	2.891	0.748	0.085	1	10	1.797	0.035	0.074
22	34	2.863	0.350	0.076	23	54	3.265	0.832	0.034	1	11	2.325	-0.006	0.034
22	35	2.662	0.289	0.119	23	55	3.930	1.284	0.076	1	12	1.843	0.186	0.083
22	36	3.795	0.908	0.126	23	56	3.320	0.882	0.040	1	13	1.680	-0.003	0.033
22	37	3.067	0.251	0.152	23	57	2.735	0.970	0.088	1	14	1.276	0.023	0.111
22	38	2.542	0.330	0.115	23	58	3.088	0.518	0.069	1	15	1.436	0.219	0.017
22	39	2.917	0.687	0.052	23	59	3.263	0.341	0.062	1	16	2.226	0.321	0.006
22	40	2.769	0.649	0.068						1	17	2.464	-0.061	0.010
22	41	2.493	0.354	0.058						1	18	2.169	0.174	0.013
22	42	2.534	0.709	0.063	09/07/95					1	19	1.924	-0.015	0.032
22	43	2.931	0.193	0.072	0	0	3.057	0.657	0.088	1	20	1.924	0.003	0.016
22	44	3.985	0.528	0.074	0	1	3.747	0.582	0.052	1	21	2.239	0.231	0.018
22	45	3.056	0.296	0.125	0	2	3.431	0.669	0.037	1	22	2.810	0.014	0.015
22	46	3.336	0.032	0.067	0	3	3.989	0.993	0.045	1	23	2.758	0.792	0.040
22	47	2.816	0.764	0.066	0	4	3.636	0.881	0.027	1	24	2.082	0.201	0.027
22	48	3.252	0.890	0.031	0	5	3.151	0.656	0.052	1	25	1.928	0.281	0.000
22	49	2.914	0.392	0.138	0	6	3.292	0.774	0.126	1	26	1.528	0.446	0.030
22	50	3.244	0.061	0.090	0	7	3.675	1.129	0.071	1	27	1.376	0.023	0.022
22	51	2.685	0.358	0.061	0	8	2.868	0.069	0.074	1	28	1.436	0.323	0.013
22	52	2.578	0.108	0.107	0	9	2.848	0.781	0.117	1	29	1.492	0.339	0.001
22	53	2.602	0.050	0.088	0	10	2.971	0.391	0.083	1	30	1.303	1.042	0.001
22	54	3.774	0.768	0.068	0	11	2.936	0.162	0.070	1	31	1.938	0.670	0.000
22	55	3.936	0.310	0.086	0	12	4.218	0.417	0.087	1	32	1.392	0.310	0.005
22	56	3.687	0.485	0.055	0	13	3.884	0.105	0.109	1	33	0.928	0.149	0.012
22	57	3.552	0.307	0.068	0	14	3.095	0.230	0.093	1	34	1.321	0.695	0.035
22	58	3.295	0.655	0.051	0	15	3.328	0.427	0.076	1	35	0.922	0.437	0.026
22	59	3.294	0.810	0.063	0	16	3.239	0.240	0.084	1	36	1.229	0.158	0.000
23	0	3.231	0.433	0.090	0	17	3.207	0.379	0.088	1	37	2.008	-0.053	0.000
23	1	3.740	0.242	0.055	0	18	3.174	0.391	0.074	1	38	1.759	0.008	0.000
23	2	2.996	0.300	0.116	0	19	3.157	0.399	0.051	1	39	1.883	0.182	0.009
23	3	2.094	0.060	0.151	0	20	4.010	0.442	0.096	1	40	1.872	0.345	0.000
23	4	3.280	0.575	0.054	0	21	3.323	0.101	0.076	1	41	1.258	0.120	0.001
23	5	3.192	0.382	0.053	0	22	3.488	0.853	0.085	1	42	0.761	0.083	0.013
23	6	2.755	0.294	0.031	0	23	3.874	0.447	0.029	1	43	1.023	0.586	0.000
23	7	2.940	0.131	0.066	0	24	3.443	0.390	0.050	1	44	1.257	0.481	0.009
23	8	2.852	-0.099	0.102	0	25	3.124	0.292	0.123	1	45	1.224	0.362	0.013
23	9	2.481	0.416	0.082	0	26	2.763	0.489	0.117	1	46	1.303	0.534	0.005
23	10	3.413	0.312	0.075	0	27	2.557	0.033	0.103	1	47	2.014	0.207	0.000
23	11	3.123	0.310	0.092	0	28	2.423	0.491	0.074	1	48	2.248	0.567	0.000
23	12	2.346	0.428	0.109	0	29	2.571	0.443	0.043	1	49	1.996	0.768	0.001
23	13	3.169	0.654	0.100	0	30	3.602	0.289	0.047	1	50	2.003	0.990	0.002
23	14	3.884	1.133	0.094	0	31	2.965	0.428	0.084	1	51	2.332	0.866	0.020
23	15	3.564	0.707	0.105	0	32	3.839	0.435	0.090	1	52	2.100	0.790	0.044
23	16	3.608	0.393	0.070	0	33	2.995	0.398	0.070	1	53	2.471	0.724	0.010
23	17	4.088	0.510	0.110	0	34	2.722	0.536	0.079	1	54	2.783	1.312	0.020
23	18	3.614	0.265	0.057	0	35	3.075	0.476	0.056	1	55	3.163	1.559	0.008
23	19	3.427	0.578	0.145	0	36	3.075	0.553	0.069	1	56	1.977	0.984	0.014
23	20	2.932	0.193	0.074	0	37	2.541	0.836	0.071	1	57	2.250	0.951	0.018
23	21	2.826	0.007	0.060	0	38	3.578	0.790	0.082	1	58	1.724	0.684	0.013
23	22	2.789	0.205	0.058	0	39	3.950	0.261	0.060	1	59	2.129	0.471	0.023
23	23	2.606	0.243	0.084	0	40	2.970	0.230	0.112	2	0	2.578	0.435	0.009
23	24	2.704	0.387	0.063	0	41	3.010	0.412	0.061	2	1	2.574	0.463	0.004
23	25	2.416	0.375	0.067	0	42	3.567	0.055	0.057	2	2	1.953	0.279	0.047
23	26	2.611	0.272	0.115	0	43	3.478	0.304	0.095	2	3	2.216	0.309	0.061
23	27	3.172	1.259	0.058	0	44	4.548	0.339	0.058	2	4	2.282	0.401	0.027
23	28	3.141	0.823	0.086	0	45	3.635	0.450	0.087	2	5	2.502	0.329	0.013
23	29	2.725	0.636	0.054	0	46	3.298	0.512	0.066	2	6	1.963	0.409	0.019
23	30	2.329	0.865	0.069	0	47	2.715	0.145	0.066	2	7	2.305	0.723	0.006
23	31	2.596	0.994	0.106	0	48	2.990	0.198	0.075	2	8	1.744	0.541	0.056
23	32	2.516	0.608	0.055	0	49	3.592	0.380	0.059	2	9	2.179	0.565	0.002
23	33	2.648	0.734	0.050	0	50	2.980	0.521	0.111	2	10	1.356	0.594	0.007
23	34	2.878	0.898	0.084	0	51	3.250	0.356	0.028	2	11	1.546	0.923	0.006
23	35	3.087	1.378	0.066	0	52	2.984	0.218	0.006	2	12	1.659	0.925	0.024
23	36	2.740	0.932	0.072	0	53	2.336	0.311	0.023	2	13	1.976	1.154	0.016
23	37	2.936	0.529	0.081	0	54	2.246	0.099	0.037	2	14	2.257	0.747	0.009
23	38	3.095	1.335	0.085	0	55	2.138	0.068	0.055	2	15	1.740	0.667	0.004
23	39	4.210	1.916	0.090	0	56	1.927	0.248	0.077	2	16	1.687	0.256	0.017
23	40	4.043	1.472	0.104	0	57	2.156	0.308	0.035	2	17	1.974	0.442	0.000
23	41	3.210	0.856	0.078	0	58	1.596	0.477	0.063	2	18	1.917	0.071	0.006
23	42	2.864	1.181	0.065	0	59	1.743	0.502	0.046	2	19	1.818	0.102	0.005
23	43	3.071	0.822	0.050	1	0	1.612	0.732	0.079	2	20	1.442	0.067	0.000





Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

2	21	0.905	0.116	0.005	3	41	1.569	1.089	0.041	5	1	0.709	0.859	0.015
2	22	1.380	0.016	0.016	3	42	1.422	1.081	0.018	5	2	0.613	0.678	0.018
2	23	1.226	0.105	0.003	3	43	1.663	1.119	0.055	5	3	0.802	0.652	0.009
2	24	2.124	0.138	0.043	3	44	1.880	1.199	0.052	5	4	0.860	0.704	0.001
2	25	1.658	-0.045	0.025	3	45	1.899	1.039	0.078	5	5	0.961	0.573	0.000
2	26	1.173	-0.045	0.009	3	46	2.247	1.032	0.075	5	6	0.808	0.636	0.003
2	27	1.955	-0.119	0.004	3	47	1.925	1.112	0.045	5	7	0.727	0.789	0.013
2	28	1.727	-0.301	0.000	3	48	1.881	0.757	0.096	5	8	0.989	0.525	0.023
2	29	1.366	0.009	0.008	3	49	1.999	0.553	0.121	5	9	1.047	0.679	0.001
2	30	1.362	0.018	0.000	3	50	1.890	0.714	0.079	5	10	0.687	0.071	0.064
2	31	1.553	0.371	0.012	3	51	1.810	0.721	0.079	5	11	0.992	0.178	0.035
2	32	1.930	-0.014	0.006	3	52	2.031	0.667	0.030	5	12	0.798	0.188	0.038
2	33	1.891	0.019	0.004	3	53	1.936	0.241	0.088	5	13	0.760	0.000	0.064
2	34	2.352	0.040	0.014	3	54	2.083	0.437	0.052	5	14	1.229	0.005	0.006
2	35	2.305	0.016	0.008	3	55	2.176	0.229	0.081	5	15	1.340	-0.005	0.009
2	36	2.535	-0.012	0.054	3	56	1.661	0.259	0.152	5	16	0.989	-0.068	0.014
2	37	3.049	0.046	0.026	3	57	1.325	0.053	0.063	5	17	1.503	-0.039	0.012
2	38	2.593	0.015	0.009	3	58	1.421	0.085	0.054	5	18	1.669	0.022	0.021
2	39	2.222	-0.050	0.011	3	59	1.925	0.258	0.059	5	19	1.655	0.001	0.022
2	40	2.234	-0.062	0.056	4	0	2.430	0.366	0.051	5	20	1.747	-0.026	0.006
2	41	2.170	-0.074	0.029	4	1	1.730	0.269	0.073	5	21	1.584	-0.022	0.002
2	42	2.081	-0.120	0.012	4	2	1.648	0.372	0.059	5	22	1.309	-0.000	0.014
2	43	2.384	-0.206	0.000	4	3	1.472	0.563	0.106	5	23	1.800	0.017	0.008
2	44	2.069	-0.218	0.004	4	4	2.403	0.484	0.018	5	24	2.315	-0.068	0.036
2	45	1.973	-0.503	0.014	4	5	2.180	0.062	0.036	5	25	1.832	-0.086	0.024
2	46	1.367	-0.222	0.037	4	6	1.662	0.146	0.054	5	26	1.570	-0.009	0.023
2	47	1.322	-0.104	0.063	4	7	2.377	0.304	0.050	5	27	1.606	-0.042	0.049
2	48	1.512	-0.214	0.042	4	8	2.542	-0.055	0.040	5	28	1.499	-0.002	0.022
2	49	1.569	-0.180	0.099	4	9	2.147	-0.009	0.019	5	29	1.450	0.059	0.024
2	50	1.655	-0.446	0.113	4	10	2.044	0.257	0.127	5	30	1.553	-0.009	0.075
2	51	2.235	-0.343	0.050	4	11	2.051	0.163	0.029	5	31	1.634	0.013	0.050
2	52	1.853	0.100	0.166	4	12	2.365	0.086	0.017	5	32	1.966	-0.039	0.019
2	53	2.105	0.260	0.101	4	13	2.139	0.185	0.045	5	33	1.801	-0.006	0.015
2	54	2.470	-0.283	0.059	4	14	1.793	0.198	0.065	5	34	1.811	-0.048	0.018
2	55	1.870	-0.066	0.200	4	15	2.150	0.120	0.075	5	35	1.752	0.302	0.011
2	56	2.463	-0.108	0.064	4	16	2.769	-0.036	0.045	5	36	1.643	0.000	0.004
2	57	2.137	-0.170	0.049	4	17	2.607	0.089	0.141	5	37	1.366	0.036	0.028
2	58	2.242	-0.222	0.052	4	18	1.696	-0.083	0.129	5	38	1.640	0.004	0.019
2	59	2.596	-0.055	0.052	4	19	1.759	0.053	0.083	5	39	1.047	-0.020	0.022
3	0	2.812	-0.003	0.082	4	20	2.412	0.078	0.092	5	40	1.223	-0.000	0.009
3	1	2.831	-0.079	0.123	4	21	2.404	0.371	0.043	5	41	1.730	-0.030	0.011
3	2	2.076	-0.365	0.084	4	22	2.831	0.237	0.082	5	42	1.502	0.001	0.022
3	3	1.519	-0.233	0.107	4	23	2.606	0.219	0.056	5	43	2.035	0.010	0.025
3	4	2.279	-0.003	0.055	4	24	2.255	0.345	0.046	5	44	2.107	-0.013	0.024
3	5	1.990	-0.460	0.039	4	25	2.097	0.471	0.052	5	45	2.067	-0.019	0.029
3	6	1.922	-0.168	0.092	4	26	1.833	0.195	0.045	5	46	1.723	-0.054	0.041
3	7	2.034	-0.276	0.172	4	27	1.356	0.132	0.048	5	47	1.912	0.049	0.036
3	8	2.847	-0.158	0.064	4	28	2.039	0.630	0.025	5	48	1.958	-0.004	0.072
3	9	2.437	-0.644	0.075	4	29	1.809	0.169	0.057	5	49	2.036	-0.003	0.026
3	10	2.140	-0.379	0.187	4	30	1.606	0.116	0.038	5	50	1.839	0.048	0.039
3	11	2.272	0.097	0.093	4	31	1.992	0.177	0.069	5	51	1.733	0.058	0.036
3	12	2.476	-0.097	0.049	4	32	1.733	0.067	0.061	5	52	1.645	0.096	0.055
3	13	1.740	0.218	0.100	4	33	1.910	0.182	0.052	5	53	1.794	0.143	0.045
3	14	1.868	0.510	0.130	4	34	1.673	0.089	0.027	5	54	2.119	0.385	0.036
3	15	1.931	0.366	0.184	4	35	1.472	0.056	0.072	5	55	2.007	0.383	0.058
3	16	1.746	0.392	0.062	4	36	1.529	0.239	0.029	5	56	1.809	0.402	0.027
3	17	1.944	0.370	0.034	4	37	1.219	0.487	0.026	5	57	2.117	0.403	0.022
3	18	1.896	0.574	0.051	4	38	1.622	0.270	0.036	5	58	2.519	0.321	0.024
3	19	1.587	0.459	0.047	4	39	1.814	0.219	0.018	5	59	2.419	0.348	0.023
3	20	1.380	0.518	0.097	4	40	1.218	0.216	0.062	6	0	2.061	0.238	0.070
3	21	1.786	0.655	0.076	4	41	0.968	0.271	0.024	6	1	2.342	0.131	0.056
3	22	2.142	0.543	0.057	4	42	0.942	0.415	0.056	6	2	2.662	0.323	0.077
3	23	1.371	0.753	0.028	4	43	0.945	0.428	0.022	6	3	2.789	0.144	0.059
3	24	1.471	0.539	0.039	4	44	1.250	0.445	0.049	6	4	2.209	0.193	0.053
3	25	1.536	0.302	0.040	4	45	1.230	0.473	0.021	6	5	2.404	0.038	0.065
3	26	1.346	0.620	0.044	4	46	0.694	0.465	0.098	6	6	2.744	0.213	0.074
3	27	1.232	0.646	0.022	4	47	1.277	0.681	0.019	6	7	2.631	0.211	0.049
3	28	1.467	0.618	0.066	4	48	1.221	0.347	0.008	6	8	2.659	0.040	0.099
3	29	1.330	1.217	0.076	4	49	0.841	0.288	0.049	6	9	2.359	0.128	0.058
3	30	1.445	0.362	0.177	4	50	0.656	0.000	0.088	6	10	2.823	0.757	0.048
3	31	1.472	0.017	0.078	4	51	0.700	0.000	0.007	6	11	3.169	0.339	0.124
3	32	0.824	0.523	0.045	4	52	1.335	-0.027	0.039	6	12	2.901	0.564	0.074
3	33	0.971	0.334	0.096	4	53	1.222	-0.036	0.024	6	13	2.593	0.413	0.070
3	34	1.012	0.646	0.014	4	54	0.556	0.762	0.016	6	14	2.703	0.460	0.026
3	35	0.288	0.783	0.093	4	55	0.430	0.261	0.025	6	15	2.508	0.246	0.088
3	36	0.823	0.313	0.136	4	56	0.615	0.512	0.007	6	16	2.559	0.100	0.012
3	37	1.021	0.842	0.023	4	57	0.312	0.496	0.063	6	17	2.230	0.307	0.081
3	38	0.598	1.057	0.054	4	58	0.643	0.643	0.022	6	18	1.790	0.468	0.075
3	39	0.968	0.919	0.029	4	59	0.808	0.717	0.009	6	19	1.614	0.338	0.066
3	40	1.092	1.065	0.017	5	0	0.725	0.799	0.000	6	20	1.200	0.151	0.055





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

6	21	1.563	0.135	0.007	7	41	1.160	2.180	0.033	9	1	0.058	0.631	0.001
6	22	1.626	0.689	0.035	7	42	1.233	2.008	0.059	9	2	0.036	0.779	0.064
6	23	1.585	0.677	0.075	7	43	1.466	2.384	0.029	9	3	-0.001	0.788	0.011
6	24	1.630	0.540	0.040	7	44	1.207	2.176	0.024	9	4	0.002	0.793	0.038
6	25	1.399	0.393	0.090	7	45	0.911	2.015	0.089	9	5	-0.015	0.678	0.028
6	26	1.070	0.376	0.065	7	46	1.156	1.325	0.094	9	6	-0.001	0.547	0.000
6	27	1.154	0.679	0.134	7	47	0.810	1.347	0.017	9	7	-0.004	0.046	0.023
6	28	1.551	0.618	0.042	7	48	0.679	0.980	0.116	9	8	0.095	0.019	0.002
6	29	2.121	0.486	0.027	7	49	0.806	1.342	0.059	9	9	-0.114	0.008	0.123
6	30	1.661	0.454	0.056	7	50	1.253	1.546	0.028	9	10	0.013	0.474	0.044
6	31	1.194	0.247	0.094	7	51	1.371	1.687	0.033	9	11	0.210	0.849	0.133
6	32	1.256	0.536	0.084	7	52	1.267	1.707	0.093	9	12	0.331	0.425	0.114
6	33	1.767	0.660	0.034	7	53	1.501	1.713	0.113	9	13	0.332	0.118	0.112
6	34	1.382	0.649	0.030	7	54	2.054	1.794	0.038	9	14	1.221	0.249	0.041
6	35	1.203	0.707	0.014	7	55	1.559	1.947	0.036	9	15	1.283	0.052	0.039
6	36	0.879	0.567	0.101	7	56	1.688	1.601	0.050	9	16	1.678	0.619	0.042
6	37	1.427	0.717	0.020	7	57	1.723	1.275	0.130	9	17	1.316	0.925	-0.002
6	38	1.410	0.667	0.038	7	58	1.826	2.254	0.046	9	18	1.244	0.944	0.003
6	39	1.003	0.412	0.081	7	59	1.390	1.875	0.114	9	19	1.169	0.890	-0.000
6	40	1.213	0.679	0.018	8	0	1.427	2.075	0.073	9	20	0.857	0.917	0.028
6	41	1.170	0.371	0.036	8	1	1.351	1.594	0.053	9	21	0.714	0.946	0.005
6	42	0.873	0.137	0.044	8	2	1.446	1.762	0.032	9	22	0.228	0.072	0.026
6	43	0.805	0.211	0.049	8	3	1.410	1.787	0.032	9	23	0.219	0.312	0.163
6	44	0.966	0.687	0.015	8	4	1.190	1.679	0.013	9	24	0.214	0.609	0.060
6	45	1.167	0.722	0.003	8	5	1.030	1.382	0.023	9	25	0.154	0.636	0.060
6	46	1.267	0.678	0.002	8	6	1.394	1.249	0.004	9	26	0.109	0.440	0.046
6	47	1.386	0.828	0.007	8	7	0.914	1.208	0.018	9	27	0.032	0.087	0.146
6	48	1.391	0.988	0.015	8	8	0.996	1.360	0.046	9	28	0.419	0.193	0.115
6	49	1.443	0.849	0.032	8	9	1.236	1.542	0.037	9	29	0.916	0.305	0.002
6	50	1.382	0.838	0.015	8	10	1.039	1.425	0.054	9	30	1.120	0.024	0.011
6	51	1.529	0.929	0.006	8	11	0.697	1.544	0.060	9	31	1.004	-0.003	0.048
6	52	1.721	0.944	0.041	8	12	1.002	1.527	0.086	9	32	1.114	0.000	0.004
6	53	1.484	0.408	0.073	8	13	1.002	1.522	0.007	9	33	1.003	0.063	0.072
6	54	1.364	0.524	0.047	8	14	1.011	1.447	0.039	9	34	1.571	0.036	0.017
6	55	1.309	0.412	0.072	8	15	0.981	1.379	0.026	9	35	1.383	-0.091	0.005
6	56	1.727	0.634	0.039	8	16	0.731	1.106	0.075	9	36	1.133	-0.013	0.036
6	57	1.722	0.266	0.051	8	17	0.791	1.181	0.022	9	37	1.145	-0.008	0.004
6	58	1.296	0.362	0.137	8	18	1.069	1.140	0.025	9	38	0.811	0.506	0.129
6	59	1.532	0.553	0.029	8	19	0.735	1.038	0.085	9	39	0.891	0.723	0.043
7	0	1.254	0.467	0.127	8	20	0.753	1.214	0.051	9	40	0.798	0.126	0.005
7	1	1.288	0.465	0.109	8	21	1.029	1.637	0.036	9	41	0.817	0.127	0.116
7	2	1.363	0.344	0.061	8	22	0.643	1.711	0.054	9	42	0.957	0.239	0.011
7	3	1.337	0.384	0.036	8	23	0.375	1.576	0.132	9	43	1.145	0.008	0.005
7	4	1.141	0.252	0.068	8	24	0.103	1.399	0.101	9	44	0.946	0.000	-0.000
7	5	1.497	0.539	0.054	8	25	0.362	1.276	0.197	9	45	0.481	-0.068	-0.000
7	6	1.519	0.340	0.067	8	26	0.755	0.320	0.186	9	46	0.374	-0.061	0.042
7	7	1.633	0.093	0.055	8	27	1.026	0.577	0.032	9	47	0.468	-0.003	0.031
7	8	1.957	0.060	0.019	8	28	1.122	0.835	0.067	9	48	0.733	-0.089	0.014
7	9	1.556	0.008	0.070	8	29	0.696	1.138	0.031	9	49	1.596	-0.482	0.025
7	10	1.848	0.092	0.010	8	30	0.493	1.318	0.071	9	50	1.132	-0.466	0.001
7	11	1.589	0.079	0.039	8	31	0.073	1.228	0.051	9	51	0.541	-0.357	0.011
7	12	1.628	0.197	0.024	8	32	0.000	1.428	0.075	9	52	0.831	-0.031	0.004
7	13	1.546	0.305	0.014	8	33	0.214	1.494	0.008	9	53	0.856	0.151	0.009
7	14	1.710	0.204	0.081	8	34	0.502	1.305	0.073	9	54	1.136	0.429	0.100
7	15	2.045	0.212	0.030	8	35	0.015	1.380	0.002	9	55	1.868	0.879	0.052
7	16	2.216	0.284	0.035	8	36	0.013	1.290	0.047	9	56	2.341	0.278	0.042
7	17	2.493	0.382	0.036	8	37	0.623	1.367	0.030	9	57	1.683	0.211	0.031
7	18	2.515	0.257	0.038	8	38	0.547	1.300	0.019	9	58	1.442	0.277	0.011
7	19	2.400	0.118	0.064	8	39	0.748	1.239	0.042	9	59	1.395	0.388	0.045
7	20	2.211	0.129	0.099	8	40	0.280	1.060	0.067	10	0	2.055	0.802	0.008
7	21	2.304	0.204	0.098	8	41	0.145	0.888	0.036	10	1	1.909	0.909	0.018
7	22	2.436	0.057	0.118	8	42	0.115	0.732	0.085	10	2	1.660	0.864	0.002
7	23	2.725	0.170	0.049	8	43	0.091	0.727	0.043	10	3	1.653	0.824	0.021
7	24	2.269	0.171	0.048	8	44	0.015	1.146	0.016	10	4	1.641	1.142	0.016
7	25	2.819	0.605	0.071	8	45	0.067	1.121	0.008	10	5	1.464	1.283	0.018
7	26	2.580	0.247	0.027	8	46	-0.007	1.025	0.008	10	6	1.365	1.120	0.018
7	27	2.548	0.200	0.081	8	47	0.014	1.146	0.012	10	7	1.309	1.052	0.006
7	28	2.428	0.578	0.049	8	48	0.014	1.242	0.049	10	8	0.636	1.045	0.062
7	29	1.810	0.248	0.110	8	49	0.943	1.280	0.078	10	9	0.635	1.289	0.005
7	30	2.562	0.293	0.033	8	50	1.061	1.213	0.019	10	10	0.777	1.117	0.111
7	31	2.632	0.216	0.043	8	51	0.704	1.151	0.007	10	11	1.526	0.866	0.028
7	32	2.206	0.669	0.033	8	52	0.691	1.052	0.007	10	12	1.508	1.021	0.003
7	33	2.081	0.972	0.078	8	53	0.909	1.174	0.002	10	13	1.269	0.877	0.005
7	34	2.411	0.872	0.077	8	54	0.846	1.357	0.012	10	14	0.882	0.646	-0.003
7	35	2.215	0.981	0.043	8	55	0.185	1.304	0.051	10	15	0.818	0.795	0.054
7	36	2.185	1.270	0.081	8	56	0.288	1.257	0.164	10	16	0.685	0.946	0.006
7	37	1.853	1.868	0.040	8	57	-0.023	0.871	0.191	10	17	0.839	1.224	0.007
7	38	1.560	2.088	0.041	8	58	0.249	1.093	0.103	10	18	1.236	0.578	0.099
7	39	1.140	2.075	0.036	8	59	0.414	0.222	0.165	10	19	1.529	0.299	0.037
7	40	0.895	1.927	0.042	9	0	0.181	0.337	0.078	10	20	1.712	0.506	0.002





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

10	21	1.239	0.416	0.000	11	41	-0.090	1.800	0.014	13	1	-0.889	0.493	0.053
10	22	0.990	0.838	0.022	11	42	-0.087	1.290	-0.012	13	2	-0.796	0.293	0.109
10	23	1.219	0.980	0.052	11	43	-0.124	1.001	0.011	13	3	-1.484	0.329	0.019
10	24	1.415	0.077	0.036	11	44	-0.082	0.846	0.008	13	4	-0.806	-0.611	0.031
10	25	0.790	0.077	0.187	11	45	-0.214	0.777	0.103	13	5	-1.085	-0.796	-0.039
10	26	1.373	0.681	0.031	11	46	0.043	0.692	-0.011	13	6	-0.726	-1.054	-0.057
10	27	1.215	0.599	0.000	11	47	0.130	0.436	0.025	13	7	-0.638	-0.550	0.108
10	28	1.103	0.872	0.026	11	48	0.241	0.624	0.062	13	8	-1.425	0.955	0.003
10	29	1.153	0.789	0.002	11	49	0.057	0.828	0.067	13	9	-0.909	0.684	0.068
10	30	0.977	0.823	0.029	11	50	0.063	0.770	0.048	13	10	-0.838	0.704	-0.008
10	31	1.641	0.962	0.033	11	51	-0.186	0.382	0.087	13	11	-0.205	0.286	0.097
10	32	1.832	0.583	0.005	11	52	-0.694	0.197	0.028	13	12	-0.993	0.699	-0.005
10	33	1.114	0.284	0.006	11	53	-1.369	0.099	0.031	13	13	-0.991	0.368	-0.025
10	34	1.201	0.646	0.019	11	54	-1.700	-0.138	0.013	13	14	-0.706	0.556	0.095
10	35	0.871	0.685	0.009	11	55	-1.407	-0.509	0.000	13	15	-1.023	0.384	-0.032
10	36	0.973	0.324	0.056	11	56	-1.259	-0.099	0.029	13	16	-0.974	0.040	0.016
10	37	0.838	0.828	0.100	11	57	-0.515	0.002	-0.041	13	17	-0.372	0.041	0.093
10	38	1.410	0.704	0.031	11	58	-0.239	0.000	-0.001	13	18	-0.569	0.459	0.080
10	39	1.143	0.788	0.083	11	59	-0.161	0.074	-0.014	13	19	-0.465	0.966	-0.001
10	40	1.373	-0.046	0.066	12	0	0.015	0.011	0.126	13	20	-0.288	1.184	-0.016
10	41	0.795	-0.454	0.052	12	1	0.308	0.468	0.102	13	21	-0.001	1.017	0.159
10	42	0.889	-0.042	0.053	12	2	0.145	0.138	0.161	13	22	0.022	1.027	0.059
10	43	1.328	0.191	0.006	12	3	0.130	0.086	0.172	13	23	0.171	0.696	0.008
10	44	0.866	0.914	0.048	12	4	0.130	0.270	0.178	13	24	0.597	-0.005	0.040
10	45	0.981	1.514	0.032	12	5	0.466	0.333	0.159	13	25	0.320	-0.012	0.051
10	46	0.496	1.152	0.036	12	6	1.136	0.711	0.000	13	26	-0.080	0.022	0.008
10	47	0.829	0.879	0.058	12	7	1.060	0.776	0.037	13	27	-1.262	0.109	0.007
10	48	1.047	1.154	0.068	12	8	0.892	0.399	0.018	13	28	-0.762	-0.058	0.102
10	49	1.089	0.073	0.018	12	9	0.503	0.548	0.029	13	29	-1.151	0.034	0.006
10	50	1.404	0.690	0.012	12	10	0.139	0.309	0.198	13	30	-0.669	0.291	-0.021
10	51	1.353	1.034	0.037	12	11	-0.161	0.092	0.175	13	31	-0.179	0.130	0.061
10	52	1.513	1.183	0.024	12	12	-0.473	-0.001	0.063	13	32	-0.058	0.655	0.078
10	53	0.682	0.713	0.067	12	13	-0.913	-0.260	0.107	13	33	0.045	0.584	-0.008
10	54	0.634	0.832	0.090	12	14	-1.303	0.161	0.043	13	34	0.147	0.214	-0.009
10	55	0.294	0.584	0.113	12	15	-1.034	0.091	0.004	13	35	0.101	0.298	0.058
10	56	0.435	0.600	0.086	12	16	-0.501	0.061	0.125	13	36	0.277	0.443	-0.020
10	57	1.096	-0.067	0.090	12	17	-0.198	-1.104	-0.006	13	37	0.617	0.134	0.002
10	58	0.889	-0.033	-0.003	12	18	0.249	-1.194	0.004	13	38	0.299	0.349	0.163
10	59	0.361	0.142	0.019	12	19	0.298	-0.426	0.119	13	39	0.163	0.352	0.042
11	0	0.361	1.023	0.083	12	20	0.040	-0.325	0.235	13	40	0.251	0.005	0.003
11	1	0.800	1.039	0.051	12	21	-1.146	0.099	0.120	13	41	0.688	0.130	0.039
11	2	1.051	1.334	0.016	12	22	-0.245	-0.040	0.156	13	42	1.076	0.943	0.016
11	3	0.931	1.014	0.028	12	23	-0.733	-0.170	0.054	13	43	0.567	0.448	-0.001
11	4	0.819	0.422	0.037	12	24	-1.444	-0.926	0.076	13	44	0.124	0.511	0.100
11	5	0.667	0.499	0.017	12	25	-1.749	-0.547	-0.008	13	45	0.545	1.437	0.063
11	6	1.090	0.879	0.017	12	26	-1.708	-0.217	0.047	13	46	0.658	1.185	0.010
11	7	1.499	0.994	0.020	12	27	-1.906	-0.238	-0.002	13	47	0.621	1.701	0.018
11	8	1.782	0.380	0.015	12	28	-1.750	-0.228	0.021	13	48	0.436	2.066	0.028
11	9	1.499	0.539	0.065	12	29	-1.678	0.093	0.005	13	49	0.445	1.432	0.107
11	10	0.866	0.458	0.006	12	30	-1.206	0.250	0.020	13	50	1.014	1.555	0.022
11	11	0.000	0.000	-0.015	12	31	-0.967	-0.250	0.109	13	51	0.631	1.238	0.037
11	12	0.801	0.692	0.148	12	32	-1.050	-0.014	0.115	13	52	0.358	1.117	0.022
11	13	1.448	0.539	0.041	12	33	-0.436	0.233	0.062	13	53	0.152	1.695	0.015
11	14	1.656	0.249	0.032	12	34	-0.742	0.169	0.021	13	54	1.101	1.499	0.081
11	15	1.706	-0.394	0.056	12	35	-0.405	0.098	0.008	13	55	1.720	1.307	0.026
11	16	1.631	-0.398	0.064	12	36	-0.020	0.248	0.147	13	56	2.063	0.590	0.095
11	17	1.864	-0.138	0.021	12	37	0.018	0.170	0.212	13	57	0.868	-0.010	0.120
11	18	1.223	0.040	0.003	12	38	0.369	0.929	0.099	13	58	0.110	0.000	0.109
11	19	0.538	0.000	-0.002	12	39	0.730	0.944	0.020	13	59	0.023	0.000	0.109
11	20	0.113	0.063	0.002	12	40	0.934	0.555	0.110	14	0	0.190	0.097	0.062
11	21	0.420	1.025	0.011	12	41	0.792	-0.010	0.051	14	1	1.123	0.384	0.326
11	22	0.580	1.297	0.037	12	42	0.774	0.268	-0.013	14	2	2.359	-0.076	0.045
11	23	0.750	1.659	0.007	12	43	0.208	0.720	0.112	14	3	1.581	-0.350	0.175
11	24	0.526	1.508	0.022	12	44	0.760	0.539	-0.001	14	4	1.877	-0.385	0.035
11	25	0.477	1.396	0.026	12	45	0.481	0.118	-0.011	14	5	1.349	-0.719	0.203
11	26	0.244	0.814	0.053	12	46	0.138	0.000	-0.013	14	6	1.444	-0.676	0.022
11	27	0.033	1.112	0.029	12	47	0.003	-0.007	0.045	14	7	0.450	-0.045	0.079
11	28	1.148	1.126	0.034	12	48	-0.290	-0.057	0.120	14	8	0.168	-0.208	0.060
11	29	0.952	1.128	0.000	12	49	-0.880	1.036	0.030	14	9	0.260	-0.010	0.101
11	30	0.934	0.339	0.019	12	50	-1.257	0.736	0.003	14	10	1.138	-0.450	0.177
11	31	1.310	1.040	0.019	12	51	-1.455	0.224	-0.002	14	11	-0.123	-1.202	0.180
11	32	0.958	0.844	0.020	12	52	-1.538	0.392	0.013	14	12	-1.548	-1.524	0.023
11	33	1.656	0.846	0.020	12	53	-0.890	1.570	-0.003	14	13	-1.469	-1.197	-0.000
11	34	1.356	0.732	-0.003	12	54	-0.254	1.209	0.005	14	14	-0.600	-1.213	-0.010
11	35	0.636	0.890	-0.002	12	55	-0.761	0.223	0.061	14	15	-0.277	-1.180	-0.012
11	36	0.214	0.726	-0.004	12	56	-1.373	0.315	0.020	14	16	-0.304	-0.929	0.021
11	37	0.064	0.899	0.011	12	57	-0.735	0.403	0.066	14	17	-0.011	-0.006	0.141
11	38	0.161	0.842	0.153	12	58	-0.072	0.892	0.112	14	18	0.118	0.469	0.205
11	39	0.422	0.228	0.081	12	59	-0.055	0.240	0.139	14	19	-0.024	0.024	0.192
11	40	0.132	0.833	0.100	13	0	-0.633	0.313	0.073	14	20	-0.044	0.024	0.192





Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

14	21	-0.304	-0.317	0.135	15	41	1.839	-0.074	0.082	17	1	1.471	-0.047	0.183
14	22	-0.936	-1.331	-0.003	15	42	1.334	-0.430	0.219	17	2	1.797	0.031	0.045
14	23	-0.553	-1.016	0.005	15	43	1.274	-1.233	0.037	17	3	2.123	0.046	0.094
14	24	-1.111	0.212	0.019	15	44	1.237	-1.451	0.050	17	4	1.850	-0.124	0.076
14	25	-0.037	0.104	0.166	15	45	1.659	-1.060	0.020	17	5	1.348	0.102	0.084
14	26	-0.341	-1.463	0.168	15	46	0.797	-0.608	0.086	17	6	1.861	-0.003	0.255
14	27	-1.484	-0.975	-0.008	15	47	0.871	-0.248	0.006	17	7	2.000	-0.358	0.055
14	28	-1.431	-1.007	-0.006	15	48	1.463	-1.011	0.030	17	8	2.589	-0.080	0.158
14	29	-0.758	-0.899	0.007	15	49	1.001	-1.138	0.049	17	9	2.257	-0.026	0.125
14	30	0.135	-0.579	0.046	15	50	0.461	-0.927	0.145	17	10	2.178	-0.020	0.078
14	31	-0.043	0.009	0.014	15	51	0.137	-1.639	0.094	17	11	2.737	-0.575	0.050
14	32	-0.518	-0.258	0.030	15	52	0.390	-1.622	0.119	17	12	2.112	-0.082	0.131
14	33	-0.660	-1.115	-0.003	15	53	0.403	-1.790	0.067	17	13	2.615	0.214	0.144
14	34	-0.460	-0.792	0.099	15	54	0.534	-1.916	0.101	17	14	2.676	0.128	0.193
14	35	-2.194	0.117	-0.029	15	55	0.990	-2.301	0.067	17	15	2.608	0.234	0.363
14	36	-2.803	0.007	0.013	15	56	0.971	-2.210	0.029	17	16	3.062	0.347	0.145
14	37	-3.168	-0.283	0.020	15	57	1.194	-1.899	0.016	17	17	3.061	0.573	0.116
14	38	-2.685	-0.864	0.001	15	58	0.748	-1.897	0.119	17	18	3.015	0.202	0.206
14	39	-1.336	-0.877	0.011	15	59	0.413	-1.223	0.038	17	19	2.755	0.126	0.091
14	40	-0.598	-0.779	0.097	16	0	0.521	-0.499	0.076	17	20	2.595	0.410	0.193
14	41	-1.938	-0.641	0.067	16	1	0.428	-0.094	0.219	17	21	2.613	-0.035	0.129
14	42	-2.682	-0.639	0.015	16	2	0.636	-0.063	0.135	17	22	3.198	0.085	0.122
14	43	-1.326	-1.357	0.071	16	3	1.082	-0.260	0.147	17	23	3.080	0.041	0.166
14	44	0.209	-0.538	0.188	16	4	1.125	-0.265	0.035	17	24	2.977	0.109	0.097
14	45	0.851	-1.235	0.380	16	5	1.583	0.017	0.091	17	25	2.151	0.294	0.179
14	46	0.402	-0.449	0.257	16	6	1.692	0.695	0.190	17	26	2.344	0.046	0.232
14	47	0.267	-1.400	0.080	16	7	2.021	1.054	0.165	17	27	2.507	0.475	0.163
14	48	-0.264	-2.041	0.132	16	8	1.945	1.030	0.052	17	28	3.259	0.154	0.257
14	49	-0.332	-1.647	-0.002	16	9	2.013	0.955	0.171	17	29	2.844	0.180	0.131
14	50	0.403	-0.699	0.112	16	10	2.008	0.994	0.123	17	30	2.607	0.319	0.159
14	51	-0.315	-1.098	0.082	16	11	2.186	1.184	0.061	17	31	2.856	0.053	0.218
14	52	0.080	-1.070	0.015	16	12	1.995	1.349	0.048	17	32	2.925	-0.020	0.186
14	53	0.897	-2.773	0.050	16	13	2.198	1.419	0.100	17	33	3.039	-0.318	0.178
14	54	1.454	-2.986	0.021	16	14	2.256	1.239	0.081	17	34	2.100	-0.399	0.075
14	55	1.664	-4.108	0.029	16	15	2.057	1.448	0.239	17	35	2.453	-0.022	0.157
14	56	1.435	-3.550	0.045	16	16	1.981	1.290	0.073	17	36	2.003	-0.090	0.246
14	57	1.229	-2.788	0.045	16	17	1.632	0.928	0.154	17	37	1.832	-0.355	0.053
14	58	0.850	-2.221	0.063	16	18	1.958	0.253	0.231	17	38	1.491	0.033	0.076
14	59	1.307	-1.337	0.083	16	19	2.114	0.382	0.177	17	39	1.637	0.024	0.112
15	0	0.950	-1.570	0.159	16	20	2.244	0.455	0.075	17	40	2.190	0.457	0.157
15	1	0.562	-0.500	0.493	16	21	2.498	0.290	0.157	17	41	2.024	0.639	0.059
15	2	0.334	-2.118	0.050	16	22	2.423	0.170	0.135	17	42	1.791	0.922	0.151
15	3	0.147	-3.420	0.123	16	23	2.029	0.449	0.034	17	43	1.895	0.726	0.135
15	4	0.844	-4.071	0.088	16	24	2.213	-0.031	0.160	17	44	1.880	0.728	0.142
15	5	0.381	-2.902	0.084	16	25	2.413	-0.296	0.112	17	45	1.620	0.517	0.203
15	6	-0.576	-2.258	0.046	16	26	1.690	-0.404	0.085	17	46	1.922	0.687	0.244
15	7	-0.451	-2.769	0.041	16	27	1.776	-0.637	0.081	17	47	2.073	0.481	0.071
15	8	0.630	-2.219	0.081	16	28	1.785	-0.202	0.089	17	48	1.961	0.312	0.042
15	9	0.515	-2.337	0.072	16	29	1.748	-0.153	0.089	17	49	1.895	0.062	0.018
15	10	0.693	-2.889	0.038	16	30	2.398	-0.200	0.068	17	50	1.743	0.017	0.019
15	11	1.516	-2.199	0.024	16	31	2.877	0.058	0.227	17	51	1.430	-0.001	0.037
15	12	1.291	-2.997	0.050	16	32	2.938	0.028	0.242	17	52	1.303	-0.045	0.031
15	13	0.882	-1.978	0.123	16	33	2.683	-0.050	0.325	17	53	1.391	-0.062	0.032
15	14	-0.147	-2.071	0.166	16	34	2.227	-0.096	0.141	17	54	1.358	-0.142	0.092
15	15	0.055	-2.114	0.085	16	35	2.494	0.090	0.129	17	55	1.769	-0.113	0.036
15	16	1.119	-1.792	0.049	16	36	2.625	-0.063	0.186	17	56	1.739	-0.121	0.012
15	17	1.157	-1.978	0.034	16	37	2.464	0.090	0.198	17	57	1.310	-0.123	0.014
15	18	1.042	-0.894	0.149	16	38	2.093	0.071	0.177	17	58	1.281	0.046	0.035
15	19	2.094	-0.375	0.227	16	39	1.683	-0.008	0.131	17	59	1.688	-0.037	0.041
15	20	2.299	-0.592	0.162	16	40	1.575	-0.422	0.184	18	0	1.615	0.473	0.197
15	21	1.667	-0.387	0.188	16	41	2.110	-1.122	0.082	18	1	2.370	0.547	0.170
15	22	2.493	-0.858	0.093	16	42	1.927	-0.438	0.048	18	2	2.436	0.948	0.127
15	23	2.823	-0.353	0.152	16	43	1.519	-0.781	0.128	18	3	2.659	0.728	0.089
15	24	1.651	-0.051	0.256	16	44	1.049	-0.165	0.061	18	4	2.286	1.043	0.034
15	25	1.695	0.722	0.136	16	45	1.052	-0.452	0.191	18	5	2.151	0.941	0.164
15	26	2.414	0.519	0.200	16	46	1.356	-0.502	0.048	18	6	2.076	0.749	0.153
15	27	3.130	0.727	0.124	16	47	1.654	-0.392	0.093	18	7	1.453	0.805	0.157
15	28	3.402	1.170	0.076	16	48	1.975	-0.100	0.170	18	8	1.436	0.301	0.174
15	29	3.369	0.648	0.208	16	49	2.269	-0.109	0.135	18	9	1.526	0.458	0.053
15	30	3.309	0.166	0.108	16	50	2.296	-0.370	0.037	18	10	1.516	0.413	0.042
15	31	2.981	0.045	0.162	16	51	1.876	-0.075	0.078	18	11	1.317	0.016	0.075
15	32	3.300	-0.188	0.085	16	52	1.956	-0.054	0.144	18	12	1.157	0.131	0.018
15	33	2.559	-0.183	0.192	16	53	1.616	-0.356	0.044	18	13	0.752	0.204	0.139
15	34	2.059	-0.106	0.188	16	54	1.086	-0.234	0.173	18	14	0.789	0.314	0.003
15	35	1.480	-0.294	0.223	16	55	1.285	-0.111	0.134	18	15	0.893	0.596	0.035
15	36	1.585	-0.422	0.286	16	56	2.031	-0.619	0.103	18	16	1.403	0.800	0.054
15	37	1.797	0.127	0.439	16	57	1.665	-0.130	0.081	18	17	1.570	1.122	0.028
15	38	2.036	0.029	0.314	16	58	1.626	-0.418	0.017	18	18	1.395	1.411	0.034
15	39	1.902	0.079	0.220	16	59	1.022	-0.053	0.399	18	19	1.435	1.490	0.058
15	40	1.835	-0.269	0.057	17	0	1.730	-0.054	0.161	18	20	1.817	1.204	0.054





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

18	21	1.550	0.832	0.123	19	41	1.842	0.018	0.055	21	1	1.376	-0.636	0.036
18	22	1.661	0.631	0.186	19	42	1.513	0.189	0.014	21	2	0.991	-0.848	0.039
18	23	1.982	0.511	0.069	19	43	1.352	0.061	0.025	21	3	1.100	-0.520	0.016
18	24	1.704	0.260	0.117	19	44	1.200	0.002	0.029	21	4	0.952	-0.211	0.044
18	25	1.703	0.221	0.099	19	45	0.686	0.087	0.069	21	5	0.528	-0.070	0.008
18	26	1.685	0.251	0.047	19	46	0.841	0.032	0.077	21	6	0.627	0.000	0.001
18	27	1.533	0.429	0.062	19	47	0.865	0.131	0.051	21	7	0.536	0.000	0.000
18	28	1.435	0.398	0.074	19	48	0.881	0.049	0.021	21	8	0.010	-0.004	0.051
18	29	1.145	0.535	0.100	19	49	1.017	0.147	0.077	21	9	0.001	0.000	0.022
18	30	0.985	1.080	0.073	19	50	1.383	0.417	0.098	21	10	0.009	0.407	0.069
18	31	1.154	1.074	0.036	19	51	1.533	0.308	0.094	21	11	0.012	0.824	0.109
18	32	1.196	1.089	0.044	19	52	2.419	0.164	0.141	21	12	0.526	0.965	0.075
18	33	1.414	0.994	0.033	19	53	2.221	0.308	0.130	21	13	0.483	0.784	0.021
18	34	1.256	0.768	0.134	19	54	2.509	0.270	0.114	21	14	0.079	0.947	0.010
18	35	1.477	0.402	0.116	19	55	2.506	0.541	0.113	21	15	0.450	0.955	0.082
18	36	1.657	0.463	0.023	19	56	2.460	0.294	0.222	21	16	0.391	0.847	0.064
18	37	1.609	0.278	0.040	19	57	2.596	0.635	0.079	21	17	0.604	1.025	0.016
18	38	1.596	0.471	0.050	19	58	2.934	0.236	0.057	21	18	0.540	0.981	0.024
18	39	1.591	0.104	0.001	19	59	2.552	0.435	0.092	21	19	0.710	0.930	0.045
18	40	1.089	0.687	0.084	20	0	2.820	0.841	0.072	21	20	0.483	0.755	0.060
18	41	1.260	0.830	0.056	20	1	2.648	0.598	0.178	21	21	0.452	0.775	0.013
18	42	1.171	0.651	0.114	20	2	3.364	0.293	0.066	21	22	0.120	0.666	0.002
18	43	1.407	0.195	0.069	20	3	3.032	0.125	0.123	21	23	0.027	0.481	0.075
18	44	1.398	0.516	0.100	20	4	3.170	0.291	0.107	21	24	0.028	0.453	0.133
18	45	1.787	0.516	0.171	20	5	2.224	0.172	0.094	21	25	-0.000	0.490	0.192
18	46	2.433	0.639	0.061	20	6	3.040	-0.095	0.072	21	26	0.185	0.680	0.029
18	47	2.061	0.259	0.126	20	7	2.423	-0.059	0.097	21	27	0.139	0.442	0.125
18	48	2.202	0.364	0.102	20	8	2.402	-0.129	0.065	21	28	0.053	0.291	0.039
18	49	2.239	0.368	0.108	20	9	2.271	-0.138	0.053	21	29	0.203	0.653	0.086
18	50	2.042	0.274	0.099	20	10	2.861	0.037	0.056	21	30	0.023	0.716	0.010
18	51	2.151	0.040	0.052	20	11	2.385	0.021	0.088	21	31	-0.000	0.553	0.072
18	52	2.321	-0.076	0.035	20	12	2.977	0.107	0.167	21	32	0.017	0.539	0.026
18	53	1.760	0.044	0.091	20	13	3.155	0.140	0.174	21	33	0.001	0.561	0.107
18	54	2.202	0.091	0.056	20	14	2.801	0.309	0.115	21	34	0.000	0.460	0.018
18	55	2.325	-0.009	0.043	20	15	2.891	0.097	0.157	21	35	0.087	0.535	0.038
18	56	2.329	-0.075	0.076	20	16	3.175	0.010	0.045	21	36	-0.002	0.537	0.103
18	57	2.260	-0.017	0.074	20	17	2.874	-0.060	0.056	21	37	0.051	0.494	0.018
18	58	2.184	-0.049	0.084	20	18	2.325	-0.184	0.217	21	38	-0.001	0.604	0.007
18	59	2.887	0.039	0.102	20	19	2.097	-0.213	0.138	21	39	0.272	0.448	0.008
19	0	2.177	-0.024	0.127	20	20	2.158	-0.027	0.099	21	40	0.264	0.455	0.002
19	1	2.689	-0.154	0.095	20	21	2.275	-0.131	0.112	21	41	0.273	0.536	0.078
19	2	2.692	-0.173	0.076	20	22	2.709	-0.045	0.061	21	42	0.566	0.657	0.015
19	3	2.737	-0.028	0.119	20	23	2.795	0.039	0.073	21	43	0.626	0.577	0.071
19	4	2.665	0.036	0.087	20	24	2.362	0.217	0.111	21	44	0.740	0.673	0.042
19	5	2.357	0.002	0.090	20	25	2.095	0.291	0.096	21	45	1.043	0.750	0.063
19	6	2.227	0.035	0.176	20	26	2.066	0.225	0.147	21	46	1.423	0.697	0.026
19	7	1.699	0.143	0.069	20	27	2.100	0.113	0.188	21	47	1.276	0.278	0.038
19	8	2.124	0.266	0.090	20	28	2.559	0.067	0.126	21	48	1.312	0.128	0.024
19	9	2.091	0.161	0.053	20	29	2.444	0.056	0.088	21	49	1.561	-0.073	0.093
19	10	1.892	0.486	0.034	20	30	2.389	0.089	0.086	21	50	1.695	-0.045	0.178
19	11	1.648	0.304	0.078	20	31	2.285	0.007	0.121	21	51	1.916	-0.275	0.037
19	12	1.724	0.306	0.023	20	32	1.788	0.116	0.038	21	52	1.823	-0.113	0.040
19	13	2.187	0.201	0.089	20	33	2.020	0.030	0.085	21	53	1.544	-0.311	0.006
19	14	2.435	0.078	0.167	20	34	1.673	0.093	0.080	21	54	0.898	-0.061	0.019
19	15	2.334	0.040	0.200	20	35	1.911	0.003	0.039	21	55	0.668	-0.061	0.000
19	16	2.231	0.029	0.178	20	36	1.841	-0.036	0.044	21	56	0.566	0.000	0.000
19	17	2.694	-0.029	0.149	20	37	1.406	-0.001	0.064	21	57	0.290	0.000	0.000
19	18	2.554	-0.059	0.084	20	38	1.788	-0.030	0.051	21	58	0.449	-0.004	0.002
19	19	2.201	-0.419	0.136	20	39	2.145	-0.044	0.028	21	59	0.817	-0.521	0.002
19	20	1.858	-0.189	0.181	20	40	2.674	-0.096	0.079	22	0	0.400	-0.944	0.005
19	21	1.669	-0.050	0.340	20	41	2.200	-0.166	0.066	22	1	0.322	-0.554	0.031
19	22	1.513	-0.288	0.165	20	42	2.027	-0.120	0.055	22	2	0.745	-0.000	0.007
19	23	1.634	-0.437	0.034	20	43	2.114	-0.064	0.066	22	3	0.574	-0.005	0.006
19	24	2.217	-0.470	0.077	20	44	1.960	-0.111	0.165	22	4	0.300	0.000	0.021
19	25	1.272	-0.119	0.304	20	45	2.201	-0.145	0.062	22	5	0.000	0.000	0.033
19	26	1.503	-0.330	0.049	20	46	1.992	-0.078	0.036	22	6	0.000	0.000	0.000
19	27	1.542	-0.014	0.241	20	47	1.872	0.082	0.073	22	7	0.000	-0.158	0.000
19	28	1.425	0.022	0.080	20	48	2.509	0.115	0.060	22	8	-0.051	-0.665	0.000
19	29	1.574	-0.117	0.064	20	49	2.454	-0.042	0.064	22	9	-0.080	-0.384	0.000
19	30	1.879	0.121	0.112	20	50	2.354	0.025	0.100	22	10	-0.072	-0.005	-0.001
19	31	1.918	0.034	0.053	20	51	2.991	0.031	0.093	22	11	0.000	0.000	0.000
19	32	2.127	-0.002	0.108	20	52	2.218	0.055	0.070	22	12	0.000	0.000	0.000
19	33	2.171	0.016	0.064	20	53	2.487	0.039	0.107	22	13	0.000	0.000	0.000
19	34	1.860	0.017	0.031	20	54	2.452	0.163	0.078	22	14	-0.003	0.011	0.004
19	35	2.012	-0.002	0.130	20	55	2.212	0.070	0.063	22	15	0.000	0.032	0.000
19	36	1.855	0.045	0.049	20	56	2.144	0.003	0.076	22	16	-0.028	0.104	0.008
19	37	1.995	-0.016	0.050	20	57	1.699	-0.052	0.069	22	17	-0.070	0.000	0.028
19	38	1.998	0.022	0.031	20	58	1.429	-0.267	0.007	22	18	0.032	0.018	0.090
19	39	1.790	0.072	0.074	20	59	1.222	-0.508	0.076	22	19	0.003	0.084	0.219
19	40	1.715	0.119	0.043	21	0	1.604	0.061	0.024	22	20	0.000	-0.000	-0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

2	18	1.150	0.148	0.001	3	38	0.684	0.000	0.018	4	58	0.634	0.101	0.000
2	19	1.038	0.278	0.027	3	39	0.900	0.000	0.000	4	59	0.337	0.000	0.000
2	20	0.840	0.237	0.027	3	40	1.176	0.000	0.001	5	0	0.112	0.000	0.005
2	21	0.439	0.071	0.022	3	41	1.291	0.000	0.000	5	1	0.438	0.312	0.006
2	22	0.325	0.041	0.014	3	42	1.537	0.000	0.000	5	2	0.100	0.134	0.000
2	23	0.379	0.000	0.000	3	43	1.390	0.000	0.000	5	3	0.000	0.000	0.000
2	24	0.500	0.171	0.000	3	44	1.480	0.000	0.000	5	4	0.001	0.000	0.000
2	25	0.489	0.555	0.008	3	45	1.571	0.225	0.000	5	5	0.000	0.002	0.003
2	26	0.805	0.516	0.000	3	46	1.670	0.331	0.008	5	6	0.211	0.136	0.029
2	27	0.242	0.403	0.000	3	47	1.688	0.231	0.010	5	7	0.020	0.194	0.001
2	28	-0.001	0.397	0.008	3	48	1.638	0.000	0.019	5	8	0.000	0.104	0.000
2	29	0.001	0.607	0.000	3	49	1.398	0.000	0.003	5	9	0.000	0.207	0.004
2	30	0.000	0.611	0.001	3	50	1.268	0.000	0.000	5	10	0.265	0.000	0.000
2	31	0.000	0.343	0.002	3	51	1.117	0.000	0.000	5	11	0.000	0.229	0.000
2	32	0.272	0.019	0.000	3	52	1.236	0.010	0.000	5	12	0.000	0.000	0.000
2	33	0.337	0.033	0.000	3	53	1.051	0.000	0.000	5	13	0.005	0.326	0.001
2	34	0.624	0.000	0.000	3	54	0.985	0.000	0.000	5	14	0.000	0.000	0.000
2	35	0.689	0.000	0.000	3	55	0.587	0.026	0.005	5	15	0.000	0.219	0.014
2	36	0.362	0.217	0.023	3	56	0.739	0.273	0.012	5	16	0.000	0.054	0.025
2	37	0.050	0.185	0.039	3	57	1.180	0.175	0.002	5	17	0.000	0.000	0.000
2	38	-0.000	0.109	0.023	3	58	1.111	0.149	0.000	5	18	0.291	0.000	0.000
2	39	0.000	0.282	0.000	3	59	0.851	0.000	0.000	5	19	0.304	0.000	0.000
2	40	0.000	0.096	0.000	4	0	0.144	0.006	0.000	5	20	0.029	0.000	0.000
2	41	0.152	0.000	0.000	4	1	0.020	-0.002	0.000	5	21	0.136	0.035	0.018
2	42	0.824	0.421	0.000	4	2	0.112	-0.296	0.000	5	22	0.775	0.736	0.000
2	43	0.782	0.665	0.000	4	3	0.000	-0.677	0.000	5	23	0.941	0.873	0.000
2	44	0.690	0.611	0.001	4	4	0.346	-0.830	0.000	5	24	0.654	0.638	0.000
2	45	0.272	0.366	0.000	4	5	0.712	-0.798	0.000	5	25	0.730	0.760	0.000
2	46	0.045	0.379	0.032	4	6	0.564	-0.590	0.000	5	26	0.682	0.615	0.004
2	47	0.272	0.443	0.000	4	7	0.545	-0.553	0.000	5	27	0.082	0.545	0.002
2	48	0.261	0.999	0.008	4	8	0.014	-0.308	0.000	5	28	0.317	0.534	0.019
2	49	0.038	0.789	0.007	4	9	0.000	-0.222	0.000	5	29	0.018	0.150	0.012
2	50	0.323	0.639	0.000	4	10	0.489	0.032	0.000	5	30	0.000	0.000	0.000
2	51	0.988	0.677	0.001	4	11	0.783	0.062	0.001	5	31	0.168	0.000	0.000
2	52	0.932	0.673	0.002	4	12	0.463	0.000	0.000	5	32	-0.001	0.000	0.000
2	53	0.629	0.656	0.000	4	13	0.924	0.030	0.000	5	33	0.000	0.000	0.000
2	54	0.381	0.657	0.000	4	14	0.103	0.449	0.061	5	34	0.000	0.000	0.000
2	55	0.281	0.568	0.004	4	15	-0.664	0.053	0.003	5	35	0.000	0.000	0.000
2	56	0.297	0.548	0.000	4	16	-1.090	0.000	0.000	5	36	0.000	0.000	0.000
2	57	-0.003	0.412	0.035	4	17	-0.256	0.007	0.002	5	37	0.000	0.000	0.000
2	58	0.006	0.290	0.022	4	18	0.525	0.160	0.001	5	38	-0.187	0.000	0.000
2	59	0.164	0.241	0.002	4	19	0.947	0.219	0.014	5	39	-0.031	0.000	0.000
3	0	0.177	-0.009	0.000	4	20	0.990	0.411	0.008	5	40	-0.625	-0.134	0.000
3	1	0.009	0.000	0.005	4	21	0.779	0.601	0.001	5	41	-0.410	-0.408	0.010
3	2	0.000	0.000	0.000	4	22	0.251	0.500	0.000	5	42	0.000	0.002	0.004
3	3	-0.031	0.043	0.001	4	23	0.029	0.055	0.011	5	43	0.000	0.000	0.000
3	4	-0.403	0.000	0.000	4	24	0.000	0.000	0.000	5	44	0.000	0.000	0.000
3	5	-0.000	0.000	0.011	4	25	0.001	0.000	0.005	5	45	0.000	0.000	0.000
3	6	0.000	0.000	0.004	4	26	0.398	0.000	0.000	5	46	0.001	0.144	0.007
3	7	0.000	0.000	0.000	4	27	0.164	0.000	0.013	5	47	0.000	0.032	0.000
3	8	0.000	0.000	0.000	4	28	0.000	-0.000	0.002	5	48	0.004	0.250	0.000
3	9	0.000	0.000	0.000	4	29	0.000	0.000	0.048	5	49	0.062	0.314	0.000
3	10	0.000	0.000	0.000	4	30	-0.000	0.000	0.000	5	50	0.140	0.252	0.000
3	11	0.000	0.000	0.000	4	31	0.000	0.000	0.004	5	51	0.308	0.343	0.012
3	12	0.000	0.000	0.000	4	32	0.000	0.000	0.000	5	52	-0.003	0.000	0.007
3	13	0.000	0.053	0.031	4	33	0.000	0.042	0.000	5	53	0.112	0.239	0.013
3	14	0.168	0.000	0.003	4	34	0.442	-0.178	0.000	5	54	0.340	0.399	0.004
3	15	0.365	0.000	0.000	4	35	0.722	-0.720	0.000	5	55	0.370	0.176	0.002
3	16	0.254	0.000	0.000	4	36	0.606	-0.604	0.000	5	56	0.273	0.428	0.002
3	17	0.082	0.000	0.000	4	37	0.256	-0.581	0.000	5	57	0.000	0.387	0.000
3	18	0.018	0.000	0.000	4	38	0.000	-0.565	0.000	5	58	0.422	0.177	0.000
3	19	-0.001	-0.001	0.000	4	39	0.000	-0.536	0.000	5	59	0.540	0.054	0.001
3	20	0.000	0.024	0.004	4	40	-0.000	-0.553	0.000	6	0	0.647	0.024	0.001
3	21	0.000	0.103	0.013	4	41	0.000	-0.704	0.000	6	1	0.610	0.002	0.000
3	22	0.051	0.000	0.033	4	42	0.000	-0.550	0.000	6	2	0.604	0.000	0.000
3	23	-0.001	0.170	0.073	4	43	0.036	-0.581	0.000	6	3	0.658	0.000	0.000
3	24	0.357	0.892	0.008	4	44	0.182	-0.212	0.000	6	4	0.805	0.000	0.000
3	25	0.936	0.916	0.000	4	45	0.000	0.000	0.012	6	5	0.842	0.000	0.000
3	26	0.968	0.662	0.001	4	46	0.000	0.030	0.044	6	6	0.662	0.000	0.000
3	27	0.936	0.403	0.001	4	47	0.000	0.053	0.003	6	7	0.124	0.000	0.000
3	28	0.701	0.021	0.032	4	48	0.000	0.168	0.017	6	8	0.000	0.020	0.000
3	29	0.691	0.145	0.018	4	49	-0.000	0.494	0.015	6	9	0.000	0.000	0.000
3	30	0.534	0.218	0.003	4	50	0.124	0.528	0.000	6	10	0.000	0.000	0.000
3	31	0.709	0.690	0.000	4	51	0.661	0.793	0.000	6	11	0.000	0.000	0.000
3	32	0.632	0.772	0.002	4	52	1.058	0.716	0.001	6	12	0.000	0.000	0.000
3	33	0.975	1.005	0.000	4	53	1.020	0.458	0.000	6	13	0.000	0.000	0.000
3	34	0.965	1.154	0.002	4	54	0.806	0.479	0.000	6	14	0.000	0.000	0.000
3	35	0.985	1.185	0.006	4	55	1.050	0.573	0.000	6	15	0.000	0.000	0.000
3	36	0.855	0.971	0.004	4	56	0.968	0.404	0.000	6	16	0.753	0.027	0.000
3	37	0.631	0.253	0.005	4	57	0.855	0.278	0.000	6	17	0.000	0.000	0.000



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

6	18	0.302	0.000	0.000	7	38	-1.601	-0.268	0.000	8	58	-2.754	0.685	0.001
6	19	0.414	0.082	0.000	7	39	-2.509	-0.312	0.000	8	59	-3.686	0.277	0.001
6	20	0.689	0.582	0.004	7	40	-2.625	-0.326	0.000	9	0	-4.097	0.174	0.001
6	21	0.259	0.116	0.001	7	41	-1.958	-0.127	0.000	9	1	-4.213	0.265	0.000
6	22	0.558	0.023	0.000	7	42	-3.043	-0.388	0.002	9	2	-3.844	0.043	0.000
6	23	0.166	0.307	0.004	7	43	-3.640	-0.615	0.006	9	3	-2.921	-0.181	0.001
6	24	0.509	0.572	0.000	7	44	-3.234	-0.745	0.000	9	4	-2.749	-0.144	0.004
6	25	0.749	0.604	0.000	7	45	-2.619	-1.023	0.003	9	5	-2.696	-0.062	0.001
6	26	0.867	0.345	0.000	7	46	-2.923	-0.788	0.000	9	6	-2.715	0.909	0.000
6	27	0.918	0.015	0.000	7	47	-3.124	-0.935	0.001	9	7	-2.836	0.265	0.000
6	28	0.675	0.002	0.002	7	48	-2.856	-0.813	0.000	9	8	-3.238	0.134	0.001
6	29	0.758	0.000	0.000	7	49	-2.399	-0.451	0.000	9	9	-3.154	0.022	0.000
6	30	0.976	0.003	0.000	7	50	-2.793	-0.200	0.000	9	10	-3.691	0.716	0.002
6	31	0.799	0.000	0.000	7	51	-2.090	-0.070	0.000	9	11	-3.984	-0.076	0.000
6	32	0.666	0.070	0.000	7	52	-2.058	-0.158	0.003	9	12	-4.006	-0.362	0.000
6	33	0.780	0.001	0.000	7	53	-2.782	-0.111	0.000	9	13	-3.860	-0.152	0.003
6	34	0.916	0.207	0.000	7	54	-3.510	-0.149	0.007	9	14	-4.967	-0.056	0.002
6	35	0.321	0.034	0.007	7	55	-3.564	-0.422	0.003	9	15	-4.540	-0.128	0.001
6	36	-0.076	-0.471	0.000	7	56	-3.689	-0.827	0.002	9	16	-3.939	-0.022	0.004
6	37	-0.000	-0.428	0.000	7	57	-3.343	-0.679	0.001	9	17	-5.255	0.228	0.003
6	38	0.012	-0.070	0.000	7	58	-2.526	-0.031	0.000	9	18	-5.564	0.254	0.000
6	39	-0.050	0.159	0.000	7	59	-2.589	-0.179	0.000	9	19	-3.733	0.567	0.005
6	40	0.178	0.645	0.000	8	0	-3.083	-0.534	0.001	9	20	-4.307	-0.103	0.000
6	41	0.104	0.266	0.000	8	1	-3.702	-0.374	0.001	9	21	-4.853	0.229	0.002
6	42	0.291	0.000	0.000	8	2	-2.996	-0.234	0.002	9	22	-4.243	0.193	0.003
6	43	0.731	0.000	0.000	8	3	-3.610	-0.549	0.002	9	23	-3.844	-0.008	0.002
6	44	0.704	0.006	0.000	8	4	-2.584	-0.187	0.000	9	24	-4.130	0.149	0.004
6	45	0.695	0.000	0.000	8	5	-2.602	-0.241	0.000	9	25	-4.404	0.336	0.001
6	46	0.498	0.000	0.000	8	6	-2.342	-0.194	0.000	9	26	-3.842	0.501	0.003
6	47	0.312	0.000	0.000	8	7	-2.619	-0.180	0.000	9	27	-3.945	0.612	0.001
6	48	0.000	-0.000	0.000	8	8	-2.536	0.016	0.002	9	28	-3.992	0.230	0.001
6	49	0.000	0.000	0.000	8	9	-2.910	0.119	0.001	9	29	-3.266	-0.037	0.001
6	50	0.000	0.000	0.000	8	10	-3.418	0.380	0.002	9	30	-3.745	0.244	0.000
6	51	0.000	0.000	0.000	8	11	-3.505	-0.023	0.000	9	31	-4.058	0.115	0.001
6	52	0.000	0.000	0.000	8	12	-3.598	-0.103	0.005	9	32	-2.511	0.424	0.001
6	53	0.000	0.000	0.000	8	13	-3.423	0.053	0.000	9	33	-3.141	0.490	0.001
6	54	-0.023	0.000	0.000	8	14	-3.534	0.067	0.001	9	34	-3.477	0.448	0.004
6	55	-0.041	0.007	0.000	8	15	-3.731	-0.085	0.004	9	35	-3.737	0.621	0.005
6	56	0.000	-0.042	0.000	8	16	-2.890	-0.139	0.004	9	36	-3.997	0.388	0.003
6	57	-0.000	-0.398	0.000	8	17	-2.055	0.013	-0.000	9	37	-4.057	0.320	0.002
6	58	0.000	-0.223	0.000	8	18	-2.034	0.082	0.003	9	38	-2.832	0.140	0.002
6	59	-0.016	0.000	0.000	8	19	-2.737	0.334	0.004	9	39	-2.601	-0.113	0.000
7	0	0.000	0.000	0.000	8	20	-2.817	-0.202	0.003	9	40	-2.787	-0.189	0.000
7	1	0.068	0.000	0.000	8	21	-2.677	-0.111	0.001	9	41	-2.964	-0.163	0.000
7	2	0.000	0.000	0.000	8	22	-2.257	0.226	0.001	9	42	-2.849	-0.115	0.000
7	3	0.000	-0.011	0.000	8	23	-2.427	0.294	0.002	9	43	-3.385	0.162	0.000
7	4	0.000	-0.245	0.000	8	24	-2.256	0.069	0.003	9	44	-3.882	0.438	0.002
7	5	0.000	-0.087	0.000	8	25	-3.070	0.173	0.001	9	45	-3.358	0.602	0.000
7	6	0.000	0.000	0.000	8	26	-3.874	-0.096	0.000	9	46	-4.059	0.755	0.001
7	7	0.000	0.000	0.000	8	27	-3.317	-0.048	0.001	9	47	-3.994	0.484	0.000
7	8	0.000	-0.263	0.000	8	28	-3.110	0.041	0.000	9	48	-4.751	1.218	0.002
7	9	0.000	-0.445	0.000	8	29	-2.853	-0.150	0.001	9	49	-4.724	0.046	0.001
7	10	0.000	-0.107	0.000	8	30	-2.407	0.007	0.000	9	50	-3.702	-0.002	0.001
7	11	0.000	0.000	0.000	8	31	-3.504	0.636	0.000	9	51	-4.594	0.266	0.002
7	12	0.000	-0.510	0.000	8	32	-3.758	0.465	0.000	9	52	-4.438	0.650	0.003
7	13	-0.175	-0.753	0.000	8	33	-3.229	0.529	0.002	9	53	-4.241	0.548	0.003
7	14	-0.247	-0.843	0.000	8	34	-2.972	0.282	0.001	9	54	-4.831	0.625	0.001
7	15	-0.000	-0.761	0.000	8	35	-2.903	0.330	0.001	9	55	-4.868	0.317	0.001
7	16	-0.009	-1.023	0.000	8	36	-2.171	0.214	0.000	9	56	-5.367	0.450	0.001
7	17	-0.039	-0.863	0.000	8	37	-2.380	0.432	0.001	9	57	-3.719	0.184	0.002
7	18	-0.669	-0.875	0.000	8	38	-3.234	0.090	0.001	9	58	-4.110	0.126	0.000
7	19	-1.458	-1.235	0.002	8	39	-5.196	0.119	0.002	9	59	-3.602	0.334	0.001
7	20	-1.617	-0.804	0.000	8	40	-4.290	0.291	0.000	10	0	-3.515	0.053	0.000
7	21	-1.418	-0.240	0.000	8	41	-3.414	0.397	0.000	10	1	-3.579	0.259	0.001
7	22	-1.525	-0.199	0.001	8	42	-2.911	0.122	0.000	10	2	-4.418	0.136	0.002
7	23	-1.280	0.084	0.000	8	43	-2.710	0.278	0.002	10	3	-4.518	0.200	0.001
7	24	-1.192	-0.351	0.000	8	44	-2.494	0.115	0.001	10	4	-3.543	0.268	-0.000
7	25	-0.944	-0.510	0.000	8	45	-4.247	0.281	0.001	10	5	-4.491	0.690	0.000
7	26	-0.600	-0.640	0.000	8	46	-3.914	0.344	0.007	10	6	-4.804	0.216	0.003
7	27	-0.680	-0.462	0.000	8	47	-3.305	0.194	0.006	10	7	-4.209	0.264	0.000
7	28	-1.009	-0.377	0.000	8	48	-4.349	-0.136	0.003	10	8	-2.600	0.554	0.006
7	29	-0.972	-0.752	0.000	8	49	-3.951	-0.136	0.001	10	9	-4.661	0.893	0.002
7	30	-0.642	-0.878	0.000	8	50	-3.828	-0.122	0.005	10	10	-4.515	0.741	0.004
7	31	-0.843	-0.453	0.000	8	51	-4.600	0.169	0.001	10	11	-4.627	0.720	0.006
7	32	-0.574	-0.896	0.000	8	52	-3.451	-0.004	0.000	10	12	-5.492	0.677	0.003
7	33	-0.520	-0.964	0.001	8	53	-2.146	-0.184	0.000	10	13	-3.210	0.370	0.003
7	34	-0.674	-1.170	0.000	8	54	-2.863	0.275	0.001	10	14	-3.663	0.491	0.001
7	35	-0.860	-1.071	0.000	8	55	-3.124	0.036	0.000	10	15	-3.112	0.600	0.002
7	36	-0.916	-1.022	0.000	8	56	-2.489	0.089	0.000	10	16	-3.636	0.833	0.007
7	37	-0.835	-0.072	0.001	8	57	-2.361	0.106	0.000	10	17	-4.688	0.925	0.002





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

10	18	-4.319	1.186	0.005	11	38	-2.075	0.997	0.000	12	58	-1.843	0.351	0.004
10	19	-5.555	0.584	0.002	11	39	-2.611	1.534	0.000	12	59	-0.896	0.721	0.005
10	20	-5.680	0.378	0.004	11	40	-1.602	0.814	0.000	13	0	-0.282	0.060	0.028
10	21	-5.056	0.342	0.001	11	41	-1.883	0.415	0.002	13	1	-1.100	0.031	0.018
10	22	-4.907	0.428	0.006	11	42	-3.575	-0.076	0.001	13	2	-2.775	-0.427	0.032
10	23	-4.841	0.939	0.004	11	43	-2.422	-0.136	0.000	13	3	-1.749	-0.666	0.016
10	24	-3.957	0.967	0.008	11	44	-2.362	0.713	0.000	13	4	-1.113	-0.271	0.047
10	25	-4.771	0.378	0.003	11	45	-2.529	1.112	0.001	13	5	-1.610	0.549	0.033
10	26	-4.061	0.205	0.003	11	46	-1.782	1.148	0.000	13	6	-2.764	0.210	0.002
10	27	-4.578	0.047	0.005	11	47	-1.991	1.466	0.001	13	7	-2.945	-0.286	0.030
10	28	-5.084	-0.230	0.002	11	48	-2.184	1.201	0.001	13	8	-3.181	-0.356	0.000
10	29	-3.844	0.051	0.004	11	49	-3.481	0.420	0.000	13	9	-3.288	0.572	0.006
10	30	-3.884	-0.170	0.000	11	50	-2.979	0.633	0.001	13	10	-2.189	0.856	0.004
10	31	-4.189	0.079	0.001	11	51	-2.651	0.294	0.001	13	11	-1.689	1.374	0.000
10	32	-4.199	0.362	0.000	11	52	-3.521	0.200	0.000	13	12	-1.388	0.774	0.038
10	33	-3.389	-0.448	0.000	11	53	-2.228	0.151	0.000	13	13	-2.460	1.623	0.006
10	34	-3.848	-0.418	0.004	11	54	-3.454	1.511	0.002	13	14	-2.945	0.547	0.058
10	35	-4.569	0.141	0.000	11	55	-3.247	1.923	0.000	13	15	-2.974	0.558	0.092
10	36	-4.581	0.211	0.000	11	56	-3.158	1.641	0.000	13	16	-2.837	0.234	0.017
10	37	-3.879	0.676	0.003	11	57	-2.918	1.431	0.000	13	17	-2.048	1.299	0.015
10	38	-3.576	-0.200	0.017	11	58	-2.292	1.522	0.001	13	18	-2.990	0.895	0.004
10	39	-5.667	0.034	0.007	11	59	-1.912	1.233	0.000	13	19	-2.985	-0.152	0.003
10	40	-4.927	-0.314	0.003	12	0	-3.040	0.040	0.000	13	20	-2.771	-0.204	0.001
10	41	-5.405	0.107	0.005	12	1	-2.337	-0.053	0.002	13	21	-3.337	0.046	0.007
10	42	-4.960	0.654	0.011	12	2	-3.380	-0.669	0.001	13	22	-2.373	-0.709	0.035
10	43	-4.956	0.198	0.005	12	3	-3.289	-0.926	0.000	13	23	-2.842	0.010	0.029
10	44	-4.166	0.204	0.003	12	4	-3.450	-0.932	0.000	13	24	-2.316	0.652	0.040
10	45	-4.320	-0.242	0.003	12	5	-2.243	-0.950	0.001	13	25	-3.692	0.605	0.035
10	46	-4.577	-0.187	0.001	12	6	-2.294	-0.808	0.001	13	26	-2.921	1.326	0.000
10	47	-3.206	0.232	0.000	12	7	-2.141	-0.685	0.005	13	27	-3.147	0.989	0.007
10	48	-4.060	0.088	0.004	12	8	-3.403	0.604	0.000	13	28	-2.787	1.430	0.058
10	49	-4.263	-0.431	0.011	12	9	-2.306	1.566	0.000	13	29	-2.546	0.608	0.112
10	50	-4.195	-0.221	0.013	12	10	-1.412	2.428	0.000	13	30	-1.817	0.464	0.107
10	51	-4.884	-0.344	0.002	12	11	-1.028	2.111	0.003	13	31	-2.530	0.111	0.100
10	52	-3.770	-0.080	0.020	12	12	-0.770	0.983	0.006	13	32	-3.349	-0.116	0.061
10	53	-4.664	0.272	0.017	12	13	-1.272	0.663	0.008	13	33	-2.723	-0.218	0.139
10	54	-4.433	0.286	0.014	12	14	-2.188	0.021	0.004	13	34	-4.062	0.286	0.039
10	55	-5.215	-0.105	0.004	12	15	-3.279	-0.505	0.001	13	35	-3.901	-0.304	0.057
10	56	-5.017	-0.133	0.005	12	16	-3.498	-1.007	0.005	13	36	-2.828	-1.435	0.017
10	57	-4.690	-0.043	0.002	12	17	-3.456	-1.120	0.003	13	37	-2.523	-1.389	0.007
10	58	-5.166	0.512	0.002	12	18	-2.696	-0.417	0.002	13	38	-3.445	-0.815	0.034
10	59	-3.948	1.108	0.001	12	19	-2.851	0.054	0.001	13	39	-3.735	-0.367	0.002
11	0	-3.490	1.185	0.002	12	20	-1.918	-0.469	0.018	13	40	-2.539	-0.267	0.000
11	1	-3.458	1.611	0.005	12	21	-1.362	0.560	0.012	13	41	-1.850	-0.056	0.021
11	2	-3.541	-0.031	0.008	12	22	-2.749	0.099	0.015	13	42	-2.848	0.334	0.163
11	3	-4.706	-0.338	0.003	12	23	-3.853	-0.058	0.005	13	43	-3.043	0.528	0.030
11	4	-4.095	1.310	0.001	12	24	-3.081	0.283	0.020	13	44	-2.529	0.106	0.021
11	5	-3.058	1.161	0.001	12	25	-2.219	0.259	0.000	13	45	-4.215	-0.248	0.056
11	6	-2.300	1.218	0.004	12	26	-2.250	0.041	0.001	13	46	-3.333	-0.314	0.015
11	7	-2.418	1.772	0.000	12	27	-2.309	0.129	0.000	13	47	-2.702	-0.078	0.005
11	8	-3.320	1.639	0.000	12	28	-2.296	0.513	0.000	13	48	-2.742	-0.396	0.034
11	9	-2.477	1.122	0.001	12	29	-2.224	1.032	0.001	13	49	-2.653	-1.573	0.027
11	10	-2.444	0.877	0.000	12	30	-1.184	0.824	0.003	13	50	-2.311	-0.170	0.008
11	11	-2.380	0.627	0.002	12	31	-0.356	0.832	0.015	13	51	-2.292	0.810	0.109
11	12	-2.448	0.688	0.000	12	32	-0.241	0.926	0.013	13	52	-3.074	1.021	0.044
11	13	-3.213	-0.249	0.001	12	33	-0.941	0.331	0.013	13	53	-2.675	0.857	0.057
11	14	-2.710	-0.306	0.001	12	34	-0.429	0.233	-0.000	13	54	-2.904	0.619	0.022
11	15	-2.598	0.074	0.000	12	35	-1.703	0.297	0.002	13	55	-2.820	-0.055	0.036
11	16	-3.681	-0.518	0.002	12	36	-1.201	-0.365	0.012	13	56	-2.709	0.321	0.019
11	17	-2.323	-0.004	0.002	12	37	-1.260	-0.406	0.048	13	57	-2.142	0.282	0.000
11	18	-2.904	0.283	0.000	12	38	-2.012	-1.052	0.021	13	58	-1.334	0.725	0.068
11	19	-2.537	0.819	0.002	12	39	-2.218	0.037	0.003	13	59	-3.228	-0.530	0.065
11	20	-3.003	0.456	0.000	12	40	-0.793	0.009	0.025	14	0	-2.920	-0.921	0.069
11	21	-2.427	0.521	0.000	12	41	-0.950	-0.158	0.052	14	1	-3.254	-0.060	0.032
11	22	-2.990	0.740	0.002	12	42	-2.724	0.039	0.034	14	2	-3.924	0.086	0.004
11	23	-3.036	1.879	0.002	12	43	-2.645	0.383	0.005	14	3	-3.061	0.538	0.042
11	24	-1.991	0.933	0.003	12	44	-2.548	-0.141	0.047	14	4	-3.414	0.246	0.038
11	25	-4.054	1.009	0.002	12	45	-2.897	-0.185	0.000	14	5	-3.473	0.764	0.034
11	26	-3.003	1.389	0.002	12	46	-2.295	0.206	0.004	14	6	-3.093	-0.032	0.106
11	27	-3.454	1.421	0.002	12	47	-1.899	0.022	-0.002	14	7	-3.267	-0.133	0.045
11	28	-2.718	1.058	0.003	12	48	-0.782	0.015	-0.001	14	8	-1.204	-0.934	0.161
11	29	-2.432	0.854	0.006	12	49	-1.378	0.356	0.012	14	9	-0.934	-0.465	0.168
11	30	-4.121	0.255	0.001	12	50	-3.124	0.364	0.017	14	10	-1.461	-0.580	0.009
11	31	-2.343	0.129	0.000	12	51	-3.200	0.026	0.021	14	11	-1.213	0.089	0.061
11	32	-3.354	-0.545	0.004	12	52	-2.987	-0.105	0.050	14	12	-2.620	-0.572	0.052
11	33	-3.179	-0.243	0.009	12	53	-2.925	-0.074	0.001	14	13	-2.969	-1.658	0.099
11	34	-2.314	0.291	0.001	12	54	-2.393	0.259	0.005	14	14	-1.991	-1.131	0.195
11	35	-2.762	-0.147	0.002	12	55	-2.630	0.476	0.002	14	15	-2.109	-0.748	0.121
11	36	-2.687	0.411	0.001	12	56	-2.097	0.380	0.010	14	16	-2.100	-0.424	0.006
11	37	-2.484	1.161	0.002	12	57	-1.445	0.896	0.007	14	17	-1.132	0.827	0.068





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

14	18	-0.108	-0.248	0.000	15	38	-0.433	-0.639	0.010	16	58	-3.584	-4.263	0.149
14	19	-0.487	-0.407	0.022	15	39	-0.713	-0.316	0.047	16	59	-4.090	-3.085	0.089
14	20	-0.890	-0.866	0.008	15	40	-0.900	-0.061	0.022	17	0	-3.480	-2.179	0.111
14	21	-0.183	-0.933	0.100	15	41	-0.784	-0.393	0.087	17	1	-4.030	-1.584	0.324
14	22	-0.073	-0.819	0.004	15	42	-0.943	-0.061	0.006	17	2	-3.521	-1.313	0.310
14	23	-1.837	0.285	0.029	15	43	-1.257	-0.363	0.006	17	3	-4.557	-2.509	0.168
14	24	-2.386	-0.062	0.072	15	44	-1.293	-1.507	0.049	17	4	-3.520	-3.342	0.062
14	25	-3.254	-0.067	0.024	15	45	-1.577	-2.350	0.046	17	5	-4.072	-3.742	0.038
14	26	-2.146	0.067	0.012	15	46	-1.088	-2.502	0.079	17	6	-3.358	-2.810	0.184
14	27	-3.367	-0.835	0.040	15	47	-2.150	-1.849	0.067	17	7	-3.511	-2.587	0.183
14	28	-3.548	-2.796	0.116	15	48	-1.474	-1.580	0.080	17	8	-3.656	-2.089	0.221
14	29	-2.755	-1.793	0.010	15	49	-2.126	-1.705	0.050	17	9	-4.250	-4.056	0.098
14	30	-2.991	-0.795	0.038	15	50	-1.316	-2.077	0.203	17	10	-4.048	-3.706	0.026
14	31	-3.301	-0.044	0.023	15	51	-0.949	-2.136	0.098	17	11	-3.493	-2.735	0.113
14	32	-3.123	0.924	0.061	15	52	-1.036	-1.608	0.306	17	12	-4.336	-3.133	0.086
14	33	-1.801	0.590	0.052	15	53	-2.022	-0.875	0.132	17	13	-4.223	-3.256	0.154
14	34	-3.296	-0.110	0.065	15	54	-1.119	-1.303	0.177	17	14	-4.026	-2.801	0.029
14	35	-4.350	-0.466	0.050	15	55	-1.778	-2.153	0.008	17	15	-5.281	-2.524	0.067
14	36	-5.084	-0.019	0.041	15	56	-1.134	-1.205	0.012	17	16	-4.682	-2.762	0.139
14	37	-4.897	0.510	0.054	15	57	-1.091	-1.378	0.012	17	17	-4.089	-3.765	0.085
14	38	-3.827	0.175	0.067	15	58	-0.722	-1.797	0.126	17	18	-4.375	-4.589	0.054
14	39	-4.186	-0.500	0.055	15	59	-1.371	-2.413	0.112	17	19	-3.903	-3.232	0.108
14	40	-4.449	-0.593	0.027	16	0	-1.605	-3.915	0.120	17	20	-4.904	-3.473	0.076
14	41	-3.292	-0.649	0.004	16	1	-0.963	-3.639	0.185	17	21	-4.414	-3.061	0.097
14	42	-2.362	-0.789	0.017	16	2	-1.378	-4.266	0.089	17	22	-4.966	-3.850	0.118
14	43	-2.424	-0.695	0.000	16	3	-0.693	-3.628	0.084	17	23	-4.905	-3.178	0.075
14	44	-1.764	-0.259	0.003	16	4	-1.387	-3.493	0.063	17	24	-5.189	-3.375	0.146
14	45	-2.655	-1.101	0.129	16	5	-0.971	-1.917	0.260	17	25	-3.668	-5.351	0.168
14	46	-3.109	-3.407	0.039	16	6	-1.498	-2.787	0.168	17	26	-4.011	-2.735	0.205
14	47	-3.120	-2.250	0.015	16	7	-2.229	-4.014	0.062	17	27	-4.991	-3.483	0.104
14	48	-2.696	-1.545	0.074	16	8	-2.297	-4.133	0.111	17	28	-4.729	-2.947	0.234
14	49	-2.377	-1.637	0.125	16	9	-1.719	-2.851	0.082	17	29	-5.010	-3.326	0.224
14	50	-2.913	-1.807	0.114	16	10	-1.479	-2.968	0.086	17	30	-4.652	-2.778	0.246
14	51	-3.426	-2.560	0.074	16	11	-1.574	-3.022	0.035	17	31	-4.157	-2.857	0.137
14	52	-3.507	-3.193	0.021	16	12	-1.944	-1.335	0.089	17	32	-4.628	-3.423	0.143
14	53	-2.620	-2.217	0.176	16	13	-1.441	-1.941	0.188	17	33	-5.158	-3.980	0.115
14	54	-2.986	-1.426	0.019	16	14	-2.680	-2.833	0.110	17	34	-5.019	-5.094	0.224
14	55	-2.864	-1.184	0.059	16	15	-2.393	-2.669	0.070	17	35	-4.566	-3.901	0.108
14	56	-3.166	-0.916	0.005	16	16	-2.369	-2.922	0.342	17	36	-4.349	-4.244	0.155
14	57	-2.559	-1.064	0.030	16	17	-3.796	-3.576	0.134	17	37	-3.620	-2.702	0.098
14	58	-1.383	-1.463	0.096	16	18	-4.675	-3.492	0.043	17	38	-2.884	-2.706	0.103
14	59	-1.859	-1.347	0.124	16	19	-2.271	-2.967	0.145	17	39	-4.353	-1.688	0.120
15	0	-2.324	-1.199	0.014	16	20	-2.678	-2.966	0.096	17	40	-3.343	-2.211	0.301
15	1	-2.629	-1.959	0.042	16	21	-1.898	-2.742	0.193	17	41	-2.019	-2.535	0.136
15	2	-1.992	-2.144	0.003	16	22	-1.224	-3.474	0.184	17	42	-1.976	-1.892	0.351
15	3	-1.907	-1.984	0.039	16	23	-1.843	-4.010	0.052	17	43	-3.000	-3.691	0.242
15	4	-2.680	-2.264	0.004	16	24	-2.059	-4.290	0.140	17	44	-2.116	-4.025	0.407
15	5	-1.659	-2.513	0.113	16	25	-2.502	-3.880	0.164	17	45	-2.661	-4.812	0.106
15	6	-2.277	-2.386	0.090	16	26	-1.141	-3.277	0.175	17	46	-2.513	-2.747	0.266
15	7	-2.600	-1.992	0.029	16	27	-0.994	-2.344	0.223	17	47	-4.448	-4.904	0.146
15	8	-2.379	-1.047	0.021	16	28	-1.102	-2.578	0.080	17	48	-3.800	-4.087	0.049
15	9	-2.079	-2.578	0.047	16	29	-2.520	-2.411	0.103	17	49	-2.226	-3.751	0.354
15	10	-1.433	-2.125	0.136	16	30	-1.954	-2.848	0.135	17	50	-3.693	-1.892	0.225
15	11	-1.340	-3.277	0.054	16	31	-0.793	-2.381	0.190	17	51	-4.130	-1.633	0.554
15	12	-1.400	-3.083	0.042	16	32	-1.715	-2.579	0.217	17	52	-2.931	-2.726	0.084
15	13	-1.304	-2.576	0.043	16	33	-2.965	-4.054	0.066	17	53	-3.170	-1.923	0.226
15	14	-1.473	-1.888	0.020	16	34	-3.568	-3.886	0.032	17	54	-4.414	-2.905	0.069
15	15	-1.355	-2.430	0.014	16	35	-4.635	-2.767	0.204	17	55	-4.671	-2.916	0.102
15	16	-1.475	-1.957	0.029	16	36	-2.959	-3.549	0.079	17	56	-4.141	-2.912	0.031
15	17	-1.540	-1.158	0.033	16	37	-3.388	-2.706	0.086	17	57	-4.172	-2.786	0.071
15	18	-1.516	-1.032	0.026	16	38	-3.938	-3.631	0.104	17	58	-2.483	-2.953	0.233
15	19	-1.542	-1.420	0.050	16	39	-4.591	-3.144	0.042	17	59	-1.773	-2.818	0.044
15	20	-2.423	-0.577	0.148	16	40	-3.781	-2.870	0.134	18	0	-2.178	-1.038	0.146
15	21	-2.139	-0.483	0.060	16	41	-3.061	-2.658	0.213	18	1	-2.889	-2.364	0.134
15	22	-2.183	-1.064	0.078	16	42	-3.879	-3.208	0.088	18	2	-3.845	-1.771	0.096
15	23	-1.995	-1.258	0.023	16	43	-2.487	-4.605	0.017	18	3	-2.761	-2.878	0.185
15	24	-1.662	-2.175	0.028	16	44	-1.434	-3.659	0.119	18	4	-3.234	-3.088	0.092
15	25	-1.667	-1.822	0.038	16	45	-1.703	-2.251	0.103	18	5	-3.489	-2.904	0.142
15	26	-1.683	-1.953	0.003	16	46	-2.226	-2.540	0.175	18	6	-3.272	-3.357	0.118
15	27	-1.304	-1.560	0.079	16	47	-4.751	-3.427	0.116	18	7	-2.669	-3.613	0.048
15	28	-1.019	-1.507	0.212	16	48	-5.269	-3.576	0.117	18	8	-2.456	-3.670	0.068
15	29	-0.547	-0.473	0.123	16	49	-3.115	-4.117	0.139	18	9	-2.585	-3.132	0.066
15	30	-0.710	-0.485	0.041	16	50	-3.134	-3.849	0.207	18	10	-1.226	-1.747	0.470
15	31	-0.915	-0.959	0.024	16	51	-2.834	-4.366	0.066	18	11	-2.666	-1.136	0.160
15	32	-1.010	-0.050	0.023	16	52	-3.395	-2.280	0.218	18	12	-3.097	-1.696	0.309
15	33	-1.167	-0.274	0.002	16	53	-3.471	-2.166	0.231	18	13	-2.135	-4.017	0.149
15	34	-0.821	0.014	0.008	16	54	-2.464	-2.412	0.253	18	14	-3.588	-3.360	0.142
15	35	-1.373	0.077	0.054	16	55	-4.793	-2.896	0.209	18	15	-2.469	-3.196	0.248
15	36	-1.654	-0.032	0.003	16	56	-5.031	-2.569	0.060	18	16	-2.137	-2.169	0.170
15	37	-1.567	-0.051	0.008	16	57	-3.538	-3.243	0.194	18	17	-1.453	-2.469	0.315





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

18	18	-1.509	-0.860	0.257	19	38	-0.508	-1.664	0.017	20	58	-0.701	-0.911	0.000
18	19	-1.875	-1.862	0.112	19	39	-0.692	-1.684	0.011	20	59	-0.506	-1.136	0.000
18	20	-3.525	-2.399	0.173	19	40	-1.139	-1.191	0.003	21	0	-0.741	-1.204	0.004
18	21	-3.653	-3.190	0.157	19	41	-0.596	-1.096	0.002	21	1	-0.884	-1.260	0.001
18	22	-3.147	-3.584	0.197	19	42	-1.144	-0.510	0.001	21	2	-0.599	-0.890	0.003
18	23	-3.606	-2.348	0.355	19	43	-1.611	-0.653	0.015	21	3	-0.307	-1.300	0.000
18	24	-2.998	-2.308	0.141	19	44	-1.729	-1.727	0.025	21	4	-0.450	-1.346	0.002
18	25	-2.260	-4.316	0.184	19	45	-1.730	-2.306	0.054	21	5	-0.721	-1.412	0.000
18	26	-3.113	-2.312	0.143	19	46	-1.258	-2.453	0.037	21	6	-0.605	-1.649	0.002
18	27	-3.654	-1.339	0.137	19	47	-1.018	-2.344	0.009	21	7	-0.609	-1.713	0.002
18	28	-3.154	-1.107	0.104	19	48	-0.878	-1.724	0.022	21	8	-0.902	-1.688	0.000
18	29	-2.636	-4.178	0.138	19	49	-0.915	-1.109	0.003	21	9	-0.795	-1.560	0.000
18	30	-1.668	-3.102	0.227	19	50	-0.773	-1.292	0.014	21	10	-1.179	-1.425	0.000
18	31	-2.593	-2.969	0.212	19	51	-0.334	-1.311	0.045	21	11	-1.118	-1.740	0.002
18	32	-2.629	-2.547	0.238	19	52	-0.348	-1.405	0.058	21	12	-1.141	-1.905	0.000
18	33	-3.059	-2.740	0.115	19	53	-0.353	-1.699	0.033	21	13	-1.187	-1.905	0.009
18	34	-2.590	-1.977	0.065	19	54	-0.212	-1.802	0.049	21	14	-1.432	-1.985	0.003
18	35	-2.150	-1.039	0.134	19	55	-0.175	-1.794	0.028	21	15	-1.126	-1.901	0.002
18	36	-2.493	-1.109	0.070	19	56	-0.030	-1.717	0.007	21	16	-1.071	-1.938	0.007
18	37	-3.097	-3.810	0.096	19	57	-0.024	-1.585	0.006	21	17	-1.005	-1.783	0.035
18	38	-2.350	-4.464	0.135	19	58	-0.353	-1.101	0.037	21	18	-1.225	-1.333	0.012
18	39	-3.037	-4.618	0.131	19	59	-0.557	-0.382	0.003	21	19	-1.205	-1.727	0.017
18	40	-2.992	-2.110	0.088	20	0	-0.992	-0.788	0.000	21	20	-0.689	-1.827	0.015
18	41	-2.721	-2.146	0.292	20	1	-0.845	-0.667	0.000	21	21	-0.718	-1.712	0.003
18	42	-2.290	-1.582	0.327	20	2	-0.627	-0.651	0.000	21	22	-0.912	-1.711	0.010
18	43	-1.912	-2.212	0.211	20	3	-0.591	-0.526	0.000	21	23	-1.521	-1.619	0.001
18	44	-3.406	-2.665	0.261	20	4	-0.252	-0.608	0.000	21	24	-1.841	-2.007	0.007
18	45	-2.336	-2.576	0.158	20	5	-0.111	-0.793	0.000	21	25	-1.251	-1.605	0.070
18	46	-2.105	-2.835	0.157	20	6	-0.733	-0.662	0.008	21	26	-1.043	-0.830	0.026
18	47	-3.180	-2.215	0.032	20	7	-0.271	-0.816	0.001	21	27	-1.211	-1.152	0.018
18	48	-2.979	-1.879	0.183	20	8	-0.168	-0.918	0.000	21	28	-1.426	-1.164	0.003
18	49	-1.654	-1.830	0.091	20	9	0.049	-0.895	0.001	21	29	-1.285	-1.199	0.024
18	50	-1.061	-2.383	0.012	20	10	-0.567	-1.034	0.009	21	30	-1.162	-1.475	0.020
18	51	-1.194	-2.550	0.190	20	11	-1.119	-0.472	0.003	21	31	-0.832	-1.404	0.001
18	52	-2.107	-2.366	0.227	20	12	-1.580	-1.592	0.075	21	32	-0.836	-1.233	0.000
18	53	-3.924	-4.116	0.099	20	13	-1.551	-1.920	0.002	21	33	-0.719	-0.908	0.000
18	54	-3.505	-4.081	0.097	20	14	-0.520	-0.768	-0.001	21	34	-0.668	-0.640	0.000
18	55	-2.472	-3.009	0.076	20	15	-0.668	-0.889	0.003	21	35	-0.502	-0.323	0.000
18	56	-1.950	-3.233	0.125	20	16	-0.978	-0.684	0.000	21	36	-0.513	-0.666	0.000
18	57	-1.495	-2.360	0.264	20	17	-0.825	-0.792	0.001	21	37	-0.251	-0.875	0.001
18	58	-1.964	-2.667	0.172	20	18	-1.117	-0.731	0.000	21	38	-0.204	-1.159	0.001
18	59	-2.255	-3.798	0.102	20	19	-0.878	-1.276	0.000	21	39	-0.868	-1.025	0.001
19	0	-2.950	-4.073	0.149	20	20	-1.116	-1.284	0.002	21	40	-0.875	-0.740	0.000
19	1	-1.944	-3.510	0.150	20	21	-1.248	-1.254	0.000	21	41	-0.683	-0.734	0.000
19	2	-1.985	-3.049	0.166	20	22	-1.176	-1.093	0.005	21	42	-0.849	-1.045	0.000
19	3	-1.233	-3.174	0.079	20	23	-1.041	-1.657	0.002	21	43	-1.100	-0.729	0.000
19	4	-0.592	-2.817	0.068	20	24	-0.948	-1.458	-0.000	21	44	-1.408	-0.123	0.000
19	5	-1.071	-2.735	0.190	20	25	-0.620	-1.265	0.001	21	45	-2.048	-0.118	0.033
19	6	-1.089	-2.864	0.231	20	26	-0.465	-1.547	0.000	21	46	-2.087	0.287	0.051
19	7	-1.805	-3.740	0.117	20	27	-0.379	-1.109	0.000	21	47	-1.631	0.338	0.008
19	8	-3.126	-2.409	0.037	20	28	-0.009	-1.084	0.001	21	48	-1.781	0.062	0.045
19	9	-2.683	-2.022	0.128	20	29	-0.048	-0.864	0.005	21	49	-1.917	-0.438	0.003
19	10	-2.215	-2.229	0.060	20	30	-0.230	-1.271	0.005	21	50	-1.491	-0.602	0.000
19	11	-2.361	-1.491	0.036	20	31	-0.020	-1.093	-0.000	21	51	-1.595	-0.544	0.014
19	12	-3.009	-1.249	0.055	20	32	-0.021	-0.969	0.000	21	52	-1.802	-0.296	0.005
19	13	-1.509	-1.602	0.222	20	33	-0.209	-0.908	0.000	21	53	-1.942	-0.196	0.011
19	14	-2.785	-1.862	0.023	20	34	-0.543	-1.174	0.001	21	54	-1.755	-0.166	0.003
19	15	-2.796	-2.602	0.025	20	35	-0.982	-1.597	0.000	21	55	-1.122	0.179	-0.003
19	16	-3.080	-2.058	0.131	20	36	-0.766	-1.808	0.000	21	56	-1.492	-0.180	0.012
19	17	-2.567	-1.945	0.044	20	37	-0.700	-1.826	0.002	21	57	-1.757	-0.893	0.010
19	18	-2.097	-1.929	0.085	20	38	-0.826	-1.353	0.002	21	58	-2.384	-1.305	0.018
19	19	-1.143	-1.257	0.069	20	39	-0.857	-1.431	0.000	21	59	-1.608	-0.477	0.034
19	20	-1.219	-1.134	0.039	20	40	-0.577	-1.734	0.002	22	0	-1.682	-0.420	0.023
19	21	-0.742	-0.858	0.044	20	41	-0.428	-1.544	0.022	22	1	-1.778	-0.024	0.046
19	22	-0.340	-0.756	0.001	20	42	-0.110	-1.236	0.012	22	2	-1.898	-0.668	0.010
19	23	-0.587	-1.437	0.008	20	43	-0.235	-1.238	0.002	22	3	-1.311	-1.005	0.005
19	24	-0.184	-1.027	0.008	20	44	-0.599	-1.370	0.000	22	4	-1.123	-1.460	0.011
19	25	-0.578	-0.468	0.051	20	45	-0.935	-0.993	0.000	22	5	-1.252	-1.121	0.002
19	26	-0.532	-0.603	0.009	20	46	-1.067	-1.069	0.001	22	6	-1.421	-0.408	0.014
19	27	0.034	-1.105	0.028	20	47	-1.168	-1.154	0.000	22	7	-1.438	-1.230	0.012
19	28	0.010	-0.014	0.143	20	48	-1.174	-1.336	0.002	22	8	-1.256	-1.662	0.024
19	29	-0.513	0.030	0.070	20	49	-1.329	-1.110	0.000	22	9	-1.190	-0.368	0.008
19	30	-0.559	-0.336	0.060	20	50	-1.161	-1.147	0.000	22	10	-1.796	-0.475	0.003
19	31	-0.120	-0.852	0.000	20	51	-1.153	-0.401	0.000	22	11	-1.513	-1.157	0.002
19	32	-0.085	-0.833	0.000	20	52	-1.734	-0.559	0.000	22	12	-0.854	-0.717	0.007
19	33	-0.690	-0.770	0.000	20	53	-1.739	-0.781	0.000	22	13	-0.873	-1.646	0.027
19	34	-0.801	-1.380	0.009	20	54	-1.393	-0.712	0.001	22	14	-1.532	-0.427	0.001
19	35	-0.051	-1.811	0.000	20	55	-1.462	-1.340	0.004	22	15	-2.052	-0.583	0.010
19	36	-0.412	-1.277	0.028	20	56	-0.968	-1.922	0.006	22	16	-1.612	-0.500	0.007
19	37	-0.246	-1.678	0.054	20	57	-0.741	-1.176	0.007	22	17	-1.208	-0.157	0.000



22	18	-0.990	-0.060	0.006	23	38	0.003	-1.062	0.000	0	55	-0.003	-0.844	0.001	
22	19	-0.840	-0.116	0.000	23	39	0.013	-0.062	0.191	0	56	0.017	-0.970	0.010	
22	20	-1.102	-0.214	0.005	23	40	0.070	-0.721	0.064	0	57	0.230	-0.775	0.134	
22	21	-1.610	-0.240	0.010	23	41	0.065	-1.017	0.019	0	58	0.303	-1.204	0.055	
22	22	-1.773	-0.492	0.000	23	42	0.014	-0.757	0.049	0	59	0.096	-1.370	0.064	
22	23	-1.448	-0.901	0.001	23	43	-0.159	-1.234	0.034	1	0	0.241	-0.173	0.039	
22	24	-1.038	-1.439	0.002	23	44	-0.795	-1.235	0.001	1	1	0.061	0.035	0.323	
22	25	-1.532	-0.835	0.000	23	45	-0.556	-1.514	0.006	1	2	-0.001	0.396	0.261	
22	26	-1.280	-1.273	0.048	23	46	-0.055	-1.117	0.020	1	3	-0.009	0.614	0.117	
22	27	-1.837	-0.844	0.011	23	47	-0.164	-0.313	0.003	1	4	-0.011	0.786	0.055	
22	28	-2.250	-1.380	0.008	23	48	-0.387	-1.102	0.050	1	5	0.000	0.668	0.018	
22	29	-2.350	-1.961	0.022	23	49	-0.582	-1.091	0.095	1	6	0.019	0.670	0.028	
22	30	-1.739	-1.202	0.010	23	50	-1.199	-1.072	0.004	1	7	0.000	0.642	0.008	
22	31	-0.852	-0.974	0.000	23	51	-0.712	-1.493	0.007	1	8	0.149	0.486	0.045	
22	32	-0.332	-0.328	0.014	23	52	0.179	-1.410	0.094	1	9	0.567	0.590	0.027	
22	33	-0.729	-0.172	0.004	23	53	0.005	-0.603	0.132	1	10	0.248	0.305	0.000	
22	34	-0.074	-0.304	0.000	23	54	-0.016	-0.753	0.014	1	11	0.000	0.000	0.008	
22	35	-0.894	-0.850	0.002	23	55	0.000	-0.838	0.012	1	12	0.000	0.000	0.060	
22	36	-1.198	-1.530	0.008	23	56	0.004	-0.919	0.001	1	13	0.071	0.017	0.048	
22	37	-1.226	-1.080	0.001	23	57	0.000	-0.570	0.000	1	14	0.441	0.253	0.022	
22	38	-0.850	-0.760	0.000	23	58	-0.001	-0.029	0.000	1	15	0.852	0.277	0.035	
22	39	-0.756	-0.472	0.002	23	59	-0.323	-0.273	0.000	1	16	0.849	0.154	0.155	
22	40	-0.972	-0.353	0.000						1	17	1.023	0.331	0.184	
22	41	-1.047	-0.264	0.000		11/07/95				1	18	0.863	0.215	0.207	
22	42	-1.276	-0.305	0.000		0	0	-0.718	-0.347	0.000	1	19	0.939	0.044	0.078
22	43	-1.173	-0.028	0.001		0	1	-0.082	-0.621	0.000	1	20	1.026	0.000	0.013
22	44	-0.753	-0.125	0.000		0	2	0.107	-0.590	0.039	1	21	1.175	0.089	0.020
22	45	-0.389	-1.027	0.016		0	3	-0.631	-0.039	-0.001	1	22	1.415	0.022	0.007
22	46	-1.272	-1.190	0.017		0	4	-0.405	-0.003	0.000	1	23	1.213	0.009	0.007
22	47	-1.509	-0.542	0.014		0	5	-0.711	-0.559	0.009	1	24	1.033	-0.003	0.011
22	48	-1.487	-0.968	0.005		0	6	-0.027	-0.984	0.002	1	25	0.882	0.073	0.020
22	49	-1.441	-1.636	0.061		0	7	-0.173	-1.101	0.015	1	26	0.853	0.296	0.012
22	50	-1.452	-1.503	0.027		0	8	0.059	-1.046	0.038	1	27	0.882	0.025	0.049
22	51	-1.396	-1.014	0.023		0	9	-0.142	-1.274	0.049	1	28	0.554	0.458	0.071
22	52	-1.569	-0.795	0.004		0	10	-0.342	-1.357	0.025	1	29	0.598	0.418	0.023
22	53	-1.202	-0.969	0.010		0	11	-0.534	-2.353	0.019	1	30	0.460	0.563	0.003
22	54	-0.928	-1.438	0.000		0	12	-0.827	-1.557	0.035	1	31	0.150	0.466	0.011
22	55	-0.246	-1.408	0.007		0	13	-0.720	-0.794	0.017	1	32	0.000	0.610	0.024
22	56	-0.871	-1.404	0.005		0	14	-0.728	-0.917	0.020	1	33	-0.001	0.742	0.010
22	57	-0.551	-0.949	0.005		0	15	-1.015	-1.085	0.010	1	34	0.000	0.667	0.000
22	58	-0.080	-0.855	0.003		0	16	-0.326	-0.781	0.001	1	35	0.002	0.447	0.039
22	59	0.000	-0.731	0.010		0	17	-0.458	-0.478	0.107	1	36	-0.003	0.512	0.246
23	0	-0.511	-0.313	0.091		0	18	-0.338	-1.124	0.016	1	37	-0.022	0.484	0.138
23	1	-0.823	-0.564	0.000		0	19	0.011	-1.181	0.012	1	38	-0.002	0.457	0.203
23	2	-0.493	-0.740	0.001		0	20	-0.973	-1.090	0.057	1	39	-0.001	0.368	0.086
23	3	-0.065	-1.276	0.047		0	21	-1.328	-1.208	0.242	1	40	0.000	0.348	0.087
23	4	-0.974	-1.464	0.082		0	22	-1.750	-1.529	0.142	1	41	0.459	0.341	0.043
23	5	-0.702	-1.498	0.028		0	23	-0.886	-2.298	0.063	1	42	0.799	0.013	0.204
23	6	0.030	-1.088	0.015		0	24	-0.704	-1.709	0.141	1	43	0.971	0.000	0.019
23	7	0.000	-0.770	0.009		0	25	-0.055	-1.022	0.164	1	44	0.941	0.000	0.000
23	8	0.000	-0.479	0.000		0	26	-0.622	-2.056	0.045	1	45	0.990	0.000	0.000
23	9	-0.012	-0.828	0.002		0	27	-0.003	-1.525	0.130	1	46	0.924	0.001	0.004
23	10	-0.315	-1.807	0.025		0	28	-0.276	-1.190	0.087	1	47	0.735	0.037	0.028
23	11	-0.852	-2.498	0.033		0	29	0.048	-0.431	0.101	1	48	0.594	0.217	0.009
23	12	-1.405	-0.941	0.041		0	30	-0.064	-0.318	0.016	1	49	0.052	0.094	0.352
23	13	-1.571	-2.205	0.009		0	31	-0.218	-0.677	0.013	1	50	-0.001	-0.000	0.489
23	14	-1.399	-1.903	0.031		0	32	-0.779	-0.846	0.024	1	51	0.000	-0.001	0.180
23	15	-0.955	-1.007	0.007		0	33	-1.034	-0.567	0.017	1	52	0.000	0.000	0.000
23	16	-1.159	-0.184	0.195		0	34	-0.991	0.015	0.008	1	53	0.000	0.000	0.056
23	17	-1.621	-1.255	0.151		0	35	-0.144	-0.102	0.066	1	54	0.000	0.000	0.039
23	18	-0.048	-0.755	0.010		0	36	-0.720	-0.292	0.000	1	55	0.035	0.252	0.281
23	19	1.246	-0.286	0.277		0	37	-1.050	-0.385	0.000	1	56	0.240	0.475	0.079
23	20	0.643	-0.597	0.494		0	38	-0.698	-0.684	-0.002	1	57	0.273	0.199	0.172
23	21	0.751	-0.915	0.011		0	39	-1.087	-0.580	0.074	1	58	0.575	0.000	0.015
23	22	0.924	-0.565	0.091		0	40	-0.803	-1.415	0.023	1	59	0.543	0.000	0.000
23	23	0.356	-0.784	0.011		0	41	-0.268	-1.190	0.028	2	0	0.527	0.000	0.000
23	24	0.002	-0.606	0.005		0	42	-0.450	-1.150	0.014	2	1	0.554	0.000	0.000
23	25	0.135	-1.056	0.011		0	43	-0.513	-1.147	0.011	2	2	0.343	0.000	0.000
23	26	0.163	-0.957	0.007		0	44	-0.156	-0.915	0.000	2	3	0.000	0.000	0.000
23	27	0.706	-1.661	0.032		0	45	0.000	-0.471	0.000	2	4	0.000	0.000	0.000
23	28	0.078	-1.555	0.015		0	46	-0.184	-0.304	0.000	2	5	0.000	0.000	0.002
23	29	0.778	-0.968	0.014		0	47	0.000	-0.382	0.000	2	6	0.000	0.000	0.000
23	30	0.514	-1.150	0.061		0	48	0.000	-0.114	0.000	2	7	0.000	0.000	0.004
23	31	0.183	-1.124	0.021		0	49	0.000	0.000	0.000	2	8	0.000	0.000	0.018
23	32	-0.437	-1.106	0.065		0	50	0.000	0.000	0.091	2	9	0.000	0.000	0.005
23	33	-1.503	-0.709	0.004		0	51	0.082	-0.004	0.079	2	10	0.000	0.000	0.000
23	34	-1.022	-1.282	0.042		0	52	-0.115	-0.655	0.008	2	11	0.000	0.000	0.002
23	35	-0.168	-1.970	0.047		0	53	-0.538	-1.569	0.002	2	12	0.292	0.000	0.004
23	36	0.570	-2.493	0.090		0	54	-0.237	-1.147	0.006	2	13	0.648	0.000	0.052
23	37	0.356	-1.955	0.002							2	14	0.353	0.000	0.018



Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

2	15	0.210	0.000	0.001	3	35	0.715	0.000	0.000	4	55	0.228	0.123	0.002
2	16	0.384	0.133	0.000	3	36	0.201	0.257	0.002	4	56	0.001	0.000	0.000
2	17	0.528	0.289	0.001	3	37	0.000	0.042	0.056	4	57	0.026	0.000	0.000
2	18	0.616	0.379	0.001	3	38	0.000	0.197	0.076	4	58	0.688	0.000	0.006
2	19	0.765	0.088	0.000	3	39	0.000	0.001	0.139	4	59	0.094	0.000	0.179
2	20	0.911	0.202	0.000	3	40	0.001	0.023	0.081	5	0	0.610	0.460	0.105
2	21	0.691	0.372	0.000	3	41	0.114	0.167	0.026	5	1	0.974	0.824	0.054
2	22	0.556	0.644	0.009	3	42	0.301	0.000	0.000	5	2	0.694	0.533	0.054
2	23	0.565	0.467	0.002	3	43	1.074	0.000	0.011	5	3	0.562	0.000	0.136
2	24	0.629	0.670	0.003	3	44	1.265	0.000	0.026	5	4	0.597	0.000	0.040
2	25	0.495	0.621	0.010	3	45	1.231	0.000	0.038	5	5	0.723	0.148	0.131
2	26	0.324	0.740	0.013	3	46	1.066	0.000	0.012	5	6	0.488	0.035	0.061
2	27	0.072	0.766	0.000	3	47	0.645	0.000	0.002	5	7	0.168	0.154	0.132
2	28	0.013	0.680	0.012	3	48	0.012	0.362	0.149	5	8	0.000	0.098	0.115
2	29	0.020	0.572	0.065	3	49	0.651	0.479	0.019	5	9	0.074	0.000	0.018
2	30	0.136	0.344	0.001	3	50	1.024	0.441	0.046	5	10	0.074	0.000	0.073
2	31	0.175	0.294	0.060	3	51	1.024	0.242	0.112	5	11	0.262	0.105	0.000
2	32	0.320	0.544	0.021	3	52	1.520	0.322	0.090	5	12	0.189	0.291	0.014
2	33	0.490	0.155	0.022	3	53	1.449	0.162	0.024	5	13	0.303	0.037	0.001
2	34	0.447	0.047	0.068	3	54	1.151	0.067	0.027	5	14	0.037	0.232	0.095
2	35	0.512	0.004	0.079	3	55	1.256	0.040	0.010	5	15	0.000	0.083	0.081
2	36	0.569	0.000	0.001	3	56	1.078	0.000	0.003	5	16	0.042	0.000	0.022
2	37	0.210	0.165	0.029	3	57	0.782	0.009	0.020	5	17	0.000	0.000	0.000
2	38	0.016	0.000	0.000	3	58	0.762	0.004	0.014	5	18	0.000	0.000	0.000
2	39	0.312	0.204	0.001	3	59	0.934	0.058	0.010	5	19	0.000	0.000	0.000
2	40	0.191	0.534	0.054	4	0	1.091	0.001	0.025	5	20	0.000	0.000	0.000
2	41	0.003	0.589	0.203	4	1	0.775	0.003	0.008	5	21	0.011	0.000	0.008
2	42	0.227	0.576	0.032	4	2	0.685	0.000	0.000	5	22	0.000	0.000	0.000
2	43	0.566	0.529	0.000	4	3	0.610	0.000	0.000	5	23	0.000	0.000	0.000
2	44	0.788	0.577	0.028	4	4	0.062	0.000	0.011	5	24	0.000	0.000	0.009
2	45	0.562	0.419	0.001	4	5	0.002	0.000	0.238	5	25	0.000	0.000	0.000
2	46	0.845	0.488	0.003	4	6	0.005	0.016	0.206	5	26	0.000	0.000	0.000
2	47	0.904	0.379	0.029	4	7	0.016	0.112	0.354	5	27	0.000	0.000	0.000
2	48	0.644	0.095	0.027	4	8	0.017	0.121	0.488	5	28	0.000	0.000	0.000
2	49	0.475	0.159	0.007	4	9	-0.004	0.003	0.431	5	29	0.000	0.000	0.052
2	50	0.526	0.000	0.023	4	10	0.000	0.174	0.121	5	30	0.169	0.000	0.021
2	51	0.779	0.021	0.124	4	11	0.001	0.178	0.119	5	31	0.489	0.000	0.000
2	52	0.977	0.042	0.007	4	12	-0.001	0.413	0.163	5	32	0.651	0.000	0.032
2	53	1.070	0.072	0.011	4	13	-0.002	0.029	0.168	5	33	0.623	0.000	0.018
2	54	0.815	0.018	0.015	4	14	-0.007	0.000	0.327	5	34	0.576	0.000	0.000
2	55	0.261	0.013	0.040	4	15	0.000	0.000	0.262	5	35	0.357	0.000	0.000
2	56	0.000	0.003	0.000	4	16	-0.009	0.000	0.332	5	36	0.040	0.000	0.000
2	57	0.014	0.194	0.086	4	17	0.002	0.104	0.394	5	37	0.000	0.000	0.000
2	58	0.067	0.286	0.216	4	18	0.001	0.143	0.265	5	38	0.000	0.000	0.000
2	59	0.284	0.222	0.000	4	19	-0.001	0.317	0.377	5	39	0.000	0.000	0.000
3	0	0.246	0.000	0.002	4	20	-0.006	0.534	0.293	5	40	0.000	0.000	0.000
3	1	0.405	0.000	0.003	4	21	-0.001	0.348	0.393	5	41	0.000	0.000	0.000
3	2	0.415	0.107	0.341	4	22	0.010	0.166	0.349	5	42	0.000	0.000	0.000
3	3	0.640	0.240	0.274	4	23	0.030	0.216	0.475	5	43	0.000	0.000	0.000
3	4	0.560	0.079	0.283	4	24	0.230	0.155	0.024	5	44	-0.001	0.000	0.009
3	5	0.532	0.193	0.061	4	25	0.217	0.030	0.068	5	45	0.000	0.000	0.000
3	6	0.145	0.060	0.054	4	26	0.733	0.000	0.175	5	46	0.000	0.123	0.131
3	7	0.128	0.000	0.000	4	27	0.810	0.000	0.007	5	47	0.003	0.506	0.353
3	8	0.000	0.000	0.006	4	28	0.682	-0.001	0.001	5	48	0.000	0.739	0.048
3	9	0.000	0.000	0.000	4	29	0.749	-0.069	0.005	5	49	-0.044	0.950	0.076
3	10	0.000	0.000	0.000	4	30	0.434	-0.080	0.002	5	50	-0.247	1.017	0.019
3	11	0.000	0.003	0.000	4	31	0.094	-0.006	0.000	5	51	-0.001	0.886	0.091
3	12	0.007	0.179	0.146	4	32	0.000	0.013	0.000	5	52	0.000	0.707	0.016
3	13	0.000	0.589	0.312	4	33	0.000	0.117	0.020	5	53	0.240	0.541	0.039
3	14	0.064	0.571	0.061	4	34	0.000	0.030	0.060	5	54	0.174	0.154	0.293
3	15	0.385	0.892	0.021	4	35	0.000	0.006	0.082	5	55	0.245	0.174	0.100
3	16	0.277	0.854	0.014	4	36	-0.115	0.000	0.008	5	56	0.686	0.005	0.130
3	17	0.289	1.005	0.011	4	37	-0.313	0.006	0.000	5	57	0.792	0.000	0.000
3	18	0.097	0.915	0.068	4	38	-0.064	0.000	0.000	5	58	0.963	0.006	0.000
3	19	0.388	0.781	0.009	4	39	0.000	0.129	0.062	5	59	1.026	0.000	0.001
3	20	0.693	0.842	0.039	4	40	-0.005	0.206	0.364	6	0	0.889	0.093	0.000
3	21	0.963	0.895	0.016	4	41	-0.006	0.540	0.171	6	1	0.693	0.354	0.000
3	22	1.265	0.605	0.000	4	42	0.001	0.089	0.177	6	2	0.021	0.408	0.051
3	23	0.782	0.204	0.009	4	43	0.000	0.000	0.003	6	3	0.001	0.312	0.111
3	24	0.760	0.064	0.125	4	44	0.000	0.000	0.000	6	4	0.053	0.030	0.052
3	25	1.090	0.239	0.001	4	45	-0.114	0.000	0.000	6	5	0.430	0.000	0.000
3	26	0.995	0.007	0.002	4	46	0.000	0.000	0.000	6	6	0.291	0.000	0.000
3	27	0.765	0.299	0.002	4	47	0.000	0.000	0.000	6	7	0.103	0.000	0.000
3	28	0.285	0.422	0.030	4	48	0.000	0.000	0.035	6	8	0.000	0.000	0.000
3	29	0.522	0.588	0.003	4	49	0.000	0.000	0.022	6	9	-0.002	0.000	0.026
3	30	0.580	0.470	0.027	4	50	0.000	0.000	0.129	6	10	0.000	0.000	0.011
3	31	0.886	0.423	0.006	4	51	0.000	0.184	0.204	6	11	0.000	-0.000	0.044
3	32	0.874	0.242	0.004	4	52	0.542	0.813	0.031	6	12	-0.000	0.001	0.176
3	33	0.688	0.001	0.007	4	53	0.652	0.786	0.114	6	13	0.007	-0.001	0.247





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

6	15	0.000	0.000	0.121	7	35	0.361	0.692	0.001	8	55	-0.326	-1.251	0.000
6	16	0.000	0.000	0.000	7	36	0.199	0.801	0.007	8	56	-0.210	-1.371	0.005
6	17	0.462	0.000	0.099	7	37	0.291	0.653	0.218	8	57	-0.030	-1.438	0.000
6	18	0.437	0.000	0.126	7	38	0.498	0.589	0.000	8	58	0.058	-0.984	0.002
6	19	0.742	0.331	0.052	7	39	0.490	0.591	0.000	8	59	0.064	-0.941	0.004
6	20	0.571	0.362	0.001	7	40	0.628	0.240	0.005	9	0	0.000	-0.748	0.000
6	21	0.388	0.466	0.002	7	41	0.660	0.317	0.000	9	1	-0.035	-0.400	0.000
6	22	0.663	0.257	0.007	7	42	0.425	0.283	0.002	9	2	-0.239	-0.442	0.000
6	23	0.292	0.000	0.049	7	43	0.580	0.149	0.013	9	3	-0.466	-0.386	0.001
6	24	0.000	0.007	0.006	7	44	0.574	0.000	0.000	9	4	-0.699	0.186	0.001
6	25	0.236	0.000	0.007	7	45	0.047	0.005	0.040	9	5	-0.027	0.032	0.008
6	26	0.336	0.002	0.010	7	46	0.024	0.011	0.013	9	6	-0.029	0.310	0.004
6	27	0.382	0.012	0.026	7	47	0.004	0.000	0.005	9	7	0.157	0.345	0.013
6	28	0.377	0.000	0.001	7	48	0.101	0.116	0.041	9	8	0.118	0.727	0.004
6	29	0.250	0.133	0.040	7	49	0.006	0.455	0.002	9	9	-0.167	0.285	0.011
6	30	0.087	0.022	0.006	7	50	-0.001	0.388	0.064	9	10	0.326	-1.351	0.001
6	31	0.076	0.122	0.032	7	51	-0.006	0.559	0.034	9	11	0.742	-1.816	0.004
6	32	0.023	0.096	0.107	7	52	0.290	0.304	0.076	9	12	0.579	-1.806	0.001
6	33	0.000	0.000	0.156	7	53	0.015	0.172	0.008	9	13	0.174	-1.613	0.004
6	34	0.054	0.182	0.138	7	54	0.011	-0.015	0.016	9	14	0.376	-1.326	0.011
6	35	0.158	0.274	0.363	7	55	-0.249	-0.036	0.055	9	15	0.321	-1.082	0.009
6	36	0.199	0.024	0.282	7	56	-0.676	-0.169	0.004	9	16	1.083	-0.869	0.001
6	37	0.329	0.000	0.012	7	57	-0.532	-0.162	0.007	9	17	0.928	-0.162	0.000
6	38	0.533	0.000	0.032	7	58	-0.713	-0.001	0.002	9	18	0.280	-0.741	0.001
6	39	0.395	0.000	0.003	7	59	-0.058	0.137	0.001	9	19	0.371	-0.828	-0.000
6	40	0.677	0.367	0.022	8	0	-0.366	0.226	0.011	9	20	0.078	-0.441	-0.001
6	41	0.623	0.546	0.009	8	1	-0.034	0.000	0.005	9	21	-0.014	0.220	0.020
6	42	0.499	0.599	0.028	8	2	0.000	0.078	0.000	9	22	-0.355	-0.283	0.007
6	43	0.494	0.540	0.068	8	3	-0.045	-0.000	0.006	9	23	-0.463	-0.412	0.007
6	44	0.434	0.459	0.128	8	4	-0.364	-0.004	-0.000	9	24	-0.846	-0.034	0.004
6	45	0.523	0.628	0.027	8	5	-0.011	-0.003	0.000	9	25	-2.744	0.779	0.005
6	46	0.420	0.563	0.076	8	6	-0.940	0.034	0.000	9	26	-3.384	0.108	0.013
6	47	0.495	0.676	0.006	8	7	-0.640	0.180	0.000	9	27	-4.338	0.690	0.000
6	48	0.483	0.557	0.077	8	8	-0.287	0.065	0.000	9	28	-6.373	-0.475	0.011
6	49	0.680	0.546	0.032	8	9	-0.645	-0.108	0.000	9	29	-6.828	0.073	0.020
6	50	0.582	0.794	0.039	8	10	-0.093	-0.022	0.000	9	30	-5.675	-0.104	0.006
6	51	0.304	0.796	0.170	8	11	-0.159	-0.292	0.000	9	31	-6.696	-0.136	0.004
6	52	0.130	0.736	0.164	8	12	-0.383	-0.526	0.000	9	32	-6.329	-0.455	0.010
6	53	0.158	0.541	0.025	8	13	-0.657	-0.012	0.001	9	33	-7.204	-0.314	0.006
6	54	0.191	0.616	0.126	8	14	-0.712	-0.101	0.003	9	34	-7.131	0.299	0.005
6	55	0.249	0.623	0.005	8	15	-0.431	-0.437	0.001	9	35	-5.908	0.480	0.009
6	56	0.753	0.825	0.000	8	16	-0.674	0.023	0.000	9	36	-5.411	0.506	0.009
6	57	0.899	0.872	0.000	8	17	-0.550	0.003	0.000	9	37	-3.834	-0.005	0.024
6	58	1.001	0.726	0.001	8	18	-0.514	-0.046	0.000	9	38	-4.918	-0.322	0.013
6	59	0.931	0.653	0.001	8	19	-0.785	-0.007	0.000	9	39	-6.145	-1.251	0.031
7	0	0.747	0.566	0.001	8	20	-0.121	0.006	0.006	9	40	-5.744	-2.525	0.020
7	1	0.680	0.445	0.002	8	21	-0.439	-0.184	0.001	9	41	-4.030	-2.861	0.011
7	2	0.484	0.177	0.003	8	22	-0.610	-0.640	0.000	9	42	-4.140	-1.406	0.032
7	3	0.468	0.079	0.000	8	23	-0.464	-0.572	0.000	9	43	-4.367	-0.318	0.019
7	4	0.490	0.445	0.001	8	24	-0.116	-0.036	0.004	9	44	-3.688	-0.098	0.023
7	5	0.412	0.354	0.029	8	25	-0.515	0.126	0.001	9	45	-3.314	0.368	0.004
7	6	0.598	0.451	0.000	8	26	-0.502	-0.145	0.000	9	46	-3.601	0.582	0.018
7	7	0.720	0.343	0.000	8	27	-0.387	-0.001	0.000	9	47	-3.305	0.659	0.006
7	8	0.620	0.473	0.000	8	28	-0.017	0.000	0.000	9	48	-1.987	0.449	0.002
7	9	0.567	0.741	0.000	8	29	-0.612	-1.476	0.000	9	49	-1.514	0.468	0.002
7	10	0.327	0.714	0.026	8	30	-0.398	-1.963	0.000	9	50	-1.172	0.261	0.004
7	11	0.173	0.363	0.080	8	31	-0.256	-1.392	0.001	9	51	-1.053	0.445	0.000
7	12	0.137	0.551	0.414	8	32	-0.643	-0.860	0.001	9	52	-0.520	0.209	0.008
7	13	0.344	0.565	0.217	8	33	-0.595	-0.139	0.003	9	53	-0.204	0.116	0.001
7	14	0.007	0.755	0.193	8	34	-0.263	-0.109	0.005	9	54	-0.278	0.001	0.002
7	15	0.092	0.845	0.167	8	35	-0.025	0.000	0.000	9	55	-0.954	0.000	0.000
7	16	0.170	0.705	0.000	8	36	-0.132	-0.130	0.002	9	56	-1.018	0.000	0.000
7	17	0.352	0.679	0.036	8	37	-1.262	-0.256	0.003	9	57	-0.943	-0.000	0.000
7	18	0.722	0.650	0.000	8	38	-1.388	-0.894	0.001	9	58	-1.354	-0.051	0.000
7	19	0.426	0.721	0.076	8	39	-1.386	-1.062	0.000	9	59	-1.528	-0.210	0.000
7	20	0.388	0.628	0.060	8	40	-0.738	-0.973	0.000	10	0	-1.125	-0.061	0.002
7	21	0.556	0.486	0.056	8	41	-0.760	-0.765	0.000	10	1	-1.394	-0.166	-0.002
7	22	0.824	0.503	0.000	8	42	-0.615	-1.028	0.000	10	2	-0.966	-0.067	0.001
7	23	0.515	0.320	0.000	8	43	-0.722	-1.389	0.000	10	3	-0.652	0.000	0.000
7	24	0.269	0.363	0.000	8	44	-0.565	-1.113	0.000	10	4	-0.715	0.001	0.000
7	25	0.217	0.285	0.001	8	45	-0.093	-0.749	0.000	10	5	-1.061	-0.001	0.000
7	26	0.529	0.129	0.023	8	46	0.055	-0.009	0.001	10	6	-1.168	-0.002	0.000
7	27	0.376	0.184	0.000	8	47	-0.328	-0.175	0.001	10	7	-1.374	-0.019	0.000
7	28	0.200	0.348	0.000	8	48	-0.784	-0.943	0.000	10	8	-1.280	-0.247	0.000
7	29	0.796	0.027	0.006	8	49	-0.413	-0.894	0.000	10	9	-0.749	-0.060	0.001
7	30	0.561	0.029	0.001	8	50	-0.454	-0.424	0.000	10	10	-0.088	-1.083	-0.002
7	31	0.333	0.541	0.005	8	51	-0.258	-0.148	0.000	10	11	0.000	-0.656	0.000
7	32	0.028	0.464	0.033	8	52	-0.582	0.057	0.001	10	12	0.000	-0.758	0.000
7	33	0.029	0.522	0.020	8	53	-0.308	0.000	-0.000	10	13	-0.040	-0.795	0.005
7	34	0.201	0.491	0.027	8	54	-0.140	-0.042	0.006	10	14	0.000	-1.029	0.000





Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

10	15	-0.005	-0.870	0.001	11	35	2.068	0.446	0.046	12	55	4.691	-0.232	0.013
10	16	-0.048	-1.156	0.001	11	36	1.877	0.618	0.026	12	56	3.842	-0.546	0.019
10	17	-0.137	-1.178	0.003	11	37	2.036	0.889	0.021	12	57	2.831	-0.824	0.042
10	18	-0.012	-1.207	0.002	11	38	1.630	0.604	0.007	12	58	2.804	-1.214	0.042
10	19	0.003	-1.176	0.003	11	39	1.686	0.957	0.016	12	59	3.517	-1.876	0.019
10	20	0.001	-1.383	0.002	11	40	2.113	1.200	0.020	13	0	3.416	-1.098	0.022
10	21	0.050	-0.965	0.013	11	41	1.946	0.791	0.013	13	1	3.290	-1.006	0.068
10	22	0.956	-1.755	0.004	11	42	1.772	0.915	0.004	13	2	3.066	-1.128	0.040
10	23	0.922	-1.921	0.004	11	43	1.517	0.833	0.009	13	3	3.132	-1.851	0.032
10	24	1.083	-1.584	0.013	11	44	1.251	0.459	0.039	13	4	3.080	-1.868	0.040
10	25	0.019	-1.043	0.038	11	45	1.192	0.477	0.020	13	5	2.220	-1.689	0.040
10	26	-0.000	-1.274	0.023	11	46	1.234	0.276	0.066	13	6	2.713	-1.282	0.074
10	27	0.100	-0.178	0.030	11	47	1.519	0.108	0.000	13	7	3.997	-0.533	0.059
10	28	0.061	-0.660	0.028	11	48	1.336	-0.112	0.049	13	8	4.684	-0.106	0.084
10	29	0.075	-1.551	0.000	11	49	0.908	-0.281	0.017	13	9	4.288	-0.088	0.094
10	30	0.019	-0.745	0.037	11	50	1.006	-0.014	0.017	13	10	4.859	-0.207	0.051
10	31	0.010	-0.791	0.004	11	51	1.438	-0.615	0.012	13	11	3.671	-0.309	0.101
10	32	-0.023	-0.417	0.000	11	52	1.162	-0.553	0.003	13	12	3.384	-1.091	0.044
10	33	0.000	-0.003	0.003	11	53	1.263	-0.443	0.010	13	13	3.195	-0.595	0.078
10	34	0.201	-0.042	0.006	11	54	1.226	-1.085	0.020	13	14	2.779	-1.059	0.139
10	35	-0.001	-0.121	0.002	11	55	1.101	-0.988	0.054	13	15	3.753	-1.079	0.036
10	36	-0.002	0.000	0.017	11	56	0.626	-1.305	0.032	13	16	3.180	-1.025	0.088
10	37	0.000	-0.440	0.000	11	57	0.134	-0.742	0.055	13	17	3.415	-0.146	0.030
10	38	0.688	-0.248	0.019	11	58	0.270	-0.626	0.009	13	18	3.780	0.272	0.202
10	39	0.010	-0.178	0.007	11	59	1.091	-0.422	0.002	13	19	2.879	-0.124	0.162
10	40	1.053	-0.063	0.011	12	0	0.427	-0.350	0.024	13	20	2.737	-0.814	0.049
10	41	1.394	-0.461	0.009	12	1	0.839	-1.735	0.018	13	21	2.936	-0.550	0.072
10	42	1.046	-0.710	-0.000	12	2	0.364	-1.114	0.028	13	22	2.234	-1.018	0.132
10	43	1.189	-0.049	0.006	12	3	0.064	-0.982	0.004	13	23	2.052	-0.613	0.070
10	44	1.702	-0.029	0.018	12	4	0.530	-0.288	0.000	13	24	3.102	-2.170	0.047
10	45	1.635	-0.948	0.019	12	5	0.784	-0.005	0.000	13	25	3.211	-1.368	0.071
10	46	1.361	-1.167	0.005	12	6	0.721	-0.038	0.032	13	26	2.821	-1.251	0.057
10	47	1.937	-1.316	0.007	12	7	1.059	-0.010	0.000	13	27	3.021	-1.520	0.085
10	48	2.461	-0.363	0.014	12	8	0.816	0.027	0.002	13	28	2.533	-0.992	0.068
10	49	2.678	-0.061	0.006	12	9	0.118	0.017	0.054	13	29	2.485	-1.272	0.146
10	50	2.711	0.416	0.031	12	10	0.354	0.068	0.051	13	30	2.921	-1.265	0.071
10	51	3.318	0.430	0.008	12	11	0.294	-0.048	0.040	13	31	4.051	-0.189	0.104
10	52	2.939	0.427	0.009	12	12	0.561	0.004	0.008	13	32	2.503	-0.392	0.036
10	53	2.478	0.391	0.034	12	13	0.634	0.002	0.000	13	33	3.164	-0.653	0.081
10	54	2.619	0.035	0.045	12	14	0.759	-0.010	0.000	13	34	3.539	-0.564	0.090
10	55	3.200	0.763	0.026	12	15	0.395	0.041	0.010	13	35	2.429	-1.566	0.040
10	56	3.481	0.120	0.015	12	16	0.857	0.356	0.051	13	36	3.083	-2.300	0.027
10	57	3.325	0.323	0.036	12	17	0.154	0.237	0.028	13	37	2.318	-1.014	0.091
10	58	3.881	0.007	0.025	12	18	0.360	-0.007	0.001	13	38	3.025	-0.259	0.093
10	59	3.448	0.337	0.035	12	19	0.601	0.032	0.025	13	39	3.388	-0.449	0.071
11	0	3.416	0.063	0.007	12	20	-0.031	-0.469	0.036	13	40	2.914	-0.305	0.050
11	1	2.622	0.481	0.032	12	21	-0.232	-1.641	0.004	13	41	4.290	-0.097	0.040
11	2	2.647	0.234	0.023	12	22	-0.927	-1.632	0.004	13	42	4.633	-0.179	0.135
11	3	1.760	0.296	0.025	12	23	-0.226	-2.128	0.030	13	43	4.608	-0.377	0.084
11	4	2.558	0.678	0.009	12	24	1.739	-1.592	0.004	13	44	3.662	-0.141	0.096
11	5	2.118	0.999	0.012	12	25	1.390	-1.382	0.025	13	45	2.913	0.133	0.041
11	6	1.913	0.926	0.010	12	26	1.350	-1.663	0.014	13	46	3.197	0.115	0.146
11	7	1.118	1.668	0.023	12	27	1.964	-1.550	0.001	13	47	3.238	-0.022	0.050
11	8	1.146	2.006	0.018	12	28	2.532	-1.390	0.022	13	48	3.411	-0.244	0.155
11	9	1.569	2.218	0.030	12	29	2.967	-2.619	0.027	13	49	3.056	-0.380	0.072
11	10	1.412	1.700	0.002	12	30	3.428	-3.033	0.020	13	50	2.967	-0.495	0.105
11	11	0.183	2.097	0.011	12	31	3.292	-3.097	0.027	13	51	2.471	-0.205	0.091
11	12	0.242	2.161	0.013	12	32	3.590	-2.072	0.034	13	52	2.246	-0.376	0.072
11	13	0.542	2.407	0.005	12	33	3.218	-2.217	0.014	13	53	1.760	-0.164	0.022
11	14	0.645	2.060	0.014	12	34	3.297	-2.085	0.009	13	54	2.266	-0.196	0.023
11	15	0.841	1.659	0.013	12	35	2.828	-1.523	0.005	13	55	2.183	-0.771	0.055
11	16	0.837	1.843	0.019	12	36	2.694	-0.269	0.009	13	56	2.174	-0.371	0.057
11	17	0.933	1.463	0.003	12	37	2.932	-0.202	0.027	13	57	2.150	-0.246	0.024
11	18	0.491	1.294	0.009	12	38	3.074	-0.149	0.010	13	58	2.130	-0.481	0.016
11	19	0.968	1.538	0.013	12	39	4.135	0.426	0.041	13	59	1.813	-0.425	0.019
11	20	1.702	1.298	0.003	12	40	3.905	-0.152	0.049	14	0	1.654	-0.280	0.050
11	21	1.403	1.556	0.008	12	41	3.590	-0.101	0.073	14	1	1.255	-0.292	0.071
11	22	1.801	1.481	0.012	12	42	3.423	-0.357	0.077	14	2	1.562	0.005	0.000
11	23	2.234	1.430	0.005	12	43	3.628	-0.339	0.028	14	3	1.851	0.128	0.002
11	24	2.245	1.324	0.005	12	44	3.591	-0.285	0.038	14	4	1.199	0.298	0.030
11	25	2.148	0.999	0.021	12	45	3.744	-0.262	0.054	14	5	1.500	-0.077	0.060
11	26	2.241	1.584	0.021	12	46	3.554	-0.179	0.017	14	6	1.060	-0.129	0.049
11	27	2.261	1.215	0.062	12	47	2.556	-0.109	0.036	14	7	0.939	0.009	0.024
11	28	2.404	1.064	0.024	12	48	2.702	-0.136	0.021	14	8	1.423	-0.092	0.030
11	29	3.363	1.695	0.043	12	49	2.917	-1.081	0.034	14	9	1.766	-0.247	0.056
11	30	3.428	1.628	0.039	12	50	3.325	-1.118	0.022	14	10	0.802	-0.073	0.003
11	31	3.200	1.586	0.062	12	51	3.563	-1.403	0.007	14	11	0.722	0.386	0.010
11	32	3.240	1.199	0.029	12	52	3.322	-0.551	0.038	14	12	1.374	0.560	0.035
11	33	3.151	1.087	0.059	12	53	4.388	0.128	0.014	14	13	1.034	0.291	0.113
11	34	3.167	0.850	0.023	12	54	3.973	0.269	0.036	14	14	0.761	0.350	0.062





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

14	15	0.070	0.204	0.119	15	35	-2.463	-0.846	0.039	16	55	-3.105	-2.850	0.094
14	16	0.498	-0.004	0.061	15	36	-3.838	-1.264	0.011	16	56	-4.058	-2.537	0.067
14	17	0.214	0.261	0.002	15	37	-2.775	-1.093	0.032	16	57	-5.129	-2.181	0.061
14	18	-0.167	0.051	0.018	15	38	-2.592	-0.710	0.087	16	58	-5.068	-3.278	0.068
14	19	-1.531	-0.219	0.015	15	39	-1.410	-1.527	0.327	16	59	-3.865	-4.471	0.053
14	20	-2.372	-0.154	0.000	15	40	-0.120	-2.625	0.033	17	0	-3.630	-3.131	0.087
14	21	-1.826	0.107	0.014	15	41	0.126	-2.817	0.078	17	1	-3.277	-2.116	0.079
14	22	-1.287	-0.258	0.051	15	42	-1.468	-3.630	0.100	17	2	-2.907	-1.710	0.052
14	23	-1.311	-3.402	0.017	15	43	-0.530	-3.927	0.016	17	3	-5.016	-2.435	0.074
14	24	-1.144	-4.170	0.027	15	44	-0.563	-3.220	0.074	17	4	-3.809	-3.352	0.093
14	25	-0.850	-4.391	0.024	15	45	-0.471	-4.325	0.049	17	5	-4.012	-3.099	0.169
14	26	-1.554	-3.910	0.025	15	46	-1.153	-3.938	0.070	17	6	-4.128	-3.638	0.093
14	27	-2.864	-3.749	0.021	15	47	-1.245	-3.031	0.074	17	7	-3.913	-4.014	0.046
14	28	-3.305	-3.675	0.061	15	48	-1.426	-2.869	0.068	17	8	-3.044	-3.093	0.304
14	29	-4.071	-4.330	0.014	15	49	-0.502	-3.149	0.010	17	9	-3.113	-1.730	0.102
14	30	-2.292	-3.578	0.040	15	50	-0.133	-2.559	0.017	17	10	-2.810	-3.099	0.174
14	31	-1.895	-2.255	0.051	15	51	-1.263	-2.966	0.047	17	11	-4.768	-2.131	0.141
14	32	-2.179	-2.043	0.023	15	52	-2.762	-3.374	0.081	17	12	-2.931	-2.579	0.106
14	33	-2.166	-2.844	0.002	15	53	-3.092	-2.734	0.070	17	13	-3.265	-3.243	0.053
14	34	-2.309	-3.051	0.006	15	54	-4.511	-2.363	0.045	17	14	-3.006	-1.697	0.194
14	35	-2.754	-3.302	0.021	15	55	-4.187	-2.588	0.181	17	15	-3.014	-2.069	0.117
14	36	-3.378	-4.196	0.009	15	56	-3.637	-2.516	0.069	17	16	-3.305	-2.784	0.181
14	37	-3.139	-3.511	0.059	15	57	-4.108	-2.971	0.035	17	17	-3.618	-2.410	0.105
14	38	-2.137	-3.335	0.005	15	58	-3.512	-3.295	0.139	17	18	-2.802	-2.637	0.296
14	39	-2.514	-1.734	0.064	15	59	-2.485	-3.814	0.106	17	19	-3.292	-2.959	0.052
14	40	-2.185	-1.821	0.032	16	0	-0.504	-3.759	0.133	17	20	-2.213	-2.235	0.101
14	41	-3.522	-2.529	0.035	16	1	-0.059	-3.801	0.045	17	21	-2.906	-2.879	0.105
14	42	-3.575	-3.088	0.023	16	2	-0.838	-2.925	0.066	17	22	-2.423	-3.484	0.209
14	43	-3.586	-3.332	0.038	16	3	-1.743	-2.817	0.090	17	23	-4.035	-3.204	0.192
14	44	-4.247	-3.552	0.046	16	4	-1.691	-2.781	0.116	17	24	-2.224	-2.177	0.174
14	45	-4.453	-3.481	0.036	16	5	-0.932	-3.020	0.172	17	25	-3.337	-2.687	0.059
14	46	-4.483	-2.865	0.019	16	6	-0.409	-3.875	0.050	17	26	-2.579	-2.987	0.090
14	47	-4.187	-4.258	0.012	16	7	-0.514	-3.683	0.055	17	27	-3.376	-2.173	0.148
14	48	-3.748	-3.279	0.003	16	8	-0.521	-3.409	0.152	17	28	-3.313	-2.804	0.075
14	49	-3.348	-3.049	0.021	16	9	-2.119	-4.016	0.065	17	29	-2.215	-2.994	0.212
14	50	-4.411	-3.330	0.017	16	10	-1.058	-2.992	0.278	17	30	-2.563	-3.710	0.024
14	51	-3.569	-3.449	0.033	16	11	-2.599	-3.115	0.050	17	31	-2.208	-3.080	0.176
14	52	-3.829	-4.450	0.005	16	12	-2.890	-3.730	0.046	17	32	-2.534	-3.600	0.077
14	53	-2.478	-3.573	0.011	16	13	-1.283	-4.683	0.037	17	33	-1.991	-3.219	0.140
14	54	-2.308	-3.259	0.015	16	14	-0.866	-2.456	0.168	17	34	-3.901	-2.606	0.101
14	55	-2.714	-3.815	0.021	16	15	-1.128	-2.415	0.123	17	35	-2.721	-3.047	0.038
14	56	-2.157	-3.685	0.035	16	16	-2.181	-3.920	0.043	17	36	-3.653	-3.425	0.084
14	57	-3.448	-2.791	0.029	16	17	-1.240	-3.222	0.013	17	37	-3.279	-3.112	0.063
14	58	-4.046	-1.308	0.033	16	18	-0.354	-2.554	0.138	17	38	-1.928	-2.363	0.185
14	59	-2.649	-1.436	0.042	16	19	-1.561	-3.879	0.007	17	39	-1.989	-3.415	0.053
15	0	-2.716	-1.733	0.057	16	20	-1.850	-4.087	0.041	17	40	-1.652	-3.464	0.092
15	1	-2.952	-1.943	0.014	16	21	-1.589	-2.854	0.003	17	41	-2.046	-4.132	0.100
15	2	-4.626	-1.947	0.096	16	22	-0.575	-2.374	0.044	17	42	-1.631	-3.409	0.168
15	3	-4.396	-0.892	0.044	16	23	-0.661	-2.352	0.033	17	43	-2.200	-3.878	0.057
15	4	-3.565	-1.768	0.029	16	24	-0.580	-2.162	0.035	17	44	-2.246	-3.888	0.025
15	5	-2.551	-3.732	0.016	16	25	-0.358	-2.983	0.076	17	45	-1.026	-3.199	0.142
15	6	-2.800	-4.730	0.012	16	26	-0.425	-3.344	0.234	17	46	-1.830	-2.810	0.207
15	7	-2.508	-4.519	0.018	16	27	-0.596	-3.244	0.141	17	47	-1.315	-2.670	0.231
15	8	-2.357	-4.016	0.057	16	28	-0.560	-2.972	0.188	17	48	-1.540	-3.194	0.112
15	9	-2.690	-3.780	0.046	16	29	-2.666	-3.766	0.218	17	49	-1.741	-3.002	0.172
15	10	-3.932	-4.577	0.013	16	30	-3.399	-3.524	0.083	17	50	-2.089	-2.909	0.072
15	11	-3.739	-4.560	0.007	16	31	-2.607	-2.868	0.024	17	51	-2.449	-3.220	0.074
15	12	-3.481	-4.857	0.007	16	32	-1.567	-2.443	0.090	17	52	-2.039	-2.945	0.247
15	13	-2.485	-4.859	0.026	16	33	-1.728	-2.319	0.168	17	53	-1.490	-2.305	0.088
15	14	-2.640	-3.173	0.030	16	34	-0.953	-3.110	0.055	17	54	-0.498	-1.160	0.131
15	15	-3.772	-3.721	0.008	16	35	-1.365	-4.251	0.100	17	55	-0.263	-2.145	0.050
15	16	-3.857	-3.637	0.041	16	36	-1.599	-4.177	0.088	17	56	-1.214	-3.084	0.108
15	17	-3.642	-3.565	0.010	16	37	-2.326	-3.585	0.071	17	57	-0.912	-3.657	0.043
15	18	-4.039	-3.631	0.017	16	38	-1.780	-3.519	0.064	17	58	-0.542	-2.883	0.121
15	19	-3.255	-2.417	0.024	16	39	-1.991	-3.021	0.025	17	59	-2.046	-2.808	0.100
15	20	-3.203	-1.757	0.018	16	40	-1.368	-2.847	0.035	18	0	-1.903	-3.132	0.017
15	21	-3.434	-2.116	0.043	16	41	-1.055	-3.345	0.148	18	1	-2.335	-2.332	0.025
15	22	-3.249	-2.389	0.060	16	42	-1.059	-4.043	0.109	18	2	-2.532	-2.085	0.040
15	23	-4.408	-2.176	0.012	16	43	-1.218	-3.408	0.139	18	3	-2.128	-2.251	0.016
15	24	-4.226	-2.306	0.020	16	44	-1.067	-3.621	0.070	18	4	-0.972	-1.621	0.179
15	25	-3.348	-1.968	0.031	16	45	-0.830	-4.192	0.095	18	5	-2.401	-0.526	0.041
15	26	-1.234	-2.998	0.110	16	46	-0.671	-3.906	0.187	18	6	-2.290	-0.760	0.089
15	27	-0.818	-3.621	0.078	16	47	-1.873	-3.737	0.109	18	7	-2.595	-1.462	0.167
15	28	-1.312	-4.329	0.047	16	48	-2.341	-4.960	0.045	18	8	-2.668	-1.755	0.102
15	29	-1.974	-4.619	0.016	16	49	-2.734	-4.291	0.009	18	9	-3.028	-2.323	0.015
15	30	-0.632	-3.235	0.047	16	50	-2.338	-3.668	0.030	18	10	-3.415	-0.799	0.005
15	31	-1.146	-1.907	0.005	16	51	-1.996	-3.779	0.134	18	11	-2.119	-0.583	0.007
15	32	-1.903	-2.121	0.016	16	52	-2.449	-4.444	0.072	18	12	-1.002	-1.535	0.202
15	33	-1.522	-2.111	0.050	16	53	-1.990	-3.424	0.113	18	13	-0.807	-2.759	0.130
15	34	-2.010	-1.103	0.014	16	54	-2.401	-2.886	0.015	18	14	-1.074	-2.594	0.080





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

18	15	-2.261	-2.249	0.014	19	35	-1.213	-1.539	0.003	20	55	0.540	0.513	0.119
18	16	-2.142	-1.730	0.042	19	36	-1.144	-1.333	0.003	20	56	0.657	0.498	0.016
18	17	-1.579	-1.931	0.042	19	37	-0.727	-1.083	0.006	20	57	0.557	0.508	0.008
18	18	-1.398	-1.524	0.029	19	38	-0.604	-1.140	0.006	20	58	0.732	0.514	0.038
18	19	-1.248	-1.507	0.069	19	39	-0.423	-1.298	0.000	20	59	1.162	0.692	0.080
18	20	-1.513	-1.489	0.150	19	40	-0.331	-1.058	0.000	21	0	1.254	0.723	0.070
18	21	-1.813	-2.393	0.012	19	41	-0.171	-1.015	0.000	21	1	0.719	0.353	0.197
18	22	-1.678	-2.493	0.050	19	42	-0.127	-0.935	0.000	21	2	0.966	0.154	0.044
18	23	-1.645	-2.864	0.059	19	43	0.040	-0.766	0.000	21	3	0.527	0.195	0.140
18	24	-2.506	-3.011	0.043	19	44	0.246	-0.614	0.002	21	4	0.856	0.000	0.004
18	25	-1.738	-2.088	0.053	19	45	0.323	-0.660	0.003	21	5	0.252	0.014	0.035
18	26	-0.696	-1.656	0.113	19	46	0.006	-0.575	0.013	21	6	0.752	0.083	0.019
18	27	-0.366	-2.082	0.024	19	47	0.031	-0.649	0.016	21	7	0.693	0.116	0.003
18	28	-0.735	-2.021	0.154	19	48	0.097	-0.707	0.006	21	8	1.175	0.102	0.010
18	29	-0.774	-2.401	0.029	19	49	0.008	-0.787	0.004	21	9	0.955	0.192	0.022
18	30	-0.295	-2.773	0.016	19	50	-0.298	-1.414	0.003	21	10	0.704	0.520	0.002
18	31	-0.237	-2.600	0.067	19	51	-0.185	-1.121	0.011	21	11	0.984	0.263	0.004
18	32	-0.684	-2.546	0.050	19	52	0.282	-0.941	0.020	21	12	0.779	0.119	0.129
18	33	-0.737	-2.592	0.026	19	53	0.317	-0.642	0.038	21	13	1.002	0.476	0.009
18	34	-0.542	-2.188	0.014	19	54	0.034	-0.049	0.113	21	14	0.730	0.447	0.032
18	35	-0.615	-1.553	0.038	19	55	0.095	0.000	0.067	21	15	0.998	0.883	0.002
18	36	-1.364	-1.519	0.016	19	56	-0.110	0.000	0.210	21	16	1.414	0.854	0.023
18	37	-1.705	-1.012	0.036	19	57	-0.219	-0.299	0.001	21	17	1.565	0.524	0.082
18	38	-1.589	-1.026	0.018	19	58	-0.445	-0.626	-0.000	21	18	1.657	0.564	0.059
18	39	-1.392	-1.847	0.032	19	59	-0.554	-0.568	-0.002	21	19	1.182	0.416	0.105
18	40	-1.165	-2.379	0.106	20	0	-0.625	-0.941	0.000	21	20	1.151	0.281	0.064
18	41	-1.173	-2.146	0.026	20	1	-0.355	-1.159	0.007	21	21	0.867	0.498	0.062
18	42	-1.643	-2.156	0.016	20	2	-0.033	-1.533	0.002	21	22	0.594	0.650	0.042
18	43	-2.110	-1.893	0.047	20	3	-0.164	-1.512	0.013	21	23	1.164	0.447	0.065
18	44	-1.919	-2.818	0.017	20	4	-0.024	-1.406	0.012	21	24	1.199	0.268	0.032
18	45	-2.393	-2.934	0.019	20	5	0.017	-1.337	0.006	21	25	1.174	0.466	0.012
18	46	-1.623	-2.417	0.092	20	6	0.015	-0.924	0.013	21	26	0.956	0.307	0.022
18	47	-1.190	-2.241	0.098	20	7	0.053	-0.501	0.024	21	27	1.597	0.063	0.030
18	48	-0.998	-2.508	0.040	20	8	0.039	-0.621	0.024	21	39	0.000	0.000	0.000
18	49	-0.661	-1.910	0.013	20	9	0.160	-0.704	0.041	21	40	1.027	0.103	0.019
18	50	-0.691	-1.423	0.007	20	10	0.690	-0.932	0.021	21	41	0.758	0.258	0.087
18	51	-0.360	-1.792	0.007	20	11	0.661	-1.302	0.005	21	42	0.922	0.555	0.035
18	52	-0.657	-1.139	0.047	20	12	0.390	-1.311	0.016	21	43	0.681	0.584	0.053
18	53	-0.249	-1.210	0.022	20	13	0.064	-1.484	0.014	21	44	1.144	0.610	0.018
18	54	-0.038	-0.329	0.098	20	14	0.294	-0.694	0.028	21	45	0.999	0.672	0.048
18	55	-0.950	-1.432	0.024	20	15	1.059	-0.012	0.094	21	46	1.070	0.541	0.020
18	56	-0.776	-1.546	0.015	20	16	1.056	0.000	0.034	21	47	1.163	0.196	0.059
18	57	-0.968	-1.845	0.037	20	17	0.928	-0.000	0.027	21	48	1.554	0.434	0.044
18	58	-0.971	-0.808	0.017	20	18	0.782	-0.188	0.004	21	49	2.103	0.304	0.059
18	59	-0.541	-0.638	0.010	20	19	0.259	-0.621	0.004	21	50	2.276	0.336	0.068
19	0	-0.399	-0.110	0.011	20	20	0.311	-0.827	0.034	21	51	2.390	0.410	0.062
19	1	-0.583	-0.458	0.051	20	21	0.303	-0.067	0.121	21	52	2.023	0.321	0.085
19	2	-1.018	-1.891	0.013	20	22	1.100	0.028	0.063	21	53	2.315	0.220	0.105
19	3	-0.626	-2.197	0.050	20	23	1.053	0.023	0.114	21	54	2.381	0.077	0.087
19	4	-0.732	-2.327	0.059	20	24	0.840	0.488	0.084	21	55	2.310	0.153	0.097
19	5	-0.170	-1.914	0.056	20	25	0.692	0.660	0.049	21	56	2.218	0.027	0.117
19	6	-0.171	-1.798	0.054	20	26	0.770	0.764	0.049	21	57	1.874	0.046	0.111
19	7	-0.171	-1.607	0.064	20	27	0.600	0.765	0.002	21	58	1.992	0.148	0.068
19	8	-0.303	-1.901	0.053	20	28	0.252	0.429	0.104	21	59	2.286	0.228	0.042
19	9	-0.735	-2.844	0.058	20	29	0.000	0.027	0.200	22	0	1.951	0.059	0.201
19	10	-1.320	-2.716	0.054	20	30	-0.565	-0.020	0.015	22	1	1.976	0.093	0.131
19	11	-1.014	-2.930	0.025	20	31	-1.047	0.141	0.002	22	2	2.143	0.244	0.087
19	12	-1.132	-3.408	0.038	20	32	-1.173	0.460	0.000	22	3	2.196	0.059	0.065
19	13	-1.139	-2.897	0.028	20	33	-1.270	0.135	0.000	22	4	1.450	0.084	0.074
19	14	-1.677	-2.667	0.093	20	34	-0.935	0.000	0.000	22	5	1.526	0.033	0.069
19	15	-0.964	-3.040	0.048	20	35	-0.763	0.080	0.004	22	6	1.480	0.209	0.120
19	16	-1.292	-2.432	0.051	20	36	-0.104	0.212	0.128	22	7	2.148	0.050	0.064
19	17	-1.337	-2.221	0.040	20	37	0.000	0.068	0.077	22	8	1.826	0.207	0.015
19	18	-1.441	-2.683	0.030	20	38	-0.000	0.194	0.191	22	9	2.025	0.151	0.051
19	19	-1.474	-2.443	0.036	20	39	-0.003	0.123	0.611	22	10	2.124	0.020	0.115
19	20	-1.307	-2.259	0.053	20	40	-0.009	0.092	0.467	22	11	1.898	0.001	0.118
19	21	-0.783	-1.811	0.077	20	41	0.005	0.272	0.415	22	12	2.341	0.028	0.164
19	22	-1.037	-1.930	0.024	20	42	-0.018	0.214	0.534	22	13	2.327	-0.081	0.107
19	23	-1.065	-2.360	0.025	20	43	0.004	0.423	0.331	22	14	2.272	-0.046	0.101
19	24	-0.854	-2.282	0.017	20	44	0.033	0.471	0.403	22	15	1.821	0.127	0.111
19	25	-0.882	-1.681	0.018	20	45	0.063	0.048	0.479	22	16	2.231	-0.047	0.095
19	26	-1.021	-2.057	0.015	20	46	0.037	0.033	0.348	22	17	1.899	0.137	0.116
19	27	-1.113	-2.060	0.006	20	47	0.000	0.015	0.302	22	18	1.500	0.041	0.111
19	28	-1.090	-1.487	0.043	20	48	0.000	0.000	0.001	22	19	1.399	0.039	0.092
19	29	-0.218	-0.836	0.006	20	49	0.000	-0.096	0.010	22	20	1.698	0.250	0.146
19	30	-0.875	-0.946	0.000	20	50	0.000	-0.083	0.000	22	21	2.047	0.019	0.148
19	31	-1.202	-1.127	0.008	20	51	0.000	0.000	0.002	22	22	2.338	0.105	0.131
19	32	-1.333	-1.358	0.008	20	52	0.000	0.000	0.000	22	23	1.914	0.057	0.100
19	33	-1.258	-1.373	0.003	20	53	0.000	0.000	0.000	22	24	2.288	0.038	0.089
19	34	-0.844	-1.370	0.008	20	54	0.524	0.072	0.060	22	25	2.066	0.000	0.143





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

22	26	2.004	0.032	0.096
22	27	1.961	0.237	0.058
22	28	1.719	0.378	0.024
22	29	1.631	0.276	0.029
22	30	1.424	0.040	0.087
22	31	1.364	0.000	0.029
22	32	1.384	0.330	0.187
22	33	1.808	0.375	0.065
22	34	1.764	0.270	0.050
22	35	1.180	0.188	0.047
22	36	0.962	0.188	0.036
22	37	0.338	0.021	0.106
22	38	0.837	0.061	0.011
22	39	0.996	0.318	0.030
22	40	1.066	0.291	0.059
22	41	1.339	0.373	0.016
22	42	1.337	0.232	0.041
22	43	1.497	0.450	0.047





Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

R M YOUNG 26700 SERIES
DATA TRANSLATOR/RECORDER

Time hour	Time mins	U M/S	V M/S	W M/S
--------------	--------------	----------	----------	----------

11/07/95

23	32	0.000	0.000	0.000
23	33	2.151	0.073	0.078
23	34	2.228	0.167	0.074
23	35	2.426	0.022	0.083
23	36	2.289	0.146	0.073
23	37	2.045	0.067	0.073
23	38	1.942	0.139	0.066
23	39	2.011	0.105	0.064
23	40	1.947	-0.012	0.168
23	41	1.236	-0.078	0.108
23	42	0.791	-0.101	0.233
23	43	0.024	-0.052	0.017
23	44	0.208	-0.585	0.007
23	45	0.602	-0.474	0.017
23	46	0.617	-0.767	0.031
23	47	-0.352	-0.661	0.000
23	48	-0.463	-0.553	0.000
23	49	-0.041	-0.478	0.000
23	50	0.000	-0.176	0.000
23	51	0.000	-0.005	0.000
23	52	0.309	0.000	0.000
23	53	0.243	-0.455	0.077
23	54	0.133	-0.010	0.018
23	55	0.599	-0.065	0.000
23	56	0.173	0.077	0.020
23	57	0.292	0.074	0.101
23	58	1.243	0.038	0.074
23	59	1.528	0.355	0.038

12/07/95

0	0	1.486	0.062	0.059
0	1	1.717	0.120	0.112
0	2	1.748	0.133	0.070
0	3	1.750	0.129	0.055
0	4	1.396	0.291	0.057
0	5	1.650	0.312	0.083
0	6	1.506	0.278	0.036
0	7	1.637	0.138	0.050
0	8	1.341	0.089	0.059
0	9	1.227	-0.127	0.017
0	10	1.242	-0.156	0.011
0	11	1.340	-0.744	0.118
0	12	1.187	-0.637	0.058
0	13	1.566	-0.459	0.074
0	14	1.046	-0.424	0.118
0	15	0.699	-0.138	0.113
0	16	1.360	-0.696	0.060
0	17	1.761	-0.320	0.272
0	18	1.802	-0.862	0.112
0	19	2.280	-0.664	0.026
0	20	1.734	-0.320	0.026
0	21	1.222	-0.176	0.101
0	22	1.460	-0.179	0.085
0	23	1.562	-0.199	0.218
0	24	1.435	-0.129	0.182
0	25	1.495	-0.125	0.076
0	26	1.824	0.101	0.074
0	27	1.473	-0.003	0.035
0	28	1.518	-0.036	0.044
0	29	1.237	-0.003	0.005
0	30	1.070	0.001	0.000
0	31	0.755	0.000	0.009
0	32	1.017	-0.033	0.000
0	33	0.914	-0.089	0.007
0	34	1.388	-1.218	0.015
0	35	1.282	-1.669	0.034
0	36	1.742	-0.368	0.042
0	37	1.393	-0.610	0.071
0	38	1.512	-0.457	0.049
0	39	1.479	-0.089	0.040

0	40	1.526	-0.179	0.038
0	41	1.593	-0.000	0.057
0	42	1.697	-0.301	0.040
0	43	1.059	-0.152	0.026
0	44	1.292	-0.190	0.075
0	45	1.252	-0.308	0.018
0	46	0.952	-0.460	0.018
0	47	1.050	-0.909	0.022
0	48	1.027	-1.524	0.019
0	49	1.441	-1.149	0.049
0	50	1.633	-0.124	0.063
0	51	1.935	-0.799	0.033
0	52	1.869	-1.435	0.056
0	53	1.533	-1.426	0.014
0	54	1.636	-1.418	0.066
0	55	1.814	-0.871	0.077
0	56	2.350	-1.276	0.041
0	57	1.968	-1.222	0.074
0	58	1.512	-1.832	0.013
0	59	1.527	-1.043	0.058
1	0	1.324	-0.000	0.049
1	1	1.238	-0.007	0.016
1	2	1.534	-0.006	0.018
1	3	1.417	-0.037	0.006
1	4	1.284	-0.004	0.027
1	5	0.922	-0.001	0.051
1	6	0.843	0.000	0.009
1	7	0.948	0.000	0.004
1	8	0.464	-0.002	0.009
1	9	0.502	-0.135	0.000
1	10	0.910	0.000	0.030
1	11	1.778	0.187	0.056
1	12	1.554	-0.058	0.027
1	13	1.092	0.125	0.016
1	14	1.179	0.035	0.015
1	15	1.458	-0.049	0.044
1	16	1.571	-0.363	0.013
1	17	1.630	0.072	0.027
1	18	2.127	-0.089	0.061
1	19	1.697	-0.217	0.066
1	20	1.694	-0.106	0.064
1	21	1.492	-0.099	0.048
1	22	1.604	-0.217	0.032
1	23	1.549	-0.124	0.033
1	24	1.599	-0.070	0.019
1	25	1.735	-0.215	0.014
1	26	1.729	-0.005	0.017
1	27	1.784	-0.276	0.041
1	28	1.260	-0.408	0.045
1	29	0.172	-0.104	0.380
1	30	0.011	-0.214	0.087
1	31	0.089	0.118	0.042
1	32	-0.023	-0.001	0.004
1	33	-0.247	0.000	0.001
1	34	-0.225	0.000	-0.001
1	35	0.000	0.000	0.001
1	36	0.000	0.000	0.001
1	37	-0.129	0.000	0.002
1	38	-0.325	0.000	0.000
1	39	-0.619	0.296	0.000
1	40	-0.397	0.248	0.000
1	41	-0.598	0.491	0.000
1	42	-0.053	0.655	0.005
1	43	-0.008	0.637	0.019
1	44	-0.003	0.756	0.007
1	45	-0.001	0.268	0.001
1	46	0.000	0.000	0.000
1	47	-0.217	0.007	0.018
1	48	-0.091	0.185	0.000
1	49	-0.001	0.500	0.016
1	50	-0.001	0.531	0.045
1	51	0.001	0.510	0.047
1	52	0.000	0.304	0.054
1	53	0.000	0.481	0.041
1	54	0.000	0.606	0.035
1	55	0.000	0.542	0.005
1	56	0.000	0.388	0.001
1	57	0.000	0.008	0.000
1	58	0.000	0.043	0.001
1	59	0.000	0.000	0.071
2	0	0.000	0.000	0.000
2	1	0.275	0.060	0.005
2	2	1.440	0.007	0.000
2	3	1.382	0.000	0.001
2	4	1.521	0.040	0.000
2	5	1.636	0.020	0.004
2	6	1.593	0.018	0.005
2	7	1.767	0.005	0.006
2	8	1.812	-0.006	0.007
2	9	1.697	-0.003	0.016
2	10	1.901	-0.017	0.010
2	11	1.889	-0.030	0.019
2	12	1.888	-0.157	0.015
2	13	1.866	-0.121	0.012
2	14	1.709	-0.126	0.021
2	15	1.508	-0.056	0.010
2	16	1.241	0.021	0.030
2	17	1.512	0.006	0.042
2	18	2.079	-0.018	0.017
2	19	1.833	-0.034	0.018
2	20	1.875	-0.020	0.024
2	21	1.966	-0.006	0.041
2	22	1.969	-0.067	0.006
2	23	1.577	-0.013	0.001
2	24	1.397	-0.018	0.006
2	25	1.335	-0.030	0.007
2	26	1.280	-0.002	0.000
2	27	1.314	0.002	0.000
2	28	1.425	0.000	0.000
2	29	1.420	0.030	0.000
2	30	0.834	0.028	0.001
2	31	1.012	0.233	0.020
2	32	1.259	0.220	0.005
2	33	1.214	0.158	0.011
2	34	1.173	0.466	0.009
2	35	1.118	0.322	0.005
2	36	0.771	0.267	0.014
2	37	0.782	0.413	0.006
2	38	0.894	0.298	0.000
2	39	0.544	0.156	0.012
2	40	0.625	0.031	0.007
2	41	0.099	0.315	0.050
2	42	0.524	0.137	0.000
2	43	0.640	0.099	0.009
2	44	0.765	0.035	0.023
2	45	0.992	0.027	0.003
2	46	0.897	0.000	0.015
2	47	1.146	0.000	0.007
2	48	0.938	0.000	0.003
2	49	0.721	0.000	0.002
2	50	0.547	0.000	0.000
2	51	0.542	0.009	0.000
2	52	0.665	0.000	0.000
2	53	0.219	0.000	0.000
2	54	0.000	-0.029	0.000
2	55	0.000	0.002	0.000
2	56	0.000	0.004	0.000
2	57	0.000	0.000	0.000
2	58	0.000	0.000	0.000
2	59	0.000	0.090	0.000
3	0	1.100	0.283	0.000
3	1	1.136	0.027	0.004
3	2	1.322	0.156	0.004
3	3	1.121	0.004	0.001
3	4	1.167	0.000	0.003
3	5	1.010	0.008	0.008
3	6	0.982	0.070	0.011
3	7	1.238	0.091	0.005
3	8	1.093	0.333	0.011
3	9	0.841	0.204	0.008
3	10	0.696	0.270	0.014
3	11	1.082	0.265	0.009
3	12	1.050	0.253	0.025
3	13	1.132	0.356	0.014
3	14	1.058	0.294	0.018
3	15	1.428	0.460	0.005
3	16	1.219	0.453	0.014
3	17	1.113	0.509	0.006
3	18	1.271	0.515	0.000
3	19	1.177	0.456	0.001





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

3	20	0.972	0.290	0.001	4	40	0.000	0.557	0.096	6	0	-1.191	-0.629	0.000
3	21	1.112	0.831	0.009	4	41	0.000	0.503	0.128	6	1	-1.031	-0.448	0.000
3	22	0.781	0.662	0.007	4	42	-0.001	0.505	0.110	6	2	-0.195	-0.130	0.000
3	23	0.808	0.658	0.002	4	43	0.000	0.526	0.069	6	3	-0.142	-0.003	0.000
3	24	0.624	0.746	0.001	4	44	0.000	0.529	0.038	6	4	-0.838	-0.345	0.000
3	25	0.439	0.693	0.000	4	45	0.000	0.539	0.022	6	5	-1.040	-0.313	0.000
3	26	0.337	0.583	0.000	4	46	0.000	0.450	0.009	6	6	-0.750	-0.044	0.000
3	27	0.008	0.218	0.006	4	47	0.000	0.485	0.005	6	7	-0.576	0.000	0.000
3	28	0.000	0.263	0.000	4	48	0.034	0.074	0.053	6	8	-0.545	0.000	0.000
3	29	0.143	0.026	0.024	4	49	0.237	0.000	0.023	6	9	-0.670	-0.001	0.000
3	30	0.000	0.077	0.041	4	50	0.049	0.000	0.056	6	10	-0.647	-0.000	0.000
3	31	0.137	0.443	0.009	4	51	0.569	0.267	0.002	6	11	-0.607	-0.067	0.000
3	32	0.070	0.187	0.022	4	52	0.663	0.000	0.023	6	12	-0.671	-0.000	0.000
3	33	0.058	0.050	0.061	4	53	0.852	0.000	0.000	6	13	-0.975	0.000	0.000
3	34	0.043	0.004	0.085	4	54	0.962	0.000	0.000	6	14	-0.871	-0.568	0.000
3	35	0.000	0.000	0.051	4	55	1.093	0.000	0.000	6	15	-0.519	-1.489	0.000
3	36	0.000	0.000	0.001	4	56	1.103	0.000	0.000	6	16	-0.465	-1.926	0.000
3	37	0.000	0.094	0.000	4	57	1.143	0.000	0.000	6	17	-1.131	-2.645	0.000
3	38	0.000	0.193	0.000	4	58	1.140	0.003	0.000	6	18	-1.304	-2.616	0.002
3	39	0.000	0.567	0.000	4	59	1.179	0.010	0.000	6	19	-1.550	-2.352	0.000
3	40	-0.350	0.560	0.000	5	0	1.243	0.000	0.000	6	20	-1.036	-2.419	0.003
3	41	-0.658	0.433	0.000	5	1	1.249	0.000	0.000	6	21	-1.455	-2.088	0.007
3	42	-0.721	0.421	0.000	5	2	1.286	0.000	0.000	6	22	-2.001	-2.068	0.002
3	43	-0.773	0.395	0.000	5	3	1.334	0.000	0.001	6	23	-2.154	-3.034	0.006
3	44	-0.943	0.312	0.000	5	4	1.369	0.000	0.000	6	24	-1.374	-2.862	0.015
3	45	-1.146	0.015	0.000	5	5	1.287	-0.029	0.000	6	25	-2.056	-2.318	0.003
3	46	-1.287	-0.008	0.000	5	6	1.348	-0.007	0.000	6	26	-2.276	-2.573	0.003
3	47	-1.381	-0.019	0.000	5	7	1.227	-0.002	0.000	6	27	-2.828	-2.564	0.009
3	48	-1.129	0.006	0.000	5	8	0.942	-0.003	0.001	6	28	-2.626	-2.878	0.027
3	49	-0.883	0.180	0.000	5	9	0.995	0.000	0.000	6	29	-2.570	-3.366	0.037
3	50	-0.391	0.340	0.000	5	10	1.170	-0.002	0.000	6	30	-2.884	-3.716	0.013
3	51	0.000	0.180	0.000	5	11	1.534	-0.112	0.003	6	31	-2.607	-3.164	0.021
3	52	0.001	0.000	0.001	5	12	1.651	-0.310	0.004	6	32	-2.762	-2.150	0.012
3	53	-0.001	0.000	0.006	5	13	1.825	-0.319	0.011	6	33	-2.905	-2.010	0.001
3	54	0.000	0.206	0.011	5	14	1.788	-0.498	0.012	6	34	-3.045	-1.996	0.000
3	55	-0.000	0.569	0.035	5	15	1.953	-0.457	0.005	6	35	-2.723	-1.888	0.006
3	56	-0.001	0.480	0.031	5	16	1.349	-0.432	0.014	6	36	-2.967	-1.621	0.004
3	57	0.000	0.518	0.017	5	17	1.104	-0.594	0.019	6	37	-2.923	-1.662	0.004
3	58	0.000	0.578	0.008	5	18	1.142	-0.590	0.002	6	38	-2.813	-2.135	0.001
3	59	0.000	0.443	0.045	5	19	0.844	-0.463	0.001	6	39	-2.907	-2.264	0.000
4	0	0.000	0.460	0.007	5	20	0.050	-0.151	0.029	6	40	-2.764	-2.281	0.002
4	1	0.000	0.423	0.003	5	21	-0.778	-0.549	0.000	6	41	-2.635	-2.259	0.002
4	2	0.000	0.593	0.033	5	22	-0.815	-0.369	0.000	6	42	-2.630	-1.822	0.000
4	3	0.000	0.839	0.002	5	23	-1.033	-0.004	0.000	6	43	-2.787	-1.465	0.001
4	4	0.000	0.726	0.004	5	24	-0.975	-0.001	0.000	6	44	-2.674	-1.959	0.004
4	5	0.000	0.507	0.010	5	25	-0.906	-0.016	0.000	6	45	-2.776	-2.166	0.003
4	6	-0.000	0.202	0.049	5	26	-0.899	-0.031	0.000	6	46	-2.472	-1.539	0.005
4	7	0.000	0.000	0.014	5	27	-0.729	-0.003	0.000	6	47	-2.447	-1.365	0.000
4	8	0.000	0.003	0.000	5	28	-0.294	-0.000	0.000	6	48	-1.940	-1.547	0.003
4	9	0.000	0.000	0.000	5	29	0.000	-0.074	0.000	6	49	-2.479	-1.135	-0.001
4	10	0.000	0.000	0.000	5	30	0.085	0.230	0.084	6	50	-1.274	-0.983	0.000
4	11	0.000	0.000	0.012	5	31	0.013	0.006	0.152	6	51	-0.900	-1.262	0.000
4	12	0.000	0.283	0.076	5	32	0.001	0.002	0.057	6	52	-1.060	-1.802	0.000
4	13	0.000	0.316	0.063	5	33	0.000	0.000	0.000	6	53	-0.811	-1.330	0.000
4	14	0.000	0.382	0.050	5	34	0.000	-0.000	0.000	6	54	-0.799	-1.144	0.000
4	15	0.000	0.498	0.014	5	35	0.000	-0.003	0.000	6	55	-0.507	-1.121	0.000
4	16	0.000	0.580	0.000	5	36	0.000	0.000	0.000	6	56	-0.629	-0.802	0.000
4	17	0.000	0.771	0.000	5	37	0.000	-0.001	0.000	6	57	-0.365	-0.856	0.000
4	18	0.000	0.892	0.000	5	38	0.000	0.000	0.000	6	58	-0.591	-0.521	0.000
4	19	0.000	0.881	0.000	5	39	0.000	0.000	0.000	6	59	-0.237	-0.244	0.000
4	20	0.000	0.947	0.000	5	40	0.000	0.000	0.000	7	0	0.000	-0.160	0.000
4	21	0.000	0.979	0.000	5	41	-0.767	0.041	0.000	7	1	-0.021	0.056	0.009
4	22	0.000	0.826	0.000	5	42	-1.335	0.252	0.000	7	2	-0.275	0.018	0.019
4	23	0.000	0.529	0.003	5	43	-1.258	0.895	0.000	7	3	-0.179	0.000	0.000
4	24	0.000	0.054	0.081	5	44	-1.061	1.052	0.000	7	4	-0.344	0.941	0.001
4	25	0.000	0.238	0.207	5	45	-0.380	0.852	0.000	7	5	-0.158	0.591	0.002
4	26	0.000	0.108	0.060	5	46	-0.117	0.332	0.000	7	6	-0.343	0.652	0.001
4	27	0.000	0.000	0.108	5	47	0.000	0.128	0.053	7	7	-0.748	0.140	0.000
4	28	0.029	0.000	0.015	5	48	0.009	0.352	0.023	7	8	-0.828	0.107	0.000
4	29	0.000	0.000	0.007	5	49	0.002	0.140	0.073	7	9	-1.227	0.667	0.000
4	30	0.000	0.014	0.086	5	50	0.000	0.106	0.000	7	10	-1.532	0.631	0.000
4	31	0.000	0.000	0.025	5	51	0.000	0.000	0.000	7	11	-1.258	0.315	0.000
4	32	0.000	0.000	0.000	5	52	0.000	0.002	0.000	7	12	-1.866	0.586	0.003
4	33	-0.521	0.000	0.000	5	53	-0.372	-0.095	0.000	7	13	-1.539	0.438	0.000
4	34	-0.910	0.125	0.000	5	54	-0.938	-0.499	0.000	7	14	-1.548	0.481	0.000
4	35	-0.682	0.111	0.000	5	55	-1.053	-0.450	0.000	7	15	-1.160	0.406	0.000
4	36	-0.132	0.343	0.000	5	56	-1.291	-0.321	0.000	7	16	-0.579	0.540	0.000
4	37	0.000	0.198	0.076	5	57	-1.208	-0.503	0.000	7	17	-0.681	0.244	0.000
4	38	-0.002	0.465	0.156	5	58	-0.679	-0.750	0.000	7	18	-0.347	0.034	0.000
4	39	0.000	0.306	0.069	5	59	-0.808	-0.729	0.000	7	19	-0.087	0.094	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

7	20	-0.305	0.133	0.000	8	40	0.001	0.000	0.000	10	0	-0.127	-2.357	0.007
7	21	-0.815	-0.026	0.003	8	41	0.023	0.096	0.017	10	1	0.105	-1.941	0.004
7	22	-0.648	-0.277	0.000	8	42	0.079	0.256	0.016	10	2	0.461	-1.867	0.004
7	23	-0.990	-0.598	0.009	8	43	-0.113	0.512	0.014	10	4	0.000	0.000	0.000
7	24	-1.019	-1.133	0.000	8	44	-0.108	0.467	-0.000	10	5	0.200	-1.426	0.000
7	25	-1.507	-1.154	0.000	8	45	-0.028	0.288	-0.001	10	6	-0.007	-1.194	-0.000
7	26	-1.281	-1.105	0.001	8	46	0.000	0.107	0.000	10	7	0.839	-0.418	0.000
7	27	-1.195	-0.893	0.000	8	47	0.032	0.280	0.016	10	8	0.225	-0.096	0.002
7	28	-1.717	-0.832	0.000	8	48	0.059	0.313	0.019	10	9	-0.163	-0.257	-0.006
7	29	-1.605	-0.340	0.000	8	49	-0.018	0.179	0.028	10	10	0.101	-0.181	0.000
7	30	-2.120	-0.343	0.000	8	50	0.036	0.365	0.012	10	11	0.321	0.098	0.005
7	31	-2.218	-0.484	0.000	8	51	0.101	0.409	0.002	10	12	0.498	-0.282	0.002
7	32	-1.808	-0.586	0.001	8	52	0.039	0.267	0.062	10	13	1.512	-1.032	0.004
7	33	-1.345	-0.370	0.000	8	53	0.968	0.323	0.003	10	14	1.108	-0.979	0.000
7	34	-1.176	-0.131	0.000	8	54	1.384	0.075	0.001	10	15	1.280	-0.735	0.005
7	35	-0.467	0.000	0.000	8	55	1.246	0.371	0.013	10	16	1.069	-0.705	0.010
7	36	0.000	0.017	0.004	8	56	1.398	0.421	0.023	10	17	0.682	-0.620	-0.000
7	37	0.000	0.000	0.008	8	57	0.862	0.184	0.000	10	18	0.002	-0.903	-0.002
7	38	-0.000	0.000	0.003	8	58	0.208	0.501	0.000	10	19	0.166	-0.975	-0.003
7	39	0.000	0.229	0.025	8	59	0.026	0.668	-0.001	10	20	0.401	-0.149	-0.003
7	40	0.002	0.455	0.015	9	0	-0.001	0.145	0.000	10	21	0.057	0.472	-0.000
7	41	0.000	0.021	0.000	9	1	-0.068	0.430	0.039	10	22	-0.113	0.513	0.003
7	42	0.000	0.160	0.007	9	2	0.048	0.591	0.012	10	23	-0.064	0.124	0.031
7	43	0.000	0.820	0.001	9	3	0.636	0.629	0.009	10	24	-0.075	-0.350	0.001
7	44	0.000	0.792	0.011	9	4	1.155	-0.178	0.011	10	25	0.108	-0.313	0.002
7	45	0.207	0.822	0.004	9	5	1.301	-0.632	0.002	10	26	-0.393	-1.276	0.017
7	46	0.192	0.750	0.000	9	6	1.031	-0.716	0.000	10	27	0.165	-1.110	0.032
7	47	0.571	0.758	0.001	9	7	0.625	-0.750	0.000	10	28	-0.660	-1.983	0.021
7	48	0.498	0.649	0.000	9	8	0.280	-0.854	0.000	10	29	-0.224	-2.602	0.007
7	49	0.000	0.500	0.007	9	9	0.126	-0.681	0.000	10	30	-0.438	-1.646	-0.002
7	50	0.318	0.581	0.009	9	10	0.583	-0.893	0.001	10	31	0.141	-1.369	0.022
7	51	0.189	0.152	0.022	9	11	0.282	-0.457	-0.000	10	32	-0.547	-1.366	-0.001
7	52	0.089	0.309	0.029	9	12	0.045	-0.646	0.000	10	33	-1.253	-1.748	-0.003
7	53	0.007	0.443	0.020	9	13	0.406	-0.114	0.000	10	34	-0.590	-1.395	-0.003
7	54	0.103	0.840	0.001	9	14	0.859	-0.679	0.015	10	35	-0.101	-1.165	0.015
7	55	0.000	0.983	0.003	9	15	0.710	-0.493	0.000	10	36	0.013	-0.949	0.008
7	56	0.000	1.052	0.002	9	16	0.597	-0.129	0.000	10	37	0.031	-0.650	0.000
7	57	0.003	0.794	0.015	9	17	0.742	-0.020	0.000	10	38	-0.102	-0.575	0.000
7	58	0.000	0.838	0.003	9	18	0.643	-0.022	0.000	10	39	-0.281	-0.468	0.000
7	59	0.000	0.382	0.018	9	19	0.243	-0.018	0.000	10	40	-0.461	-0.084	-0.001
8	0	0.000	0.136	0.006	9	20	0.005	-0.005	0.000	10	41	-0.751	0.069	0.001
8	1	-0.068	0.673	0.002	9	21	0.000	0.000	0.000	10	42	-0.458	0.024	0.001
8	2	-0.014	1.041	0.003	9	22	-0.002	0.010	0.030	10	43	-1.279	-0.206	0.007
8	3	-0.020	0.491	0.004	9	23	-0.317	-0.035	0.006	10	44	-1.785	-0.300	0.000
8	4	-0.000	0.474	0.011	9	24	0.197	0.009	0.008	10	45	-1.065	0.094	0.002
8	5	-0.000	0.666	0.001	9	25	0.061	0.034	0.017	10	46	-1.192	-0.883	0.007
8	6	-0.007	0.537	0.009	9	26	-0.036	0.023	0.022	10	47	-1.834	-0.595	-0.004
8	7	0.000	0.686	0.006	9	27	-0.381	0.212	0.007	10	48	-1.712	-0.086	-0.002
8	8	0.296	0.825	0.008	9	28	0.001	0.573	0.038	10	49	-2.148	0.192	0.005
8	9	0.400	0.705	0.003	9	29	-0.063	1.034	0.012	10	50	-1.809	0.474	-0.007
8	10	0.518	1.053	0.006	9	30	-0.205	1.296	0.001	10	51	-1.352	0.556	-0.006
8	11	0.971	0.997	0.003	9	31	0.000	0.000	0.000	10	52	-0.172	0.852	0.002
8	12	0.598	0.461	0.000	9	32	0.045	0.895	0.005	10	53	0.017	1.317	0.006
8	13	0.181	0.778	0.001	9	33	0.016	0.484	0.033	10	54	0.006	0.880	0.043
8	14	0.515	1.098	0.000	9	34	-0.091	1.164	0.000	10	55	-0.689	0.417	0.011
8	15	1.217	0.947	0.009	9	35	-0.042	0.757	0.000	10	56	-1.353	0.542	0.000
8	16	1.134	0.805	0.000	9	36	0.073	0.328	0.004	10	57	-1.549	0.556	0.002
8	17	0.587	0.252	0.019	9	37	0.090	0.372	0.012	10	58	-1.865	0.098	0.000
8	18	0.070	0.099	0.024	9	38	0.508	0.000	0.009	10	59	-1.067	0.052	0.004
8	19	-0.013	1.156	0.005	9	39	0.101	0.154	0.007	11	0	-1.345	0.003	0.000
8	20	0.025	1.570	0.006	9	40	0.016	1.143	0.027	11	1	-0.914	0.014	0.003
8	21	0.058	1.555	0.001	9	41	-0.040	0.735	0.013	11	2	-1.258	-1.038	0.000
8	22	0.000	1.349	0.000	9	42	-0.016	0.628	0.000	11	3	-2.092	-1.064	0.000
8	23	0.001	0.918	0.000	9	43	0.023	0.446	0.000	11	4	-1.971	-0.933	0.000
8	24	0.421	0.954	0.000	9	44	0.230	0.006	0.000	11	5	-1.938	-0.490	0.003
8	25	0.313	1.102	0.014	9	45	0.280	0.000	0.000	11	6	-2.135	0.006	0.002
8	26	0.270	0.913	0.004	9	46	-0.323	-0.457	0.000	11	7	-1.663	0.279	0.000
8	27	0.762	1.027	0.002	9	47	0.000	0.000	0.000	11	8	-0.959	-0.126	0.007
8	28	0.394	0.631	0.012	9	48	-0.455	-0.261	0.007	11	9	-1.318	0.321	0.003
8	29	0.143	0.655	0.016	9	49	0.000	0.000	0.000	11	10	-1.262	-0.153	0.009
8	30	-0.006	0.750	0.005	9	50	0.623	-1.330	0.014	11	11	-1.310	-0.140	-0.001
8	31	-0.007	0.679	0.004	9	51	0.467	-0.942	0.001	11	12	-0.436	-0.001	0.000
8	32	-0.000	1.142	0.000	9	52	0.280	-0.463	0.001	11	13	-0.554	0.024	0.000
8	33	0.014	1.075	0.000	9	53	-0.451	-0.127	0.006	11	14	-0.263	0.008	0.000
8	34	0.036	0.486	0.001	9	54	-1.798	-0.832	-0.004	11	15	-0.716	-0.127	0.000
8	35	-0.039	0.546	0.003	9	55	-2.101	-0.162	0.004	11	16	-0.797	-0.264	0.001
8	36	-0.036	0.919	0.005	9	56	-2.143	-0.143	0.002	11	17	-0.882	-0.317	0.001
8	37	-0.144	0.807	0.001	9	57	-1.603	-0.679	-0.003	11	18	-0.398	-1.143	0.001
8	38	-0.017	0.621	0.000	9	58	-1.290	-0.936	0.002	11	19	-0.183	-1.101	0.000
8	39	-0.225	0.142	0.009	9	59	-0.337	-1.862	0.003	11	20	0.067	-0.652	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

11	21	0.124	-0.418	0.018	12	41	-3.735	0.485	0.026	14	1	0.765	0.000	0.007
11	22	-0.617	-0.443	0.004	12	42	-3.852	1.041	0.033	14	2	0.673	0.000	0.000
11	23	-2.696	-1.210	0.001	12	43	-2.335	1.762	0.010	14	3	0.880	0.000	0.001
11	24	-2.994	-1.010	0.005	12	44	-1.807	2.926	0.008	14	4	0.863	0.000	0.000
11	25	-3.230	-1.520	0.002	12	45	-1.773	1.652	0.025	14	5	1.103	-0.026	0.012
11	26	-3.113	-1.623	0.008	12	46	-2.103	1.403	0.060	14	6	0.881	0.162	0.044
11	27	-4.197	-1.892	0.005	12	47	-2.802	0.994	0.046	14	7	1.326	0.510	0.070
11	28	-3.713	-0.421	0.000	12	48	-3.626	1.762	0.011	14	8	1.784	0.797	0.001
11	29	-3.052	-0.223	0.001	12	49	-1.785	1.605	0.020	14	9	1.744	0.576	0.012
11	30	-2.071	-0.119	0.002	12	50	-3.208	2.837	0.043	14	10	1.801	0.177	0.026
11	31	-2.389	0.007	0.002	12	51	-1.135	3.065	0.014	14	11	1.520	0.058	0.011
11	32	-2.257	-0.120	0.006	12	52	-0.046	2.786	0.030	14	12	1.343	0.026	0.002
11	33	-2.900	-0.650	0.002	12	53	-0.514	2.293	0.032	14	13	1.101	0.138	0.004
11	34	-2.819	-1.147	-0.001	12	54	-0.454	0.928	0.002	14	14	0.902	0.000	0.000
11	35	-2.496	-0.866	0.001	12	55	-0.832	0.317	0.003	14	15	0.656	0.352	0.029
11	36	-2.572	-1.413	0.001	12	56	-0.997	-0.000	0.000	14	16	0.500	0.598	0.000
11	37	-3.709	-1.428	0.020	12	57	-0.552	-0.089	-0.001	14	17	0.103	0.404	0.013
11	38	-3.263	-0.539	0.000	12	58	0.014	0.492	0.013	14	18	0.134	0.611	0.009
11	39	-2.501	0.162	0.000	12	59	0.000	0.419	0.039	14	19	0.117	0.667	0.008
11	40	-1.519	1.611	0.012	13	0	0.000	0.517	0.001	14	20	-0.011	1.344	0.002
11	41	-0.261	2.261	0.009	13	1	0.000	0.937	0.003	14	21	0.009	1.405	0.000
11	42	0.319	2.459	0.023	13	2	0.000	1.049	0.002	14	22	0.001	1.644	0.004
11	43	1.307	2.847	0.036	13	3	0.000	0.468	0.023	14	23	0.015	1.543	0.002
11	44	1.994	3.056	0.022	13	4	0.001	0.619	0.013	14	24	0.018	1.320	0.003
11	45	2.209	2.156	0.042	13	5	0.000	0.616	0.014	14	25	0.000	1.973	0.001
11	46	2.960	1.198	0.027	13	6	-0.314	0.690	0.025	14	26	0.018	1.986	0.000
11	47	3.030	1.286	0.026	13	7	-0.081	0.809	0.001	14	27	-0.031	1.869	0.001
11	48	3.524	1.062	0.047	13	8	-0.000	0.778	0.005	14	28	-0.084	1.617	0.003
11	49	3.861	0.215	0.042	13	9	-0.049	0.939	0.004	14	29	-0.028	1.291	0.004
11	50	4.650	1.045	0.076	13	10	0.000	1.142	0.000	14	30	-0.003	0.966	0.040
11	51	3.428	0.231	0.042	13	11	0.001	0.933	0.009	14	31	-0.000	1.177	0.009
11	52	3.700	-0.027	0.062	13	12	0.000	1.175	0.016	14	32	0.000	1.293	0.004
11	53	3.031	-0.445	0.083	13	13	0.179	1.365	0.000	14	33	0.008	1.330	0.011
11	54	3.359	-0.162	0.029	13	14	0.067	0.858	0.007	14	34	-0.000	1.076	0.022
11	55	1.992	-1.101	0.025	13	15	0.231	0.994	0.008	14	35	0.028	1.046	0.010
11	56	1.717	-1.463	0.000	13	16	0.853	1.234	0.004	14	36	0.673	0.882	0.005
11	57	0.481	-1.850	0.009	13	17	0.819	1.057	0.007	14	37	0.984	0.706	0.002
11	58	0.000	-1.313	0.005	13	18	0.757	0.906	0.000	14	38	1.026	0.852	0.000
11	59	0.007	-1.025	0.000	13	19	0.661	0.280	0.027	14	39	0.999	0.226	0.012
12	0	0.776	-0.748	0.019	13	20	0.872	0.396	0.004	14	40	1.279	0.139	0.006
12	1	1.629	-0.620	0.042	13	21	0.797	0.501	0.001	14	41	1.046	0.000	0.011
12	2	1.908	-0.633	0.004	13	22	0.895	0.234	0.004	14	42	1.033	0.162	0.010
12	3	2.050	-0.418	0.007	13	23	0.939	0.188	0.028	14	43	0.913	0.074	0.001
12	4	1.987	-0.116	0.009	13	24	1.300	0.053	0.037	14	44	0.235	0.001	0.005
12	5	2.267	-0.294	0.007	13	25	1.579	-0.006	0.007	14	45	0.185	0.005	0.004
12	6	2.290	-0.215	0.031	13	26	1.573	-0.208	0.010	14	46	0.441	-0.207	0.053
12	7	3.159	0.157	0.048	13	27	2.013	-0.606	0.012	14	47	0.000	0.564	0.032
12	8	2.902	0.440	0.022	13	28	1.747	-0.357	0.010	14	48	0.000	0.707	0.000
12	9	2.712	1.283	0.074	13	29	1.122	-0.316	0.055	14	49	0.000	0.121	0.000
12	10	2.569	1.113	0.024	13	30	1.467	0.013	0.010	14	50	0.000	0.643	0.000
12	11	2.355	0.690	0.038	13	31	1.365	0.035	0.001	14	51	0.000	0.594	0.000
12	12	2.446	1.015	0.005	13	32	1.040	0.025	0.003	14	52	-0.003	0.095	0.054
12	13	2.268	0.263	0.062	13	33	0.947	0.118	0.002	14	53	0.547	0.000	0.010
12	14	1.996	0.228	0.008	13	34	0.671	0.357	0.016	14	54	1.006	0.000	0.006
12	15	1.964	0.060	0.023	13	35	0.988	0.351	0.046	14	55	1.082	0.000	0.000
12	16	2.120	0.637	0.030	13	36	1.514	0.596	0.000	14	56	0.903	0.000	0.002
12	17	2.129	1.125	0.028	13	37	1.892	0.565	0.004	14	57	1.186	0.000	0.000
12	18	1.809	1.123	0.008	13	38	2.320	0.392	0.013	14	58	1.198	0.000	0.001
12	19	1.821	0.616	0.027	13	39	2.657	0.350	0.014	14	59	1.253	0.000	0.000
12	20	2.120	0.630	0.012	13	40	2.766	0.198	0.032	15	0	1.225	0.000	0.000
12	21	2.109	0.528	0.004	13	41	2.761	-0.010	0.030	15	1	1.093	0.000	0.000
12	22	1.992	0.710	0.011	13	42	2.708	-0.030	0.023	15	2	0.911	0.124	0.000
12	23	1.831	1.007	0.017	13	43	2.487	-0.115	0.030	15	3	1.088	0.612	0.001
12	24	2.144	1.248	0.010	13	44	1.952	0.397	0.028	15	4	1.198	0.775	0.001
12	25	2.463	1.580	0.020	13	45	2.347	0.363	0.009	15	5	1.363	0.539	0.002
12	26	1.937	1.906	0.021	13	46	2.305	0.304	0.002	15	6	0.933	0.220	0.008
12	27	1.429	2.218	0.025	13	47	2.543	0.188	0.008	15	7	1.040	0.198	0.001
12	28	0.532	1.565	0.024	13	48	2.459	-0.035	0.033	15	8	0.832	0.447	0.005
12	29	-0.849	1.312	0.008	13	49	3.016	0.058	0.030	15	9	0.663	0.863	0.015
12	30	-2.122	0.911	0.000	13	50	2.360	0.232	0.033	15	10	0.468	1.332	0.000
12	31	-2.607	0.887	0.003	13	51	1.917	0.288	0.017	15	11	0.000	1.096	0.007
12	32	-2.841	1.308	0.009	13	52	1.754	0.094	0.003	15	12	0.057	1.166	0.004
12	33	-2.753	1.875	0.006	13	53	1.066	0.220	0.003	15	13	0.094	1.216	0.000
12	34	-3.835	1.280	0.028	13	54	1.361	0.546	0.003	15	14	0.029	1.192	0.013
12	35	-4.832	1.476	0.024	13	55	1.060	0.446	0.003	15	15	0.020	1.491	0.036
12	36	-4.561	2.962	0.025	13	56	0.609	0.895	0.032	15	16	1.226	1.466	0.010
12	37	-4.869	3.415	0.015	13	57	0.558	0.481	0.001	15	17	1.080	1.581	0.000
12	38	-3.987	2.092	0.061	13	58	0.603	0.014	0.011	15	18	1.233	1.410	0.006
12	39	-2.982	1.191	0.041	13	59	0.522	0.000	0.007	15	19	1.233	1.166	0.008
12	40	-4.035	0.882	0.014	14	0	0.634	0.001	0.001	15	20	1.447	1.331	0.001





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

15	21	1.080	1.453	0.000	16	41	1.732	0.886	0.005	18	1	1.140	0.163	0.000
15	22	0.916	1.150	0.000	16	42	1.499	0.932	0.003	18	2	0.679	0.067	0.012
15	23	0.536	0.896	0.002	16	43	1.478	1.083	0.001	18	3	1.304	-0.115	0.000
15	24	0.314	0.643	0.000	16	44	1.163	1.166	0.001	18	4	1.669	0.047	0.000
15	25	0.263	0.856	0.000	16	45	1.070	1.228	0.000	18	5	1.817	-0.017	0.000
15	26	0.357	0.906	0.001	16	46	1.083	1.267	0.004	18	6	1.195	0.054	0.000
15	27	0.952	1.044	0.000	16	47	1.020	1.267	0.000	18	7	1.818	0.066	0.000
15	28	0.763	1.014	0.000	16	48	1.363	1.342	0.000	18	8	1.806	-0.000	0.000
15	29	0.886	1.048	0.000	16	49	1.103	1.308	0.002	18	9	1.549	0.325	0.001
15	30	0.940	1.041	0.010	16	50	1.109	1.339	0.001	18	10	1.687	0.547	0.001
15	31	0.916	0.985	0.001	16	51	1.048	1.306	0.005	18	11	1.684	0.671	0.008
15	32	0.993	0.903	0.000	16	52	1.300	1.361	0.000	18	12	1.985	0.653	0.000
15	33	1.166	0.413	0.000	16	53	1.362	1.387	0.000	18	13	1.455	0.638	0.002
15	34	1.057	-0.000	0.000	16	54	1.387	1.404	0.004	18	14	1.480	0.779	0.001
15	35	0.466	0.000	0.000	16	55	1.606	1.475	0.004	18	15	1.700	0.683	0.002
15	36	0.484	0.097	0.000	16	56	1.345	1.491	0.012	18	16	1.528	0.147	0.007
15	37	0.723	0.089	0.009	16	57	1.726	1.543	0.002	18	17	1.461	0.416	0.005
15	38	0.085	0.018	0.000	16	58	1.767	1.525	0.001	18	18	1.632	0.445	0.015
15	39	0.692	0.000	0.000	16	59	1.383	1.458	0.005	18	19	1.170	0.290	0.012
15	40	0.603	-0.061	0.003	17	0	1.112	1.424	0.003	18	20	1.371	0.522	0.005
15	41	1.333	-0.018	0.009	17	1	1.436	1.511	0.004	18	21	0.805	0.609	0.003
15	42	1.139	-0.123	0.003	17	2	1.469	1.529	0.006	18	22	0.512	0.630	0.007
15	43	1.017	0.000	0.000	17	3	1.465	1.523	0.004	18	23	0.823	0.454	0.011
15	44	0.867	0.000	0.000	17	4	1.288	1.471	0.012	18	24	1.060	0.481	0.002
15	45	1.127	0.000	0.000	17	5	1.188	1.429	0.004	18	25	1.323	0.552	0.004
15	46	1.304	0.000	0.000	17	6	1.154	1.444	0.004	18	26	1.384	0.335	0.007
15	47	1.363	0.000	0.000	17	7	0.885	1.389	0.003	18	27	1.199	0.031	0.006
15	48	1.131	0.001	0.000	17	8	1.158	1.432	0.013	18	28	1.025	0.178	0.003
15	49	0.751	0.000	0.001	17	9	1.498	1.440	0.002	18	29	0.646	0.315	0.001
15	50	0.863	0.036	0.000	17	10	0.172	1.225	0.005	18	30	1.288	0.467	0.000
15	51	0.713	0.000	0.000	17	11	0.494	1.262	0.003	18	31	1.121	0.587	0.000
15	52	0.187	0.028	0.000	17	12	0.766	1.299	0.000	18	32	1.664	0.495	0.001
15	53	0.000	0.437	0.013	17	13	0.110	1.129	0.006	18	33	1.986	0.115	0.001
15	54	0.000	0.682	0.000	17	14	0.363	1.149	0.000	18	34	1.374	0.303	0.005
15	55	0.000	0.761	0.002	17	15	0.317	1.114	0.000	18	35	1.573	0.442	0.010
15	56	-0.000	0.927	0.001	17	16	0.349	1.035	0.001	18	36	1.635	0.434	0.010
15	57	0.000	1.078	0.000	17	17	0.459	0.797	0.003	18	37	1.923	0.420	0.008
15	58	0.000	1.112	0.000	17	18	0.535	0.002	0.005	18	38	1.328	0.465	0.008
15	59	-0.018	1.376	0.003	17	19	0.397	0.061	0.013	18	39	1.787	0.424	0.004
16	0	0.031	1.619	0.001	17	20	1.131	0.061	0.002	18	40	1.654	0.292	0.007
16	1	0.006	1.711	0.004	17	21	1.468	-0.004	0.006	18	41	2.053	0.134	0.009
16	2	0.000	1.737	0.001	17	22	0.629	0.225	0.004	18	42	1.973	0.092	0.017
16	3	0.146	1.441	0.004	17	23	0.494	0.406	0.012	18	43	1.719	0.080	0.012
16	4	0.015	1.020	0.008	17	24	1.249	0.301	0.000	18	44	2.273	0.202	0.005
16	5	0.044	1.018	0.015	17	25	1.031	0.135	0.000	18	45	1.477	0.042	0.009
16	6	0.070	1.065	0.002	17	26	0.992	0.154	0.001	18	46	1.927	-0.076	0.008
16	7	0.626	1.170	0.000	17	27	1.089	0.209	0.000	18	47	2.237	-0.028	0.013
16	8	0.422	1.125	0.000	17	28	1.106	0.229	0.006	18	48	2.379	0.109	0.026
16	9	0.189	0.955	0.028	17	29	1.202	0.000	0.000	18	49	2.244	0.099	0.024
16	10	-0.001	0.761	0.000	17	30	0.478	0.026	0.004	18	50	2.268	0.196	0.006
16	11	0.170	0.620	0.017	17	31	0.000	0.177	0.003	18	51	1.560	0.029	0.008
16	12	0.810	0.728	0.000	17	32	0.000	0.087	0.003	18	52	1.384	-0.041	0.014
16	13	0.778	0.914	0.000	17	33	0.000	0.059	0.007	18	53	1.766	-0.086	0.010
16	14	1.008	1.026	0.000	17	34	0.287	0.097	0.007	18	54	2.170	-0.267	0.000
16	15	1.375	1.107	0.002	17	35	0.337	0.232	0.000	18	55	1.924	-0.047	0.009
16	16	1.711	1.112	0.001	17	36	0.051	0.319	0.000	18	56	1.614	-0.149	0.020
16	17	1.603	1.195	0.000	17	37	0.912	0.083	0.000	18	57	1.808	-0.105	0.005
16	18	1.327	1.164	0.001	17	38	0.585	0.076	0.011	18	58	2.376	0.075	0.012
16	19	1.542	1.133	0.008	17	39	1.120	0.023	0.000	18	59	1.448	-0.067	0.010
16	20	1.377	1.176	0.017	17	40	1.344	-0.079	0.000	19	0	1.931	-0.002	0.006
16	21	1.522	1.259	0.003	17	41	0.829	0.031	0.000	19	1	2.386	0.010	0.002
16	22	1.246	1.283	0.001	17	42	0.799	0.060	0.002	19	2	2.323	-0.166	0.004
16	23	0.827	1.073	0.022	17	43	0.883	0.186	0.004	19	3	2.224	0.021	0.012
16	24	0.952	0.977	0.003	17	44	1.388	0.421	0.009	19	4	2.275	0.078	0.004
16	25	1.029	0.905	0.007	17	45	1.935	0.511	0.002	19	5	1.848	0.153	0.002
16	26	0.609	0.758	0.012	17	46	1.998	-0.010	0.000	19	6	0.823	0.140	0.032
16	27	0.624	0.846	0.009	17	47	1.570	0.107	0.000	19	7	0.087	0.117	0.026
16	28	1.322	0.436	0.007	17	48	1.645	0.241	0.000	19	8	1.961	0.299	0.006
16	29	1.273	0.361	0.002	17	49	1.565	0.073	0.000	19	9	2.028	0.693	0.001
16	30	1.319	0.752	0.005	17	50	1.513	0.000	0.000	19	10	1.928	0.688	0.011
16	31	1.376	0.804	0.032	17	51	1.403	0.017	0.000	19	11	1.752	0.492	0.010
16	32	1.919	0.921	0.001	17	52	1.045	0.037	0.019	19	12	1.767	0.399	0.005
16	33	1.724	1.037	0.000	17	53	1.204	0.043	0.002	19	13	1.619	0.176	0.007
16	34	1.729	1.034	0.006	17	54	1.410	0.157	0.000	19	14	2.159	0.347	0.008
16	35	1.818	1.056	0.001	17	55	1.276	0.141	0.000	19	15	2.057	0.510	0.004
16	36	1.529	0.996	0.007	17	56	1.173	0.114	0.000	19	16	1.763	0.303	0.007
16	37	1.874	0.886	0.002	17	57	1.266	0.002	0.000	19	17	1.227	0.091	0.004
16	38	1.298	0.851	0.012	17	58	1.739	0.051	0.000	19	18	1.791	0.278	0.001
16	39	1.620	0.839	0.012	17	59	1.346	0.088	0.000	19	19	1.401	0.387	0.004
16	40	1.485	0.800	0.007	18	0	1.298	0.000	0.000	19	20	1.022	0.162	0.001





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

19	21	1.451	0.016	0.002	20	41	0.812	-0.822	0.005	22	1	2.541	-1.461	0.001
19	22	1.355	-0.000	0.003	20	42	0.667	-1.405	0.011	22	2	2.758	-1.155	0.002
19	23	1.075	-0.003	0.009	20	43	0.926	-2.710	0.013	22	3	3.380	-1.477	0.002
19	24	1.236	0.012	0.003	20	44	0.754	-3.038	0.003	22	4	2.587	-0.854	0.003
19	25	2.135	-0.053	0.004	20	45	0.835	-3.691	0.006	22	5	2.921	-1.341	0.001
19	26	2.204	-0.133	0.004	20	46	1.169	-3.401	0.018	22	6	2.480	-1.189	0.000
19	27	2.464	-0.008	0.002	20	47	1.016	-2.519	0.008	22	7	2.549	-1.082	0.001
19	28	2.414	0.005	0.007	20	48	1.428	-2.434	0.012	22	8	2.427	-1.206	0.001
19	29	2.269	0.039	0.003	20	49	0.769	-2.017	0.004	22	9	2.794	-1.366	0.003
19	30	1.771	0.069	0.004	20	50	1.016	-0.864	0.004	22	10	2.573	-1.339	0.000
19	31	1.636	0.076	0.002	20	51	0.979	-0.695	0.047	22	11	2.240	-1.556	0.001
19	32	2.132	0.011	0.000	20	52	1.979	-0.237	0.024	22	12	1.999	-1.521	0.000
19	33	1.309	0.091	0.005	20	53	1.761	-0.310	0.010	22	13	1.648	-1.216	0.001
19	34	1.576	-0.006	0.000	20	54	2.388	-0.719	0.025	22	14	1.622	-1.264	0.000
19	35	1.517	-0.002	0.002	20	55	2.225	-1.298	0.016	22	15	1.386	-1.637	0.001
19	36	1.456	0.095	0.004	20	56	2.197	-1.228	0.016	22	16	1.403	-0.999	0.003
19	37	1.604	0.213	0.000	20	57	2.638	-0.159	0.014	22	17	2.228	-1.673	0.002
19	38	1.214	0.026	0.001	20	58	2.095	0.010	0.035	22	18	2.402	-1.953	0.002
19	39	1.588	0.169	0.002	20	59	2.428	-0.465	0.022	22	19	2.831	-1.360	0.002
19	40	1.755	0.220	0.000	21	0	2.374	-0.150	0.012	22	20	2.897	-1.339	0.005
19	41	2.118	0.066	0.000	21	1	2.338	-0.485	0.011	22	21	2.932	-1.129	0.005
19	42	1.618	0.053	0.001	21	2	2.492	-1.614	0.033	22	22	2.847	-1.085	0.002
19	43	1.726	0.116	0.000	21	3	1.587	-1.096	0.034	22	23	3.181	-0.785	0.005
19	44	1.266	0.106	0.002	21	4	3.219	-1.994	0.023	22	24	2.395	-0.580	0.005
19	45	0.872	0.295	0.003	21	5	2.184	-2.467	0.030	22	25	2.730	-2.085	0.005
19	46	0.682	0.691	0.003	21	6	2.252	-1.513	0.054	22	26	3.579	-2.257	0.010
19	47	1.140	0.674	0.000	21	7	2.657	-1.801	0.044	22	27	3.758	-2.324	0.004
19	48	1.148	0.207	0.002	21	8	3.194	-1.439	0.067	22	28	3.542	-2.266	0.009
19	49	1.296	-0.270	0.000	21	9	2.408	-1.543	0.055	22	29	3.421	-1.973	0.007
19	50	2.042	-0.628	0.000	21	10	2.208	-1.378	0.042	22	30	2.806	-0.717	0.008
19	51	2.166	-0.709	0.000	21	11	2.167	-0.038	0.040	22	31	2.219	-0.261	0.005
19	52	3.433	-1.194	0.000	21	12	2.089	-0.490	0.044	22	32	2.130	-1.016	0.002
19	53	2.237	-1.566	0.005	21	13	2.159	-0.256	0.018	22	33	1.123	-0.225	0.000
19	54	0.291	-2.569	0.005	21	14	1.511	-0.091	0.035	22	34	2.275	-0.587	0.001
19	55	0.186	-3.088	0.000	21	15	2.615	-0.062	0.010	22	35	1.950	-1.001	0.002
19	56	0.569	-2.129	0.005	21	16	2.165	0.525	0.018	22	36	2.284	-1.949	0.002
19	57	2.258	-2.232	0.009	21	17	2.677	0.334	0.060	22	37	1.988	-3.131	0.001
19	58	2.798	-1.020	0.027	21	18	2.297	0.669	0.067	22	38	0.908	-2.164	0.003
19	59	3.425	-1.551	0.035	21	19	3.180	1.566	0.043	22	39	1.365	-1.547	0.001
20	0	3.992	-2.645	0.010	21	20	3.172	1.166	0.048	22	40	1.687	-1.024	0.002
20	1	1.269	-3.714	0.001	21	21	2.427	0.244	0.007	22	41	1.349	-1.210	0.001
20	2	1.801	-2.960	0.004	21	22	2.362	0.023	0.019	22	42	1.912	-1.075	0.003
20	3	2.183	-1.633	0.001	21	23	2.919	-0.447	0.019	22	43	2.168	-0.963	0.005
20	4	1.723	-0.672	0.002	21	24	2.592	-2.529	0.015	22	44	1.212	-0.972	0.007
20	5	1.351	-1.528	0.002	21	25	3.183	-2.561	0.029	22	45	2.007	-1.308	0.000
20	6	1.110	-0.407	0.000	21	26	2.434	-2.270	0.033	22	46	2.214	-1.375	0.007
20	7	1.499	-0.077	0.001	21	27	3.240	-2.601	0.013	22	47	2.240	-1.649	0.005
20	8	1.242	0.132	0.004	21	28	3.283	-2.180	0.008	22	48	2.720	-1.817	0.009
20	9	1.306	-0.073	0.012	21	29	3.329	-1.900	0.021	22	49	2.455	-1.653	0.009
20	10	0.000	0.000	0.000	21	30	3.467	-1.343	0.006	22	50	2.333	-1.550	0.009
20	11	0.222	-0.022	0.001	21	31	2.914	-2.068	0.003	22	51	3.495	-1.080	0.007
20	12	-0.778	0.003	0.000	21	32	1.286	-2.062	0.004	22	52	3.833	-1.656	0.003
20	13	-0.794	0.179	0.000	21	33	0.949	-2.901	0.005	22	53	2.528	-0.580	0.008
20	14	-0.343	0.111	0.004	21	34	0.436	-2.597	0.002	22	54	2.677	-0.559	0.001
20	15	-0.000	0.485	0.024	21	35	1.405	-1.370	0.008	22	55	2.225	-1.142	0.001
20	16	0.000	0.267	0.001	21	36	2.271	-1.225	0.001	22	56	1.561	-0.812	0.002
20	17	-0.299	-0.074	0.001	21	37	2.079	-1.324	0.000	22	57	1.106	-0.405	0.000
20	18	-0.116	-1.235	-0.001	21	38	1.980	-1.266	0.008	22	58	1.237	-0.323	0.009
20	19	-0.160	-0.603	-0.001	21	39	1.884	-1.424	0.001	22	59	1.169	-0.291	0.009
20	20	-0.040	-0.238	0.007	21	40	1.393	-0.181	0.000	23	0	1.439	-0.419	0.001
20	21	-0.495	-0.835	0.001	21	41	1.516	-0.160	0.000	23	1	1.324	0.229	0.000
20	22	-0.094	-1.330	-0.000	21	42	0.439	0.089	0.000	23	2	1.511	0.136	0.003
20	23	-0.000	-0.655	0.000	21	43	0.627	1.279	0.001	23	3	2.233	0.279	0.000
20	24	0.000	-0.177	0.000	21	44	1.835	1.075	0.000	23	4	1.893	0.293	0.004
20	25	0.000	0.000	0.000	21	45	2.148	0.947	0.000	23	5	2.434	0.136	0.010
20	26	0.000	0.045	0.036	21	46	1.275	0.612	0.004	23	6	2.915	-0.061	0.004
20	27	0.172	0.026	0.069	21	47	1.594	0.472	0.002	23	7	2.316	-0.047	0.003
20	28	1.228	-0.034	0.007	21	48	0.826	0.375	0.001	23	8	1.831	0.071	0.001
20	29	2.435	-0.854	0.010	21	49	1.136	0.019	0.000	23	9	1.014	0.179	0.000
20	30	2.115	-0.412	-0.007	21	50	1.542	0.298	0.000	23	10	0.805	0.517	0.002
20	31	1.401	-0.220	-0.023	21	51	1.661	0.198	0.000	23	11	0.907	0.667	0.000
20	32	1.899	-0.536	0.004	21	52	1.954	-0.089	0.000	23	12	1.632	0.440	0.001
20	33	2.205	0.186	0.039	21	53	2.341	-0.131	0.000	23	13	1.442	0.219	0.000
20	34	3.761	-0.333	0.027	21	54	2.059	-0.032	0.001	23	14	1.428	-0.226	0.001
20	35	3.170	-0.347	0.044	21	55	2.151	-0.001	0.000	23	15	1.436	0.124	0.005
20	36	2.424	-0.702	0.016	21	56	1.886	-0.188	0.000	23	16	1.336	-0.276	0.000
20	37	1.087	-0.067	0.012	21	57	2.137	-0.168	0.001	23	17	0.706	0.285	0.006
20	38	0.433	0.026	0.001	21	58	1.227	-0.411	0.000	23	18	0.854	0.242	0.001
20	39	-0.564	0.535	0.001	21	59	1.628	-1.365	0.000	23	19	1.614	0.492	0.000
20	40	0.696	0.045	0.004	22	0	2.217	-1.580	0.001	23	20	1.812	0.531	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

23	21	2.011	0.299	0.002	0	38	1.775	-0.098	0.001	1	58	1.439	0.182	0.000
23	22	1.985	-0.030	0.006	0	39	1.742	-0.024	0.009	1	59	1.683	0.086	0.001
23	23	1.077	0.250	0.000	0	40	1.388	0.002	0.000	2	0	1.661	0.000	0.000
23	24	1.150	0.446	0.000	0	41	1.554	-0.154	0.000	2	1	1.666	0.030	0.000
23	25	1.496	0.510	0.002	0	42	1.040	-0.068	0.000	2	2	0.919	0.002	0.000
23	26	1.348	0.405	0.002	0	43	0.358	0.000	0.000	2	3	0.541	0.000	0.001
23	27	0.818	0.421	0.003	0	44	0.567	-0.132	0.000	2	4	0.933	0.015	0.003
23	28	0.988	0.740	0.000	0	45	1.355	-0.129	0.000	2	5	0.894	0.000	0.000
23	29	0.653	0.718	0.000	0	46	0.950	-0.005	0.000	2	6	0.737	0.000	0.000
23	30	0.235	1.020	0.000	0	47	0.774	-0.095	0.000	2	7	1.029	0.002	0.007
23	31	0.000	1.180	0.000	0	48	0.746	0.036	0.001	2	8	1.084	0.051	0.002
23	32	-0.001	1.233	0.000	0	49	1.378	-0.165	0.001	2	9	1.002	0.002	0.001
23	33	0.838	1.049	0.000	0	50	0.869	0.220	0.001	2	10	1.558	-0.015	0.002
23	34	0.990	0.887	0.000	0	51	1.138	0.000	0.000	2	11	1.382	0.009	0.004
23	35	0.657	0.657	0.001	0	52	1.532	0.000	0.000	2	12	1.592	-0.000	0.000
23	36	0.220	0.758	0.001	0	53	1.414	0.341	0.000	2	13	1.435	0.000	0.001
23	37	0.441	1.062	0.000	0	54	0.948	0.000	0.000	2	14	1.810	0.000	0.002
23	38	0.833	1.128	0.000	0	55	1.390	0.000	0.000	2	15	1.921	0.016	0.006
23	39	0.801	1.134	0.001	0	56	1.266	-0.002	0.000	2	16	2.228	-0.014	0.007
23	40	0.696	0.971	0.000	0	57	0.989	0.000	0.000	2	17	2.459	-0.002	0.002
23	41	0.895	0.911	0.000	0	58	1.107	0.003	0.000	2	18	2.415	0.061	0.005
23	42	0.863	0.735	0.000	0	59	1.226	0.000	0.000	2	19	2.228	0.074	0.003
23	43	0.410	1.119	0.000	1	0	1.146	0.000	0.000	2	20	2.516	0.041	0.004
23	44	0.644	1.031	0.001	1	1	1.064	0.002	0.000	2	21	2.160	0.058	0.001
23	45	0.484	0.756	0.000	1	2	0.938	0.002	0.000	2	22	2.128	0.085	0.002
23	46	0.625	0.918	0.000	1	3	0.854	0.000	0.000	2	23	1.549	0.318	0.004
23	47	0.467	0.811	0.000	1	4	1.042	0.000	0.000	2	24	1.557	0.298	0.001
23	48	0.953	0.548	0.001	1	5	0.979	-0.002	0.000	2	25	1.438	0.302	0.000
23	49	0.631	0.239	0.002	1	6	0.447	0.000	0.000	2	26	1.379	0.357	0.003
23	50	1.457	-0.126	0.003	1	7	0.642	0.000	0.000	2	27	1.623	0.148	0.000
23	51	1.784	-0.078	0.004	1	8	0.832	0.000	0.000	2	28	1.490	0.140	0.000
23	52	1.662	-0.376	0.009	1	9	0.746	0.000	0.000	2	29	1.679	0.000	0.000
23	53	2.720	-0.055	0.003	1	10	0.721	0.000	0.000	2	30	1.414	0.000	0.000
23	54	2.792	-0.098	0.005	1	11	1.252	0.000	0.000	2	31	1.516	0.000	0.000
23	55	2.507	-0.358	0.010	1	12	1.187	0.000	0.000	2	32	1.201	0.000	0.000
23	56	1.874	-0.456	0.004	1	13	1.274	0.000	0.000	2	33	1.775	0.000	0.000
23	57	2.397	-0.161	0.009	1	14	1.273	0.000	0.000	2	34	1.947	0.000	0.000
23	58	3.235	-0.585	0.006	1	15	1.492	0.000	0.000	2	35	1.935	0.017	0.000
23	59	2.218	-0.477	0.014	1	16	1.462	0.000	0.001	2	36	1.661	0.005	0.000

13/07/95

0	0	2.725	-0.316	0.001	1	18	2.011	-0.108	0.000	2	38	1.353	0.000	0.000
0	1	2.827	-0.411	0.013	1	19	1.966	-0.115	0.000	2	39	1.476	-0.003	0.001
0	2	2.662	-0.673	0.008	1	20	1.707	-0.001	0.000	2	40	1.095	0.000	0.000
0	3	2.834	-0.152	0.008	1	21	2.001	-0.034	0.003	2	41	1.149	-0.002	0.001
0	4	2.726	-0.289	0.023	1	22	1.756	0.087	0.000	2	42	1.560	-0.084	0.001
0	5	2.538	-0.017	0.015	1	23	1.835	0.069	0.000	2	43	1.462	-0.053	0.000
0	6	2.606	0.209	0.022	1	24	1.322	0.020	0.003	2	44	1.482	-0.129	0.003
0	7	3.059	-0.185	0.005	1	25	1.612	0.000	0.001	2	45	1.378	-0.290	0.000
0	8	2.021	-0.112	0.013	1	26	1.261	0.012	0.001	2	46	1.543	-0.179	0.002
0	9	2.286	0.096	0.002	1	27	1.126	0.068	0.000	2	47	1.581	-0.491	0.002
0	10	2.491	0.004	0.001	1	28	1.349	0.000	0.000	2	48	1.630	-0.498	0.004
0	11	1.992	0.274	0.016	1	29	1.429	0.000	0.000	2	49	1.133	-0.594	0.001
0	12	2.391	0.066	0.010	1	30	1.820	-0.001	0.001	2	50	1.483	-0.256	0.004
0	13	2.562	-0.037	0.010	1	31	1.477	0.000	0.001	2	51	1.544	-0.145	0.000
0	14	2.704	-0.020	0.003	1	32	1.322	0.000	0.002	2	52	1.320	-0.125	0.000
0	15	1.944	0.023	0.006	1	33	1.226	0.158	0.002	2	53	1.306	-0.212	0.002
0	16	2.402	0.097	0.005	1	34	1.319	0.000	0.000	2	54	1.674	-0.130	0.000
0	17	1.810	0.394	0.004	1	35	1.301	0.000	0.002	2	55	1.640	-0.550	0.000
0	18	2.350	0.019	0.002	1	36	1.493	0.012	0.002	2	56	1.347	-0.312	0.005
0	19	2.514	-0.056	0.006	1	37	1.720	0.139	0.001	2	57	1.947	-0.268	0.002
0	20	2.848	-0.049	0.002	1	38	1.504	0.108	0.000	2	58	2.170	-0.232	0.003
0	21	2.697	-0.080	0.002	1	39	1.212	0.166	0.002	2	59	2.198	-0.441	0.005
0	22	2.126	-0.142	0.001	1	40	1.004	0.049	0.000	3	0	1.982	-0.272	0.006
0	23	2.172	-0.081	0.004	1	41	0.950	0.000	0.002	3	1	1.409	-0.125	0.008
0	24	2.174	-0.057	0.000	1	42	1.350	0.165	0.000	3	2	1.451	-0.250	0.005
0	25	2.808	-0.182	0.005	1	43	1.136	0.112	0.001	3	3	1.597	-0.145	0.001
0	26	2.391	-0.181	0.020	1	44	1.120	0.033	0.000	3	4	1.468	-0.014	0.001
0	27	2.229	-0.426	0.007	1	45	1.384	-0.005	0.000	3	5	1.829	0.012	0.001
0	28	2.411	-0.522	0.019	1	46	1.417	-0.004	0.003	3	6	1.779	-0.006	0.000
0	29	2.768	-0.579	0.019	1	47	1.545	0.001	0.002	3	7	1.600	0.044	0.000
0	30	1.941	-0.363	0.016	1	48	1.555	0.030	0.001	3	8	2.271	0.256	0.001
0	31	2.363	-0.505	0.019	1	49	1.332	0.145	0.003	3	9	1.834	0.199	0.003
0	32	1.785	0.009	0.055	1	50	1.570	0.004	0.000	3	10	1.338	0.068	0.004
0	33	2.473	-0.245	0.029	1	51	1.533	0.000	0.000	3	11	1.754	-0.064	0.009
0	34	2.154	0.006	0.039	1	52	1.259	0.002	0.000	3	12	1.480	-0.002	0.007
0	35	2.138	-0.138	0.043	1	53	1.352	0.002	0.000	3	13	1.995	-0.029	0.016
0	36	2.071	-0.335	0.006	1	54	1.500	0.005	0.000	3	14	1.795	-0.009	0.003
0	37	1.618	-0.218	0.000	1	55	1.548	0.044	0.003	3	15	1.879	0.043	0.007
					1	56	1.394	0.016	0.000	3	16	2.318	-0.305	0.018
					1	57	1.304	0.406	0.003	3	17	1.487	-0.157	0.031





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

3	18	2.546	-0.170	0.024	4	38	0.000	0.929	0.011	5	58	0.873	0.047	0.011
3	19	2.555	0.234	0.008	4	39	0.000	0.816	0.004	5	59	0.540	0.422	0.144
3	20	2.122	0.028	0.010	4	40	0.000	0.429	0.016	6	0	0.582	0.719	0.019
3	21	2.284	0.091	0.007	4	41	0.000	0.000	0.000	6	1	0.808	0.549	0.014
3	22	1.779	-0.007	0.014	4	42	0.000	0.000	0.000	6	2	0.699	0.565	0.012
3	23	1.855	-0.098	0.022	4	43	0.000	0.192	0.000	6	3	0.670	0.297	0.037
3	24	1.882	-0.169	0.008	4	44	0.000	0.706	0.000	6	4	0.747	0.581	0.041
3	25	1.845	-0.296	0.011	4	45	0.000	0.766	0.001	6	5	1.058	0.600	0.002
3	26	2.303	-0.462	0.016	4	46	0.000	0.338	0.015	6	6	1.098	0.193	0.009
3	27	2.437	-0.583	0.010	4	47	0.000	0.695	0.011	6	7	1.046	0.037	0.032
3	28	2.536	-0.293	0.017	4	48	0.000	0.641	0.006	6	8	0.709	0.184	0.004
3	29	1.920	-0.221	0.039	4	49	0.000	0.534	0.000	6	9	0.875	0.680	0.014
3	30	1.964	-0.116	0.037	4	50	0.000	0.019	0.009	6	10	0.931	0.551	0.036
3	31	1.704	-0.211	0.029	4	51	0.000	0.000	0.011	6	11	0.984	0.805	0.086
3	32	1.900	-0.288	0.041	4	52	0.000	0.000	0.028	6	12	1.072	0.644	0.073
3	33	2.489	-0.469	0.034	4	53	0.000	0.000	0.006	6	13	1.219	0.975	0.059
3	34	2.652	-0.639	0.015	4	54	0.000	0.000	0.003	6	14	1.291	0.874	0.044
3	35	2.292	-0.118	0.011	4	55	0.000	0.000	0.000	6	15	1.364	0.893	0.076
3	36	2.471	-0.376	0.023	4	56	0.000	0.000	0.000	6	16	1.087	0.523	0.063
3	37	2.276	-0.327	0.017	4	57	0.000	0.000	0.000	6	17	1.144	0.169	0.036
3	38	2.361	-0.386	0.041	4	58	0.000	0.000	0.000	6	18	0.967	0.022	0.009
3	39	2.866	-0.494	0.055	4	59	0.000	0.000	0.000	6	19	0.827	0.000	0.005
3	40	2.277	-0.358	0.068	5	0	0.000	0.000	0.000	6	20	0.939	0.002	0.001
3	41	2.639	-0.211	0.027	5	1	0.000	0.000	0.000	6	21	0.977	0.000	0.002
3	42	2.291	-0.148	0.040	5	2	0.000	0.000	0.000	6	22	0.466	0.000	0.025
3	43	2.599	-0.394	0.026	5	3	0.617	0.000	0.001	6	23	0.000	0.000	0.012
3	44	1.945	-0.382	0.033	5	4	0.719	0.026	0.001	6	24	0.000	0.000	0.063
3	45	2.257	-0.313	0.008	5	5	1.064	0.445	0.000	6	25	0.000	0.178	0.062
3	46	1.640	-0.048	0.014	5	6	0.965	0.315	0.002	6	26	0.000	0.083	0.126
3	47	1.249	-0.289	0.038	5	7	1.229	0.399	0.006	6	27	0.000	0.000	0.050
3	48	1.686	-0.056	0.013	5	8	1.272	0.540	0.001	6	28	0.000	0.000	0.000
3	49	1.498	-0.283	0.002	5	9	0.945	0.561	0.002	6	29	0.000	0.017	0.151
3	50	1.842	-0.197	0.015	5	10	1.201	0.650	0.000	6	30	0.000	0.118	0.135
3	51	1.915	-0.285	0.028	5	11	1.184	0.724	0.003	6	31	0.000	0.003	0.225
3	52	1.672	-0.314	0.016	5	12	1.422	0.771	0.003	6	32	0.000	0.177	0.116
3	53	1.201	-0.245	0.101	5	13	1.449	0.699	0.004	6	33	0.000	0.314	0.023
3	54	1.283	-0.288	0.038	5	14	1.273	0.496	0.006	6	34	0.000	0.111	0.113
3	55	0.994	-0.258	0.073	5	15	1.052	0.185	0.004	6	35	0.000	0.170	0.168
3	56	0.768	-0.548	0.076	5	16	0.861	0.000	0.001	6	36	0.000	0.436	0.125
3	57	0.845	-0.419	0.036	5	17	0.622	0.000	0.002	6	37	0.000	0.589	0.053
3	58	0.816	-0.204	0.011	5	18	0.731	0.000	0.000	6	38	-0.000	0.620	0.006
3	59	0.822	-0.263	0.000	5	19	0.459	0.000	0.002	6	39	0.000	0.657	0.000
4	0	0.853	-0.032	0.008	5	20	0.448	0.000	0.002	6	40	0.000	0.597	0.024
4	1	0.840	-0.002	0.006	5	21	0.386	0.000	0.002	6	41	-0.003	0.381	0.071
4	2	0.669	-0.004	0.004	5	22	0.343	0.000	0.000	6	42	0.000	0.578	0.024
4	3	1.066	-0.166	0.012	5	23	0.044	0.000	0.000	6	43	0.001	0.925	0.045
4	4	0.985	-0.079	0.005	5	24	0.000	0.000	0.021	6	44	0.011	1.051	0.001
4	5	1.055	-0.012	0.007	5	25	0.000	0.000	0.004	6	45	0.000	0.993	0.001
4	6	0.993	0.000	0.012	5	26	0.000	0.000	0.017	6	46	0.000	0.910	0.013
4	7	0.822	0.171	0.060	5	27	0.000	0.000	0.006	6	47	0.000	0.923	0.009
4	8	0.715	0.037	0.065	5	28	0.000	0.000	0.019	6	48	0.000	0.832	0.019
4	9	0.026	0.548	0.024	5	29	0.000	0.000	0.010	6	49	0.000	0.768	0.011
4	10	0.040	0.439	0.032	5	30	0.136	0.000	0.018	6	50	0.000	0.888	0.009
4	11	0.005	0.121	0.183	5	31	0.451	0.000	0.006	6	51	0.000	0.908	0.026
4	12	0.000	-0.035	0.074	5	32	0.572	0.000	0.033	6	52	0.000	0.681	0.031
4	13	0.242	-0.010	0.018	5	33	0.891	0.000	0.004	6	53	0.262	0.794	0.020
4	14	1.115	0.014	-0.003	5	34	1.025	0.000	0.034	6	54	0.910	1.009	0.031
4	15	0.584	-0.001	-0.001	5	35	0.684	0.048	0.089	6	55	1.019	1.122	0.034
4	16	0.992	0.040	0.038	5	36	1.142	0.440	0.014	6	56	1.059	1.101	0.018
4	17	0.899	-0.003	0.022	5	37	1.273	0.186	0.039	6	57	1.121	1.089	0.028
4	18	1.125	0.063	0.025	5	38	1.158	0.000	0.015	6	58	1.123	1.124	0.016
4	19	1.565	-0.011	0.040	5	39	1.565	0.036	0.016	6	59	1.168	1.193	0.024
4	20	1.430	0.454	0.011	5	40	1.509	0.135	0.030	7	0	1.194	1.233	0.043
4	21	1.312	0.047	0.020	5	41	1.082	0.011	0.020	7	1	1.136	1.199	0.027
4	22	1.531	-0.018	0.034	5	42	0.917	0.000	0.009	7	2	1.051	1.230	0.054
4	23	1.483	0.058	0.018	5	43	1.032	0.029	0.000	7	3	1.046	1.212	0.040
4	24	1.119	0.201	0.052	5	44	0.707	0.046	0.011	7	4	1.601	1.382	0.026
4	25	0.594	0.412	0.022	5	45	0.639	0.116	0.028	7	5	1.259	1.311	0.030
4	26	0.531	0.438	0.007	5	46	0.770	0.000	0.070	7	6	1.158	1.265	0.027
4	27	0.305	0.251	0.038	5	47	0.883	0.266	0.045	7	7	1.562	1.316	0.027
4	28	0.000	0.440	0.024	5	48	1.435	0.132	0.025	7	8	1.737	1.327	0.029
4	29	0.000	0.003	0.094	5	49	1.754	0.208	0.012	7	9	1.516	1.298	0.012
4	30	0.000	0.121	0.055	5	50	1.589	0.334	0.034	7	10	1.105	1.243	0.010
4	31	0.619	0.645	0.008	5	51	1.604	0.038	0.029	7	11	0.918	1.215	0.022
4	32	1.067	0.809	0.015	5	52	1.362	0.183	0.054	7	12	0.931	1.195	0.016
4	33	0.847	0.832	0.015	5	53	1.200	0.276	0.017	7	13	1.336	1.115	0.017
4	34	0.587	0.575	0.004	5	54	0.579	0.089	0.067	7	14	1.146	0.358	0.046
4	35	0.000	0.629	0.052	5	55	0.906	0.047	0.045	7	15	0.906	0.343	0.005
4	36	0.000	0.899	0.024	5	56	1.440	0.059	0.031	7	16	0.698	0.443	0.023
4	37	-0.010	0.909	0.018	5	57	1.337	0.102	0.005	7	17	0.986	0.117	0.023





Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

7	18	0.512	0.064	0.119	8	38	0.920	1.066	0.011	10	7	2.186	-0.059	0.058
7	19	0.677	0.053	0.077	8	39	1.009	1.115	0.023	10	8	3.189	-0.146	0.052
7	20	0.458	0.042	0.050	8	40	0.585	1.031	0.028	10	9	2.289	0.323	0.174
7	21	0.514	0.006	0.079	8	41	0.650	1.067	0.017	10	30	2.451	0.009	0.063
7	22	0.712	0.241	0.031	8	42	0.484	0.990	0.043	10	31	2.806	-0.083	0.055
7	23	0.846	0.564	0.012	8	43	0.688	1.004	0.015	10	32	2.096	-0.002	0.058
7	24	0.803	0.768	0.041	8	44	1.055	1.082	0.013	10	33	1.905	-0.044	0.091
7	25	1.037	0.926	0.032	8	45	1.076	1.022	0.011	10	34	2.164	-0.135	0.084
7	26	0.795	0.890	0.053	8	46	0.532	0.166	0.037	10	35	1.654	-0.213	0.094
7	27	1.087	0.961	0.024	8	47	0.408	0.024	0.103	10	36	2.104	-0.090	0.085
7	28	1.044	1.007	0.017	8	48	0.624	0.010	0.088	10	37	1.959	-0.020	0.075
7	29	0.934	1.021	0.011	8	49	0.552	0.278	0.072	10	38	1.872	-0.173	0.070
7	30	0.860	1.020	0.003	8	50	1.104	0.485	0.043	10	39	2.461	-0.376	0.037
7	31	0.875	0.989	0.008	8	51	1.805	0.213	0.045	10	40	2.160	-0.294	0.049
7	32	0.867	0.937	0.037	8	52	1.629	0.086	0.073	10	41	1.722	-0.197	0.075
7	33	0.899	0.887	0.019	8	53	1.664	0.027	0.074	10	42	1.962	-0.707	0.054
7	34	0.554	0.826	0.034	8	54	2.240	0.058	0.042	10	43	1.962	-0.091	0.060
7	35	0.341	0.801	0.069	8	55	1.956	0.085	0.042	10	44	2.400	-0.263	0.058
7	36	1.054	0.679	0.049	8	56	2.185	-0.063	0.035	10	45	2.198	-0.638	0.027
7	37	1.317	0.871	0.010	8	57	2.572	-0.424	0.091	10	46	2.021	-0.782	0.031
7	38	0.698	0.984	0.023	8	58	2.596	0.009	0.086	10	47	1.738	-1.066	0.074
7	39	0.718	1.136	0.021	8	59	2.863	-0.276	0.047	10	48	1.567	-0.420	0.132
7	40	0.910	0.992	0.017	9	0	3.053	-0.362	0.049	10	49	1.826	-0.635	0.144
7	41	1.001	1.031	0.028	9	1	2.884	-0.075	0.059	10	50	2.536	-0.570	0.041
7	42	0.764	0.978	0.025	9	2	2.552	0.129	0.039	10	51	2.691	-0.414	0.005
7	43	1.265	0.957	0.038	9	3	2.807	0.096	0.030	10	52	2.145	-0.032	0.066
7	44	0.829	0.932	0.050	9	4	2.305	-0.016	0.025	10	53	2.325	0.076	0.115
7	45	0.813	0.958	0.034	9	5	2.263	0.052	0.048	10	54	2.498	-0.027	0.079
7	46	0.266	0.722	0.064	9	6	2.375	-0.092	0.038	10	55	1.947	-0.036	0.071
7	47	0.106	0.000	0.078	9	7	3.649	-0.049	0.064	10	56	1.901	-0.091	0.028
7	48	0.628	0.008	0.029	9	8	3.329	-0.020	0.058	10	57	1.949	-0.060	0.057
7	49	0.047	0.000	0.092	9	9	2.997	-0.010	0.055	10	58	1.964	-0.012	0.011
7	50	0.000	0.000	-0.004	9	10	2.679	-0.091	0.032	10	59	2.682	-0.008	0.053
7	51	-0.000	0.055	0.031	9	11	2.239	-0.331	0.033	11	0	2.886	-0.014	0.057
7	52	-0.001	0.325	0.058	9	12	1.731	0.363	0.075	11	1	2.996	0.183	0.041
7	53	0.000	0.457	0.012	9	13	1.953	0.022	0.027	11	2	2.993	-0.071	0.122
7	54	-0.000	0.497	0.026	9	14	1.562	-0.208	0.070	11	3	2.989	-0.055	0.086
7	55	0.000	0.689	0.021	9	15	1.926	-0.036	-0.014	11	4	2.490	-0.085	0.081
7	56	0.000	0.767	0.020	9	16	1.232	-0.053	0.078	11	5	2.422	-0.102	0.070
7	57	0.011	0.842	0.060	9	17	1.043	-0.214	0.024	11	6	2.563	-0.171	0.046
7	58	0.000	0.874	0.041	9	18	2.025	-0.158	0.019	11	7	2.016	-0.089	0.106
7	59	0.000	0.995	0.004	9	19	1.715	-0.479	0.060	11	8	1.995	-0.145	0.003
8	0	0.261	1.186	0.036	9	20	1.483	-0.354	0.071	11	9	1.309	-0.124	0.061
8	1	0.000	1.175	0.032	9	21	1.198	-0.117	0.057	11	10	1.109	-0.231	0.034
8	2	0.000	1.213	0.025	9	22	1.228	-0.319	0.038	11	11	0.955	-0.135	0.028
8	3	0.000	1.229	0.019	9	23	1.631	-0.192	0.053	11	12	1.039	-0.017	0.014
8	4	0.254	1.206	0.051	9	24	1.678	0.012	-0.013	11	13	1.501	-0.355	0.060
8	5	0.000	1.082	0.021	9	25	1.601	0.003	0.039	11	14	2.044	-0.582	0.095
8	6	0.127	1.142	0.029	9	26	1.842	-0.072	0.035	11	15	1.513	-0.843	0.132
8	7	0.236	1.164	0.028	9	27	2.189	-0.410	0.056	11	16	1.900	-1.041	0.084
8	8	0.632	1.160	0.049	9	28	2.058	-0.263	0.042	11	17	2.413	-1.166	0.040
8	9	0.266	1.035	0.026	9	29	2.172	-0.043	0.042	11	18	2.265	-0.902	0.037
8	10	0.272	1.140	0.032	9	30	2.690	-0.051	0.060	11	19	1.409	-0.466	0.106
8	11	0.037	1.364	0.032	9	31	2.741	-0.071	0.051	11	20	1.267	-0.424	0.090
8	12	0.165	1.643	0.014	9	32	2.530	-0.001	0.004	11	21	1.271	-0.051	0.072
8	13	0.639	1.562	0.040	9	33	2.126	-0.081	0.039	11	22	1.672	0.174	0.059
8	14	1.144	1.669	0.025	9	44	2.200	-0.181	0.044	11	23	1.884	0.113	0.068
8	15	0.821	1.649	0.019	9	45	3.37	-0.224	0.024	11	24	2.906	-0.051	0.046
8	16	0.754	1.739	0.016	9	46	2.534	-0.407	0.089	11	25	2.574	-0.022	0.053
8	17	0.486	1.768	0.035	9	47	2.303	-0.238	0.113	11	26	2.431	0.021	0.082
8	18	0.877	2.042	0.036	9	48	2.645	-0.123	0.060	11	27	3.241	0.086	0.082
8	19	1.275	2.064	0.016	9	49	2.790	0.053	0.074	11	28	3.170	-0.063	0.050
8	20	0.738	1.782	0.024	9	50	2.765	0.177	0.063	11	29	2.041	0.115	0.103
8	21	2.006	1.879	0.015	9	51	2.459	0.128	0.050	11	30	1.965	0.467	0.080
8	22	1.926	1.407	0.037	9	52	2.344	-0.089	0.064	11	31	2.509	0.282	0.115
8	23	1.373	1.079	0.033	9	53	2.537	-0.164	0.033	11	32	2.453	0.085	0.059
8	24	1.719	0.418	0.004	9	54	2.380	-0.135	0.025	11	33	1.971	0.195	0.072
8	25	1.081	0.002	0.065	9	55	2.592	-0.018	0.006	11	34	1.465	0.107	0.101
8	26	1.189	0.195	0.028	9	56	1.774	0.164	0.026	11	35	1.902	0.321	0.035
8	27	1.371	0.432	0.017	9	57	2.162	-0.187	0.007	11	36	2.321	0.402	0.025
8	28	0.727	0.056	0.071	9	58	1.820	0.014	0.065	11	37	1.842	0.173	0.046
8	29	0.814	0.024	0.098	9	59	2.417	-0.663	0.038	11	38	2.323	0.127	0.046
8	30	1.349	0.000	0.040	10	0	2.155	-0.454	0.096	11	39	2.415	0.216	0.073
8	31	1.963	0.022	0.019	10	1	1.840	-0.029	0.038	11	40	2.352	0.297	0.056
8	32	1.659	0.000	0.035	10	2	2.554	-0.517	0.011	11	41	2.664	0.180	0.040
8	33	0.762	0.329	0.016	10	3	1.778	-0.183	0.061	11	42	2.367	0.130	0.033
8	34	0.904	0.974	0.034	10	4	2.560	-0.441	0.058	11	43	1.658	0.419	0.097
8	35	1.067	1.135	0.015	10	5	2.851	-0.659	0.026	11	44	1.494	0.271	0.098
8	36	0.990	1.089	0.020	10	6	3.859	-0.568	0.067	11	45	1.897	0.138	0.063
8	37	1.137	1.060	0.001										





**Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)**

11	46	2.023	0.006	0.016	13	6	1.412	0.067	0.056	14	26	2.312	-0.183	0.040
11	47	1.837	-0.064	0.091	13	7	1.632	0.096	0.023	14	27	2.255	-0.453	0.028
11	48	2.171	-0.406	0.069	13	8	1.867	0.223	0.028	14	28	1.669	-0.047	0.078
11	49	2.133	-0.025	0.041	13	9	1.868	0.419	0.066	14	29	1.819	0.264	0.038
11	50	1.389	-0.074	0.023	13	10	1.820	0.115	0.084	14	30	1.833	-0.049	0.049
11	51	1.862	-0.156	0.055	13	11	1.514	0.012	0.035	14	31	1.193	-0.019	0.063
11	52	2.047	-0.245	0.101	13	12	1.603	0.108	0.039	14	32	1.427	0.011	0.037
11	53	2.526	-0.472	0.064	13	13	1.113	0.196	0.151	14	33	1.636	-0.394	0.065
11	54	2.776	-0.207	0.031	13	14	1.448	0.159	0.083	14	34	1.505	-0.044	0.147
11	55	2.629	-0.241	0.031	13	15	1.776	0.186	0.030	14	35	1.719	0.029	0.054
11	56	1.489	-0.260	0.143	13	16	1.550	0.339	0.052	14	36	1.651	0.031	0.064
11	57	1.352	-0.081	0.106	13	17	1.006	0.003	0.153	14	37	1.211	0.142	0.049
11	58	2.073	-0.124	0.071	13	18	1.531	0.004	0.041	14	38	1.802	0.213	0.039
11	59	1.555	-0.021	0.153	13	19	2.313	0.023	0.062	14	39	1.697	0.148	0.051
12	0	1.581	-0.119	0.090	13	20	2.279	0.008	0.059	14	40	1.793	0.046	0.095
12	1	2.000	-0.205	0.070	13	21	2.139	0.145	0.035	14	41	1.593	0.247	0.093
12	2	1.460	0.002	0.026	13	22	2.395	0.029	0.057	14	42	1.902	0.079	0.057
12	3	1.766	0.036	0.025	13	23	2.476	0.099	0.027	14	43	2.223	0.098	0.029
12	4	2.528	-0.005	0.054	13	24	2.116	0.076	0.063	14	44	1.896	0.128	0.029
12	5	2.348	0.006	0.054	13	25	2.221	0.022	0.071	14	45	1.546	0.166	0.037
12	6	2.211	-0.001	0.042	13	26	2.466	0.140	0.050	14	46	1.293	0.372	0.134
12	7	2.152	-0.017	0.010	13	27	2.776	0.150	0.035	14	47	1.460	0.117	0.150
12	8	2.325	-0.025	0.060	13	28	2.750	0.001	0.038	14	48	1.893	0.078	0.036
12	9	1.862	-0.007	0.043	13	29	2.550	0.016	0.054	14	49	1.516	0.111	0.016
12	10	1.662	-0.048	0.011	13	30	2.776	0.104	0.041	14	50	1.468	0.057	0.053
12	11	1.801	-0.039	0.014	13	31	2.588	0.107	0.068	14	51	1.597	0.011	0.032
12	12	1.707	-0.018	0.030	13	32	2.631	-0.114	0.037	14	52	1.741	0.138	0.050
12	13	1.862	-0.009	0.028	13	33	2.406	0.025	0.044	14	53	1.656	-0.004	0.033
12	14	1.859	0.006	0.035	13	34	2.590	-0.106	0.041	14	54	1.384	0.039	0.104
12	15	1.907	0.029	0.020	13	35	2.317	-0.051	0.073	14	55	1.456	-0.043	0.203
12	16	1.911	0.065	0.018	13	36	2.335	-0.042	0.105	14	56	1.540	0.037	0.112
12	17	1.640	0.196	0.063	13	37	2.901	-0.138	0.051	14	57	1.205	0.104	0.185
12	18	1.811	-0.080	0.050	13	38	2.902	-0.168	0.032	14	58	1.767	0.495	0.109
12	19	1.785	0.033	0.110	13	39	2.826	-0.027	0.058	14	59	1.730	0.288	0.195
12	20	1.237	0.128	0.036	13	40	2.942	-0.167	0.034	15	0	2.169	0.153	0.101
12	21	1.184	0.223	0.053	13	41	2.440	-0.122	0.059	15	1	2.136	0.125	0.104
12	22	1.298	0.274	0.089	13	42	2.928	-0.068	0.113	15	2	2.227	-0.163	0.052
12	23	1.453	0.035	0.050	13	43	3.002	-0.000	0.053	15	3	2.038	-0.039	0.131
12	24	1.543	-0.125	0.055	13	44	2.338	-0.055	0.030	15	4	1.802	0.037	0.076
12	25	1.435	-0.008	0.032	13	45	2.224	-0.031	0.052	15	5	2.244	-0.000	0.066
12	26	1.192	0.088	0.093	13	46	2.237	-0.070	0.045	15	6	1.990	0.023	0.082
12	27	1.288	0.073	0.004	13	47	1.759	-0.048	0.093	15	7	2.006	0.172	0.084
12	28	1.363	0.024	0.017	13	48	1.124	-0.020	0.040	15	8	2.462	-0.050	0.072
12	29	1.239	-0.252	0.010	13	49	1.306	0.015	0.045	15	9	2.426	0.621	0.083
12	30	1.134	-0.153	0.052	13	50	2.043	0.014	0.036	15	10	2.758	0.405	0.058
12	31	1.785	-0.040	0.055	13	51	2.005	-0.029	0.016	15	11	2.552	0.218	0.070
12	32	1.007	-0.230	0.120	13	52	1.500	0.006	0.021	15	12	2.887	0.295	0.061
12	33	1.478	-0.267	0.073	13	53	2.037	0.078	0.040	15	13	2.601	0.009	0.057
12	34	1.867	-0.020	0.049	13	54	1.780	0.078	0.021	15	14	2.213	0.014	0.057
12	35	1.965	0.000	0.097	13	55	1.972	-0.100	0.028	15	15	2.549	0.036	0.089
12	36	2.450	0.008	0.043	13	56	2.163	-0.246	0.014	15	16	2.326	0.032	0.025
12	37	2.358	-0.009	0.082	13	57	1.377	-0.050	0.041	15	17	2.349	0.020	0.063
12	38	2.594	0.026	0.043	13	58	1.217	0.067	0.088	15	18	2.414	-0.012	0.049
12	39	2.463	-0.074	0.027	13	59	2.118	0.147	0.050	15	19	1.839	0.036	0.090
12	40	1.676	-0.020	0.083	14	0	1.957	-0.029	0.020	15	20	2.387	0.036	0.078
12	41	2.262	0.000	0.029	14	1	1.634	0.231	0.044	15	21	2.429	0.046	0.055
12	42	1.874	-0.043	0.034	14	2	1.789	0.007	0.012	15	22	2.303	-0.078	0.045
12	43	1.910	-0.118	0.014	14	3	1.543	0.438	0.016	15	23	1.505	-0.171	0.093
12	44	1.478	-0.020	0.007	14	4	1.631	0.388	0.024	15	24	2.035	-0.028	0.040
12	45	1.588	-0.002	0.015	14	5	1.994	0.117	0.033	15	25	2.252	0.227	0.047
12	46	2.189	-0.063	0.024	14	6	2.015	0.072	0.007	15	26	1.881	0.193	0.080
12	47	1.840	-0.006	0.023	14	7	1.905	-0.021	0.010	15	27	1.908	0.003	0.067
12	48	1.674	-0.061	0.059	14	8	1.613	-0.110	0.064	15	28	1.745	-0.006	0.081
12	49	1.453	0.510	0.116	14	9	1.252	-0.142	0.106	15	29	1.540	0.205	0.100
12	50	2.078	0.028	0.038	14	10	1.641	0.002	0.018	15	30	1.852	0.005	0.035
12	51	2.096	0.133	0.054	14	11	1.668	0.013	0.010	15	31	1.590	0.043	0.081
12	52	1.693	0.205	0.046	14	12	2.514	0.138	0.026	15	32	1.820	0.194	0.056
12	53	1.329	0.459	0.075	14	13	2.617	0.093	0.028	15	33	1.097	0.006	0.133
12	54	1.470	0.226	0.136	14	14	2.342	0.028	0.018	15	34	1.418	0.015	0.048
12	55	1.927	0.164	0.035	14	15	2.220	-0.022	0.030	15	35	1.409	0.108	0.045
12	56	1.719	0.461	0.073	14	16	1.298	-0.061	0.070	15	36	1.302	0.203	0.043
12	57	1.807	0.225	0.060	14	17	1.368	-0.007	0.077	15	37	1.707	0.004	0.021
12	58	2.102	0.059	0.045	14	18	1.431	0.071	0.068	15	38	1.557	-0.046	0.052
12	59	1.766	0.535	0.053	14	19	1.756	-0.068	0.061	15	39	1.443	-0.102	0.042
13	0	1.935	0.697	0.055	14	20	1.983	0.021	0.038	15	40	1.514	-0.324	0.075
13	1	1.929	0.348	0.048	14	21	2.228	0.012	0.033	15	41	1.485	-0.288	0.060
13	2	1.812	0.225	0.068	14	22	1.926	-0.006	0.090	15	42	2.462	-0.459	0.092
13	3	1.963	0.087	0.036	14	23	1.729	0.008	0.045	15	43	2.451	-0.683	0.071
13	4	1.902	0.266	0.050	14	24	1.737	-0.020	0.040	15	44	1.582	-1.224	0.019
13	5	1.858	0.155	0.029	14	25	1.773	-0.022	0.056	15	45	1.184	-0.478	0.009





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

15	46	1.610	-0.672	0.046
15	47	2.072	-0.952	0.062
15	48	2.258	-0.819	0.048
15	49	2.431	-0.749	0.061
15	50	2.058	-0.870	0.040
15	51	2.330	-1.199	0.136
15	52	3.105	-0.926	0.035
15	53	2.509	-0.316	0.110
15	54	3.158	-0.728	0.123
15	55	2.794	-1.275	0.105
15	56	3.023	-2.093	0.057
15	57	2.915	-1.665	0.106
15	58	3.333	-1.321	0.084
15	59	2.801	-0.898	0.046
16	0	1.245	-0.824	0.224
16	1	1.740	-0.645	0.131
16	2	3.133	-1.694	0.052
16	3	1.715	-1.272	0.120
16	4	2.806	-1.231	0.081
16	5	2.817	-1.276	0.061
16	6	2.534	-0.315	0.068
16	7	2.613	-0.350	0.023
16	8	2.003	-0.266	0.082
16	9	1.441	-0.553	0.193
16	10	1.395	-0.949	0.113
16	11	1.869	-1.618	0.050
16	12	1.484	-0.389	0.116
16	13	1.397	-0.129	0.171
16	14	1.343	-0.304	0.121
16	15	1.148	-0.146	0.102
16	16	1.761	-0.159	0.061
16	17	1.908	-0.989	0.036
16	18	2.040	-0.575	0.025
16	19	1.993	-0.540	0.103
16	20	1.903	-0.383	0.015





Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

**R M YOUNG 26700 SERIES
DATA TRANSLATOR/RECORDER**

Time hour	Time mins	U M/S	V M/S	W M/S
--------------	--------------	----------	----------	----------

12/07/95

7	29	-1.605	-0.340	0.000	8	40	0.001	0.000	0.000	10	0	-0.127	-2.357	0.007
7	30	-2.120	-0.343	0.000	8	41	0.023	0.096	0.017	10	1	0.105	-1.941	0.004
7	31	-2.218	-0.484	0.000	8	42	0.079	0.256	0.016	10	2	0.461	-1.867	0.004
7	32	-1.808	-0.586	0.001	8	43	-0.113	0.512	0.014	10	4	0.000	0.000	0.000
7	33	-1.345	-0.370	0.000	8	44	-0.108	0.467	-0.000	10	5	0.200	-1.426	0.000
7	34	-1.176	-0.131	0.000	8	45	-0.028	0.288	-0.001	10	6	-0.007	-1.194	-0.000
7	35	-0.467	0.000	0.000	8	46	0.000	0.107	0.000	10	7	0.839	-0.418	0.000
7	36	0.000	0.017	0.004	8	47	0.032	0.280	0.016	10	8	0.225	-0.096	0.002
7	37	0.000	0.000	0.008	8	48	0.059	0.313	0.019	10	9	-0.163	-0.257	-0.006
7	38	-0.000	0.000	0.003	8	49	-0.018	0.179	0.028	10	10	0.101	-0.181	0.000
7	39	0.000	0.229	0.025	8	50	0.036	0.365	0.012	10	11	0.321	0.098	0.005
7	40	0.002	0.455	0.015	8	51	0.101	0.409	0.002	10	12	0.498	-0.282	0.002
7	41	0.000	0.021	0.000	8	52	0.039	0.267	0.062	10	13	1.512	-1.032	0.004
7	42	0.000	0.160	0.007	8	53	0.968	0.323	0.003	10	14	1.108	-0.979	0.000
7	43	0.000	0.820	0.001	8	54	1.384	0.075	0.001	10	15	1.280	-0.735	0.005
7	44	0.000	0.792	0.011	8	55	1.246	0.371	0.013	10	16	1.069	-0.705	0.010
7	45	0.207	0.822	0.004	8	56	1.398	0.421	0.023	10	17	0.682	-0.620	-0.000
7	46	0.192	0.750	0.000	8	57	0.862	0.184	0.000	10	18	0.002	-0.903	-0.002
7	47	0.571	0.758	0.001	8	58	0.208	0.501	0.000	10	19	0.166	-0.975	-0.003
7	48	0.498	0.649	0.000	8	59	0.026	0.668	-0.001	10	20	0.401	-0.149	-0.003
7	49	0.000	0.500	0.007	9	0	-0.001	0.145	0.000	10	21	0.057	0.472	-0.000
7	50	0.318	0.581	0.009	9	1	-0.068	0.430	0.039	10	22	-0.113	0.513	0.003
7	51	0.189	0.152	0.022	9	2	0.048	0.591	0.012	10	23	-0.064	0.124	0.031
7	52	0.089	0.309	0.029	9	3	0.636	0.629	0.009	10	24	-0.075	-0.350	0.001
7	53	0.007	0.443	0.020	9	4	1.155	-0.178	0.011	10	25	0.108	-0.313	0.002
7	54	0.103	0.840	0.001	9	5	1.301	-0.632	0.002	10	26	-0.393	-1.276	0.017
7	55	0.000	0.983	0.003	9	6	1.031	-0.716	0.000	10	27	0.165	-1.110	0.032
7	56	0.000	1.052	0.002	9	7	0.625	-0.750	0.000	10	28	-0.660	-1.983	0.021
7	57	0.003	0.794	0.015	9	8	0.280	-0.854	0.000	10	29	-0.224	-2.602	0.007
7	58	0.000	0.838	0.003	9	9	0.126	-0.681	0.000	10	30	-0.438	-1.646	-0.002
7	59	0.000	0.382	0.018	9	10	0.583	-0.893	0.001	10	31	0.141	-1.369	0.022
8	0	0.000	0.136	0.006	9	11	0.282	-0.457	-0.000	10	32	-0.547	-1.366	-0.001
8	1	-0.068	0.673	0.002	9	12	0.045	-0.646	0.000	10	33	-1.253	-1.748	-0.000
8	2	-0.014	1.041	0.003	9	13	0.406	-0.114	0.000	10	34	-0.590	-1.395	-0.003
8	3	-0.020	0.491	0.004	9	14	0.859	-0.679	0.015	10	35	-0.101	-1.165	0.015
8	4	-0.000	0.474	0.011	9	15	0.710	-0.493	0.000	10	36	0.013	-0.949	0.008
8	5	-0.000	0.666	0.001	9	16	0.597	-0.129	0.000	10	37	0.031	-0.650	0.000
8	6	-0.007	0.537	0.009	9	17	0.742	-0.020	0.000	10	38	-0.102	-0.575	0.000
8	7	0.000	0.686	0.006	9	18	0.643	-0.022	0.000	10	39	-0.281	-0.468	0.000
8	8	0.296	0.825	0.008	9	19	0.243	-0.018	0.000	10	40	-0.461	-0.084	-0.001
8	9	0.400	0.705	0.003	9	20	0.005	-0.005	0.000	10	41	-0.751	0.069	0.001
8	10	0.518	1.053	0.006	9	21	0.000	0.000	0.000	10	42	-0.458	0.024	0.001
8	11	0.971	0.997	0.003	9	22	-0.002	0.010	0.030	10	43	-1.279	-0.206	0.007
8	12	0.598	0.461	0.000	9	23	-0.317	-0.035	0.006	10	44	-1.785	-0.300	0.000
8	13	0.181	0.778	0.001	9	24	0.197	0.009	0.008	10	45	-1.065	0.094	0.002
8	14	0.515	1.098	0.000	9	25	0.061	0.034	0.017	10	46	-1.192	-0.883	0.007
8	15	1.217	0.947	0.009	9	26	-0.036	0.023	0.022	10	47	-1.834	-0.595	-0.004
8	16	1.134	0.805	0.000	9	27	-0.381	0.212	0.007	10	48	-1.712	-0.086	-0.002
8	17	0.587	0.252	0.019	9	28	0.001	0.573	0.038	10	49	-2.148	0.192	0.005
8	18	0.070	0.099	0.024	9	29	-0.063	1.034	0.012	10	50	-1.809	0.474	-0.007
8	19	-0.013	1.156	0.005	9	30	-0.205	1.296	0.001	10	51	-1.352	0.556	-0.006
8	20	0.025	1.570	0.006	9	31	0.000	0.000	0.000	10	52	-0.172	0.852	0.002
8	21	0.058	1.555	0.001	9	32	0.045	0.895	0.005	10	53	0.017	1.317	0.006
8	22	0.000	1.349	0.000	9	33	0.016	0.484	0.033	10	54	0.006	0.880	0.043
8	23	0.001	0.918	0.000	9	34	-0.091	1.164	0.000	10	55	-0.689	0.417	0.011
8	24	0.421	0.954	0.000	9	35	-0.042	0.757	0.000	10	56	-1.353	0.542	0.000
8	25	0.313	1.102	0.014	9	36	0.073	0.328	0.004	10	57	-1.549	0.556	0.002
8	26	0.270	0.913	0.004	9	37	0.090	0.372	0.012	10	58	-1.865	0.098	0.000
8	27	0.762	1.027	0.002	9	38	0.508	0.000	0.009	10	59	-1.067	0.052	0.004
8	28	0.394	0.631	0.012	9	39	0.101	0.154	0.007	11	0	-1.345	0.003	0.000
8	29	0.143	0.655	0.016	9	40	0.016	1.143	0.027	11	1	-0.914	0.014	0.003
8	30	-0.006	0.750	0.005	9	41	-0.040	0.735	0.013	11	2	-1.258	-1.038	0.000
8	31	-0.007	0.679	0.004	9	42	-0.016	0.628	0.000	11	3	-2.092	-1.064	0.000
8	32	-0.000	1.142	0.000	9	43	0.023	0.446	0.000	11	4	-1.971	-0.933	0.000
8	33	0.014	1.075	0.000	9	44	0.230	0.006	0.000	11	5	-1.938	-0.490	0.003
8	34	0.036	0.486	0.001	9	45	0.280	0.000	0.000	11	6	-2.135	0.006	0.002
8	35	-0.039	0.546	0.003	9	46	-0.323	-0.457	0.000	11	7	-1.663	0.279	0.000
8	36	-0.036	0.919	0.005	9	47	0.000	0.000	0.000	11	8	-0.959	-0.126	0.007
8	37	-0.144	0.807	0.001	9	48	-0.455	-0.261	0.007	11	9	-1.318	0.321	0.003
8	38	-0.017	0.621	0.000	9	49	0.000	0.000	0.000	11	10	-1.262	-0.153	0.009
8	39	-0.225	0.142	0.009	9	50	0.623	-1.330	0.014	11	11	-1.310	-0.140	-0.001
					9	51	0.467	-0.942	0.001	11	12	-0.436	-0.001	0.000
					9	52	0.280	-0.463	0.001	11	13	-0.554	0.024	0.000
					9	53	-0.451	-0.127	0.006	11	14	-0.263	0.008	0.000
					9	54	-1.798	-0.832	-0.004	11	15	-0.716	-0.127	0.000
					9	55	-2.101	-0.162	0.004	11	16	-0.797	-0.264	0.001
					9	56	-2.143	-0.143	0.002	11	17	-0.882	-0.317	0.001
					9	57	-1.603	-0.679	-0.003	11	18	-0.398	-1.143	0.001
					9	58	-1.290	-0.936	0.002	11	19	-0.183	-1.101	0.000
					9	59	-0.337	-1.862	0.003	11	20	0.067	-0.652	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

18	24	2.845	0.119	0.204	19	44	1.724	-0.058	0.126	21	4	2.000	0.155	0.179
18	25	3.801	-0.202	0.100	19	45	1.296	0.079	0.124	21	5	2.272	0.578	0.129
18	26	2.953	-0.092	0.202	19	46	1.854	0.109	0.141	21	6	2.390	0.619	0.079
18	27	2.488	0.563	0.089	19	47	2.068	0.163	0.037	21	7	2.881	0.330	0.078
18	28	2.916	0.088	0.200	19	48	1.902	0.078	0.016	21	8	2.018	0.481	0.196
18	29	2.811	0.009	0.180	19	49	1.835	0.131	0.095	21	9	1.787	0.511	0.145
18	30	2.633	-0.065	0.170	19	50	1.410	0.317	0.084	21	10	2.218	0.169	0.116
18	31	2.090	0.254	0.136	19	51	1.559	0.002	0.071	21	11	2.128	0.494	0.119
18	32	3.672	0.185	0.169	19	52	1.308	0.534	0.092	21	12	3.004	0.419	0.090
18	33	3.085	-0.075	0.206	19	53	1.944	0.005	0.109	21	13	2.573	0.243	0.074
18	34	3.988	-0.407	0.156	19	54	2.265	-0.005	0.025	21	14	2.328	0.232	0.190
18	35	4.340	0.081	0.182	19	55	2.004	-0.005	0.055	21	15	2.605	0.417	0.168
18	36	4.053	0.137	0.146	19	56	2.494	0.080	0.050	21	16	2.529	0.117	0.095
18	37	3.469	0.185	0.134	19	57	2.499	-0.034	0.034	21	17	1.971	0.089	0.122
18	38	3.715	0.151	0.157	19	58	2.679	0.025	0.112	21	18	2.675	-0.064	0.083
18	39	3.623	-0.013	0.112	19	59	2.989	-0.046	0.060	21	19	2.147	-0.023	0.108
18	40	4.006	-0.188	0.124	20	0	2.470	-0.076	0.046	21	20	1.610	0.020	0.142
18	41	3.347	-0.634	0.058	20	1	2.164	0.111	0.050	21	21	1.765	0.163	0.195
18	42	2.062	-0.655	0.218	20	2	2.540	-0.013	0.062	21	22	2.222	0.463	0.107
18	43	2.170	-0.375	0.245	20	3	2.740	-0.005	0.059	21	23	3.045	0.403	0.075
18	44	3.935	-0.116	0.099	20	4	2.122	0.047	0.067	21	24	2.732	0.376	0.155
18	45	4.042	-0.811	0.165	20	5	2.627	0.008	0.067	21	25	3.149	0.409	0.104
18	46	2.461	-0.960	0.230	20	6	2.598	0.001	0.066	21	26	2.282	0.393	0.086
18	47	2.961	-0.008	0.153	20	7	2.938	0.074	0.037	21	27	2.367	0.435	0.138
18	48	3.837	0.105	0.189	20	8	3.095	0.235	0.117	21	28	2.902	0.874	0.076
18	49	3.042	-0.019	0.046	20	9	2.974	0.151	0.133	21	29	3.189	1.110	0.107
18	50	2.778	-0.040	0.084	20	10	3.065	0.423	0.069	21	30	2.796	0.406	0.118
18	51	2.244	-0.053	0.172	20	11	2.981	0.186	0.048	21	31	2.572	0.710	0.108
18	52	2.865	-0.192	0.092	20	12	2.230	0.575	0.075	21	32	3.174	1.047	0.101
18	53	2.470	0.003	0.235	20	13	2.586	0.278	0.048	21	33	3.508	0.935	0.180
18	54	2.451	-0.337	0.221	20	14	2.799	-0.038	0.115	21	34	3.196	1.045	0.094
18	55	1.690	-0.647	0.183	20	15	2.273	0.168	0.118	21	35	3.005	0.475	0.174
18	56	3.109	-0.076	0.128	20	16	2.482	0.189	0.150	21	36	2.867	0.336	0.155
18	57	2.971	-0.555	0.204	20	17	2.156	0.101	0.095	21	37	3.737	1.176	0.138
18	58	1.989	-0.242	0.240	20	18	2.163	0.146	0.046	21	38	3.457	0.571	0.129
18	59	3.015	0.012	0.166	20	19	2.290	0.186	0.045	21	39	3.372	0.174	0.037
19	0	3.759	-0.973	0.069	20	20	2.392	0.284	0.073	21	40	3.668	0.250	0.074
19	1	2.634	-0.196	0.108	20	21	2.185	0.280	0.084	21	41	3.275	0.400	0.133
19	2	2.504	-0.066	0.163	20	22	1.999	0.125	0.100	21	42	3.280	0.283	0.053
19	3	3.853	-0.374	0.175	20	23	1.914	0.351	0.066	21	43	2.566	0.412	0.147
19	4	4.109	0.093	0.153	20	24	2.141	0.170	0.069	21	44	2.851	0.394	0.100
19	5	3.550	-1.205	0.107	20	25	2.097	0.298	0.061	21	45	2.833	0.763	0.107
19	6	3.261	-1.674	0.095	20	26	2.341	0.396	0.068	21	46	2.705	0.282	0.080
19	7	2.702	-0.120	0.174	20	27	2.699	0.224	0.119	21	47	2.158	0.202	0.165
19	8	3.109	-0.685	0.119	20	28	2.602	0.243	0.037	21	48	2.147	0.350	0.135
19	9	2.546	-1.785	0.168	20	29	2.243	0.197	0.091	21	49	2.438	0.822	0.065
19	10	3.218	-0.712	0.117	20	30	2.538	0.317	0.071	21	50	2.282	0.467	0.095
19	11	3.435	-0.627	0.104	20	31	2.192	0.116	0.094	21	51	2.437	0.540	0.126
19	12	2.430	-0.135	0.188	20	32	2.586	0.114	0.067	21	52	2.364	0.392	0.104
19	13	3.725	-0.142	0.126	20	33	2.398	0.186	0.094	21	53	2.603	0.415	0.099
19	14	3.096	-0.553	0.116	20	34	2.420	0.327	0.087	21	54	2.506	0.043	0.074
19	15	3.504	-0.799	0.109	20	35	2.632	0.370	0.038	21	55	2.027	0.019	0.098
19	16	4.166	-1.981	0.069	20	36	2.319	0.195	0.079	21	56	2.294	0.108	0.040
19	17	3.004	-1.566	0.039	20	37	2.042	0.070	0.071	21	57	2.399	0.137	0.076
19	18	2.422	-0.697	0.143	20	38	2.435	0.367	0.020	21	58	3.242	0.505	0.066
19	19	3.445	-0.547	0.100	20	39	2.296	0.398	0.059	21	59	2.737	0.397	0.105
19	20	3.664	-1.463	0.103	20	40	2.397	0.456	0.051	22	0	3.416	0.412	0.090
19	21	2.519	-0.367	0.114	20	41	2.396	0.398	0.065	22	1	2.122	0.056	0.146
19	22	3.153	-0.558	0.126	20	42	2.209	0.514	0.021	22	2	2.162	0.008	0.094
19	23	4.239	-1.621	0.136	20	43	2.301	0.762	0.057	22	3	2.178	0.047	0.126
19	24	2.862	-0.746	0.135	20	44	2.562	0.734	0.091	22	4	2.799	-0.019	0.085
19	25	3.541	-0.097	0.131	20	45	2.087	0.484	0.076	22	5	2.386	0.004	0.083
19	26	4.164	-0.203	0.165	20	46	2.562	0.460	0.051	22	6	2.634	0.350	0.122
19	27	4.389	-0.147	0.082	20	47	2.579	0.651	0.075	22	7	3.312	-0.107	0.047
19	28	3.870	-0.024	0.111	20	48	2.725	0.519	0.067	22	8	3.798	0.165	0.047
19	29	4.117	-0.299	0.161	20	49	2.408	0.458	0.084	22	9	2.452	0.059	0.167
19	30	4.573	0.041	0.165	20	50	2.495	0.665	0.124	22	10	2.728	0.056	0.097
19	31	3.712	-0.306	0.103	20	51	2.229	0.071	0.183	22	11	2.267	0.299	0.121
19	32	3.501	0.171	0.103	20	52	2.317	0.127	0.148	22	12	1.794	0.139	0.169
19	33	2.652	0.295	0.064	20	53	2.700	0.362	0.060	22	13	2.593	0.012	0.081
19	34	2.252	0.194	0.092	20	54	2.691	0.513	0.113	22	14	2.523	0.035	0.103
19	35	2.589	0.304	0.077	20	55	2.611	0.329	0.092	22	15	2.410	0.424	0.101
19	36	2.080	0.363	0.060	20	56	3.224	0.286	0.143	22	16	2.735	0.276	0.033
19	37	2.894	0.268	0.100	20	57	2.857	0.113	0.111	22	17	2.999	0.542	0.113
19	38	2.167	0.118	0.125	20	58	2.990	0.388	0.074	22	18	3.174	0.092	0.089
19	39	2.682	0.033	0.045	20	59	2.156	0.343	0.137	22	19	2.801	0.423	0.130
19	40	2.311	0.018	0.082	21	0	1.814	0.374	0.100	22	20	2.668	0.392	0.100
19	41	2.529	0.164	0.069	21	1	2.482	0.878	0.067	22	21	2.106	0.193	0.139
19	42	2.345	0.003	0.075	21	2	2.199	0.122	0.110	22	22	2.747	0.074	0.070
19	43	1.951	0.175	0.081	21	3	2.438	0.171	0.083	22	23	3.442	0.003	0.107





Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

2	21	0.905	0.116	0.005	3	41	1.569	1.089	0.041	5	1	0.709	0.859	0.015
2	22	1.380	0.016	0.016	3	42	1.422	1.081	0.018	5	2	0.613	0.678	0.018
2	23	1.226	0.105	0.003	3	43	1.663	1.119	0.055	5	3	0.802	0.652	0.009
2	24	2.124	0.138	0.043	3	44	1.880	1.199	0.052	5	4	0.860	0.704	0.001
2	25	1.658	-0.045	0.025	3	45	1.899	1.039	0.078	5	5	0.961	0.573	0.000
2	26	1.173	-0.045	0.009	3	46	2.247	1.032	0.075	5	6	0.808	0.636	0.003
2	27	1.955	-0.119	0.004	3	47	1.925	1.112	0.045	5	7	0.727	0.789	0.013
2	28	1.727	-0.301	0.000	3	48	1.881	0.757	0.096	5	8	0.989	0.525	0.023
2	29	1.366	0.009	0.008	3	49	1.999	0.553	0.121	5	9	1.047	0.679	0.001
2	30	1.362	0.018	0.000	3	50	1.890	0.714	0.079	5	10	0.687	0.071	0.064
2	31	1.553	0.371	0.012	3	51	1.810	0.721	0.079	5	11	0.992	0.178	0.035
2	32	1.930	-0.014	0.006	3	52	2.031	0.667	0.030	5	12	0.798	0.188	0.038
2	33	1.891	0.019	0.004	3	53	1.936	0.241	0.088	5	13	0.760	0.000	0.064
2	34	2.352	0.040	0.014	3	54	2.083	0.437	0.052	5	14	1.229	0.005	0.006
2	35	2.305	0.016	0.008	3	55	2.176	0.229	0.081	5	15	1.340	-0.005	0.009
2	36	2.535	-0.012	0.054	3	56	1.661	0.259	0.152	5	16	0.989	-0.068	0.014
2	37	3.049	0.046	0.026	3	57	1.325	0.053	0.063	5	17	1.503	-0.039	0.012
2	38	2.593	0.015	0.009	3	58	1.421	0.085	0.054	5	18	1.669	0.022	0.021
2	39	2.222	-0.050	0.011	3	59	1.925	0.258	0.059	5	19	1.655	0.001	0.022
2	40	2.234	-0.062	0.056	4	0	2.430	0.366	0.051	5	20	1.747	-0.026	0.006
2	41	2.170	-0.074	0.029	4	1	1.730	0.269	0.073	5	21	1.584	-0.022	0.002
2	42	2.081	-0.120	0.012	4	2	1.648	0.372	0.059	5	22	1.309	-0.000	0.014
2	43	2.384	-0.206	0.000	4	3	1.472	0.563	0.106	5	23	1.800	0.017	0.008
2	44	2.069	-0.218	0.004	4	4	2.403	0.484	0.018	5	24	2.315	-0.068	0.036
2	45	1.973	-0.503	0.014	4	5	2.180	0.062	0.036	5	25	1.832	-0.086	0.024
2	46	1.367	-0.222	0.037	4	6	1.662	0.146	0.054	5	26	1.570	-0.009	0.023
2	47	1.322	-0.104	0.063	4	7	2.377	0.304	0.050	5	27	1.606	-0.042	0.049
2	48	1.512	-0.214	0.042	4	8	2.542	-0.055	0.040	5	28	1.499	-0.002	0.022
2	49	1.569	-0.180	0.099	4	9	2.147	-0.009	0.019	5	29	1.450	0.059	0.024
2	50	1.655	-0.446	0.113	4	10	2.044	0.257	0.127	5	30	1.553	-0.009	0.075
2	51	2.235	-0.343	0.050	4	11	2.051	0.163	0.029	5	31	1.634	0.013	0.050
2	52	1.853	0.100	0.166	4	12	2.365	0.086	0.017	5	32	1.966	-0.039	0.019
2	53	2.105	0.260	0.101	4	13	2.139	0.185	0.045	5	33	1.801	-0.006	0.015
2	54	2.470	-0.283	0.059	4	14	1.793	0.198	0.065	5	34	1.811	-0.048	0.018
2	55	1.870	-0.066	0.200	4	15	2.150	0.120	0.075	5	35	1.752	0.302	0.011
2	56	2.463	-0.108	0.064	4	16	2.769	-0.036	0.045	5	36	1.643	0.000	0.004
2	57	2.137	-0.170	0.049	4	17	2.607	0.089	0.141	5	37	1.366	0.036	0.028
2	58	2.242	-0.222	0.052	4	18	1.696	-0.083	0.129	5	38	1.640	0.004	0.019
2	59	2.596	-0.055	0.052	4	19	1.759	0.053	0.083	5	39	1.047	-0.020	0.022
3	0	2.812	-0.003	0.082	4	20	2.412	0.078	0.092	5	40	1.223	-0.000	0.009
3	1	2.831	-0.079	0.123	4	21	2.404	0.371	0.043	5	41	1.730	-0.030	0.011
3	2	2.076	-0.365	0.084	4	22	2.831	0.237	0.082	5	42	1.502	0.001	0.022
3	3	1.519	-0.233	0.107	4	23	2.606	0.219	0.056	5	43	2.035	0.010	0.025
3	4	2.279	-0.003	0.055	4	24	2.255	0.345	0.046	5	44	2.107	-0.013	0.024
3	5	1.990	-0.460	0.039	4	25	2.097	0.471	0.052	5	45	2.067	-0.019	0.029
3	6	1.922	-0.168	0.092	4	26	1.833	0.195	0.045	5	46	1.723	-0.054	0.041
3	7	2.034	-0.276	0.172	4	27	1.356	0.132	0.048	5	47	1.912	0.049	0.036
3	8	2.847	-0.158	0.064	4	28	2.039	0.630	0.025	5	48	1.958	-0.004	0.072
3	9	2.437	-0.644	0.075	4	29	1.809	0.169	0.057	5	49	2.036	-0.003	0.026
3	10	2.140	-0.379	0.187	4	30	1.606	0.116	0.038	5	50	1.839	0.048	0.039
3	11	2.272	0.097	0.093	4	31	1.992	0.177	0.069	5	51	1.733	0.058	0.036
3	12	2.476	-0.097	0.049	4	32	1.733	0.067	0.061	5	52	1.645	0.096	0.055
3	13	1.740	0.218	0.100	4	33	1.910	0.182	0.052	5	53	1.794	0.143	0.045
3	14	1.868	0.510	0.130	4	34	1.673	0.089	0.027	5	54	2.119	0.385	0.036
3	15	1.931	0.366	0.184	4	35	1.472	0.056	0.072	5	55	2.007	0.383	0.058
3	16	1.746	0.392	0.062	4	36	1.529	0.239	0.029	5	56	1.809	0.402	0.027
3	17	1.944	0.370	0.034	4	37	1.219	0.487	0.026	5	57	2.117	0.403	0.022
3	18	1.896	0.574	0.051	4	38	1.622	0.270	0.036	5	58	2.519	0.321	0.024
3	19	1.587	0.459	0.047	4	39	1.814	0.219	0.018	5	59	2.419	0.348	0.023
3	20	1.380	0.518	0.097	4	40	1.218	0.216	0.062	6	0	2.061	0.238	0.070
3	21	1.786	0.655	0.076	4	41	0.968	0.271	0.024	6	1	2.342	0.131	0.056
3	22	2.142	0.543	0.057	4	42	0.942	0.415	0.056	6	2	2.662	0.323	0.077
3	23	1.371	0.753	0.028	4	43	0.945	0.428	0.022	6	3	2.789	0.144	0.059
3	24	1.471	0.539	0.039	4	44	1.250	0.445	0.049	6	4	2.209	0.193	0.053
3	25	1.536	0.302	0.040	4	45	1.230	0.473	0.021	6	5	2.404	0.038	0.065
3	26	1.346	0.620	0.044	4	46	0.694	0.465	0.098	6	6	2.744	0.213	0.074
3	27	1.232	0.646	0.022	4	47	1.277	0.681	0.019	6	7	2.631	0.211	0.049
3	28	1.467	0.618	0.066	4	48	1.221	0.347	0.008	6	8	2.659	0.040	0.099
3	29	1.330	1.217	0.076	4	49	0.841	0.288	0.049	6	9	2.359	0.128	0.058
3	30	1.445	0.362	0.177	4	50	0.656	0.000	0.088	6	10	2.823	0.757	0.048
3	31	1.472	0.017	0.078	4	51	0.700	0.000	0.007	6	11	3.169	0.339	0.124
3	32	0.824	0.523	0.045	4	52	1.335	-0.027	0.039	6	12	2.901	0.564	0.074
3	33	0.971	0.334	0.096	4	53	1.222	-0.036	0.024	6	13	2.593	0.413	0.070
3	34	1.012	0.646	0.014	4	54	0.556	0.762	0.016	6	14	2.703	0.460	0.026
3	35	0.288	0.783	0.093	4	55	0.430	0.261	0.025	6	15	2.508	0.246	0.088
3	36	0.823	0.313	0.136	4	56	0.615	0.512	0.007	6	16	2.559	0.100	0.012
3	37	1.021	0.842	0.023	4	57	0.312	0.496	0.063	6	17	2.230	0.307	0.081
3	38	0.598	1.057	0.054	4	58	0.643	0.643	0.022	6	18	1.790	0.468	0.075
3	39	0.968	0.919	0.029	4	59	0.808	0.717	0.009	6	19	1.614	0.338	0.066
3	40	1.092	1.065	0.017	5	0	0.725	0.799	0.000	6	20	1.200	0.151	0.055



6	21	1.563	0.135	0.007	7	41	1.160	2.180	0.033	9	1	0.058	0.631	0.001
6	22	1.626	0.689	0.035	7	42	1.233	2.008	0.059	9	2	0.036	0.779	0.064
6	23	1.585	0.677	0.075	7	43	1.466	2.384	0.029	9	3	-0.001	0.788	0.011
6	24	1.630	0.540	0.040	7	44	1.207	2.176	0.024	9	4	0.002	0.793	0.038
6	25	1.399	0.393	0.090	7	45	0.911	2.015	0.089	9	5	-0.015	0.678	0.028
6	26	1.070	0.376	0.065	7	46	1.156	1.325	0.094	9	6	-0.001	0.547	0.000
6	27	1.154	0.679	0.134	7	47	0.810	1.347	0.017	9	7	-0.004	0.046	0.023
6	28	1.551	0.618	0.042	7	48	0.679	0.980	0.116	9	8	0.095	0.019	0.002
6	29	2.121	0.486	0.027	7	49	0.806	1.342	0.059	9	9	-0.114	0.008	0.123
6	30	1.661	0.454	0.056	7	50	1.253	1.546	0.028	9	10	0.013	0.474	0.044
6	31	1.194	0.247	0.094	7	51	1.371	1.687	0.033	9	11	0.210	0.849	0.133
6	32	1.256	0.536	0.084	7	52	1.267	1.707	0.093	9	12	0.331	0.425	0.114
6	33	1.767	0.660	0.034	7	53	1.501	1.713	0.113	9	13	0.332	0.118	0.112
6	34	1.382	0.649	0.030	7	54	2.054	1.794	0.038	9	14	1.221	0.249	0.041
6	35	1.203	0.707	0.014	7	55	1.559	1.947	0.036	9	15	1.283	0.052	0.039
6	36	0.879	0.567	0.101	7	56	1.688	1.601	0.050	9	16	1.678	0.619	0.042
6	37	1.427	0.717	0.020	7	57	1.723	1.275	0.130	9	17	1.316	0.925	-0.002
6	38	1.410	0.667	0.038	7	58	1.826	2.254	0.046	9	18	1.244	0.944	0.003
6	39	1.003	0.412	0.081	7	59	1.390	1.875	0.114	9	19	1.169	0.890	-0.000
6	40	1.213	0.679	0.018	8	0	1.427	2.075	0.073	9	20	0.857	0.917	0.028
6	41	1.170	0.371	0.036	8	1	1.351	1.594	0.053	9	21	0.714	0.946	0.005
6	42	0.873	0.137	0.044	8	2	1.446	1.762	0.032	9	22	0.228	0.072	0.026
6	43	0.805	0.211	0.049	8	3	1.410	1.787	0.032	9	23	0.219	0.312	0.163
6	44	0.966	0.687	0.015	8	4	1.190	1.679	0.013	9	24	0.214	0.609	0.060
6	45	1.167	0.722	0.003	8	5	1.030	1.382	0.023	9	25	0.154	0.636	0.060
6	46	1.267	0.678	0.002	8	6	1.394	1.249	0.004	9	26	0.109	0.440	0.046
6	47	1.386	0.828	0.007	8	7	0.914	1.208	0.018	9	27	0.032	0.087	0.146
6	48	1.391	0.988	0.015	8	8	0.996	1.360	0.046	9	28	0.419	0.193	0.115
6	49	1.443	0.849	0.032	8	9	1.236	1.542	0.037	9	29	0.916	0.305	0.002
6	50	1.382	0.838	0.015	8	10	1.039	1.425	0.054	9	30	1.120	0.024	0.011
6	51	1.529	0.929	0.006	8	11	0.697	1.544	0.060	9	31	1.004	-0.003	0.048
6	52	1.721	0.944	0.041	8	12	1.002	1.527	0.086	9	32	1.114	0.000	0.004
6	53	1.484	0.408	0.073	8	13	1.002	1.522	0.007	9	33	1.003	0.063	0.072
6	54	1.364	0.524	0.047	8	14	1.011	1.447	0.039	9	34	1.571	0.036	0.017
6	55	1.309	0.412	0.072	8	15	0.981	1.379	0.026	9	35	1.383	-0.091	0.005
6	56	1.727	0.634	0.039	8	16	0.731	1.106	0.075	9	36	1.133	-0.013	0.036
6	57	1.722	0.266	0.051	8	17	0.791	1.181	0.022	9	37	1.145	-0.008	0.004
6	58	1.296	0.362	0.137	8	18	1.069	1.140	0.025	9	38	0.811	0.506	0.129
6	59	1.532	0.553	0.029	8	19	0.735	1.038	0.085	9	39	0.891	0.723	0.043
7	0	1.254	0.467	0.127	8	20	0.753	1.214	0.051	9	40	0.798	0.126	0.005
7	1	1.288	0.465	0.109	8	21	1.029	1.637	0.036	9	41	0.817	0.127	0.116
7	2	1.363	0.344	0.061	8	22	0.643	1.711	0.054	9	42	0.957	0.239	0.011
7	3	1.337	0.384	0.036	8	23	0.375	1.576	0.132	9	43	1.145	0.008	0.005
7	4	1.141	0.252	0.068	8	24	0.103	1.399	0.101	9	44	0.946	0.000	-0.000
7	5	1.497	0.539	0.054	8	25	0.362	1.276	0.197	9	45	0.481	-0.068	-0.000
7	6	1.519	0.340	0.067	8	26	0.755	0.320	0.186	9	46	0.374	-0.061	0.042
7	7	1.633	0.093	0.055	8	27	1.026	0.577	0.032	9	47	0.468	-0.003	0.031
7	8	1.957	0.060	0.019	8	28	1.122	0.835	0.067	9	48	0.733	-0.089	0.014
7	9	1.556	0.008	0.070	8	29	0.696	1.138	0.031	9	49	1.596	-0.482	0.025
7	10	1.848	0.092	0.010	8	30	0.493	1.318	0.071	9	50	1.132	-0.466	0.001
7	11	1.589	0.079	0.039	8	31	0.073	1.228	0.051	9	51	0.541	-0.357	0.011
7	12	1.628	0.197	0.024	8	32	0.000	1.428	0.075	9	52	0.831	-0.031	0.004
7	13	1.546	0.305	0.014	8	33	0.214	1.494	0.008	9	53	0.856	0.151	0.009
7	14	1.710	0.204	0.081	8	34	0.502	1.305	0.073	9	54	1.136	0.429	0.100
7	15	2.045	0.212	0.030	8	35	0.015	1.380	0.002	9	55	1.868	0.879	0.052
7	16	2.216	0.284	0.035	8	36	0.013	1.290	0.047	9	56	2.341	0.278	0.042
7	17	2.493	0.382	0.036	8	37	0.623	1.367	0.030	9	57	1.683	0.211	0.031
7	18	2.515	0.257	0.038	8	38	0.547	1.300	0.019	9	58	1.442	0.277	0.011
7	19	2.400	0.118	0.064	8	39	0.748	1.239	0.042	9	59	1.395	0.388	0.045
7	20	2.211	0.129	0.099	8	40	0.280	1.060	0.067	10	0	2.055	0.802	0.008
7	21	2.304	0.204	0.098	8	41	0.145	0.888	0.036	10	1	1.909	0.909	0.018
7	22	2.436	0.057	0.118	8	42	0.115	0.732	0.085	10	2	1.660	0.864	0.002
7	23	2.725	0.170	0.049	8	43	0.091	0.727	0.043	10	3	1.653	0.824	0.021
7	24	2.269	0.171	0.048	8	44	0.015	1.146	0.016	10	4	1.641	1.142	0.016
7	25	2.819	0.605	0.071	8	45	0.067	1.121	0.008	10	5	1.464	1.283	0.018
7	26	2.580	0.247	0.027	8	46	-0.007	1.025	0.008	10	6	1.365	1.120	0.018
7	27	2.548	0.200	0.081	8	47	0.014	1.146	0.012	10	7	1.309	1.052	0.006
7	28	2.428	0.578	0.049	8	48	0.014	1.242	0.049	10	8	0.636	1.045	0.062
7	29	1.810	0.248	0.110	8	49	0.943	1.280	0.078	10	9	0.635	1.289	0.005
7	30	2.562	0.293	0.033	8	50	1.061	1.213	0.019	10	10	0.777	1.117	0.111
7	31	2.632	0.216	0.043	8	51	0.704	1.151	0.007	10	11	1.526	0.866	0.028
7	32	2.206	0.669	0.033	8	52	0.691	1.052	0.007	10	12	1.508	1.021	0.003
7	33	2.081	0.972	0.078	8	53	0.909	1.174	0.002	10	13	1.269	0.877	0.005
7	34	2.411	0.872	0.077	8	54	0.846	1.357	0.012	10	14	0.882	0.646	-0.003
7	35	2.215	0.981	0.043	8	55	0.185	1.304	0.051	10	15	0.818	0.795	0.054
7	36	2.185	1.270	0.081	8	56	0.288	1.257	0.164	10	16	0.685	0.946	0.006
7	37	1.853	1.868	0.040	8	57	-0.023	0.871	0.191	10	17	0.839	1.224	0.007
7	38	1.560	2.088	0.041	8	58	0.249	1.093	0.103	10	18	1.236	0.578	0.099
7	39	1.140	2.075	0.036	8	59	0.414	0.222	0.165	10	19	1.529	0.299	0.037
7	40	0.895	1.927	0.042	9	0	0.181	0.337	0.078	10	20	1.712	0.506	0.002



Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

10	21	1.239	0.416	0.000	11	41	-0.090	1.800	0.014	13	1	-0.889	0.493	0.053
10	22	0.990	0.838	0.022	11	42	-0.087	1.290	-0.012	13	2	-0.796	0.293	0.109
10	23	1.219	0.980	0.052	11	43	-0.124	1.001	0.011	13	3	-1.484	0.329	0.019
10	24	1.415	0.077	0.036	11	44	-0.082	0.846	0.008	13	4	-0.806	-0.611	0.031
10	25	0.790	0.077	0.187	11	45	-0.214	0.777	0.103	13	5	-1.085	-0.796	-0.039
10	26	1.373	0.681	0.031	11	46	0.043	0.692	-0.011	13	6	-0.726	-1.054	-0.057
10	27	1.215	0.599	0.000	11	47	0.130	0.436	0.025	13	7	-0.638	-0.550	0.108
10	28	1.103	0.872	0.026	11	48	0.241	0.624	0.062	13	8	-1.425	0.955	0.003
10	29	1.153	0.789	0.002	11	49	0.057	0.828	0.067	13	9	-0.909	0.684	0.068
10	30	0.977	0.823	0.029	11	50	0.063	0.770	0.048	13	10	-0.838	0.704	-0.008
10	31	1.641	0.962	0.033	11	51	-0.186	0.382	0.087	13	11	-0.205	0.286	0.097
10	32	1.832	0.583	0.005	11	52	-0.694	0.197	0.028	13	12	-0.993	0.699	-0.005
10	33	1.114	0.284	0.006	11	53	-1.369	0.099	0.031	13	13	-0.991	0.368	-0.025
10	34	1.201	0.646	0.019	11	54	-1.700	-0.138	0.013	13	14	-0.706	0.556	0.095
10	35	0.871	0.685	0.009	11	55	-1.407	-0.509	0.000	13	15	-1.023	0.384	-0.032
10	36	0.973	0.324	0.056	11	56	-1.259	-0.099	0.029	13	16	-0.974	0.040	0.016
10	37	0.838	0.828	0.100	11	57	-0.515	0.002	-0.041	13	17	-0.372	0.041	0.093
10	38	1.410	0.704	0.031	11	58	-0.239	0.000	-0.001	13	18	-0.569	0.459	0.080
10	39	1.143	0.788	0.083	11	59	-0.161	0.074	-0.014	13	19	-0.465	0.966	-0.001
10	40	1.373	-0.046	0.066	12	0	0.015	0.011	0.126	13	20	-0.288	1.184	-0.016
10	41	0.795	-0.454	0.052	12	1	0.308	0.468	0.102	13	21	-0.001	1.017	0.159
10	42	0.889	-0.042	0.053	12	2	0.145	0.138	0.161	13	22	0.022	1.027	0.059
10	43	1.328	0.191	0.006	12	3	0.130	0.086	0.172	13	23	0.171	0.696	0.008
10	44	0.866	0.914	0.048	12	4	0.130	0.270	0.178	13	24	0.597	-0.005	0.040
10	45	0.981	1.514	0.032	12	5	0.466	0.333	0.159	13	25	0.320	-0.012	0.051
10	46	0.496	1.152	0.036	12	6	1.136	0.711	0.000	13	26	-0.080	0.022	0.008
10	47	0.829	0.879	0.058	12	7	1.060	0.776	0.037	13	27	-1.262	0.109	0.007
10	48	1.047	1.154	0.068	12	8	0.892	0.399	0.018	13	28	-0.762	-0.058	0.102
10	49	1.089	0.073	0.018	12	9	0.503	0.548	0.029	13	29	-1.151	0.034	0.006
10	50	1.404	0.690	0.012	12	10	0.139	0.309	0.198	13	30	-0.669	0.291	-0.021
10	51	1.353	1.034	0.037	12	11	-0.161	0.092	0.175	13	31	-0.179	0.130	0.061
10	52	1.513	1.183	0.024	12	12	-0.473	-0.001	0.063	13	32	-0.058	0.655	0.078
10	53	0.682	0.713	0.067	12	13	-0.913	-0.260	0.107	13	33	0.045	0.584	-0.008
10	54	0.634	0.832	0.090	12	14	-1.303	0.161	0.043	13	34	0.147	0.214	-0.009
10	55	0.294	0.584	0.113	12	15	-1.034	0.091	0.004	13	35	0.101	0.298	0.058
10	56	0.435	0.600	0.086	12	16	-0.501	0.061	0.125	13	36	0.277	0.443	-0.020
10	57	1.096	-0.067	0.090	12	17	-0.198	-1.104	-0.006	13	37	0.617	0.134	0.002
10	58	0.889	-0.053	-0.003	12	18	0.249	-1.194	0.004	13	38	0.299	0.349	0.163
10	59	0.361	0.142	0.019	12	19	0.298	-0.426	0.119	13	39	0.163	0.352	0.042
11	0	0.361	1.023	0.083	12	20	0.040	-0.325	0.235	13	40	0.251	0.005	0.003
11	1	0.800	1.039	0.051	12	21	-1.146	0.099	0.120	13	41	0.688	0.130	0.039
11	2	1.051	1.334	0.016	12	22	-0.245	-0.040	0.156	13	42	1.076	0.943	0.016
11	3	0.931	1.014	0.028	12	23	-0.733	-0.170	0.054	13	43	0.567	0.448	-0.001
11	4	0.819	0.422	0.037	12	24	-1.444	-0.926	0.076	13	44	0.124	0.511	0.100
11	5	0.667	0.499	0.017	12	25	-1.749	-0.547	-0.008	13	45	0.545	1.437	0.063
11	6	1.090	0.879	0.017	12	26	-1.708	-0.217	0.047	13	46	0.658	1.185	0.010
11	7	1.499	0.994	0.020	12	27	-1.906	-0.238	-0.002	13	47	0.621	1.701	0.018
11	8	1.782	0.380	0.015	12	28	-1.750	-0.228	0.021	13	48	0.436	2.066	0.028
11	9	1.499	0.539	0.065	12	29	-1.678	0.093	0.005	13	49	0.445	1.432	0.107
11	10	0.866	0.458	0.006	12	30	-1.206	0.250	0.020	13	50	1.014	1.555	0.022
11	11	0.000	0.000	-0.015	12	31	-0.967	-0.250	0.109	13	51	0.631	1.238	0.037
11	12	0.801	0.692	0.148	12	32	-1.050	-0.014	0.115	13	52	0.358	1.117	0.022
11	13	1.448	0.539	0.041	12	33	-0.436	0.233	0.062	13	53	0.152	1.695	0.015
11	14	1.656	0.249	0.032	12	34	-0.742	0.169	0.021	13	54	1.101	1.499	0.081
11	15	1.706	-0.394	0.056	12	35	-0.405	0.098	0.008	13	55	1.720	1.307	0.026
11	16	1.631	-0.398	0.064	12	36	-0.020	0.248	0.147	13	56	2.063	0.590	0.095
11	17	1.864	-0.138	0.021	12	37	0.018	0.170	0.212	13	57	0.868	-0.010	0.120
11	18	1.223	0.040	0.003	12	38	0.369	0.929	0.099	13	58	0.110	0.000	0.109
11	19	0.538	0.000	-0.002	12	39	0.730	0.944	0.020	13	59	0.023	0.000	0.109
11	20	0.113	0.063	0.002	12	40	0.934	0.555	0.110	14	0	0.190	0.097	0.062
11	21	0.420	1.025	0.011	12	41	0.792	-0.010	0.051	14	1	1.123	0.384	0.326
11	22	0.580	1.297	0.037	12	42	0.774	0.268	-0.013	14	2	2.359	-0.076	0.045
11	23	0.750	1.659	0.007	12	43	0.208	0.720	0.112	14	3	1.581	-0.350	0.175
11	24	0.526	1.508	0.022	12	44	0.760	0.539	-0.001	14	4	1.877	-0.385	0.035
11	25	0.477	1.396	0.026	12	45	0.481	0.118	-0.011	14	5	1.349	-0.719	0.203
11	26	0.244	0.814	0.053	12	46	0.138	0.000	-0.013	14	6	1.444	-0.676	0.022
11	27	0.033	1.112	0.029	12	47	0.003	-0.007	0.045	14	7	0.450	-0.045	0.079
11	28	1.148	1.126	0.034	12	48	-0.290	-0.057	0.120	14	8	0.168	-0.208	0.060
11	29	0.952	1.128	0.000	12	49	-0.880	1.036	0.030	14	9	0.260	-0.010	0.101
11	30	0.934	0.339	0.019	12	50	-1.257	0.736	0.003	14	10	1.138	-0.450	0.177
11	31	1.310	1.040	0.019	12	51	-1.455	0.224	-0.002	14	11	-0.123	-1.202	0.180
11	32	0.958	0.844	0.020	12	52	-1.538	0.392	0.013	14	12	-1.548	-1.524	0.023
11	33	1.656	0.846	0.020	12	53	-0.890	1.570	-0.003	14	13	-1.469	-1.197	-0.000
11	34	1.356	0.732	-0.003	12	54	-0.254	1.209	0.005	14	14	-0.600	-1.213	-0.010
11	35	0.636	0.890	-0.002	12	55	-0.761	0.223	0.061	14	15	-0.277	-1.180	-0.012
11	36	0.214	0.726	-0.004	12	56	-1.373	0.315	0.020	14	16	-0.304	-0.929	0.021
11	37	0.064	0.899	0.011	12	57	-0.735	0.403	0.066	14	17	-0.011	-0.006	0.141
11	38	0.161	0.842	0.153	12	58	-0.072	0.892	0.112	14	18	0.118	0.469	0.205
11	39	0.422	0.228	0.081	12	59	-0.055	0.240	0.139	14	19	-0.024	0.024	0.192
11	40	0.132	0.833	0.108	13	0	-0.627	0.313	0.072	14	20	0.137	-0.001	0.138





**Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)**

14	21	-0.304	-0.317	0.135	15	41	1.839	-0.074	0.082	17	1	1.471	-0.047	0.183
14	22	-0.936	-1.331	-0.003	15	42	1.334	-0.430	0.219	17	2	1.797	0.031	0.045
14	23	-0.553	-1.016	0.005	15	43	1.274	-1.233	0.037	17	3	2.123	0.046	0.094
14	24	-1.111	0.212	0.019	15	44	1.237	-1.451	0.050	17	4	1.850	-0.124	0.076
14	25	-0.037	0.104	0.166	15	45	1.659	-1.060	0.020	17	5	1.348	0.102	0.084
14	26	-0.341	-1.463	0.168	15	46	0.797	-0.608	0.086	17	6	1.861	-0.003	0.255
14	27	-1.484	-0.975	-0.008	15	47	0.871	-0.248	0.006	17	7	2.000	-0.358	0.055
14	28	-1.431	-1.007	-0.006	15	48	1.463	-1.011	0.030	17	8	2.589	-0.080	0.158
14	29	-0.758	-0.899	0.007	15	49	1.001	-1.138	0.049	17	9	2.257	-0.026	0.125
14	30	0.135	-0.579	0.046	15	50	0.461	-0.927	0.145	17	10	2.178	-0.020	0.078
14	31	-0.043	0.009	0.014	15	51	0.137	-1.639	0.094	17	11	2.737	-0.575	0.050
14	32	-0.518	-0.258	0.030	15	52	0.390	-1.622	0.119	17	12	2.112	-0.082	0.131
14	33	-0.660	-1.115	-0.003	15	53	0.403	-1.790	0.067	17	13	2.615	0.214	0.144
14	34	-0.460	-0.792	0.099	15	54	0.534	-1.916	0.101	17	14	2.676	0.128	0.193
14	35	-2.194	0.117	-0.029	15	55	0.990	-2.301	0.067	17	15	2.608	0.234	0.363
14	36	-2.803	0.007	0.013	15	56	0.971	-2.210	0.029	17	16	3.062	0.347	0.145
14	37	-3.168	-0.283	0.020	15	57	1.194	-1.899	0.016	17	17	3.061	0.573	0.116
14	38	-2.685	-0.864	0.001	15	58	0.748	-1.897	0.119	17	18	3.015	0.202	0.206
14	39	-1.336	-0.877	0.011	15	59	0.413	-1.223	0.038	17	19	2.755	0.126	0.091
14	40	-0.598	-0.779	0.097	16	0	0.521	-0.499	0.076	17	20	2.595	0.410	0.193
14	41	-1.938	-0.641	0.067	16	1	0.428	-0.094	0.219	17	21	2.613	-0.035	0.129
14	42	-2.682	-0.639	0.015	16	2	0.636	-0.063	0.135	17	22	3.198	0.085	0.122
14	43	-1.326	-1.357	0.071	16	3	1.082	-0.260	0.147	17	23	3.080	0.041	0.166
14	44	0.209	-0.538	0.188	16	4	1.125	-0.265	0.035	17	24	2.977	0.109	0.097
14	45	0.851	-1.235	0.380	16	5	1.583	0.017	0.091	17	25	2.151	0.294	0.179
14	46	0.402	-0.449	0.257	16	6	1.692	0.695	0.190	17	26	2.344	0.046	0.232
14	47	0.267	-1.400	0.080	16	7	2.021	1.054	0.165	17	27	2.507	0.475	0.163
14	48	-0.264	-2.041	0.132	16	8	1.945	1.030	0.052	17	28	3.259	0.154	0.257
14	49	-0.332	-1.647	-0.002	16	9	2.013	0.955	0.171	17	29	2.844	0.180	0.131
14	50	0.403	-0.699	0.112	16	10	2.008	0.994	0.123	17	30	2.607	0.319	0.159
14	51	-0.315	-1.098	0.082	16	11	2.186	1.184	0.061	17	31	2.856	0.053	0.218
14	52	0.080	-1.070	0.015	16	12	1.995	1.349	0.048	17	32	2.925	-0.020	0.186
14	53	0.897	-2.773	0.050	16	13	2.198	1.419	0.100	17	33	3.039	-0.318	0.178
14	54	1.454	-2.986	0.021	16	14	2.256	1.239	0.081	17	34	2.100	-0.399	0.075
14	55	1.664	-4.108	0.029	16	15	2.057	1.448	0.239	17	35	2.453	-0.022	0.157
14	56	1.435	-3.550	0.045	16	16	1.981	1.290	0.073	17	36	2.003	-0.090	0.246
14	57	1.229	-2.788	0.045	16	17	1.632	0.928	0.154	17	37	1.832	-0.355	0.053
14	58	0.850	-2.221	0.063	16	18	1.958	0.253	0.231	17	38	1.491	0.033	0.076
14	59	1.307	-1.337	0.083	16	19	2.114	0.382	0.177	17	39	1.637	0.024	0.112
15	0	0.950	-1.570	0.159	16	20	2.244	0.455	0.075	17	40	2.190	0.457	0.157
15	1	0.562	-0.500	0.493	16	21	2.498	0.290	0.157	17	41	2.024	0.639	0.059
15	2	0.334	-2.118	0.050	16	22	2.423	0.170	0.135	17	42	1.791	0.922	0.151
15	3	0.147	-3.420	0.123	16	23	2.029	0.449	0.034	17	43	1.895	0.726	0.135
15	4	0.844	-4.071	0.088	16	24	2.213	-0.031	0.160	17	44	1.880	0.728	0.142
15	5	0.381	-2.902	0.084	16	25	2.413	-0.296	0.112	17	45	1.620	0.517	0.203
15	6	-0.576	-2.258	0.046	16	26	1.690	-0.404	0.085	17	46	1.922	0.687	0.244
15	7	-0.451	-2.769	0.041	16	27	1.776	-0.637	0.081	17	47	2.073	0.481	0.071
15	8	0.630	-2.219	0.081	16	28	1.785	-0.202	0.089	17	48	1.961	0.312	0.042
15	9	0.515	-2.337	0.072	16	29	1.748	-0.153	0.089	17	49	1.895	0.062	0.018
15	10	0.693	-2.889	0.038	16	30	2.398	-0.200	0.068	17	50	1.743	0.017	0.019
15	11	1.516	-2.199	0.024	16	31	2.877	0.058	0.227	17	51	1.430	-0.001	0.037
15	12	1.291	-2.997	0.050	16	32	2.938	0.028	0.242	17	52	1.303	-0.045	0.031
15	13	0.882	-1.978	0.123	16	33	2.683	-0.050	0.325	17	53	1.391	-0.062	0.032
15	14	-0.147	-2.071	0.166	16	34	2.227	-0.096	0.141	17	54	1.358	-0.142	0.092
15	15	0.055	-2.114	0.085	16	35	2.494	0.090	0.129	17	55	1.769	-0.113	0.036
15	16	1.119	-1.792	0.049	16	36	2.625	-0.063	0.186	17	56	1.739	-0.121	0.012
15	17	1.157	-1.978	0.034	16	37	2.464	0.090	0.198	17	57	1.310	-0.123	0.014
15	18	1.042	-0.894	0.149	16	38	2.093	0.071	0.177	17	58	1.281	0.046	0.035
15	19	2.094	-0.375	0.227	16	39	1.683	-0.608	0.131	17	59	1.688	-0.037	0.041
15	20	2.299	-0.592	0.162	16	40	1.575	-0.422	0.184	18	0	1.615	0.473	0.197
15	21	1.667	-0.387	0.188	16	41	2.110	-1.122	0.082	18	1	2.370	0.547	0.170
15	22	2.493	-0.858	0.093	16	42	1.927	-0.438	0.048	18	2	2.436	0.948	0.127
15	23	2.823	-0.353	0.152	16	43	1.519	-0.781	0.128	18	3	2.659	0.728	0.089
15	24	1.651	-0.051	0.256	16	44	1.049	-0.165	0.061	18	4	2.286	1.043	0.034
15	25	1.695	0.722	0.136	16	45	1.052	-0.452	0.191	18	5	2.151	0.941	0.164
15	26	2.414	0.519	0.200	16	46	1.356	-0.502	0.048	18	6	2.076	0.749	0.153
15	27	3.130	0.727	0.124	16	47	1.654	-0.392	0.093	18	7	1.453	0.805	0.157
15	28	3.402	1.170	0.076	16	48	1.975	-0.100	0.170	18	8	1.436	0.301	0.174
15	29	3.369	0.648	0.208	16	49	2.269	-0.109	0.135	18	9	1.526	0.458	0.053
15	30	3.309	0.166	0.108	16	50	2.296	-0.370	0.037	18	10	1.516	0.413	0.042
15	31	2.981	0.045	0.162	16	51	1.876	-0.075	0.078	18	11	1.317	0.016	0.075
15	32	3.300	-0.188	0.085	16	52	1.956	-0.054	0.144	18	12	1.157	0.131	0.018
15	33	2.559	-0.183	0.192	16	53	1.616	-0.356	0.044	18	13	0.752	0.204	0.139
15	34	2.059	-0.106	0.188	16	54	1.086	-0.234	0.173	18	14	0.789	0.314	0.003
15	35	1.480	-0.294	0.223	16	55	1.285	-0.111	0.134	18	15	0.893	0.596	0.035
15	36	1.585	-0.422	0.286	16	56	2.031	-0.619	0.103	18	16	1.403	0.800	0.054
15	37	1.797	0.127	0.439	16	57	1.665	-0.130	0.081	18	17	1.570	1.122	0.028
15	38	2.036	0.029	0.314	16	58	1.626	-0.418	0.017	18	18	1.395	1.411	0.034
15	39	1.902	0.079	0.220	16	59	1.022	-0.053	0.399	18	19	1.435	1.490	0.058
15	40	1.835	-0.269	0.057	17	0	1.730	-0.054	0.161	18	20	1.817	1.204	0.054





18	21	1.550	0.832	0.123	19	41	1.842	0.018	0.055	21	1	1.376	-0.656	0.036
18	22	1.661	0.631	0.186	19	42	1.513	0.189	0.014	21	2	0.991	-0.848	0.039
18	23	1.982	0.511	0.069	19	43	1.352	0.061	0.025	21	3	1.100	-0.520	0.016
18	24	1.704	0.260	0.117	19	44	1.200	0.002	0.029	21	4	0.952	-0.211	0.044
18	25	1.703	0.221	0.099	19	45	0.686	0.087	0.069	21	5	0.528	-0.070	0.008
18	26	1.685	0.251	0.047	19	46	0.841	0.032	0.077	21	6	0.627	0.000	0.001
18	27	1.533	0.429	0.062	19	47	0.865	0.131	0.051	21	7	0.536	0.000	0.000
18	28	1.435	0.398	0.074	19	48	0.881	0.049	0.021	21	8	0.010	-0.004	0.051
18	29	1.145	0.535	0.100	19	49	1.017	0.147	0.077	21	9	0.001	0.000	0.022
18	30	0.985	1.080	0.073	19	50	1.383	0.417	0.098	21	10	0.009	0.407	0.069
18	31	1.154	1.074	0.036	19	51	1.533	0.308	0.094	21	11	0.012	0.824	0.109
18	32	1.196	1.089	0.044	19	52	2.419	0.164	0.141	21	12	0.526	0.965	0.075
18	33	1.414	0.994	0.033	19	53	2.221	0.308	0.130	21	13	0.483	0.784	0.021
18	34	1.256	0.768	0.134	19	54	2.509	0.270	0.114	21	14	0.079	0.947	0.010
18	35	1.477	0.402	0.116	19	55	2.506	0.541	0.113	21	15	0.450	0.955	0.082
18	36	1.657	0.463	0.023	19	56	2.460	0.294	0.222	21	16	0.391	0.847	0.064
18	37	1.609	0.278	0.040	19	57	2.596	0.635	0.079	21	17	0.604	1.025	0.016
18	38	1.596	0.471	0.050	19	58	2.934	0.236	0.057	21	18	0.540	0.981	0.024
18	39	1.591	0.104	0.001	19	59	2.552	0.435	0.092	21	19	0.710	0.930	0.045
18	40	1.089	0.687	0.084	20	0	2.820	0.841	0.072	21	20	0.483	0.755	0.060
18	41	1.260	0.830	0.056	20	1	2.648	0.598	0.178	21	21	0.452	0.775	0.013
18	42	1.171	0.651	0.114	20	2	3.364	0.293	0.066	21	22	0.120	0.666	0.002
18	43	1.407	0.195	0.069	20	3	3.032	0.125	0.123	21	23	0.027	0.481	0.075
18	44	1.398	0.516	0.100	20	4	3.170	0.291	0.107	21	24	0.028	0.453	0.133
18	45	1.787	0.516	0.171	20	5	2.224	0.172	0.094	21	25	-0.000	0.490	0.192
18	46	2.433	0.639	0.061	20	6	3.040	-0.095	0.072	21	26	0.185	0.680	0.029
18	47	2.061	0.259	0.126	20	7	2.423	-0.059	0.097	21	27	0.139	0.442	0.125
18	48	2.202	0.364	0.102	20	8	2.402	-0.129	0.065	21	28	0.053	0.291	0.039
18	49	2.239	0.368	0.108	20	9	2.271	-0.138	0.053	21	29	0.203	0.653	0.086
18	50	2.042	0.274	0.099	20	10	2.861	0.037	0.056	21	30	0.023	0.716	0.010
18	51	2.151	0.040	0.052	20	11	2.385	0.021	0.088	21	31	-0.000	0.553	0.072
18	52	2.321	-0.076	0.035	20	12	2.977	0.107	0.167	21	32	0.017	0.539	0.026
18	53	1.760	0.044	0.091	20	13	3.155	0.140	0.174	21	33	0.001	0.561	0.107
18	54	2.202	0.091	0.056	20	14	2.801	0.309	0.115	21	34	0.000	0.460	0.018
18	55	2.325	-0.009	0.043	20	15	2.891	0.097	0.157	21	35	0.087	0.535	0.038
18	56	2.329	-0.075	0.076	20	16	3.175	0.010	0.045	21	36	-0.002	0.537	0.103
18	57	2.260	-0.017	0.074	20	17	2.874	-0.060	0.056	21	37	0.051	0.494	0.018
18	58	2.184	-0.049	0.084	20	18	2.325	-0.184	0.217	21	38	-0.001	0.604	0.007
18	59	2.887	0.039	0.102	20	19	2.097	-0.213	0.138	21	39	0.272	0.448	0.008
19	0	2.177	-0.024	0.127	20	20	2.158	-0.027	0.099	21	40	0.264	0.455	0.002
19	1	2.689	-0.154	0.095	20	21	2.275	-0.131	0.112	21	41	0.273	0.536	0.078
19	2	2.692	-0.173	0.076	20	22	2.709	-0.045	0.061	21	42	0.566	0.657	0.015
19	3	2.737	-0.028	0.119	20	23	2.795	0.039	0.073	21	43	0.626	0.577	0.071
19	4	2.665	0.036	0.087	20	24	2.362	0.217	0.111	21	44	0.740	0.673	0.042
19	5	2.357	0.002	0.090	20	25	2.095	0.291	0.096	21	45	1.043	0.750	0.063
19	6	2.227	0.035	0.176	20	26	2.066	0.225	0.147	21	46	1.423	0.697	0.026
19	7	1.699	0.143	0.069	20	27	2.100	0.113	0.188	21	47	1.276	0.278	0.038
19	8	2.124	0.266	0.090	20	28	2.559	0.067	0.126	21	48	1.312	0.128	0.024
19	9	2.091	0.161	0.053	20	29	2.444	0.056	0.088	21	49	1.561	-0.073	0.093
19	10	1.892	0.486	0.034	20	30	2.389	0.089	0.086	21	50	1.695	-0.045	0.178
19	11	1.648	0.304	0.078	20	31	2.285	0.007	0.121	21	51	1.916	-0.275	0.037
19	12	1.724	0.306	0.023	20	32	1.788	0.116	0.038	21	52	1.823	-0.113	0.040
19	13	2.187	0.201	0.089	20	33	2.020	0.030	0.085	21	53	1.544	-0.311	0.006
19	14	2.435	0.078	0.167	20	34	1.673	0.093	0.080	21	54	0.898	-0.061	0.019
19	15	2.334	0.040	0.200	20	35	1.911	0.003	0.039	21	55	0.668	-0.061	0.000
19	16	2.231	0.029	0.178	20	36	1.841	-0.036	0.044	21	56	0.566	0.000	0.000
19	17	2.694	-0.029	0.149	20	37	1.406	-0.001	0.064	21	57	0.290	0.000	0.000
19	18	2.554	-0.059	0.084	20	38	1.788	-0.030	0.051	21	58	0.449	-0.004	0.002
19	19	2.201	-0.419	0.136	20	39	2.145	-0.044	0.028	21	59	0.817	-0.521	0.002
19	20	1.858	-0.189	0.181	20	40	2.674	-0.096	0.079	22	0	0.400	-0.944	0.005
19	21	1.669	-0.050	0.340	20	41	2.200	-0.166	0.066	22	1	0.322	-0.554	0.031
19	22	1.513	-0.288	0.165	20	42	2.027	-0.120	0.055	22	2	0.745	-0.000	0.007
19	23	1.634	-0.437	0.034	20	43	2.114	-0.064	0.066	22	3	0.574	-0.005	0.006
19	24	2.217	-0.470	0.077	20	44	1.960	-0.111	0.165	22	4	0.300	0.000	0.021
19	25	1.272	-0.119	0.304	20	45	2.201	-0.145	0.062	22	5	0.000	0.000	0.033
19	26	1.503	-0.330	0.049	20	46	1.992	-0.078	0.036	22	6	0.000	0.000	0.000
19	27	1.542	-0.014	0.241	20	47	1.872	0.082	0.073	22	7	0.000	-0.158	0.000
19	28	1.425	0.022	0.080	20	48	2.509	0.115	0.060	22	8	-0.051	-0.665	0.000
19	29	1.574	-0.117	0.064	20	49	2.454	-0.042	0.064	22	9	-0.080	-0.384	0.000
19	30	1.879	0.121	0.112	20	50	2.354	0.025	0.100	22	10	-0.072	-0.005	-0.001
19	31	1.918	0.034	0.053	20	51	2.991	0.031	0.093	22	11	0.000	0.000	0.000
19	32	2.127	-0.002	0.108	20	52	2.218	0.055	0.070	22	12	0.000	0.000	0.000
19	33	2.171	0.016	0.064	20	53	2.487	0.039	0.107	22	13	0.000	0.000	0.000
19	34	1.860	0.017	0.031	20	54	2.452	0.163	0.078	22	14	-0.003	0.011	0.004
19	35	2.012	-0.002	0.130	20	55	2.212	0.070	0.063	22	15	0.000	0.032	0.000
19	36	1.855	0.045	0.049	20	56	2.144	0.003	0.076	22	16	-0.028	0.104	0.008
19	37	1.995	0.016	0.050	20	57	1.699	-0.052	0.069	22	17	-0.070	0.000	0.028
19	38	1.998	0.022	0.031	20	58	1.429	-0.267	0.007	22	18	0.032	0.018	0.090
19	39	1.790	0.072	0.074	20	59	1.222	-0.508	0.076	22	19	0.003	0.084	0.219
19	40	1.715	0.119	0.043	21	0	1.606	-0.961	0.024	22	20	0.000	0.055	0.164





22	21	0.000	0.000	0.099	23	41	0.810	0.426	0.000	0	58	0.000	0.055	0.051	
22	22	0.000	0.000	0.008	23	42	0.928	0.330	0.000	0	59	0.058	0.174	0.056	
22	23	0.000	0.000	0.105	23	43	0.917	0.264	0.007	1	0	0.069	0.169	0.063	
22	24	0.086	0.000	0.000	23	44	1.469	0.059	0.001	1	1	0.166	0.284	0.063	
22	25	0.334	0.034	0.002	23	45	1.617	0.031	0.009	1	2	0.033	0.378	0.019	
22	26	0.198	0.112	0.002	23	46	1.606	-0.002	0.004	1	3	0.368	0.644	0.025	
22	27	0.119	0.163	0.074	23	47	1.636	-0.102	0.010	1	4	0.115	0.619	0.033	
22	28	0.000	0.000	0.004	23	48	1.168	-0.205	0.009	1	5	0.239	0.443	0.041	
22	29	0.229	0.000	0.008	23	49	1.018	-0.184	0.005	1	6	-0.014	0.218	0.142	
22	30	0.625	0.000	0.004	23	50	1.424	-0.220	0.000	1	7	-0.000	0.423	0.016	
22	31	0.187	0.241	0.092	23	51	1.135	-0.296	0.000	1	8	0.000	0.403	0.000	
22	32	0.098	0.408	0.050	23	52	0.885	-0.149	0.000	1	9	0.000	0.018	0.018	
22	33	0.179	0.444	0.153	23	53	0.739	-0.003	0.001	1	10	0.102	0.213	0.092	
22	34	0.000	0.086	0.035	23	54	0.600	0.000	0.000	1	11	0.010	0.157	0.094	
22	35	-0.000	0.000	0.074	23	55	0.592	0.000	0.000	1	12	-0.001	0.097	0.039	
22	36	-0.000	0.224	0.080	23	56	0.296	0.088	0.000	1	13	0.005	0.350	0.081	
22	37	-0.029	0.116	0.128	23	57	0.064	0.391	0.071	1	14	-0.001	0.253	0.131	
22	38	-0.042	0.002	0.012	23	58	0.005	0.066	0.053	1	15	0.001	0.306	0.033	
22	39	0.000	0.000	0.000	23	59	0.003	0.114	0.108	1	16	-0.002	0.086	0.165	
22	40	0.000	0.000	0.000						1	17	-0.000	0.372	0.072	
22	41	0.001	0.000	0.062		10/07/95				1	18	-0.009	0.121	0.109	
22	42	-0.010	0.000	0.023		0	0	0.100	0.303	0.030	1	19	-0.002	0.002	0.108
22	43	0.009	0.267	0.039		0	1	0.074	0.718	0.006	1	20	-0.076	0.003	0.042
22	44	-0.008	0.069	0.113		0	2	-0.007	0.823	0.015	1	21	-0.003	0.000	0.051
22	45	0.000	0.000	0.000		0	3	0.000	0.799	0.000	1	22	0.001	-0.001	0.072
22	46	-0.259	0.000	0.000		0	4	0.000	0.686	0.000	1	23	-0.001	0.000	0.054
22	47	-0.654	0.000	0.000		0	5	0.214	0.309	0.044	1	24	0.000	0.000	0.006
22	48	-0.526	0.031	0.000		0	6	0.830	0.400	0.000	1	25	0.000	0.001	0.122
22	49	-0.065	0.008	0.000		0	7	1.126	0.704	0.000	1	26	0.000	-0.000	0.000
22	50	-0.555	-0.004	-0.000		0	8	1.174	0.772	0.000	1	27	0.000	0.000	0.000
22	51	-0.105	0.001	0.000		0	9	1.243	0.841	0.001	1	28	0.000	0.000	0.000
22	52	0.000	0.000	0.000		0	10	1.318	0.741	0.001	1	29	0.000	0.000	0.000
22	53	0.000	0.016	0.000		0	11	1.203	0.677	0.000	1	30	0.000	0.000	0.000
22	54	0.000	0.000	0.000		0	12	1.164	0.210	0.000	1	31	0.000	0.000	0.000
22	55	0.000	-0.077	0.000		0	13	0.965	0.122	0.015	1	32	0.000	0.000	0.000
22	56	0.000	-0.311	0.000		0	14	1.057	0.075	0.005	1	33	0.000	0.000	0.000
22	57	0.000	-0.437	0.000		0	15	1.190	0.174	0.007	1	34	0.000	0.000	0.000
22	58	0.000	-0.253	0.000		0	16	1.555	0.109	0.003	1	35	0.000	0.000	0.002
22	59	0.000	0.000	0.000		0	17	1.263	0.070	0.003	1	36	0.000	0.000	0.000
23	0	0.000	0.000	0.000		0	18	1.128	0.116	0.012	1	37	-0.008	0.023	0.019
23	1	0.002	0.033	0.110		0	19	0.660	0.051	0.007	1	38	0.000	0.150	0.091
23	2	-0.001	0.007	0.079		0	20	0.385	0.002	0.000	1	39	0.018	0.250	0.091
23	3	0.002	0.038	0.097		0	21	0.024	0.158	0.008	1	40	0.144	0.138	0.106
23	4	0.001	0.435	0.081		0	22	0.073	0.016	0.010	1	41	0.174	0.470	0.053
23	5	0.566	0.886	0.046		0	23	0.000	0.000	0.005	1	42	0.012	0.521	0.082
23	6	1.033	0.928	0.022		0	24	0.049	0.124	0.030	1	43	0.001	0.680	0.000
23	7	1.232	1.039	0.015		0	25	0.000	0.000	0.000	1	44	0.000	0.367	0.125
23	8	1.099	0.763	0.006		0	26	0.179	0.007	0.003	1	45	0.011	0.003	0.021
23	9	0.755	0.420	0.002		0	27	-0.000	0.069	0.033	1	46	0.892	0.000	0.019
23	10	0.736	0.548	0.002		0	28	0.000	0.000	0.000	1	47	0.903	0.000	0.023
23	11	0.207	0.749	0.003		0	29	0.185	0.006	0.000	1	48	0.281	0.000	0.072
23	12	0.455	0.960	0.001		0	30	0.464	0.380	0.026	1	49	0.049	0.452	0.076
23	13	1.022	1.300	0.001		0	31	0.889	0.352	0.000	1	50	0.000	0.624	0.001
23	14	1.347	1.388	0.017		0	32	0.750	0.206	0.005	1	51	0.503	0.403	0.008
23	15	0.585	1.269	0.039		0	33	0.610	0.193	0.042	1	52	0.877	0.520	0.000
23	16	0.640	1.234	0.007		0	34	1.010	0.051	0.007	1	53	0.841	0.399	0.011
23	17	0.097	0.732	0.049		0	35	1.330	0.002	0.000	1	54	0.641	0.308	0.023
23	18	0.167	0.790	0.014		0	36	1.743	0.131	0.001	1	55	0.439	0.289	0.062
23	19	0.795	0.702	0.036		0	37	1.655	0.551	0.010	1	56	0.487	0.373	0.017
23	20	0.964	0.615	0.014		0	38	1.756	1.127	0.002	1	57	0.812	0.523	0.000
23	21	1.029	0.149	0.018		0	39	2.002	1.178	0.013	1	58	0.915	0.494	0.000
23	22	0.931	0.000	0.005		0	40	1.820	0.808	0.015	1	59	0.915	0.026	0.004
23	23	0.979	0.019	0.003		0	41	1.941	0.398	0.004	2	0	1.190	0.000	0.000
23	24	0.646	0.000	0.027		0	42	1.484	0.331	0.004	2	1	1.000	0.000	0.000
23	25	1.012	0.000	0.000		0	43	1.677	0.186	0.007	2	2	1.235	0.000	0.000
23	26	0.880	0.000	0.000		0	44	1.915	0.319	0.003	2	3	0.698	0.104	0.000
23	27	0.579	0.000	0.012		0	45	1.866	0.105	0.000	2	4	0.503	0.000	0.000
23	28	0.665	0.089	0.002		0	46	1.692	0.057	0.000	2	5	0.203	0.020	0.016
23	29	0.405	0.153	0.014		0	47	1.711	0.006	0.001	2	6	0.364	0.235	0.000
23	30	0.793	0.000	0.007		0	48	1.540	-0.000	0.000	2	7	0.810	0.241	0.000
23	31	0.846	0.000	0.000		0	49	1.293	0.001	0.005	2	8	0.906	0.376	0.000
23	32	0.726	0.012	0.000		0	50	0.808	0.012	0.001	2	9	0.985	0.511	0.000
23	33	0.522	0.000	0.000		0	51	0.474	0.027	0.000	2	10	0.962	0.285	0.002
23	34	0.646	0.000	0.000		0	52	0.157	0.088	0.002	2	11	0.804	0.012	0.003
23	35	0.612	0.440	0.000		0	53	0.086	0.240	0.007	2	12	0.883	0.270	0.004
23	36	0.667	0.187	0.000		0	54	0.001	0.207	0.000	2	13	0.899	0.457	0.002
23	37	0.590	0.558	0.000		0	55	0.034	0.133	0.004	2	14	0.881	0.643	0.000
23	38	0.631	0.348	0.002		0	56	0.000	0.024	0.027	2	15	0.892	0.487	0.000
23	39	0.492	0.377	0.018		0	57	0.000	0.001	0.047	2	16	0.885	0.197	0.000
23	40	0.528	0.352	0.007		0					2	17	1.130	0.000	0.000

2	18	1.150	0.148	0.001	3	38	0.684	0.000	0.018	4	58	0.634	0.101	0.000
2	19	1.038	0.278	0.027	3	39	0.900	0.000	0.000	4	59	0.337	0.000	0.000
2	20	0.840	0.237	0.027	3	40	1.176	0.000	0.001	5	0	0.112	0.000	0.005
2	21	0.439	0.071	0.022	3	41	1.291	0.000	0.000	5	1	0.438	0.312	0.006
2	22	0.325	0.041	0.014	3	42	1.537	0.000	0.000	5	2	0.100	0.134	0.000
2	23	0.379	0.000	0.000	3	43	1.390	0.000	0.000	5	3	0.000	0.000	0.000
2	24	0.500	0.171	0.000	3	44	1.480	0.000	0.000	5	4	0.001	0.000	0.000
2	25	0.489	0.555	0.008	3	45	1.571	0.225	0.000	5	5	0.000	0.002	0.003
2	26	0.805	0.516	0.000	3	46	1.670	0.331	0.008	5	6	0.211	0.136	0.029
2	27	0.242	0.403	0.000	3	47	1.688	0.231	0.010	5	7	0.020	0.194	0.001
2	28	-0.001	0.397	0.008	3	48	1.638	0.000	0.019	5	8	0.000	0.104	0.000
2	29	0.001	0.607	0.000	3	49	1.398	0.000	0.003	5	9	0.000	0.207	0.004
2	30	0.000	0.611	0.001	3	50	1.268	0.000	0.000	5	10	0.265	0.000	0.000
2	31	0.000	0.343	0.002	3	51	1.117	0.000	0.000	5	11	0.000	0.229	0.000
2	32	0.272	0.019	0.000	3	52	1.236	0.010	0.000	5	12	0.000	0.000	0.000
2	33	0.337	0.033	0.000	3	53	1.051	0.000	0.000	5	13	0.005	0.326	0.001
2	34	0.624	0.000	0.000	3	54	0.985	0.000	0.000	5	14	0.000	0.000	0.000
2	35	0.689	0.000	0.000	3	55	0.587	0.026	0.005	5	15	0.000	0.219	0.014
2	36	0.362	0.217	0.023	3	56	0.739	0.273	0.012	5	16	0.000	0.054	0.025
2	37	0.050	0.185	0.039	3	57	1.180	0.175	0.002	5	17	0.000	0.000	0.000
2	38	-0.000	0.109	0.023	3	58	1.111	0.149	0.000	5	18	0.291	0.000	0.000
2	39	0.000	0.282	0.000	3	59	0.851	0.000	0.000	5	19	0.304	0.000	0.000
2	40	0.000	0.096	0.000	4	0	0.144	0.006	0.000	5	20	0.029	0.000	0.000
2	41	0.152	0.000	0.000	4	1	0.020	-0.002	0.000	5	21	0.136	0.035	0.018
2	42	0.824	0.421	0.000	4	2	0.112	-0.296	0.000	5	22	0.775	0.736	0.000
2	43	0.782	0.665	0.000	4	3	0.000	-0.677	0.000	5	23	0.941	0.873	0.000
2	44	0.690	0.611	0.001	4	4	0.346	-0.830	0.000	5	24	0.654	0.638	0.000
2	45	0.272	0.366	0.000	4	5	0.712	-0.798	0.000	5	25	0.730	0.760	0.000
2	46	0.045	0.379	0.032	4	6	0.564	-0.590	0.000	5	26	0.682	0.615	0.004
2	47	0.272	0.443	0.000	4	7	0.545	-0.553	0.000	5	27	0.082	0.545	0.002
2	48	0.261	0.999	0.008	4	8	0.014	-0.308	0.000	5	28	0.317	0.534	0.019
2	49	0.038	0.789	0.007	4	9	0.000	-0.222	0.000	5	29	0.018	0.150	0.012
2	50	0.323	0.639	0.000	4	10	0.489	0.032	0.000	5	30	0.000	0.000	0.000
2	51	0.988	0.677	0.001	4	11	0.783	0.062	0.001	5	31	0.168	0.000	0.000
2	52	0.932	0.673	0.002	4	12	0.463	0.000	0.000	5	32	-0.001	0.000	0.000
2	53	0.629	0.656	0.000	4	13	0.924	0.030	0.000	5	33	0.000	0.000	0.000
2	54	0.381	0.657	0.000	4	14	0.103	0.449	0.061	5	34	0.000	0.000	0.000
2	55	0.281	0.568	0.004	4	15	-0.664	0.053	0.003	5	35	0.000	0.000	0.000
2	56	0.297	0.548	0.000	4	16	-1.090	0.000	0.000	5	36	0.000	0.000	0.000
2	57	-0.003	0.412	0.035	4	17	-0.256	0.007	0.002	5	37	0.000	0.000	0.000
2	58	0.006	0.290	0.022	4	18	0.525	0.160	0.001	5	38	-0.187	0.000	0.000
2	59	0.164	0.241	0.002	4	19	0.947	0.219	0.014	5	39	-0.031	0.000	0.000
3	0	0.177	-0.009	0.000	4	20	0.990	0.411	0.008	5	40	-0.625	-0.134	0.000
3	1	0.009	0.000	0.005	4	21	0.779	0.601	0.001	5	41	-0.410	-0.408	0.010
3	2	0.000	0.000	0.000	4	22	0.251	0.500	0.000	5	42	0.000	0.002	0.004
3	3	-0.031	0.043	0.001	4	23	0.029	0.055	0.011	5	43	0.000	0.000	0.000
3	4	-0.403	0.000	0.000	4	24	0.000	0.000	0.000	5	44	0.000	0.000	0.000
3	5	-0.000	0.000	0.011	4	25	0.001	0.000	0.005	5	45	0.000	0.000	0.000
3	6	0.000	0.000	0.004	4	26	0.398	0.000	0.000	5	46	0.001	0.144	0.007
3	7	0.000	0.000	0.000	4	27	0.164	0.000	0.013	5	47	0.000	0.032	0.000
3	8	0.000	0.000	0.000	4	28	0.000	-0.000	0.002	5	48	0.004	0.250	0.000
3	9	0.000	0.000	0.000	4	29	0.000	0.000	0.048	5	49	0.062	0.314	0.000
3	10	0.000	0.000	0.000	4	30	-0.000	0.000	0.000	5	50	0.140	0.252	0.000
3	11	0.000	0.000	0.000	4	31	0.000	0.000	0.004	5	51	0.308	0.343	0.012
3	12	0.000	0.000	0.000	4	32	0.000	0.000	0.000	5	52	-0.003	0.000	0.007
3	13	0.000	0.053	0.031	4	33	0.000	0.042	0.000	5	53	0.112	0.239	0.013
3	14	0.168	0.000	0.003	4	34	0.442	-0.178	0.000	5	54	0.340	0.399	0.004
3	15	0.365	0.000	0.000	4	35	0.722	-0.720	0.000	5	55	0.370	0.176	0.002
3	16	0.254	0.000	0.000	4	36	0.606	-0.604	0.000	5	56	0.273	0.428	0.002
3	17	0.082	0.000	0.000	4	37	0.256	-0.581	0.000	5	57	0.000	0.387	0.000
3	18	0.018	0.000	0.000	4	38	0.000	-0.565	0.000	5	58	0.422	0.177	0.000
3	19	-0.001	-0.001	0.000	4	39	0.000	-0.536	0.000	5	59	0.540	0.054	0.001
3	20	0.000	0.024	0.004	4	40	-0.000	-0.553	0.000	6	0	0.647	0.024	0.001
3	21	0.000	0.103	0.013	4	41	0.000	-0.704	0.000	6	1	0.610	0.002	0.000
3	22	0.051	0.000	0.033	4	42	0.000	-0.550	0.000	6	2	0.604	0.000	0.000
3	23	-0.001	0.170	0.073	4	43	0.036	-0.581	0.000	6	3	0.658	0.000	0.000
3	24	0.357	0.892	0.008	4	44	0.182	-0.212	0.000	6	4	0.805	0.000	0.000
3	25	0.936	0.916	0.000	4	45	0.000	0.000	0.012	6	5	0.842	0.000	0.000
3	26	0.968	0.662	0.001	4	46	0.000	0.030	0.044	6	6	0.662	0.000	0.000
3	27	0.936	0.403	0.001	4	47	0.000	0.053	0.003	6	7	0.124	0.000	0.000
3	28	0.701	0.021	0.032	4	48	0.000	0.168	0.017	6	8	0.000	0.020	0.000
3	29	0.691	0.145	0.018	4	49	-0.000	0.494	0.015	6	9	0.000	0.000	0.000
3	30	0.534	0.218	0.003	4	50	0.124	0.528	0.000	6	10	0.000	0.000	0.000
3	31	0.709	0.690	0.000	4	51	0.661	0.793	0.000	6	11	0.000	0.000	0.000
3	32	0.632	0.772	0.002	4	52	1.058	0.716	0.001	6	12	0.000	0.000	0.000
3	33	0.975	1.005	0.000	4	53	1.020	0.458	0.000	6	13	0.000	0.000	0.000
3	34	0.965	1.154	0.002	4	54	0.806	0.479	0.000	6	14	0.000	0.000	0.000
3	35	0.985	1.185	0.006	4	55	1.050	0.573	0.000	6	15	0.000	0.000	0.000
3	36	0.855	0.971	0.004	4	56	0.968	0.404	0.000	6	16	0.753	0.027	0.000
3	37	0.631	0.253	0.005	4	57	0.855	0.278	0.000	6	17	0.904	0.000	0.000





Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

6	18	0.302	0.000	0.000	7	38	-1.601	-0.268	0.000	8	58	-2.754	0.685	0.001
6	19	0.414	0.082	0.000	7	39	-2.509	-0.312	0.000	8	59	-3.686	0.277	0.001
6	20	0.689	0.582	0.004	7	40	-2.625	-0.326	0.000	9	0	-4.097	0.174	0.001
6	21	0.259	0.116	0.001	7	41	-1.958	-0.127	0.000	9	1	-4.213	0.265	0.000
6	22	0.558	0.023	0.000	7	42	-3.043	-0.388	0.002	9	2	-3.844	0.043	0.000
6	23	0.166	0.307	0.004	7	43	-3.640	-0.615	0.006	9	3	-2.921	-0.181	0.001
6	24	0.509	0.572	0.000	7	44	-3.234	-0.745	0.000	9	4	-2.749	-0.144	0.004
6	25	0.749	0.604	0.000	7	45	-2.619	-1.023	0.003	9	5	-2.696	-0.062	0.001
6	26	0.867	0.345	0.000	7	46	-2.923	-0.788	0.000	9	6	-2.715	0.909	0.000
6	27	0.918	0.015	0.000	7	47	-3.124	-0.935	0.001	9	7	-2.836	0.265	0.000
6	28	0.675	0.002	0.002	7	48	-2.856	-0.813	0.000	9	8	-3.238	0.134	0.001
6	29	0.758	0.000	0.000	7	49	-2.399	-0.451	0.000	9	9	-3.154	0.022	0.000
6	30	0.976	0.003	0.000	7	50	-2.793	-0.200	0.000	9	10	-3.691	0.716	0.002
6	31	0.799	0.000	0.000	7	51	-2.090	-0.070	0.000	9	11	-3.984	-0.076	0.000
6	32	0.666	0.070	0.000	7	52	-2.058	-0.158	0.003	9	12	-4.006	-0.362	0.000
6	33	0.780	0.001	0.000	7	53	-2.782	-0.111	0.000	9	13	-3.860	-0.152	0.003
6	34	0.916	0.207	0.000	7	54	-3.510	-0.149	0.007	9	14	-4.967	-0.056	0.002
6	35	0.321	0.034	0.007	7	55	-3.564	-0.422	0.003	9	15	-4.540	-0.128	0.001
6	36	-0.076	-0.471	0.000	7	56	-3.689	-0.827	0.002	9	16	-3.939	-0.022	0.004
6	37	-0.000	-0.428	0.000	7	57	-3.343	-0.679	0.001	9	17	-5.255	0.228	0.003
6	38	0.012	-0.070	0.000	7	58	-2.526	-0.031	0.000	9	18	-5.564	0.254	0.000
6	39	-0.050	0.159	0.000	7	59	-2.589	-0.179	0.000	9	19	-3.733	0.567	0.005
6	40	0.178	0.645	0.000	8	0	-3.083	-0.534	0.001	9	20	-4.307	-0.103	0.000
6	41	0.104	0.266	0.000	8	1	-3.702	-0.374	0.001	9	21	-4.853	0.229	0.002
6	42	0.291	0.000	0.000	8	2	-2.996	-0.234	0.002	9	22	-4.243	0.193	0.003
6	43	0.731	0.000	0.000	8	3	-3.610	-0.549	0.002	9	23	-3.844	-0.008	0.002
6	44	0.704	0.006	0.000	8	4	-2.584	-0.187	0.000	9	24	-4.130	0.149	0.004
6	45	0.695	0.000	0.000	8	5	-2.602	-0.241	0.000	9	25	-4.404	0.336	0.001
6	46	0.498	0.000	0.000	8	6	-2.342	-0.194	0.000	9	26	-3.842	0.501	0.003
6	47	0.312	0.000	0.000	8	7	-2.619	-0.180	0.000	9	27	-3.945	0.612	0.001
6	48	0.000	-0.000	0.000	8	8	-2.536	0.016	0.002	9	28	-3.992	0.230	0.001
6	49	0.000	0.000	0.000	8	9	-2.910	0.119	0.001	9	29	-3.266	-0.037	0.001
6	50	0.000	0.000	0.000	8	10	-3.418	0.380	0.002	9	30	-3.745	0.244	0.000
6	51	0.000	0.000	0.000	8	11	-3.505	-0.023	0.000	9	31	-4.058	0.115	0.001
6	52	0.000	0.000	0.000	8	12	-3.598	-0.103	0.005	9	32	-2.511	0.424	0.001
6	53	0.000	0.000	0.000	8	13	-3.423	0.053	0.000	9	33	-3.141	0.490	0.001
6	54	-0.023	0.000	0.000	8	14	-3.534	0.067	0.001	9	34	-3.477	0.448	0.004
6	55	-0.041	0.007	0.000	8	15	-3.731	-0.085	0.004	9	35	-3.737	0.621	0.005
6	56	0.000	-0.042	0.000	8	16	-2.890	-0.139	0.004	9	36	-3.997	0.388	0.003
6	57	-0.000	-0.398	0.000	8	17	-2.055	0.013	-0.000	9	37	-4.057	0.320	0.002
6	58	0.000	-0.223	0.000	8	18	-2.034	0.082	0.003	9	38	-2.832	0.140	0.002
6	59	-0.016	0.000	0.000	8	19	-2.737	0.334	0.004	9	39	-2.601	-0.113	0.000
7	0	0.000	0.000	0.000	8	20	-2.817	-0.202	0.003	9	40	-2.787	-0.189	0.000
7	1	0.068	0.000	0.000	8	21	-2.677	-0.111	0.001	9	41	-2.964	-0.163	0.000
7	2	0.000	0.000	0.000	8	22	-2.257	0.226	0.001	9	42	-2.849	-0.115	0.000
7	3	0.000	-0.011	0.000	8	23	-2.427	0.294	0.002	9	43	-3.385	0.162	0.000
7	4	0.000	-0.245	0.000	8	24	-2.256	0.069	0.003	9	44	-3.882	0.438	0.002
7	5	0.000	-0.087	0.000	8	25	-3.070	0.173	0.001	9	45	-3.358	0.602	0.000
7	6	0.000	0.000	0.000	8	26	-3.874	-0.096	0.000	9	46	-4.059	0.755	0.001
7	7	0.000	0.000	0.000	8	27	-3.317	-0.048	0.001	9	47	-3.994	0.484	0.000
7	8	0.000	-0.263	0.000	8	28	-3.110	0.041	0.000	9	48	-4.751	1.218	0.002
7	9	0.000	-0.445	0.000	8	29	-2.853	-0.150	0.001	9	49	-4.724	0.046	0.001
7	10	0.000	-0.107	0.000	8	30	-2.407	0.007	0.000	9	50	-3.702	-0.002	0.001
7	11	0.000	0.000	0.000	8	31	-3.504	0.636	0.000	9	51	-4.594	0.266	0.002
7	12	0.000	-0.510	0.000	8	32	-3.758	0.465	0.000	9	52	-4.438	0.650	0.003
7	13	-0.175	-0.753	0.000	8	33	-3.229	0.529	0.002	9	53	-4.241	0.548	0.003
7	14	-0.247	-0.843	0.000	8	34	-2.972	0.282	0.001	9	54	-4.831	0.625	0.001
7	15	-0.000	-0.761	0.000	8	35	-2.903	0.330	0.001	9	55	-4.868	0.317	0.001
7	16	-0.009	-1.023	0.000	8	36	-2.171	0.214	0.000	9	56	-5.367	0.450	0.001
7	17	-0.039	-0.863	0.000	8	37	-2.380	0.432	0.001	9	57	-3.719	0.184	0.002
7	18	-0.669	-0.875	0.000	8	38	-3.234	0.090	0.001	9	58	-4.110	0.126	0.000
7	19	-1.458	-1.235	0.002	8	39	-5.196	0.119	0.002	9	59	-3.602	0.334	0.001
7	20	-1.617	-0.804	0.000	8	40	-4.290	0.291	0.000	10	0	-3.515	0.053	0.000
7	21	-1.418	-0.240	0.000	8	41	-3.414	0.397	0.000	10	1	-3.579	0.259	0.001
7	22	-1.525	-0.199	0.001	8	42	-2.911	0.122	0.000	10	2	-4.418	0.136	0.002
7	23	-1.280	0.084	0.000	8	43	-2.710	0.278	0.002	10	3	-4.518	0.200	0.001
7	24	-1.192	-0.351	0.000	8	44	-2.494	0.115	0.001	10	4	-3.543	0.268	-0.000
7	25	-0.944	-0.510	0.000	8	45	-4.247	0.281	0.001	10	5	-4.491	0.690	0.000
7	26	-0.600	-0.640	0.000	8	46	-3.914	0.344	0.007	10	6	-4.804	0.216	0.003
7	27	-0.680	-0.462	0.000	8	47	-3.305	0.194	0.006	10	7	-4.209	0.264	0.000
7	28	-1.009	-0.377	0.000	8	48	-4.349	-0.136	0.003	10	8	-2.600	0.554	0.006
7	29	-0.972	-0.752	0.000	8	49	-3.951	-0.136	0.001	10	9	-4.661	0.893	0.002
7	30	-0.642	-0.878	0.000	8	50	-3.828	-0.122	0.005	10	10	-4.515	0.741	0.004
7	31	-0.843	-0.453	0.000	8	51	-4.600	0.169	0.001	10	11	-4.627	0.720	0.006
7	32	-0.574	-0.896	0.000	8	52	-3.451	-0.004	0.000	10	12	-5.492	0.677	0.003
7	33	-0.520	-0.964	0.001	8	53	-2.146	-0.184	0.000	10	13	-3.210	0.370	0.003
7	34	-0.674	-1.170	0.000	8	54	-2.863	0.275	0.001	10	14	-3.663	0.491	0.001
7	35	-0.860	-1.071	0.000	8	55	-3.124	0.036	0.000	10	15	-3.112	0.600	0.002
7	36	-0.916	-1.022	0.000	8	56	-2.489	0.089	0.000	10	16	-3.636	0.833	0.007
7	37	-0.835	-0.072	0.001	8	57	-2.361	0.106	0.000	10	17	-4.688	0.925	0.002





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

10	18	-4.319	1.186	0.005	11	38	-2.075	0.997	0.000	12	58	-1.843	0.351	0.004
10	19	-5.555	0.584	0.002	11	39	-2.611	1.534	0.000	12	59	-0.896	0.721	0.005
10	20	-5.680	0.378	0.004	11	40	-1.602	0.814	0.000	13	0	-0.282	0.060	0.028
10	21	-5.056	0.342	0.001	11	41	-1.883	0.415	0.002	13	1	-1.100	0.051	0.018
10	22	-4.907	0.428	0.006	11	42	-3.575	-0.076	0.001	13	2	-2.775	-0.427	0.032
10	23	-4.841	0.939	0.004	11	43	-2.422	-0.136	0.000	13	3	-1.749	-0.666	0.016
10	24	-3.957	0.967	0.008	11	44	-2.362	0.713	0.000	13	4	-1.113	-0.271	0.047
10	25	-4.771	0.378	0.003	11	45	-2.529	1.112	0.001	13	5	-1.610	0.549	0.033
10	26	-4.061	0.205	0.003	11	46	-1.782	1.148	0.000	13	6	-2.764	0.210	0.002
10	27	-4.578	0.047	0.005	11	47	-1.991	1.466	0.001	13	7	-2.945	-0.286	0.030
10	28	-5.084	-0.230	0.002	11	48	-2.184	1.201	0.001	13	8	-3.181	-0.356	0.000
10	29	-3.844	0.051	0.004	11	49	-3.481	0.420	0.000	13	9	-3.288	0.572	0.006
10	30	-3.884	-0.170	0.000	11	50	-2.979	0.633	0.001	13	10	-2.189	0.856	0.004
10	31	-4.189	0.079	0.001	11	51	-2.651	0.294	0.001	13	11	-1.689	1.374	0.000
10	32	-4.199	0.362	0.000	11	52	-3.521	0.200	0.000	13	12	-1.388	0.774	0.038
10	33	-3.389	-0.448	0.000	11	53	-2.228	0.151	0.000	13	13	-2.460	1.623	0.006
10	34	-3.848	-0.418	0.004	11	54	-3.454	1.511	0.002	13	14	-2.945	0.547	0.058
10	35	-4.569	0.141	0.000	11	55	-3.247	1.923	0.000	13	15	-2.974	0.558	0.092
10	36	-4.581	0.211	0.000	11	56	-3.158	1.641	0.000	13	16	-2.837	0.234	0.017
10	37	-3.879	0.676	0.003	11	57	-2.918	1.431	0.000	13	17	-2.048	1.299	0.015
10	38	-3.576	-0.200	0.017	11	58	-2.292	1.522	0.001	13	18	-2.990	0.895	0.004
10	39	-5.667	0.034	0.007	11	59	-1.912	1.233	0.000	13	19	-2.985	-0.152	0.003
10	40	-4.927	-0.314	0.003	12	0	-3.040	0.040	0.000	13	20	-2.771	-0.204	0.001
10	41	-5.405	0.107	0.005	12	1	-2.337	-0.053	0.002	13	21	-3.337	0.046	0.007
10	42	-4.960	0.654	0.011	12	2	-3.380	-0.669	0.001	13	22	-2.373	-0.709	0.035
10	43	-4.956	0.198	0.005	12	3	-3.289	-0.926	0.000	13	23	-2.842	0.010	0.029
10	44	-4.166	0.204	0.003	12	4	-3.450	-0.932	0.000	13	24	-2.316	0.652	0.040
10	45	-4.320	-0.242	0.003	12	5	-2.243	-0.950	0.001	13	25	-3.692	0.605	0.035
10	46	-4.577	-0.187	0.001	12	6	-2.294	-0.808	0.001	13	26	-2.921	1.326	0.000
10	47	-3.206	0.232	0.000	12	7	-2.141	-0.685	0.005	13	27	-3.147	0.989	0.007
10	48	-4.060	0.088	0.004	12	8	-3.403	0.604	0.000	13	28	-2.787	1.430	0.058
10	49	-4.263	-0.431	0.011	12	9	-2.306	1.566	0.000	13	29	-2.546	0.608	0.112
10	50	-4.195	-0.221	0.013	12	10	-1.412	2.428	0.000	13	30	-1.817	0.464	0.107
10	51	-4.884	-0.344	0.002	12	11	-1.028	2.111	0.003	13	31	-2.530	0.111	0.100
10	52	-3.770	-0.080	0.020	12	12	-0.770	0.983	0.006	13	32	-3.349	-0.116	0.061
10	53	-4.664	0.272	0.017	12	13	-1.272	0.663	0.008	13	33	-2.723	-0.218	0.139
10	54	-4.433	0.286	0.014	12	14	-2.188	0.021	0.004	13	34	-4.062	0.286	0.039
10	55	-5.215	-0.105	0.004	12	15	-3.279	-0.505	0.001	13	35	-3.901	-0.304	0.057
10	56	-5.017	-0.133	0.005	12	16	-3.498	-1.007	0.005	13	36	-2.828	-1.435	0.017
10	57	-4.690	-0.043	0.002	12	17	-3.456	-1.120	0.003	13	37	-2.523	-1.389	0.007
10	58	-5.166	0.512	0.002	12	18	-2.696	-0.417	0.002	13	38	-3.445	-0.815	0.034
10	59	-3.948	1.108	0.001	12	19	-2.851	0.054	0.001	13	39	-3.735	-0.367	0.002
11	0	-3.490	1.185	0.002	12	20	-1.918	-0.469	0.018	13	40	-2.539	-0.267	0.000
11	1	-3.458	1.611	0.005	12	21	-1.362	0.560	0.012	13	41	-1.850	-0.056	0.021
11	2	-3.541	-0.031	0.008	12	22	-2.749	0.099	0.015	13	42	-2.848	0.334	0.163
11	3	-4.706	-0.338	0.003	12	23	-3.853	-0.058	0.005	13	43	-3.043	0.528	0.030
11	4	-4.095	1.310	0.001	12	24	-3.081	0.283	0.020	13	44	-2.529	0.106	0.021
11	5	-3.058	1.161	0.001	12	25	-2.219	0.259	0.000	13	45	-4.215	-0.248	0.056
11	6	-2.300	1.218	0.004	12	26	-2.250	0.041	0.001	13	46	-3.333	-0.314	0.015
11	7	-2.418	1.772	0.000	12	27	-2.309	0.129	0.000	13	47	-2.702	-0.078	0.005
11	8	-3.320	1.639	0.000	12	28	-2.296	0.513	0.000	13	48	-2.742	-0.396	0.034
11	9	-2.477	1.122	0.001	12	29	-2.224	1.032	0.001	13	49	-2.653	-1.573	0.027
11	10	-2.444	0.877	0.000	12	30	-1.184	0.824	0.003	13	50	-2.311	-0.170	0.008
11	11	-2.380	0.627	0.002	12	31	-0.356	0.832	0.015	13	51	-2.292	0.810	0.109
11	12	-2.448	0.688	0.000	12	32	-0.241	0.926	0.013	13	52	-3.074	1.021	0.044
11	13	-3.213	-0.249	0.001	12	33	-0.941	0.331	0.013	13	53	-2.675	0.857	0.057
11	14	-2.710	-0.306	0.001	12	34	-0.429	0.233	-0.000	13	54	-2.904	0.619	0.022
11	15	-2.598	0.074	0.000	12	35	-1.703	0.297	0.002	13	55	-2.820	-0.055	0.036
11	16	-3.681	-0.518	0.002	12	36	-1.201	-0.365	0.012	13	56	-2.709	0.321	0.019
11	17	-2.323	-0.004	0.002	12	37	-1.260	-0.406	0.048	13	57	-2.142	0.282	0.000
11	18	-2.904	0.283	0.000	12	38	-2.012	-1.052	0.021	13	58	-1.334	0.725	0.068
11	19	-2.537	0.819	0.002	12	39	-2.218	0.037	0.003	13	59	-3.228	-0.530	0.065
11	20	-3.003	0.456	0.000	12	40	-0.793	0.009	0.025	14	0	-2.920	-0.921	0.069
11	21	-2.427	0.521	0.000	12	41	-0.950	-0.158	0.052	14	1	-3.254	-0.060	0.032
11	22	-2.990	0.740	0.002	12	42	-2.724	0.039	0.034	14	2	-3.924	0.086	0.004
11	23	-3.036	1.879	0.002	12	43	-2.645	0.383	0.005	14	3	-3.061	0.538	0.042
11	24	-1.991	0.933	0.003	12	44	-2.548	-0.141	0.047	14	4	-3.414	0.246	0.038
11	25	-4.054	1.009	0.002	12	45	-2.897	-0.185	0.000	14	5	-3.473	0.764	0.034
11	26	-3.003	1.389	0.002	12	46	-2.295	0.206	0.004	14	6	-3.093	-0.032	0.106
11	27	-3.454	1.421	0.002	12	47	-1.899	0.022	-0.002	14	7	-3.267	-0.133	0.045
11	28	-2.718	1.058	0.003	12	48	-0.782	0.015	-0.001	14	8	-1.204	-0.934	0.161
11	29	-2.432	0.854	0.006	12	49	-1.378	0.356	0.012	14	9	-0.934	-0.465	0.168
11	30	-4.121	0.255	0.001	12	50	-3.124	0.364	0.017	14	10	-1.461	-0.580	0.009
11	31	-2.343	0.129	0.000	12	51	-3.200	0.026	0.021	14	11	-1.213	0.089	0.061
11	32	-3.354	-0.545	0.004	12	52	-2.987	-0.105	0.050	14	12	-2.620	-0.572	0.052
11	33	-3.179	-0.243	0.009	12	53	-2.925	-0.074	0.001	14	13	-2.969	-1.658	0.099
11	34	-2.314	0.291	0.001	12	54	-2.393	0.259	0.005	14	14	-1.991	-1.131	0.195
11	35	-2.762	-0.147	0.002	12	55	-2.630	0.476	0.002	14	15	-2.109	-0.748	0.121
11	36	-2.687	0.411	0.001	12	56	-2.097	0.380	0.010	14	16	-2.100	-0.424	0.006
11	37	-2.484	1.161	0.002	12	57	-1.445	0.896	0.007	14	17	-1.133	-0.837	0.068





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

14	18	-0.108	-0.248	0.000	15	38	-0.433	-0.639	0.010	16	58	-3.584	-4.263	0.149
14	19	-0.487	-0.407	0.022	15	39	-0.713	-0.316	0.047	16	59	-4.090	-3.085	0.089
14	20	-0.890	-0.866	0.008	15	40	-0.900	-0.061	0.022	17	0	-3.480	-2.179	0.111
14	21	-0.183	-0.933	0.100	15	41	-0.784	-0.393	0.087	17	1	-4.030	-1.584	0.324
14	22	-0.073	-0.819	0.004	15	42	-0.943	-0.061	0.006	17	2	-3.521	-1.313	0.310
14	23	-1.837	0.285	0.029	15	43	-1.257	-0.363	0.006	17	3	-4.557	-2.509	0.168
14	24	-2.386	-0.062	0.072	15	44	-1.293	-1.507	0.049	17	4	-3.520	-3.342	0.062
14	25	-3.254	-0.067	0.024	15	45	-1.577	-2.350	0.046	17	5	-4.072	-3.742	0.038
14	26	-2.146	0.067	0.012	15	46	-1.088	-2.502	0.079	17	6	-3.358	-2.810	0.184
14	27	-3.367	-0.835	0.040	15	47	-2.150	-1.849	0.067	17	7	-3.511	-2.587	0.183
14	28	-3.548	-2.796	0.116	15	48	-1.474	-1.580	0.080	17	8	-3.656	-2.089	0.221
14	29	-2.755	-1.793	0.010	15	49	-2.126	-1.705	0.050	17	9	-4.250	-4.056	0.098
14	30	-2.991	-0.795	0.038	15	50	-1.316	-2.077	0.203	17	10	-4.048	-3.706	0.026
14	31	-3.301	-0.044	0.023	15	51	-0.949	-2.136	0.098	17	11	-3.493	-2.735	0.113
14	32	-3.123	0.924	0.061	15	52	-1.036	-1.608	0.306	17	12	-4.336	-3.133	0.086
14	33	-1.801	0.590	0.052	15	53	-2.022	-0.875	0.132	17	13	-4.223	-3.256	0.154
14	34	-3.296	-0.110	0.065	15	54	-1.119	-1.303	0.177	17	14	-4.026	-2.801	0.029
14	35	-4.350	-0.466	0.050	15	55	-1.778	-2.153	0.008	17	15	-5.281	-2.524	0.067
14	36	-5.084	-0.019	0.041	15	56	-1.134	-1.205	0.012	17	16	-4.682	-2.762	0.139
14	37	-4.897	0.510	0.054	15	57	-1.091	-1.378	0.012	17	17	-4.089	-3.765	0.085
14	38	-3.827	0.175	0.067	15	58	-0.722	-1.797	0.126	17	18	-4.375	-4.589	0.054
14	39	-4.186	-0.500	0.055	15	59	-1.371	-2.413	0.112	17	19	-3.903	-3.232	0.108
14	40	-4.449	-0.593	0.027	16	0	-1.605	-3.915	0.120	17	20	-4.904	-3.473	0.076
14	41	-3.292	-0.649	0.004	16	1	-0.963	-3.639	0.185	17	21	-4.414	-3.061	0.097
14	42	-2.362	-0.789	0.017	16	2	-1.378	-4.266	0.089	17	22	-4.966	-3.850	0.118
14	43	-2.424	-0.695	0.000	16	3	-0.693	-3.628	0.084	17	23	-4.905	-3.178	0.075
14	44	-1.764	-0.259	0.003	16	4	-1.387	-3.493	0.063	17	24	-5.189	-3.375	0.146
14	45	-2.655	-1.101	0.129	16	5	-0.971	-1.917	0.260	17	25	-3.668	-5.351	0.168
14	46	-3.109	-3.407	0.039	16	6	-1.498	-2.787	0.168	17	26	-4.011	-2.735	0.205
14	47	-3.120	-2.250	0.015	16	7	-2.229	-4.014	0.062	17	27	-4.991	-3.483	0.104
14	48	-2.696	-1.545	0.074	16	8	-2.297	-4.133	0.111	17	28	-4.729	-2.947	0.234
14	49	-2.377	-1.637	0.125	16	9	-1.719	-2.851	0.082	17	29	-5.010	-3.326	0.224
14	50	-2.913	-1.807	0.114	16	10	-1.479	-2.968	0.086	17	30	-4.652	-2.778	0.246
14	51	-3.426	-2.560	0.074	16	11	-1.574	-3.022	0.035	17	31	-4.157	-2.857	0.137
14	52	-3.507	-3.193	0.021	16	12	-1.944	-1.335	0.089	17	32	-4.628	-3.423	0.143
14	53	-2.620	-2.217	0.176	16	13	-1.441	-1.941	0.188	17	33	-5.158	-3.980	0.115
14	54	-2.986	-1.426	0.019	16	14	-2.680	-2.833	0.110	17	34	-5.019	-5.094	0.224
14	55	-2.864	-1.184	0.059	16	15	-2.393	-2.669	0.070	17	35	-4.566	-3.901	0.108
14	56	-3.166	-0.916	0.005	16	16	-2.369	-2.922	0.342	17	36	-4.349	-4.244	0.155
14	57	-2.559	-1.064	0.030	16	17	-3.796	-3.576	0.134	17	37	-3.620	-2.702	0.098
14	58	-1.383	-1.463	0.096	16	18	-4.675	-3.492	0.043	17	38	-2.884	-2.706	0.103
14	59	-1.859	-1.347	0.124	16	19	-2.271	-2.967	0.145	17	39	-4.353	-1.688	0.120
15	0	-2.324	-1.199	0.014	16	20	-2.678	-2.966	0.096	17	40	-3.343	-2.211	0.301
15	1	-2.629	-1.959	0.042	16	21	-1.898	-2.742	0.193	17	41	-2.019	-2.535	0.136
15	2	-1.992	-2.144	0.003	16	22	-1.224	-3.474	0.184	17	42	-1.976	-1.892	0.351
15	3	-1.907	-1.984	0.039	16	23	-1.843	-4.010	0.052	17	43	-3.000	-3.691	0.242
15	4	-2.680	-2.264	0.004	16	24	-2.059	-4.290	0.140	17	44	-2.116	-4.025	0.407
15	5	-1.659	-2.513	0.113	16	25	-2.502	-3.880	0.164	17	45	-2.661	-4.812	0.106
15	6	-2.277	-2.386	0.090	16	26	-1.141	-3.277	0.175	17	46	-2.513	-2.747	0.266
15	7	-2.600	-1.992	0.029	16	27	-0.994	-2.344	0.223	17	47	-4.448	-4.904	0.146
15	8	-2.379	-1.047	0.021	16	28	-1.102	-2.578	0.080	17	48	-3.800	-4.087	0.049
15	9	-2.079	-2.578	0.047	16	29	-2.520	-2.411	0.103	17	49	-2.226	-3.751	0.354
15	10	-1.433	-2.125	0.136	16	30	-1.954	-2.848	0.135	17	50	-3.693	-1.892	0.225
15	11	-1.340	-3.277	0.054	16	31	-0.793	-2.381	0.190	17	51	-4.130	-1.633	0.554
15	12	-1.400	-3.083	0.042	16	32	-1.715	-2.579	0.217	17	52	-2.931	-2.726	0.084
15	13	-1.304	-2.576	0.043	16	33	-2.965	-4.054	0.066	17	53	-3.170	-1.923	0.226
15	14	-1.473	-1.888	0.020	16	34	-3.568	-3.886	0.032	17	54	-4.414	-2.905	0.069
15	15	-1.355	-2.430	0.014	16	35	-4.635	-2.767	0.204	17	55	-4.671	-2.916	0.102
15	16	-1.475	-1.957	0.029	16	36	-2.959	-3.549	0.079	17	56	-4.141	-2.912	0.031
15	17	-1.540	-1.158	0.033	16	37	-3.388	-2.706	0.086	17	57	-4.172	-2.786	0.071
15	18	-1.516	-1.032	0.026	16	38	-3.938	-3.631	0.104	17	58	-2.483	-2.953	0.233
15	19	-1.542	-1.420	0.050	16	39	-4.591	-3.144	0.042	17	59	-1.773	-2.818	0.044
15	20	-2.423	-0.577	0.148	16	40	-3.781	-2.870	0.134	18	0	-2.178	-1.038	0.146
15	21	-2.139	-0.483	0.060	16	41	-3.061	-2.658	0.213	18	1	-2.889	-2.364	0.134
15	22	-2.183	-1.064	0.078	16	42	-3.879	-3.208	0.088	18	2	-3.845	-1.771	0.096
15	23	-1.995	-1.258	0.023	16	43	-2.487	-4.605	0.017	18	3	-2.761	-2.878	0.185
15	24	-1.662	-2.175	0.028	16	44	-1.434	-3.659	0.119	18	4	-3.234	-3.088	0.092
15	25	-1.667	-1.822	0.038	16	45	-1.703	-2.251	0.103	18	5	-3.489	-2.904	0.142
15	26	-1.683	-1.953	0.003	16	46	-2.226	-2.540	0.175	18	6	-3.272	-3.357	0.118
15	27	-1.304	-1.560	0.079	16	47	-4.751	-3.427	0.116	18	7	-2.669	-3.613	0.048
15	28	-1.019	-1.507	0.212	16	48	-5.269	-3.576	0.117	18	8	-2.456	-3.670	0.068
15	29	-0.547	-0.473	0.123	16	49	-3.115	-4.117	0.139	18	9	-2.585	-3.132	0.066
15	30	-0.710	-0.485	0.041	16	50	-3.134	-3.849	0.207	18	10	-1.226	-1.747	0.470
15	31	-0.915	-0.959	0.024	16	51	-2.834	-4.366	0.066	18	11	-2.666	-1.136	0.160
15	32	-1.010	-0.050	0.023	16	52	-3.395	-2.280	0.218	18	12	-3.097	-1.696	0.309
15	33	-1.167	-0.274	0.002	16	53	-3.471	-2.166	0.231	18	13	-2.135	-4.017	0.149
15	34	-0.821	0.014	0.008	16	54	-2.464	-2.412	0.253	18	14	-3.588	-5.360	0.142
15	35	-1.373	0.077	0.054	16	55	-4.793	-2.896	0.209	18	15	-2.469	-3.196	0.248
15	36	-1.654	-0.032	0.003	16	56	-5.031	-2.569	0.060	18	16	-2.137	-2.169	0.170
15	37	-1.567	-0.051	0.008	16	57	-3.538	-3.243	0.194	18	17	-1.453	-2.469	0.315



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

18	18	-1.509	-0.860	0.257	19	38	-0.508	-1.664	0.017	20	58	-0.701	-0.911	0.000
18	19	-1.875	-1.862	0.112	19	39	-0.692	-1.684	0.011	20	59	-0.506	-1.136	0.000
18	20	-3.525	-2.399	0.173	19	40	-1.139	-1.191	0.003	21	0	-0.741	-1.204	0.004
18	21	-3.653	-3.190	0.157	19	41	-0.596	-1.096	0.002	21	1	-0.884	-1.260	0.001
18	22	-3.147	-3.584	0.197	19	42	-1.144	-0.510	0.001	21	2	-0.599	-0.890	0.003
18	23	-3.606	-2.348	0.355	19	43	-1.611	-0.653	0.015	21	3	-0.307	-1.300	0.000
18	24	-2.998	-2.308	0.141	19	44	-1.729	-1.727	0.025	21	4	-0.450	-1.346	0.002
18	25	-2.260	-4.316	0.184	19	45	-1.730	-2.306	0.054	21	5	-0.721	-1.412	0.000
18	26	-3.113	-2.312	0.143	19	46	-1.258	-2.453	0.037	21	6	-0.605	-1.649	0.002
18	27	-3.654	-1.339	0.137	19	47	-1.018	-2.344	0.009	21	7	-0.609	-1.713	0.002
18	28	-3.154	-1.107	0.104	19	48	-0.878	-1.724	0.022	21	8	-0.902	-1.688	0.000
18	29	-2.636	-4.178	0.138	19	49	-0.915	-1.109	0.003	21	9	-0.795	-1.560	0.000
18	30	-1.668	-3.102	0.227	19	50	-0.773	-1.292	0.014	21	10	-1.179	-1.425	0.000
18	31	-2.593	-2.969	0.212	19	51	-0.334	-1.311	0.045	21	11	-1.118	-1.740	0.002
18	32	-2.629	-2.547	0.238	19	52	-0.348	-1.405	0.058	21	12	-1.141	-1.905	0.000
18	33	-3.059	-2.740	0.115	19	53	-0.353	-1.699	0.033	21	13	-1.187	-1.905	0.009
18	34	-2.590	-1.977	0.065	19	54	-0.212	-1.802	0.049	21	14	-1.432	-1.985	0.003
18	35	-2.150	-1.039	0.134	19	55	-0.175	-1.794	0.028	21	15	-1.126	-1.901	0.002
18	36	-2.493	-1.109	0.070	19	56	-0.030	-1.717	0.007	21	16	-1.071	-1.938	0.007
18	37	-3.097	-3.810	0.096	19	57	-0.024	-1.585	0.006	21	17	-1.005	-1.783	0.035
18	38	-2.350	-4.464	0.135	19	58	-0.353	-1.101	0.037	21	18	-1.225	-1.333	0.012
18	39	-3.037	-4.618	0.131	19	59	-0.557	-0.382	0.003	21	19	-1.205	-1.727	0.017
18	40	-2.992	-2.110	0.088	20	0	-0.992	-0.788	0.000	21	20	-0.689	-1.827	0.015
18	41	-2.721	-2.146	0.292	20	1	-0.845	-0.667	0.000	21	21	-0.718	-1.712	0.003
18	42	-2.290	-1.582	0.327	20	2	-0.627	-0.651	0.000	21	22	-0.912	-1.711	0.010
18	43	-1.912	-2.212	0.211	20	3	-0.591	-0.526	0.000	21	23	-1.521	-1.619	0.001
18	44	-3.406	-2.665	0.261	20	4	-0.252	-0.608	0.000	21	24	-1.841	-2.007	0.007
18	45	-2.336	-2.576	0.158	20	5	-0.111	-0.793	0.000	21	25	-1.251	-1.605	0.070
18	46	-2.105	-2.835	0.157	20	6	-0.733	-0.662	0.008	21	26	-1.043	-0.830	0.026
18	47	-3.180	-2.215	0.032	20	7	-0.271	-0.816	0.001	21	27	-1.211	-1.152	0.018
18	48	-2.979	-1.879	0.183	20	8	-0.168	-0.918	0.000	21	28	-1.426	-1.164	0.003
18	49	-1.654	-1.830	0.091	20	9	0.049	-0.895	0.001	21	29	-1.285	-1.199	0.024
18	50	-1.061	-2.383	0.012	20	10	-0.567	-1.034	0.009	21	30	-1.162	-1.475	0.020
18	51	-1.194	-2.550	0.190	20	11	-1.119	-0.472	0.003	21	31	-0.832	-1.404	0.001
18	52	-2.107	-2.366	0.227	20	12	-1.580	-1.592	0.075	21	32	-0.836	-1.233	0.000
18	53	-3.924	-4.116	0.099	20	13	-1.551	-1.920	0.002	21	33	-0.719	-0.908	0.000
18	54	-3.505	-4.081	0.097	20	14	-0.520	-0.768	-0.001	21	34	-0.668	-0.640	0.000
18	55	-2.472	-3.009	0.076	20	15	-0.668	-0.889	0.003	21	35	-0.502	-0.323	0.000
18	56	-1.950	-3.233	0.125	20	16	-0.978	-0.684	0.000	21	36	-0.513	-0.666	0.000
18	57	-1.495	-2.360	0.264	20	17	-0.825	-0.792	0.001	21	37	-0.251	-0.875	0.001
18	58	-1.964	-2.667	0.172	20	18	-1.117	-0.731	0.000	21	38	-0.204	-1.159	0.001
18	59	-2.255	-3.798	0.102	20	19	-0.878	-1.276	0.000	21	39	-0.868	-1.025	0.001
19	0	-2.950	-4.073	0.149	20	20	-1.116	-1.284	0.002	21	40	-0.875	-0.740	0.000
19	1	-1.944	-3.510	0.150	20	21	-1.248	-1.254	0.000	21	41	-0.683	-0.734	0.000
19	2	-1.985	-3.049	0.166	20	22	-1.176	-1.093	0.005	21	42	-0.849	-1.045	0.000
19	3	-1.233	-3.174	0.079	20	23	-1.041	-1.657	0.002	21	43	-1.100	-0.729	0.000
19	4	-0.592	-2.817	0.068	20	24	-0.948	-1.458	-0.000	21	44	-1.408	-0.123	0.000
19	5	-1.071	-2.735	0.190	20	25	-0.620	-1.265	0.001	21	45	-2.048	-0.118	0.033
19	6	-1.089	-2.864	0.231	20	26	-0.465	-1.547	0.000	21	46	-2.087	0.287	0.051
19	7	-1.805	-3.740	0.117	20	27	-0.379	-1.109	0.000	21	47	-1.631	0.338	0.008
19	8	-3.126	-2.409	0.037	20	28	-0.009	-1.084	0.001	21	48	-1.781	0.062	0.045
19	9	-2.683	-2.022	0.128	20	29	-0.048	-0.864	0.005	21	49	-1.917	-0.438	0.003
19	10	-2.215	-2.229	0.060	20	30	-0.230	-1.271	0.005	21	50	-1.491	-0.602	0.000
19	11	-2.361	-1.491	0.036	20	31	-0.020	-1.093	-0.000	21	51	-1.595	-0.544	0.014
19	12	-3.009	-1.249	0.055	20	32	-0.021	-0.969	0.000	21	52	-1.802	-0.296	0.005
19	13	-1.509	-1.602	0.222	20	33	-0.209	-0.908	0.000	21	53	-1.942	-0.196	0.011
19	14	-2.785	-1.862	0.023	20	34	-0.543	-1.174	0.001	21	54	-1.755	-0.166	0.003
19	15	-2.796	-2.602	0.025	20	35	-0.982	-1.597	0.000	21	55	-1.122	0.179	-0.003
19	16	-3.080	-2.058	0.131	20	36	-0.766	-1.808	0.000	21	56	-1.492	-0.180	0.012
19	17	-2.567	-1.945	0.044	20	37	-0.700	-1.826	0.002	21	57	-1.757	-0.893	0.010
19	18	-2.097	-1.929	0.085	20	38	-0.826	-1.353	0.002	21	58	-2.384	-1.305	0.018
19	19	-1.143	-1.257	0.069	20	39	-0.857	-1.431	0.000	21	59	-1.608	-0.477	0.034
19	20	-1.219	-1.134	0.039	20	40	-0.577	-1.734	0.002	22	0	-1.682	-0.420	0.023
19	21	-0.742	-0.858	0.044	20	41	-0.428	-1.544	0.022	22	1	-1.778	-0.024	0.046
19	22	-0.340	-0.756	0.001	20	42	-0.110	-1.236	0.012	22	2	-1.898	-0.668	0.010
19	23	-0.587	-1.437	0.008	20	43	-0.235	-1.238	0.002	22	3	-1.311	-1.005	0.005
19	24	-0.184	-1.027	0.008	20	44	-0.599	-1.370	0.000	22	4	-1.123	-1.460	0.011
19	25	-0.578	-0.468	0.051	20	45	-0.935	-0.993	0.000	22	5	-1.252	-1.121	0.002
19	26	-0.532	-0.603	0.009	20	46	-1.067	-1.069	0.001	22	6	-1.421	-0.408	0.014
19	27	0.034	-1.105	0.028	20	47	-1.168	-1.154	0.000	22	7	-1.438	-1.230	0.012
19	28	0.010	-0.014	0.143	20	48	-1.174	-1.336	0.002	22	8	-1.256	-1.662	0.024
19	29	-0.513	0.030	0.070	20	49	-1.329	-1.110	0.000	22	9	-1.190	-0.368	0.008
19	30	-0.559	-0.336	0.060	20	50	-1.161	-1.147	0.000	22	10	-1.796	-0.475	0.003
19	31	-0.120	-0.852	0.000	20	51	-1.153	-0.401	0.000	22	11	-1.513	-1.157	0.002
19	32	-0.085	-0.833	0.000	20	52	-1.734	-0.559	0.000	22	12	-0.854	-0.717	0.007
19	33	-0.690	-0.770	0.000	20	53	-1.739	-0.781	0.000	22	13	-0.873	-1.646	0.027
19	34	-0.801	-1.380	0.009	20	54	-1.393	-0.712	0.001	22	14	-1.532	-0.427	0.001
19	35	-0.051	-1.811	0.000	20	55	-1.462	-1.340	0.004	22	15	-2.052	-0.583	0.010
19	36	-0.412	-1.277	0.028	20	56	-0.968	-1.922	0.006	22	16	-1.612	-0.500	0.007
19	37	-0.246	-1.678	0.054	20	57	-0.741	-1.126	0.007	22	17	-1.208	-0.187	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

22	18	-0.990	-0.060	0.006	23	38	0.003	-1.062	0.000	0	55	-0.003	-0.844	0.001
22	19	-0.840	-0.116	0.000	23	39	0.013	-0.062	0.191	0	56	0.017	-0.970	0.010
22	20	-1.102	-0.214	0.005	23	40	0.070	-0.721	0.064	0	57	0.230	-0.775	0.134
22	21	-1.610	-0.240	0.010	23	41	0.065	-1.017	0.019	0	58	0.303	-1.204	0.055
22	22	-1.773	-0.492	0.000	23	42	0.014	-0.757	0.049	0	59	0.096	-1.370	0.064
22	23	-1.448	-0.901	0.001	23	43	-0.159	-1.234	0.034	1	0	0.241	-0.173	0.039
22	24	-1.038	-1.439	0.002	23	44	-0.795	-1.235	0.001	1	1	0.061	0.035	0.323
22	25	-1.532	-0.835	0.000	23	45	-0.556	-1.514	0.006	1	2	-0.001	0.396	0.261
22	26	-1.280	-1.273	0.048	23	46	-0.055	-1.117	0.020	1	3	-0.009	0.614	0.117
22	27	-1.837	-0.844	0.011	23	47	-0.164	-0.313	0.003	1	4	-0.011	0.786	0.055
22	28	-2.250	-1.380	0.008	23	48	-0.387	-1.102	0.050	1	5	0.000	0.668	0.018
22	29	-2.350	-1.961	0.022	23	49	-0.582	-1.091	0.095	1	6	0.019	0.670	0.028
22	30	-1.739	-1.202	0.010	23	50	-1.199	-1.072	0.004	1	7	0.000	0.642	0.008
22	31	-0.852	-0.974	0.000	23	51	-0.712	-1.493	0.007	1	8	0.149	0.486	0.045
22	32	-0.332	-0.328	0.014	23	52	0.179	-1.410	0.094	1	9	0.567	0.590	0.027
22	33	-0.729	-0.172	0.004	23	53	0.005	-0.603	0.132	1	10	0.248	0.305	0.000
22	34	-0.074	-0.304	0.000	23	54	-0.016	-0.753	0.014	1	11	0.000	0.000	0.008
22	35	-0.894	-0.850	0.002	23	55	0.000	-0.838	0.012	1	12	0.000	0.000	0.060
22	36	-1.198	-1.530	0.008	23	56	0.004	-0.919	0.001	1	13	0.071	0.017	0.048
22	37	-1.226	-1.080	0.001	23	57	0.000	-0.570	0.000	1	14	0.441	0.253	0.022
22	38	-0.850	-0.760	0.000	23	58	-0.001	-0.029	0.000	1	15	0.852	0.277	0.035
22	39	-0.756	-0.472	0.002	23	59	-0.323	-0.273	0.000	1	16	0.849	0.154	0.155
22	40	-0.972	-0.353	0.000						1	17	1.023	0.331	0.184
22	41	-1.047	-0.264	0.000						1	18	0.863	0.215	0.207
22	42	-1.276	-0.305	0.000	11/07/95					1	19	0.939	0.044	0.078
22	43	-1.173	-0.028	0.001	0	0	-0.718	-0.347	0.000	1	20	1.026	0.000	0.013
22	44	-0.753	-0.125	0.000	0	1	-0.082	-0.621	0.000	1	21	1.175	0.089	0.020
22	45	-0.389	-1.027	0.016	0	2	0.107	-0.590	0.039	1	22	1.415	0.022	0.007
22	46	-1.272	-1.190	0.017	0	3	-0.631	-0.039	-0.001	1	23	1.213	0.009	0.007
22	47	-1.509	-0.542	0.014	0	4	-0.405	-0.003	0.000	1	24	1.033	-0.003	0.011
22	48	-1.487	-0.968	0.005	0	5	-0.711	-0.559	0.009	1	25	0.882	0.073	0.020
22	49	-1.441	-1.636	0.061	0	6	-0.027	-0.984	0.002	1	26	0.853	0.296	0.012
22	50	-1.452	-1.503	0.027	0	7	-0.173	-1.101	0.015	1	27	0.882	0.025	0.049
22	51	-1.396	-1.014	0.023	0	8	0.059	-1.046	0.038	1	28	0.554	0.458	0.071
22	52	-1.569	-0.795	0.004	0	9	-0.142	-1.274	0.049	1	29	0.598	0.418	0.023
22	53	-1.202	-0.969	0.010	0	10	-0.342	-1.357	0.025	1	30	0.460	0.563	0.003
22	54	-0.928	-1.438	0.000	0	11	-0.534	-2.353	0.019	1	31	0.150	0.466	0.011
22	55	-0.246	-1.408	0.007	0	12	-0.827	-1.557	0.035	1	32	0.000	0.610	0.024
22	56	-0.871	-1.404	0.005	0	13	-0.720	-0.794	0.017	1	33	-0.001	0.742	0.010
22	57	-0.551	-0.949	0.005	0	14	-0.728	-0.917	0.020	1	34	0.000	0.667	0.000
22	58	-0.080	-0.855	0.003	0	15	-1.015	-1.085	0.010	1	35	0.002	0.447	0.039
22	59	0.000	-0.731	0.010	0	16	-0.326	-0.781	0.001	1	36	-0.003	0.512	0.246
23	0	-0.511	-0.313	0.091	0	17	-0.458	-0.478	0.107	1	37	-0.022	0.484	0.138
23	1	-0.823	-0.564	0.000	0	18	-0.338	-1.124	0.016	1	38	-0.002	0.457	0.203
23	2	-0.493	-0.740	0.001	0	19	0.011	-1.181	0.012	1	39	-0.001	0.368	0.086
23	3	-0.065	-1.276	0.047	0	20	-0.973	-1.090	0.057	1	40	0.000	0.348	0.087
23	4	-0.974	-1.464	0.082	0	21	-1.328	-1.208	0.242	1	41	0.459	0.341	0.043
23	5	-0.702	-1.498	0.028	0	22	-1.750	-1.529	0.142	1	42	0.799	0.013	0.204
23	6	0.030	-1.088	0.015	0	23	-0.886	-2.298	0.063	1	43	0.971	0.000	0.019
23	7	0.000	-0.770	0.009	0	24	-0.704	-1.709	0.141	1	44	0.941	0.000	0.000
23	8	0.000	-0.479	0.000	0	25	-0.055	-1.022	0.164	1	45	0.990	0.000	0.000
23	9	-0.012	-0.828	0.002	0	26	-0.622	-2.056	0.045	1	46	0.924	0.001	0.004
23	10	-0.315	-1.807	0.025	0	27	-0.003	-1.525	0.130	1	47	0.735	0.037	0.028
23	11	-0.852	-2.498	0.033	0	28	-0.276	-1.190	0.087	1	48	0.594	0.217	0.009
23	12	-1.405	-0.941	0.041	0	29	0.048	-0.431	0.101	1	49	0.052	0.094	0.352
23	13	-1.571	-2.205	0.009	0	30	-0.064	-0.318	0.016	1	50	-0.001	-0.000	0.489
23	14	-1.399	-1.903	0.031	0	31	-0.218	-0.677	0.013	1	51	0.000	-0.001	0.180
23	15	-0.955	-1.007	0.007	0	32	-0.779	-0.846	0.024	1	52	0.000	0.000	0.000
23	16	-1.159	-0.184	0.195	0	33	-1.034	-0.567	0.017	1	53	0.000	0.000	0.056
23	17	-1.621	-1.255	0.151	0	34	-0.991	0.015	0.008	1	54	0.000	0.000	0.039
23	18	-0.048	-0.755	0.010	0	35	-0.144	-0.102	0.066	1	55	0.035	0.252	0.281
23	19	1.246	-0.286	0.277	0	36	-0.720	-0.292	0.000	1	56	0.240	0.475	0.079
23	20	0.643	-0.597	0.494	0	37	-1.050	-0.385	0.000	1	57	0.273	0.199	0.172
23	21	0.751	-0.915	0.011	0	38	-0.698	-0.684	-0.002	1	58	0.575	0.000	0.015
23	22	0.924	-0.565	0.091	0	39	-1.087	-0.580	0.074	1	59	0.543	0.000	0.000
23	23	0.356	-0.784	0.011	0	40	-0.803	-1.415	0.023	2	0	0.527	0.000	0.000
23	24	0.002	-0.606	0.005	0	41	-0.268	-1.190	0.028	2	1	0.554	0.000	0.000
23	25	0.135	-1.056	0.011	0	42	-0.450	-1.150	0.014	2	2	0.343	0.000	0.000
23	26	0.163	-0.957	0.007	0	43	-0.513	-1.147	0.011	2	3	0.000	0.000	0.000
23	27	0.706	-1.661	0.032	0	44	-0.156	-0.915	0.000	2	4	0.000	0.000	0.000
23	28	0.078	-1.555	0.015	0	45	0.000	-0.471	0.000	2	5	0.000	0.000	0.002
23	29	0.778	-0.968	0.014	0	46	-0.184	-0.304	0.000	2	6	0.000	0.000	0.000
23	30	0.514	-1.150	0.061	0	47	0.000	-0.382	0.000	2	7	0.000	0.000	0.004
23	31	0.183	-1.124	0.021	0	48	0.000	-0.114	0.000	2	8	0.000	0.000	0.018
23	32	-0.437	-1.106	0.065	0	49	0.000	0.000	0.000	2	9	0.000	0.000	0.005
23	33	-1.503	-0.709	0.004	0	50	0.000	0.000	0.091	2	10	0.000	0.000	0.000
23	34	-1.022	-1.282	0.042	0	51	0.082	-0.004	0.079	2	11	0.000	0.000	0.002
23	35	-0.168	-1.970	0.047	0	52	-0.115	-0.655	0.008	2	12	0.292	0.000	0.004
23	36	0.570	-2.493	0.090	0	53	-0.538	-1.569	0.002	2	13	0.648	0.000	0.032
23	37	0.356	-1.955	0.002	0	54	-0.237	-1.147	0.006	2	14	0.353	0.000	0.018



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

2	15	0.210	0.000	0.001	3	35	0.715	0.000	0.000	4	55	0.228	0.123	0.002
2	16	0.384	0.133	0.000	3	36	0.201	0.257	0.002	4	56	0.001	0.000	0.000
2	17	0.528	0.289	0.001	3	37	0.000	0.042	0.056	4	57	0.026	0.000	0.000
2	18	0.616	0.379	0.001	3	38	0.000	0.197	0.076	4	58	0.688	0.000	0.006
2	19	0.765	0.088	0.000	3	39	0.000	0.001	0.139	4	59	0.094	0.000	0.179
2	20	0.911	0.202	0.000	3	40	0.001	0.023	0.081	5	0	0.610	0.460	0.105
2	21	0.691	0.372	0.000	3	41	0.114	0.167	0.026	5	1	0.974	0.824	0.054
2	22	0.556	0.644	0.009	3	42	0.301	0.000	0.000	5	2	0.694	0.533	0.054
2	23	0.565	0.467	0.002	3	43	1.074	0.000	0.011	5	3	0.562	0.000	0.136
2	24	0.629	0.670	0.003	3	44	1.265	0.000	0.026	5	4	0.597	0.000	0.040
2	25	0.495	0.621	0.010	3	45	1.231	0.000	0.038	5	5	0.723	0.148	0.131
2	26	0.324	0.740	0.013	3	46	1.066	0.000	0.012	5	6	0.488	0.035	0.061
2	27	0.072	0.766	0.000	3	47	0.645	0.000	0.002	5	7	0.168	0.154	0.132
2	28	0.013	0.680	0.012	3	48	0.012	0.362	0.149	5	8	0.000	0.098	0.115
2	29	0.020	0.572	0.065	3	49	0.651	0.479	0.019	5	9	0.074	0.000	0.018
2	30	0.136	0.344	0.001	3	50	1.024	0.441	0.046	5	10	0.074	0.000	0.073
2	31	0.175	0.294	0.060	3	51	1.024	0.242	0.112	5	11	0.262	0.105	0.000
2	32	0.320	0.544	0.021	3	52	1.520	0.322	0.090	5	12	0.189	0.291	0.014
2	33	0.490	0.155	0.022	3	53	1.449	0.162	0.024	5	13	0.303	0.037	0.001
2	34	0.447	0.047	0.068	3	54	1.151	0.067	0.027	5	14	0.037	0.232	0.095
2	35	0.512	0.004	0.079	3	55	1.256	0.040	0.010	5	15	0.000	0.083	0.081
2	36	0.569	0.000	0.001	3	56	1.078	0.000	0.003	5	16	0.042	0.000	0.022
2	37	0.210	0.165	0.029	3	57	0.782	0.009	0.020	5	17	0.000	0.000	0.000
2	38	0.016	0.000	0.000	3	58	0.762	0.004	0.014	5	18	0.000	0.000	0.000
2	39	0.312	0.204	0.001	3	59	0.934	0.058	0.010	5	19	0.000	0.000	0.000
2	40	0.191	0.534	0.054	4	0	1.091	0.001	0.025	5	20	0.000	0.000	0.000
2	41	0.003	0.589	0.203	4	1	0.775	0.003	0.008	5	21	0.011	0.000	0.008
2	42	0.227	0.576	0.032	4	2	0.685	0.000	0.000	5	22	0.000	0.000	0.000
2	43	0.566	0.529	0.000	4	3	0.610	0.000	0.000	5	23	0.000	0.000	0.000
2	44	0.788	0.577	0.028	4	4	0.062	0.000	0.011	5	24	0.000	0.000	0.009
2	45	0.562	0.419	0.001	4	5	0.002	0.000	0.238	5	25	0.000	0.000	0.000
2	46	0.845	0.488	0.003	4	6	0.005	0.016	0.206	5	26	0.000	0.000	0.000
2	47	0.904	0.379	0.029	4	7	0.016	0.112	0.354	5	27	0.000	0.000	0.000
2	48	0.644	0.095	0.027	4	8	0.017	0.121	0.488	5	28	0.000	0.000	0.000
2	49	0.475	0.159	0.007	4	9	-0.004	0.003	0.431	5	29	0.000	0.000	0.052
2	50	0.526	0.000	0.023	4	10	0.000	0.174	0.121	5	30	0.169	0.000	0.021
2	51	0.779	0.021	0.124	4	11	0.001	0.178	0.119	5	31	0.489	0.000	0.000
2	52	0.977	0.042	0.007	4	12	-0.001	0.413	0.163	5	32	0.651	0.000	0.032
2	53	1.070	0.072	0.011	4	13	-0.002	0.029	0.168	5	33	0.623	0.000	0.018
2	54	0.815	0.018	0.015	4	14	-0.007	0.000	0.327	5	34	0.576	0.000	0.000
2	55	0.261	0.013	0.040	4	15	0.000	0.000	0.262	5	35	0.357	0.000	0.000
2	56	0.000	0.003	0.000	4	16	-0.009	0.000	0.332	5	36	0.040	0.000	0.000
2	57	0.014	0.194	0.086	4	17	0.002	0.104	0.394	5	37	0.000	0.000	0.000
2	58	0.067	0.286	0.216	4	18	0.001	0.143	0.265	5	38	0.000	0.000	0.000
2	59	0.284	0.222	0.000	4	19	-0.001	0.317	0.377	5	39	0.000	0.000	0.000
3	0	0.246	0.000	0.002	4	20	-0.006	0.534	0.293	5	40	0.000	0.000	0.000
3	1	0.405	0.000	0.003	4	21	-0.001	0.348	0.393	5	41	0.000	0.000	0.000
3	2	0.415	0.107	0.341	4	22	0.010	0.166	0.349	5	42	0.000	0.000	0.000
3	3	0.640	0.240	0.274	4	23	0.030	0.216	0.475	5	43	0.000	0.000	0.000
3	4	0.560	0.079	0.283	4	24	0.230	0.155	0.024	5	44	-0.001	0.000	0.009
3	5	0.532	0.193	0.061	4	25	0.217	0.030	0.068	5	45	0.000	0.000	0.000
3	6	0.145	0.060	0.054	4	26	0.733	0.000	0.175	5	46	0.000	0.123	0.131
3	7	0.128	0.000	0.000	4	27	0.810	0.000	0.007	5	47	0.003	0.506	0.353
3	8	0.000	0.000	0.006	4	28	0.682	-0.001	0.001	5	48	0.000	0.739	0.048
3	9	0.000	0.000	0.000	4	29	0.749	-0.069	0.005	5	49	-0.044	0.950	0.076
3	10	0.000	0.000	0.000	4	30	0.434	-0.080	0.002	5	50	-0.247	1.017	0.019
3	11	0.000	0.003	0.000	4	31	0.094	-0.006	0.000	5	51	-0.001	0.886	0.091
3	12	0.007	0.179	0.146	4	32	0.000	0.013	0.000	5	52	0.000	0.707	0.016
3	13	0.000	0.589	0.312	4	33	0.000	0.117	0.020	5	53	0.240	0.541	0.039
3	14	0.064	0.571	0.061	4	34	0.000	0.030	0.060	5	54	0.174	0.154	0.293
3	15	0.385	0.892	0.021	4	35	0.000	0.006	0.082	5	55	0.245	0.174	0.100
3	16	0.277	0.854	0.014	4	36	-0.115	0.000	0.008	5	56	0.686	0.005	0.130
3	17	0.289	1.005	0.011	4	37	-0.313	0.006	0.000	5	57	0.792	0.000	0.000
3	18	0.097	0.915	0.068	4	38	-0.064	0.000	0.000	5	58	0.963	0.006	0.000
3	19	0.388	0.781	0.009	4	39	0.000	0.129	0.062	5	59	1.026	0.000	0.001
3	20	0.693	0.842	0.039	4	40	-0.005	0.206	0.364	6	0	0.889	0.093	0.000
3	21	0.963	0.895	0.016	4	41	-0.006	0.540	0.171	6	1	0.693	0.354	0.000
3	22	1.265	0.605	0.000	4	42	0.001	0.089	0.177	6	2	0.021	0.408	0.051
3	23	0.782	0.204	0.009	4	43	0.000	0.000	0.003	6	3	0.001	0.312	0.111
3	24	0.760	0.064	0.125	4	44	0.000	0.000	0.000	6	4	0.053	0.030	0.052
3	25	1.090	0.239	0.001	4	45	-0.114	0.000	0.000	6	5	0.430	0.000	0.000
3	26	0.995	0.007	0.002	4	46	0.000	0.000	0.000	6	6	0.291	0.000	0.000
3	27	0.765	0.299	0.002	4	47	0.000	0.000	0.000	6	7	0.103	0.000	0.000
3	28	0.285	0.422	0.030	4	48	0.000	0.000	0.035	6	8	0.000	0.000	0.000
3	29	0.522	0.588	0.003	4	49	0.000	0.000	0.022	6	9	-0.002	0.000	0.026
3	30	0.580	0.470	0.027	4	50	0.000	0.000	0.129	6	10	0.000	0.000	0.011
3	31	0.886	0.423	0.006	4	51	0.000	0.184	0.204	6	11	0.000	-0.000	0.044
3	32	0.874	0.242	0.004	4	52	0.542	0.813	0.031	6	12	-0.000	0.001	0.176
3	33	0.688	0.001	0.007	4	53	0.652	0.786	0.114	6	13	0.007	-0.001	0.247
3	34	0.823	0.000	0.000	4	54	0.413	0.446	0.190	6	14	0.001	-0.002	0.031





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

6	15	0.000	0.000	0.121	7	35	0.361	0.692	0.001	8	55	-0.326	-1.251	0.000
6	16	0.000	0.000	0.000	7	36	0.199	0.801	0.007	8	56	-0.210	-1.371	0.005
6	17	0.462	0.000	0.099	7	37	0.291	0.653	0.218	8	57	-0.030	-1.438	0.000
6	18	0.437	0.000	0.126	7	38	0.498	0.589	0.000	8	58	0.058	-0.984	0.002
6	19	0.742	0.331	0.052	7	39	0.490	0.591	0.000	8	59	0.064	-0.941	0.004
6	20	0.571	0.362	0.001	7	40	0.628	0.240	0.005	9	0	0.000	-0.748	0.000
6	21	0.388	0.466	0.002	7	41	0.660	0.317	0.000	9	1	-0.035	-0.400	0.000
6	22	0.663	0.257	0.007	7	42	0.425	0.283	0.002	9	2	-0.239	-0.442	0.000
6	23	0.292	0.000	0.049	7	43	0.580	0.149	0.013	9	3	-0.466	-0.386	0.001
6	24	0.000	0.007	0.006	7	44	0.574	0.000	0.000	9	4	-0.699	0.186	0.001
6	25	0.236	0.000	0.007	7	45	0.047	0.005	0.040	9	5	-0.027	0.032	0.008
6	26	0.336	0.002	0.010	7	46	0.024	0.011	0.013	9	6	-0.029	0.310	0.004
6	27	0.382	0.012	0.026	7	47	0.004	0.000	0.005	9	7	0.157	0.345	0.013
6	28	0.377	0.000	0.001	7	48	0.101	0.116	0.041	9	8	0.118	0.727	0.004
6	29	0.250	0.133	0.040	7	49	0.006	0.455	0.002	9	9	-0.167	0.285	0.011
6	30	0.087	0.022	0.006	7	50	-0.001	0.388	0.064	9	10	0.326	-1.351	0.001
6	31	0.076	0.122	0.032	7	51	-0.006	0.559	0.034	9	11	0.742	-1.816	0.004
6	32	0.023	0.096	0.107	7	52	0.290	0.304	0.076	9	12	0.579	-1.806	0.001
6	33	0.000	0.000	0.156	7	53	0.015	0.172	0.008	9	13	0.174	-1.613	0.004
6	34	0.054	0.182	0.138	7	54	0.011	-0.015	0.016	9	14	0.376	-1.326	0.011
6	35	0.158	0.274	0.363	7	55	-0.249	-0.036	0.055	9	15	0.321	-1.082	0.009
6	36	0.199	0.024	0.282	7	56	-0.676	-0.169	0.004	9	16	1.083	-0.869	0.001
6	37	0.329	0.000	0.012	7	57	-0.532	-0.162	0.007	9	17	0.928	-0.162	0.000
6	38	0.533	0.000	0.032	7	58	-0.713	-0.001	0.002	9	18	0.280	-0.741	0.001
6	39	0.395	0.000	0.003	7	59	-0.058	0.137	0.001	9	19	0.371	-0.828	-0.000
6	40	0.677	0.367	0.022	8	0	-0.366	0.226	0.011	9	20	0.078	-0.441	-0.001
6	41	0.623	0.546	0.009	8	1	-0.034	0.000	0.005	9	21	-0.014	0.220	0.020
6	42	0.499	0.599	0.028	8	2	0.000	0.078	0.000	9	22	-0.355	-0.283	0.007
6	43	0.494	0.540	0.068	8	3	-0.045	-0.000	0.006	9	23	-0.463	-0.412	0.007
6	44	0.434	0.459	0.128	8	4	-0.364	-0.004	-0.000	9	24	-0.846	-0.034	0.004
6	45	0.523	0.628	0.027	8	5	-0.011	-0.003	0.000	9	25	-2.744	0.779	0.005
6	46	0.420	0.563	0.076	8	6	-0.940	0.034	0.000	9	26	-3.384	0.108	0.013
6	47	0.495	0.676	0.006	8	7	-0.640	0.180	0.000	9	27	-4.338	0.690	0.000
6	48	0.483	0.557	0.077	8	8	-0.287	0.065	0.000	9	28	-6.373	-0.475	0.011
6	49	0.680	0.546	0.032	8	9	-0.645	-0.108	0.000	9	29	-6.828	0.073	0.020
6	50	0.582	0.794	0.039	8	10	-0.093	-0.022	0.000	9	30	-5.675	-0.104	0.006
6	51	0.304	0.796	0.170	8	11	-0.159	-0.292	0.000	9	31	-6.696	-0.136	0.004
6	52	0.130	0.736	0.164	8	12	-0.383	-0.526	0.000	9	32	-6.329	-0.455	0.010
6	53	0.158	0.541	0.025	8	13	-0.657	-0.012	0.001	9	33	-7.204	-0.314	0.006
6	54	0.191	0.616	0.126	8	14	-0.712	-0.101	0.003	9	34	-7.131	0.299	0.005
6	55	0.249	0.623	0.005	8	15	-0.431	-0.437	0.001	9	35	-5.908	0.480	0.009
6	56	0.753	0.825	0.000	8	16	-0.674	0.023	0.000	9	36	-5.411	0.506	0.009
6	57	0.899	0.872	0.000	8	17	-0.550	0.003	0.000	9	37	-3.834	-0.005	0.024
6	58	1.001	0.726	0.001	8	18	-0.514	-0.046	0.000	9	38	-4.918	-0.322	0.013
6	59	0.931	0.653	0.001	8	19	-0.785	-0.007	0.000	9	39	-6.145	-1.251	0.031
7	0	0.747	0.566	0.001	8	20	-0.121	0.006	0.006	9	40	-5.744	-2.525	0.020
7	1	0.680	0.445	0.002	8	21	-0.439	-0.184	0.001	9	41	-4.030	-2.861	0.011
7	2	0.484	0.177	0.003	8	22	-0.610	-0.640	0.000	9	42	-4.140	-1.406	0.032
7	3	0.468	0.079	0.000	8	23	-0.464	-0.572	0.000	9	43	-4.367	-0.318	0.019
7	4	0.490	0.445	0.001	8	24	-0.116	-0.036	0.004	9	44	-3.688	-0.098	0.023
7	5	0.412	0.354	0.029	8	25	-0.515	0.126	0.001	9	45	-3.314	0.368	0.004
7	6	0.598	0.451	0.000	8	26	-0.502	-0.145	0.000	9	46	-3.601	0.582	0.018
7	7	0.720	0.343	0.000	8	27	-0.387	-0.001	0.000	9	47	-3.305	0.659	0.006
7	8	0.620	0.473	0.000	8	28	-0.017	0.000	0.000	9	48	-1.987	0.449	0.002
7	9	0.567	0.741	0.000	8	29	-0.612	-1.476	0.000	9	49	-1.514	0.468	0.002
7	10	0.327	0.714	0.026	8	30	-0.398	-1.963	0.000	9	50	-1.172	0.261	0.004
7	11	0.173	0.363	0.080	8	31	-0.256	-1.392	0.001	9	51	-1.053	0.445	0.000
7	12	0.137	0.551	0.414	8	32	-0.643	-0.860	0.001	9	52	-0.520	0.209	0.008
7	13	0.344	0.565	0.217	8	33	-0.595	-0.139	0.003	9	53	-0.204	0.116	0.001
7	14	0.007	0.755	0.193	8	34	-0.263	-0.109	0.005	9	54	-0.278	0.001	0.002
7	15	0.092	0.845	0.167	8	35	-0.025	0.000	0.000	9	55	-0.954	0.000	0.000
7	16	0.170	0.705	0.000	8	36	-0.132	-0.130	0.002	9	56	-1.018	0.000	0.000
7	17	0.352	0.679	0.036	8	37	-1.262	-0.256	0.003	9	57	-0.943	-0.000	0.000
7	18	0.722	0.650	0.000	8	38	-1.388	-0.894	0.001	9	58	-1.354	-0.051	0.000
7	19	0.426	0.721	0.076	8	39	-1.386	-1.062	0.000	9	59	-1.528	-0.210	0.000
7	20	0.388	0.628	0.060	8	40	-0.738	-0.973	0.000	10	0	-1.125	-0.061	0.002
7	21	0.556	0.486	0.036	8	41	-0.760	-0.765	0.000	10	1	-1.394	-0.166	-0.002
7	22	0.824	0.503	0.000	8	42	-0.615	-1.028	0.000	10	2	-0.966	-0.067	0.001
7	23	0.515	0.320	0.000	8	43	-0.722	-1.389	0.000	10	3	-0.652	0.000	0.000
7	24	0.269	0.363	0.000	8	44	-0.565	-1.113	0.000	10	4	-0.715	0.001	0.000
7	25	0.217	0.285	0.001	8	45	-0.093	-0.749	0.000	10	5	-1.061	-0.001	0.000
7	26	0.529	0.129	0.023	8	46	0.055	-0.009	0.001	10	6	-1.168	-0.002	0.000
7	27	0.376	0.184	0.000	8	47	-0.328	-0.175	0.001	10	7	-1.374	-0.019	0.000
7	28	0.200	0.348	0.000	8	48	-0.784	-0.943	0.000	10	8	-1.280	-0.247	0.000
7	29	0.796	0.027	0.006	8	49	-0.413	-0.894	0.000	10	9	-0.749	-0.060	0.001
7	30	0.561	0.029	0.001	8	50	-0.454	-0.424	0.000	10	10	-0.088	-1.083	-0.002
7	31	0.333	0.541	0.005	8	51	-0.258	-0.148	0.000	10	11	0.000	-0.656	0.000
7	32	0.028	0.464	0.033	8	52	-0.582	0.057	0.001	10	12	0.000	-0.758	0.000
7	33	0.029	0.522	0.020	8	53	-0.308	0.000	-0.000	10	13	-0.040	-0.795	0.005
7	34	0.201	0.491	0.027	8	54	-0.140	-0.042	0.006	10	14	0.000	-1.029	0.000



Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

10	15	-0.005	-0.870	0.001	11	35	2.068	0.446	0.046	12	55	4.691	-0.232	0.013
10	16	-0.048	-1.156	0.001	11	36	1.877	0.618	0.026	12	56	3.842	-0.546	0.019
10	17	-0.137	-1.178	0.003	11	37	2.036	0.889	0.021	12	57	2.831	-0.824	0.042
10	18	-0.012	-1.207	0.002	11	38	1.630	0.604	0.007	12	58	2.804	-1.214	0.042
10	19	0.003	-1.176	0.003	11	39	1.686	0.957	0.016	12	59	3.517	-1.876	0.019
10	20	0.001	-1.383	0.002	11	40	2.113	1.200	0.020	13	0	3.416	-1.098	0.022
10	21	0.050	-0.965	0.013	11	41	1.946	0.791	0.013	13	1	3.290	-1.006	0.068
10	22	0.956	-1.755	0.004	11	42	1.772	0.915	0.004	13	2	3.066	-1.128	0.040
10	23	0.922	-1.921	0.004	11	43	1.517	0.833	0.009	13	3	3.132	-1.851	0.032
10	24	1.083	-1.584	0.013	11	44	1.251	0.459	0.039	13	4	3.080	-1.868	0.040
10	25	0.019	-1.043	0.038	11	45	1.192	0.477	0.020	13	5	2.220	-1.689	0.040
10	26	-0.000	-1.274	0.023	11	46	1.234	0.276	0.066	13	6	2.713	-1.282	0.074
10	27	0.100	-0.178	0.030	11	47	1.519	0.108	0.000	13	7	3.997	-0.533	0.059
10	28	0.061	-0.660	0.028	11	48	1.336	-0.112	0.049	13	8	4.684	-0.106	0.084
10	29	0.075	-1.551	0.000	11	49	0.908	-0.281	0.017	13	9	4.288	-0.088	0.094
10	30	0.019	-0.745	0.037	11	50	1.006	-0.014	0.017	13	10	4.859	-0.207	0.051
10	31	0.010	-0.791	0.004	11	51	1.438	-0.615	0.012	13	11	3.671	-0.309	0.101
10	32	-0.023	-0.417	0.000	11	52	1.162	-0.553	0.003	13	12	3.384	-1.091	0.044
10	33	0.000	-0.003	0.003	11	53	1.263	-0.443	0.010	13	13	3.195	-0.595	0.078
10	34	0.201	-0.042	0.006	11	54	1.226	-1.085	0.020	13	14	2.779	-1.059	0.139
10	35	-0.001	-0.121	0.002	11	55	1.101	-0.988	0.054	13	15	3.753	-1.079	0.036
10	36	-0.002	0.000	0.017	11	56	0.626	-1.305	0.032	13	16	3.180	-1.025	0.088
10	37	0.000	-0.440	0.000	11	57	0.134	-0.742	0.055	13	17	3.415	-0.146	0.030
10	38	0.688	-0.248	0.019	11	58	0.270	-0.626	0.009	13	18	3.780	0.272	0.202
10	39	0.010	-0.178	0.007	11	59	1.091	-0.422	0.002	13	19	2.879	-0.124	0.162
10	40	1.053	-0.063	0.011	12	0	0.427	-0.350	0.024	13	20	2.737	-0.814	0.049
10	41	1.394	-0.461	0.009	12	1	0.839	-1.735	0.018	13	21	2.936	-0.550	0.072
10	42	1.046	-0.710	-0.000	12	2	0.364	-1.114	0.028	13	22	2.234	-1.018	0.132
10	43	1.189	-0.049	0.006	12	3	0.064	-0.982	0.004	13	23	2.052	-0.613	0.070
10	44	1.702	-0.029	0.018	12	4	0.530	-0.288	0.000	13	24	3.102	-2.170	0.047
10	45	1.635	-0.948	0.019	12	5	0.784	-0.005	0.000	13	25	3.211	-1.368	0.071
10	46	1.361	-1.167	0.005	12	6	0.721	-0.038	0.032	13	26	2.821	-1.251	0.057
10	47	1.937	-1.316	0.007	12	7	1.059	-0.010	0.000	13	27	3.021	-1.520	0.085
10	48	2.461	-0.363	0.014	12	8	0.816	0.027	0.002	13	28	2.533	-0.992	0.068
10	49	2.678	-0.061	0.006	12	9	0.118	0.017	0.054	13	29	2.485	-1.272	0.146
10	50	2.711	0.416	0.031	12	10	0.354	0.068	0.051	13	30	2.921	-1.265	0.071
10	51	3.318	0.430	0.008	12	11	0.294	-0.048	0.040	13	31	4.051	-0.189	0.104
10	52	2.939	0.427	0.009	12	12	0.561	0.004	0.008	13	32	2.503	-0.392	0.036
10	53	2.478	0.391	0.034	12	13	0.634	0.002	0.000	13	33	3.164	-0.653	0.081
10	54	2.619	0.035	0.045	12	14	0.759	-0.010	0.000	13	34	3.539	-0.564	0.090
10	55	3.200	0.763	0.026	12	15	0.395	0.041	0.010	13	35	2.429	-1.566	0.040
10	56	3.481	0.120	0.015	12	16	0.857	0.356	0.051	13	36	3.083	-2.300	0.027
10	57	3.325	0.323	0.036	12	17	0.154	0.237	0.028	13	37	2.318	-1.014	0.091
10	58	3.881	0.007	0.025	12	18	0.360	-0.007	0.001	13	38	3.025	-0.259	0.093
10	59	3.448	0.337	0.035	12	19	0.601	0.032	0.025	13	39	3.388	-0.449	0.071
11	0	3.416	0.063	0.007	12	20	-0.031	-0.469	0.036	13	40	2.914	-0.305	0.050
11	1	2.622	0.481	0.032	12	21	-0.232	-1.641	0.004	13	41	4.290	-0.097	0.040
11	2	2.647	0.234	0.023	12	22	-0.927	-1.632	0.004	13	42	4.633	-0.179	0.135
11	3	1.760	0.296	0.025	12	23	-0.226	-2.128	0.030	13	43	4.608	-0.377	0.084
11	4	2.558	0.678	0.009	12	24	1.739	-1.592	0.004	13	44	3.662	-0.141	0.096
11	5	2.118	0.999	0.012	12	25	1.390	-1.382	0.025	13	45	2.913	0.133	0.041
11	6	1.913	0.926	0.010	12	26	1.350	-1.663	0.014	13	46	3.197	0.115	0.146
11	7	1.118	1.668	0.023	12	27	1.964	-1.550	0.001	13	47	3.238	-0.022	0.050
11	8	1.146	2.006	0.018	12	28	2.532	-1.390	0.022	13	48	3.411	-0.244	0.155
11	9	1.569	2.218	0.030	12	29	2.967	-2.619	0.027	13	49	3.056	-0.380	0.072
11	10	1.412	1.700	0.002	12	30	3.428	-3.033	0.020	13	50	2.967	-0.495	0.105
11	11	0.183	2.097	0.011	12	31	3.292	-3.097	0.027	13	51	2.471	-0.205	0.091
11	12	0.242	2.161	0.013	12	32	3.590	-2.072	0.034	13	52	2.246	-0.376	0.072
11	13	0.542	2.407	0.005	12	33	3.218	-2.217	0.014	13	53	1.760	-0.164	0.022
11	14	0.645	2.060	0.014	12	34	3.297	-2.085	0.009	13	54	2.266	-0.196	0.023
11	15	0.841	1.659	0.013	12	35	2.828	-1.523	0.005	13	55	2.183	-0.771	0.055
11	16	0.837	1.843	0.019	12	36	2.694	-0.269	0.009	13	56	2.174	-0.371	0.057
11	17	0.933	1.463	0.003	12	37	2.932	-0.202	0.027	13	57	2.150	-0.246	0.024
11	18	0.491	1.294	0.009	12	38	3.074	-0.149	0.010	13	58	2.130	-0.481	0.016
11	19	0.968	1.538	0.013	12	39	4.135	0.426	0.041	13	59	1.813	-0.425	0.019
11	20	1.702	1.298	0.003	12	40	3.905	-0.152	0.049	14	0	1.654	-0.280	0.050
11	21	1.403	1.556	0.008	12	41	3.590	-0.101	0.073	14	1	1.255	-0.292	0.071
11	22	1.801	1.481	0.012	12	42	3.423	-0.357	0.077	14	2	1.562	0.005	0.000
11	23	2.234	1.430	0.005	12	43	3.628	-0.339	0.028	14	3	1.851	0.128	0.002
11	24	2.245	1.324	0.005	12	44	3.591	-0.285	0.038	14	4	1.199	0.298	0.030
11	25	2.148	0.999	0.021	12	45	3.744	-0.262	0.054	14	5	1.500	-0.077	0.060
11	26	2.241	1.584	0.021	12	46	3.554	-0.179	0.017	14	6	1.060	-0.129	0.049
11	27	2.261	1.215	0.062	12	47	2.556	-0.109	0.036	14	7	0.939	0.009	0.024
11	28	2.404	1.064	0.024	12	48	2.702	-0.136	0.021	14	8	1.423	-0.092	0.030
11	29	3.363	1.695	0.043	12	49	2.917	-1.081	0.034	14	9	1.766	-0.247	0.056
11	30	3.428	1.628	0.039	12	50	3.325	-1.118	0.022	14	10	0.802	-0.073	0.003
11	31	3.200	1.586	0.062	12	51	3.563	-1.403	0.007	14	11	0.722	0.386	0.010
11	32	3.240	1.199	0.029	12	52	3.322	-0.551	0.038	14	12	1.374	0.560	0.035
11	33	3.151	1.087	0.059	12	53	4.388	0.128	0.014	14	13	1.034	0.291	0.113
11	34	3.167	0.850	0.023	12	54	3.923	0.269	0.036	14	14	0.761	0.350	0.062



Sheung Shui Slaughter House

Supplementary Environmental Impact Assessment (Final Report)

14	15	0.070	0.204	0.119	15	35	-2.463	-0.846	0.039	16	55	-3.105	-2.850	0.094
14	16	0.498	-0.004	0.061	15	36	-3.838	-1.264	0.011	16	56	-4.058	-2.537	0.067
14	17	0.214	0.261	0.002	15	37	-2.775	-1.093	0.032	16	57	-5.129	-2.181	0.061
14	18	-0.167	0.051	0.018	15	38	-2.592	-0.710	0.087	16	58	-3.068	-3.278	0.068
14	19	-1.531	-0.219	0.015	15	39	-1.410	-1.527	0.327	16	59	-3.865	-4.471	0.053
14	20	-2.372	-0.154	0.000	15	40	-0.120	-2.625	0.033	17	0	-3.630	-3.131	0.087
14	21	-1.826	0.107	0.014	15	41	0.126	-2.817	0.078	17	1	-3.277	-2.116	0.079
14	22	-1.287	-0.258	0.051	15	42	-1.468	-3.630	0.100	17	2	-2.907	-1.710	0.052
14	23	-1.311	-3.402	0.017	15	43	-0.530	-3.927	0.016	17	3	-5.016	-2.435	0.074
14	24	-1.144	-4.170	0.027	15	44	-0.563	-3.220	0.074	17	4	-3.809	-3.352	0.093
14	25	-0.850	-4.391	0.024	15	45	-0.471	-4.325	0.049	17	5	-4.012	-3.099	0.169
14	26	-1.554	-3.910	0.025	15	46	-1.153	-3.938	0.070	17	6	-4.128	-3.638	0.093
14	27	-2.864	-3.749	0.021	15	47	-1.245	-3.031	0.074	17	7	-3.913	-4.014	0.046
14	28	-3.305	-3.675	0.061	15	48	-1.426	-2.869	0.068	17	8	-3.044	-3.093	0.304
14	29	-4.071	-4.330	0.014	15	49	-0.502	-3.149	0.010	17	9	-3.113	-1.730	0.102
14	30	-2.292	-3.578	0.040	15	50	-0.133	-2.559	0.017	17	10	-2.810	-3.099	0.174
14	31	-1.895	-2.255	0.051	15	51	-1.263	-2.966	0.047	17	11	-4.768	-2.131	0.141
14	32	-2.179	-2.043	0.023	15	52	-2.762	-3.374	0.081	17	12	-2.931	-2.579	0.106
14	33	-2.166	-2.844	0.002	15	53	-3.092	-2.734	0.070	17	13	-3.265	-3.243	0.053
14	34	-2.309	-3.051	0.006	15	54	-4.511	-2.363	0.045	17	14	-3.006	-1.697	0.194
14	35	-2.754	-3.302	0.021	15	55	-4.187	-2.588	0.181	17	15	-3.014	-2.069	0.117
14	36	-3.378	-4.196	0.009	15	56	-3.637	-2.516	0.069	17	16	-3.305	-2.784	0.181
14	37	-3.139	-3.511	0.059	15	57	-4.108	-2.971	0.035	17	17	-3.618	-2.410	0.105
14	38	-2.137	-3.335	0.005	15	58	-3.512	-3.295	0.139	17	18	-2.802	-2.637	0.296
14	39	-2.514	-1.734	0.064	15	59	-2.485	-3.814	0.106	17	19	-3.292	-2.959	0.052
14	40	-2.185	-1.821	0.032	16	0	-0.504	-3.759	0.133	17	20	-2.213	-2.235	0.101
14	41	-3.522	-2.529	0.035	16	1	-0.059	-3.801	0.045	17	21	-2.906	-2.879	0.105
14	42	-3.575	-3.088	0.023	16	2	-0.838	-2.925	0.066	17	22	-2.423	-3.484	0.209
14	43	-3.586	-3.332	0.038	16	3	-1.743	-2.817	0.090	17	23	-4.035	-3.204	0.192
14	44	-4.247	-3.552	0.046	16	4	-1.691	-2.781	0.116	17	24	-2.224	-2.177	0.174
14	45	-4.453	-3.481	0.036	16	5	-0.932	-3.020	0.172	17	25	-3.337	-2.687	0.059
14	46	-4.483	-2.865	0.019	16	6	-0.409	-3.875	0.050	17	26	-2.579	-2.987	0.090
14	47	-4.187	-4.258	0.012	16	7	-0.514	-3.683	0.055	17	27	-3.376	-2.173	0.148
14	48	-3.748	-3.279	0.003	16	8	-0.521	-3.409	0.152	17	28	-3.313	-2.804	0.075
14	49	-3.348	-3.049	0.021	16	9	-2.119	-4.016	0.065	17	29	-2.215	-2.994	0.212
14	50	-4.411	-3.330	0.017	16	10	-1.058	-2.992	0.278	17	30	-2.563	-3.710	0.024
14	51	-3.569	-3.449	0.033	16	11	-2.599	-3.115	0.050	17	31	-2.208	-3.080	0.176
14	52	-3.829	-4.450	0.005	16	12	-2.890	-3.730	0.046	17	32	-2.534	-3.600	0.077
14	53	-2.478	-3.573	0.011	16	13	-1.283	-4.683	0.037	17	33	-1.991	-3.219	0.140
14	54	-2.308	-3.259	0.015	16	14	-0.866	-2.456	0.168	17	34	-3.901	-2.606	0.101
14	55	-2.714	-3.815	0.021	16	15	-1.128	-2.415	0.123	17	35	-2.721	-3.047	0.038
14	56	-2.157	-3.685	0.035	16	16	-2.181	-3.920	0.043	17	36	-3.653	-3.425	0.084
14	57	-3.448	-2.791	0.029	16	17	-1.240	-3.222	0.013	17	37	-3.279	-3.112	0.063
14	58	-4.046	-1.308	0.033	16	18	-0.354	-2.554	0.138	17	38	-1.928	-2.363	0.185
14	59	-2.649	-1.436	0.042	16	19	-1.561	-3.879	0.007	17	39	-1.989	-3.415	0.053
15	0	-2.716	-1.733	0.057	16	20	-1.850	-4.087	0.041	17	40	-1.652	-3.464	0.092
15	1	-2.952	-1.943	0.014	16	21	-1.589	-2.854	0.003	17	41	-2.046	-4.132	0.100
15	2	-4.626	-1.947	0.096	16	22	-0.575	-2.374	0.044	17	42	-1.631	-3.409	0.168
15	3	-4.396	-0.892	0.044	16	23	-0.661	-2.352	0.033	17	43	-2.200	-3.878	0.057
15	4	-3.565	-1.768	0.029	16	24	-0.580	-2.162	0.035	17	44	-2.246	-3.888	0.025
15	5	-2.551	-3.732	0.016	16	25	-0.358	-2.983	0.076	17	45	-1.026	-3.199	0.142
15	6	-2.800	-4.730	0.012	16	26	-0.425	-3.344	0.234	17	46	-1.830	-2.810	0.207
15	7	-2.508	-4.519	0.018	16	27	-0.596	-3.244	0.141	17	47	-1.315	-2.670	0.231
15	8	-2.357	-4.016	0.057	16	28	-0.560	-2.972	0.188	17	48	-1.540	-3.194	0.112
15	9	-2.690	-3.780	0.046	16	29	-2.666	-3.766	0.218	17	49	-1.741	-3.002	0.172
15	10	-3.932	-4.577	0.013	16	30	-3.399	-3.524	0.083	17	50	-2.089	-2.909	0.072
15	11	-3.739	-4.560	0.007	16	31	-2.607	-2.868	0.024	17	51	-2.449	-3.220	0.074
15	12	-3.481	-4.857	0.007	16	32	-1.567	-2.443	0.090	17	52	-2.039	-2.945	0.247
15	13	-2.485	-4.859	0.026	16	33	-1.728	-2.319	0.168	17	53	-1.490	-2.305	0.088
15	14	-2.640	-3.173	0.030	16	34	-0.953	-3.110	0.055	17	54	-0.498	-1.160	0.131
15	15	-3.772	-3.721	0.008	16	35	-1.365	-4.251	0.100	17	55	-0.263	-2.145	0.050
15	16	-3.857	-3.637	0.041	16	36	-1.599	-4.177	0.088	17	56	-1.214	-3.084	0.108
15	17	-3.642	-3.565	0.010	16	37	-2.326	-3.585	0.071	17	57	-0.912	-3.657	0.043
15	18	-4.039	-3.631	0.017	16	38	-1.780	-3.519	0.064	17	58	-0.542	-2.883	0.121
15	19	-3.255	-2.417	0.024	16	39	-1.991	-3.021	0.025	17	59	-2.046	-2.808	0.100
15	20	-3.203	-1.757	0.018	16	40	-1.368	-2.847	0.035	18	0	-1.903	-3.132	0.017
15	21	-3.434	-2.116	0.043	16	41	-1.055	-3.345	0.148	18	1	-2.335	-2.332	0.025
15	22	-3.249	-2.389	0.060	16	42	-1.059	-4.043	0.109	18	2	-2.532	-2.085	0.040
15	23	-4.408	-2.176	0.012	16	43	-1.218	-3.408	0.139	18	3	-2.128	-2.251	0.016
15	24	-4.226	-2.306	0.020	16	44	-1.067	-3.621	0.070	18	4	-0.972	-1.621	0.179
15	25	-3.348	-1.968	0.031	16	45	-0.830	-4.192	0.095	18	5	-2.401	-0.526	0.041
15	26	-1.234	-2.998	0.110	16	46	-0.671	-3.906	0.187	18	6	-2.290	-0.760	0.089
15	27	-0.818	-3.621	0.078	16	47	-1.873	-3.737	0.109	18	7	-2.595	-1.462	0.167
15	28	-1.312	-4.329	0.047	16	48	-2.341	-4.960	0.045	18	8	-2.668	-1.755	0.102
15	29	-1.974	-4.619	0.016	16	49	-2.734	-4.291	0.009	18	9	-3.028	-2.323	0.015
15	30	-0.632	-3.235	0.047	16	50	-2.338	-3.668	0.030	18	10	-3.415	-0.799	0.005
15	31	-1.146	-1.907	0.005	16	51	-1.996	-3.779	0.134	18	11	-2.119	-0.583	0.007
15	32	-1.903	-2.121	0.016	16	52	-2.449	-4.444	0.072	18	12	-1.002	-1.535	0.202
15	33	-1.522	-2.411	0.050	16	53	-1.990	-3.424	0.113	18	13	-0.807	-2.759	0.130
15	34	-2.010	-1.403	0.014	16	54	-2.401	-2.886	0.015	18	14	-1.074	-2.594	0.080



18	15	-2.261	-2.249	0.014	19	35	-1.213	-1.539	0.003	20	55	0.540	0.513	0.119
18	16	-2.142	-1.730	0.042	19	36	-1.144	-1.333	0.003	20	56	0.657	0.498	0.016
18	17	-1.579	-1.931	0.042	19	37	-0.727	-1.083	0.006	20	57	0.557	0.508	0.008
18	18	-1.398	-1.524	0.029	19	38	-0.604	-1.140	0.006	20	58	0.732	0.514	0.038
18	19	-1.248	-1.507	0.069	19	39	-0.423	-1.298	0.000	20	59	1.162	0.692	0.080
18	20	-1.513	-1.489	0.150	19	40	-0.331	-1.058	0.000	21	0	1.254	0.723	0.070
18	21	-1.813	-2.393	0.012	19	41	-0.171	-1.015	0.000	21	1	0.719	0.353	0.197
18	22	-1.678	-2.493	0.050	19	42	-0.127	-0.935	0.000	21	2	0.966	0.154	0.044
18	23	-1.645	-2.864	0.059	19	43	0.040	-0.766	0.000	21	3	0.527	0.195	0.140
18	24	-2.506	-3.011	0.043	19	44	0.246	-0.614	0.002	21	4	0.856	0.000	0.004
18	25	-1.738	-2.088	0.053	19	45	0.323	-0.660	0.003	21	5	0.252	0.014	0.035
18	26	-0.696	-1.656	0.113	19	46	0.006	-0.575	0.013	21	6	0.752	0.083	0.019
18	27	-0.366	-2.082	0.024	19	47	0.031	-0.649	0.016	21	7	0.693	0.116	0.003
18	28	-0.735	-2.021	0.154	19	48	0.097	-0.707	0.006	21	8	1.175	0.102	0.010
18	29	-0.774	-2.401	0.029	19	49	0.008	-0.787	0.004	21	9	0.955	0.192	0.022
18	30	-0.295	-2.773	0.016	19	50	-0.298	-1.414	0.003	21	10	0.704	0.520	0.002
18	31	-0.237	-2.600	0.067	19	51	-0.185	-1.121	0.011	21	11	0.984	0.263	0.004
18	32	-0.684	-2.546	0.050	19	52	0.282	-0.941	0.020	21	12	0.779	0.119	0.129
18	33	-0.737	-2.592	0.026	19	53	0.317	-0.642	0.038	21	13	1.002	0.476	0.009
18	34	-0.542	-2.188	0.014	19	54	0.034	-0.049	0.113	21	14	0.730	0.447	0.032
18	35	-0.615	-1.553	0.038	19	55	0.095	0.000	0.067	21	15	0.998	0.883	0.002
18	36	-1.364	-1.519	0.016	19	56	-0.110	0.000	0.210	21	16	1.414	0.854	0.023
18	37	-1.705	-1.012	0.036	19	57	-0.219	-0.299	0.001	21	17	1.565	0.524	0.082
18	38	-1.589	-1.026	0.018	19	58	-0.445	-0.626	-0.000	21	18	1.657	0.564	0.059
18	39	-1.392	-1.847	0.032	19	59	-0.554	-0.568	-0.002	21	19	1.182	0.416	0.105
18	40	-1.165	-2.379	0.106	20	0	-0.625	-0.941	0.000	21	20	1.151	0.281	0.064
18	41	-1.173	-2.146	0.026	20	1	-0.355	-1.159	0.007	21	21	0.867	0.498	0.062
18	42	-1.643	-2.156	0.016	20	2	-0.033	-1.533	0.002	21	22	0.594	0.650	0.042
18	43	-2.110	-1.893	0.047	20	3	-0.164	-1.512	0.013	21	23	1.164	0.447	0.065
18	44	-1.919	-2.818	0.017	20	4	-0.024	-1.406	0.012	21	24	1.199	0.268	0.032
18	45	-2.393	-2.934	0.019	20	5	0.017	-1.337	0.006	21	25	1.174	0.466	0.012
18	46	-1.623	-2.417	0.092	20	6	0.015	-0.924	0.013	21	26	0.956	0.307	0.022
18	47	-1.190	-2.241	0.098	20	7	0.053	-0.501	0.024	21	27	1.597	0.063	0.030
18	48	-0.998	-2.508	0.040	20	8	0.039	-0.621	0.024	21	39	0.000	0.000	0.000
18	49	-0.661	-1.910	0.013	20	9	0.160	-0.704	0.041	21	40	1.027	0.103	0.019
18	50	-0.691	-1.423	0.007	20	10	0.690	-0.932	0.021	21	41	0.758	0.258	0.087
18	51	-0.360	-1.792	0.007	20	11	0.661	-1.302	0.005	21	42	0.922	0.555	0.035
18	52	-0.657	-1.139	0.047	20	12	0.390	-1.311	0.016	21	43	0.681	0.584	0.053
18	53	-0.249	-1.210	0.022	20	13	0.064	-1.484	0.014	21	44	1.144	0.610	0.018
18	54	-0.038	-0.329	0.098	20	14	0.294	-0.694	0.028	21	45	0.999	0.672	0.048
18	55	-0.950	-1.432	0.024	20	15	1.059	-0.012	0.094	21	46	1.070	0.541	0.020
18	56	-0.776	-1.546	0.015	20	16	1.056	0.000	0.034	21	47	1.163	0.196	0.059
18	57	-0.968	-1.845	0.037	20	17	0.928	-0.000	0.027	21	48	1.554	0.434	0.044
18	58	-0.971	-0.808	0.017	20	18	0.782	-0.188	0.004	21	49	2.103	0.304	0.059
18	59	-0.541	-0.638	0.010	20	19	0.259	-0.621	0.004	21	50	2.276	0.336	0.068
19	0	-0.399	-0.110	0.011	20	20	0.311	-0.827	0.034	21	51	2.390	0.410	0.062
19	1	-0.583	-0.458	0.051	20	21	0.303	-0.067	0.121	21	52	2.023	0.321	0.085
19	2	-1.018	-1.891	0.013	20	22	1.100	0.028	0.063	21	53	2.315	0.220	0.105
19	3	-0.626	-2.197	0.050	20	23	1.053	0.023	0.114	21	54	2.381	0.077	0.087
19	4	-0.732	-2.327	0.059	20	24	0.840	0.488	0.084	21	55	2.310	0.153	0.097
19	5	-0.170	-1.914	0.056	20	25	0.692	0.660	0.049	21	56	2.218	0.027	0.117
19	6	-0.171	-1.798	0.054	20	26	0.770	0.764	0.049	21	57	1.874	0.046	0.111
19	7	-0.171	-1.607	0.064	20	27	0.600	0.765	0.002	21	58	1.992	0.148	0.068
19	8	-0.303	-1.901	0.053	20	28	0.252	0.429	0.104	21	59	2.286	0.228	0.042
19	9	-0.735	-2.844	0.058	20	29	0.000	0.027	0.200	22	0	1.951	0.059	0.201
19	10	-1.320	-2.716	0.054	20	30	-0.565	-0.020	0.015	22	1	1.976	0.093	0.131
19	11	-1.014	-2.930	0.025	20	31	-1.047	0.141	0.002	22	2	2.143	0.244	0.087
19	12	-1.132	-3.408	0.038	20	32	-1.173	0.460	0.000	22	3	2.196	0.059	0.065
19	13	-1.139	-2.897	0.028	20	33	-1.270	0.135	0.000	22	4	1.450	0.084	0.074
19	14	-1.677	-2.667	0.093	20	34	-0.935	0.000	0.000	22	5	1.526	0.033	0.069
19	15	-0.964	-3.040	0.048	20	35	-0.763	0.080	0.004	22	6	1.480	0.209	0.120
19	16	-1.292	-2.432	0.051	20	36	-0.104	0.212	0.128	22	7	2.148	0.050	0.064
19	17	-1.337	-2.221	0.040	20	37	0.000	0.068	0.077	22	8	1.826	0.207	0.015
19	18	-1.441	-2.683	0.030	20	38	-0.000	0.194	0.191	22	9	2.025	0.151	0.051
19	19	-1.474	-2.443	0.036	20	39	-0.003	0.123	0.611	22	10	2.124	0.020	0.115
19	20	-1.307	-2.259	0.053	20	40	-0.009	0.092	0.467	22	11	1.898	0.001	0.118
19	21	-0.783	-1.811	0.077	20	41	0.005	0.272	0.415	22	12	2.341	0.028	0.164
19	22	-1.037	-1.930	0.024	20	42	-0.018	0.214	0.534	22	13	2.327	-0.081	0.107
19	23	-1.065	-2.360	0.025	20	43	0.004	0.423	0.331	22	14	2.272	-0.046	0.101
19	24	-0.854	-2.282	0.017	20	44	0.033	0.471	0.403	22	15	1.821	0.127	0.111
19	25	-0.882	-1.681	0.018	20	45	0.063	0.048	0.479	22	16	2.231	-0.047	0.095
19	26	-1.021	-2.057	0.015	20	46	0.037	0.033	0.348	22	17	1.899	0.137	0.116
19	27	-1.113	-2.060	0.006	20	47	0.000	0.015	0.302	22	18	1.500	0.041	0.111
19	28	-1.090	-1.487	0.043	20	48	0.000	0.000	0.001	22	19	1.399	0.039	0.092
19	29	-0.218	-0.836	0.006	20	49	0.000	-0.096	0.010	22	20	1.698	0.250	0.146
19	30	-0.875	-0.946	0.000	20	50	0.000	-0.083	0.000	22	21	2.047	0.019	0.148
19	31	-1.202	-1.127	0.008	20	51	0.000	0.000	0.002	22	22	2.338	0.105	0.131
19	32	-1.333	-1.358	0.008	20	52	0.000	0.000	0.000	22	23	1.914	0.057	0.100
19	33	-1.258	-1.373	0.003	20	53	0.000	0.000	0.000	22	24	2.288	0.038	0.089
19	34	-0.844	-1.370	0.008	20	54	0.524	0.072	0.060	22	25	2.059	0.000	0.143





22	26	2.004	0.032	0.096
22	27	1.961	0.237	0.058
22	28	1.719	0.378	0.024
22	29	1.631	0.276	0.029
22	30	1.424	0.040	0.087
22	31	1.364	0.000	0.029
22	32	1.384	0.330	0.187
22	33	1.808	0.375	0.065
22	34	1.764	0.270	0.050
22	35	1.180	0.188	0.047
22	36	0.962	0.188	0.036
22	37	0.338	0.021	0.106
22	38	0.837	0.061	0.011
22	39	0.996	0.318	0.030
22	40	1.066	0.291	0.059
22	41	1.339	0.373	0.016
22	42	1.337	0.232	0.041
22	43	1.497	0.450	0.047





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

3	20	0.972	0.290	0.001	4	40	0.000	0.557	0.096	6	0	-1.191	-0.629	0.000
3	21	1.112	0.831	0.009	4	41	0.000	0.503	0.128	6	1	-1.031	-0.448	0.000
3	22	0.781	0.662	0.007	4	42	-0.001	0.505	0.110	6	2	-0.195	-0.130	0.000
3	23	0.808	0.658	0.002	4	43	0.000	0.526	0.069	6	3	-0.142	-0.003	0.000
3	24	0.624	0.746	0.001	4	44	0.000	0.529	0.038	6	4	-0.838	-0.345	0.000
3	25	0.439	0.693	0.000	4	45	0.000	0.539	0.022	6	5	-1.040	-0.313	0.000
3	26	0.337	0.583	0.000	4	46	0.000	0.450	0.009	6	6	-0.750	-0.044	0.000
3	27	0.008	0.218	0.006	4	47	0.000	0.485	0.003	6	7	-0.576	0.000	0.000
3	28	0.000	0.263	0.000	4	48	0.034	0.074	0.053	6	8	-0.545	0.000	0.000
3	29	0.143	0.026	0.024	4	49	0.237	0.000	0.023	6	9	-0.670	-0.001	0.000
3	30	0.000	0.077	0.041	4	50	0.049	0.000	0.056	6	10	-0.647	-0.000	0.000
3	31	0.137	0.443	0.009	4	51	0.569	0.267	0.002	6	11	-0.607	-0.067	0.000
3	32	0.070	0.187	0.022	4	52	0.663	0.000	0.023	6	12	-0.671	-0.000	0.000
3	33	0.038	0.050	0.061	4	53	0.852	0.000	0.000	6	13	-0.975	0.000	0.000
3	34	0.043	0.004	0.085	4	54	0.962	0.000	0.000	6	14	-0.871	-0.568	0.000
3	35	0.000	0.000	0.051	4	55	1.093	0.000	0.000	6	15	-0.519	-1.489	0.000
3	36	0.000	0.000	0.001	4	56	1.103	0.000	0.000	6	16	-0.465	-1.926	0.000
3	37	0.000	0.094	0.000	4	57	1.143	0.000	0.000	6	17	-1.131	-2.645	0.000
3	38	0.000	0.193	0.000	4	58	1.140	0.003	0.000	6	18	-1.304	-2.616	0.002
3	39	0.000	0.567	0.000	4	59	1.179	0.010	0.000	6	19	-1.550	-2.352	0.000
3	40	-0.350	0.560	0.000	5	0	1.243	0.000	0.000	6	20	-1.036	-2.419	0.003
3	41	-0.658	0.433	0.000	5	1	1.249	0.000	0.000	6	21	-1.455	-2.088	0.007
3	42	-0.721	0.421	0.000	5	2	1.286	0.000	0.000	6	22	-2.001	-2.068	0.002
3	43	-0.773	0.395	0.000	5	3	1.334	0.000	0.001	6	23	-2.154	-3.034	0.006
3	44	-0.943	0.312	0.000	5	4	1.369	0.000	0.000	6	24	-1.374	-2.862	0.015
3	45	-1.146	0.015	0.000	5	5	1.287	-0.029	0.000	6	25	-2.056	-2.318	0.003
3	46	-1.287	-0.008	0.000	5	6	1.348	-0.007	0.000	6	26	-2.276	-2.573	0.003
3	47	-1.381	-0.019	0.000	5	7	1.227	-0.002	0.000	6	27	-2.828	-2.564	0.009
3	48	-1.129	0.006	0.000	5	8	0.942	-0.003	0.001	6	28	-2.626	-2.878	0.027
3	49	-0.883	0.180	0.000	5	9	0.995	0.000	0.000	6	29	-2.570	-3.366	0.037
3	50	-0.391	0.340	0.000	5	10	1.170	-0.002	0.000	6	30	-2.884	-3.716	0.013
3	51	0.000	0.180	0.000	5	11	1.534	-0.112	0.003	6	31	-2.607	-3.164	0.021
3	52	0.001	0.000	0.001	5	12	1.651	-0.310	0.004	6	32	-2.762	-2.150	0.012
3	53	-0.001	0.000	0.006	5	13	1.825	-0.319	0.011	6	33	-2.905	-2.010	0.001
3	54	0.000	0.206	0.011	5	14	1.788	-0.498	0.012	6	34	-3.045	-1.996	0.000
3	55	-0.000	0.569	0.035	5	15	1.953	-0.457	0.005	6	35	-2.723	-1.888	0.006
3	56	-0.001	0.480	0.031	5	16	1.349	-0.432	0.014	6	36	-2.967	-1.621	0.004
3	57	0.000	0.518	0.017	5	17	1.104	-0.594	0.019	6	37	-2.923	-1.662	0.004
3	58	0.000	0.578	0.008	5	18	1.142	-0.590	0.002	6	38	-2.813	-2.135	0.001
3	59	0.000	0.443	0.045	5	19	0.844	-0.463	0.001	6	39	-2.907	-2.264	0.000
4	0	0.000	0.460	0.007	5	20	0.050	-0.151	0.029	6	40	-2.764	-2.281	0.002
4	1	0.000	0.423	0.003	5	21	-0.778	-0.549	0.000	6	41	-2.635	-2.259	0.002
4	2	0.000	0.593	0.033	5	22	-0.815	-0.369	0.000	6	42	-2.630	-1.822	0.000
4	3	0.000	0.839	0.002	5	23	-1.033	-0.004	0.000	6	43	-2.787	-1.465	0.001
4	4	0.000	0.726	0.004	5	24	-0.975	-0.001	0.000	6	44	-2.674	-1.959	0.004
4	5	0.000	0.507	0.010	5	25	-0.906	-0.016	0.000	6	45	-2.776	-2.166	0.003
4	6	-0.000	0.202	0.049	5	26	-0.899	-0.031	0.000	6	46	-2.472	-1.539	0.005
4	7	0.000	0.000	0.014	5	27	-0.729	-0.003	0.000	6	47	-2.447	-1.365	0.000
4	8	0.000	0.003	0.000	5	28	-0.294	-0.000	0.000	6	48	-1.940	-1.547	0.003
4	9	0.000	0.000	0.000	5	29	0.000	-0.074	0.000	6	49	-2.479	-1.135	-0.001
4	10	0.000	0.000	0.000	5	30	0.085	0.230	0.084	6	50	-1.274	-0.983	0.000
4	11	0.000	0.000	0.012	5	31	0.013	0.006	0.152	6	51	-0.900	-1.262	0.000
4	12	0.000	0.283	0.076	5	32	0.001	0.002	0.057	6	52	-1.060	-1.802	0.000
4	13	0.000	0.316	0.063	5	33	0.000	0.000	0.000	6	53	-0.811	-1.330	0.000
4	14	0.000	0.382	0.050	5	34	0.000	-0.000	0.000	6	54	-0.799	-1.144	0.000
4	15	0.000	0.498	0.014	5	35	0.000	-0.003	0.000	6	55	-0.507	-1.121	0.000
4	16	0.000	0.580	0.000	5	36	0.000	0.000	0.000	6	56	-0.629	-0.802	0.000
4	17	0.000	0.771	0.000	5	37	0.000	-0.001	0.000	6	57	-0.365	-0.856	0.000
4	18	0.000	0.892	0.000	5	38	0.000	0.000	0.000	6	58	-0.591	-0.521	0.000
4	19	0.000	0.881	0.000	5	39	0.000	0.000	0.000	6	59	-0.237	-0.244	0.000
4	20	0.000	0.947	0.000	5	40	0.000	0.000	0.000	7	0	0.000	-0.160	0.000
4	21	0.000	0.979	0.000	5	41	-0.767	0.041	0.000	7	1	-0.021	0.056	0.009
4	22	0.000	0.826	0.000	5	42	-1.335	0.252	0.000	7	2	-0.275	0.018	0.019
4	23	0.000	0.529	0.003	5	43	-1.258	0.895	0.000	7	3	-0.179	0.000	0.000
4	24	0.000	0.054	0.081	5	44	-1.061	1.052	0.000	7	4	-0.344	0.941	0.001
4	25	0.000	0.238	0.207	5	45	-0.380	0.852	0.000	7	5	-0.158	0.591	0.002
4	26	0.000	0.108	0.060	5	46	-0.117	0.332	0.000	7	6	-0.343	0.652	0.001
4	27	0.000	0.000	0.108	5	47	0.000	0.128	0.053	7	7	-0.748	0.140	0.000
4	28	0.029	0.000	0.015	5	48	0.009	0.352	0.023	7	8	-0.828	0.107	0.000
4	29	0.000	0.000	0.007	5	49	0.002	0.140	0.073	7	9	-1.227	0.667	0.000
4	30	0.000	0.014	0.086	5	50	0.000	0.106	0.000	7	10	-1.532	0.631	0.000
4	31	0.000	0.000	0.025	5	51	0.000	0.000	0.000	7	11	-1.258	0.315	0.000
4	32	0.000	0.000	0.000	5	52	0.000	0.002	0.000	7	12	-1.866	0.586	0.003
4	33	-0.521	0.000	0.000	5	53	-0.372	-0.095	0.000	7	13	-1.539	0.438	0.000
4	34	-0.910	0.125	0.000	5	54	-0.938	-0.499	0.000	7	14	-1.548	0.481	0.000
4	35	-0.682	0.111	0.000	5	55	-1.053	-0.450	0.000	7	15	-1.160	0.406	0.000
4	36	-0.132	0.343	0.000	5	56	-1.291	-0.321	0.000	7	16	-0.579	0.540	0.000
4	37	0.000	0.198	0.076	5	57	-1.208	-0.503	0.000	7	17	-0.681	0.244	0.000
4	38	-0.002	0.465	0.156	5	58	-0.679	-0.750	0.000	7	18	-0.347	0.038	0.000
4	39	0.000	0.306	0.069	5	59	-0.808	-0.729	0.000	7	19	-0.087	0.095	0.000



Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

3	18	2.546	-0.170	0.024	4	38	0.000	0.929	0.011	5	58	0.873	0.047	0.011
3	19	2.555	0.234	0.008	4	39	0.000	0.816	0.004	5	59	0.540	0.422	0.144
3	20	2.122	0.028	0.010	4	40	0.000	0.429	0.016	6	0	0.582	0.719	0.019
3	21	2.284	0.091	0.007	4	41	0.000	0.000	0.000	6	1	0.808	0.549	0.014
3	22	1.779	-0.007	0.014	4	42	0.000	0.000	0.000	6	2	0.699	0.565	0.012
3	23	1.855	-0.098	0.022	4	43	0.000	0.192	0.000	6	3	0.670	0.297	0.037
3	24	1.882	-0.169	0.008	4	44	0.000	0.706	0.000	6	4	0.747	0.581	0.041
3	25	1.845	-0.296	0.011	4	45	0.000	0.766	0.001	6	5	1.058	0.600	0.002
3	26	2.303	-0.462	0.016	4	46	0.000	0.338	0.015	6	6	1.098	0.193	0.009
3	27	2.437	-0.583	0.010	4	47	0.000	0.695	0.011	6	7	1.046	0.037	0.032
3	28	2.536	-0.293	0.017	4	48	0.000	0.641	0.006	6	8	0.709	0.184	0.004
3	29	1.920	-0.221	0.039	4	49	0.000	0.534	0.000	6	9	0.875	0.680	0.014
3	30	1.964	-0.116	0.037	4	50	0.000	0.019	0.009	6	10	0.931	0.551	0.036
3	31	1.704	-0.211	0.029	4	51	0.000	0.000	0.011	6	11	0.984	0.805	0.086
3	32	1.900	-0.288	0.041	4	52	0.000	0.000	0.028	6	12	1.072	0.644	0.073
3	33	2.489	-0.469	0.034	4	53	0.000	0.000	0.006	6	13	1.219	0.975	0.059
3	34	2.652	-0.639	0.015	4	54	0.000	0.000	0.003	6	14	1.291	0.874	0.044
3	35	2.292	-0.118	0.011	4	55	0.000	0.000	0.000	6	15	1.364	0.893	0.076
3	36	2.471	-0.376	0.023	4	56	0.000	0.000	0.000	6	16	1.087	0.523	0.063
3	37	2.276	-0.327	0.017	4	57	0.000	0.000	0.000	6	17	1.144	0.169	0.036
3	38	2.361	-0.386	0.041	4	58	0.000	0.000	0.000	6	18	0.967	0.022	0.009
3	39	2.866	-0.494	0.055	4	59	0.000	0.000	0.000	6	19	0.827	0.000	0.005
3	40	2.277	-0.358	0.068	5	0	0.000	0.000	0.000	6	20	0.939	0.002	0.001
3	41	2.639	-0.211	0.027	5	1	0.000	0.000	0.000	6	21	0.977	0.000	0.002
3	42	2.291	-0.148	0.040	5	2	0.000	0.000	0.000	6	22	0.466	0.000	0.025
3	43	2.599	-0.394	0.026	5	3	0.617	0.000	0.001	6	23	0.000	0.000	0.012
3	44	1.945	-0.382	0.033	5	4	0.719	0.026	0.001	6	24	0.000	0.000	0.063
3	45	2.257	-0.313	0.008	5	5	1.064	0.445	0.000	6	25	0.000	0.178	0.062
3	46	1.640	-0.048	0.014	5	6	0.965	0.315	0.002	6	26	0.000	0.083	0.126
3	47	1.249	-0.289	0.038	5	7	1.229	0.399	0.006	6	27	0.000	0.000	0.050
3	48	1.686	-0.056	0.013	5	8	1.272	0.540	0.001	6	28	0.000	0.000	0.000
3	49	1.498	-0.283	0.002	5	9	0.945	0.561	0.002	6	29	0.000	0.017	0.151
3	50	1.842	-0.197	0.015	5	10	1.201	0.650	0.000	6	30	0.000	0.118	0.135
3	51	1.915	-0.285	0.028	5	11	1.184	0.724	0.003	6	31	0.000	0.003	0.225
3	52	1.672	-0.314	0.016	5	12	1.422	0.771	0.003	6	32	0.000	0.177	0.116
3	53	1.201	-0.245	0.101	5	13	1.449	0.699	0.004	6	33	0.000	0.314	0.023
3	54	1.283	-0.288	0.038	5	14	1.273	0.496	0.006	6	34	0.000	0.111	0.113
3	55	0.994	-0.258	0.073	5	15	1.052	0.185	0.004	6	35	0.000	0.170	0.168
3	56	0.768	-0.548	0.076	5	16	0.861	0.000	0.001	6	36	0.000	0.436	0.125
3	57	0.845	-0.419	0.036	5	17	0.622	0.000	0.002	6	37	0.000	0.589	0.053
3	58	0.816	-0.204	0.011	5	18	0.731	0.000	0.000	6	38	-0.000	0.620	0.006
3	59	0.822	-0.263	0.000	5	19	0.459	0.000	0.002	6	39	0.000	0.657	0.000
4	0	0.853	-0.032	0.008	5	20	0.448	0.000	0.002	6	40	0.000	0.597	0.024
4	1	0.840	-0.002	0.006	5	21	0.386	0.000	0.002	6	41	-0.003	0.381	0.071
4	2	0.669	-0.004	0.004	5	22	0.343	0.000	0.000	6	42	0.000	0.578	0.024
4	3	1.066	-0.166	0.012	5	23	0.044	0.000	0.000	6	43	0.001	0.925	0.045
4	4	0.985	-0.079	0.005	5	24	0.000	0.000	0.021	6	44	0.011	1.051	0.001
4	5	1.055	-0.012	0.007	5	25	0.000	0.000	0.004	6	45	0.000	0.993	0.001
4	6	0.993	0.000	0.012	5	26	0.000	0.000	0.017	6	46	0.000	0.910	0.013
4	7	0.822	0.171	0.060	5	27	0.000	0.000	0.006	6	47	0.000	0.923	0.009
4	8	0.715	0.037	0.065	5	28	0.000	0.000	0.019	6	48	0.000	0.832	0.019
4	9	0.026	0.548	0.024	5	29	0.000	0.000	0.010	6	49	0.000	0.768	0.011
4	10	0.040	0.439	0.032	5	30	0.136	0.000	0.018	6	50	0.000	0.888	0.009
4	11	0.005	0.121	0.183	5	31	0.451	0.000	0.006	6	51	0.000	0.908	0.026
4	12	0.000	-0.035	0.074	5	32	0.572	0.000	0.033	6	52	0.000	0.681	0.031
4	13	0.242	-0.010	0.018	5	33	0.891	0.000	0.004	6	53	0.262	0.794	0.020
4	14	1.115	0.014	-0.003	5	34	1.025	0.000	0.034	6	54	0.910	1.009	0.031
4	15	0.584	-0.001	-0.001	5	35	0.684	0.048	0.089	6	55	1.019	1.122	0.034
4	16	0.992	0.040	0.038	5	36	1.142	0.440	0.014	6	56	1.059	1.101	0.018
4	17	0.899	-0.003	0.022	5	37	1.273	0.186	0.039	6	57	1.121	1.089	0.028
4	18	1.125	0.063	0.025	5	38	1.158	0.000	0.015	6	58	1.123	1.124	0.016
4	19	1.565	-0.011	0.040	5	39	1.565	0.036	0.016	6	59	1.168	1.193	0.024
4	20	1.430	0.454	0.011	5	40	1.509	0.135	0.030	7	0	1.194	1.233	0.043
4	21	1.312	0.047	0.020	5	41	1.082	0.011	0.020	7	1	1.136	1.199	0.027
4	22	1.531	-0.018	0.034	5	42	0.917	0.000	0.009	7	2	1.051	1.230	0.054
4	23	1.483	0.058	0.018	5	43	1.032	0.029	0.000	7	3	1.046	1.212	0.040
4	24	1.119	0.201	0.052	5	44	0.707	0.046	0.011	7	4	1.601	1.382	0.026
4	25	0.594	0.412	0.022	5	45	0.639	0.116	0.028	7	5	1.259	1.311	0.030
4	26	0.531	0.438	0.007	5	46	0.770	0.000	0.070	7	6	1.158	1.265	0.027
4	27	0.305	0.251	0.038	5	47	0.883	0.266	0.045	7	7	1.562	1.316	0.027
4	28	0.000	0.440	0.024	5	48	1.435	0.132	0.025	7	8	1.737	1.327	0.029
4	29	0.000	0.003	0.094	5	49	1.754	0.208	0.012	7	9	1.516	1.298	0.012
4	30	0.000	0.121	0.055	5	50	1.589	0.334	0.034	7	10	1.105	1.243	0.010
4	31	0.619	0.645	0.008	5	51	1.604	0.038	0.029	7	11	0.918	1.215	0.022
4	32	1.067	0.809	0.015	5	52	1.362	0.183	0.054	7	12	0.931	1.195	0.016
4	33	0.847	0.832	0.015	5	53	1.200	0.276	0.017	7	13	1.336	1.115	0.017
4	34	0.587	0.575	0.004	5	54	0.579	0.089	0.067	7	14	1.146	0.358	0.046
4	35	0.000	0.629	0.052	5	55	0.906	0.047	0.045	7	15	0.906	0.343	0.005
4	36	0.000	0.899	0.024	5	56	1.440	0.059	0.031	7	16	0.698	0.443	0.023
4	37	-0.010	0.909	0.018	5	57	1.337	0.102	0.005	7	17	0.986	0.117	0.023



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

11	46	2.023	0.006	0.016	13	6	1.412	0.067	0.056	14	26	2.312	-0.183	0.040
11	47	1.837	-0.064	0.091	13	7	1.632	0.096	0.023	14	27	2.255	-0.453	0.028
11	48	2.171	-0.406	0.069	13	8	1.867	0.223	0.028	14	28	1.669	-0.047	0.078
11	49	2.133	-0.025	0.041	13	9	1.868	0.419	0.066	14	29	1.819	0.264	0.038
11	50	1.389	-0.074	0.023	13	10	1.820	0.115	0.084	14	30	1.833	-0.049	0.049
11	51	1.862	-0.156	0.055	13	11	1.514	0.012	0.035	14	31	1.193	-0.019	0.063
11	52	2.047	-0.245	0.101	13	12	1.603	0.108	0.039	14	32	1.427	0.011	0.037
11	53	2.526	-0.472	0.064	13	13	1.113	0.196	0.151	14	33	1.636	-0.394	0.065
11	54	2.776	-0.207	0.031	13	14	1.448	0.159	0.083	14	34	1.505	-0.044	0.147
11	55	2.629	-0.241	0.031	13	15	1.776	0.186	0.030	14	35	1.719	0.029	0.054
11	56	1.489	-0.260	0.143	13	16	1.550	0.339	0.052	14	36	1.651	0.031	0.064
11	57	1.352	-0.081	0.106	13	17	1.006	0.003	0.153	14	37	1.211	0.142	0.049
11	58	2.073	-0.124	0.071	13	18	1.531	0.004	0.041	14	38	1.802	0.213	0.039
11	59	1.555	-0.021	0.153	13	19	2.313	0.023	0.062	14	39	1.697	0.148	0.051
12	0	1.581	-0.119	0.090	13	20	2.279	0.008	0.059	14	40	1.793	0.046	0.095
12	1	2.000	-0.205	0.070	13	21	2.139	0.145	0.035	14	41	1.593	0.247	0.093
12	2	1.460	0.002	0.026	13	22	2.395	0.029	0.057	14	42	1.902	0.079	0.057
12	3	1.766	0.036	0.025	13	23	2.476	0.099	0.027	14	43	2.223	0.098	0.029
12	4	2.528	-0.005	0.054	13	24	2.116	0.076	0.063	14	44	1.896	0.128	0.029
12	5	2.348	0.006	0.054	13	25	2.221	0.022	0.071	14	45	1.546	0.166	0.037
12	6	2.211	-0.001	0.042	13	26	2.466	0.140	0.050	14	46	1.293	0.372	0.134
12	7	2.152	-0.017	0.010	13	27	2.776	0.150	0.035	14	47	1.460	0.117	0.150
12	8	2.325	-0.025	0.060	13	28	2.750	0.001	0.038	14	48	1.893	0.078	0.036
12	9	1.862	-0.007	0.043	13	29	2.550	0.016	0.054	14	49	1.516	0.111	0.016
12	10	1.662	-0.048	0.011	13	30	2.776	0.104	0.041	14	50	1.468	0.057	0.053
12	11	1.801	-0.039	0.014	13	31	2.588	0.107	0.068	14	51	1.597	0.011	0.032
12	12	1.707	-0.018	0.030	13	32	2.631	-0.114	0.037	14	52	1.741	0.138	0.050
12	13	1.862	-0.009	0.028	13	33	2.406	0.025	0.044	14	53	1.656	-0.004	0.033
12	14	1.859	0.006	0.035	13	34	2.590	-0.106	0.041	14	54	1.384	0.039	0.104
12	15	1.907	0.029	0.020	13	35	2.317	-0.051	0.073	14	55	1.456	-0.043	0.203
12	16	1.911	0.065	0.018	13	36	2.335	-0.042	0.105	14	56	1.540	0.037	0.112
12	17	1.640	0.196	0.063	13	37	2.901	-0.138	0.051	14	57	1.205	0.104	0.185
12	18	1.811	-0.080	0.050	13	38	2.902	-0.168	0.032	14	58	1.767	0.495	0.109
12	19	1.785	0.033	0.110	13	39	2.826	-0.027	0.058	14	59	1.730	0.288	0.195
12	20	1.237	0.128	0.036	13	40	2.942	-0.167	0.034	15	0	2.169	0.153	0.101
12	21	1.184	0.223	0.053	13	41	2.440	-0.122	0.059	15	1	2.136	0.125	0.104
12	22	1.298	0.274	0.089	13	42	2.928	-0.068	0.113	15	2	2.227	-0.163	0.052
12	23	1.453	0.035	0.050	13	43	3.002	-0.000	0.053	15	3	2.038	-0.039	0.131
12	24	1.543	-0.125	0.055	13	44	2.338	-0.055	0.030	15	4	1.802	0.037	0.076
12	25	1.435	-0.008	0.032	13	45	2.224	-0.031	0.052	15	5	2.244	-0.000	0.066
12	26	1.192	0.088	0.093	13	46	2.237	-0.070	0.045	15	6	1.990	0.023	0.082
12	27	1.288	0.073	0.004	13	47	1.759	-0.048	0.093	15	7	2.006	0.172	0.084
12	28	1.363	0.024	0.017	13	48	1.124	-0.020	0.040	15	8	2.462	-0.050	0.072
12	29	1.239	-0.252	0.010	13	49	1.306	0.015	0.045	15	9	2.426	0.621	0.083
12	30	1.134	-0.153	0.052	13	50	2.043	0.014	0.036	15	10	2.758	0.405	0.058
12	31	1.785	-0.040	0.055	13	51	2.005	-0.029	0.016	15	11	2.552	0.218	0.070
12	32	1.007	-0.230	0.120	13	52	1.500	0.006	0.021	15	12	2.887	0.295	0.061
12	33	1.478	-0.267	0.073	13	53	2.037	0.078	0.040	15	13	2.601	0.009	0.057
12	34	1.867	-0.020	0.049	13	54	1.780	0.078	0.021	15	14	2.213	0.014	0.057
12	35	1.965	0.000	0.097	13	55	1.972	-0.100	0.028	15	15	2.549	0.036	0.089
12	36	2.450	0.008	0.043	13	56	2.163	-0.246	0.014	15	16	2.326	0.032	0.025
12	37	2.358	-0.009	0.082	13	57	1.377	-0.050	0.041	15	17	2.349	0.020	0.063
12	38	2.594	0.026	0.043	13	58	1.217	0.067	0.088	15	18	2.414	-0.012	0.049
12	39	2.463	-0.074	0.027	13	59	2.118	0.147	0.050	15	19	1.839	0.036	0.090
12	40	1.676	-0.020	0.083	14	0	1.957	-0.029	0.020	15	20	2.387	0.036	0.078
12	41	2.262	0.000	0.029	14	1	1.634	0.231	0.044	15	21	2.429	0.046	0.055
12	42	1.874	-0.043	0.034	14	2	1.789	0.007	0.012	15	22	2.303	-0.078	0.045
12	43	1.910	-0.118	0.014	14	3	1.543	0.438	0.016	15	23	1.505	-0.171	0.093
12	44	1.478	-0.020	0.007	14	4	1.631	0.388	0.024	15	24	2.035	-0.028	0.040
12	45	1.588	-0.002	0.015	14	5	1.994	0.117	0.033	15	25	2.252	0.227	0.047
12	46	2.189	-0.063	0.024	14	6	2.015	0.072	0.007	15	26	1.881	0.193	0.080
12	47	1.840	-0.006	0.023	14	7	1.905	-0.021	0.010	15	27	1.908	0.003	0.067
12	48	1.674	-0.061	0.059	14	8	1.613	-0.110	0.064	15	28	1.745	-0.006	0.081
12	49	1.453	0.510	0.116	14	9	1.252	-0.142	0.106	15	29	1.540	0.205	0.100
12	50	2.078	0.028	0.038	14	10	1.641	0.002	0.018	15	30	1.852	0.005	0.035
12	51	2.096	0.133	0.054	14	11	1.668	0.013	0.010	15	31	1.590	0.043	0.081
12	52	1.693	0.205	0.046	14	12	2.514	0.138	0.026	15	32	1.820	0.194	0.056
12	53	1.329	0.459	0.075	14	13	2.617	0.093	0.028	15	33	1.097	0.006	0.133
12	54	1.470	0.226	0.136	14	14	2.342	0.028	0.018	15	34	1.418	0.015	0.048
12	55	1.927	0.164	0.035	14	15	2.220	-0.022	0.030	15	35	1.409	0.108	0.045
12	56	1.719	0.461	0.073	14	16	1.298	-0.061	0.070	15	36	1.302	0.203	0.043
12	57	1.807	0.225	0.060	14	17	1.368	-0.007	0.077	15	37	1.707	0.004	0.021
12	58	2.102	0.059	0.045	14	18	1.431	0.071	0.068	15	38	1.557	-0.046	0.052
12	59	1.766	0.535	0.053	14	19	1.756	-0.068	0.061	15	39	1.443	-0.102	0.042
13	0	1.935	0.697	0.055	14	20	1.983	0.021	0.038	15	40	1.514	-0.324	0.075
13	1	1.929	0.348	0.048	14	21	2.228	0.012	0.033	15	41	1.485	-0.288	0.060
13	2	1.812	0.225	0.068	14	22	1.926	-0.006	0.090	15	42	2.462	-0.459	0.092
13	3	1.963	0.087	0.036	14	23	1.729	0.008	0.045	15	43	2.451	-0.683	0.071
13	4	1.902	0.266	0.050	14	24	1.737	-0.020	0.040	15	44	1.582	-1.224	0.019
13	5	1.858	0.155	0.029	14	25	1.773	-0.022	0.056	15	45	1.184	-0.478	0.009





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

7	18	0.512	0.064	0.119	8	38	0.920	1.066	0.011	10	7	2.186	-0.059	0.058
7	19	0.677	0.053	0.077	8	39	1.009	1.115	0.023	10	8	3.189	-0.146	0.052
7	20	0.458	0.042	0.050	8	40	0.585	1.031	0.028	10	9	2.289	0.323	0.174
7	21	0.514	0.006	0.079	8	41	0.650	1.067	0.017					
7	22	0.712	0.241	0.031	8	42	0.484	0.990	0.043	10	30	2.451	0.009	0.063
7	23	0.846	0.564	0.012	8	43	0.688	1.004	0.015	10	31	2.806	-0.083	0.055
7	24	0.803	0.768	0.041	8	44	1.055	1.082	0.013	10	32	2.096	-0.002	0.058
7	25	1.037	0.926	0.032	8	45	1.076	1.022	0.011	10	33	1.905	-0.044	0.091
7	26	0.795	0.890	0.053	8	46	0.532	0.166	0.037	10	34	2.164	-0.135	0.084
7	27	1.087	0.961	0.024	8	47	0.408	0.024	0.103	10	35	1.654	-0.213	0.094
7	28	1.044	1.007	0.017	8	48	0.624	0.010	0.088	10	36	2.104	-0.090	0.085
7	29	0.934	1.021	0.011	8	49	0.552	0.278	0.072	10	37	1.959	-0.020	0.075
7	30	0.860	1.020	0.003	8	50	1.104	0.485	0.043	10	38	1.872	-0.173	0.070
7	31	0.875	0.989	0.008	8	51	1.805	0.213	0.045	10	39	2.461	-0.376	0.037
7	32	0.867	0.937	0.037	8	52	1.629	0.086	0.073	10	40	2.160	-0.294	0.049
7	33	0.899	0.887	0.019	8	53	1.664	0.027	0.074	10	41	1.722	-0.197	0.075
7	34	0.554	0.826	0.034	8	54	2.240	0.058	0.042	10	42	1.962	-0.707	0.054
7	35	0.341	0.801	0.069	8	55	1.956	0.085	0.042	10	43	1.962	-0.091	0.060
7	36	1.054	0.679	0.049	8	56	2.185	-0.063	0.035	10	44	2.400	-0.263	0.058
7	37	1.317	0.871	0.010	8	57	2.572	-0.424	0.091	10	45	2.198	-0.638	0.027
7	38	0.698	0.984	0.023	8	58	2.596	0.009	0.086	10	46	2.021	-0.782	0.031
7	39	0.718	1.136	0.021	8	59	2.863	-0.276	0.047	10	47	1.738	-1.066	0.074
7	40	0.910	0.992	0.017	9	0	3.053	-0.362	0.049	10	48	1.567	-0.420	0.132
7	41	1.001	1.031	0.028	9	1	2.884	-0.075	0.059	10	49	1.826	-0.635	0.144
7	42	0.764	0.978	0.025	9	2	2.552	0.129	0.039	10	50	2.536	-0.570	0.041
7	43	1.265	0.957	0.038	9	3	2.807	0.096	0.030	10	51	2.691	-0.414	0.005
7	44	0.829	0.932	0.050	9	4	2.305	-0.016	0.025	10	52	2.145	-0.032	0.066
7	45	0.813	0.958	0.034	9	5	2.263	0.052	0.048	10	53	2.325	0.076	0.115
7	46	0.266	0.722	0.064	9	6	2.375	-0.092	0.038	10	54	2.498	-0.027	0.079
7	47	0.106	0.000	0.078	9	7	3.649	-0.049	0.064	10	55	1.947	-0.036	0.071
7	48	0.628	0.008	0.029	9	8	3.329	-0.020	0.058	10	56	1.901	-0.091	0.028
7	49	0.047	0.000	0.092	9	9	2.997	-0.010	0.055	10	57	1.949	-0.060	0.057
7	50	0.000	0.000	-0.004	9	10	2.679	-0.091	0.032	10	58	1.964	-0.012	0.011
7	51	-0.000	0.055	0.031	9	11	2.239	-0.331	0.033	10	59	2.682	-0.008	0.053
7	52	-0.001	0.325	0.058	9	12	1.731	0.363	0.075	11	0	2.886	-0.014	0.057
7	53	0.000	0.457	0.012	9	13	1.953	0.022	0.027	11	1	2.996	0.183	0.041
7	54	-0.000	0.497	0.026	9	14	1.562	-0.208	0.070	11	2	2.993	-0.071	0.122
7	55	0.000	0.689	0.021	9	15	1.926	-0.036	-0.014	11	3	2.989	-0.055	0.086
7	56	0.000	0.767	0.020	9	16	1.232	-0.053	0.078	11	4	2.490	-0.085	0.081
7	57	0.011	0.842	0.060	9	17	1.043	-0.214	0.024	11	5	2.422	-0.102	0.070
7	58	0.000	0.874	0.041	9	18	2.025	-0.158	0.019	11	6	2.563	-0.171	0.046
7	59	0.000	0.995	0.004	9	19	1.715	-0.479	0.060	11	7	2.016	-0.089	0.106
8	0	0.261	1.186	0.036	9	20	1.483	-0.354	0.071	11	8	1.995	-0.145	0.003
8	1	0.000	1.175	0.032	9	21	1.198	-0.117	0.057	11	9	1.309	-0.124	0.061
8	2	0.000	1.213	0.025	9	22	1.228	-0.319	0.038	11	10	1.109	-0.231	0.034
8	3	0.000	1.229	0.019	9	23	1.631	-0.192	0.053	11	11	0.955	-0.135	0.028
8	4	0.254	1.206	0.051	9	24	1.678	0.012	-0.013	11	12	1.039	-0.017	0.014
8	5	0.000	1.082	0.021	9	25	1.601	0.003	0.039	11	13	1.501	-0.355	0.060
8	6	0.127	1.142	0.029	9	26	1.842	-0.072	0.035	11	14	2.044	-0.582	0.095
8	7	0.236	1.164	0.028	9	27	2.189	-0.410	0.056	11	15	1.513	-0.843	0.132
8	8	0.632	1.160	0.049	9	28	2.058	-0.263	0.042	11	16	1.900	-1.041	0.084
8	9	0.266	1.035	0.026	9	29	2.172	-0.043	0.042	11	17	2.413	-1.166	0.040
8	10	0.272	1.140	0.032	9	30	2.690	-0.051	0.060	11	18	2.265	-0.902	0.037
8	11	0.037	1.364	0.032	9	31	2.741	-0.071	0.051	11	19	1.409	-0.466	0.106
8	12	0.165	1.643	0.014	9	32	2.530	-0.001	0.004	11	20	1.267	-0.424	0.090
8	13	0.639	1.562	0.040	9	33	2.126	-0.081	0.039	11	21	1.271	-0.051	0.072
8	14	1.144	1.669	0.025						11	22	1.672	0.174	0.059
8	15	0.821	1.649	0.019	9	44	2.200	-0.181	0.044	11	23	1.884	0.113	0.068
8	16	0.754	1.739	0.016	9	45	3.37	-0.224	0.024	11	24	2.906	-0.051	0.046
8	17	0.486	1.768	0.035	9	46	2.534	-0.407	0.089	11	25	2.574	-0.022	0.053
8	18	0.877	2.042	0.036	9	47	2.303	-0.238	0.113	11	26	2.431	0.021	0.082
8	19	1.275	2.064	0.016	9	48	2.645	-0.123	0.060	11	27	3.241	0.086	0.082
8	20	0.738	1.782	0.024	9	49	2.790	0.053	0.074	11	28	3.170	-0.063	0.050
8	21	2.006	1.879	0.015	9	50	2.765	0.177	0.063	11	29	2.041	0.115	0.103
8	22	1.926	1.407	0.037	9	51	2.459	0.128	0.050	11	30	1.965	0.467	0.080
8	23	1.373	1.079	0.033	9	52	2.344	-0.089	0.064	11	31	2.509	0.282	0.115
8	24	1.719	0.418	0.004	9	53	2.537	-0.164	0.033	11	32	2.453	0.085	0.059
8	25	1.081	0.002	0.065	9	54	2.380	-0.135	0.025	11	33	1.971	0.195	0.072
8	26	1.189	0.195	0.028	9	55	2.592	-0.018	0.006	11	34	1.465	0.107	0.101
8	27	1.371	0.432	0.017	9	56	1.774	0.164	0.026	11	35	1.902	0.321	0.035
8	28	0.727	0.056	0.071	9	57	2.162	-0.187	0.007	11	36	2.321	0.402	0.025
8	29	0.814	0.024	0.098	9	58	1.820	0.014	0.065	11	37	1.842	0.173	0.046
8	30	1.349	0.000	0.040	9	59	2.417	-0.663	0.038	11	38	2.323	0.127	0.046
8	31	1.963	0.022	0.019	10	0	2.155	-0.454	0.096	11	39	2.415	0.216	0.073
8	32	1.659	0.000	0.035	10	1	1.840	-0.029	0.038	11	40	2.352	0.297	0.056
8	33	0.762	0.329	0.016	10	2	2.554	-0.517	0.011	11	41	2.664	0.180	0.040
8	34	0.904	0.974	0.034	10	3	1.778	-0.183	0.061	11	42	2.367	0.130	0.033
8	35	1.067	1.135	0.015	10	4	2.560	-0.441	0.058	11	43	1.658	0.419	0.097
8	36	0.990	1.089	0.020	10	5	2.851	-0.659	0.026	11	44	1.494	0.271	0.098
8	37	1.137	1.060	0.001	10	6	2.859	-0.568	0.062	11	45	1.897	0.138	0.063





15	46	1.610	-0.672	0.046
15	47	2.072	-0.952	0.062
15	48	2.258	-0.819	0.048
15	49	2.431	-0.749	0.061
15	50	2.058	-0.870	0.040
15	51	2.330	-1.199	0.136
15	52	3.105	-0.926	0.035
15	53	2.509	-0.316	0.110
15	54	3.158	-0.728	0.123
15	55	2.794	-1.275	0.105
15	56	3.023	-2.093	0.057
15	57	2.915	-1.665	0.106
15	58	3.333	-1.321	0.084
15	59	2.801	-0.898	0.046
16	0	1.245	-0.824	0.224
16	1	1.740	-0.645	0.131
16	2	3.133	-1.694	0.052
16	3	1.715	-1.272	0.120
16	4	2.806	-1.231	0.081
16	5	2.817	-1.276	0.061
16	6	2.534	-0.315	0.068
16	7	2.613	-0.350	0.023
16	8	2.003	-0.266	0.082
16	9	1.441	-0.553	0.193
16	10	1.395	-0.949	0.113
16	11	1.869	-1.618	0.050
16	12	1.484	-0.389	0.116
16	13	1.397	-0.129	0.171
16	14	1.343	-0.304	0.121
16	15	1.148	-0.146	0.102
16	16	1.761	-0.159	0.061
16	17	1.908	-0.989	0.036
16	18	2.040	-0.575	0.025
16	19	1.993	-0.540	0.103
16	20	1.903	-0.383	0.015



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

R M YOUNG 26700 SERIES
DATA TRANSLATOR/RECORDER

Time U V W
hour mins M/S M/S M/S

12/07/95

7	29	-1.605	-0.340	0.000
7	30	-2.120	-0.343	0.000
7	31	-2.218	-0.484	0.000
7	32	-1.808	-0.586	0.001
7	33	-1.345	-0.370	0.000
7	34	-1.176	-0.131	0.000
7	35	-0.467	0.000	0.000
7	36	0.000	0.017	0.004
7	37	0.000	0.000	0.008
7	38	-0.000	0.000	0.003
7	39	0.000	0.229	0.025
7	40	0.002	0.455	0.015
7	41	0.000	0.021	0.000
7	42	0.000	0.160	0.007
7	43	0.000	0.820	0.001
7	44	0.000	0.792	0.011
7	45	0.207	0.822	0.004
7	46	0.192	0.750	0.000
7	47	0.571	0.758	0.001
7	48	0.498	0.649	0.000
7	49	0.000	0.500	0.007
7	50	0.318	0.581	0.009
7	51	0.189	0.152	0.022
7	52	0.089	0.309	0.029
7	53	0.007	0.443	0.020
7	54	0.103	0.840	0.001
7	55	0.000	0.983	0.003
7	56	0.000	1.052	0.002
7	57	0.003	0.794	0.015
7	58	0.000	0.838	0.003
7	59	0.000	0.382	0.018
8	0	0.000	0.136	0.006
8	1	-0.068	0.673	0.002
8	2	-0.014	1.041	0.003
8	3	-0.020	0.491	0.004
8	4	-0.000	0.474	0.011
8	5	-0.000	0.666	0.001
8	6	-0.007	0.537	0.009
8	7	0.000	0.686	0.006
8	8	0.296	0.825	0.008
8	9	0.400	0.705	0.003
8	10	0.518	1.053	0.006
8	11	0.971	0.997	0.003
8	12	0.598	0.461	0.000
8	13	0.181	0.778	0.001
8	14	0.515	1.098	0.000
8	15	1.217	0.947	0.009
8	16	1.134	0.805	0.000
8	17	0.587	0.252	0.019
8	18	0.070	0.099	0.024
8	19	-0.013	1.156	0.005
8	20	0.025	1.570	0.006
8	21	0.058	1.555	0.001
8	22	0.000	1.349	0.000
8	23	0.001	0.918	0.000
8	24	0.421	0.954	0.000
8	25	0.313	1.102	0.014
8	26	0.270	0.913	0.004
8	27	0.762	1.027	0.002
8	28	0.394	0.631	0.012
8	29	0.143	0.655	0.016
8	30	-0.006	0.750	0.005
8	31	-0.007	0.679	0.004
8	32	-0.000	1.142	0.000
8	33	0.014	1.075	0.000
8	34	0.036	0.486	0.001
8	35	-0.039	0.546	0.003
8	36	-0.036	0.919	0.005
8	37	-0.144	0.807	0.001
8	38	-0.017	0.621	0.000
8	39	-0.225	0.142	0.009

8	40	0.001	0.000	0.000
8	41	0.023	0.096	0.017
8	42	0.079	0.256	0.016
8	43	-0.113	0.512	0.014
8	44	-0.108	0.467	-0.000
8	45	-0.028	0.288	-0.001
8	46	0.000	0.107	0.000
8	47	0.032	0.280	0.016
8	48	0.059	0.313	0.019
8	49	-0.018	0.179	0.028
8	50	0.036	0.365	0.012
8	51	0.101	0.409	0.002
8	52	0.039	0.267	0.062
8	53	0.968	0.323	0.003
8	54	1.384	0.075	0.001
8	55	1.246	0.371	0.013
8	56	1.398	0.421	0.023
8	57	0.862	0.184	0.000
8	58	0.208	0.501	0.000
8	59	0.026	0.668	-0.001
9	0	-0.001	0.145	0.000
9	1	-0.068	0.430	0.039
9	2	0.048	0.591	0.012
9	3	0.636	0.629	0.009
9	4	1.155	-0.178	0.011
9	5	1.301	-0.632	0.002
9	6	1.031	-0.716	0.000
9	7	0.625	-0.750	0.000
9	8	0.280	-0.854	0.000
9	9	0.126	-0.681	0.000
9	10	0.583	-0.893	0.001
9	11	0.282	-0.457	-0.000
9	12	0.045	-0.646	0.000
9	13	0.406	-0.114	0.000
9	14	0.859	-0.679	0.015
9	15	0.710	-0.493	0.000
9	16	0.597	-0.129	0.000
9	17	0.742	-0.020	0.000
9	18	0.643	-0.022	0.000
9	19	0.243	-0.018	0.000
9	20	0.005	-0.005	0.000
9	21	0.000	0.000	0.000
9	22	-0.002	0.010	0.030
9	23	-0.317	-0.035	0.006
9	24	0.197	0.009	0.008
9	25	0.061	0.034	0.017
9	26	-0.036	0.023	0.022
9	27	-0.381	0.212	0.007
9	28	0.001	0.573	0.038
9	29	-0.063	1.034	0.012
9	30	-0.205	1.296	0.001
9	31	0.000	0.000	0.000
9	32	0.045	0.895	0.005
9	33	0.016	0.484	0.033
9	34	-0.091	1.164	0.000
9	35	-0.042	0.757	0.000
9	36	0.073	0.328	0.004
9	37	0.090	0.372	0.012
9	38	0.508	0.000	0.009
9	39	0.101	0.154	0.007
9	40	0.016	1.143	0.027
9	41	-0.040	0.735	0.013
9	42	-0.016	0.628	0.000
9	43	0.023	0.446	0.000
9	44	0.230	0.006	0.000
9	45	0.280	0.000	0.000
9	46	-0.323	-0.457	0.000
9	47	0.000	0.000	0.000
9	48	-0.455	-0.261	0.007
9	49	0.000	0.000	0.000
9	50	0.623	-1.330	0.014
9	51	0.467	-0.942	0.001
9	52	0.280	-0.463	0.001
9	53	-0.451	-0.127	0.006
9	54	-1.798	-0.832	-0.004
9	55	-2.101	-0.162	0.004
9	56	-2.143	-0.143	0.002
9	57	-1.603	-0.679	-0.003
9	58	-1.290	-0.936	0.002
9	59	-0.337	-1.862	0.003

10	0	-0.127	-2.357	0.007
10	1	0.105	-1.941	0.004
10	2	0.461	-1.867	0.004
10	4	0.000	0.000	0.000
10	5	0.200	-1.426	0.000
10	6	-0.007	-1.194	-0.000
10	7	0.839	-0.418	0.000
10	8	0.225	-0.096	0.002
10	9	-0.163	-0.257	-0.006
10	10	0.101	-0.181	0.000
10	11	0.321	0.098	0.005
10	12	0.498	-0.282	0.002
10	13	1.512	-1.032	0.004
10	14	1.108	-0.979	0.000
10	15	1.280	-0.735	0.005
10	16	1.069	-0.705	0.010
10	17	0.682	-0.620	-0.000
10	18	0.002	-0.903	-0.002
10	19	0.166	-0.975	-0.003
10	20	0.401	-0.149	-0.003
10	21	0.057	0.472	-0.000
10	22	-0.113	0.513	0.003
10	23	-0.064	0.124	0.031
10	24	-0.075	-0.350	0.001
10	25	0.108	-0.313	0.002
10	26	-0.393	-1.276	0.017
10	27	0.165	-1.110	0.032
10	28	-0.660	-1.983	0.021
10	29	-0.224	-2.602	0.007
10	30	-0.438	-1.646	-0.002
10	31	0.141	-1.369	0.022
10	32	-0.547	-1.366	-0.001
10	33	-1.253	-1.748	-0.003
10	34	-0.590	-1.395	-0.003
10	35	-0.101	-1.165	0.015
10	36	0.013	-0.949	0.008
10	37	0.031	-0.650	0.000
10	38	-0.102	-0.575	0.000
10	39	-0.281	-0.468	0.000
10	40	-0.461	-0.084	-0.001
10	41	-0.751	0.069	0.001
10	42	-0.458	0.024	0.001
10	43	-1.279	-0.206	0.007
10	44	-1.785	-0.300	0.000
10	45	-1.065	0.094	0.002
10	46	-1.192	-0.883	0.007
10	47	-1.834	-0.595	-0.004
10	48	-1.712	-0.086	-0.002
10	49	-2.148	0.192	0.005
10	50	-1.809	0.474	-0.007
10	51	-1.352	0.556	-0.006
10	52	-0.172	0.852	0.002
10	53	0.017	1.317	0.006
10	54	0.006	0.880	0.043
10	55	-0.689	0.417	0.011
10	56	-1.353	0.542	0.000
10	57	-1.549	0.556	0.002
10	58	-1.865	0.098	0.000
10	59	-1.067	0.052	0.004
11	0	-1.345	0.003	0.000
11	1	-0.914	0.014	0.003
11	2	-1.258	-1.038	0.000
11	3	-2.092	-1.064	0.000
11	4	-1.971	-0.933	0.000
11	5	-1.938	-0.490	0.003
11	6	-2.135	0.006	0.002
11	7	-1.663	0.279	0.000
11	8	-0.959	-0.126	0.007
11	9	-1.318	0.321	0.003
11	10	-1.262	-0.153	0.009
11	11	-1.310	-0.140	-0.001
11	12	-0.436	-0.001	0.000
11	13	-0.554	0.024	0.000
11	14	-0.263	0.008	0.000
11	15	-0.716	-0.127	0.000
11	16	-0.797	-0.264	0.001
11	17	-0.882	-0.317	0.001
11	18	-0.398	-1.143	0.001
11	19	-0.183	-1.101	0.000
11	20	0.067	-0.652	0.000





Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

11	21	0.124	-0.418	0.018	12	41	-3.735	0.485	0.026	14	1	0.765	0.000	0.007
11	22	-0.617	-0.443	0.004	12	42	-3.852	1.041	0.033	14	2	0.673	0.000	0.000
11	23	-2.696	-1.210	0.001	12	43	-2.335	1.762	0.010	14	3	0.880	0.000	0.001
11	24	-2.994	-1.010	0.005	12	44	-1.807	2.926	0.008	14	4	0.863	0.000	0.000
11	25	-3.230	-1.520	0.002	12	45	-1.773	1.652	0.025	14	5	1.103	-0.026	0.012
11	26	-3.113	-1.623	0.008	12	46	-2.103	1.403	0.060	14	6	0.881	0.162	0.044
11	27	-4.197	-1.892	0.005	12	47	-2.802	0.994	0.046	14	7	1.326	0.510	0.070
11	28	-3.713	-0.421	0.000	12	48	-3.626	1.762	0.011	14	8	1.784	0.797	0.001
11	29	-3.052	-0.223	0.001	12	49	-1.785	1.605	0.020	14	9	1.744	0.576	0.012
11	30	-2.071	-0.119	0.002	12	50	-3.208	2.837	0.043	14	10	1.801	0.177	0.026
11	31	-2.389	0.007	0.002	12	51	-1.135	3.065	0.014	14	11	1.520	0.058	0.011
11	32	-2.257	-0.120	0.006	12	52	-0.046	2.786	0.030	14	12	1.343	0.026	0.002
11	33	-2.900	-0.650	0.002	12	53	-0.514	2.293	0.032	14	13	1.101	0.138	0.004
11	34	-2.819	-1.147	-0.001	12	54	-0.454	0.928	0.002	14	14	0.902	0.000	0.000
11	35	-2.496	-0.866	0.001	12	55	-0.832	0.317	0.003	14	15	0.656	0.352	0.029
11	36	-2.572	-1.413	0.001	12	56	-0.997	-0.000	0.000	14	16	0.500	0.598	0.000
11	37	-3.709	-1.428	0.020	12	57	-0.552	-0.089	-0.001	14	17	0.103	0.404	0.013
11	38	-3.263	-0.539	0.000	12	58	0.014	0.492	0.013	14	18	0.134	0.611	0.009
11	39	-2.501	0.162	0.000	12	59	0.000	0.419	0.039	14	19	0.117	0.667	0.008
11	40	-1.519	1.611	0.012	13	0	0.000	0.517	0.001	14	20	-0.011	1.344	0.002
11	41	-0.261	2.261	0.009	13	1	0.000	0.937	0.003	14	21	0.009	1.405	0.000
11	42	0.319	2.459	0.023	13	2	0.000	1.049	0.002	14	22	0.001	1.644	0.004
11	43	1.307	2.847	0.036	13	3	0.000	0.468	0.023	14	23	0.015	1.543	0.002
11	44	1.994	3.056	0.022	13	4	0.001	0.619	0.013	14	24	0.018	1.320	0.003
11	45	2.209	2.156	0.042	13	5	0.000	0.616	0.014	14	25	0.000	1.973	0.001
11	46	2.960	1.198	0.027	13	6	-0.314	0.690	0.025	14	26	0.018	1.986	0.000
11	47	3.030	1.286	0.026	13	7	-0.081	0.809	0.001	14	27	-0.031	1.869	0.001
11	48	3.524	1.062	0.047	13	8	-0.000	0.778	0.005	14	28	-0.084	1.617	0.003
11	49	3.861	0.215	0.042	13	9	-0.049	0.939	0.004	14	29	-0.028	1.291	0.004
11	50	4.650	1.045	0.076	13	10	0.000	1.142	0.000	14	30	-0.003	0.966	0.040
11	51	3.428	0.231	0.042	13	11	0.001	0.933	0.009	14	31	-0.000	1.177	0.009
11	52	3.700	-0.027	0.062	13	12	0.000	1.175	0.016	14	32	0.000	1.293	0.004
11	53	3.031	-0.445	0.083	13	13	0.179	1.365	0.000	14	33	0.008	1.330	0.011
11	54	3.359	-0.162	0.029	13	14	0.067	0.858	0.007	14	34	-0.000	1.076	0.022
11	55	1.992	-1.101	0.025	13	15	0.231	0.994	0.008	14	35	0.028	1.046	0.010
11	56	1.717	-1.463	0.000	13	16	0.853	1.234	0.004	14	36	0.673	0.882	0.005
11	57	0.481	-1.850	0.009	13	17	0.819	1.057	0.007	14	37	0.984	0.706	0.002
11	58	0.000	-1.313	0.005	13	18	0.757	0.906	0.000	14	38	1.026	0.852	0.000
11	59	0.007	-1.025	0.000	13	19	0.661	0.280	0.027	14	39	0.999	0.226	0.012
12	0	0.776	-0.748	0.019	13	20	0.872	0.396	0.004	14	40	1.279	0.139	0.006
12	1	1.629	-0.620	0.042	13	21	0.797	0.501	0.001	14	41	1.046	0.000	0.011
12	2	1.908	-0.633	0.004	13	22	0.895	0.234	0.004	14	42	1.033	0.162	0.010
12	3	2.050	-0.418	0.007	13	23	0.939	0.188	0.028	14	43	0.913	0.074	0.001
12	4	1.987	-0.116	0.009	13	24	1.300	0.053	0.037	14	44	0.235	0.001	0.005
12	5	2.267	-0.294	0.007	13	25	1.579	-0.006	0.007	14	45	0.185	0.005	0.004
12	6	2.290	-0.215	0.031	13	26	1.573	-0.208	0.010	14	46	0.441	-0.207	0.053
12	7	3.159	0.157	0.048	13	27	2.013	-0.606	0.012	14	47	0.000	0.564	0.032
12	8	2.902	0.440	0.022	13	28	1.747	-0.357	0.010	14	48	0.000	0.707	0.000
12	9	2.712	1.283	0.074	13	29	1.122	-0.316	0.055	14	49	0.000	0.121	0.000
12	10	2.569	1.113	0.024	13	30	1.467	0.013	0.010	14	50	0.000	0.643	0.000
12	11	2.355	0.690	0.038	13	31	1.365	0.035	0.001	14	51	0.000	0.594	0.000
12	12	2.446	1.015	0.005	13	32	1.040	0.025	0.003	14	52	-0.003	0.095	0.054
12	13	2.268	0.263	0.062	13	33	0.947	0.118	0.002	14	53	0.547	0.000	0.010
12	14	1.996	0.228	0.008	13	34	0.671	0.357	0.016	14	54	1.006	0.000	0.006
12	15	1.964	0.060	0.023	13	35	0.988	0.351	0.046	14	55	1.082	0.000	0.000
12	16	2.120	0.637	0.030	13	36	1.514	0.596	0.000	14	56	0.903	0.000	0.002
12	17	2.129	1.125	0.028	13	37	1.892	0.565	0.004	14	57	1.186	0.000	0.000
12	18	1.809	1.123	0.008	13	38	2.320	0.392	0.013	14	58	1.198	0.000	0.001
12	19	1.821	0.616	0.027	13	39	2.657	0.350	0.014	14	59	1.253	0.000	0.000
12	20	2.120	0.630	0.012	13	40	2.766	0.198	0.032	15	0	1.225	0.000	0.000
12	21	2.109	0.528	0.004	13	41	2.761	-0.010	0.030	15	1	1.093	0.000	0.000
12	22	1.992	0.710	0.011	13	42	2.708	-0.030	0.023	15	2	0.911	0.124	0.000
12	23	1.831	1.007	0.017	13	43	2.487	-0.115	0.030	15	3	1.088	0.612	0.001
12	24	2.144	1.248	0.010	13	44	1.952	0.397	0.028	15	4	1.198	0.775	0.001
12	25	2.463	1.580	0.020	13	45	2.347	0.363	0.009	15	5	1.363	0.539	0.002
12	26	1.937	1.906	0.021	13	46	2.305	0.304	0.002	15	6	0.933	0.220	0.008
12	27	1.429	2.218	0.025	13	47	2.543	0.188	0.008	15	7	1.040	0.198	0.001
12	28	0.532	1.565	0.024	13	48	2.459	-0.035	0.033	15	8	0.832	0.447	0.005
12	29	-0.849	1.312	0.008	13	49	3.016	0.058	0.030	15	9	0.663	0.863	0.015
12	30	-2.122	0.911	0.000	13	50	2.360	0.232	0.033	15	10	0.468	1.332	0.000
12	31	-2.607	0.887	0.003	13	51	1.917	0.288	0.017	15	11	0.000	1.096	0.007
12	32	-2.841	1.308	0.009	13	52	1.754	0.094	0.003	15	12	0.057	1.166	0.004
12	33	-2.753	1.875	0.006	13	53	1.066	0.220	0.003	15	13	0.094	1.216	0.000
12	34	-3.835	1.280	0.028	13	54	1.361	0.546	0.003	15	14	0.029	1.192	0.013
12	35	-4.832	1.476	0.024	13	55	1.060	0.446	0.003	15	15	0.020	1.491	0.036
12	36	-4.561	2.962	0.025	13	56	0.609	0.895	0.032	15	16	1.226	1.466	0.010
12	37	-4.869	3.415	0.015	13	57	0.558	0.481	0.001	15	17	1.080	1.581	0.000
12	38	-3.987	2.092	0.061	13	58	0.603	0.014	0.011	15	18	1.233	1.410	0.006
12	39	-2.982	1.191	0.041	13	59	0.522	0.000	0.007	15	19	1.233	1.166	0.008
12	40	-4.035	0.882	0.014	14	0	0.634	0.001	0.001	15	20	1.447	1.331	0.001





Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

15	21	1.080	1.453	0.000	16	41	1.732	0.886	0.005	18	1	1.140	0.163	0.000
15	22	0.916	1.150	0.000	16	42	1.499	0.932	0.003	18	2	0.679	0.067	0.012
15	23	0.536	0.896	0.002	16	43	1.478	1.083	0.001	18	3	1.304	-0.115	0.000
15	24	0.314	0.643	0.000	16	44	1.163	1.166	0.001	18	4	1.669	0.047	0.000
15	25	0.263	0.856	0.000	16	45	1.070	1.228	0.000	18	5	1.817	-0.017	0.000
15	26	0.357	0.906	0.001	16	46	1.083	1.267	0.004	18	6	1.195	0.054	0.000
15	27	0.952	1.044	0.000	16	47	1.020	1.267	0.000	18	7	1.818	0.066	0.000
15	28	0.763	1.014	0.000	16	48	1.363	1.342	0.000	18	8	1.806	-0.000	0.000
15	29	0.886	1.048	0.000	16	49	1.103	1.308	0.002	18	9	1.549	0.325	0.001
15	30	0.940	1.041	0.010	16	50	1.109	1.339	0.001	18	10	1.687	0.547	0.001
15	31	0.916	0.985	0.001	16	51	1.048	1.306	0.005	18	11	1.684	0.671	0.008
15	32	0.993	0.903	0.000	16	52	1.300	1.361	0.000	18	12	1.985	0.653	0.000
15	33	1.166	0.413	0.000	16	53	1.362	1.387	0.000	18	13	1.455	0.638	0.002
15	34	1.057	-0.000	0.000	16	54	1.387	1.404	0.004	18	14	1.480	0.779	0.001
15	35	0.466	0.000	0.000	16	55	1.606	1.475	0.004	18	15	1.700	0.683	0.002
15	36	0.484	0.097	0.000	16	56	1.345	1.491	0.012	18	16	1.528	0.147	0.007
15	37	0.723	0.089	0.009	16	57	1.726	1.543	0.002	18	17	1.461	0.416	0.005
15	38	0.085	0.018	0.000	16	58	1.767	1.525	0.001	18	18	1.632	0.445	0.015
15	39	0.692	0.000	0.000	16	59	1.383	1.458	0.005	18	19	1.170	0.290	0.012
15	40	0.603	-0.061	0.003	17	0	1.112	1.424	0.003	18	20	1.371	0.522	0.005
15	41	1.333	-0.018	0.009	17	1	1.436	1.511	0.004	18	21	0.805	0.609	0.003
15	42	1.139	-0.123	0.003	17	2	1.469	1.529	0.006	18	22	0.512	0.630	0.007
15	43	1.017	0.000	0.000	17	3	1.465	1.523	0.004	18	23	0.823	0.454	0.011
15	44	0.867	0.000	0.000	17	4	1.288	1.471	0.012	18	24	1.060	0.481	0.002
15	45	1.127	0.000	0.000	17	5	1.188	1.429	0.004	18	25	1.323	0.552	0.004
15	46	1.304	0.000	0.000	17	6	1.154	1.444	0.004	18	26	1.384	0.335	0.007
15	47	1.363	0.000	0.000	17	7	0.885	1.389	0.003	18	27	1.199	0.031	0.006
15	48	1.131	0.001	0.000	17	8	1.158	1.432	0.013	18	28	1.025	0.178	0.003
15	49	0.751	0.000	0.001	17	9	1.498	1.440	0.002	18	29	0.646	0.315	0.001
15	50	0.863	0.036	0.000	17	10	0.172	1.225	0.005	18	30	1.288	0.467	0.000
15	51	0.713	0.000	0.000	17	11	0.494	1.262	0.003	18	31	1.121	0.587	0.000
15	52	0.187	0.028	0.000	17	12	0.766	1.299	0.000	18	32	1.664	0.495	0.001
15	53	0.000	0.437	0.013	17	13	0.110	1.129	0.006	18	33	1.986	0.115	0.001
15	54	0.000	0.682	0.000	17	14	0.363	1.149	0.000	18	34	1.374	0.303	0.005
15	55	0.000	0.761	0.002	17	15	0.317	1.114	0.000	18	35	1.573	0.442	0.010
15	56	-0.000	0.927	0.001	17	16	0.349	1.035	0.001	18	36	1.635	0.434	0.010
15	57	0.000	1.078	0.000	17	17	0.459	0.797	0.003	18	37	1.923	0.420	0.008
15	58	0.000	1.112	0.000	17	18	0.535	0.002	0.005	18	38	1.328	0.465	0.008
15	59	-0.018	1.376	0.003	17	19	0.397	0.061	0.013	18	39	1.787	0.424	0.004
16	0	0.031	1.619	0.001	17	20	1.131	0.061	0.002	18	40	1.654	0.292	0.007
16	1	0.006	1.711	0.004	17	21	1.468	-0.004	0.006	18	41	2.053	0.134	0.009
16	2	0.000	1.737	0.001	17	22	0.629	0.225	0.004	18	42	1.973	0.092	0.017
16	3	0.146	1.441	0.004	17	23	0.494	0.406	0.012	18	43	1.719	0.080	0.012
16	4	0.015	1.020	0.008	17	24	1.249	0.301	0.000	18	44	2.273	0.202	0.005
16	5	0.044	1.018	0.015	17	25	1.031	0.135	0.000	18	45	1.477	0.042	0.009
16	6	0.070	1.065	0.002	17	26	0.992	0.154	0.001	18	46	1.927	-0.076	0.008
16	7	0.626	1.170	0.000	17	27	1.089	0.209	0.000	18	47	2.237	-0.028	0.013
16	8	0.422	1.125	0.000	17	28	1.106	0.229	0.006	18	48	2.379	0.109	0.026
16	9	0.189	0.955	0.028	17	29	1.202	0.000	0.000	18	49	2.244	0.099	0.024
16	10	-0.001	0.761	0.000	17	30	0.478	0.026	0.004	18	50	2.268	0.196	0.006
16	11	0.170	0.620	0.017	17	31	0.000	0.177	0.003	18	51	1.560	0.029	0.008
16	12	0.810	0.728	0.000	17	32	0.000	0.087	0.003	18	52	1.384	-0.041	0.014
16	13	0.778	0.914	0.000	17	33	0.000	0.059	0.007	18	53	1.766	-0.086	0.010
16	14	1.008	1.026	0.000	17	34	0.287	0.097	0.007	18	54	2.170	-0.267	0.000
16	15	1.375	1.107	0.002	17	35	0.337	0.232	0.000	18	55	1.924	-0.047	0.009
16	16	1.711	1.112	0.001	17	36	0.051	0.319	0.000	18	56	1.614	-0.149	0.020
16	17	1.603	1.195	0.000	17	37	0.912	0.083	0.000	18	57	1.808	-0.105	0.005
16	18	1.327	1.164	0.001	17	38	0.585	0.076	0.011	18	58	2.376	0.075	0.012
16	19	1.542	1.133	0.008	17	39	1.120	0.023	0.000	18	59	1.448	-0.067	0.010
16	20	1.377	1.176	0.017	17	40	1.344	-0.079	0.000	19	0	1.931	-0.002	0.006
16	21	1.522	1.259	0.003	17	41	0.829	0.031	0.000	19	1	2.386	0.010	0.002
16	22	1.246	1.283	0.001	17	42	0.799	0.060	0.002	19	2	2.323	-0.166	0.004
16	23	0.827	1.073	0.022	17	43	0.883	0.186	0.004	19	3	2.224	0.021	0.012
16	24	0.952	0.977	0.003	17	44	1.388	0.421	0.009	19	4	2.275	0.078	0.004
16	25	1.029	0.905	0.007	17	45	1.935	0.511	0.002	19	5	1.848	0.153	0.002
16	26	0.609	0.758	0.012	17	46	1.998	-0.010	0.000	19	6	0.823	0.140	0.032
16	27	0.624	0.846	0.009	17	47	1.570	0.107	0.000	19	7	0.087	0.117	0.026
16	28	1.322	0.436	0.007	17	48	1.645	0.241	0.000	19	8	1.961	0.299	0.006
16	29	1.273	0.361	0.002	17	49	1.565	0.073	0.000	19	9	2.028	0.693	0.001
16	30	1.319	0.752	0.005	17	50	1.513	0.000	0.000	19	10	1.928	0.688	0.011
16	31	1.376	0.804	0.032	17	51	1.403	0.017	0.000	19	11	1.752	0.492	0.010
16	32	1.919	0.921	0.001	17	52	1.045	0.037	0.019	19	12	1.767	0.399	0.005
16	33	1.724	1.037	0.000	17	53	1.204	0.043	0.002	19	13	1.619	0.176	0.007
16	34	1.729	1.034	0.006	17	54	1.410	0.157	0.000	19	14	2.159	0.347	0.008
16	35	1.818	1.056	0.001	17	55	1.276	0.141	0.000	19	15	2.057	0.510	0.004
16	36	1.529	0.996	0.007	17	56	1.173	0.114	0.000	19	16	1.763	0.303	0.007
16	37	1.874	0.886	0.002	17	57	1.266	0.002	0.000	19	17	1.227	0.091	0.004
16	38	1.298	0.851	0.012	17	58	1.739	0.051	0.000	19	18	1.791	0.278	0.001
16	39	1.620	0.839	0.012	17	59	1.346	0.088	0.000	19	19	1.401	0.387	0.004
16	40	1.485	0.800	0.007	18	0	1.298	0.000	0.000	19	20	1.933	0.162	0.001



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

19	21	1.451	0.016	0.002	20	41	0.812	-0.822	0.005	22	1	2.541	-1.461	0.001
19	22	1.355	-0.000	0.003	20	42	0.667	-1.405	0.011	22	2	2.758	-1.155	0.002
19	23	1.075	-0.003	0.009	20	43	0.926	-2.710	0.013	22	3	3.380	-1.477	0.002
19	24	1.236	0.012	0.003	20	44	0.754	-3.038	0.003	22	4	2.587	-0.854	0.003
19	25	2.135	-0.053	0.004	20	45	0.835	-3.691	0.006	22	5	2.921	-1.341	0.001
19	26	2.204	-0.133	0.004	20	46	1.169	-3.401	0.018	22	6	2.480	-1.189	0.000
19	27	2.464	-0.008	0.002	20	47	1.016	-2.519	0.008	22	7	2.549	-1.082	0.001
19	28	2.414	0.005	0.007	20	48	1.428	-2.434	0.012	22	8	2.427	-1.206	0.001
19	29	2.269	0.039	0.003	20	49	0.769	-2.017	0.004	22	9	2.794	-1.366	0.003
19	30	1.771	0.069	0.004	20	50	1.016	-0.864	0.004	22	10	2.573	-1.339	0.000
19	31	1.636	0.076	0.002	20	51	0.979	-0.695	0.047	22	11	2.240	-1.556	0.001
19	32	2.132	0.011	0.000	20	52	1.979	-0.237	0.024	22	12	1.999	-1.521	0.000
19	33	1.309	0.091	0.005	20	53	1.761	-0.310	0.010	22	13	1.648	-1.216	0.001
19	34	1.576	-0.006	0.000	20	54	2.388	-0.719	0.025	22	14	1.622	-1.264	0.000
19	35	1.517	-0.002	0.002	20	55	2.225	-1.298	0.016	22	15	1.386	-1.637	0.001
19	36	1.456	0.095	0.004	20	56	2.197	-1.228	0.016	22	16	1.403	-0.999	0.003
19	37	1.604	0.213	0.000	20	57	2.638	-0.159	0.014	22	17	2.228	-1.673	0.002
19	38	1.214	0.026	0.001	20	58	2.095	0.010	0.035	22	18	2.402	-1.953	0.002
19	39	1.588	0.169	0.002	20	59	2.428	-0.465	0.022	22	19	2.831	-1.360	0.002
19	40	1.755	0.220	0.000	21	0	2.374	-0.150	0.012	22	20	2.897	-1.339	0.005
19	41	2.118	0.066	0.000	21	1	2.338	-0.485	0.011	22	21	2.932	-1.129	0.005
19	42	1.618	0.053	0.001	21	2	2.492	-1.614	0.033	22	22	2.847	-1.085	0.002
19	43	1.726	0.116	0.000	21	3	1.587	-1.096	0.034	22	23	3.181	-0.785	0.005
19	44	1.266	0.106	0.002	21	4	3.219	-1.994	0.023	22	24	2.395	-0.580	0.005
19	45	0.872	0.295	0.003	21	5	2.184	-2.467	0.030	22	25	2.730	-2.085	0.005
19	46	0.682	0.691	0.003	21	6	2.252	-1.513	0.054	22	26	3.579	-2.257	0.010
19	47	1.140	0.674	0.000	21	7	2.657	-1.801	0.044	22	27	3.758	-2.324	0.004
19	48	1.148	0.207	0.002	21	8	3.194	-1.439	0.067	22	28	3.542	-2.266	0.009
19	49	1.296	-0.270	0.000	21	9	2.408	-1.543	0.055	22	29	3.421	-1.973	0.007
19	50	2.042	-0.628	0.000	21	10	2.208	-1.378	0.042	22	30	2.806	-0.717	0.008
19	51	2.166	-0.709	0.000	21	11	2.167	-0.038	0.040	22	31	2.219	-0.261	0.005
19	52	3.433	-1.194	0.000	21	12	2.089	-0.490	0.044	22	32	2.130	-1.016	0.002
19	53	2.237	-1.566	0.005	21	13	2.159	-0.256	0.018	22	33	1.123	-0.225	0.000
19	54	0.291	-2.569	0.005	21	14	1.511	-0.091	0.035	22	34	2.275	-0.587	0.001
19	55	0.186	-3.088	0.000	21	15	2.615	-0.062	0.010	22	35	1.950	-1.001	0.002
19	56	0.569	-2.129	0.005	21	16	2.165	0.525	0.018	22	36	2.284	-1.949	0.002
19	57	2.258	-2.232	0.009	21	17	2.677	0.334	0.060	22	37	1.988	-3.131	0.001
19	58	2.798	-1.020	0.027	21	18	2.297	0.669	0.067	22	38	0.908	-2.164	0.003
19	59	3.425	-1.551	0.035	21	19	3.180	1.566	0.043	22	39	1.365	-1.547	0.001
20	0	3.992	-2.645	0.010	21	20	3.172	1.166	0.048	22	40	1.687	-1.024	0.002
20	1	1.269	-3.714	0.001	21	21	2.427	0.244	0.007	22	41	1.349	-1.210	0.001
20	2	1.801	-2.960	0.004	21	22	2.362	0.023	0.019	22	42	1.912	-1.075	0.003
20	3	2.183	-1.633	0.001	21	23	2.919	-0.447	0.019	22	43	2.168	-0.963	0.005
20	4	1.723	-0.672	0.002	21	24	2.592	-2.529	0.015	22	44	1.212	-0.972	0.007
20	5	1.351	-1.528	0.002	21	25	3.183	-2.561	0.029	22	45	2.007	-1.308	0.000
20	6	1.110	-0.407	0.000	21	26	2.434	-2.270	0.033	22	46	2.214	-1.375	0.007
20	7	1.499	-0.077	0.001	21	27	3.240	-2.601	0.013	22	47	2.240	-1.649	0.005
20	8	1.242	0.132	0.004	21	28	3.283	-2.180	0.008	22	48	2.720	-1.817	0.009
20	9	1.306	-0.073	0.012	21	29	3.329	-1.900	0.021	22	49	2.455	-1.653	0.009
20	10	0.000	0.000	0.000	21	30	3.467	-1.343	0.006	22	50	2.333	-1.550	0.009
20	11	0.222	-0.022	0.001	21	31	2.914	-2.068	0.003	22	51	3.495	-1.080	0.007
20	12	-0.778	0.003	0.000	21	32	1.286	-2.062	0.004	22	52	3.833	-1.656	0.003
20	13	-0.794	0.179	0.000	21	33	0.949	-2.901	0.005	22	53	2.528	-0.580	0.008
20	14	-0.343	0.111	0.004	21	34	0.436	-2.597	0.002	22	54	2.677	-0.559	0.001
20	15	-0.000	0.485	0.024	21	35	-1.405	-1.370	0.008	22	55	2.225	-1.142	0.001
20	16	0.000	0.267	0.001	21	36	2.271	-1.225	0.001	22	56	1.561	-0.812	0.002
20	17	-0.299	-0.074	0.001	21	37	2.079	-1.324	0.000	22	57	1.106	-0.405	0.000
20	18	-0.116	-1.235	-0.001	21	38	1.980	-1.266	0.008	22	58	1.237	-0.323	0.009
20	19	-0.160	-0.603	-0.001	21	39	1.884	-1.424	0.001	22	59	1.169	-0.291	0.009
20	20	-0.040	-0.238	0.007	21	40	1.393	-0.181	0.000	23	0	1.439	-0.419	0.001
20	21	-0.495	-0.835	0.001	21	41	1.516	-0.160	0.000	23	1	1.324	0.229	0.000
20	22	-0.094	-1.330	-0.000	21	42	0.439	0.089	0.000	23	2	1.511	0.136	0.003
20	23	-0.000	-0.655	0.000	21	43	0.627	1.279	0.001	23	3	2.233	0.279	0.000
20	24	0.000	-0.177	0.000	21	44	1.835	1.075	0.000	23	4	1.893	0.293	0.004
20	25	0.000	0.000	0.000	21	45	2.148	0.947	0.000	23	5	2.434	0.136	0.010
20	26	0.000	0.045	0.036	21	46	1.275	0.612	0.004	23	6	2.915	-0.061	0.004
20	27	0.172	0.026	0.069	21	47	1.594	0.472	0.002	23	7	2.316	-0.047	0.003
20	28	1.228	-0.034	0.007	21	48	0.826	0.375	0.001	23	8	1.831	0.071	0.001
20	29	2.435	-0.854	0.010	21	49	1.136	0.019	0.000	23	9	1.014	0.179	0.000
20	30	2.115	-0.412	-0.007	21	50	1.542	0.298	0.000	23	10	0.805	0.517	0.002
20	31	1.401	-0.220	-0.023	21	51	1.661	0.198	0.000	23	11	0.907	0.667	0.000
20	32	1.899	-0.536	0.004	21	52	1.954	-0.089	0.000	23	12	1.632	0.440	0.001
20	33	2.205	0.186	0.039	21	53	2.341	-0.131	0.000	23	13	1.442	0.219	0.000
20	34	3.761	-0.333	0.027	21	54	2.059	-0.032	0.001	23	14	1.428	-0.226	0.001
20	35	3.170	-0.347	0.044	21	55	2.151	-0.001	0.000	23	15	1.436	0.124	0.005
20	36	2.424	-0.702	0.016	21	56	1.886	-0.188	0.000	23	16	1.336	-0.276	0.000
20	37	1.087	-0.067	0.012	21	57	2.137	-0.168	0.001	23	17	0.706	0.285	0.006
20	38	0.433	0.026	0.001	21	58	1.227	-0.411	0.000	23	18	0.854	0.242	0.001
20	39	-0.564	0.535	0.001	21	59	1.628	-1.365	0.000	23	19	1.614	0.492	0.000
20	40	0.696	0.045	0.004	22	0	2.217	-1.580	0.001	23	20	1.812	0.531	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

23	21	2.011	0.299	0.002	0	38	1.775	-0.098	0.001	1	58	1.439	0.182	0.000
23	22	1.985	-0.030	0.006	0	39	1.742	-0.024	0.009	1	59	1.683	0.086	0.001
23	23	1.077	0.250	0.000	0	40	1.388	0.002	0.000	2	0	1.661	0.000	0.000
23	24	1.150	0.446	0.000	0	41	1.554	-0.154	0.000	2	1	1.666	0.030	0.000
23	25	1.496	0.510	0.002	0	42	1.040	-0.068	0.000	2	2	0.919	0.002	0.000
23	26	1.348	0.405	0.002	0	43	0.358	0.000	0.000	2	3	0.541	0.000	0.001
23	27	0.818	0.421	0.003	0	44	0.567	-0.132	0.000	2	4	0.933	0.015	0.003
23	28	0.988	0.740	0.000	0	45	1.355	-0.129	0.000	2	5	0.894	0.000	0.000
23	29	0.653	0.718	0.000	0	46	0.950	-0.005	0.000	2	6	0.737	0.000	0.000
23	30	0.235	1.020	0.000	0	47	0.774	-0.095	0.000	2	7	1.029	0.002	0.007
23	31	0.000	1.180	0.000	0	48	0.746	0.036	0.001	2	8	1.084	0.051	0.002
23	32	-0.001	1.233	0.000	0	49	1.378	-0.165	0.001	2	9	1.002	0.002	0.001
23	33	0.838	1.049	0.000	0	50	0.869	0.220	0.001	2	10	1.558	-0.015	0.002
23	34	0.990	0.887	0.000	0	51	1.138	0.000	0.000	2	11	1.382	0.009	0.004
23	35	0.657	0.657	0.001	0	52	1.532	0.000	0.000	2	12	1.592	-0.000	0.000
23	36	0.220	0.758	0.001	0	53	1.414	0.341	0.000	2	13	1.435	0.000	0.001
23	37	0.441	1.062	0.000	0	54	0.948	0.000	0.000	2	14	1.810	0.000	0.002
23	38	0.833	1.128	0.000	0	55	1.390	0.000	0.000	2	15	1.921	0.016	0.006
23	39	0.801	1.134	0.001	0	56	1.266	-0.002	0.000	2	16	2.228	-0.014	0.007
23	40	0.696	0.971	0.000	0	57	0.989	0.000	0.000	2	17	2.459	-0.002	0.002
23	41	0.895	0.911	0.000	0	58	1.107	0.003	0.000	2	18	2.415	0.061	0.005
23	42	0.863	0.735	0.000	0	59	1.226	0.000	0.000	2	19	2.228	0.074	0.003
23	43	0.410	1.119	0.000	1	0	1.146	0.000	0.000	2	20	2.516	0.041	0.004
23	44	0.644	1.031	0.001	1	1	1.064	0.002	0.000	2	21	2.160	0.058	0.001
23	45	0.484	0.756	0.000	1	2	0.938	0.002	0.000	2	22	2.128	0.085	0.002
23	46	0.625	0.918	0.000	1	3	0.854	0.000	0.000	2	23	1.549	0.318	0.004
23	47	0.467	0.811	0.000	1	4	1.042	0.000	0.000	2	24	1.557	0.298	0.001
23	48	0.953	0.548	0.001	1	5	0.979	-0.002	0.000	2	25	1.438	0.302	0.000
23	49	0.631	0.239	0.002	1	6	0.447	0.000	0.000	2	26	1.379	0.357	0.003
23	50	1.457	-0.126	0.003	1	7	0.642	0.000	0.000	2	27	1.623	0.148	0.000
23	51	1.784	-0.078	0.004	1	8	0.832	0.000	0.000	2	28	1.490	0.140	0.000
23	52	1.662	-0.376	0.009	1	9	0.746	0.000	0.000	2	29	1.679	0.000	0.000
23	53	2.720	-0.055	0.003	1	10	0.721	0.000	0.000	2	30	1.414	0.000	0.000
23	54	2.792	-0.098	0.005	1	11	1.252	0.000	0.000	2	31	1.516	0.000	0.000
23	55	2.507	-0.358	0.010	1	12	1.187	0.000	0.000	2	32	1.201	0.000	0.000
23	56	1.874	-0.456	0.004	1	13	1.274	0.000	0.000	2	33	1.775	0.000	0.000
23	57	2.397	-0.161	0.009	1	14	1.273	0.000	0.000	2	34	1.947	0.000	0.000
23	58	3.235	-0.585	0.006	1	15	1.492	0.000	0.000	2	35	1.935	0.017	0.000
23	59	2.218	-0.477	0.014	1	16	1.462	0.000	0.001	2	36	1.661	0.005	0.000
					1	17	2.180	-0.034	0.001	2	37	1.419	-0.001	0.000
					1	18	2.011	-0.108	0.000	2	38	1.353	0.000	0.000
					1	19	1.966	-0.115	0.000	2	39	1.476	-0.003	0.001
					1	20	1.707	-0.001	0.000	2	40	1.095	0.000	0.000
					1	21	2.001	-0.034	0.003	2	41	1.149	-0.002	0.001
					1	22	1.756	0.087	0.000	2	42	1.560	-0.084	0.001
					1	23	1.835	0.069	0.000	2	43	1.462	-0.053	0.000
					1	24	1.322	0.020	0.003	2	44	1.482	-0.129	0.003
					1	25	1.612	0.000	0.001	2	45	1.378	-0.290	0.000
					1	26	1.261	0.012	0.001	2	46	1.543	-0.179	0.002
					1	27	1.126	0.068	0.000	2	47	1.581	-0.491	0.002
					1	28	1.349	0.000	0.000	2	48	1.630	-0.498	0.004
					1	29	1.429	0.000	0.000	2	49	1.133	-0.594	0.001
					1	30	1.820	-0.001	0.001	2	50	1.483	-0.256	0.004
					1	31	1.477	0.000	0.001	2	51	1.544	-0.145	0.000
					1	32	1.322	0.000	0.002	2	52	1.320	-0.125	0.000
					1	33	1.226	0.158	0.002	2	53	1.306	-0.212	0.002
					1	34	1.319	0.000	0.000	2	54	1.674	-0.130	0.000
					1	35	1.301	0.000	0.002	2	55	1.640	-0.550	0.000
					1	36	1.493	0.012	0.002	2	56	1.347	-0.312	0.005
					1	37	1.720	0.139	0.001	2	57	1.947	-0.268	0.002
					1	38	1.504	0.108	0.000	2	58	2.170	-0.232	0.003
					1	39	1.212	0.166	0.002	2	59	2.198	-0.441	0.005
					1	40	1.004	0.049	0.000	3	0	1.982	-0.272	0.006
					1	41	0.950	0.000	0.002	3	1	1.409	-0.125	0.008
					1	42	1.350	0.165	0.000	3	2	1.451	-0.250	0.005
					1	43	1.136	0.112	0.001	3	3	1.597	-0.145	0.001
					1	44	1.120	0.033	0.000	3	4	1.468	-0.014	0.001
					1	45	1.384	-0.005	0.000	3	5	1.829	0.012	0.001
					1	46	1.417	-0.004	0.003	3	6	1.779	-0.006	0.000
					1	47	1.545	0.001	0.002	3	7	1.600	0.044	0.000
					1	48	1.555	0.030	0.001	3	8	2.271	0.256	0.001
					1	49	1.332	0.145	0.003	3	9	1.834	0.199	0.003
					1	50	1.570	0.004	0.000	3	10	1.338	0.068	0.004
					1	51	1.533	0.000	0.000	3	11	1.754	-0.064	0.009
					1	52	1.259	0.002	0.000	3	12	1.480	-0.002	0.007
					1	53	1.352	0.002	0.000	3	13	1.995	-0.029	0.016
					1	54	1.500	0.005	0.000	3	14	1.795	-0.009	0.003
					1	55	1.548	0.044	0.003	3	15	1.879	0.043	0.007
					1	56	1.394	0.016	0.000	3	16	2.318	-0.305	0.018
					1	57	1.304	0.406	0.003	3	17	1.487	-0.157	0.031

13/07/95

0	0	2.725	-0.316	0.001
0	1	2.827	-0.411	0.013
0	2	2.662	-0.673	0.008
0	3	2.834	-0.152	0.008
0	4	2.726	-0.289	0.023
0	5	2.558	-0.017	0.015
0	6	2.606	0.209	0.022
0	7	3.059	-0.185	0.005
0	8	2.021	-0.112	0.013
0	9	2.286	0.096	0.002
0	10	2.491	0.004	0.001
0	11	1.992	0.274	0.016
0	12	2.391	0.066	0.010
0	13	2.562	-0.037	0.010
0	14	2.704	-0.020	0.003
0	15	1.944	0.023	0.006
0	16	2.402	0.097	0.005
0	17	1.810	0.394	0.004
0	18	2.350	0.019	0.002
0	19	2.514	-0.056	0.006
0	20	2.848	-0.049	0.002
0	21	2.697	-0.080	0.002
0	22	2.126	-0.142	0.001
0	23	2.172	-0.081	0.004
0	24	2.174	-0.057	0.000
0	25	2.808	-0.182	0.005
0	26	2.391	-0.181	0.020
0	27	2.229	-0.426	0.007
0	28	2.411	-0.522	0.019
0	29	2.768	-0.579	0.019
0	30	1.941	-0.363	0.016
0	31	2.363	-0.505	0.019
0	32	1.785	0.009	0.055
0	33	2.473	-0.245	0.029
0	34	2.154	0.006	0.039
0	35	2.138	-0.138	0.043
0	36	2.071	-0.335	0.006
0	37	1.618	-0.218	0.000



3	18	2.546	-0.170	0.024	4	38	0.000	0.929	0.011	5	58	0.873	0.047	0.011
3	19	2.555	0.234	0.008	4	39	0.000	0.816	0.004	5	59	0.540	0.422	0.144
3	20	2.122	0.028	0.010	4	40	0.000	0.429	0.016	6	0	0.582	0.719	0.019
3	21	2.284	0.091	0.007	4	41	0.000	0.000	0.000	6	1	0.808	0.549	0.014
3	22	1.779	-0.007	0.014	4	42	0.000	0.000	0.000	6	2	0.699	0.565	0.012
3	23	1.855	-0.098	0.022	4	43	0.000	0.192	0.000	6	3	0.670	0.297	0.037
3	24	1.882	-0.169	0.008	4	44	0.000	0.706	0.000	6	4	0.747	0.581	0.041
3	25	1.845	-0.296	0.011	4	45	0.000	0.766	0.001	6	5	1.058	0.600	0.002
3	26	2.303	-0.462	0.016	4	46	0.000	0.338	0.015	6	6	1.098	0.193	0.009
3	27	2.437	-0.583	0.010	4	47	0.000	0.695	0.011	6	7	1.046	0.037	0.032
3	28	2.536	-0.293	0.017	4	48	0.000	0.641	0.006	6	8	0.709	0.184	0.004
3	29	1.920	-0.221	0.039	4	49	0.000	0.534	0.000	6	9	0.875	0.680	0.014
3	30	1.964	-0.116	0.037	4	50	0.000	0.019	0.009	6	10	0.931	0.551	0.036
3	31	1.704	-0.211	0.029	4	51	0.000	0.000	0.011	6	11	0.984	0.805	0.086
3	32	1.900	-0.288	0.041	4	52	0.000	0.000	0.028	6	12	1.072	0.644	0.073
3	33	2.489	-0.469	0.034	4	53	0.000	0.000	0.006	6	13	1.219	0.975	0.059
3	34	2.652	-0.639	0.015	4	54	0.000	0.000	0.003	6	14	1.291	0.874	0.044
3	35	2.292	-0.118	0.011	4	55	0.000	0.000	0.000	6	15	1.364	0.893	0.076
3	36	2.471	-0.376	0.023	4	56	0.000	0.000	0.000	6	16	1.087	0.523	0.063
3	37	2.276	-0.327	0.017	4	57	0.000	0.000	0.000	6	17	1.144	0.169	0.036
3	38	2.361	-0.386	0.041	4	58	0.000	0.000	0.000	6	18	0.967	0.022	0.009
3	39	2.866	-0.494	0.055	4	59	0.000	0.000	0.000	6	19	0.827	0.000	0.005
3	40	2.277	-0.358	0.068	5	0	0.000	0.000	0.000	6	20	0.939	0.002	0.001
3	41	2.639	-0.211	0.027	5	1	0.000	0.000	0.000	6	21	0.977	0.000	0.002
3	42	2.291	m0'148	0.040	5	2	0.000	0.000	0.000	6	22	0.466	0.000	0.025
3	43	2.599	-0.394	0.026	5	3	0.617	0.000	0.001	6	23	0.000	0.000	0.012
3	44	1.945	-0.382	0.033	5	4	0.719	0.026	0.001	6	24	0.000	0.000	0.063
3	45	2.257	-0.313	0.008	5	5	1.064	0.445	0.000	6	25	0.000	0.178	0.062
3	46	1.640	-0.048	0.014	5	6	0.965	0.315	0.002	6	26	0.000	0.083	0.126
3	47	1.249	-0.289	0.038	5	7	1.229	0.399	0.006	6	27	0.000	0.000	0.050
3	48	1.686	-0.056	0.013	5	8	1.272	0.540	0.001	6	28	0.000	0.000	0.000
3	49	1.498	-0.283	0.002	5	9	0.945	0.561	0.002	6	29	0.000	0.017	0.151
3	50	1.842	-0.197	0.015	5	10	1.201	0.650	0.000	6	30	0.000	0.118	0.135
3	51	1.915	-0.285	0.028	5	11	1.184	0.724	0.003	6	31	0.000	0.003	0.225
3	52	1.672	-0.314	0.016	5	12	1.422	0.771	0.003	6	32	0.000	0.177	0.116
3	53	1.201	-0.245	0.101	5	13	1.449	0.699	0.004	6	33	0.000	0.314	0.023
3	54	1.283	-0.288	0.038	5	14	1.273	0.496	0.006	6	34	0.000	0.111	0.113
3	55	0.994	-0.258	0.073	5	15	1.052	0.185	0.004	6	35	0.000	0.170	0.168
3	56	0.768	-0.548	0.076	5	16	0.861	0.000	0.001	6	36	0.000	0.436	0.125
3	57	0.845	-0.419	0.036	5	17	0.622	0.000	0.002	6	37	0.000	0.589	0.053
3	58	0.816	-0.204	0.011	5	18	0.731	0.000	0.000	6	38	-0.000	0.620	0.006
3	59	0.822	-0.263	0.000	5	19	0.459	0.000	0.002	6	39	0.000	0.657	0.000
4	0	0.853	-0.032	0.008	5	20	0.448	0.000	0.002	6	40	0.000	0.597	0.024
4	1	0.840	-0.002	0.006	5	21	0.386	0.000	0.002	6	41	-0.003	0.381	0.071
4	2	0.669	-0.004	0.004	5	22	0.343	0.000	0.000	6	42	0.000	0.578	0.024
4	3	1.066	-0.166	0.012	5	23	0.044	0.000	0.000	6	43	0.001	0.925	0.045
4	4	0.985	-0.079	0.005	5	24	0.000	0.000	0.021	6	44	0.011	1.051	0.001
4	5	1.055	-0.012	0.007	5	25	0.000	0.000	0.004	6	45	0.000	0.993	0.001
4	6	0.993	0.000	0.012	5	26	0.000	0.000	0.017	6	46	0.000	0.910	0.013
4	7	0.822	0.171	0.060	5	27	0.000	0.000	0.006	6	47	0.000	0.923	0.009
4	8	0.715	0.037	0.065	5	28	0.000	0.000	0.019	6	48	0.000	0.832	0.019
4	9	0.026	0.548	0.024	5	29	0.000	0.000	0.010	6	49	0.000	0.768	0.011
4	10	0.040	0.439	0.032	5	30	0.136	0.000	0.018	6	50	0.000	0.888	0.009
4	11	0.005	0.121	0.183	5	31	0.451	0.000	0.006	6	51	0.000	0.908	0.026
4	12	0.000	-0.035	0.074	5	32	0.572	0.000	0.033	6	52	0.000	0.681	0.031
4	13	0.242	-0.010	0.018	5	33	0.891	0.000	0.004	6	53	0.262	0.794	0.020
4	14	1.115	0.014	-0.003	5	34	1.025	0.000	0.034	6	54	0.910	1.009	0.031
4	15	0.584	-0.001	-0.001	5	35	0.684	0.048	0.089	6	55	1.019	1.122	0.034
4	16	0.992	0.040	0.038	5	36	1.142	0.440	0.014	6	56	1.059	1.101	0.018
4	17	0.899	-0.003	0.022	5	37	1.273	0.186	0.039	6	57	1.121	1.089	0.028
4	18	1.125	0.063	0.025	5	38	1.158	0.000	0.015	6	58	1.123	1.124	0.016
4	19	1.565	-0.011	0.040	5	39	1.565	0.036	0.016	6	59	1.168	1.193	0.024
4	20	1.430	0.454	0.011	5	40	1.509	0.135	0.030	7	0	1.194	1.233	0.043
4	21	1.312	0.047	0.020	5	41	1.082	0.011	0.020	7	1	1.136	1.199	0.027
4	22	1.531	-0.018	0.034	5	42	0.917	0.000	0.009	7	2	1.051	1.230	0.054
4	23	1.483	0.058	0.018	5	43	1.032	0.029	0.000	7	3	1.046	1.212	0.040
4	24	1.119	0.201	0.052	5	44	0.707	0.046	0.011	7	4	1.601	1.382	0.026
4	25	0.594	0.412	0.022	5	45	0.639	0.116	0.028	7	5	1.259	1.311	0.030
4	26	0.531	0.438	0.007	5	46	0.770	0.000	0.070	7	6	1.158	1.265	0.027
4	27	0.305	0.251	0.038	5	47	0.883	0.266	0.045	7	7	1.562	1.316	0.027
4	28	0.000	0.440	0.024	5	48	1.435	0.132	0.025	7	8	1.737	1.327	0.029
4	29	0.000	0.003	0.094	5	49	1.754	0.208	0.012	7	9	1.516	1.298	0.012
4	30	0.000	0.121	0.055	5	50	1.589	0.334	0.034	7	10	1.105	1.243	0.010
4	31	0.619	0.645	0.008	5	51	1.604	0.038	0.029	7	11	0.918	1.215	0.022
4	32	1.067	0.809	0.015	5	52	1.362	0.183	0.054	7	12	0.931	1.195	0.016
4	33	0.847	0.832	0.015	5	53	1.200	0.276	0.017	7	13	1.336	1.115	0.017
4	34	0.587	0.575	0.004	5	54	0.579	0.089	0.067	7	14	1.146	0.358	0.046
4	35	0.000	0.629	0.052	5	55	0.906	0.047	0.045	7	15	0.906	0.343	0.005
4	36	0.000	0.899	0.024	5	56	1.440	0.059	0.031	7	16	0.698	0.443	0.023
4	37	-0.010	0.909	0.018	5	57	1.337	0.102	0.005	7	17	0.986	0.117	0.023





Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

7	18	0.512	0.064	0.119	8	38	0.920	1.066	0.011	9	58	1.820	0.014	0.065
7	19	0.677	0.053	0.077	8	39	1.009	1.115	0.023	9	59	2.417	-0.663	0.038
7	20	0.458	0.042	0.050	8	40	0.585	1.031	0.028	10	0	2.155	-0.454	0.096
7	21	0.514	0.006	0.079	8	41	0.650	1.067	0.017	10	1	1.840	-0.029	0.038
7	22	0.712	0.241	0.031	8	42	0.484	0.990	0.043	10	2	2.554	-0.517	0.011
7	23	0.846	0.564	0.012	8	43	0.688	1.004	0.015	10	3	1.778	-0.183	0.061
7	24	0.803	0.768	0.041	8	44	1.055	1.082	0.013	10	4	2.560	-0.441	0.058
7	25	1.037	0.926	0.032	8	45	1.076	1.022	0.011	10	5	2.851	-0.659	0.026
7	26	0.795	0.890	0.053	8	46	0.532	0.166	0.037	10	6	2.859	-0.568	0.062
7	27	1.087	0.961	0.024	8	47	0.408	0.024	0.103	10	7	2.186	-0.059	0.058
7	28	1.044	1.007	0.017	8	48	0.624	0.010	0.088	10	8	3.189	-0.146	0.052
7	29	0.934	1.021	0.011	8	49	0.552	0.278	0.072	10	9	2.289	0.323	0.174
7	30	0.860	1.020	0.003	8	50	1.104	0.485	0.043	10	10	3.127	-0.053	0.055
7	31	0.875	0.989	0.008	8	51	1.805	0.213	0.045	10	11	3.206	-0.097	0.053
7	32	0.867	0.937	0.037	8	52	1.629	0.086	0.073	10	12	3.467	0.036	0.061
7	33	0.899	0.887	0.019	8	53	1.664	0.027	0.074	10	13	3.294	-0.159	0.091
7	34	0.554	0.826	0.034	8	54	2.240	0.058	0.042	10	14	3.388	-0.355	0.076
7	35	0.341	0.801	0.069	8	55	1.956	0.085	0.042	10	15	3.160	-0.357	0.027
7	36	1.054	0.679	0.049	8	56	2.185	-0.063	0.035	10	16	2.432	-0.411	0.045
7	37	1.317	0.871	0.010	8	57	2.572	-0.424	0.091	10	17	2.502	-0.304	0.045
7	38	0.698	0.984	0.023	8	58	2.596	0.009	0.086	10	18	2.684	-0.401	0.060
7	39	0.718	1.136	0.021	8	59	2.863	-0.276	0.047	10	19	2.063	-0.262	0.074
7	40	0.910	0.992	0.017	9	0	3.053	-0.362	0.049	10	20	2.234	-0.221	0.079
7	41	1.001	1.031	0.028	9	1	2.884	-0.075	0.059	10	21	2.289	-0.230	0.043
7	42	0.764	0.978	0.025	9	2	2.552	0.129	0.039	10	22	2.894	-0.345	0.081
7	43	1.265	0.957	0.038	9	3	2.807	0.096	0.030	10	23	2.449	-0.065	0.064
7	44	0.829	0.932	0.050	9	4	2.305	-0.016	0.025	10	24	2.338	-0.007	0.094
7	45	0.813	0.958	0.034	9	5	2.263	0.052	0.048	10	25	2.663	-0.177	0.098
7	46	0.266	0.722	0.064	9	6	2.375	-0.092	0.038	10	26	3.155	-0.287	0.075
7	47	0.106	0.000	0.078	9	7	3.649	-0.049	0.064	10	27	3.734	0.036	0.031
7	48	0.628	0.008	0.029	9	8	3.329	-0.020	0.058	10	28	2.599	-0.025	0.081
7	49	0.047	0.000	0.092	9	9	2.997	-0.010	0.055	10	29	2.236	-0.095	0.104
7	50	0.000	0.000	-0.004	9	10	2.679	-0.091	0.032	10	30	2.451	0.009	0.063
7	51	-0.000	0.055	0.031	9	11	2.239	-0.331	0.033	10	31	2.806	-0.083	0.055
7	52	-0.001	0.325	0.058	9	12	1.731	0.363	0.075	10	32	2.096	-0.002	0.058
7	53	0.000	0.457	0.012	9	13	1.953	0.022	0.027	10	33	1.905	-0.044	0.091
7	54	-0.000	0.497	0.026	9	14	1.562	-0.208	0.070	10	34	2.164	-0.135	0.084
7	55	0.000	0.689	0.021	9	15	1.926	-0.036	-0.014	10	35	1.654	-0.213	0.094
7	56	0.000	0.767	0.020	9	16	1.232	-0.053	0.078	10	36	2.104	-0.090	0.085
7	57	0.011	0.842	0.060	9	17	1.043	-0.214	0.024	10	37	1.959	-0.020	0.075
7	58	0.000	0.874	0.041	9	18	2.025	-0.158	0.019	10	38	1.872	-0.173	0.070
7	59	0.000	0.995	0.004	9	19	1.715	-0.479	0.060	10	39	2.461	-0.376	0.037
8	0	0.261	1.186	0.036	9	20	1.483	-0.354	0.071	10	40	2.160	-0.294	0.049
8	1	0.000	1.175	0.032	9	21	1.198	-0.117	0.057	10	41	1.722	-0.197	0.075
8	2	0.000	1.213	0.025	9	22	1.228	-0.319	0.038	10	42	1.962	-0.707	0.054
8	3	0.000	1.229	0.019	9	23	1.631	-0.192	0.053	10	43	1.962	-0.091	0.060
8	4	0.254	1.206	0.051	9	24	1.678	0.012	-0.013	10	44	2.400	-0.263	0.058
8	5	0.000	1.082	0.021	9	25	1.601	0.003	0.039	10	45	2.198	-0.638	0.027
8	6	0.127	1.142	0.029	9	26	1.842	-0.072	0.035	10	46	2.021	-0.782	0.031
8	7	0.236	1.164	0.028	9	27	2.189	-0.410	0.056	10	47	1.738	-1.066	0.074
8	8	0.632	1.160	0.049	9	28	2.058	-0.263	0.042	10	48	1.567	-0.420	0.132
8	9	0.266	1.035	0.026	9	29	2.172	-0.043	0.042	10	49	1.826	-0.635	0.144
8	10	0.272	1.140	0.032	9	30	2.690	-0.051	0.060	10	50	2.536	-0.570	0.041
8	11	0.037	1.364	0.032	9	31	2.741	-0.071	0.051	10	51	2.691	-0.414	0.005
8	12	0.165	1.643	0.014	9	32	2.530	-0.001	0.004	10	52	2.145	-0.032	0.066
8	13	0.639	1.562	0.040	9	33	2.126	-0.081	0.039	10	53	2.325	0.076	0.115
8	14	1.144	1.669	0.025	9	34	2.283	0.007	0.017	10	54	2.498	-0.027	0.079
8	15	0.821	1.649	0.019	9	35	2.417	-0.097	0.034	10	55	1.947	-0.036	0.071
8	16	0.754	1.739	0.016	9	36	2.307	-0.085	0.032	10	56	1.901	-0.091	0.028
8	17	0.486	1.768	0.035	9	37	1.965	-0.078	0.053	10	57	1.949	-0.060	0.057
8	18	0.877	2.042	0.036	9	38	2.004	-0.013	0.022	10	58	1.964	-0.012	0.011
8	19	1.275	2.064	0.016	9	39	2.375	-0.003	0.016	10	59	2.682	-0.008	0.053
8	20	0.738	1.782	0.024	9	40	1.930	0.164	0.053	11	0	2.886	-0.014	0.057
8	21	2.006	1.879	0.015	9	41	2.770	-0.069	0.043	11	1	2.996	0.183	0.041
8	22	1.926	1.407	0.037	9	42	2.640	-0.170	0.051	11	2	2.993	-0.071	0.122
8	23	1.373	1.079	0.033	9	43	2.028	-0.338	0.085	11	3	2.989	-0.055	0.086
8	24	1.719	0.418	0.004	9	44	2.200	-0.181	0.044	11	4	2.490	-0.085	0.081
8	25	1.081	0.002	0.065	9	45	3.375	-0.224	0.024	11	5	2.422	-0.102	0.070
8	26	1.189	0.195	0.028	9	46	2.534	-0.407	0.089	11	6	2.563	-0.171	0.046
8	27	1.371	0.432	0.017	9	47	2.303	-0.238	0.113	11	7	2.016	-0.089	0.106
8	28	0.727	0.056	0.071	9	48	2.645	-0.123	0.060	11	8	1.995	-0.145	0.003
8	29	0.814	0.024	0.098	9	49	2.790	0.053	0.074	11	9	1.309	-0.124	0.061
8	30	1.349	0.000	0.040	9	50	2.765	0.177	0.063	11	10	1.109	-0.231	0.034
8	31	1.963	0.022	0.019	9	51	2.459	0.128	0.050	11	11	0.955	-0.135	0.028
8	32	1.659	0.000	0.035	9	52	2.344	-0.089	0.064	11	12	1.039	-0.017	0.014
8	33	0.762	0.329	0.016	9	53	2.537	-0.164	0.033	11	13	1.501	-0.355	0.060
8	34	0.904	0.974	0.034	9	54	2.380	-0.135	0.025	11	14	2.044	-0.582	0.095
8	35	1.067	1.135	0.015	9	55	2.592	-0.018	0.006	11	15	1.513	-0.843	0.132
8	36	0.990	1.089	0.020	9	56	1.774	0.164	0.026	11	16	1.900	-1.041	0.084
8	37	1.137	1.060	0.001	9	57	2.162	-0.187	0.007	11	17	2.413	-1.166	0.040



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

11	18	2.265	-0.902	0.037	12	38	2.594	0.026	0.043	13	58	1.217	0.067	0.088
11	19	1.409	-0.466	0.106	12	39	2.463	-0.074	0.027	13	59	2.118	0.147	0.050
11	20	1.267	-0.424	0.090	12	40	1.676	-0.020	0.083	14	0	1.957	-0.029	0.020
11	21	1.271	-0.051	0.072	12	41	2.262	0.000	0.029	14	1	1.634	0.231	0.044
11	22	1.672	0.174	0.059	12	42	1.874	-0.043	0.034	14	2	1.789	0.007	0.012
11	23	1.884	0.113	0.068	12	43	1.910	-0.118	0.014	14	3	1.543	0.438	0.016
11	24	2.906	-0.051	0.046	12	44	1.478	-0.020	0.007	14	4	1.631	0.388	0.024
11	25	2.574	-0.022	0.053	12	45	1.588	-0.002	0.015	14	5	1.994	0.117	0.033
11	26	2.431	0.021	0.082	12	46	2.189	-0.063	0.024	14	6	2.015	0.072	0.007
11	27	3.241	0.086	0.082	12	47	1.840	-0.006	0.023	14	7	1.905	-0.021	0.010
11	28	3.170	-0.063	0.050	12	48	1.674	-0.061	0.059	14	8	1.613	-0.110	0.064
11	29	2.041	0.115	0.103	12	49	1.453	0.510	0.116	14	9	1.252	-0.142	0.106
11	30	1.965	0.467	0.080	12	50	2.078	0.028	0.038	14	10	1.641	0.002	0.018
11	31	2.509	0.282	0.115	12	51	2.096	0.133	0.054	14	11	1.668	0.013	0.010
11	32	2.453	0.085	0.059	12	52	1.693	0.205	0.046	14	12	2.514	0.138	0.026
11	33	1.971	0.195	0.072	12	53	1.329	0.459	0.075	14	13	2.617	0.093	0.028
11	34	1.465	0.107	0.101	12	54	1.470	0.226	0.136	14	14	2.342	0.028	0.018
11	35	1.902	0.321	0.035	12	55	1.927	0.164	0.035	14	15	2.220	-0.022	0.030
11	36	2.321	0.402	0.025	12	56	1.719	0.461	0.073	14	16	1.298	-0.061	0.070
11	37	1.842	0.173	0.046	12	57	1.807	0.225	0.060	14	17	1.368	-0.007	0.077
11	38	2.323	0.127	0.046	12	58	2.102	0.059	0.045	14	18	1.431	0.071	0.068
11	39	2.415	0.216	0.073	12	59	1.766	0.535	0.053	14	19	1.756	-0.068	0.061
11	40	2.352	0.297	0.056	13	0	1.935	0.697	0.055	14	20	1.983	0.021	0.038
11	41	2.664	0.180	0.040	13	1	1.929	0.348	0.048	14	21	2.228	0.012	0.033
11	42	2.367	0.130	0.033	13	2	1.812	0.225	0.068	14	22	1.926	-0.006	0.090
11	43	1.658	0.419	0.097	13	3	1.963	0.087	0.036	14	23	1.729	0.008	0.045
11	44	1.494	0.271	0.098	13	4	1.902	0.266	0.050	14	24	1.737	-0.020	0.040
11	45	1.897	0.138	0.063	13	5	1.858	0.155	0.029	14	25	1.773	-0.022	0.056
11	46	2.023	0.006	0.016	13	6	1.412	0.067	0.056	14	26	2.312	-0.183	0.040
11	47	1.837	-0.064	0.091	13	7	1.632	0.096	0.023	14	27	2.255	-0.453	0.028
11	48	2.171	-0.406	0.069	13	8	1.867	0.223	0.028	14	28	1.669	-0.047	0.078
11	49	2.133	-0.025	0.041	13	9	1.868	0.419	0.066	14	29	1.819	0.264	0.038
11	50	1.389	-0.074	0.023	13	10	1.820	0.115	0.084	14	30	1.833	-0.049	0.049
11	51	1.862	-0.156	0.055	13	11	1.514	0.012	0.035	14	31	1.193	-0.019	0.063
11	52	2.047	-0.245	0.101	13	12	1.603	0.108	0.039	14	32	1.427	0.011	0.037
11	53	2.526	-0.472	0.064	13	13	1.113	0.196	0.151	14	33	1.636	-0.394	0.065
11	54	2.776	-0.207	0.031	13	14	1.448	0.159	0.083	14	34	1.505	-0.044	0.147
11	55	2.629	-0.241	0.031	13	15	1.776	0.186	0.030	14	35	1.719	0.029	0.054
11	56	1.489	-0.260	0.143	13	16	1.550	0.339	0.052	14	36	1.651	0.031	0.064
11	57	1.352	-0.081	0.106	13	17	1.006	0.003	0.153	14	37	1.211	0.142	0.049
11	58	2.073	-0.124	0.071	13	18	1.531	0.004	0.041	14	38	1.802	0.213	0.039
11	59	1.555	-0.021	0.153	13	19	2.313	0.023	0.062	14	39	1.697	0.148	0.051
12	0	1.581	-0.119	0.090	13	20	2.279	0.008	0.059	14	40	1.793	0.046	0.095
12	1	2.000	-0.205	0.070	13	21	2.139	0.145	0.035	14	41	1.593	0.247	0.093
12	2	1.460	0.002	0.026	13	22	2.395	0.029	0.057	14	42	1.902	0.079	0.057
12	3	1.766	0.036	0.025	13	23	2.476	0.099	0.027	14	43	2.223	0.098	0.029
12	4	2.528	-0.005	0.054	13	24	2.116	0.076	0.063	14	44	1.896	0.128	0.029
12	5	2.348	0.006	0.054	13	25	2.221	0.022	0.071	14	45	1.546	0.166	0.037
12	6	2.211	-0.001	0.042	13	26	2.466	0.140	0.050	14	46	1.293	0.372	0.134
12	7	2.152	-0.017	0.010	13	27	2.776	0.150	0.035	14	47	1.460	0.117	0.150
12	8	2.325	-0.025	0.060	13	28	2.750	0.001	0.038	14	48	1.893	0.078	0.036
12	9	1.862	-0.007	0.043	13	29	2.550	0.016	0.054	14	49	1.516	0.111	0.016
12	10	1.662	-0.048	0.011	13	30	2.776	0.104	0.041	14	50	1.468	0.057	0.053
12	11	1.801	-0.039	0.014	13	31	2.588	0.107	0.068	14	51	1.597	0.011	0.032
12	12	1.707	-0.018	0.030	13	32	2.631	-0.114	0.037	14	52	1.741	0.138	0.050
12	13	1.862	-0.009	0.028	13	33	2.406	0.025	0.044	14	53	1.656	-0.004	0.033
12	14	1.859	0.006	0.035	13	34	2.590	-0.106	0.041	14	54	1.384	0.039	0.104
12	15	1.907	0.029	0.020	13	35	2.317	-0.051	0.073	14	55	1.456	-0.043	0.203
12	16	1.911	0.065	0.018	13	36	2.335	-0.042	0.105	14	56	1.540	0.037	0.112
12	17	1.640	0.196	0.063	13	37	2.901	-0.138	0.051	14	57	1.205	0.104	0.185
12	18	1.811	-0.080	0.050	13	38	2.902	-0.168	0.032	14	58	1.767	0.495	0.109
12	19	1.785	0.033	0.110	13	39	2.826	-0.027	0.058	14	59	1.730	0.288	0.195
12	20	1.237	0.128	0.036	13	40	2.942	-0.167	0.034	15	0	2.169	0.153	0.101
12	21	1.184	0.223	0.053	13	41	2.440	-0.122	0.059	15	1	2.136	0.125	0.104
12	22	1.298	0.274	0.089	13	42	2.928	-0.068	0.113	15	2	2.227	-0.163	0.052
12	23	1.453	0.035	0.050	13	43	3.002	-0.000	0.053	15	3	2.038	-0.039	0.131
12	24	1.543	-0.125	0.055	13	44	2.338	-0.055	0.030	15	4	1.802	0.037	0.076
12	25	1.435	-0.008	0.032	13	45	2.224	-0.031	0.052	15	5	2.244	-0.000	0.066
12	26	1.192	0.088	0.093	13	46	2.237	-0.070	0.045	15	6	1.990	0.023	0.082
12	27	1.288	0.073	0.004	13	47	1.759	-0.048	0.093	15	7	2.006	0.172	0.084
12	28	1.363	0.024	0.017	13	48	1.124	-0.020	0.040	15	8	2.462	-0.050	0.072
12	29	1.239	-0.252	0.010	13	49	1.306	0.015	0.045	15	9	2.426	0.621	0.083
12	30	1.134	-0.153	0.052	13	50	2.043	0.014	0.036	15	10	2.758	0.405	0.058
12	31	1.785	-0.040	0.055	13	51	2.005	-0.029	0.016	15	11	2.552	0.218	0.070
12	32	1.007	-0.230	0.120	13	52	1.500	0.006	0.021	15	12	2.887	0.295	0.061
12	33	1.478	-0.267	0.073	13	53	2.037	0.078	0.040	15	13	2.601	0.009	0.057
12	34	1.867	-0.020	0.049	13	54	1.780	0.078	0.021	15	14	2.213	0.014	0.057
12	35	1.965	0.000	0.097	13	55	1.972	-0.100	0.028	15	15	2.549	0.036	0.089
12	36	2.450	0.008	0.043	13	56	2.163	-0.246	0.014	15	16	2.326	0.032	0.025
12	37	2.358	-0.009	0.082	13	57	1.377	-0.050	0.041	15	17	2.349	0.020	0.063





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

15	18	2.414	-0.012	0.049	17	1	-1.608	-0.173	0.005	18	21	2.491	0.058	0.108
15	19	1.839	0.036	0.090	17	2	-1.302	-0.396	0.007	18	22	2.517	-0.235	0.147
15	20	2.387	0.036	0.078	17	3	-0.351	-0.415	-0.020	18	23	2.300	-0.398	0.131
15	21	2.429	0.046	0.055	17	4	0.000	-0.006	0.037	18	24	2.557	-0.089	0.032
15	22	2.303	-0.078	0.045	17	5	0.000	-0.036	0.013	18	25	1.289	-0.071	0.176
15	23	1.505	-0.171	0.093	17	6	0.000	0.000	0.016	18	26	1.962	-0.377	0.051
15	24	2.035	-0.028	0.040	17	7	-0.001	-0.123	0.033	18	27	2.199	-0.116	0.182
15	25	2.252	0.227	0.047	17	8	-0.450	-0.539	0.012	18	28	2.437	-1.160	0.056
15	26	1.881	0.193	0.080	17	9	-1.014	-0.825	0.000	18	29	2.066	-0.564	0.133
15	27	1.908	0.003	0.067	17	10	-0.643	-0.729	0.000	18	30	1.901	-0.512	0.103
15	28	1.745	-0.006	0.081	17	11	-0.576	-0.553	0.006	18	31	1.824	-0.409	0.077
15	29	1.540	0.205	0.100	17	12	-0.005	-0.796	0.000	18	32	2.579	-0.157	0.066
15	30	1.852	0.005	0.035	17	13	0.002	-0.910	0.000	18	33	1.908	-0.443	0.083
15	31	1.590	0.043	0.081	17	14	0.002	-0.995	0.001	18	34	2.195	-1.404	0.170
15	32	1.820	0.194	0.056	17	15	0.024	-1.174	0.005	18	35	1.520	-0.460	0.150
15	33	1.097	0.006	0.133	17	16	0.194	-1.080	0.029	18	36	1.151	-0.277	0.092
15	34	1.418	0.015	0.048	17	17	0.420	-1.385	0.036	18	37	1.294	-0.011	0.050
15	35	1.409	0.108	0.045	17	18	0.843	-1.608	0.025	18	38	2.179	-0.298	0.062
15	36	1.302	0.203	0.043	17	19	0.378	-1.467	0.026	18	39	2.912	-0.414	0.043
15	37	1.707	0.004	0.021	17	20	0.110	-1.385	0.005	18	40	2.143	-0.778	0.105
15	38	1.557	-0.046	0.052	17	21	0.424	-1.113	0.013	18	41	2.260	-0.349	0.073
15	39	1.443	-0.102	0.042	17	22	0.300	-1.427	0.013	18	42	1.987	-0.147	0.132
15	40	1.514	-0.324	0.075	17	23	0.112	-1.027	0.025	18	43	1.613	-0.363	0.092
15	41	1.485	-0.288	0.060	17	24	0.158	-1.268	0.016	18	44	1.773	-0.272	0.150
15	42	2.462	-0.459	0.092	17	25	-0.097	-1.303	0.024	18	45	2.467	-0.233	0.064
15	43	2.451	-0.683	0.071	17	26	0.167	-1.219	0.018	18	46	2.998	-0.202	0.076
15	44	1.582	-1.224	0.019	17	27	0.443	-2.181	0.013	18	47	3.409	-0.232	0.042
15	45	1.184	-0.478	0.009	17	28	0.618	-2.155	0.004	18	48	2.863	-0.207	0.048
15	46	1.610	-0.672	0.046	17	29	0.696	-2.013	0.014	18	49	2.967	-0.056	0.079
15	47	2.072	-0.952	0.062	17	30	0.032	-1.337	0.022	18	50	3.607	-0.077	0.125
15	48	2.258	-0.819	0.048	17	31	0.114	-1.010	0.048	18	51	3.123	0.003	0.097
15	49	2.431	-0.749	0.061	17	32	0.293	-1.268	0.004	18	52	3.261	-0.786	0.035
15	50	2.058	-0.870	0.040	17	33	0.265	-1.304	0.030	18	53	2.665	-0.775	0.164
15	51	2.330	-1.199	0.136	17	34	0.076	-1.632	0.004	18	54	1.777	-0.388	0.122
15	52	3.105	-0.926	0.035	17	35	0.296	-1.774	0.017	18	55	1.542	-0.295	0.110
15	53	2.509	-0.316	0.110	17	36	0.802	-2.028	0.006	18	56	2.260	-0.364	0.104
15	54	3.158	-0.728	0.123	17	37	0.732	-2.202	0.011	18	57	1.795	-0.232	0.164
15	55	2.794	-1.275	0.105	17	38	0.950	-2.009	0.024	18	58	2.097	-0.372	0.178
15	56	3.023	-2.093	0.057	17	39	1.439	-1.353	0.034	18	59	2.191	-0.659	0.088
15	57	2.915	-1.665	0.106	17	40	1.944	-1.354	0.006	19	0	2.944	-0.249	0.234
15	58	3.333	-1.321	0.084	17	41	0.756	-1.504	0.000	19	1	2.208	-0.377	0.199
15	59	2.801	-0.898	0.046	17	42	1.249	-1.481	0.035	19	2	2.120	-0.081	0.206
16	0	1.245	-0.824	0.224	17	43	1.174	-1.116	0.026	19	3	1.587	-0.846	0.100
16	1	1.740	-0.645	0.131	17	44	1.971	-0.993	0.018	19	4	2.590	-0.978	0.129
16	2	3.133	-1.694	0.052	17	45	1.364	-0.778	0.047	19	5	2.773	-1.908	0.095
16	3	1.715	-1.272	0.120	17	46	1.397	-0.170	0.013	19	6	2.498	-1.286	0.039
16	4	2.806	-1.231	0.081	17	47	1.784	-0.048	0.024	19	7	2.334	-0.142	0.143
16	5	2.817	-1.276	0.061	17	48	1.308	-0.616	0.024	19	8	2.514	-0.573	0.123
16	6	2.534	-0.315	0.068	17	49	1.905	-0.808	0.023	19	9	1.830	-0.186	0.154
16	7	2.613	-0.350	0.023	17	50	1.290	-0.460	0.205	19	10	1.700	-0.268	0.116
16	8	2.003	-0.266	0.082	17	51	2.387	-0.215	0.099	19	11	2.582	-0.440	0.109
16	9	1.441	-0.553	0.193	17	52	2.570	-0.088	0.162	19	12	1.976	-0.628	0.029
16	10	1.395	-0.949	0.113	17	53	1.956	-0.136	0.205	19	13	1.822	-0.500	0.118
16	11	1.869	-1.618	0.050	17	54	2.530	-0.069	0.086	19	14	1.777	-0.538	0.178
16	12	1.484	-0.389	0.116	17	55	2.998	-0.400	0.040	19	15	2.205	-0.250	0.031
16	13	1.397	-0.129	0.171	17	56	2.559	-1.353	0.090	19	16	3.051	-0.184	0.154
16	14	1.343	-0.304	0.121	17	57	1.894	-0.550	0.236	19	17	2.735	-0.769	0.092
16	15	1.148	-0.146	0.102	17	58	2.392	-0.202	0.085	19	18	2.253	-0.414	0.090
16	16	1.761	-0.159	0.061	17	59	2.527	-0.182	0.147	19	19	3.249	-0.518	0.113
16	17	1.908	-0.989	0.036	18	0	1.980	-0.187	0.195	19	20	2.576	-0.980	0.079
16	18	2.040	-0.575	0.025	18	1	2.218	-0.267	0.102	19	21	2.666	-0.254	0.049
16	19	1.993	-0.540	0.103	18	2	1.856	-0.384	0.087	19	22	2.001	0.048	0.090
16	20	1.903	-0.383	0.015	18	3	1.651	-0.696	0.160	19	23	2.110	0.014	0.062
16	44	0.000	0.000	0.000	18	4	2.908	-0.090	0.094	19	24	3.279	-0.118	0.093
16	45	1.017	-2.970	0.012	18	5	2.840	-0.581	0.123	19	25	3.019	-0.041	0.104
16	46	1.101	-2.994	0.003	18	6	1.911	-0.309	0.168	19	26	2.989	-0.164	0.116
16	47	0.026	-1.657	0.022	18	7	1.620	-0.292	0.103	19	27	2.570	-0.282	0.068
16	48	0.117	-1.453	0.000	18	8	2.590	-0.124	0.064	19	28	2.666	-0.542	0.067
16	49	0.385	-1.145	0.031	18	9	3.265	-0.071	0.200	19	29	3.050	-0.187	0.031
16	50	0.694	-2.074	0.014	18	10	2.261	-0.164	0.155	19	30	3.183	-0.174	0.105
16	51	0.750	-2.029	0.005	18	11	2.164	0.029	0.195	19	31	2.189	-0.103	0.115
16	52	0.000	0.000	0.000	18	12	2.567	-0.077	0.120	19	32	2.522	-0.235	0.163
16	53	0.338	-1.762	0.018	18	13	2.022	0.012	0.079	19	33	2.953	-0.209	0.058
16	54	0.420	-1.584	0.011	18	14	1.542	-0.410	0.142	19	34	3.085	-0.630	0.044
16	55	0.143	-1.400	0.036	18	15	1.497	-0.074	0.155	19	35	3.195	-0.427	0.039
16	56	0.598	-1.983	0.003	18	16	2.600	-0.106	0.111	19	36	2.273	-0.109	0.103
16	57	-0.401	-1.912	0.039	18	17	2.880	-0.330	0.049	19	37	3.258	-0.036	0.111
16	58	-1.569	-0.706	-0.012	18	18	2.100	-0.675	0.046	19	38	1.862	-0.542	0.099
16	59	-2.219	0.052	0.009	18	19	1.598	0.008	0.102	19	39	2.491	-0.217	0.092
17	0	-1.732	-0.390	0.013	18	20	2.413	0.040	0.093	19	40	1.363	-0.556	0.089





19	41	2.462	-1.231	0.056	21	1	0.001	0.249	0.100	22	21	2.400	-0.031	0.087
19	42	3.107	-1.761	0.079	21	2	0.355	0.553	0.070	22	22	2.409	-0.084	0.060
19	43	2.987	-1.544	0.062	21	3	0.630	0.474	0.001	22	23	2.094	-0.105	0.064
19	44	2.565	-1.478	0.088	21	4	0.978	0.470	0.024	22	24	1.429	-0.162	0.102
19	45	2.050	-1.007	0.102	21	5	1.170	0.081	0.031	22	25	2.160	-0.049	0.032
19	46	2.975	-1.388	0.067	21	6	1.033	0.069	0.001	22	26	1.953	-0.129	0.020
19	47	1.810	-1.690	0.023	21	7	1.081	0.058	0.011	22	27	1.458	-0.032	0.071
19	48	0.794	-1.829	0.080	21	8	1.317	0.010	0.029	22	28	1.941	-0.066	0.037
19	49	1.145	-0.720	0.078	21	9	1.197	0.000	0.054	22	29	1.961	-0.107	0.027
19	50	1.761	-0.439	0.119	21	10	0.940	0.019	0.135	22	30	1.898	0.000	0.035
19	51	2.659	-1.648	0.125	21	11	0.833	-0.557	0.008	22	31	2.277	-0.025	0.042
19	52	3.698	-2.784	0.021	21	12	0.661	-0.146	0.005	22	32	1.906	-0.002	0.056
19	53	2.873	-2.420	0.048	21	13	0.779	-0.010	0.035	22	33	2.463	0.000	0.054
19	54	2.014	-2.095	0.033	21	14	1.137	0.014	0.044	22	34	2.404	0.022	0.057
19	55	2.897	-0.547	0.096	21	15	1.130	-0.007	0.075	22	35	2.348	0.134	0.052
19	56	2.398	-0.516	0.078	21	16	0.904	-0.119	0.030	22	36	2.376	0.327	0.056
19	57	1.822	-0.184	0.131	21	17	1.389	-0.705	0.022	22	37	2.633	0.216	0.037
19	58	3.384	-0.797	0.080	21	18	0.808	-0.072	0.033	22	38	2.530	0.137	0.035
19	59	2.747	-0.823	0.065	21	19	0.676	-0.464	0.018	22	39	2.543	0.150	0.050
20	0	1.915	-0.798	0.108	21	20	0.404	-1.458	0.005	22	40	2.601	0.068	0.018
20	1	1.855	-0.473	0.066	21	21	0.445	-1.028	0.044	22	41	1.836	0.020	0.059
20	2	2.372	-0.459	0.117	21	22	0.280	-0.662	0.022	22	42	2.016	0.022	0.071
20	3	2.647	-0.605	0.099	21	23	0.016	-0.928	0.009	22	43	2.309	0.002	0.061
20	4	2.172	-0.769	0.116	21	24	-0.200	-1.224	0.006	22	44	2.207	0.003	0.060
20	5	2.249	-0.607	0.108	21	25	0.390	-0.824	0.021	22	45	1.825	0.007	0.037
20	6	3.021	-0.359	0.080	21	26	1.261	-0.309	0.077	22	46	1.691	-0.056	0.053
20	7	3.164	-0.706	0.040	21	27	0.678	-0.372	0.083	22	47	1.823	-0.003	0.024
20	8	2.347	-0.574	0.074	21	28	1.042	-0.373	0.014	22	48	1.780	-0.303	0.039
20	9	1.681	-0.616	0.072	21	29	1.058	-0.053	0.039	22	49	1.959	-0.347	0.061
20	10	1.613	-0.518	0.075	21	30	1.490	-0.005	0.043	22	50	2.225	-0.273	0.051
20	11	0.997	-0.029	0.150	21	31	1.332	-0.057	0.015	22	51	2.097	-0.298	0.042
20	12	1.762	-0.063	0.039	21	32	1.514	-0.025	0.018	22	52	2.399	-0.423	0.038
20	13	1.917	-0.187	0.062	21	33	0.997	0.000	0.022	22	53	2.249	-0.297	0.019
20	14	1.749	-0.091	0.060	21	34	0.839	-0.019	0.044	22	54	2.196	-0.241	0.064
20	15	1.906	-0.055	0.054	21	35	0.933	-0.067	0.001	22	55	2.536	-0.363	0.043
20	16	1.650	-0.283	0.051	21	36	1.113	0.001	0.009	22	56	2.430	-0.308	0.035
20	17	1.778	-0.210	0.087	21	37	1.019	-0.027	0.036	22	57	2.317	-0.325	0.065
20	18	1.550	-0.148	0.065	21	38	0.874	0.000	0.050	22	58	1.674	-0.428	0.107
20	19	1.865	-0.280	0.053	21	39	1.286	-0.118	0.013	22	59	1.515	-0.308	0.040
20	20	1.875	-0.054	0.051	21	40	1.648	-0.095	0.040	23	0	2.278	-0.226	0.064
20	21	1.805	-0.235	0.048	21	41	2.038	-0.394	-0.008	23	1	2.013	-0.257	0.088
20	22	1.283	-0.097	0.091	21	42	1.160	0.054	0.026	23	2	2.193	-0.327	0.061
20	23	1.620	-0.390	0.020	21	43	0.889	0.143	0.082	23	3	2.162	-0.065	0.073
20	24	1.296	-0.218	0.033	21	44	1.203	0.185	0.021	23	4	2.434	-0.164	0.063
20	25	1.396	-0.354	0.017	21	45	1.859	0.027	0.071	23	5	2.279	-0.091	0.086
20	26	1.257	-0.148	0.034	21	46	2.798	0.009	0.076	23	6	2.465	-0.294	0.079
20	27	0.860	-0.221	0.069	21	47	2.362	0.274	0.094	23	7	3.082	-0.380	0.076
20	28	1.286	-0.050	0.023	21	48	2.054	0.759	0.074	23	8	2.439	-0.621	0.072
20	29	1.768	-0.147	0.027	21	49	2.380	0.494	0.073	23	9	2.560	-0.519	0.056
20	30	1.720	-0.249	0.061	21	50	2.475	0.305	0.102	23	10	2.100	-0.168	0.036
20	31	1.805	-0.628	0.021	21	51	2.327	0.268	0.070	23	11	2.018	-0.251	0.066
20	32	1.388	-0.269	0.023	21	52	2.257	0.125	0.032	23	12	1.670	-0.157	0.031
20	33	1.305	-0.301	0.055	21	53	1.961	0.057	0.095	23	13	1.095	-0.061	0.026
20	34	1.124	-0.208	0.073	21	54	1.854	0.023	0.058	23	14	1.608	-0.068	0.037
20	35	1.061	-0.070	0.041	21	55	1.421	0.149	0.055	23	15	1.130	-0.160	0.031
20	36	0.059	-0.386	0.014	21	56	1.101	0.060	0.021	23	16	1.206	-0.015	0.007
20	37	0.145	-0.527	0.006	21	57	1.188	0.176	0.104	23	17	1.069	-0.002	0.003
20	38	0.968	-0.966	0.014	21	58	1.078	0.250	0.055	23	18	0.854	-0.000	0.006
20	39	1.074	-1.086	-0.003	21	59	1.947	0.057	0.020	23	19	0.958	-0.008	0.040
20	40	0.805	-1.096	0.002	22	0	0.646	0.203	0.077	23	20	0.975	-0.073	0.045
20	41	0.089	-0.977	0.004	22	1	0.517	0.386	0.072	23	21	0.977	-0.073	0.031
20	42	0.032	-0.960	0.016	22	2	1.198	0.252	0.009	23	22	1.011	-0.073	0.008
20	43	0.000	-1.080	-0.002	22	3	0.838	0.415	0.032	23	23	0.947	-0.020	0.033
20	44	0.000	-0.972	-0.000	22	4	1.075	0.394	0.007	23	24	0.828	-0.013	0.028
20	45	0.000	-0.906	0.001	22	5	0.773	0.032	0.068	23	25	1.086	0.010	0.037
20	46	-0.013	-0.816	0.001	22	6	1.288	0.009	0.066	23	26	1.125	0.015	0.036
20	47	0.000	-0.745	0.000	22	7	1.286	-0.063	0.018	23	27	0.757	-0.368	0.028
20	48	0.000	-0.655	0.000	22	8	0.875	-0.047	0.055	23	28	0.961	-0.088	0.079
20	49	0.000	-0.405	-0.000	22	9	1.103	0.013	0.010	23	29	0.313	-0.059	0.048
20	50	0.000	-0.061	-0.004	22	10	1.099	-0.031	0.026	23	30	0.976	0.025	0.013
20	51	0.000	-0.020	0.000	22	11	1.085	-0.012	-0.004	23	31	1.334	-0.003	0.017
20	52	0.000	-0.173	0.000	22	12	0.678	-0.005	0.000	23	32	1.069	0.001	0.000
20	53	0.000	-0.007	0.000	22	13	0.780	0.013	0.024	23	33	0.859	0.000	0.039
20	54	0.000	0.000	-0.002	22	14	0.864	0.025	0.024	23	34	0.981	-0.000	0.041
20	55	0.000	0.000	0.000	22	15	1.187	0.002	0.040	23	35	1.191	0.002	0.031
20	56	0.000	0.000	0.000	22	16	0.888	0.063	0.064	23	36	1.231	0.068	0.004
20	57	0.000	0.000	0.000	22	17	0.749	0.001	0.032	23	37	0.878	0.186	0.023
20	58	0.000	0.000	-0.049	22	18	0.768	0.173	0.037	23	38	1.215	0.018	0.008
20	59	0.000	0.000	0.000	22	19	1.089	0.000	0.050	23	39	1.248	0.046	0.032
21	0	0.002	0.034	0.060	22	20	1.733	0.073	0.041	23	40	1.168	-0.258	0.036





23	41	0.804	-0.103	0.067	0	58	0.000	0.483	0.054	2	18	1.267	-0.182	0.012
23	42	1.103	-0.022	0.020	0	59	0.317	0.840	0.022	2	19	0.996	-1.095	-0.003
23	43	1.245	-0.104	0.035	1	0	0.191	0.871	0.065	2	20	0.102	-1.230	0.028
23	44	1.133	-0.057	0.080	1	1	0.000	0.459	0.032	2	21	0.363	-1.120	0.036
23	45	1.036	-0.200	0.012	1	2	0.019	0.392	0.059	2	22	0.289	-1.299	0.059
23	46	0.734	-0.428	0.079	1	3	-0.001	0.508	0.019	2	23	1.022	-0.629	0.048
23	47	0.451	0.088	0.082	1	4	-0.002	0.000	0.054	2	24	0.973	-0.150	0.030
23	48	0.303	-0.034	0.032	1	5	0.006	0.000	0.071	2	25	0.373	-0.060	0.106
23	49	0.632	-0.410	0.032	1	6	0.000	0.000	0.037	2	26	0.947	-0.001	0.071
23	50	1.514	-0.777	0.070	1	7	0.000	0.000	0.014	2	27	1.011	-0.009	0.076
23	51	1.968	-0.234	0.060	1	8	-0.002	0.000	0.066	2	28	0.886	-0.207	0.045
23	52	1.289	-0.072	0.035	1	9	-0.013	0.141	0.018	2	29	0.759	-0.302	0.220
23	53	1.339	-0.100	0.087	1	10	0.000	0.028	0.075	2	30	1.305	-0.038	0.021
23	54	0.513	0.201	0.090	1	11	0.248	0.584	0.043	2	31	1.722	-0.290	0.082
23	55	0.884	-0.077	0.096	1	12	0.208	0.674	0.062	2	32	2.024	-0.173	0.068
23	56	0.207	0.005	0.007	1	13	0.000	0.995	0.015	2	33	1.536	-0.033	0.095
23	57	0.000	0.014	0.011	1	14	0.006	1.341	0.106	2	34	1.601	-0.053	0.027
23	58	0.256	0.171	0.058	1	15	0.911	1.097	0.075	2	35	1.422	-0.014	0.053
23	59	0.616	0.021	0.122	1	16	0.851	0.980	0.033	2	36	1.693	-0.304	0.063
					1	17	0.946	0.892	0.036	2	37	1.003	-0.226	0.119
					1	18	1.240	0.774	0.041	2	38	1.273	0.224	0.038
					1	19	0.982	0.757	0.045	2	39	1.363	0.012	0.041
					1	20	0.973	0.785	0.019	2	40	1.048	-0.062	0.148
					1	21	1.004	0.782	0.038	2	41	0.369	-0.016	0.063
					1	22	0.583	0.230	0.085	2	42	0.000	-0.001	0.055
					1	23	0.446	0.174	0.081	2	43	0.000	0.000	0.000
					1	24	0.546	0.496	0.036	2	44	0.482	-0.266	0.002
					1	25	0.697	0.844	0.064	2	45	0.094	-0.005	0.162
					1	26	0.963	0.733	0.026	2	46	0.000	0.004	0.002
					1	27	0.970	0.700	0.012	2	47	0.000	0.012	0.000
					1	28	0.810	0.551	0.000	2	48	0.000	0.061	-0.002
					1	29	0.520	0.395	0.057	2	49	-0.734	0.052	0.015
					1	30	0.059	0.023	0.021	2	50	-0.975	0.023	-0.000
					1	31	0.000	0.000	0.085	2	51	-0.807	0.045	0.000
					1	32	0.000	0.010	0.019	2	52	-0.747	0.000	-0.000
					1	33	0.000	0.116	0.075	2	53	-0.177	0.000	-0.003
					1	34	0.000	0.167	0.000	2	54	0.000	0.000	0.011
					1	35	0.000	0.217	0.036	2	55	0.000	0.000	0.001
					1	36	0.000	0.238	0.054	2	56	0.000	0.058	0.017
					1	37	-0.005	-0.009	0.015	2	57	0.000	0.167	0.002
					1	38	0.000	0.000	0.100	2	58	0.000	0.552	0.013
					1	39	0.000	0.025	0.121	2	59	0.000	0.457	-0.005
					1	40	0.005	0.177	0.079	3	0	0.000	-0.013	-0.026
					1	41	-0.000	0.024	0.127	3	1	0.000	0.000	0.001
					1	42	0.000	-0.005	0.049	3	2	-0.016	0.036	0.000
					1	43	0.000	0.000	0.000	3	3	-0.176	0.372	0.014
					1	44	0.000	-0.190	0.000	3	4	0.142	0.418	0.014
					1	45	0.113	-0.815	0.016	3	5	-0.000	0.192	-0.006
					1	46	1.002	-0.625	0.011	3	6	0.021	0.257	0.189
					1	47	0.889	-0.477	0.094	3	7	0.083	0.688	0.140
					1	48	0.551	-0.784	0.011	3	8	0.022	0.964	0.102
					1	49	0.569	-0.592	0.004	3	9	-0.002	0.820	0.195
					1	50	0.668	-0.178	0.040	3	10	-0.005	0.347	0.158
					1	51	0.684	-0.649	0.006	3	11	0.000	0.718	0.009
					1	52	0.274	-0.822	0.073	3	12	-0.001	0.789	0.055
					1	53	1.518	-0.079	0.046	3	13	0.000	0.947	0.039
					1	54	1.396	-0.736	0.010	3	14	0.004	0.948	0.028
					1	55	1.583	-1.510	0.027	3	15	0.000	1.025	0.004
					1	56	1.400	-1.009	0.058	3	16	0.024	1.015	0.018
					1	57	1.743	-0.904	0.065	3	17	0.057	1.185	0.037
					1	58	1.977	-0.710	0.071	3	18	0.000	1.222	0.012
					1	59	1.680	-0.175	0.048	3	19	0.000	1.179	0.025
					2	0	1.352	0.067	0.023	3	20	-0.000	0.945	0.072
					2	1	1.617	0.070	0.060	3	21	0.002	0.891	0.060
					2	2	1.253	0.000	0.019	3	22	0.001	1.112	0.050
					2	3	0.965	-0.002	0.018	3	23	-0.000	1.472	0.013
					2	4	1.229	0.002	-0.001	3	24	0.036	1.582	0.042
					2	5	0.865	0.013	0.001	3	25	-0.000	1.726	0.043
					2	6	0.601	-0.054	0.003	3	26	0.000	2.021	0.045
					2	7	0.611	-0.080	0.010	3	27	0.000	2.083	0.037
					2	8	0.541	0.000	0.000	3	28	0.000	1.756	0.001
					2	9	0.134	0.000	0.038	3	29	0.000	1.281	0.015
					2	10	0.000	0.005	0.087	3	30	0.000	1.219	0.018
					2	11	0.000	0.000	0.000	3	31	-0.001	1.173	0.099
					2	12	0.000	0.000	-0.000	3	32	0.024	1.175	0.087
					2	13	0.000	0.000	0.000	3	33	0.001	1.219	0.020
					2	14	0.000	0.000	0.000	3	34	0.639	1.326	0.057
					2	15	0.000	0.000	0.000	3	35	0.740	1.364	0.016
					2	16	0.576	0.000	0.001	3	36	0.010	1.190	0.046
					2	17	1.201	-0.392	-0.005	3	37	0.612	1.297	0.066

14/07/95



3	38	1.134	1.432	0.103	4	58	0.942	0.059	0.003	6	18	0.745	-0.410	0.060
3	39	0.945	1.408	0.041	4	59	0.063	0.121	0.041	6	19	0.052	-0.411	0.013
3	40	1.045	1.459	0.059	5	0	0.697	0.038	0.003	6	20	0.000	-0.285	0.018
3	41	1.495	1.518	0.087	5	1	0.514	0.080	0.102	6	21	1.033	-0.439	0.046
3	42	1.737	1.410	0.033	5	2	0.550	0.097	0.054	6	22	0.838	-0.201	0.025
3	43	1.983	1.382	0.052	5	3	0.748	0.020	0.005	6	23	0.966	-0.378	0.033
3	44	1.864	1.323	0.096	5	4	0.845	0.000	0.008	6	24	1.033	-0.132	0.054
3	45	1.550	1.171	0.047	5	5	1.084	-0.001	0.004	6	25	0.987	0.005	0.006
3	46	1.085	1.132	0.042	5	6	1.114	-0.010	0.013	6	26	0.210	0.729	0.019
3	47	1.101	1.169	0.177	5	7	1.087	-0.002	0.013	6	27	0.013	0.919	0.005
3	48	1.300	1.045	0.058	5	8	0.556	0.000	0.031	6	28	0.000	0.955	0.033
3	49	0.973	1.034	0.041	5	9	1.010	0.014	0.000	6	29	0.000	0.912	0.037
3	50	1.143	1.028	0.035	5	10	0.920	0.000	0.031	6	30	0.462	0.939	0.034
3	51	0.941	1.019	0.037	5	11	1.279	-0.001	0.017	6	31	0.596	1.127	0.017
3	52	0.837	1.076	0.037	5	12	1.508	0.004	0.009	6	32	0.394	1.149	0.071
3	53	0.316	1.102	0.016	5	13	1.530	0.000	0.019	6	33	0.811	1.206	0.022
3	54	0.185	1.186	0.028	5	14	1.506	-0.008	0.037	6	34	0.993	1.210	0.024
3	55	0.424	1.228	0.085	5	15	1.491	-0.021	0.045	6	35	0.894	1.057	0.013
3	56	0.000	1.163	0.082	5	16	1.540	-0.007	0.019	6	36	1.066	1.037	0.010
3	57	0.000	1.136	0.065	5	17	1.697	-0.111	0.033	6	37	1.182	0.708	0.010
3	58	0.769	1.359	0.057	5	18	1.656	-0.255	0.018	6	38	0.923	0.155	0.062
3	59	0.821	1.428	0.071	5	19	1.367	-0.327	0.034	6	39	0.920	0.056	0.071
4	0	0.944	1.439	0.074	5	20	1.434	-0.393	0.032	6	40	1.211	0.027	0.010
4	1	1.185	1.506	0.057	5	21	1.314	-0.423	0.029	6	41	1.267	-0.006	0.026
4	2	1.311	1.489	0.038	5	22	1.328	-0.296	0.027	6	42	1.161	0.000	0.017
4	3	1.512	1.461	0.013	5	23	1.497	-0.364	0.024	6	43	0.917	-0.003	0.016
4	4	1.115	1.404	0.055	5	24	1.290	-0.291	0.034	6	44	0.933	0.000	0.006
4	5	1.066	1.473	0.058	5	25	1.497	-0.420	0.055	6	45	1.031	0.000	0.006
4	6	1.041	1.520	0.045	5	26	1.174	-0.212	0.018	6	46	0.930	0.000	0.002
4	7	0.914	1.482	0.031	5	27	1.176	-0.232	0.045	6	47	1.018	-0.000	0.000
4	8	0.292	1.373	0.055	5	28	1.289	-0.218	0.009	6	48	1.138	-0.013	0.006
4	9	0.580	1.334	0.042	5	29	1.125	0.000	0.023	6	49	1.013	0.001	0.007
4	10	0.418	1.057	0.017	5	30	1.359	-0.056	0.029	6	50	0.942	0.000	0.014
4	11	0.620	1.068	0.027	5	31	1.172	-0.039	0.010	6	51	0.610	0.118	0.082
4	12	0.203	1.048	0.015	5	32	1.171	-0.019	0.015	6	52	0.716	0.106	0.050
4	13	0.000	1.063	0.035	5	33	1.165	-0.152	0.059	6	53	0.340	0.063	0.031
4	14	0.000	1.084	0.026	5	34	1.378	-0.011	0.064	6	54	0.000	0.533	0.082
4	15	0.000	1.101	0.029	5	35	1.638	-0.206	0.022	6	55	0.000	0.648	0.010
4	16	0.072	1.101	0.157	5	36	1.411	-0.027	0.055	6	56	0.000	0.806	0.043
4	17	1.210	1.259	0.028	5	37	1.699	-0.201	0.049	6	57	-0.001	0.900	0.024
4	18	1.132	1.102	0.004	5	38	1.648	-0.166	0.040	6	58	-0.001	1.153	0.029
4	19	0.968	1.027	0.007	5	39	2.001	-0.312	0.047	6	59	0.000	1.178	0.028
4	20	1.185	1.024	0.029	5	40	1.661	-0.497	0.024	7	0	0.014	1.345	0.058
4	21	1.279	0.978	0.014	5	41	1.249	-0.298	0.061	7	1	0.006	1.561	0.046
4	22	1.391	0.949	0.009	5	42	1.133	-0.252	0.050	7	2	0.014	2.008	0.122
4	23	1.033	0.916	0.017	5	43	1.339	-0.357	0.046	7	3	0.345	1.919	0.067
4	24	1.077	0.949	0.020	5	44	0.942	-0.149	0.031	7	4	0.261	1.768	0.074
4	25	1.122	0.965	0.018	5	45	0.985	-0.147	0.034	7	5	0.235	1.701	0.028
4	26	0.802	0.495	0.050	5	46	0.679	-0.041	0.018	7	6	0.403	1.475	0.038
4	27	0.645	0.094	0.099	5	47	1.050	-0.278	0.007	7	7	0.274	1.362	0.094
4	28	0.726	0.083	0.073	5	48	0.892	-0.040	0.019	7	8	0.432	1.330	0.037
4	29	0.553	0.066	0.076	5	49	1.205	-0.223	0.025	7	9	0.160	1.345	0.055
4	30	0.572	0.031	0.083	5	50	1.293	-0.065	0.023	7	10	0.000	1.463	0.013
4	31	0.827	0.000	0.006	5	51	1.351	0.013	0.017	7	11	0.054	1.430	0.072
4	32	1.090	0.000	0.007	5	52	1.303	-0.011	0.019	7	12	0.017	1.590	0.027
4	33	0.853	0.041	0.043	5	53	1.440	0.014	0.027	7	13	-0.024	1.369	0.036
4	34	1.047	0.017	0.005	5	54	1.549	-0.008	0.032	7	14	-0.001	1.232	0.032
4	35	0.937	0.002	0.008	5	55	1.569	-0.047	0.041	7	15	0.043	1.447	0.079
4	36	0.932	-0.000	0.004	5	56	1.292	-0.049	0.046	7	16	0.011	1.444	0.028
4	37	1.184	-0.042	0.009	5	57	1.384	0.001	0.019	7	17	0.033	1.342	0.030
4	38	1.454	-0.165	0.018	5	58	1.416	-0.049	0.027	7	18	0.014	1.496	0.043
4	39	1.193	-0.117	0.028	5	59	1.734	-0.093	0.069	7	19	0.058	1.399	0.065
4	40	1.462	-0.169	0.023	6	0	1.504	-0.204	0.047	7	20	0.096	1.101	0.122
4	41	2.103	-0.146	0.100	6	1	1.038	-0.101	0.047	7	21	0.191	0.938	0.020
4	42	1.984	-0.232	0.059	6	2	1.241	0.000	0.032	7	22	0.029	0.876	0.058
4	43	2.087	-0.059	0.041	6	3	1.174	0.000	0.018	7	23	0.000	0.869	0.025
4	44	1.880	-0.021	0.056	6	4	1.231	-0.120	0.023	7	24	0.000	0.900	0.027
4	45	1.700	-0.022	0.054	6	5	1.246	-0.204	0.042	7	25	0.000	0.927	0.014
4	46	2.093	0.028	0.047	6	6	0.929	-0.000	0.023	7	26	0.000	0.892	0.013
4	47	1.840	0.005	0.042	6	7	1.277	-0.060	0.006	7	27	0.000	0.842	0.028
4	48	1.987	-0.017	0.041	6	8	1.065	-0.041	0.018	7	28	0.000	0.648	0.043
4	49	1.730	-0.099	0.065	6	9	0.698	0.003	0.045	7	29	0.441	0.669	0.004
4	50	1.786	-0.148	0.041	6	10	0.073	0.022	0.012	7	30	0.984	0.776	0.016
4	51	1.817	-0.171	0.030	6	11	0.336	-0.265	0.013	7	31	0.648	0.809	0.035
4	52	1.535	-0.007	0.027	6	12	0.000	-0.019	0.008	7	32	0.496	0.870	0.018
4	53	1.507	0.001	0.020	6	13	0.240	-0.301	0.016	7	33	0.656	0.965	0.029
4	54	0.946	-0.008	0.018	6	14	0.141	0.000	0.028	7	34	0.027	0.886	0.021
4	55	1.039	-0.007	0.018	6	15	0.556	-0.280	0.007	7	35	0.000	0.934	0.046
4	56	1.018	-0.020	0.028	6	16	0.639	-0.088	0.002	7	36	0.209	1.005	0.044
4	57	0.958	0.000	0.011	6	17	0.873	-0.096	0.007	7	37	0.000	0.875	0.115





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

7	38	0.000	0.860	0.053	8	58	-0.727	-0.437	0.004	10	18	0.411	0.000	0.001
7	39	0.000	0.862	0.044	8	59	-0.922	-0.364	-0.000	10	19	0.385	-0.323	0.009
7	40	0.127	0.706	0.030	9	0	-1.199	-0.423	0.001	10	20	0.590	-1.122	0.006
7	41	0.000	0.760	0.011	9	1	-0.849	-0.137	0.002	10	21	0.362	-1.055	0.000
7	42	0.000	0.865	0.021	9	2	-1.020	-0.117	-0.007	10	22	0.093	-0.498	0.016
7	43	0.000	0.859	0.020	9	3	-1.118	0.003	-0.002	10	23	0.064	-1.154	0.010
7	44	0.000	0.667	0.063	9	4	-1.356	-0.130	-0.004	10	24	0.057	-0.989	0.002
7	45	0.000	0.339	0.160	9	5	-1.043	-0.070	-0.013	10	25	0.363	-1.641	0.006
7	46	0.017	0.523	0.158	9	6	-0.384	-0.398	-0.000	10	26	0.427	-1.545	0.017
7	47	0.000	0.558	0.001	9	7	-0.138	-1.055	0.013	10	27	1.045	-1.466	0.011
7	48	0.000	0.504	0.120	9	8	-0.008	-1.184	0.026	10	28	0.838	-1.589	0.011
7	49	0.000	0.593	0.083	9	9	-0.477	-1.555	-0.005	10	29	0.768	-1.447	0.026
7	50	0.093	0.561	0.140	9	10	-0.572	-1.403	-0.011	10	30	0.644	-1.392	0.025
7	51	0.292	0.610	0.145	9	11	-0.252	-0.836	-0.020	10	31	0.638	-0.332	0.011
7	52	0.033	0.703	0.152	9	12	0.000	-0.356	-0.002	10	32	1.065	0.000	0.015
7	53	0.010	0.888	0.075	9	13	-0.003	-0.653	-0.041	10	33	1.625	-0.013	0.018
7	54	0.000	0.985	0.025	9	14	-0.001	-0.023	-0.087	10	34	1.751	0.003	0.017
7	55	0.000	0.927	0.099	9	15	-0.411	0.000	-0.002	10	35	1.832	0.000	0.021
7	56	0.000	0.607	0.055	9	16	-0.198	0.004	0.004	10	36	1.325	0.092	0.035
7	57	0.157	0.799	0.115	9	17	-0.294	0.000	0.001	10	37	1.155	0.356	0.031
7	58	0.785	1.080	0.019	9	18	0.000	0.118	0.090	10	38	1.794	0.635	0.058
7	59	1.024	0.930	0.005	9	19	-0.001	0.757	0.041	10	39	1.444	0.504	0.113
8	0	0.987	0.868	0.006	9	20	-0.132	0.858	0.011	10	40	1.710	0.498	0.041
8	1	0.919	1.065	0.012	9	21	-0.188	0.811	0.016	10	41	1.926	0.725	0.039
8	2	1.322	0.936	0.020	9	22	-0.001	0.758	0.021	10	42	1.756	0.600	0.038
8	3	1.214	0.953	0.026	9	23	0.035	0.773	0.022	10	43	1.642	0.618	0.049
8	4	1.238	0.742	0.041	9	24	0.395	0.842	0.014	10	44	2.027	0.298	0.031
8	5	1.292	0.732	0.000	9	25	0.761	0.951	0.000	10	45	1.925	0.235	0.019
8	6	0.839	0.729	0.050	9	26	1.243	1.043	0.009	10	46	1.984	0.308	0.020
8	7	1.360	0.740	0.023	9	27	1.595	1.182	0.028	10	47	2.184	0.048	0.029
8	8	1.187	0.564	0.007	9	28	1.877	1.312	0.057	10	48	1.696	0.086	0.022
8	9	1.230	0.653	0.033	9	29	2.021	1.213	0.056	10	49	1.819	0.040	0.016
8	10	1.421	0.458	0.022	9	30	2.172	1.280	0.078	10	50	1.942	0.058	0.054
8	11	1.288	0.326	0.040	9	31	2.417	0.660	0.083	10	51	1.752	-0.016	0.068
8	12	1.194	0.071	0.029	9	32	2.372	0.115	0.112	10	52	1.725	0.020	0.015
8	13	0.872	0.348	0.071	9	33	2.785	-0.022	0.087	10	53	1.774	-1.251	0.050
8	14	0.885	0.202	0.046	9	34	2.394	-0.245	0.100	10	54	1.634	-0.324	0.021
8	15	0.676	0.263	0.144	9	35	2.137	-0.090	0.043	10	55	1.356	0.006	0.042
8	16	0.673	0.367	0.078	9	36	1.916	-0.003	0.042	10	56	2.226	-0.064	0.051
8	17	0.317	0.048	0.206	9	37	1.367	-0.350	0.010	10	57	1.763	-0.079	0.029
8	18	0.333	0.019	0.069	9	38	0.990	-0.009	0.022	10	58	1.653	-0.155	0.150
8	19	0.000	0.000	0.008	9	39	0.713	-0.049	0.010	10	59	1.319	0.102	0.024
8	20	0.000	0.000	0.004	9	40	0.941	0.000	0.001	11	0	1.538	0.287	0.019
8	21	0.120	-0.047	0.030	9	41	0.698	0.000	0.010	11	1	1.557	0.502	0.031
8	22	0.104	0.000	0.026	9	42	0.895	0.037	0.001	11	2	1.648	0.275	0.032
8	23	0.000	0.000	-0.002	9	43	0.948	0.019	0.065	11	3	1.350	0.144	0.038
8	24	0.000	0.000	-0.020	9	44	1.249	0.000	0.019	11	4	1.857	0.110	0.011
8	25	0.000	0.000	0.108	9	45	1.364	-0.008	0.024	11	5	1.529	-0.115	0.004
8	26	0.000	0.000	0.016	9	46	1.451	-0.021	0.044	11	6	1.217	0.204	0.049
8	27	0.000	0.000	0.000	9	47	1.611	0.142	0.067	11	7	1.604	0.365	0.021
8	28	0.006	0.020	0.146	9	48	1.806	0.038	0.048	11	8	1.503	0.468	0.073
8	29	0.421	0.000	0.002	9	49	2.309	0.236	0.033	11	9	1.860	0.623	0.034
8	30	0.624	0.000	0.094	9	50	2.206	0.244	0.034	11	10	1.573	0.414	0.042
8	31	0.497	0.413	0.118	9	51	2.026	0.287	0.033	11	11	1.580	0.244	0.010
8	32	0.000	0.043	0.068	9	52	1.975	0.311	0.047	11	12	1.315	0.858	0.036
8	33	0.000	0.000	0.094	9	53	2.235	0.302	0.029	11	13	1.519	0.971	0.012
8	34	0.000	-0.008	0.202	9	54	2.199	0.186	0.026	11	14	1.537	0.873	0.018
8	35	-0.003	0.004	0.124	9	55	1.692	0.112	0.022	11	15	1.425	0.583	0.036
8	36	0.000	-0.027	0.094	9	56	1.707	0.018	0.030	11	16	1.928	0.617	0.025
8	37	0.000	-0.266	0.006	9	57	1.822	-0.003	0.037	11	17	1.513	0.541	0.016
8	38	0.000	-0.417	-0.001	9	58	1.575	0.030	0.037	11	18	1.905	0.296	0.017
8	39	0.000	-0.925	0.006	9	59	1.308	0.078	0.069	11	19	2.422	0.117	0.013
8	40	-1.619	-1.279	0.009	10	0	1.542	0.254	0.027	11	20	1.838	0.013	0.025
8	41	-3.301	-1.828	0.005	10	1	1.766	0.372	0.015	11	21	1.527	0.013	0.038
8	42	-2.916	-2.187	0.091	10	2	1.773	0.192	0.024	11	22	2.212	-0.125	0.020
8	43	-2.975	-3.428	0.168	10	3	1.294	0.520	0.033	11	23	2.170	-0.088	0.043
8	44	-2.952	-4.181	0.179	10	4	1.626	0.492	0.012	11	24	2.346	0.007	0.048
8	45	-1.447	-3.881	0.076	10	5	1.345	0.397	0.017	11	25	2.379	0.012	0.043
8	46	-0.504	-5.110	0.188	10	6	0.936	0.251	0.031	11	26	2.525	-0.103	0.048
8	47	-0.437	-3.634	0.028	10	7	1.092	0.469	0.007	11	27	2.389	-0.073	0.017
8	48	0.295	-3.211	0.232	10	8	1.007	0.160	0.009	11	28	2.426	-0.028	0.024
8	49	-0.003	-2.798	0.241	10	9	1.334	0.457	0.002	11	29	2.473	-0.116	0.045
8	50	-0.928	-1.732	0.093	10	10	1.327	0.000	0.005	11	30	2.501	-0.053	0.026
8	51	-1.177	-1.356	0.041	10	11	1.209	-0.008	0.003	11	31	2.005	-0.098	0.023
8	52	-1.946	-0.699	-0.021	10	12	1.299	-0.020	0.006	11	32	2.147	-0.003	0.031
8	53	-1.488	0.082	-0.025	10	13	1.379	-0.005	0.006	11	33	1.587	0.014	0.041
8	54	-0.977	-0.142	-0.020	10	14	1.375	0.000	0.002	11	34	2.165	-0.038	0.037
8	55	-0.770	-0.152	0.042	10	15	0.978	0.000	0.000	11	35	2.379	-0.050	0.024
8	56	-1.043	-0.283	0.007	10	16	0.821	0.000	0.000	11	36	2.183	-0.010	0.015
8	57	-0.237	-0.278	0.009	10	17	0.867	0.000	0.000	11	37	2.519	0.077	0.075





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

11	38	2.517	0.046	0.051	12	58	1.494	0.351	0.024	14	18	1.049	0.238	0.065
11	39	2.224	0.024	0.060	12	59	1.267	0.147	0.048	14	19	1.463	0.069	0.005
11	40	2.387	0.015	0.061	13	0	1.484	0.460	0.016	14	20	1.816	0.012	0.021
11	41	2.219	0.000	0.034	13	1	1.390	0.530	0.008	14	21	2.155	0.010	0.028
11	42	1.832	0.061	0.027	13	2	1.440	0.405	0.032	14	22	2.005	0.152	0.036
11	43	2.090	0.257	0.046	13	3	1.527	0.453	0.016	14	23	2.271	0.286	0.051
11	44	1.614	0.197	0.023	13	4	1.488	0.486	0.040	14	24	2.461	0.123	0.030
11	45	1.058	0.112	0.031	13	5	1.301	0.509	0.024	14	25	2.421	0.015	0.063
11	46	0.973	0.015	0.083	13	6	1.506	0.676	0.021	14	26	2.253	-0.035	0.082
11	47	0.825	0.002	0.016	13	7	1.583	0.880	0.008	14	27	2.677	-0.057	0.032
11	48	0.586	0.073	0.031	13	8	1.432	0.761	0.040	14	28	2.251	0.011	0.070
11	49	0.816	0.000	0.059	13	9	1.269	0.764	0.009	14	29	2.234	-0.012	0.025
11	50	0.891	0.044	0.006	13	10	1.479	0.504	0.021	14	30	1.829	-0.017	0.007
11	51	0.986	0.315	0.018	13	11	1.532	0.365	0.009	14	31	1.709	-0.028	0.016
11	52	0.969	0.067	0.003	13	12	1.048	0.472	0.069	14	32	1.465	-0.000	0.025
11	53	0.874	0.052	0.002	13	13	1.504	0.445	0.040	14	33	1.581	0.029	0.016
11	54	0.933	0.548	0.027	13	14	2.013	0.431	0.009	14	34	1.753	0.023	0.024
11	55	0.968	0.523	0.034	13	15	1.978	0.246	0.006	14	35	1.612	0.101	0.031
11	56	1.176	0.594	0.002	13	16	1.681	0.000	0.026	14	36	2.199	0.024	0.014
11	57	1.169	0.632	0.027	13	17	1.601	0.015	0.012	14	37	1.733	0.010	0.007
11	58	1.274	0.477	0.049	13	18	1.241	0.006	0.021	14	38	1.616	0.076	0.007
11	59	1.134	0.391	0.062	13	19	1.838	0.003	0.009	14	39	1.170	0.523	0.084
12	0	0.962	0.506	0.046	13	20	1.665	-0.003	0.010	14	40	1.430	0.207	0.035
12	1	1.307	0.001	0.017	13	21	1.902	0.000	0.020	14	41	1.397	0.389	0.080
12	2	1.192	0.000	0.006	13	22	1.721	0.000	0.020	14	42	1.378	-0.050	0.037
12	3	1.213	0.199	0.004	13	23	1.537	0.000	0.009	14	43	1.588	-0.071	0.028
12	4	1.028	0.280	0.002	13	24	1.220	0.000	0.010	14	44	1.382	0.000	0.039
12	5	1.126	0.074	0.004	13	25	1.302	-0.000	0.010	14	45	1.773	-0.026	0.025
12	6	1.072	0.002	0.000	13	26	1.642	-0.000	0.017	14	46	1.976	-0.017	0.029
12	7	1.326	0.000	0.007	13	27	1.435	0.000	0.010	14	47	1.965	-0.006	0.025
12	8	1.554	0.162	0.023	13	28	1.200	0.002	0.017	14	48	1.617	-0.131	0.048
12	9	1.391	0.000	0.009	13	29	1.372	-0.407	0.012	14	49	1.780	-0.043	0.039
12	10	1.652	0.138	0.017	13	30	0.692	-0.054	0.024	14	50	1.879	-0.204	0.034
12	11	1.446	0.078	0.048	13	31	0.827	-0.397	0.029	14	51	1.897	-0.232	0.024
12	12	1.378	0.051	0.032	13	32	1.114	-0.583	0.013	14	52	1.766	-0.085	0.010
12	13	1.391	0.084	0.018	13	33	0.671	-0.134	0.015	14	53	1.879	-0.051	0.014
12	14	1.179	0.068	0.021	13	34	0.000	0.000	0.028	14	54	1.627	0.000	0.015
12	15	1.099	0.026	0.019	13	35	0.000	0.000	0.000	14	55	1.863	-0.001	0.020
12	16	1.028	0.061	0.015	13	36	0.190	-0.993	0.004	14	56	1.802	-0.009	0.011
12	17	1.195	0.121	0.007	13	37	0.901	-1.265	0.039	14	57	1.811	-0.002	0.011
12	18	0.959	0.157	0.002	13	38	0.635	-1.664	0.015	14	58	1.581	0.000	0.002
12	19	1.251	0.027	0.009	13	39	0.955	-1.379	0.055	14	59	1.298	-0.015	0.012
12	20	1.036	0.000	0.014	13	40	0.659	-1.546	0.037	15	0	1.283	-0.006	0.002
12	21	1.261	0.000	0.042	13	41	0.647	-1.551	0.009	15	1	1.428	0.004	0.018
12	22	1.221	0.000	0.004	13	42	0.180	-0.527	0.126	15	2	1.357	0.001	0.039
12	23	1.293	0.000	0.007	13	43	0.291	-0.511	0.028	15	3	1.490	0.004	0.014
12	24	1.031	0.007	0.001	13	44	0.560	-1.318	0.001	15	4	1.306	0.000	0.030
12	25	0.852	0.101	0.025	13	45	0.473	-0.674	0.008	15	5	1.843	-0.026	0.020
12	26	0.970	0.000	0.024	13	46	0.562	-0.218	0.039	15	6	2.049	-0.036	0.028
12	27	1.106	0.000	0.012	13	47	0.487	-0.810	0.020	15	7	2.092	0.000	0.007
12	28	1.350	0.000	0.003	13	48	0.608	-0.762	0.017	15	8	1.759	0.022	0.039
12	29	1.410	-0.060	0.000	13	49	0.678	-0.782	0.000	15	9	2.410	0.252	0.073
12	30	1.272	-0.052	0.002	13	50	0.975	-0.660	0.014	15	10	2.256	0.035	0.061
12	31	1.024	0.000	0.003	13	51	0.445	-0.675	0.014	15	11	2.284	0.128	0.066
12	32	0.891	-0.304	0.003	13	52	0.491	-0.123	0.000	15	12	2.574	0.026	0.064
12	33	0.879	-0.162	0.033	13	53	0.767	-0.331	0.015	15	13	2.038	-0.049	0.059
12	34	1.004	-0.056	0.016	13	54	0.280	-0.296	0.000	15	14	2.385	-0.379	0.021
12	35	1.495	-0.300	0.015	13	55	0.418	0.000	0.000	15	15	1.442	-0.402	0.008
12	36	0.962	-0.341	0.010	13	56	0.083	0.123	0.084	15	16	0.982	-0.576	0.030
12	37	0.833	-0.285	0.008	13	57	0.000	0.000	0.017	15	17	1.203	-0.580	0.009
12	38	0.994	-0.374	0.026	13	58	0.002	0.030	0.079	15	18	0.959	-0.021	0.057
12	39	1.238	-0.276	0.031	13	59	0.000	0.251	0.128	15	19	1.397	-0.121	0.009
12	40	0.901	-0.268	0.048	14	0	0.127	0.427	0.036	15	20	1.383	-0.482	0.007
12	41	1.098	-0.353	0.014	14	1	0.575	0.068	0.122	15	21	1.375	-0.355	0.021
12	42	0.905	-0.004	0.022	14	2	0.157	0.000	0.051	15	22	1.333	-0.745	0.015
12	43	0.954	-0.227	0.012	14	3	-0.001	0.305	0.047	15	23	1.693	-0.802	0.014
12	44	0.872	-0.000	0.008	14	4	0.000	0.179	0.047	15	24	1.466	-0.536	0.020
12	45	0.931	0.064	0.064	14	5	0.000	0.254	0.119	15	25	1.330	-0.227	0.021
12	46	1.317	0.209	0.041	14	6	0.626	0.000	0.073	15	26	1.368	-0.364	0.030
12	47	1.362	0.043	0.047	14	7	1.027	0.260	0.084	15	27	0.671	0.000	0.060
12	48	0.986	0.541	0.027	14	8	1.367	0.215	0.030	15	28	1.270	-0.403	0.069
12	49	1.010	0.849	0.021	14	9	1.468	0.434	0.021	15	29	1.046	-0.581	0.022
12	50	1.101	0.621	0.009	14	10	1.191	0.749	0.023	15	30	0.531	-0.851	0.010
12	51	1.490	0.423	0.046	14	11	1.264	0.814	0.006	15	31	0.000	-0.566	0.009
12	52	1.347	0.614	0.051	14	12	1.138	1.034	0.006	15	32	0.000	-0.253	0.028
12	53	1.210	0.426	0.046	14	13	1.141	0.611	0.029	15	33	0.910	-0.089	0.024
12	54	1.405	0.511	0.029	14	14	1.364	0.064	0.006	15	34	1.617	-0.616	0.017
12	55	1.106	0.399	0.014	14	15	1.389	0.000	0.011	15	35	1.186	-0.056	0.022
12	56	1.448	0.529	0.012	14	16	1.307	0.000	0.001	15	36	0.886	0.000	0.016
12	57	1.270	0.013	0.036	14	17	1.239	0.000	0.005	15	37	0.453	-0.015	0.007





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

15	38	0.176	-0.543	0.014	16	58	2.056	-0.034	0.030	18	21	2.072	0.081	0.070
15	39	0.598	-0.683	0.008	16	59	1.651	-0.015	0.065	18	22	2.075	0.018	0.063
15	40	0.492	-0.831	0.030	17	0	1.954	-0.025	0.029	18	23	2.171	-0.010	0.096
15	41	0.404	-1.365	0.006	17	1	1.261	-0.016	0.088	18	24	2.242	-0.017	0.083
15	42	0.480	-1.432	0.033	17	2	1.986	-0.122	0.076	18	25	2.564	-0.038	0.064
15	43	0.794	-1.768	0.059	17	3	1.801	-0.334	0.032	18	26	2.200	-0.088	0.034
15	44	0.593	-1.508	0.023	17	4	1.124	-0.145	0.079	18	27	2.399	0.034	0.048
15	45	0.500	-1.108	0.042	17	5	1.098	-0.351	0.127	18	28	2.437	-0.102	0.020
15	46	0.703	-1.554	0.021	17	6	0.825	-0.017	0.131	18	29	2.231	-0.012	0.096
15	47	1.084	-1.498	0.032	17	7	1.634	-0.120	0.044	18	30	2.077	-0.010	0.053
15	48	0.988	-1.530	0.070	17	8	1.648	-0.540	0.042	18	31	2.249	-0.009	0.044
15	49	1.500	-1.506	0.129	17	9	1.859	-0.101	0.106	18	32	2.095	-0.024	0.035
15	50	1.409	-1.371	0.006	17	10	1.930	-0.275	0.045	18	33	2.287	0.042	0.035
15	51	0.726	-1.943	0.035	17	11	1.506	-0.060	0.089	18	34	1.635	0.072	0.051
15	52	0.965	-2.263	0.055	17	12	2.130	-0.144	0.044	18	35	2.288	0.024	0.048
15	53	0.973	-1.521	0.007	17	13	1.858	-0.092	0.075	18	36	2.023	0.073	0.045
15	54	1.174	-1.762	0.051	17	14	1.715	-0.158	0.091	18	37	2.491	0.084	0.067
15	55	1.198	-1.635	0.027	17	15	1.935	-0.121	0.026	18	38	2.158	0.040	0.044
15	56	0.923	-1.319	0.003	17	16	1.520	-0.187	0.089	18	39	2.454	0.141	0.039
15	57	0.263	-1.272	0.031	17	17	2.142	-0.096	0.025	18	40	2.210	0.120	0.032
15	58	0.574	-1.292	0.087	17	18	1.999	-0.092	0.064	18	41	2.070	0.447	0.003
15	59	0.304	-0.261	0.024	17	19	2.159	-0.190	0.026	18	42	1.887	0.347	0.036
16	0	0.743	-1.774	0.021	17	20	1.658	-0.077	0.098	18	43	1.756	0.454	0.041
16	1	0.610	-1.643	0.018	17	21	1.462	-0.003	0.041	18	44	1.965	0.330	0.029
16	2	0.191	-1.064	0.005	17	22	1.170	0.005	0.082	18	45	1.766	0.295	0.008
16	3	0.358	-1.502	0.028	17	23	1.042	-0.000	0.007	18	46	1.615	0.379	0.063
16	4	0.783	-2.183	0.038	17	24	1.503	0.000	0.017	18	47	1.149	0.461	0.045
16	5	1.343	-1.048	0.044	17	25	1.491	-0.024	0.046	18	48	1.477	0.505	0.057
16	6	0.359	-1.051	0.059	17	26	1.549	-0.003	0.107	18	49	1.522	0.204	0.002
16	7	0.805	-0.877	0.010	17	27	1.856	0.005	0.057	18	50	0.961	0.164	0.047
16	8	1.167	-0.334	0.023	17	28	2.132	0.000	0.031	18	51	0.823	0.085	0.110
16	9	0.980	-0.820	0.040	17	29	1.951	0.001	0.011	18	52	0.777	0.019	0.040
16	10	0.621	-1.259	0.013	17	30	1.661	0.034	0.023	18	53	0.831	0.000	0.024
16	11	1.065	-1.794	0.033	17	31	1.531	0.000	0.016	18	54	1.182	0.723	0.045
16	12	1.339	-1.144	0.000	17	32	1.375	0.000	0.023	18	55	0.839	0.434	0.124
16	13	0.600	-1.000	0.063	17	33	1.180	0.414	0.025	18	56	0.753	0.435	0.013
16	14	0.550	-0.909	0.008	17	34	1.670	0.155	0.059	18	57	0.170	0.291	0.023
16	15	0.512	-0.648	0.024	17	35	1.603	0.332	0.042	18	58	0.001	0.000	0.104
16	16	0.417	-0.360	0.028	17	36	1.254	0.006	0.049	18	59	0.000	0.000	0.052
16	17	0.111	-0.387	0.071	17	37	1.485	0.083	0.057	19	0	0.168	0.004	0.047
16	18	0.347	-0.603	0.022	17	38	1.529	0.049	0.065	19	1	1.315	0.000	0.012
16	19	1.008	-0.891	0.010	17	39	1.614	0.012	0.051	19	2	0.885	0.001	0.083
16	20	1.224	-1.162	0.013	17	40	2.004	0.041	0.037	19	3	0.851	0.108	0.055
16	21	0.943	-1.232	0.007	17	41	2.034	-0.085	0.019	19	4	1.008	0.002	0.013
16	22	1.133	-0.930	0.039	17	42	1.827	-0.022	0.090	19	5	1.587	0.000	0.024
16	23	1.673	-0.398	0.034	17	43	2.094	-0.024	0.041	19	6	1.772	0.000	0.018
16	24	1.489	-0.124	0.016	17	44	2.060	-0.072	0.163	19	7	1.648	-0.000	0.016
16	25	1.154	0.016	0.027	17	45	2.263	-0.198	0.090	19	8	1.751	-0.069	0.026
16	26	1.483	-0.008	0.046	17	46	1.832	-0.381	0.055	19	9	1.652	-0.016	0.034
16	27	0.688	-0.332	0.090	17	47	1.762	-0.358	0.053	19	10	1.617	0.011	0.020
16	28	1.426	-0.046	0.049	17	48	1.868	-0.445	0.026	19	11	1.553	0.000	0.015
16	29	1.380	-0.028	0.039	17	49	1.667	-0.103	0.044	19	12	1.307	0.000	0.019
16	30	1.179	-0.156	0.019	17	50	1.738	-0.001	0.011	19	13	1.211	-0.002	0.012
16	31	1.759	-0.265	0.038	17	51	2.162	-0.008	0.034	19	14	1.234	0.001	0.011
16	32	1.780	-0.430	0.023	17	52	2.498	-0.203	0.039	19	15	1.301	0.265	0.013
16	33	1.388	-0.313	0.068	17	53	2.283	-0.164	0.053	19	16	1.251	0.046	0.008
16	34	2.193	-0.265	0.037	17	54	2.106	-0.097	0.051	19	17	1.031	0.005	0.018
16	35	2.055	-0.229	0.075	17	55	2.467	-0.249	0.040	19	18	0.929	-0.005	0.023
16	36	1.714	-0.366	0.084	17	56	2.513	-0.207	0.026	19	19	1.575	-0.025	0.029
16	37	1.699	-0.204	0.040	17	57	2.206	-0.204	0.037	19	20	1.412	-0.023	0.019
16	38	1.544	-0.160	0.033	17	58	2.060	-0.188	0.031	19	21	1.110	-0.014	0.016
16	39	1.547	-0.184	0.044	17	59	2.547	-0.078	0.033	19	22	1.385	0.034	0.010
16	40	1.826	-0.260	0.069	18	0	2.372	-0.223	0.028	19	23	1.546	0.014	0.003
16	41	1.608	-0.625	0.032	18	1	2.180	-0.220	0.024	19	24	1.027	0.008	0.030
16	42	1.639	-0.695	0.054	18	2	1.722	-0.199	0.059	19	25	0.133	0.002	0.096
16	43	1.429	-0.558	0.056	18	3	1.922	-0.266	0.034	19	26	0.651	0.003	0.015
16	44	1.528	-0.604	0.047	18	4	1.898	-0.080	0.038	19	27	0.140	0.000	0.107
16	45	1.757	-0.744	0.023	18	5	2.220	-0.071	0.044	19	28	0.135	0.226	0.043
16	46	1.462	-0.820	0.113	18	6	2.124	-0.079	0.055	19	29	0.766	0.258	0.033
16	47	1.955	-0.732	0.033	18	7	2.208	-0.063	0.025	19	30	0.235	0.013	0.126
16	48	1.535	-0.798	0.035	18	11	0.000	0.000	0.000	19	31	0.000	0.164	0.101
16	49	1.865	-0.822	0.039	18	12	3.096	0.039	0.068	19	32	0.000	0.000	0.059
16	50	1.455	-0.706	0.045	18	13	2.565	0.033	0.045	19	33	0.000	0.000	0.058
16	51	1.513	-0.810	0.016	18	14	2.398	0.144	0.036	19	34	0.000	0.000	0.024
16	52	1.025	-0.658	0.054	18	15	2.668	-0.056	0.042	19	35	0.000	0.000	0.000
16	53	1.255	-0.359	0.035	18	16	2.369	-0.058	0.034	19	36	0.562	0.000	0.003
16	54	1.927	-0.194	0.040	18	17	1.769	0.000	0.030	19	37	1.350	0.000	0.016
16	55	1.982	-0.052	0.043	18	18	2.091	-0.009	0.025	19	38	1.333	-0.037	0.017
16	56	1.565	-0.028	0.072	18	19	1.363	0.077	0.052	19	39	1.665	-0.091	0.024
16	57	1.789	-0.026	0.057	18	20	2.016	0.166	0.081	19	40	1.611	-0.241	0.020





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

19	41	1.774	-0.149	0.024	21	1	1.480	-0.041	0.004	22	21	1.145	0.761	0.014
19	42	2.002	-0.242	0.073	21	2	1.632	-0.036	0.015	22	22	1.222	0.929	0.018
19	43	1.936	-0.465	0.033	21	3	2.078	-0.044	0.038	22	23	0.957	0.997	0.004
19	44	2.012	-0.391	0.031	21	4	1.779	-0.032	0.038	22	24	1.202	1.103	0.027
19	45	2.399	-0.231	0.044	21	5	1.889	-0.003	0.071	22	25	1.074	1.022	0.013
19	46	2.164	-0.156	0.057	21	6	1.921	0.040	0.040	22	26	1.125	1.138	0.022
19	47	2.469	-0.352	0.018	21	7	1.838	-0.002	0.040	22	27	1.324	1.221	0.050
19	48	1.707	-0.055	0.102	21	8	1.601	0.003	0.029	22	28	1.239	1.232	0.025
19	49	1.944	-0.504	0.032	21	9	1.750	0.000	0.015	22	29	1.058	1.195	0.027
19	50	2.277	-0.484	0.008	21	10	1.682	0.128	0.040	22	30	1.135	1.120	0.016
19	51	1.914	-0.212	0.035	21	11	1.489	0.000	0.073	22	31	1.254	0.929	0.006
19	52	1.859	-0.107	0.029	21	12	1.608	0.000	0.036	22	32	0.983	0.504	0.043
19	53	2.075	-0.141	0.040	21	13	1.416	0.048	0.036	22	33	1.312	0.595	0.034
19	54	2.055	-0.061	0.022	21	14	1.483	0.588	0.082	22	34	1.568	0.881	0.028
19	55	1.973	0.045	0.043	21	15	1.556	0.600	0.074	22	35	1.607	1.114	0.018
19	56	2.124	0.016	0.040	21	16	1.611	0.760	0.063	22	36	1.633	1.158	0.028
19	57	2.121	-0.031	0.024	21	17	1.682	0.683	0.064	22	37	1.844	1.116	0.046
19	58	1.660	-0.029	0.038	21	18	1.526	0.586	0.077	22	38	1.786	1.022	0.029
19	59	2.014	-0.033	0.023	21	19	1.483	0.610	0.042	22	39	1.714	0.928	0.017
20	0	1.772	0.027	0.034	21	20	1.411	0.491	0.069	22	40	1.422	0.667	0.053
20	1	1.943	-0.088	0.003	21	21	1.358	0.392	0.043	22	41	1.452	0.427	0.059
20	2	1.545	0.062	0.029	21	22	1.109	0.219	0.080	22	42	1.656	0.137	0.014
20	3	1.484	0.008	0.014	21	23	1.263	0.005	0.007	22	43	1.802	0.100	0.022
20	4	1.672	0.006	0.013	21	24	1.148	0.007	0.006	22	44	1.756	0.026	0.032
20	5	1.872	-0.001	0.021	21	25	1.899	0.080	0.111	22	45	1.894	0.005	0.025
20	6	2.208	0.020	0.025	21	26	1.697	0.371	0.215	22	46	1.703	0.000	0.038
20	7	1.998	-0.052	0.024	21	27	1.866	0.152	0.058	22	47	1.721	-0.023	0.036
20	8	2.067	-0.047	0.039	21	28	2.054	0.187	0.074	22	48	1.514	-0.051	0.041
20	9	1.374	-0.044	0.062	21	29	2.033	0.211	0.046	22	49	1.355	-0.159	0.029
20	10	1.323	-0.056	0.017	21	30	1.621	0.057	0.088	22	50	1.443	-0.078	0.014
20	11	1.512	0.022	0.009	21	31	1.737	0.130	0.065	22	51	1.612	-0.188	0.023
20	12	1.509	-0.125	0.031	21	32	1.563	0.653	0.047	22	52	1.395	-0.062	0.034
20	13	1.725	-0.270	0.040	21	33	1.701	0.439	0.027	22	53	1.279	-0.002	0.029
20	14	1.995	-0.471	0.016	21	34	1.129	0.272	0.096	22	54	1.413	0.005	0.021
20	15	1.734	-0.125	0.012	21	35	1.201	0.161	0.051	22	55	1.700	-0.006	0.020
20	16	1.378	-0.044	0.018	21	36	1.079	0.447	0.024	22	56	1.707	-0.019	0.046
20	17	1.238	-0.024	0.014	21	37	1.160	0.581	0.005	22	57	1.613	-0.037	0.027
20	18	1.461	-0.270	0.029	21	38	1.077	0.736	0.010	22	58	1.433	-0.267	0.039
20	19	1.947	-0.302	0.092	21	39	0.888	0.837	0.017	22	59	1.564	-0.071	0.037
20	20	1.970	-0.209	0.031	21	40	1.129	0.804	0.012	23	0	1.785	-0.189	0.009
20	21	1.408	-0.205	0.025	21	41	0.742	0.743	0.011	23	1	1.850	-0.079	0.030
20	22	1.593	-0.005	0.025	21	42	0.723	0.747	0.025	23	2	2.122	-0.186	0.023
20	23	1.573	0.006	0.015	21	43	1.127	0.861	0.024	23	3	1.590	-0.139	0.032
20	24	1.547	0.092	0.017	21	44	1.247	0.876	0.031	23	4	1.694	-0.345	0.028
20	25	1.119	0.006	0.026	21	45	1.190	0.800	0.022	23	5	1.683	-0.676	0.031
20	26	0.754	0.000	0.034	21	46	1.312	0.815	0.024	23	6	1.541	-0.380	0.027
20	27	0.039	0.000	0.086	21	47	1.273	0.783	0.010	23	7	1.252	-0.056	0.045
20	28	0.590	0.000	0.059	21	48	0.731	0.875	0.022	23	8	0.993	-0.051	0.009
20	29	0.000	0.168	0.096	21	49	0.000	0.938	0.042	23	9	1.078	-0.246	0.035
20	30	0.000	0.000	0.052	21	50	0.000	0.908	0.056	23	10	0.338	-0.027	0.019
20	31	0.000	0.000	0.006	21	51	0.000	0.776	0.063	23	11	0.797	0.000	0.047
20	32	0.965	0.767	0.009	21	52	0.000	0.627	0.012	23	12	0.922	0.000	0.007
20	33	1.067	1.116	0.030	21	53	0.000	0.216	0.050	23	13	0.860	0.000	0.003
20	34	0.299	1.221	0.035	21	54	0.000	0.096	0.104	23	14	0.803	-0.021	0.004
20	35	0.538	1.132	0.031	21	55	0.000	0.026	0.000	23	15	0.871	0.000	0.004
20	36	0.799	1.357	0.014	21	56	0.000	0.000	0.120	23	16	0.994	-0.000	0.003
20	37	0.471	1.357	0.008	21	57	0.000	0.000	0.095	23	17	1.269	0.079	0.033
20	38	0.324	1.024	0.025	21	58	0.000	0.000	0.032	23	18	1.228	0.023	0.007
20	39	0.638	1.096	0.038	21	59	0.000	0.000	0.002	23	19	1.115	-0.000	0.030
20	40	1.084	1.224	0.021	22	0	0.000	0.000	0.000	23	20	1.252	0.000	0.016
20	41	1.485	1.136	0.020	22	1	0.000	0.000	0.023	23	21	1.248	0.003	0.011
20	42	1.571	0.987	0.008	22	2	0.001	0.064	0.056	23	22	1.128	0.000	0.025
20	43	1.575	0.783	0.017	22	3	0.000	0.232	0.043	23	23	1.303	-0.000	0.028
20	44	1.636	0.442	0.027	22	4	0.000	-0.008	0.052	23	24	1.278	0.000	0.006
20	45	1.721	0.253	0.027	22	5	0.000	0.000	-0.000	23	25	1.181	-0.009	0.011
20	46	1.678	0.000	0.011	22	6	0.000	0.000	0.000	23	26	1.085	0.000	0.002
20	47	1.514	-0.012	0.012	22	7	0.000	0.173	0.047	23	27	0.997	0.000	0.002
20	48	1.480	0.000	0.012	22	8	0.000	0.207	0.004	23	28	1.716	-0.001	0.044
20	49	1.615	-0.049	0.014	22	9	0.000	0.000	0.003	23	29	1.110	-0.007	0.038
20	50	1.788	-0.132	0.024	22	10	0.338	0.000	0.018	23	30	0.833	-0.031	0.046
20	51	1.584	-0.324	0.023	22	11	0.906	0.000	0.000	23	31	1.050	-0.040	0.013
20	52	1.429	-0.443	0.015	22	12	0.613	0.000	0.017	23	32	0.270	0.000	0.000
20	53	1.584	-0.438	0.022	22	13	0.000	0.000	0.031	23	33	0.824	0.000	0.001
20	54	1.811	-0.599	0.020	22	14	0.000	0.000	0.087	23	34	0.733	0.000	0.001
20	55	1.761	-0.603	0.021	22	15	0.000	0.000	0.008	23	35	0.000	0.000	0.000
20	56	2.001	-0.694	0.032	22	16	0.000	0.019	0.035	23	36	0.000	0.000	-0.002
20	57	1.661	-0.666	0.017	22	17	0.943	0.572	0.014	23	37	-0.010	0.000	0.000
20	58	1.550	-0.360	0.017	22	18	1.211	0.720	0.000	23	38	-0.741	0.000	-0.002
20	59	1.623	-0.288	0.017	22	19	0.983	1.087	0.002	23	39	-0.734	0.000	0.000
21	0	1.697	-0.365	0.014	22	20	0.759	0.731	0.051	23	40	-0.519	0.018	0.005





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

23	41	-0.612	0.000	0.000	0	58	2.317	-0.937	0.063	2	18	0.810	-0.871	0.115
23	42	-0.501	0.000	-0.000	0	59	1.805	-0.272	0.082	2	19	0.920	-1.611	0.035
23	43	-0.478	0.000	0.000	1	0	1.773	-0.193	0.111	2	20	1.319	-1.350	0.059
23	44	-0.638	0.001	0.000	1	1	1.126	-0.052	0.218	2	21	1.715	-1.594	0.033
23	45	-0.125	0.000	0.002	1	2	2.129	-0.835	0.094	2	22	1.318	-1.211	0.053
23	46	0.000	0.000	-0.020	1	3	1.973	-0.518	0.152	2	23	2.510	-1.296	0.040
23	47	0.000	-0.000	-0.000	1	4	2.558	-0.281	0.018	2	24	1.725	-1.003	0.112
23	48	0.000	0.000	0.000	1	5	2.415	-0.035	0.138	2	25	1.457	-1.143	0.030
23	49	0.000	0.000	0.014	1	6	3.416	-0.466	0.125	2	26	1.757	-1.305	0.058
23	50	0.004	0.002	0.078	1	7	2.988	-0.467	0.094	2	27	2.423	-0.954	0.095
23	51	0.000	0.000	0.044	1	8	2.780	-0.603	0.121	2	28	2.918	-1.174	0.096
23	52	0.001	0.029	0.200	1	9	3.075	-0.246	0.141	2	29	2.249	-1.009	0.112
23	53	0.017	0.000	0.009	1	10	2.848	-0.492	0.236	2	30	1.896	-0.795	0.044
23	54	0.272	0.013	0.056	1	11	2.624	-0.430	0.199	2	31	2.830	-1.006	0.068
23	55	0.006	0.227	0.066	1	12	2.437	-0.127	0.108	2	32	2.835	-1.264	0.113
23	56	0.905	0.446	0.015	1	13	2.275	-0.600	0.081	2	33	2.091	-1.168	0.128
23	57	0.827	0.247	0.041	1	14	2.180	-0.788	0.190	2	34	1.742	-0.905	0.069
23	58	0.000	0.005	0.151	1	15	3.447	-0.497	0.165	2	35	2.121	-0.741	0.069
23	59	0.000	0.000	0.008	1	16	3.317	-1.680	0.147	2	36	2.019	-0.197	0.028
					1	17	3.354	-0.579	0.131	2	37	2.185	-0.269	0.026
					1	18	2.892	-0.653	0.171	2	38	1.824	-0.068	0.031
					1	19	3.094	-0.183	0.154	2	39	2.060	-0.189	0.036
					1	20	2.423	-0.493	0.060	2	40	2.207	-0.150	0.044
					1	21	2.004	-0.692	0.103	2	41	1.990	0.003	0.081
					1	22	3.027	-0.597	0.128	2	42	2.096	-0.027	0.040
					1	23	3.222	-1.616	0.130	2	43	1.612	-0.268	0.035
					1	24	3.337	-2.071	0.069	2	44	1.502	-0.289	0.005
					1	25	3.104	-1.760	0.089	2	45	1.875	-0.081	0.018
					1	26	2.673	-1.494	0.073	2	46	2.803	-0.072	0.027
					1	27	3.249	-1.092	0.054	2	47	2.589	-0.337	0.026
					1	28	2.421	-0.257	0.123	2	48	1.817	-0.238	0.031
					1	29	2.966	-0.075	0.075	2	49	1.686	-0.509	0.033
					1	30	3.018	-0.236	0.066	2	50	2.189	-0.447	0.009
					1	31	2.643	-0.275	0.186	2	51	1.818	-0.053	0.024
					1	32	2.466	-0.296	0.139	2	52	2.108	-0.202	0.045
					1	33	1.905	-0.534	0.221	2	53	2.067	-0.446	0.045
					1	34	1.079	-0.095	0.062	2	54	1.846	-0.482	0.023
					1	35	1.646	0.057	0.048	2	55	2.006	-0.196	0.041
					1	36	2.115	0.005	0.029	2	56	2.252	-0.359	0.060
					1	37	2.308	0.115	0.081	2	57	2.016	-0.780	0.038
					1	38	2.097	0.096	0.058	2	58	2.048	-0.648	0.042
					1	39	1.821	-0.052	0.068	2	59	1.936	-0.529	0.049
					1	40	1.555	0.013	0.056	3	0	1.666	-0.414	0.049
					1	41	1.397	0.041	0.087	3	1	1.972	-0.566	0.058
					1	42	1.035	-0.141	0.006	3	2	2.013	-0.570	0.089
					1	43	0.343	-0.869	0.071	3	3	2.728	-0.845	0.057
					1	44	0.623	-0.789	0.007	3	4	2.560	-1.190	0.084
					1	45	0.037	-0.126	-0.014	3	5	2.285	-1.102	0.071
					1	46	0.024	0.020	0.074	3	6	2.606	-1.034	0.056
					1	47	0.000	-0.092	0.017	3	7	2.444	-0.813	0.056
					1	48	0.803	0.007	0.033	3	8	2.601	-0.759	0.045
					1	49	0.641	-0.420	0.048	3	9	2.571	-1.007	0.081
					1	50	0.074	-0.578	-0.004	3	10	2.517	-0.683	0.095
					1	51	0.130	-0.060	0.013	3	11	2.610	-0.506	0.052
					1	52	0.000	0.069	-0.003	3	12	2.503	-0.366	0.080
					1	53	0.000	-0.009	0.026	3	13	2.404	-0.612	0.031
					1	54	-0.078	0.000	0.000	3	14	1.783	-0.530	0.059
					1	55	0.000	0.000	0.000	3	15	1.925	-0.284	0.047
					1	56	0.001	0.325	0.031	3	16	2.096	-0.273	0.035
					1	57	-0.000	0.438	-0.001	3	17	2.686	-0.268	0.071
					1	58	-0.614	0.230	0.000	3	18	2.571	-0.290	0.053
					1	59	-0.630	0.000	0.000	3	19	2.237	-0.299	0.072
					2	0	-0.012	0.103	0.001	3	20	2.199	-0.125	0.061
					2	1	-0.246	0.031	0.025	3	21	2.625	-0.386	0.025
					2	2	0.193	0.129	0.102	3	22	2.418	-0.125	0.049
					2	3	0.000	0.000	0.011	3	23	2.587	-0.169	0.033
					2	4	-0.852	-0.329	0.004	3	24	2.223	-0.174	0.087
					2	5	-0.809	-0.613	-0.003	3	25	1.702	-0.078	0.061
					2	6	0.166	-0.737	0.005	3	26	1.933	-0.664	0.014
					2	7	1.332	-0.105	0.028	3	27	2.261	-0.689	0.028
					2	8	0.407	-0.078	0.212	3	28	2.227	-0.391	0.087
					2	9	0.000	-0.623	0.005	3	29	2.141	-0.278	0.018
					2	10	0.003	-0.881	0.065	3	30	1.837	-0.038	0.060
					2	11	0.683	-1.311	0.022	3	31	2.634	-0.102	0.037
					2	12	0.517	-1.105	0.019	3	32	3.024	-0.471	0.055
					2	13	0.137	-0.883	0.001	3	33	2.391	-0.692	0.033
					2	14	0.558	-0.766	0.002	3	34	2.215	-0.640	0.038
					2	15	0.387	-0.915	0.012	3	35	1.950	-0.180	0.031
					2	16	0.623	-0.830	0.045	3	36	1.681	-0.368	0.018
					2	17	1.215	-1.245	0.056	3	37	1.459	-0.015	0.030

15/07/95

0	0	0.014	0.000	0.013
0	1	1.109	-0.000	0.006
0	2	0.107	0.000	0.042
0	3	0.000	0.000	0.028
0	4	0.004	-0.005	0.032
0	5	1.128	-0.000	0.036
0	6	1.716	-0.123	0.036
0	7	1.633	-0.042	0.063
0	8	1.594	-0.061	0.074
0	9	1.408	-0.066	0.039
0	10	1.059	0.000	0.022
0	11	0.992	0.000	0.036
0	12	1.235	0.000	0.006
0	13	0.744	0.000	0.000
0	14	0.598	0.000	0.000
0	15	0.821	-0.001	0.000
0	16	0.818	-0.003	0.000
0	17	0.819	0.000	0.001
0	18	0.720	0.000	-0.004
0	19	0.738	-0.003	-0.000
0	20	0.727	-0.011	0.001
0	21	1.073	-0.006	-0.001
0	22	1.261	-0.002	-0.017
0	23	0.935	-0.092	0.008
0	24	0.927	-0.092	0.015
0	25	1.382	-0.308	-0.018
0	26	0.029	0.038	0.035
0	27	0.000	0.033	0.089
0	28	0.000	0.000	0.229
0	29	0.269	-0.285	-0.040
0	30	0.074	-0.138	0.020
0	31	0.184	0.000	-0.003
0	32	0.000	-0.106	0.021
0	33	0.000	-0.039	0.030
0	34	0.263	0.000	0.015
0	35	0.000	0.003	0.000
0	36	0.215	0.138	0.048
0	37	0.612	0.026	0.084
0	38	1.997	-0.057	0.067
0	39	1.715	-0.257	0.055
0	40	2.129	-0.176	0.054
0	41	1.225	-0.110	0.145
0	42	1.001	-0.371	0.028
0	43	1.371	-0.066	0.060
0	44	1.334	0.016	0.030
0	45	1.399	-0.238	0.050
0	46	2.175	-0.540	0.046
0	47	1.910	-0.002	0.061
0	48	1.771	-0.293	0.072
0	49	1.654	-0.200	0.086
0	50	1.123	0.054	0.027
0	51	0.775	-0.131	0.133
0	52	1.515	-0.260	0.064
0	53	1.195	-0.059	0.036
0	54	1.985	-0.962	0.014
0	55	1.832	-0.198	0.060
0	56	2.609	-0.620	0.044
0	57	1.901	-0.683	0.093

3	38	1.670	-0.109	0.037	4	58	1.398	-0.473	0.072	6	18	1.516	-0.271	0.022
3	39	2.348	-0.217	0.049	4	59	1.814	-0.198	0.033	6	19	1.258	-0.342	0.037
3	40	1.643	-0.344	0.034	5	0	1.858	-0.226	0.039	6	20	1.895	-0.211	0.051
3	41	1.533	-0.463	0.024	5	1	1.579	-0.243	0.035	6	21	2.100	-0.714	0.051
3	42	2.167	-0.591	0.012	5	2	1.612	-0.155	0.041	6	22	1.666	-0.518	0.074
3	43	1.657	-0.139	0.050	5	3	1.862	-0.032	0.014	6	23	1.715	-0.072	0.054
3	44	1.640	-0.399	0.024	5	4	1.500	-0.196	0.068	6	24	1.894	-0.034	0.042
3	45	2.173	-0.351	0.027	5	5	1.556	-0.063	0.024	6	25	1.856	-0.058	0.046
3	46	1.685	-0.197	0.021	5	6	1.414	-0.161	0.017	6	26	1.989	-0.175	0.046
3	47	1.116	-0.180	0.003	5	7	1.079	-0.046	0.021	6	27	1.707	-0.149	0.039
3	48	1.288	-0.073	0.018	5	8	1.322	-0.013	0.011	6	28	1.900	-0.116	0.059
3	49	1.344	-0.143	0.037	5	9	1.487	0.085	0.063	6	29	1.845	-0.169	0.051
3	50	1.481	-0.202	0.019	5	10	1.004	-0.261	0.021	6	30	1.742	-0.240	0.072
3	51	1.641	-0.110	0.022	5	11	1.374	-0.579	0.020	6	31	1.839	-0.100	0.031
3	52	0.988	-0.326	0.014	5	12	1.525	-0.921	0.031	6	32	2.150	0.020	0.013
3	53	1.379	-0.531	0.013	5	13	1.348	-0.688	0.029	6	33	2.478	-0.018	0.023
3	54	1.250	-0.195	0.008	5	14	1.032	-0.732	0.001	6	34	2.486	-0.089	0.042
3	55	0.846	-0.123	0.044	5	15	0.252	-0.363	0.001	6	35	2.224	0.059	0.031
3	56	0.935	-0.181	0.016	5	16	0.764	-0.628	0.006	6	36	2.414	0.069	0.021
3	57	1.185	-0.010	0.006	5	17	0.488	-0.129	0.033	6	37	2.276	0.022	0.047
3	58	0.557	-0.017	0.056	5	18	0.000	0.049	0.027	6	38	1.914	0.160	0.057
3	59	0.856	-0.091	0.027	5	19	1.590	-0.141	0.030	6	39	1.895	0.332	0.019
4	0	1.681	-0.813	0.047	5	20	1.411	-0.314	0.018	6	40	1.622	0.200	0.025
4	1	1.527	-0.732	0.016	5	21	1.569	-0.446	0.033	6	41	0.642	0.112	0.033
4	2	0.903	-0.073	0.022	5	22	1.023	-0.059	0.073	6	42	0.000	0.005	0.037
4	3	0.799	0.020	0.034	5	23	0.561	-0.104	0.005	6	43	0.362	0.211	0.014
4	4	0.736	-0.008	0.025	5	24	0.973	-0.103	0.039	6	44	0.962	0.294	0.015
4	5	0.594	-0.023	0.174	5	25	1.071	-0.471	0.024	6	45	0.937	0.141	0.011
4	6	0.148	0.000	0.025	5	26	1.265	-0.436	0.082	6	46	0.596	0.325	0.046
4	7	0.000	0.000	-0.008	5	27	1.420	-0.118	0.009	6	47	0.267	0.680	0.027
4	8	0.004	0.001	-0.003	5	28	1.781	-0.116	0.031	6	48	-0.000	0.704	0.023
4	9	0.001	-0.010	0.062	5	29	1.635	-0.072	0.064	6	49	0.000	0.896	0.008
4	10	0.064	-0.056	0.044	5	30	2.090	0.033	0.078	6	50	0.001	0.879	0.026
4	11	0.490	0.010	0.007	5	31	2.611	0.020	0.050	6	51	0.000	0.793	0.020
4	12	0.000	-0.005	-0.015	5	32	1.327	0.301	0.050	6	52	0.000	0.599	0.029
4	13	0.406	-0.014	0.056	5	33	1.414	0.121	0.020	6	53	-0.020	0.718	0.010
4	14	0.126	-0.013	0.021	5	34	2.004	0.056	0.034	6	54	0.000	0.411	0.065
4	15	0.624	-0.062	0.091	5	35	2.364	0.059	0.028	6	55	0.000	0.271	0.022
4	16	1.096	-0.012	-0.000	5	36	2.373	-0.150	0.070	6	56	-0.147	0.356	-0.001
4	17	1.329	-0.077	0.016	5	37	2.383	-0.086	0.044	6	57	0.000	0.185	0.017
4	18	0.121	-0.099	0.017	5	38	2.041	-0.098	0.038	6	58	0.000	0.337	0.000
4	19	0.366	-0.092	0.014	5	39	2.205	-0.146	0.043	6	59	-0.000	0.465	0.051
4	20	0.000	-0.200	0.000	5	40	1.712	-0.302	0.028	7	0	0.000	0.487	0.027
4	21	0.000	0.000	0.000	5	41	1.717	-0.676	0.024	7	1	-0.000	0.998	0.026
4	22	0.641	-0.276	0.008	5	42	1.497	-0.745	0.031	7	2	0.000	0.956	0.042
4	23	0.042	-0.486	0.001	5	43	1.686	-0.520	0.018	7	3	0.001	1.059	0.026
4	24	0.000	-0.123	0.004	5	44	1.456	-0.571	0.007	7	4	0.021	1.155	0.016
4	25	0.000	-0.165	0.027	5	45	1.199	-0.492	0.020	7	5	0.001	0.832	0.004
4	26	0.446	-0.610	0.009	5	46	1.059	-0.247	0.028	7	6	0.001	0.306	0.049
4	27	0.466	-0.181	0.027	5	47	1.212	-0.327	0.019	7	7	0.000	0.655	0.058
4	28	0.001	-0.299	0.070	5	48	1.610	-0.125	0.015	7	8	0.000	0.529	0.029
4	29	0.501	-0.165	0.049	5	49	1.586	-0.028	0.022	7	9	0.000	0.120	0.102
4	30	1.594	-0.433	0.015	5	50	1.631	-0.137	0.019	7	10	0.001	0.000	0.021
4	31	1.195	-0.021	0.008	5	51	1.242	0.002	0.008	7	11	0.175	0.000	0.024
4	32	0.559	-0.028	0.028	5	52	1.065	-0.030	0.008	7	12	0.030	0.000	0.005
4	33	0.021	0.111	0.110	5	53	1.289	-0.613	0.019	7	13	0.002	0.139	-0.000
4	34	0.000	0.000	0.116	5	54	1.116	-0.453	0.010	7	14	0.000	0.213	0.001
4	35	0.000	0.000	0.128	5	55	1.598	-0.603	0.022	7	15	0.024	0.000	0.005
4	36	0.000	0.000	0.009	5	56	1.645	-0.287	0.004	7	16	0.000	0.000	0.003
4	37	0.000	-0.203	0.000	5	57	1.271	-0.002	0.012	7	17	0.000	-0.174	0.027
4	38	0.445	-0.572	-0.009	5	58	1.505	0.077	0.011	7	18	0.000	-0.615	0.000
4	39	0.000	-0.365	-0.003	5	59	1.468	-0.014	0.004	7	19	0.000	-0.438	0.000
4	40	0.000	-0.308	0.016	6	0	1.726	0.233	0.043	7	20	0.000	-0.273	0.001
4	41	0.864	-0.762	0.009	6	1	2.357	-0.031	0.031	7	21	0.000	-0.296	0.025
4	42	0.558	-0.773	0.004	6	2	1.615	-0.053	0.022	7	22	0.183	-0.269	0.024
4	43	0.174	-0.307	0.005	6	3	1.780	-0.201	0.016	7	23	0.999	-0.564	0.007
4	44	0.000	-0.166	0.003	6	4	0.983	-0.169	0.020	7	24	0.995	-0.526	0.004
4	45	0.334	-0.490	0.014	6	5	1.344	-0.036	0.028	7	25	0.482	-0.488	0.009
4	46	0.931	-0.236	0.010	6	6	0.306	-0.228	0.007	7	26	0.674	-0.719	0.010
4	47	1.345	-0.648	0.038	6	7	0.238	-0.330	0.019	7	27	0.396	-0.443	0.001
4	48	1.500	-0.878	0.045	6	8	1.045	-0.575	0.007	7	28	0.808	-0.137	0.020
4	49	1.703	-1.156	0.021	6	9	1.115	-0.446	0.035	7	29	1.449	-0.548	0.046
4	50	1.813	-0.923	0.013	6	10	1.057	-0.442	0.052	7	30	1.399	-0.467	0.033
4	51	1.672	-0.814	0.014	6	11	1.064	-0.654	0.017	7	31	1.323	-0.313	0.023
4	52	1.476	-0.798	0.029	6	12	1.588	-0.838	0.030	7	32	1.314	-0.060	0.061
4	53	1.244	-0.343	0.014	6	13	2.053	-1.172	0.015	7	33	1.830	-0.112	0.044
4	54	1.348	-0.201	0.009	6	14	1.820	-0.205	0.032	7	34	1.700	-0.262	0.016
4	55	1.551	-0.290	0.004	6	15	1.605	-0.565	0.049	7	35	1.212	-0.406	0.045
4	56	0.007	-0.495	0.052	6	16	1.689	-0.193	0.092	7	36	1.115	-0.302	0.024
4	57	0.883	-0.514	0.052	6	17	0.781	-0.316	0.053	7	37	1.292	-0.770	0.006





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

7	38	1.014	-0.762	0.007	8	58	0.000	0.000	0.002	10	18	1.879	-0.383	0.013
7	39	0.641	-0.806	0.028	8	59	0.000	0.000	0.001	10	19	2.161	-0.531	0.026
7	40	0.502	-1.128	0.017	9	0	0.000	0.000	0.013	10	20	2.038	0.179	0.024
7	41	0.705	-1.224	0.001	9	1	0.000	0.000	0.032	10	21	2.516	0.261	0.014
7	42	0.010	-0.841	0.007	9	2	0.000	0.112	0.016	10	22	2.186	0.449	0.031
7	43	0.969	-0.717	0.011	9	3	0.000	0.650	0.006	10	23	2.587	0.006	0.044
7	44	1.339	-0.717	0.013	9	4	0.000	0.644	0.003	10	24	3.096	-0.231	0.012
7	45	1.456	-0.580	0.071	9	5	0.000	0.729	-0.000	10	25	2.690	-0.033	0.009
7	46	1.698	-0.501	0.031	9	6	0.108	0.782	-0.000	10	26	2.374	-0.709	0.006
7	47	1.108	-0.433	0.025	9	7	0.772	0.886	0.007	10	27	1.958	-0.769	0.000
7	48	0.981	-0.442	0.004	9	8	0.882	0.504	0.000	10	28	1.934	-0.605	0.007
7	49	0.350	-0.477	0.021	9	9	0.921	0.109	0.010	10	29	1.156	-0.451	0.000
7	50	0.639	-1.127	-0.004	9	10	0.868	0.191	0.003	10	30	0.915	-0.370	0.001
7	51	0.174	-1.265	0.029	9	11	0.975	0.063	0.006	10	31	1.007	0.004	0.001
7	52	-1.432	-2.626	0.069	9	12	0.662	0.188	0.041	10	32	0.990	0.136	0.007
7	53	-3.298	-3.468	0.065	9	13	0.616	0.390	0.042	10	33	0.932	0.000	0.000
7	54	-3.304	-3.090	0.112	9	14	0.166	0.404	0.015	10	34	0.765	0.038	0.002
7	55	-2.313	-4.291	0.049	9	15	0.000	0.148	0.032	10	35	1.288	0.006	0.001
7	56	-3.217	-3.877	0.117	9	16	-0.001	0.394	0.042	10	36	1.110	0.283	0.001
7	57	-4.490	-5.134	0.019	9	17	0.000	0.351	0.029	10	37	1.033	0.329	0.015
7	58	-4.342	-4.035	0.057	9	18	0.000	0.344	0.093	10	38	1.801	0.077	0.017
7	59	-4.069	-2.819	0.094	9	19	0.000	0.387	0.093	10	39	1.842	0.040	0.014
8	0	-4.282	-3.295	0.050	9	20	0.000	0.076	0.062	10	40	1.795	0.109	0.042
8	1	-3.691	-2.549	0.068	9	21	0.000	0.521	0.093	10	41	2.059	0.076	0.025
8	2	-3.568	-2.440	0.062	9	22	0.000	0.620	0.024	10	42	2.024	-0.397	0.016
8	3	-3.683	-1.890	0.025	9	23	0.000	0.685	0.025	10	43	1.923	-0.298	0.018
8	4	-2.718	-1.548	0.001	9	24	0.000	0.798	0.000	10	44	2.108	-0.091	0.020
8	5	-2.691	-1.741	-0.007	9	25	0.000	0.743	0.013	10	45	1.957	-0.298	0.033
8	6	-2.043	-0.976	0.016	9	26	0.001	0.761	0.011	10	46	1.267	-0.437	0.031
8	7	-2.425	-1.365	0.001	9	27	0.000	0.464	0.047	10	47	1.626	-0.481	0.018
8	8	-1.885	-1.210	0.011	9	28	0.000	0.517	0.005	10	48	2.373	-0.326	0.005
8	9	-1.791	-0.680	0.001	9	29	0.000	0.683	0.005	10	49	1.546	-0.616	0.014
8	10	-1.381	-0.604	-0.000	9	30	0.000	0.578	0.002	10	50	1.309	-0.511	0.035
8	11	-0.873	-0.100	-0.003	9	31	0.147	0.468	0.015	10	51	1.475	-1.097	0.044
8	12	-1.195	-0.873	0.003	9	32	0.372	0.317	0.014	10	52	1.851	-1.622	0.022
8	13	-0.988	-1.487	0.004	9	33	0.000	0.325	0.008	10	53	0.242	-1.518	0.032
8	14	-0.514	-1.087	0.018	9	34	0.103	0.535	0.010	10	54	0.148	-2.133	0.031
8	15	-0.408	-1.364	0.004	9	35	0.833	0.919	0.004	10	55	0.357	-1.463	0.017
8	16	-0.234	-1.116	0.000	9	36	1.036	0.963	0.009	10	56	-0.025	-1.127	0.010
8	17	-0.092	-0.962	0.000	9	37	0.978	0.962	0.007	10	57	-0.602	-1.366	0.009
8	18	0.000	-0.556	-0.000	9	38	0.425	0.739	0.004	10	58	-0.465	-1.105	0.002
8	19	0.000	-0.194	0.000	9	39	0.000	0.483	0.050	10	59	-0.388	-1.039	0.000
8	20	0.000	-0.623	0.000	9	40	0.001	0.204	0.109	11	0	-0.755	-1.423	-0.002
8	21	0.000	-0.803	0.002	9	41	0.013	0.115	0.172	11	1	-0.678	-2.020	0.003
8	22	0.000	-0.663	0.000	9	42	0.000	0.256	0.008	11	2	-0.039	-1.746	0.003
8	23	0.000	-0.682	0.000	9	43	0.005	0.121	0.024	11	3	0.127	-1.338	0.005
8	24	0.000	-0.834	0.000	9	44	0.000	0.060	0.025	11	4	0.123	-1.507	0.015
8	25	0.000	-0.685	0.000	9	45	0.000	0.148	0.029	11	5	0.413	-1.833	0.010
8	26	0.000	-0.646	0.000	9	46	0.000	0.099	0.005	11	6	0.340	-1.282	0.004
8	27	0.000	-0.617	0.000	9	47	0.000	0.090	0.010	11	7	0.364	-1.224	0.010
8	28	0.000	-0.596	0.000	9	48	0.000	0.000	0.083	11	8	0.073	-0.229	0.003
8	29	0.000	-0.330	0.000	9	49	0.000	0.000	0.000	11	9	0.000	0.010	0.000
8	30	0.000	-0.298	0.000	9	50	0.000	0.000	0.000	11	10	-0.001	0.030	0.049
8	31	-0.197	0.004	-0.000	9	51	0.000	0.000	0.002	11	11	0.000	0.000	0.015
8	32	-0.476	0.000	0.000	9	52	0.000	0.274	0.008	11	12	0.001	0.000	0.001
8	33	-0.018	0.000	0.000	9	53	0.000	0.148	0.007	11	13	0.000	0.000	0.000
8	34	0.000	0.000	0.003	9	54	1.054	0.208	0.003	11	14	0.000	0.017	0.105
8	35	0.001	0.184	0.048	9	55	0.942	0.003	0.034	11	15	0.003	0.057	0.078
8	36	0.000	0.136	0.000	9	56	1.544	-0.195	0.021	11	16	0.000	0.364	0.138
8	37	0.000	0.000	0.029	9	57	1.617	-0.374	0.014	11	17	0.348	0.441	0.048
8	38	0.000	0.000	0.012	9	58	1.655	-0.205	0.019	11	18	0.252	0.368	0.062
8	39	0.000	0.000	0.008	9	59	1.313	-0.055	0.024	11	19	0.344	0.887	0.031
8	40	0.000	0.000	0.015	10	0	1.715	-0.291	0.041	11	20	0.106	1.036	0.034
8	41	0.000	0.000	0.008	10	1	1.666	-0.226	0.006	11	21	0.074	1.184	0.011
8	42	0.000	0.000	0.001	10	2	1.301	-0.402	0.006	11	22	0.000	1.021	0.028
8	43	0.000	0.000	0.001	10	3	0.864	-0.051	0.028	11	23	0.017	0.657	0.025
8	44	0.000	0.000	0.013	10	4	1.065	-0.032	0.011	11	24	-0.000	0.376	0.143
8	45	0.000	0.000	0.001	10	5	1.070	-0.378	0.022	11	25	0.000	0.494	0.003
8	46	-0.000	0.000	0.060	10	6	1.781	-1.116	0.012	11	26	0.000	0.400	0.004
8	47	0.000	0.000	0.036	10	7	2.108	-1.167	0.029	11	27	0.000	0.418	0.016
8	48	0.314	0.000	0.046	10	8	2.595	-1.385	0.047	11	28	0.000	0.486	0.023
8	49	0.006	0.000	0.005	10	9	2.488	-1.475	0.035	11	29	0.000	0.343	0.001
8	50	0.000	0.000	0.018	10	10	1.901	-1.480	0.075	11	30	0.000	0.042	0.000
8	51	0.000	0.000	0.034	10	11	2.597	-1.286	0.039	11	31	0.000	0.000	0.000
8	52	0.000	0.000	0.036	10	12	2.436	-0.971	0.012	11	32	0.000	0.000	-0.023
8	53	0.000	0.000	0.033	10	13	2.261	-0.488	0.030	11	33	0.000	0.000	-0.001
8	54	0.000	0.000	0.003	10	14	2.308	-0.275	0.017	11	34	0.000	0.000	0.018
8	55	0.001	0.000	0.003	10	15	1.911	-0.790	0.016	11	35	0.000	0.000	0.017
8	56	0.000	0.000	0.003	10	16	2.024	-0.342	0.014	11	36	0.000	0.000	0.000
8	57	0.000	0.000	0.004	10	17	1.992	-0.599	0.025	11	37	0.000	0.000	0.007



11	38	0.000	0.000	0.000	12	58	2.195	0.272	0.034	14	18	-4.400	-3.385	0.037
11	39	0.000	0.000	0.000	12	59	2.114	0.233	0.021	14	19	-4.479	-2.566	0.035
11	40	-0.021	-0.440	0.000	13	0	2.193	0.035	0.037	14	20	-4.413	-2.807	0.054
11	41	-0.623	-0.898	0.001	13	1	2.190	0.015	0.033	14	21	-4.507	-1.846	0.036
11	42	-0.821	-0.914	0.000	13	2	2.094	0.170	0.034	14	22	-4.352	-1.229	0.028
11	43	-0.611	-0.780	0.000	13	3	1.922	0.161	0.035	14	23	-3.432	-2.280	0.079
11	44	-0.187	-0.730	0.000	13	4	1.274	0.075	0.080	14	24	-2.594	-1.949	0.045
11	45	0.000	-0.493	0.000	13	5	1.446	-0.059	0.028	14	25	-2.114	-2.607	0.032
11	46	0.000	-0.069	0.000	13	6	1.653	-0.076	0.026	14	26	-1.683	-2.888	0.016
11	47	0.000	0.000	0.000	13	7	1.451	-0.166	0.007	14	27	-1.211	-1.860	0.005
11	48	0.000	0.000	0.000	13	8	1.170	-0.410	0.011	14	28	-0.640	-0.578	0.005
11	49	0.000	0.000	0.000	13	9	1.628	-0.785	0.016	14	29	-0.483	-0.598	0.030
11	50	0.000	0.000	0.000	13	10	1.631	-0.602	0.022	14	30	-0.626	-0.472	0.003
11	51	0.039	0.000	0.000	13	11	2.204	-1.068	0.006	14	31	-0.608	-0.312	-0.000
11	52	0.907	0.000	0.004	13	12	1.689	-0.974	0.017	14	32	-0.131	-0.176	-0.000
11	53	1.313	0.105	0.003	13	13	1.817	-0.905	0.024	14	33	-0.282	0.056	0.000
11	54	1.582	0.420	0.013	13	14	1.986	-0.680	0.027	14	34	0.020	0.000	0.007
11	55	1.303	0.543	0.029	13	15	0.985	-0.350	0.003	14	35	0.279	0.000	0.017
11	56	1.973	0.604	0.014	13	16	-0.000	-0.095	0.000	14	36	0.008	0.000	0.009
11	57	1.979	0.370	0.022	13	17	0.000	0.188	0.000	14	37	0.784	-0.073	0.031
11	58	2.303	0.318	0.017	13	18	-0.377	0.134	0.000	14	38	0.813	-0.704	0.011
11	59	2.138	0.333	0.020	13	19	-1.255	0.964	0.001	14	39	0.495	-1.037	0.012
12	0	2.181	0.464	0.020	13	20	-1.609	1.085	-0.002	14	40	0.691	-1.820	0.001
12	1	1.639	0.526	0.027	13	21	-1.466	0.635	0.000	14	41	0.682	-1.435	0.002
12	2	1.985	0.271	0.010	13	22	-1.048	0.169	0.000	14	42	0.790	-1.130	0.007
12	3	1.775	0.169	0.011	13	23	-0.170	0.013	0.000	14	43	1.366	-1.423	0.013
12	4	1.654	0.012	0.014	13	24	0.000	0.000	0.000	14	44	1.081	-1.590	0.023
12	5	1.582	0.409	0.013	13	25	0.011	0.000	0.014	14	45	1.036	-1.466	0.066
12	6	2.106	0.759	0.012	13	26	0.000	0.000	0.000	14	46	1.204	-2.235	0.021
12	7	2.041	0.551	0.015	13	27	0.000	0.000	0.000	14	47	1.223	-1.237	0.039
12	8	1.940	0.323	0.012	13	28	0.000	0.000	0.005	14	48	0.390	-1.175	0.006
12	9	1.738	0.091	0.010	13	29	0.000	0.000	0.006	14	49	0.156	-1.158	0.009
12	10	1.616	-0.000	0.004	13	30	0.000	-0.526	0.000	14	50	0.022	-0.984	0.004
12	11	1.285	-0.035	0.011	13	31	-0.566	-1.349	0.002	14	51	-0.103	-1.459	0.024
12	12	2.022	-0.100	0.024	13	32	-1.573	-1.842	0.004	14	52	0.323	-1.064	0.006
12	13	1.969	-0.330	0.035	13	33	-1.999	-2.245	0.005	14	53	0.429	-0.912	0.000
12	14	1.892	-0.993	0.032	13	34	-1.814	-1.901	0.010	14	54	0.192	-0.848	0.002
12	15	2.448	-1.470	0.036	13	35	-1.455	-1.689	0.009	14	55	0.084	-0.864	0.002
12	16	3.037	-1.375	0.024	13	36	-1.318	-1.811	0.001	14	56	0.235	-1.041	0.004
12	17	3.110	-1.472	0.029	13	37	-0.617	-1.628	0.011	14	57	0.164	-0.692	0.005
12	18	3.670	-0.902	0.041	13	38	-0.078	-1.195	0.010	14	58	0.012	-0.669	0.000
12	19	2.582	-0.676	0.090	13	39	0.001	-0.380	0.002	14	59	0.000	-0.655	-0.000
12	20	3.533	-1.282	0.087	13	40	-0.464	-2.717	0.006	15	0	-0.005	-1.127	0.000
12	21	2.182	-0.721	0.049	13	41	-0.499	-4.060	0.056	15	1	-0.015	-0.991	0.001
12	22	2.342	-0.406	0.006	13	42	0.726	-3.006	0.032	15	2	-0.068	-1.375	0.000
12	23	1.957	-0.787	0.049	13	43	0.677	-1.276	0.053	15	3	-0.130	-0.989	0.000
12	24	2.933	-0.296	0.050	13	44	-0.380	-1.178	0.024	15	4	-0.197	-0.686	0.001
12	25	2.579	0.267	0.055	13	45	0.313	-2.191	0.193	15	5	-0.129	-0.304	0.000
12	26	2.847	0.300	0.056	13	46	-0.601	-4.323	0.037	15	6	-0.138	-0.587	-0.000
12	27	2.111	0.107	0.087	13	47	-0.386	-4.644	0.087	15	7	-0.198	-0.625	0.000
12	28	2.293	0.374	0.045	13	48	0.420	-4.483	0.032	15	8	-0.000	-0.587	0.000
12	29	1.815	0.570	0.002	13	49	-0.530	-5.637	0.072	15	9	-0.001	-0.783	-0.001
12	30	1.679	0.795	0.016	13	50	-1.465	-5.186	0.069	15	10	-0.016	-0.569	0.005
12	31	1.802	1.178	0.017	13	51	-2.543	-5.194	0.020	15	11	-0.050	-1.340	0.008
12	32	1.839	1.178	0.013	13	52	-1.815	-5.136	0.035	15	12	-0.126	-1.700	0.004
12	33	1.794	1.378	0.028	13	53	-2.999	-5.220	0.080	15	13	-0.019	-1.428	0.010
12	34	2.233	0.839	0.041	13	54	-4.123	-3.380	0.005	15	14	0.038	-1.052	0.003
12	35	1.931	0.993	0.040	13	55	-3.589	-1.847	0.037	15	15	0.032	-0.483	0.030
12	36	1.607	0.772	0.031	13	56	-5.082	-0.912	0.002	15	16	0.007	-0.571	0.004
12	37	1.242	0.665	0.041	13	57	-4.152	-2.037	0.027	15	17	0.000	-0.373	0.001
12	38	0.915	0.615	0.026	13	58	-2.254	-1.619	0.007	15	18	0.000	-0.348	0.000
12	39	0.809	0.227	0.016	13	59	-1.924	-1.016	0.006	15	19	0.325	-0.185	-0.001
12	40	0.628	0.000	0.003	14	0	-1.054	-1.300	0.002	15	20	0.174	-0.295	-0.003
12	41	0.869	0.052	0.000	14	1	-0.143	-0.799	0.015	15	21	0.592	0.000	0.000
12	42	0.880	0.249	0.013	14	2	-0.859	-0.761	0.000	15	22	0.572	0.001	0.018
12	43	1.321	-0.112	0.010	14	3	-1.470	-0.819	-0.002	15	23	0.835	0.141	0.037
12	44	1.891	-0.324	0.027	14	4	-1.314	-0.540	0.005	15	24	1.303	0.354	0.019
12	45	1.436	-0.017	0.013	14	5	-1.772	-0.981	0.000	15	25	1.173	0.344	0.026
12	46	0.748	0.240	0.018	14	6	-1.543	-1.088	0.004	15	26	1.084	0.112	0.032
12	47	0.000	0.261	0.050	14	7	-1.588	-0.994	0.019	15	27	1.146	0.260	0.015
12	48	1.233	0.528	0.018	14	8	-2.149	-1.604	0.008	15	28	1.497	1.038	0.006
12	49	1.628	0.670	0.053	14	9	-1.867	-2.351	0.017	15	29	1.394	1.011	0.014
12	50	0.833	0.822	0.030	14	10	-2.083	-2.736	0.046	15	30	1.239	0.794	0.005
12	51	1.443	0.386	0.011	14	11	-2.719	-2.213	0.028	15	31	0.916	0.570	0.009
12	52	1.208	0.191	0.034	14	12	-2.315	-1.869	0.027	15	32	0.195	0.350	0.024
12	53	0.960	0.247	0.057	14	13	-3.954	-1.997	0.010	15	33	0.056	0.402	0.053
12	54	1.091	0.349	0.053	14	14	-4.313	-2.442	0.003	15	34	0.121	0.157	0.122
12	55	1.633	0.047	0.018	14	15	-2.774	-2.212	0.033	15	35	0.215	0.325	0.020
12	56	1.527	0.013	0.031	14	16	-3.829	-3.189	0.046	15	36	0.357	0.298	0.003
12	57	2.116	0.139	0.019	14	17	-3.109	-3.519	0.064	15	37	0.837	0.000	0.002





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

15	38	1.079	-0.012	0.003
15	39	1.082	0.000	0.001
15	40	1.227	0.001	0.004
15	41	1.396	0.190	0.002
15	42	1.212	0.355	0.005
15	43	1.113	0.688	0.007
15	44	1.253	1.213	0.008
15	45	0.880	1.447	0.023
15	46	1.079	1.690	0.024
15	47	1.272	1.772	0.027
15	48	1.492	1.219	0.024
15	49	1.308	1.084	0.022
15	50	1.738	0.958	0.001
15	51	1.925	0.845	0.002
15	52	2.023	0.810	0.007
15	53	1.786	0.311	0.003
15	54	1.376	0.051	0.006
15	55	1.477	0.185	0.017



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

20	13	2.155	0.358	0.020	21	33	1.884	-0.036	0.042	22	53	1.873	-0.562	0.008	
20	14	2.145	0.176	0.029	21	34	1.484	-0.025	0.008	22	54	2.120	-0.682	0.024	
20	15	2.239	0.057	0.014	21	35	0.825	0.108	0.028	22	55	2.030	-0.905	0.006	
20	16	2.119	-0.014	0.049	21	36	0.766	0.000	0.032	22	56	2.121	-0.500	0.009	
20	17	1.974	-0.024	0.035	21	37	0.571	0.000	0.030	22	57	2.730	-0.251	0.034	
20	18	1.807	0.001	0.011	21	38	0.694	0.000	0.011	22	58	1.918	-0.567	0.032	
20	19	1.476	-0.014	0.017	21	39	1.054	0.155	0.007	22	59	2.648	-0.427	0.033	
20	20	1.303	-0.005	0.024	21	40	1.412	0.054	0.012	23	0	1.882	-0.302	0.080	
20	21	1.918	-0.476	0.017	21	41	1.805	0.000	0.025	23	1	1.774	-0.506	0.014	
20	22	1.410	-0.136	0.034	21	42	1.961	0.053	0.024	23	2	1.514	-0.241	0.081	
20	23	1.371	-0.018	0.014	21	43	1.976	-0.033	0.038	23	3	2.531	-0.234	0.027	
20	24	1.328	-0.002	0.007	21	44	2.700	0.022	0.055	23	4	1.992	-0.475	0.037	
20	25	1.276	0.045	0.015	21	45	2.466	0.009	0.067	23	5	2.274	-0.044	0.060	
20	26	1.742	0.005	0.022	21	46	2.469	0.001	0.063	23	6	2.706	-0.141	0.018	
20	27	1.789	-0.212	0.021	21	47	2.461	-0.047	0.086	23	7	3.394	0.129	0.034	
20	28	1.770	0.016	0.006	21	48	2.777	-0.022	0.038	23	8	3.111	0.052	0.067	
20	29	1.717	0.204	0.009	21	49	2.894	-0.063	0.028	23	9	3.555	0.111	0.069	
20	30	1.741	0.652	0.012	21	50	3.028	-0.243	0.023	23	10	3.350	0.191	0.058	
20	31	1.487	0.405	0.027	21	51	2.652	-0.100	0.030	23	11	3.828	-0.083	0.063	
20	32	1.318	0.569	0.024	21	52	2.452	-0.037	0.022	23	12	3.107	-0.039	0.027	
20	33	1.642	0.966	0.037	21	53	2.539	-0.105	0.023	23	13	2.537	-0.075	0.026	
20	34	1.760	0.963	0.020	21	54	2.444	-0.337	0.019	23	14	3.051	0.174	0.031	
20	35	1.912	0.746	0.019	21	55	2.171	-0.283	0.014	23	15	3.335	0.258	0.047	
20	36	1.879	0.549	0.029	21	56	2.525	-0.521	0.043	23	16	3.161	0.428	0.029	
20	37	1.967	0.732	0.046	21	57	2.009	-0.100	0.038	23	17	3.198	-0.039	0.044	
20	38	1.768	0.936	0.033	21	58	2.119	-0.024	0.042	23	18	3.220	0.194	0.022	
20	39	1.600	1.068	0.019	21	59	2.387	-0.440	0.057	23	19	3.106	0.355	0.025	
20	40	1.632	1.007	0.010	22	0	2.662	-0.213	0.040	23	20	3.700	0.252	0.046	
20	41	1.729	1.207	0.006	22	1	2.817	-0.237	0.052	23	21	4.088	0.109	0.043	
20	42	1.884	1.197	0.046	22	2	2.666	-0.022	0.012	23	22	3.717	0.111	0.030	
20	43	2.265	1.407	0.040	22	3	2.415	-0.349	0.033	23	23	3.167	0.226	0.057	
20	44	2.259	1.514	0.040	22	4	3.048	-0.327	0.035	23	24	2.465	0.177	0.063	
20	45	2.496	1.535	0.060	22	5	2.662	-0.357	0.038	23	25	2.523	0.427	0.011	
20	46	2.591	1.458	0.047	22	6	3.239	-0.193	0.013	23	26	2.009	0.403	0.046	
20	47	1.994	0.788	0.077	22	7	2.816	-0.007	0.038	23	27	2.166	0.718	0.012	
20	48	2.509	0.918	0.056	22	8	2.683	-0.137	0.049	23	28	2.583	0.295	0.013	
20	49	2.703	1.026	0.039	22	9	2.610	-0.164	0.025	23	29	2.470	0.385	0.013	
20	50	2.630	0.834	0.058	22	10	2.554	-0.112	0.038	23	30	2.546	0.291	0.023	
20	51	2.749	0.831	0.050	22	11	2.500	0.048	0.061	23	31	2.170	0.572	0.022	
20	52	2.820	0.850	0.049	22	12	2.536	-0.119	0.087	23	32	2.568	0.149	0.011	
20	53	2.609	0.629	0.048	22	13	2.192	-0.123	0.093	23	33	2.259	0.195	0.014	
20	54	1.931	0.478	0.058	22	14	2.616	-0.072	0.101	23	34	2.431	0.044	0.006	
20	55	2.391	0.373	0.048	22	15	2.385	-0.074	0.023	23	35	2.006	0.185	0.021	
20	56	2.358	0.129	0.022	22	16	2.517	0.062	0.034	23	36	1.678	0.425	0.014	
20	57	2.181	0.159	0.038	22	17	2.640	-0.042	0.035	23	37	1.450	0.285	0.011	
20	58	1.904	0.284	0.043	22	18	1.872	-0.391	0.056	23	38	1.939	0.218	0.032	
20	59	1.832	0.100	0.033	22	19	2.087	-0.192	0.038	23	39	2.318	-0.008	0.019	
21	0	2.187	0.141	0.034	22	20	2.310	-0.286	0.033	23	40	2.056	0.025	0.014	
21	1	2.323	0.191	0.030	22	21	3.442	-0.329	0.046	23	41	1.975	-0.029	0.015	
21	2	2.430	0.056	0.049	22	22	3.020	-1.100	0.062	23	42	1.849	0.371	0.003	
21	3	2.539	0.093	0.079	22	23	2.600	-0.718	0.078	23	43	1.501	0.480	0.003	
21	4	2.600	0.067	0.056	22	24	2.919	-1.013	0.041	23	44	1.851	0.009	0.008	
21	5	2.764	-0.007	0.051	22	25	3.070	-0.568	0.047	23	45	2.030	-0.100	0.015	
21	6	2.432	0.017	0.048	22	26	1.783	-0.590	0.034	23	46	2.401	-0.056	0.019	
21	7	2.332	0.010	0.035	22	27	1.999	-0.812	0.024	23	47	1.973	-0.191	0.017	
21	8	2.182	-0.095	0.014	22	28	2.359	-0.776	0.057	23	48	1.762	-0.372	0.021	
21	9	1.791	-0.231	0.008	22	29	2.965	-0.895	0.048	23	49	2.208	0.138	0.073	
21	10	1.237	0.304	0.016	22	30	2.700	-0.580	0.095	23	50	2.766	-0.010	0.098	
21	11	1.401	0.216	0.031	22	31	2.437	-0.770	0.028	23	51	3.004	-0.532	0.020	
21	12	1.711	-0.569	0.002	22	32	2.389	-0.608	0.021	23	52	1.918	-0.095	0.091	
21	13	0.934	-0.771	0.012	22	33	2.189	-0.915	0.007	23	53	2.014	-0.220	0.080	
21	14	1.585	-0.153	0.019	22	34	2.263	-0.660	0.017	23	54	2.243	-0.140	0.019	
21	15	1.244	-0.658	-0.000	22	35	2.408	-0.899	0.010	23	55	2.458	0.220	-0.001	
21	16	1.180	-0.476	0.006	22	36	2.261	-0.405	0.019	23	56	2.021	0.042	0.022	
21	17	0.771	0.115	0.009	22	37	1.957	-0.340	0.017	23	57	2.615	0.163	0.016	
21	18	0.606	0.088	0.013	22	38	2.042	-0.460	0.019	23	58	2.678	0.204	0.018	
21	19	0.594	0.006	-0.000	22	39	2.142	-0.287	0.009	23	59	2.860	0.391	0.036	
21	20	1.139	0.043	0.008	22	40	1.862	-0.074	0.011						
21	21	1.321	0.036	0.022	22	41	1.654	-0.100	0.033						
21	22	1.888	-0.019	0.013	22	42	1.927	-0.403	0.029	16/07/95	0	0	2.419	0.273	0.047
21	23	1.546	-0.018	0.015	22	43	1.869	-0.150	0.019	0	1	2.780	0.109	0.036	
21	24	1.523	-0.194	0.011	22	44	2.329	-0.317	0.007	0	2	2.867	0.015	0.024	
21	25	1.488	-0.075	0.004	22	45	1.985	-0.080	0.008	0	3	3.017	-0.058	0.011	
21	26	1.955	-0.178	0.007	22	46	2.062	-0.109	0.012	0	4	2.291	-0.079	0.006	
21	27	1.320	-0.355	0.008	22	47	2.150	-0.154	0.024	0	5	2.046	-0.075	0.014	
21	28	0.813	-0.238	0.049	22	48	2.203	-0.274	0.013	0	6	2.052	-0.099	0.027	
21	29	1.629	-0.813	0.016	22	49	2.340	-0.544	0.016	0	7	2.329	0.199	0.020	
21	30	1.008	0.000	0.022	22	50	2.406	-0.848	0.021	0	8	2.461	0.623	0.007	
21	31	1.105	0.169	0.023	22	51	1.929	-0.909	0.017	0	9	2.254	0.802	0.010	
21	32	1.303	0.165	0.013	22	52	2.208	-0.637	0.005						



0	10	1.623	0.675	0.008	1	30	1.320	-0.032	0.000	2	50	0.486	0.000	0.009
0	11	1.889	0.895	0.011	1	31	1.381	0.043	0.002	2	51	0.549	0.000	0.000
0	12	1.619	0.763	0.022	1	32	1.536	0.002	0.007	2	52	0.460	0.000	0.000
0	13	2.103	0.831	0.018	1	33	2.237	0.091	0.022	2	53	0.598	0.000	0.010
0	14	2.527	1.130	0.035	1	34	2.870	0.315	0.019	2	54	0.631	0.000	0.003
0	15	2.275	0.975	0.016	1	35	3.104	0.058	0.054	2	55	0.420	0.000	0.001
0	16	1.587	0.649	0.017	1	36	2.735	0.268	0.048	2	56	0.288	0.000	0.056
0	17	1.625	0.883	0.009	1	37	2.485	0.154	0.028	2	57	0.641	0.000	0.004
0	18	1.896	0.900	0.008	1	38	2.307	0.060	0.010	2	58	0.070	0.000	0.038
0	19	1.822	0.397	0.013	1	39	1.633	0.002	0.013	2	59	0.000	0.000	0.044
0	20	1.562	0.348	0.008	1	40	1.657	0.028	0.013	3	0	0.000	0.000	0.027
0	21	1.407	0.748	0.001	1	41	1.440	0.000	0.008	3	1	0.000	0.216	0.038
0	22	1.512	0.780	0.010	1	42	0.839	0.010	0.007	3	2	0.000	1.085	0.058
0	23	1.341	1.196	0.007	1	43	1.420	-0.072	0.003	3	3	0.000	1.227	0.022
0	24	1.465	1.370	0.013	1	44	1.460	-0.034	0.001	3	4	0.020	1.300	0.029
0	25	1.211	1.280	0.004	1	45	1.021	-0.000	0.000	3	5	0.108	1.349	0.022
0	26	0.681	1.361	0.005	1	46	1.102	0.000	0.002	3	6	0.318	1.139	0.020
0	27	0.703	1.148	0.008	1	47	1.174	-0.000	0.002	3	7	0.509	0.964	0.009
0	28	0.879	1.432	0.007	1	48	0.910	0.000	0.001	3	8	0.806	0.996	0.014
0	29	0.794	1.364	0.007	1	49	0.604	0.000	0.002	3	9	1.384	1.122	0.025
0	30	1.003	1.221	0.007	1	50	0.322	0.000	0.000	3	10	1.515	1.038	0.044
0	31	1.291	1.391	0.009	1	51	0.727	0.000	0.000	3	11	1.559	1.005	0.040
0	32	1.669	1.282	0.012	1	52	0.797	-0.266	0.000	3	12	1.250	0.489	0.048
0	33	1.690	1.152	0.019	1	53	1.001	-0.279	0.000	3	13	1.877	0.708	0.036
0	34	1.738	1.315	0.017	1	54	1.101	-0.074	0.000	3	14	2.032	0.725	0.069
0	35	1.704	1.333	0.005	1	55	1.521	-0.001	0.012	3	15	1.940	0.564	0.064
0	36	1.821	1.324	0.010	1	56	2.035	-0.112	0.013	3	16	1.902	0.481	0.046
0	37	1.933	1.231	0.015	1	57	2.035	-0.174	0.012	3	17	1.632	0.380	0.026
0	38	1.680	1.079	0.002	1	58	2.231	-0.206	0.029	3	18	1.496	0.292	0.035
0	39	1.951	0.840	0.018	1	59	1.914	-0.184	0.035	3	19	1.144	0.262	0.052
0	40	0.945	0.349	0.003	2	0	1.534	-0.205	0.028	3	20	1.306	0.009	0.038
0	41	1.803	1.156	0.012	2	1	1.587	-0.296	0.026	3	21	1.406	0.073	0.016
0	42	1.982	1.134	0.016	2	2	1.701	-0.244	0.008	3	22	1.306	0.185	0.018
0	43	1.734	0.438	0.012	2	3	1.194	-0.157	0.007	3	23	0.943	0.021	0.018
0	44	1.787	0.000	0.015	2	4	1.453	-0.165	0.008	3	24	1.075	0.046	0.009
0	45	1.740	0.000	0.017	2	5	1.259	-0.263	0.005	3	25	1.139	0.000	0.005
0	46	2.004	0.120	0.011	2	6	1.238	-0.263	0.015	3	26	1.517	0.000	0.015
0	47	2.138	0.383	0.008	2	7	1.314	-0.383	0.006	3	27	1.721	0.004	0.021
0	48	2.002	0.387	0.019	2	8	1.272	-0.501	0.007	3	28	1.683	-0.040	0.032
0	49	1.914	0.024	0.019	2	9	0.989	-0.564	0.008	3	29	1.794	0.003	0.022
0	50	2.030	0.035	0.026	2	10	1.533	-0.607	0.003	3	30	2.199	0.011	0.038
0	51	2.012	0.027	0.005	2	11	1.447	-0.473	0.007	3	31	1.652	0.090	0.025
0	52	2.323	0.032	0.011	2	12	1.465	-0.574	0.017	3	32	1.654	0.324	0.040
0	53	2.372	-0.056	0.023	2	13	1.328	-0.576	0.013	3	33	1.235	0.582	0.037
0	54	1.910	0.002	0.007	2	14	1.041	-0.132	0.030	3	34	1.271	0.555	0.050
0	55	1.677	-0.024	0.005	2	15	0.777	0.000	0.013	3	35	0.990	0.484	0.047
0	56	1.337	0.049	0.002	2	16	0.891	0.000	0.000	3	36	1.039	0.893	0.017
0	57	1.178	0.164	0.008	2	17	1.049	-0.148	0.000	3	37	1.272	0.877	0.046
0	58	1.202	0.003	0.000	2	18	1.157	-0.028	0.015	3	38	0.977	0.884	0.021
0	59	0.723	0.344	0.022	2	19	1.133	0.000	0.024	3	39	1.117	1.167	0.016
1	0	0.698	0.046	0.005	2	20	1.287	0.000	0.033	3	40	0.671	1.221	0.020
1	1	1.056	0.198	0.013	2	21	0.845	0.000	0.013	3	41	0.926	1.391	0.022
1	2	1.481	0.131	0.016	2	22	0.795	0.000	0.002	3	42	1.036	1.524	0.037
1	3	1.298	0.083	0.028	2	23	0.634	0.000	0.000	3	43	1.084	1.560	0.038
1	4	1.603	0.000	0.031	2	24	0.838	0.000	0.001	3	44	1.397	1.343	0.021
1	5	1.462	-0.010	0.023	2	25	0.745	0.000	0.001	3	45	1.211	1.102	0.017
1	6	1.689	-0.069	0.010	2	26	0.744	0.000	0.000	3	46	1.187	0.769	0.011
1	7	2.010	-0.128	0.015	2	27	0.577	0.000	0.001	3	47	1.091	0.595	0.041
1	8	2.343	-0.224	0.025	2	28	0.419	0.000	0.004	3	48	1.061	0.393	0.022
1	9	2.201	-0.123	0.022	2	29	0.330	0.000	0.011	3	49	0.567	0.000	0.044
1	10	2.592	-0.091	0.025	2	30	0.446	0.145	0.042	3	50	0.664	0.000	0.067
1	11	1.956	-0.190	0.016	2	31	0.429	0.575	0.027	3	51	1.150	0.000	0.000
1	12	1.876	-0.081	0.023	2	32	0.485	0.639	0.007	3	52	1.060	0.000	0.003
1	13	2.784	0.130	0.047	2	33	0.790	0.765	0.005	3	53	1.269	0.000	0.016
1	14	2.256	0.095	0.043	2	34	0.708	0.780	0.027	3	54	1.554	0.002	0.031
1	15	2.306	-0.095	0.022	2	35	0.602	0.930	0.018	3	55	1.720	0.000	0.048
1	16	1.487	-0.001	0.024	2	36	0.644	0.861	0.014	3	56	1.818	0.000	0.046
1	17	1.684	0.006	0.013	2	37	0.494	0.904	0.016	3	57	2.028	-0.016	0.053
1	18	1.604	0.165	0.008	2	38	0.871	0.646	0.028	3	58	2.204	-0.067	0.085
1	19	1.674	0.359	0.014	2	39	0.822	0.417	0.053	3	59	2.299	-0.077	0.073
1	20	1.288	0.285	0.013	2	40	0.703	0.265	0.028	4	0	2.491	-0.261	0.043
1	21	1.343	0.101	0.010	2	41	0.918	0.058	0.028	4	1	2.488	-0.319	0.000
1	22	0.975	0.000	0.017	2	42	0.767	0.024	0.032	4	2	2.148	-0.286	0.000
1	23	1.002	0.000	0.017	2	43	1.053	0.102	0.026	4	3	2.026	-0.456	0.000
1	24	0.892	0.000	0.007	2	44	1.258	-0.006	0.001	4	4	1.768	-0.283	0.008
1	25	1.144	0.000	0.005	2	45	0.802	-0.000	0.002	4	5	1.599	-0.232	0.009
1	26	1.345	0.000	0.001	2	46	1.045	-0.005	0.015	4	6	1.687	-0.379	0.004
1	27	1.523	0.260	0.002	2	47	0.568	0.000	0.000	4	7	1.781	-0.399	0.020
1	28	1.200	0.017	0.017	2	48	0.736	0.000	0.002	4	8	1.615	-0.153	0.009
1	29	1.523	-0.013	0.003	2	49	0.654	0.000	0.000	4	9	1.517	-0.194	0.007





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

4	10	1.598	-0.257	0.009	5	30	1.940	0.360	0.005	6	50	0.966	0.903	0.016
4	11	1.669	-0.019	0.016	5	31	1.864	0.642	0.030	6	51	0.753	0.842	0.010
4	12	1.907	-0.251	0.056	5	32	1.678	0.513	0.007	6	52	0.649	0.851	0.012
4	13	2.022	-0.198	0.023	5	33	1.749	1.296	0.011	6	53	0.623	0.979	0.010
4	14	1.961	-0.209	0.033	5	34	2.035	0.886	0.007	6	54	0.585	0.605	0.035
4	15	2.137	-0.364	0.028	5	35	1.931	0.904	0.025	6	55	0.671	0.682	0.024
4	16	2.041	-0.103	0.031	5	36	1.694	0.738	0.007	6	56	0.744	0.802	0.025
4	17	1.791	-0.048	0.014	5	37	2.153	1.242	0.043	6	57	0.756	0.761	0.040
4	18	1.770	-0.136	0.012	5	38	2.154	0.894	0.043	6	58	1.082	0.949	0.038
4	19	1.755	-0.049	0.002	5	39	2.291	0.852	0.032	6	59	1.229	1.412	0.015
4	20	1.591	-0.081	0.003	5	40	2.029	0.679	0.031	7	0	1.323	1.284	0.022
4	21	1.720	-0.085	0.015	5	41	1.756	0.681	0.038	7	1	1.087	1.093	0.015
4	22	1.658	0.009	0.017	5	42	2.151	0.634	0.037	7	2	1.235	0.665	0.002
4	23	1.649	0.002	0.032	5	43	1.732	0.113	0.066	7	3	1.344	0.211	0.011
4	24	1.553	0.001	0.009	5	44	1.294	0.053	0.021	7	4	1.395	0.133	0.001
4	25	1.479	-0.010	0.020	5	45	1.374	0.023	0.004	7	5	1.266	0.016	0.000
4	26	1.372	0.000	0.012	5	46	0.778	0.129	0.020	7	6	1.039	0.000	0.001
4	27	1.258	-0.004	0.024	5	47	0.918	-0.128	0.002	7	7	1.007	0.000	0.005
4	28	1.274	0.021	0.022	5	48	0.536	0.000	0.024	7	8	1.139	-0.002	0.000
4	29	1.321	-0.001	0.012	5	49	0.972	-0.130	-0.004	7	9	1.022	-0.014	0.004
4	30	1.138	-0.022	0.011	5	50	0.533	0.113	0.003	7	10	1.224	0.000	0.001
4	31	0.966	0.010	0.000	5	51	1.115	0.267	0.010	7	11	0.945	0.000	0.003
4	32	1.217	-0.137	0.000	5	52	1.151	0.666	0.021	7	12	1.071	-0.000	0.000
4	33	0.745	0.113	0.005	5	53	1.719	0.036	0.008	7	13	0.951	-0.000	0.000
4	34	0.130	0.200	0.028	5	54	1.341	0.139	0.008	7	14	0.850	-0.003	0.003
4	35	0.000	0.055	0.005	5	55	1.564	-0.095	0.016	7	15	0.866	-0.001	0.002
4	36	0.000	0.005	0.029	5	56	1.414	-0.002	0.031	7	16	0.869	-0.179	0.006
4	37	0.450	0.000	0.006	5	57	1.736	-0.050	0.027	7	17	0.562	-0.167	0.009
4	38	0.863	0.000	0.047	5	58	1.181	0.000	0.024	7	18	0.568	-0.110	0.000
4	39	1.284	0.222	0.055	5	59	1.347	-0.768	0.032	7	19	0.326	0.000	0.001
4	40	1.410	0.354	0.021	6	0	1.235	-0.216	0.015	7	20	0.730	0.007	0.003
4	41	1.426	0.542	0.023	6	1	2.239	-0.280	0.018	7	21	0.859	0.000	0.000
4	42	1.357	0.645	0.025	6	2	2.137	0.015	0.013	7	22	0.973	-0.107	0.001
4	43	1.312	0.527	0.027	6	3	2.014	0.412	0.033	7	23	0.686	-0.144	0.000
4	44	1.536	0.324	0.034	6	4	2.229	0.124	0.034	7	24	0.429	0.000	0.041
4	45	1.728	0.139	0.070	6	5	2.524	-0.167	0.005	7	25	0.210	0.000	0.007
4	46	2.054	-0.014	0.078	6	6	1.696	-0.103	0.002	7	26	0.691	0.195	0.004
4	47	2.137	0.134	0.095	6	7	1.792	-0.207	0.021	7	27	0.843	0.135	0.010
4	48	2.430	0.188	0.085	6	8	1.327	-0.356	0.021	7	28	0.863	0.010	0.006
4	49	2.587	0.185	0.103	6	9	1.225	-0.541	0.017	7	29	1.281	0.000	0.005
4	50	2.609	0.059	0.046	6	10	1.228	-0.529	-0.000	7	30	1.437	-0.204	0.004
4	51	2.641	-0.024	0.003	6	11	1.832	-0.636	0.007	7	31	1.512	0.000	0.003
4	52	2.306	-0.208	0.002	6	12	1.877	-0.676	0.001	7	32	1.043	-0.000	0.000
4	53	2.471	-0.386	0.010	6	13	1.977	-1.047	0.000	7	33	0.836	0.008	0.006
4	54	2.216	-0.188	0.009	6	14	1.132	-0.321	0.002	7	34	1.121	0.001	0.004
4	55	1.902	-0.066	0.018	6	15	0.478	-0.005	0.034	7	35	1.070	0.184	0.000
4	56	2.224	0.015	0.013	6	16	-0.050	0.000	0.000	7	36	0.562	0.003	0.002
4	57	2.258	0.009	0.027	6	17	-0.155	-0.702	0.003	7	37	0.723	0.000	0.001
4	58	2.398	-0.022	0.023	6	18	-0.626	-1.889	0.003	7	38	0.799	0.000	0.001
4	59	2.854	0.010	0.039	6	19	-1.169	-1.147	0.034	7	39	0.431	0.333	0.001
5	0	3.158	-0.136	0.020	6	20	-1.516	-0.192	0.037	7	40	0.204	0.000	0.012
5	1	2.767	-0.132	0.019	6	21	-1.658	-0.107	0.033	7	41	0.771	-0.230	0.000
5	2	2.488	-0.109	0.025	6	22	-1.621	-0.300	0.023	7	42	0.861	-0.054	-0.001
5	3	2.423	-0.071	0.025	6	23	-1.132	-0.107	0.001	7	43	0.224	-0.202	0.007
5	4	2.394	-0.200	0.009	6	24	-0.646	0.000	-0.002	7	44	0.000	0.013	0.001
5	5	2.419	-0.308	0.027	6	25	-0.200	0.000	0.000	7	45	1.003	0.143	0.007
5	6	2.032	-0.371	0.027	6	26	0.000	0.000	0.009	7	46	2.004	-0.073	0.012
5	7	1.603	-0.108	0.027	6	27	0.000	0.087	0.001	7	47	1.929	0.068	0.004
5	8	1.380	-0.568	0.050	6	28	-0.030	0.684	0.011	7	48	1.542	-0.003	0.074
5	9	1.410	-0.857	0.008	6	29	-0.028	0.900	0.018	7	49	1.498	-0.470	0.025
5	10	1.327	-0.824	0.021	6	30	-0.000	1.140	0.028	7	50	1.169	-1.049	0.014
5	11	1.645	-0.788	0.045	6	31	0.000	1.191	0.038	7	51	1.033	-0.921	0.029
5	12	1.971	-0.990	0.012	6	32	0.019	1.075	0.021	7	52	1.260	-0.456	0.030
5	13	1.679	-0.827	0.013	6	33	0.303	0.930	0.019	7	53	1.428	-0.706	0.009
5	14	1.410	-0.258	0.025	6	34	0.475	0.914	0.020	7	54	1.749	-0.573	0.011
5	15	1.761	-0.181	0.011	6	35	0.656	0.893	0.018	7	55	1.511	-0.120	0.003
5	16	1.671	-0.441	0.022	6	36	0.640	1.036	0.025	7	56	2.061	-0.446	0.000
5	17	1.614	-0.562	0.016	6	37	0.739	1.163	0.011	7	57	2.062	-0.314	0.001
5	18	1.608	-0.722	0.007	6	38	0.859	1.130	0.008	7	58	1.603	-0.165	0.000
5	19	1.022	-0.133	0.054	6	39	0.827	1.155	0.007	7	59	1.565	-0.144	0.005
5	20	1.060	-0.164	0.000	6	40	0.771	1.151	0.028	8	0	2.015	0.181	0.011
5	21	0.762	0.001	0.003	6	41	1.016	1.182	0.024	8	1	1.843	0.462	0.012
5	22	1.108	0.273	0.003	6	42	1.098	1.137	0.018	8	2	1.612	0.009	0.049
5	23	1.924	-0.446	-0.003	6	43	1.081	1.129	0.019	8	3	2.001	-0.225	0.033
5	24	1.927	-0.524	0.003	6	44	1.292	1.091	0.005	8	4	1.635	-0.140	0.078
5	25	1.358	0.048	0.011	6	45	1.292	1.021	0.011	8	5	1.278	-0.010	0.057
5	26	2.382	0.094	0.042	6	46	1.194	0.920	0.008	8	6	1.218	-0.003	0.061
5	27	2.226	0.238	0.037	6	47	1.086	0.836	0.011	8	7	1.458	-0.041	0.136
5	28	2.078	0.198	0.017	6	48	0.974	0.812	0.016	8	8	2.535	0.033	0.040
5	29	2.174	0.251	0.011	6	49	0.932	0.907	0.014	8	9	2.373	-0.063	0.036





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

8	10	2.493	-0.113	0.020	9	30	0.012	0.000	0.001	10	50	0.317	0.520	0.000
8	11	2.340	-0.013	0.008	9	31	-0.000	0.464	0.035	10	51	-0.000	0.076	0.000
8	12	1.652	-0.322	0.061	9	32	0.002	0.514	0.003	10	52	-0.001	0.125	0.008
8	13	0.851	-0.495	0.138	9	33	0.061	0.135	0.007	10	53	0.539	0.148	0.045
8	14	1.399	0.025	-0.008	9	34	0.455	0.000	0.039	10	54	0.783	0.035	0.015
8	15	1.436	0.311	0.027	9	35	0.705	0.000	0.005	10	55	0.387	0.005	0.009
8	16	1.534	0.651	0.015	9	36	0.898	0.000	0.016	10	56	0.727	0.310	0.000
8	17	1.306	0.166	0.079	9	37	1.215	0.000	0.001	10	57	0.526	0.387	-0.000
8	18	1.512	0.356	0.013	9	38	1.209	-0.137	0.003	10	58	0.123	0.273	0.006
8	19	0.960	0.595	0.076	9	39	1.092	-0.416	0.001	10	59	0.371	0.325	0.000
8	20	0.743	0.419	0.064	9	40	1.067	-0.512	0.003	11	0	0.748	0.620	0.000
8	21	1.370	0.578	0.048	9	41	0.797	-0.194	0.014	11	1	0.879	0.601	0.003
8	22	0.961	0.081	0.027	9	42	0.435	0.003	0.022	11	2	0.823	0.711	0.000
8	23	0.726	0.010	0.001	9	43	0.646	0.000	0.005	11	3	1.238	0.395	0.002
8	24	0.159	-0.083	0.009	9	44	0.455	0.042	0.007	11	4	1.588	-0.024	0.002
8	25	0.065	-1.286	-0.001	9	45	0.247	0.062	0.007	11	5	1.299	0.176	0.008
8	26	0.906	-1.779	0.000	9	46	0.426	0.000	0.009	11	6	2.096	0.006	0.002
8	27	1.797	-1.232	0.000	9	47	0.555	0.000	0.000	11	7	2.173	0.049	0.006
8	28	2.575	-0.839	0.024	9	48	0.761	0.000	0.001	11	8	1.381	-0.025	0.003
8	29	2.640	-0.749	0.068	9	49	0.963	0.000	0.000	11	9	1.096	-0.042	0.003
8	30	2.335	0.062	0.031	9	50	1.100	0.003	0.002	11	10	2.172	-0.350	0.003
8	31	2.288	0.267	0.011	9	51	1.038	0.133	0.021	11	11	2.178	-0.283	0.000
8	32	2.039	0.053	0.005	9	52	0.975	0.229	0.067	11	12	1.634	-0.536	0.001
8	33	1.834	-0.044	0.002	9	53	1.459	0.023	0.009	11	13	1.782	-0.484	0.004
8	34	1.086	0.027	0.000	9	54	1.353	-0.173	0.004	11	14	1.668	-0.626	0.003
8	35	0.800	0.000	0.011	9	55	1.164	-0.158	0.031	11	15	1.237	-0.807	0.007
8	36	1.089	0.000	0.003	9	56	1.381	-0.033	0.037	11	16	1.930	-1.360	0.001
8	37	1.141	0.000	0.001	9	57	2.066	0.632	0.011	11	17	2.331	-1.144	0.008
8	38	1.194	0.084	0.000	9	58	1.781	0.588	0.013	11	18	2.146	-0.993	0.026
8	39	1.491	0.202	0.000	9	59	1.728	0.404	0.000	11	19	2.236	-0.212	0.006
8	40	0.779	0.452	0.001	10	0	1.215	0.499	0.001	11	20	1.891	-0.056	0.030
8	41	0.874	0.191	0.004	10	1	1.096	0.714	0.015	11	21	2.317	-0.036	0.027
8	42	0.809	0.429	0.000	10	2	1.611	0.413	0.028	11	22	2.356	-0.645	0.048
8	43	0.824	0.000	0.000	10	3	1.866	0.645	0.011	11	23	2.934	-0.108	0.013
8	44	0.794	0.000	0.000	10	4	1.938	0.820	0.000	11	24	3.141	-0.147	0.016
8	45	0.601	0.000	0.000	10	5	1.320	0.957	0.017	11	25	2.959	-0.144	0.014
8	46	0.136	0.000	0.001	10	6	0.941	1.086	0.002	11	26	2.375	-0.095	0.020
8	47	0.065	0.000	0.000	10	7	1.127	0.854	0.011	11	27	2.029	-0.485	0.033
8	48	0.225	0.000	0.000	10	8	1.640	0.718	0.005	11	28	3.141	-0.722	0.013
8	49	-0.001	0.000	0.000	10	9	1.762	0.313	0.001	11	29	3.619	-0.806	0.014
8	50	0.838	0.000	0.004	10	10	1.964	1.212	0.019	11	30	2.514	-0.288	0.015
8	51	1.429	0.000	0.002	10	11	1.932	1.422	0.006	11	31	3.018	-0.205	0.008
8	52	1.184	0.000	0.000	10	12	1.691	0.807	0.026	11	32	1.927	-0.237	0.016
8	53	0.689	0.000	0.000	10	13	1.864	0.067	0.046	11	33	2.828	0.441	0.015
8	54	0.293	-0.163	0.006	10	14	1.122	0.114	0.008	11	34	1.893	0.039	0.028
8	55	0.000	-0.238	0.001	10	15	1.864	0.721	0.013	11	35	2.006	0.093	0.020
8	56	0.000	-0.588	0.000	10	16	1.821	0.652	0.005	11	36	1.974	-0.134	0.004
8	57	-0.000	-0.421	0.000	10	17	1.175	0.583	0.000	11	37	1.582	-0.454	0.021
8	58	-0.001	-0.008	0.000	10	18	0.392	0.097	0.000	11	38	2.783	-0.800	0.034
8	59	-0.001	0.000	0.000	10	19	0.392	0.228	0.006	11	39	2.525	-0.336	0.016
9	0	-0.000	0.000	0.000	10	20	1.107	0.102	0.001	11	40	3.232	-0.116	0.019
9	1	0.000	-0.232	0.000	10	21	1.186	-0.152	0.001	11	41	3.692	-0.080	0.012
9	2	0.000	-0.582	0.000	10	22	0.750	-0.826	0.005	11	42	3.762	-0.020	0.009
9	3	0.000	-0.087	0.000	10	23	1.050	-0.898	0.015	11	43	3.052	-0.027	0.015
9	4	0.000	0.000	0.000	10	24	1.441	-0.182	0.034	11	44	2.936	0.325	0.012
9	5	0.000	0.000	0.000	10	25	1.218	-0.236	0.012	11	45	2.142	0.411	0.024
9	6	0.000	0.000	0.000	10	26	0.760	0.384	0.004	11	46	3.078	0.807	0.025
9	7	0.000	0.001	0.000	10	27	0.714	0.701	0.006	11	47	2.489	0.017	0.033
9	8	0.000	0.000	0.013	10	28	0.358	0.190	0.002	11	48	2.496	0.173	0.023
9	9	0.000	0.000	0.003	10	29	0.152	0.000	0.000	11	49	2.480	0.221	0.014
9	10	0.022	0.000	0.004	10	30	0.216	0.000	0.003	11	50	2.843	0.172	0.006
9	11	0.315	0.000	0.003	10	31	0.024	0.000	0.008	11	51	2.696	0.122	0.007
9	12	0.387	0.000	0.003	10	32	-0.007	0.426	0.002	11	52	1.649	0.022	0.009
9	13	0.343	0.000	0.004	10	33	0.001	0.551	0.010	11	53	2.700	0.084	0.010
9	14	0.369	0.000	0.002	10	34	0.039	0.454	0.003	11	54	2.009	0.499	0.044
9	15	0.275	0.000	0.000	10	35	0.190	0.412	0.001	11	55	1.923	-0.136	0.056
9	16	0.097	0.000	0.005	10	36	0.019	0.000	0.000	11	56	2.517	-0.281	0.013
9	17	0.626	0.000	0.007	10	37	0.472	0.000	0.003	11	57	2.291	0.161	0.012
9	18	0.880	0.000	0.003	10	38	1.093	0.073	0.002	11	58	3.031	-0.031	0.008
9	19	0.936	0.000	0.000	10	39	1.078	0.049	0.000	11	59	3.306	0.227	0.005
9	20	0.893	0.000	0.001	10	40	1.031	0.000	0.000	12	0	2.567	-0.024	0.007
9	21	0.940	0.000	0.007	10	41	0.829	0.000	0.000	12	1	2.395	-0.637	0.029
9	22	1.215	0.000	0.000	10	42	0.242	0.000	0.000	12	2	3.335	-0.209	0.018
9	23	1.237	0.009	0.001	10	43	0.329	-0.001	0.000	12	3	3.971	-0.790	0.026
9	24	1.181	0.000	0.001	10	44	0.523	-0.141	0.002	12	4	3.274	-0.911	0.037
9	25	1.198	0.006	0.001	10	45	0.753	0.000	0.000	12	5	2.512	-0.311	0.053
9	26	1.066	0.023	0.001	10	46	0.646	-0.004	0.002	12	6	3.329	-0.324	0.027
9	27	0.987	0.010	0.000	10	47	0.465	0.000	0.003	12	7	2.996	-0.526	0.040
9	28	0.785	0.000	0.006	10	48	0.233	0.097	0.000	12	8	2.790	-1.531	0.040
9	29	0.395	0.000	0.000	10	49	0.144	0.289	0.000	12	9	2.738	-0.637	0.037





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

12	10	2.844	-1.076	0.022	13	30	1.363	-0.000	0.001	14	50	2.533	-0.265	0.032
12	11	2.184	-0.719	0.036	13	31	0.786	-0.001	0.009	14	51	2.489	0.013	0.025
12	12	2.024	-0.835	0.054	13	32	0.709	0.157	0.000	14	52	2.904	-0.213	0.025
12	13	1.826	-0.208	0.090	13	33	0.800	0.150	0.000	14	53	3.202	-0.063	0.026
12	14	3.261	-0.390	0.059	13	34	0.386	0.093	0.000	14	54	2.922	-0.085	0.022
12	15	3.421	-0.338	0.065	13	35	0.648	0.000	0.001	14	55	2.460	0.056	0.017
12	16	3.920	-0.133	0.031	13	36	0.511	0.065	0.012	14	56	2.013	0.028	0.010
12	17	4.537	-0.409	0.047	13	37	0.597	0.099	0.016	14	57	2.162	-0.010	0.007
12	18	4.248	-0.207	0.029	13	38	0.279	0.476	0.011	14	58	2.073	0.106	0.003
12	19	4.705	-0.700	0.027	13	39	0.473	0.341	0.001	14	59	1.924	0.239	0.005
12	20	3.876	-0.874	0.033	13	40	0.449	0.349	0.003	15	0	1.762	0.045	0.004
12	21	2.910	-0.579	0.093	13	41	0.713	0.197	0.021	15	1	1.250	0.047	0.019
12	22	3.220	-0.495	0.027	13	42	0.689	-0.166	0.005	15	2	1.471	0.163	0.021
12	23	4.643	-1.023	0.032	13	43	0.394	-0.680	0.000	15	3	2.265	0.719	0.012
12	24	4.307	-0.966	0.035	13	44	0.287	-0.799	0.004	15	4	2.396	0.422	0.015
12	25	3.541	-0.511	0.047	13	45	0.607	-1.010	0.004	15	5	3.096	0.651	0.007
12	26	3.504	-0.404	0.035	13	46	0.313	-0.258	0.004	15	6	2.638	0.049	0.013
12	27	3.622	-0.381	0.018	13	47	0.000	0.000	0.000	15	7	2.593	-0.101	0.007
12	28	3.133	-0.767	0.019	13	48	0.942	-0.296	0.002	15	8	1.846	-0.523	0.017
12	29	1.982	-0.481	0.053	13	49	1.121	-0.138	0.001	15	9	1.194	-0.345	0.025
12	30	1.633	-0.243	0.034	13	50	1.263	-0.206	0.010	15	10	1.025	-0.974	0.001
12	31	1.892	-0.325	0.058	13	51	1.539	-0.420	0.000	15	11	0.556	-1.272	0.016
12	32	2.975	-0.913	0.008	13	52	1.196	-0.368	-0.000	15	12	0.918	-1.053	0.010
12	33	3.178	-0.695	0.007	13	53	1.287	0.100	0.004	15	13	0.791	-1.001	0.001
12	34	2.635	-0.623	0.038	13	54	0.345	0.240	0.000	15	14	0.733	-1.319	0.000
12	35	2.981	-0.767	0.007	13	55	1.266	-0.134	0.001	15	15	0.130	-0.979	0.001
12	36	3.256	-0.142	0.026	13	56	2.052	-0.282	0.003	15	16	1.153	-0.726	0.006
12	37	2.503	-0.186	0.022	13	57	1.782	-1.232	0.020	15	17	1.866	-0.908	0.003
12	38	2.669	0.016	0.010	13	58	0.525	-2.586	0.006	15	18	2.153	-1.132	0.001
12	39	2.148	-0.325	0.021	13	59	2.728	-4.437	0.019	15	19	2.054	-1.202	0.012
12	40	1.840	0.038	0.024	14	0	2.273	-5.476	0.035	15	20	2.340	-0.966	0.015
12	41	1.577	-0.185	0.019	14	1	1.151	-3.992	0.032	15	21	2.033	-0.380	0.033
12	42	1.917	-0.596	0.009	14	2	2.148	-4.866	0.038	15	22	2.593	-1.121	0.031
12	43	1.541	-0.300	0.004	14	3	1.767	-4.690	0.061	15	23	1.816	-0.655	0.030
12	44	1.877	0.046	0.047	14	4	2.337	-3.046	0.082	15	24	2.112	-0.828	0.005
12	45	2.218	-0.449	0.009	14	5	1.736	-2.530	0.141	15	25	1.506	-0.335	0.012
12	46	1.737	-0.573	0.071	14	6	2.720	-2.349	0.030	15	26	1.548	-0.912	0.008
12	47	1.697	-0.583	0.050	14	7	2.686	-1.642	0.053	15	27	1.218	-1.006	0.009
12	48	1.957	-0.554	0.012	14	8	3.193	-2.250	0.036	15	28	1.130	-1.052	0.009
12	49	2.049	-1.005	0.008	14	9	3.323	-2.778	0.065	15	29	0.781	-0.941	0.000
12	50	1.888	-0.526	0.009	14	10	3.032	-2.887	0.089	15	30	0.349	-0.846	0.013
12	51	1.733	-0.689	0.014	14	11	2.518	-2.282	0.037	15	31	0.365	-0.546	0.011
12	52	1.438	-0.803	0.013	14	12	2.567	-1.772	0.083	15	32	0.450	-0.257	0.009
12	53	1.546	-1.032	0.031	14	13	3.397	-2.249	0.084	15	33	0.393	-0.121	0.013
12	54	1.391	-0.457	0.008	14	14	2.450	-2.222	0.046	15	34	0.191	-0.185	0.000
12	55	0.938	-0.635	0.004	14	15	2.463	-2.841	0.024	15	35	0.769	-0.004	0.020
12	56	1.120	-1.002	0.004	14	16	2.454	-2.212	0.051	15	36	1.149	0.129	0.005
12	57	2.056	-1.215	0.000	14	17	2.570	-2.102	0.021	15	37	1.028	0.642	0.000
12	58	1.740	-0.780	0.001	14	18	2.540	-1.707	0.062	15	38	1.161	0.681	0.006
12	59	1.985	-1.378	0.006	14	19	3.125	-1.773	0.044	15	39	0.965	0.896	0.000
13	0	2.131	-1.114	0.015	14	20	2.916	-1.852	0.007	15	40	0.511	0.741	0.005
13	1	1.932	-0.765	0.021	14	21	2.936	-1.264	0.024	15	41	0.667	0.819	0.001
13	2	2.207	-1.108	0.018	14	22	3.292	-0.739	0.041	15	42	0.946	0.829	0.006
13	3	1.664	-1.150	0.017	14	23	3.428	-0.369	0.027	15	43	0.698	0.737	0.002
13	4	2.569	-1.287	0.015	14	24	2.860	-0.231	0.101	15	44	0.360	0.888	0.000
13	5	2.144	-1.007	0.017	14	25	2.289	-0.481	0.082	15	45	0.128	0.884	0.001
13	6	1.631	-0.658	0.012	14	26	2.505	-0.657	0.030	15	46	-0.058	0.581	0.011
13	7	2.424	-1.641	0.012	14	27	3.054	-0.699	0.026	15	47	-0.129	0.156	0.003
13	8	2.676	-1.648	0.008	14	28	1.498	-0.755	0.020	15	48	-0.015	0.168	0.020
13	9	1.979	-0.874	0.004	14	29	2.729	-2.411	0.019	15	49	0.001	0.161	0.069
13	10	1.532	-0.870	0.012	14	30	2.556	-1.897	0.010	15	50	-0.127	0.000	0.023
13	11	1.405	-1.074	0.010	14	31	2.333	-1.647	0.015	15	51	-0.004	0.000	0.034
13	12	1.503	-0.602	0.004	14	32	2.839	-0.851	0.020	15	52	-0.002	0.125	0.004
13	13	1.249	-0.591	0.006	14	33	2.274	-1.131	0.024	15	53	-0.395	-0.074	0.013
13	14	0.691	-0.769	0.003	14	34	2.714	-1.918	0.078	15	54	-1.154	0.028	0.015
13	15	0.646	-0.679	0.001	14	35	2.673	-0.714	0.045	15	55	-0.778	0.257	0.014
13	16	0.316	-0.863	0.001	14	36	1.891	-0.296	0.040	15	56	-0.662	0.588	0.001
13	17	0.223	-0.437	0.007	14	37	1.967	-0.699	0.038	15	57	0.093	0.682	0.033
13	18	0.313	-0.911	0.009	14	38	2.512	-0.720	0.063	15	58	0.208	0.146	0.105
13	19	0.910	-1.802	0.006	14	39	3.045	-1.258	0.030	15	59	0.777	-0.154	0.046
13	20	0.848	-1.352	0.005	14	40	2.621	-1.032	0.026	16	0	-0.036	-0.978	0.000
13	21	1.884	-0.394	0.007	14	41	2.231	-1.041	0.039	16	1	0.302	-0.235	0.016
13	22	2.288	-0.821	0.031	14	42	2.492	-0.361	0.014	16	2	0.561	-0.206	0.005
13	23	2.291	-0.946	0.015	14	43	1.854	-0.103	0.017	16	3	1.308	0.141	0.012
13	24	2.046	-0.218	0.014	14	44	1.690	-0.210	0.031	16	4	1.416	-0.030	0.000
13	25	1.877	-0.472	0.006	14	45	2.000	-0.507	0.005	16	5	1.479	0.042	0.003
13	26	1.485	-0.442	0.005	14	46	2.068	0.108	0.022	16	6	1.463	-0.011	0.002
13	27	1.232	-0.218	0.008	14	47	1.838	0.025	0.014	16	7	1.394	0.191	0.020
13	28	1.273	-0.047	0.004	14	48	2.216	0.140	0.029	16	8	1.618	0.594	0.026
13	29	0.992	-0.174	0.003	14	49	3.457	-0.198	0.019	16	9	2.036	0.208	0.018





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

16	10	1.726	0.381	0.061	17	30	0.637	-0.832	0.009	18	50	0.456	0.893	0.002
16	11	1.799	0.599	0.011	17	31	0.465	-1.159	0.050	18	51	0.386	1.129	0.003
16	12	1.849	0.635	0.006	17	32	0.685	-0.134	0.047	18	52	0.243	0.916	0.002
16	13	1.829	0.554	0.002	17	33	1.025	-0.477	0.011	18	53	0.810	0.778	0.004
16	14	1.210	0.457	0.000	17	34	1.286	-0.329	0.001	18	54	0.882	0.732	0.001
16	15	1.264	0.915	0.005	17	35	0.735	-0.003	0.000	18	55	0.721	0.539	0.005
16	16	2.521	0.760	0.011	17	36	0.838	-0.070	0.017	18	56	1.041	0.189	0.002
16	17	2.108	0.729	0.037	17	37	1.199	-0.010	0.005	18	57	1.163	0.254	0.000
16	18	2.036	0.470	0.120	17	38	1.967	0.304	0.023	18	58	0.673	0.253	0.000
16	19	2.228	0.007	0.082	17	39	2.105	0.038	0.013	18	59	0.584	0.007	0.003
16	20	2.312	-0.503	0.018	17	40	1.754	-0.556	0.020	19	0	0.243	0.005	0.000
16	21	2.087	-0.333	0.011	17	41	1.801	-1.297	0.006	19	1	0.492	0.000	0.000
16	22	2.059	-0.241	0.072	17	42	1.914	-0.946	0.000	19	2	0.855	0.027	0.000
16	23	2.357	0.534	0.116	17	43	1.993	-0.868	0.002	19	3	1.284	0.071	0.000
16	24	2.295	-0.098	0.013	17	44	1.612	-0.657	0.000	19	4	0.965	0.052	0.000
16	25	2.282	-0.356	0.018	17	45	1.714	-0.239	0.018	19	5	1.438	0.016	0.004
16	26	2.221	-0.019	0.018	17	46	1.137	-0.027	0.016	19	6	1.247	0.001	0.001
16	27	2.611	-0.033	0.011	17	47	1.333	-0.012	0.031	19	7	0.934	0.000	0.000
16	28	2.459	0.032	0.035	17	48	1.522	-0.321	0.041	19	8	1.234	-0.243	0.001
16	29	2.377	-0.836	0.030	17	49	1.482	-0.618	0.000	19	9	1.107	-0.008	0.000
16	30	2.240	-1.229	0.010	17	50	1.341	-0.248	0.001	19	10	1.171	0.041	0.000
16	31	2.233	-1.189	0.027	17	51	1.337	-0.095	0.000	19	11	1.060	-0.028	0.000
16	32	2.854	-1.595	0.023	17	52	1.803	-1.422	0.008	19	12	0.838	-0.035	0.000
16	33	2.807	-1.309	0.019	17	53	2.361	-1.055	0.005	19	13	0.616	0.013	0.000
16	34	2.735	-1.016	0.020	17	54	1.875	-0.602	0.006	19	14	0.060	0.032	0.020
16	35	1.706	-0.599	0.031	17	55	1.813	-1.212	0.002	19	15	0.119	0.183	0.049
16	36	1.874	-0.527	0.012	17	56	1.541	-1.487	0.010	19	16	0.590	0.001	0.002
16	37	2.303	-0.969	0.010	17	57	1.479	-1.067	0.013	19	17	0.906	0.000	0.006
16	38	2.336	-0.953	0.009	17	58	2.115	-0.870	0.009	19	18	1.057	0.000	0.015
16	39	1.464	-0.606	0.018	17	59	2.042	-0.521	0.036	19	19	1.599	0.000	0.009
16	40	1.619	-0.244	0.014	18	0	2.288	-0.603	0.033	19	20	1.453	-0.008	0.005
16	41	1.340	-0.331	0.017	18	1	2.261	-0.063	0.011	19	21	1.366	-0.001	0.016
16	42	1.238	-0.499	0.051	18	2	1.514	0.119	0.003	19	22	1.229	-0.001	0.005
16	43	1.218	-1.232	0.027	18	3	1.300	-0.011	0.007	19	23	1.443	-0.003	0.005
16	44	1.609	-1.251	0.025	18	4	1.213	-0.080	0.022	19	24	1.542	-0.014	0.007
16	45	0.406	-2.059	0.040	18	5	1.638	0.169	0.009	19	25	1.904	-0.001	0.018
16	46	0.302	-2.552	0.007	18	6	1.474	-0.195	0.025	19	26	1.786	0.000	0.014
16	47	0.574	-2.903	0.002	18	7	1.859	0.152	0.022	19	27	1.577	0.018	0.004
16	48	0.819	-2.317	0.008	18	8	2.287	-0.483	0.009	19	28	1.697	0.001	0.013
16	49	-0.262	-1.768	0.030	18	9	1.418	-0.606	0.033	19	29	1.289	0.053	0.004
16	50	-0.416	-2.263	0.019	18	10	1.602	-0.317	0.014	19	30	1.369	0.000	0.000
16	51	0.210	-1.505	0.022	18	11	1.291	-0.047	0.015	19	31	1.164	0.000	0.002
16	52	0.223	-1.311	0.031	18	12	1.383	0.142	0.031	19	32	1.153	0.000	0.000
16	53	0.134	-1.501	0.024	18	13	1.479	0.097	0.016	19	33	1.051	0.000	0.000
16	54	0.199	-1.517	0.009	18	14	1.134	-0.023	0.013	19	34	0.898	0.000	0.000
16	55	0.128	-0.829	0.020	18	15	1.428	0.044	0.033	19	35	0.629	0.000	0.000
16	56	0.683	-1.900	-0.000	18	16	1.437	0.290	0.027	19	36	0.584	0.000	0.000
16	57	1.160	-1.242	0.002	18	17	2.545	-0.033	0.025	19	37	0.808	-0.001	0.000
16	58	1.075	-0.830	0.026	18	18	2.865	-0.191	0.010	19	38	0.950	0.008	0.000
16	59	0.646	-1.480	0.003	18	19	2.839	-0.063	0.003	19	39	0.920	0.035	0.000
17	0	0.434	-1.125	0.005	18	20	2.680	0.044	0.025	19	40	0.821	0.524	0.004
17	1	0.153	-0.753	0.011	18	21	2.146	-0.049	0.024	19	41	1.052	0.600	0.000
17	2	0.611	-1.368	0.003	18	22	1.777	0.045	0.023	19	42	1.310	0.487	0.000
17	3	0.664	-1.713	0.001	18	23	1.886	-0.060	0.013	19	43	1.041	0.374	0.002
17	4	0.877	-2.211	0.014	18	24	2.039	-0.117	0.015	19	44	1.282	0.560	0.005
17	5	1.029	-2.301	0.001	18	25	1.669	-0.113	0.033	19	45	1.197	0.623	0.010
17	6	2.177	-1.304	0.049	18	26	2.078	-0.185	0.008	19	46	1.320	0.597	0.000
17	7	1.241	-2.500	0.028	18	27	1.859	-0.405	0.011	19	47	0.866	0.321	0.010
17	8	1.114	-2.570	0.007	18	28	2.483	-0.159	0.005	19	48	0.662	0.481	0.023
17	9	0.135	-2.147	0.024	18	29	2.204	-0.032	0.004	19	49	0.875	0.333	0.013
17	10	0.940	-2.069	0.028	18	30	2.956	-0.041	0.014	19	50	0.917	0.138	0.016
17	11	0.675	-2.760	0.028	18	31	2.713	-0.087	0.015	19	51	0.723	0.027	0.052
17	12	-0.386	-2.866	0.021	18	32	2.857	-0.035	0.012	19	52	0.934	0.136	0.004
17	13	-0.160	-3.770	0.015	18	33	2.595	-0.085	0.002	19	53	0.923	0.122	0.004
17	14	-0.074	-2.091	0.030	18	34	2.464	-0.315	0.009	19	54	0.695	0.055	0.000
17	15	0.230	-3.172	0.021	18	35	2.438	-0.082	0.016	19	55	0.922	0.000	0.000
17	16	0.167	-2.557	0.011	18	36	2.053	0.285	0.012	19	56	0.381	0.013	0.000
17	17	0.931	-2.973	0.010	18	37	2.478	0.081	0.025	19	57	0.586	0.015	0.004
17	18	0.240	-1.775	0.008	18	38	2.387	-0.026	0.013	19	58	0.862	0.024	0.012
17	19	0.129	-0.596	0.018	18	39	1.517	0.090	0.001	19	59	1.085	0.004	0.017
17	20	0.315	-1.249	0.012	18	40	1.395	0.197	0.004	20	0	0.826	0.323	0.012
17	21	-0.360	-2.254	0.015	18	41	0.890	0.587	0.002	20	1	0.422	0.499	0.011
17	22	-0.348	-1.695	0.048	18	42	0.732	0.786	0.014	20	2	0.459	0.681	0.004
17	23	-0.063	-1.710	0.017	18	43	1.537	0.163	0.008	20	3	0.461	0.550	0.010
17	24	0.059	-1.910	0.029	18	44	1.155	-0.163	0.005	20	4	0.393	0.639	0.005
17	25	0.587	-1.721	0.007	18	45	0.935	0.503	0.009	20	5	0.622	0.594	0.011
17	26	1.521	-1.305	0.005	18	46	1.159	0.836	0.000	20	6	0.894	0.516	0.008
17	27	0.782	-1.419	0.044	18	47	1.210	0.636	0.000	20	7	1.124	0.274	0.001
17	28	1.211	-1.630	0.030	18	48	1.021	0.767	0.000	20	8	0.913	0.039	0.000
17	29	0.791	-1.471	0.034	18	49	0.767	0.877	0.000	20	9	1.896	0.008	0.002



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

20	10	1.513	0.077	0.005	21	30	0.879	-0.134	0.004	22	50	1.842	0.000	0.014	
20	11	1.573	-0.083	0.003	21	31	0.753	-0.067	0.000	22	51	1.680	0.000	0.009	
20	12	1.138	-0.044	0.002	21	32	0.555	0.000	0.000	22	52	1.663	-0.000	0.002	
20	13	0.899	0.000	0.000	21	33	0.719	0.000	0.000	22	53	1.502	-0.018	0.001	
20	14	0.754	0.000	0.000	21	34	0.933	0.019	0.005	22	54	1.198	-0.002	0.000	
20	15	0.685	0.000	0.000	21	35	0.399	-0.306	0.005	22	55	1.285	-0.009	0.000	
20	16	0.665	0.000	0.000	21	36	0.103	-0.548	0.005	22	56	1.009	-0.014	0.000	
20	17	0.631	0.000	0.000	21	37	0.005	-0.014	0.000	22	57	0.708	0.000	0.000	
20	18	0.419	0.027	0.001	21	38	-0.082	-0.123	0.000	22	58	0.207	0.000	0.000	
20	19	0.494	0.003	0.003	21	39	0.025	-0.082	0.000	22	59	-0.699	0.049	0.000	
20	20	0.480	0.000	0.000	21	40	-0.261	0.001	0.000	23	0	-1.274	0.037	0.000	
20	21	0.399	0.000	0.000	21	41	-0.873	0.000	0.000	23	1	-1.295	0.196	0.000	
20	22	0.396	0.000	0.000	21	42	-1.038	0.000	0.000	23	2	-0.494	0.858	0.000	
20	23	0.281	0.266	0.004	21	43	-0.810	0.000	0.000	23	3	-0.362	0.827	0.000	
20	24	0.514	0.084	0.007	21	44	-0.351	0.000	0.000	23	4	-0.055	0.787	0.001	
20	25	0.544	0.010	0.000	21	45	-1.207	-0.264	0.000	23	5	-0.005	0.851	0.010	
20	26	0.725	0.000	0.000	21	46	-0.754	-0.466	0.000	23	6	0.034	1.030	0.015	
20	27	0.535	0.000	0.003	21	47	-0.165	-0.410	-0.001	23	7	0.084	0.945	0.000	
20	28	0.808	0.000	0.025	21	48	0.291	-0.935	0.005	23	8	0.136	1.015	0.001	
20	29	0.792	0.000	0.000	21	49	-0.749	-1.330	0.000	23	9	0.434	0.735	0.026	
20	30	1.018	-0.006	0.000	21	50	-0.623	-1.728	0.000	23	10	0.715	0.567	0.030	
20	31	0.992	-0.002	0.000	21	51	-0.174	-1.444	0.000	23	11	0.915	0.235	0.005	
20	32	1.091	-0.022	0.000	21	52	-0.046	-1.156	0.000	23	12	1.149	0.525	0.011	
20	33	1.229	-0.090	0.004	21	53	0.002	-0.603	0.000	23	13	1.157	0.184	0.031	
20	34	1.320	-0.077	0.003	21	54	0.109	-0.408	0.000	23	14	0.977	0.223	0.005	
20	35	1.419	-0.208	0.001	21	55	0.127	-0.306	0.000	23	15	0.933	0.522	0.001	
20	36	1.637	-0.173	0.010	21	56	0.000	0.000	0.000	23	16	1.072	0.237	0.000	
20	37	1.126	-0.130	0.023	21	57	0.001	-0.064	0.000	23	17	0.991	0.128	0.001	
20	38	1.210	0.000	0.022	21	58	0.094	-0.016	0.000	23	18	0.844	0.320	0.012	
20	39	1.398	-0.015	0.012	21	59	0.000	0.000	0.000	23	19	1.388	0.805	0.009	
20	40	0.996	-0.002	0.004	22	0	0.000	0.000	0.000	23	20	1.330	0.728	0.005	
20	41	0.989	0.000	0.000	22	1	0.000	0.000	0.000	23	21	1.259	0.678	0.001	
20	42	1.203	0.000	0.002	22	2	0.000	0.000	0.000	23	22	1.298	1.034	0.012	
20	43	1.320	0.000	0.001	22	3	0.000	0.000	0.000	23	23	1.071	0.876	0.000	
20	44	0.971	0.000	0.000	22	4	0.321	0.000	0.007	23	24	0.791	1.038	0.010	
20	45	0.850	0.015	0.000	22	5	0.609	0.398	0.005	23	25	0.722	1.022	0.025	
20	46	0.444	0.000	0.000	22	6	0.921	0.755	0.001	23	26	0.702	0.834	0.047	
20	47	0.000	0.000	0.000	22	7	0.793	0.776	0.001	23	27	0.518	0.646	0.060	
20	48	0.000	0.011	0.003	22	8	0.970	0.891	0.014	23	28	0.690	0.772	0.039	
20	49	-0.073	0.000	0.000	22	9	0.904	0.880	0.020	23	29	1.050	0.700	0.033	
20	50	0.001	0.000	0.002	22	10	0.849	0.816	0.050	23	30	0.915	0.393	0.013	
20	51	0.001	0.001	0.019	22	11	0.994	1.137	0.051	23	31	1.354	0.404	0.019	
20	52	0.001	0.009	0.065	22	12	0.874	1.064	0.069	23	32	1.848	0.528	0.040	
20	53	0.000	0.000	0.004	22	13	0.719	0.861	0.041	23	33	1.839	0.719	0.022	
20	54	0.000	0.000	0.015	22	14	0.441	0.940	0.035	23	34	1.816	0.688	0.016	
20	55	0.000	0.000	0.026	22	15	0.259	0.882	0.074	23	35	1.585	0.417	0.014	
20	56	0.000	0.000	0.032	22	16	0.248	0.670	0.065	23	36	1.065	0.336	0.002	
20	57	-0.000	0.193	0.064	22	17	0.038	0.538	0.061	23	37	1.146	0.504	0.002	
20	58	0.000	0.342	0.041	22	18	0.047	0.635	0.084	23	38	1.364	0.271	0.003	
20	59	0.000	0.003	0.004	22	19	0.044	0.512	0.056	23	39	0.946	0.234	0.016	
21	0	0.000	0.000	0.000	22	20	0.025	0.613	0.037	23	40	0.839	0.026	0.000	
21	1	0.000	0.026	0.000	22	21	0.131	0.688	0.003	23	41	0.540	0.018	0.000	
21	2	0.000	0.000	0.002	22	22	0.097	0.723	0.010	23	42	0.293	0.008	0.000	
21	3	0.000	0.000	0.004	22	23	0.009	0.642	0.023	23	43	0.388	0.000	0.000	
21	4	0.000	0.000	0.010	22	24	0.017	0.945	0.006	23	44	0.480	-0.000	0.000	
21	5	0.000	0.000	0.016	22	25	0.329	0.737	0.060	23	45	0.346	0.000	0.000	
21	6	0.000	0.000	0.000	22	26	0.081	0.747	0.007	23	46	0.080	0.000	0.000	
21	7	0.000	0.000	0.000	22	27	-0.001	0.624	0.010	23	47	0.000	0.000	0.000	
21	8	0.000	0.000	0.000	22	28	-0.001	0.556	0.045	23	48	0.000	-0.001	0.000	
21	9	0.000	0.000	0.000	22	29	-0.000	0.744	0.013	23	49	0.000	0.000	0.000	
21	10	0.000	0.000	0.000	22	30	0.150	0.770	0.001	23	50	0.000	0.000	0.000	
21	11	0.541	0.000	0.000	22	31	0.304	0.605	0.001	23	51	0.000	0.000	0.000	
21	12	1.513	0.000	0.004	22	32	0.389	0.506	0.000	23	52	-0.000	0.016	0.000	
21	13	1.570	0.000	0.001	22	33	0.581	0.566	0.000	23	53	0.001	0.000	0.007	
21	14	1.561	0.000	0.000	22	34	0.453	0.698	0.000	23	54	0.000	0.130	0.005	
21	15	1.788	0.000	0.002	22	35	0.727	0.821	0.002	23	55	0.039	0.253	0.038	
21	16	2.025	0.000	0.009	22	36	0.919	0.509	0.000	23	56	0.000	0.388	0.013	
21	17	2.034	0.000	0.019	22	37	0.996	0.292	0.000	23	57	0.004	0.459	0.020	
21	18	1.913	0.000	0.014	22	38	0.945	0.318	0.000	23	58	0.122	0.118	0.004	
21	19	1.776	-0.004	0.015	22	39	0.828	0.229	0.002	23	59	0.386	0.000	0.000	
21	20	1.973	-0.004	0.017	22	40	1.230	0.080	0.005						
21	21	1.788	0.033	0.002	22	41	1.469	0.001	0.005						
21	22	1.897	0.008	0.008	22	42	1.494	0.000	0.000						
21	23	1.648	0.022	0.005	22	43	1.685	0.000	0.003	17/07/95	0	0	0.407	0.000	0.002
21	24	1.474	-0.014	0.000	22	44	1.764	0.000	0.015	0	1	0.332	0.000	0.000	
21	25	1.300	-0.011	0.001	22	45	1.915	0.000	0.027	0	2	0.394	0.000	0.000	
21	26	1.594	-0.272	0.000	22	46	1.953	0.000	0.034	0	3	0.081	0.000	0.017	
21	27	0.602	-0.012	0.000	22	47	1.961	0.000	0.028	0	4	0.046	0.089	0.010	
21	28	0.585	-0.107	0.000	22	48	1.831	0.000	0.022	0	5	0.177	0.305	0.031	
21	29	0.371	-0.005	0.000	22	49	1.797	0.000	0.013	0	6	0.860	0.000	0.007	





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

0	7	0.877	0.000	0.000	1	27	-0.941	0.554	0.000	2	47	0.110	0.363	0.003
0	8	0.828	0.000	0.000	1	28	-0.512	0.573	0.000	2	48	0.015	0.342	0.001
0	9	0.890	0.000	0.000	1	29	-0.176	0.587	0.000	2	49	-0.010	0.124	0.041
0	10	0.972	0.000	0.000	1	30	0.004	0.669	0.000	2	50	0.022	0.108	0.034
0	11	1.099	-0.003	0.000	1	31	0.015	0.345	0.036	2	51	0.010	0.004	0.077
0	12	1.432	0.000	0.001	1	32	0.002	0.442	0.098	2	52	-0.008	0.203	0.108
0	13	1.492	0.000	0.000	1	33	0.018	0.354	0.178	2	53	0.034	0.319	0.078
0	14	1.435	0.000	0.000	1	34	-0.001	0.025	0.088	2	54	0.009	0.282	0.015
0	15	1.629	0.000	0.000	1	35	-0.071	0.000	0.007	2	55	0.166	0.000	0.000
0	16	1.560	0.000	0.000	1	36	-0.260	0.000	0.004	2	56	0.011	0.000	0.021
0	17	0.990	0.000	0.000	1	37	-0.664	0.000	0.000	2	57	0.181	0.000	0.002
0	18	0.989	0.000	0.000	1	38	-0.543	0.000	0.000	2	58	0.288	0.000	0.000
0	19	0.801	0.000	0.000	1	39	-0.538	0.000	0.000	2	59	0.435	0.000	0.000
0	20	0.685	0.000	0.000	1	40	-0.182	0.297	0.000	3	0	0.588	0.000	0.000
0	21	0.681	0.000	0.000	1	41	0.001	0.089	0.013	3	1	0.600	0.000	0.000
0	22	0.421	0.000	0.000	1	42	0.042	0.018	0.108	3	2	0.686	0.000	0.000
0	23	0.426	0.000	0.000	1	43	-0.118	0.000	0.009	3	3	0.621	0.000	0.000
0	24	0.639	0.061	0.000	1	44	0.000	0.000	0.000	3	4	0.820	0.000	0.000
0	25	0.161	0.288	0.001	1	45	0.000	0.000	0.000	3	5	0.746	0.000	0.000
0	26	0.021	0.094	0.047	1	46	0.000	0.000	0.000	3	6	0.671	0.000	0.000
0	27	0.422	0.010	0.009	1	47	0.000	0.000	0.000	3	7	0.619	0.000	0.000
0	28	0.458	0.018	0.000	1	48	0.000	0.000	0.000	3	8	0.503	0.000	0.024
0	29	0.110	0.041	0.012	1	49	0.000	0.000	0.000	3	9	0.105	0.000	0.009
0	30	0.164	0.001	0.001	1	50	0.000	0.000	0.000	3	10	0.002	0.000	0.019
0	31	0.378	0.000	0.000	1	51	0.000	0.000	0.000	3	11	0.008	0.119	0.013
0	32	0.568	0.000	0.000	1	52	0.000	0.000	0.000	3	12	-0.000	0.451	0.006
0	33	1.015	-0.180	0.000	1	53	0.000	0.014	-0.000	3	13	-0.004	0.447	0.029
0	34	1.138	-0.005	0.002	1	54	0.000	0.000	0.013	3	14	0.001	0.038	0.038
0	35	0.664	-0.007	0.000	1	55	0.164	0.208	0.040	3	15	0.000	0.013	0.062
0	36	0.840	-0.020	0.000	1	56	0.301	0.224	0.000	3	16	-0.000	0.085	0.057
0	37	0.766	0.000	0.000	1	57	0.623	0.000	0.000	3	17	0.001	0.094	0.113
0	38	0.784	0.000	0.000	1	58	0.509	0.000	0.000	3	18	0.004	0.000	0.073
0	39	0.680	0.000	0.000	1	59	0.459	0.000	0.000	3	19	0.288	0.073	0.000
0	40	0.553	0.000	0.000	2	0	0.125	0.000	0.000	3	20	0.408	0.039	0.000
0	41	0.374	0.011	0.000	2	1	0.044	0.026	0.010	3	21	0.516	0.000	0.009
0	42	0.070	-0.132	0.000	2	2	0.307	0.000	0.018	3	22	0.630	0.000	0.016
0	43	0.124	-0.195	0.000	2	3	0.448	0.000	0.000	3	23	0.468	0.000	0.010
0	44	-0.782	-0.188	0.000	2	4	0.484	0.000	0.001	3	24	0.539	0.000	0.000
0	45	-0.709	0.000	0.000	2	5	0.468	-0.002	0.000	3	25	0.584	0.000	0.000
0	46	-0.750	0.000	0.000	2	6	0.240	0.000	0.000	3	26	0.442	0.000	0.001
0	47	-0.651	0.000	0.000	2	7	0.117	0.000	0.000	3	27	0.977	0.000	0.000
0	48	-0.309	0.000	0.000	2	8	0.393	0.000	0.000	3	28	1.204	0.000	0.000
0	49	0.005	0.000	0.000	2	9	0.398	0.000	0.000	3	29	1.003	0.000	0.000
0	50	0.008	0.000	0.000	2	10	0.278	0.002	0.000	3	30	0.852	0.000	0.000
0	51	0.001	0.000	0.002	2	11	0.180	0.001	0.003	3	31	0.839	0.000	0.000
0	52	0.002	0.000	0.075	2	12	-0.002	0.000	0.034	3	32	0.737	0.000	0.000
0	53	-0.002	0.406	0.072	2	13	-0.000	0.000	0.049	3	33	0.660	-0.001	0.000
0	54	0.001	0.628	0.018	2	14	0.173	-0.000	0.024	3	34	0.210	-0.061	0.000
0	55	0.000	0.639	0.000	2	15	0.157	0.009	0.005	3	35	0.000	0.000	0.000
0	56	0.000	0.765	0.000	2	16	0.174	0.000	0.000	3	36	0.110	0.000	-0.000
0	57	-0.002	0.691	0.002	2	17	0.000	0.000	0.000	3	37	-0.000	0.058	0.029
0	58	-0.000	0.561	0.000	2	18	0.000	0.000	0.000	3	38	-0.079	0.109	0.003
0	59	0.000	0.687	0.001	2	19	0.000	0.000	0.000	3	39	-0.019	0.000	0.001
1	0	0.000	0.470	0.006	2	20	0.000	0.064	0.000	3	40	-0.022	0.000	0.000
1	1	-0.000	0.009	0.054	2	21	0.003	0.136	0.000	3	41	0.001	0.005	0.005
1	2	-0.130	-0.118	0.008	2	22	0.108	0.083	0.000	3	42	-0.033	0.119	0.026
1	3	-0.630	-0.519	0.000	2	23	0.138	0.000	0.000	3	43	0.056	0.046	0.118
1	4	-0.599	-0.318	0.000	2	24	0.176	0.000	0.000	3	44	0.026	0.061	0.103
1	5	-0.285	-0.003	0.000	2	25	0.394	0.000	0.000	3	45	-0.000	0.212	0.093
1	6	-0.023	0.001	0.000	2	26	0.589	0.000	0.000	3	46	0.000	0.441	0.035
1	7	0.053	0.110	0.054	2	27	0.359	0.000	0.000	3	47	0.000	0.480	0.028
1	8	-0.001	-0.005	0.032	2	28	0.147	0.000	0.000	3	48	0.073	0.382	0.002
1	9	0.000	0.000	0.000	2	29	0.080	0.000	0.000	3	49	0.376	0.688	0.000
1	10	0.000	0.000	0.000	2	30	0.000	0.000	0.000	3	50	0.539	0.788	0.000
1	11	0.000	0.000	0.000	2	31	0.001	0.000	0.000	3	51	0.564	0.790	0.000
1	12	0.000	0.001	0.016	2	32	-0.003	0.000	0.003	3	52	0.512	0.622	0.000
1	13	0.000	0.000	0.022	2	33	-0.011	0.044	0.008	3	53	0.654	0.665	0.000
1	14	0.009	0.000	0.033	2	34	0.003	0.006	0.030	3	54	0.549	0.555	0.000
1	15	0.001	0.000	0.034	2	35	0.000	0.000	0.000	3	55	0.459	0.311	0.004
1	16	0.000	0.000	0.000	2	36	-0.084	0.000	0.000	3	56	0.373	0.272	0.007
1	17	0.000	0.000	0.000	2	37	-0.295	0.000	0.000	3	57	0.536	0.000	0.003
1	18	-0.001	0.000	0.000	2	38	-0.177	0.000	0.000	3	58	0.690	0.000	0.000
1	19	-0.094	0.000	0.000	2	39	0.001	0.000	0.005	3	59	0.864	0.037	0.000
1	20	-0.452	0.006	0.000	2	40	-0.046	0.000	0.024	4	0	0.803	0.081	0.005
1	21	-0.503	0.000	0.000	2	41	0.044	0.053	0.069	4	1	0.926	0.058	0.005
1	22	-0.471	0.000	0.000	2	42	0.028	0.435	0.035	4	2	0.937	-0.001	0.000
1	23	-0.576	0.000	0.000	2	43	0.103	0.527	0.000	4	3	0.780	0.002	0.000
1	24	-0.562	0.456	0.000	2	44	0.330	0.622	0.000	4	4	0.700	0.000	0.000
1	25	-0.754	0.560	0.000	2	45	0.357	0.656	0.000	4	5	0.587	0.000	0.000
1	26	-0.958	0.522	0.000	2	46	0.228	0.511	0.000	4	6	0.025	0.000	0.000



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

4	7	0.000	0.000	0.000	5	27	0.487	0.749	0.016	6	47	1.087	0.147	0.004
4	8	0.000	0.000	0.000	5	28	0.681	1.183	0.001	6	48	1.136	0.207	0.001
4	9	0.000	0.000	0.000	5	29	0.921	0.667	0.002	6	49	0.963	0.280	0.007
4	10	-0.137	-0.352	0.000	5	30	0.462	0.897	0.001	6	50	0.896	0.250	0.019
4	11	-0.373	-0.781	0.000	5	31	0.484	0.381	0.016	6	51	0.870	0.000	0.018
4	12	-0.396	-0.364	0.000	5	32	0.832	0.021	0.014	6	52	0.763	0.000	0.004
4	13	-0.589	-0.159	0.000	5	33	1.064	0.000	0.005	6	53	0.743	0.000	0.001
4	14	-0.641	-0.075	0.000	5	34	0.971	0.000	0.012	6	54	0.573	0.000	0.009
4	15	-0.612	0.000	0.000	5	35	0.785	0.000	0.005	6	55	0.562	0.000	0.014
4	16	-0.758	0.000	0.000	5	36	0.604	0.000	0.000	6	56	0.461	0.000	0.008
4	17	-0.792	0.000	0.000	5	37	0.593	0.000	0.001	6	57	0.594	0.000	0.001
4	18	-0.730	0.000	0.000	5	38	0.502	0.261	0.008	6	58	0.785	0.000	0.000
4	19	-0.618	0.000	0.000	5	39	0.500	0.624	0.004	6	59	0.562	0.000	0.004
4	20	-0.698	0.000	0.000	5	40	0.273	0.524	0.041	7	0	0.341	0.000	0.078
4	21	-0.678	0.000	0.000	5	41	0.449	0.426	0.008	7	1	0.250	0.388	0.033
4	22	-0.557	0.000	0.000	5	42	0.556	0.368	0.006	7	2	0.218	0.199	0.002
4	23	-0.404	0.000	0.000	5	43	0.259	0.178	0.047	7	3	0.072	0.052	0.001
4	24	-0.456	0.000	0.000	5	44	0.521	0.405	0.006	7	4	0.251	0.431	0.001
4	25	-0.001	0.000	0.000	5	45	0.314	0.354	0.083	7	5	0.179	0.635	0.000
4	26	0.000	0.000	0.000	5	46	0.086	0.299	0.034	7	6	0.091	0.711	0.001
4	27	0.000	0.000	0.006	5	47	0.167	0.001	0.064	7	7	0.264	0.674	0.000
4	28	-0.000	0.000	0.024	5	48	0.062	0.000	0.106	7	8	0.316	0.361	0.000
4	29	-0.000	0.000	0.053	5	49	0.002	0.132	0.078	7	9	0.402	0.357	0.001
4	30	0.009	0.000	0.022	5	50	0.016	0.062	0.064	7	10	0.458	0.550	0.002
4	31	0.000	0.000	0.009	5	51	0.010	-0.002	0.036	7	11	0.656	0.428	0.002
4	32	0.000	0.000	0.021	5	52	0.000	0.012	0.010	7	12	0.737	0.385	0.000
4	33	0.145	0.000	0.013	5	53	-0.007	0.007	0.014	7	13	0.631	0.237	0.032
4	34	0.306	0.000	0.047	5	54	-0.029	0.275	0.035	7	14	0.638	0.104	0.054
4	35	0.279	0.000	0.029	5	55	0.000	0.145	0.000	7	15	0.864	0.083	0.000
4	36	0.213	0.000	0.040	5	56	-0.036	0.011	0.000	7	16	0.117	0.000	0.000
4	37	0.478	0.000	0.007	5	57	0.003	0.095	0.027	7	17	0.354	0.000	0.000
4	38	0.531	0.000	0.000	5	58	0.000	0.000	0.000	7	18	0.371	0.000	0.005
4	39	0.665	0.000	0.000	5	59	-0.000	0.003	0.013	7	19	0.600	0.004	0.002
4	40	0.729	0.000	0.000	6	0	-0.023	0.032	0.023	7	20	0.415	0.697	0.033
4	41	0.577	0.000	0.000	6	1	-0.013	0.008	0.013	7	21	0.834	0.909	0.008
4	42	0.378	0.000	0.000	6	2	0.000	0.001	0.003	7	22	0.695	0.843	0.000
4	43	0.193	0.000	0.000	6	3	0.000	0.000	0.005	7	23	0.506	0.925	0.000
4	44	0.000	0.000	0.000	6	4	0.000	0.010	0.076	7	24	0.566	0.571	0.006
4	45	-0.000	0.000	0.005	6	5	-0.001	0.358	0.080	7	25	0.477	0.514	0.007
4	46	-0.206	0.000	0.000	6	6	0.000	0.265	0.039	7	26	0.181	0.623	0.004
4	47	-0.735	0.000	0.000	6	7	0.000	0.388	0.037	7	27	-0.000	0.432	0.047
4	48	-0.719	0.000	0.000	6	8	0.012	0.368	0.072	7	28	0.191	0.530	0.040
4	49	-0.774	0.000	0.000	6	9	0.031	0.064	0.065	7	29	0.584	0.689	0.070
4	50	-0.773	0.000	0.000	6	10	-0.000	0.015	0.017	7	30	0.960	0.268	0.007
4	51	-0.810	0.000	0.000	6	11	0.000	0.000	0.000	7	31	1.046	0.143	0.038
4	52	-0.743	0.000	0.000	6	12	0.000	0.000	0.000	7	32	0.786	0.005	0.018
4	53	-0.331	0.000	0.000	6	13	0.000	0.000	0.000	7	33	1.049	-0.002	0.017
4	54	-0.336	0.000	0.000	6	14	0.000	0.000	0.000	7	34	1.140	0.001	0.003
4	55	-0.413	0.000	0.000	6	15	0.000	0.000	0.000	7	35	1.181	0.000	0.000
4	56	-0.295	0.000	0.000	6	16	0.058	0.000	0.000	7	36	1.186	0.000	0.002
4	57	-0.222	0.000	0.000	6	17	0.001	0.000	0.001	7	37	1.359	0.000	0.003
4	58	-0.527	0.000	0.000	6	18	0.004	0.000	0.002	7	38	1.320	0.000	0.010
4	59	-0.713	0.000	0.000	6	19	0.000	0.000	0.008	7	39	1.162	0.000	0.012
5	0	-0.574	0.000	0.000	6	20	-0.009	0.000	0.072	7	40	1.110	-0.016	0.017
5	1	-0.467	0.000	0.000	6	21	0.047	0.042	0.049	7	41	1.324	-0.001	-0.000
5	2	-0.058	0.000	0.000	6	22	0.110	0.006	0.095	7	42	1.286	0.067	0.000
5	3	-0.325	-0.000	0.000	6	23	0.021	0.275	0.055	7	43	1.229	0.255	0.007
5	4	-0.328	-0.005	0.000	6	24	0.040	0.134	0.051	7	44	1.134	0.250	0.000
5	5	-0.018	0.000	0.000	6	25	0.075	0.000	0.131	7	45	1.321	0.120	0.000
5	6	0.043	0.062	0.004	6	26	0.140	0.136	0.066	7	46	1.022	0.037	0.004
5	7	-0.005	0.134	0.041	6	27	0.101	0.047	0.116	7	47	0.671	0.132	0.018
5	8	0.000	0.070	0.065	6	28	0.180	0.000	0.017	7	48	1.024	0.056	0.011
5	9	0.115	0.000	0.083	6	29	0.367	0.014	0.007	7	49	1.234	0.291	0.010
5	10	0.038	0.000	0.002	6	30	0.538	0.000	0.000	7	50	1.529	0.005	0.002
5	11	0.000	0.000	0.006	6	31	0.503	0.086	0.004	7	51	1.395	-0.081	0.015
5	12	-0.000	0.000	0.000	6	32	0.355	0.059	0.031	7	52	1.501	-0.368	0.053
5	13	-0.362	-0.953	0.000	6	33	0.514	0.000	0.012	7	53	1.787	-0.119	0.023
5	14	-0.662	-1.788	0.000	6	34	0.645	0.000	0.000	7	54	1.906	0.007	0.003
5	15	-0.926	-1.388	0.000	6	35	0.899	0.000	0.000	7	55	1.405	-0.020	0.004
5	16	-0.978	-1.200	0.000	6	36	1.005	0.000	0.001	7	56	1.150	-0.190	0.010
5	17	-0.862	-0.376	0.001	6	37	1.266	0.000	0.000	7	57	1.279	-0.379	0.068
5	18	-0.241	0.143	0.000	6	38	1.346	0.000	0.000	7	58	1.571	-0.417	0.043
5	19	0.000	0.296	0.000	6	39	1.413	0.060	0.000	7	59	1.651	-0.102	0.010
5	20	0.000	0.523	0.002	6	40	1.508	0.130	0.000	8	0	1.755	0.009	0.002
5	21	0.000	0.874	0.000	6	41	1.490	0.181	0.001	8	1	1.593	-0.000	0.003
5	22	0.021	0.921	0.001	6	42	1.203	0.232	0.007	8	2	1.417	0.108	0.002
5	23	0.236	1.126	0.003	6	43	1.118	0.387	0.004	8	3	1.040	0.000	0.002
5	24	0.222	0.965	0.004	6	44	1.179	0.518	0.012	8	4	1.022	-0.062	0.030
5	25	0.399	0.473	0.002	6	45	1.083	0.338	0.035	8	5	1.267	0.064	0.069
5	26	0.090	0.454	0.015	6	46	1.120	0.022	0.017	8	6	2.050	0.507	0.022



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

8	7	1.812	0.273	0.001	9	27	1.367	-0.534	0.111	10	47	0.193	0.000	0.002
8	8	1.100	-0.233	0.009	9	28	1.798	-1.337	0.126	10	48	0.110	0.000	0.000
8	9	1.356	0.169	0.044	9	29	2.076	-0.631	0.096	10	49	0.245	0.000	0.004
8	10	1.583	0.622	0.014	9	30	1.933	-0.559	0.061	10	50	0.191	-0.841	0.005
8	11	1.697	0.123	0.004	9	31	0.587	-0.246	-0.010	10	51	0.455	-0.524	0.000
8	12	1.400	0.520	0.014	9	32	1.841	-0.495	0.162	10	52	0.038	-0.016	0.000
8	13	0.981	0.104	0.048	9	33	2.013	-0.178	0.042	10	53	-0.198	-0.185	0.004
8	14	1.217	-0.115	0.065	9	34	2.090	-1.336	0.148	10	54	-0.444	-0.748	0.000
8	15	0.730	0.449	0.183	9	35	2.376	-1.214	0.100	10	55	-0.195	-1.290	0.006
8	16	1.976	0.211	0.157	9	36	2.016	-0.765	0.084	10	56	-0.202	-1.297	0.000
8	17	1.706	-0.094	0.047	9	37	1.465	-1.447	-0.022	10	57	-0.470	-1.260	0.004
8	18	1.384	-0.086	0.018	9	38	1.982	-0.609	0.064	10	58	-0.784	-1.241	0.012
8	19	0.588	-0.538	0.189	9	39	2.152	-0.160	0.132	10	59	-0.455	-0.775	0.000
8	20	0.863	-1.379	0.018	9	40	1.616	-0.484	0.270	11	0	-0.216	-0.431	0.010
8	21	0.916	-0.973	0.044	9	41	1.333	0.034	0.185	11	1	0.106	-0.189	0.004
8	22	1.228	-1.367	0.005	9	42	1.182	-0.865	0.259	11	2	-0.644	-0.065	0.005
8	23	0.313	-0.637	0.005	9	43	2.155	-1.621	0.095	11	3	-0.964	-0.518	0.001
8	24	-0.027	-0.032	-0.001	9	44	2.609	-1.465	0.031	11	4	0.027	-2.579	0.010
8	25	0.016	-0.000	0.015	9	45	2.985	-0.941	0.106	11	5	-0.432	-3.532	0.003
8	26	0.867	-0.361	0.002	9	46	2.706	-0.759	0.106	11	6	0.776	-3.527	0.005
8	27	2.067	-0.334	0.027	9	47	1.471	-0.512	0.371	11	7	0.497	-2.057	0.008
8	28	2.293	-0.387	0.019	9	48	1.343	-0.255	0.166	11	8	0.797	-3.233	0.017
8	29	1.829	0.024	0.007	9	49	1.978	-0.561	0.214	11	9	0.550	-3.402	0.005
8	30	1.388	0.678	0.013	9	50	2.312	-1.152	0.038	11	10	0.687	-3.311	0.000
8	31	1.492	0.215	0.017	9	51	2.075	-1.169	0.015	11	11	1.161	-3.003	0.003
8	32	1.785	0.107	0.007	9	52	1.722	-0.836	0.020	11	12	0.483	-3.838	0.001
8	33	1.954	-0.264	0.018	9	53	1.233	-1.394	0.187	11	13	0.507	-2.549	0.009
8	34	1.129	-0.012	0.020	9	54	1.662	-1.552	0.107	11	14	-0.078	-2.269	0.003
8	35	1.526	0.114	0.011	9	55	2.081	-0.453	0.016	11	15	-0.369	-2.640	0.006
8	36	1.581	0.022	0.003	9	56	1.500	0.153	0.103	11	16	-0.146	-2.472	0.015
8	37	1.929	-0.099	0.007	9	57	1.346	0.404	0.142	11	17	0.354	-2.099	0.005
8	38	1.909	-0.115	0.017	9	58	1.869	-0.818	0.128	11	18	0.049	-2.745	0.004
8	39	1.466	0.088	0.013	9	59	2.121	-1.475	0.190	11	19	0.269	-1.605	0.013
8	40	1.947	0.156	0.005	10	0	1.429	-1.046	0.017	11	20	-0.119	-1.342	0.006
8	41	1.293	0.000	0.001	10	1	1.135	-0.204	0.014	11	21	0.477	-2.090	0.005
8	42	1.520	0.027	0.006	10	2	0.244	-0.109	0.208	11	22	0.656	-2.373	0.020
8	43	0.744	0.038	0.005	10	3	0.035	-1.082	0.144	11	23	0.644	-3.324	0.001
8	44	0.746	-0.261	0.017	10	4	0.001	-0.345	-0.087	11	24	0.490	-2.396	0.002
8	45	0.164	-0.346	0.056	10	5	0.206	-0.918	0.024	11	25	0.587	-2.501	0.000
8	46	0.453	-1.603	0.024	10	6	0.643	-0.720	0.005	11	26	0.159	-1.766	0.006
8	47	0.552	-1.235	0.011	10	7	1.357	-1.301	0.258	11	27	0.700	-2.539	0.003
8	48	0.723	-1.177	0.018	10	8	1.229	-1.523	-0.011	11	28	0.497	-1.422	0.007
8	49	0.561	-1.302	0.001	10	9	0.512	-0.127	0.029	11	29	-0.026	-1.981	0.009
8	50	0.689	-0.915	0.026	10	10	0.489	-0.375	0.009	11	30	0.052	-1.563	0.034
8	51	0.994	-0.005	0.051	10	11	0.628	-0.469	-0.027	11	31	-0.449	-2.236	0.010
8	52	1.179	0.128	0.022	10	12	0.913	-0.005	-0.007	11	32	-1.242	-2.954	0.001
8	53	2.048	-0.720	0.056	10	13	1.312	-0.074	0.072	11	33	-1.233	-2.391	0.002
8	54	1.338	-1.163	0.043	10	14	1.885	-0.788	0.071	11	34	-0.357	-1.779	0.026
8	55	2.447	-1.013	0.130	10	15	1.628	-0.358	0.167	11	35	1.066	0.451	0.009
8	56	2.157	-1.274	0.027	10	16	1.684	0.280	0.386	11	36	1.409	-0.014	0.009
8	57	1.407	0.066	0.011	10	17	1.380	-0.065	0.522	11	37	0.375	-0.336	0.026
8	58	1.811	-0.458	0.038	10	18	1.558	-0.626	0.123	11	38	-0.080	-0.713	0.018
8	59	2.261	-1.366	0.048	10	19	1.132	-0.321	0.025	11	39	0.201	-0.954	0.038
9	0	1.820	-0.718	0.056	10	20	0.248	-0.138	-0.002	11	40	0.150	-1.969	0.022
9	1	1.490	-0.573	0.165	10	21	0.728	0.130	0.053	11	41	0.731	-2.648	0.022
9	2	1.588	-1.168	0.042	10	22	0.904	0.611	0.051	11	42	-0.062	-1.265	0.000
9	3	1.017	-1.314	0.029	10	23	2.190	-0.142	0.017	11	43	-0.007	-1.839	0.042
9	4	0.520	-1.722	0.011	10	24	3.402	-0.465	0.007	11	44	-0.284	-3.332	0.003
9	5	1.259	-1.926	0.006	10	25	2.165	-0.230	0.008	11	45	1.430	-2.280	0.003
9	6	0.813	-1.546	0.023	10	26	1.455	-0.188	0.009	11	46	1.390	-3.434	0.006
9	7	0.399	-1.533	0.001	10	27	1.636	-0.358	0.018	11	47	0.814	-2.838	0.015
9	8	0.932	-0.969	0.037	10	28	2.164	0.129	0.016	11	48	1.049	-2.406	0.010
9	9	0.497	-0.709	0.001	10	29	2.130	1.158	0.008	11	49	1.054	-2.716	0.009
9	10	1.198	-0.435	0.050	10	30	2.129	1.601	0.016	11	50	0.485	-1.644	0.013
9	11	1.464	-0.292	0.210	10	31	2.077	1.419	0.014	11	51	1.242	-2.026	0.029
9	12	1.945	-0.676	0.180	10	32	1.461	1.073	0.001	11	52	0.717	-1.622	0.038
9	13	1.898	-0.404	0.197	10	33	1.001	0.796	0.008	11	53	0.569	-1.068	0.045
9	14	1.925	-0.621	0.130	10	34	2.216	0.344	0.030	11	54	0.180	-2.063	0.014
9	15	2.348	-0.381	0.170	10	35	2.253	0.064	0.018	11	55	0.001	-1.692	0.009
9	16	2.620	-0.715	0.157	10	36	2.591	0.072	0.008	11	56	0.466	-1.874	0.047
9	17	2.422	-1.701	0.132	10	37	2.192	-0.071	0.003	11	57	0.910	-2.078	0.004
9	18	1.313	-1.527	0.134	10	38	2.011	0.028	0.009	11	58	0.657	-2.066	0.003
9	19	1.169	-1.251	0.206	10	39	2.375	-0.595	0.017	11	59	0.531	-3.287	0.012
9	20	0.752	-1.367	0.046	10	40	1.575	-0.944	0.014	12	0	1.193	-3.311	0.013
9	21	0.777	-1.371	0.193	10	41	2.530	-0.596	0.002	12	1	1.087	-3.658	0.014
9	22	1.618	-1.399	0.012	10	42	2.520	-0.030	0.003	12	2	-1.292	-3.268	0.003
9	23	1.884	-1.423	0.059	10	43	1.804	-0.124	0.008	12	3	0.974	-3.002	0.004
9	24	1.738	-0.782	0.141	10	44	1.847	-0.085	0.005	12	4	0.769	-2.465	0.007
9	25	1.678	-0.887	0.049	10	45	1.431	-0.129	0.007	12	5	0.625	-1.430	0.005
9	26	1.910	-0.899	0.103	10	46	1.178	0.000	0.006	12	6	0.326	-2.151	0.004





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

12	7	0.678	-2.339	0.015	13	27	2.038	-0.662	0.135	14	47	0.937	-1.964	0.029
12	8	0.469	-1.604	0.026	13	28	2.535	-0.288	0.090	14	48	0.604	-2.066	0.010
12	9	0.893	-3.451	0.002	13	29	2.488	0.107	0.154	14	49	0.369	-2.281	0.021
12	10	0.416	-3.113	0.021	13	30	1.375	-1.317	0.217	14	50	0.409	-3.556	0.019
12	11	0.738	-2.227	0.060	13	31	-0.114	-1.510	0.033	14	51	-0.180	-2.486	0.016
12	12	0.498	-2.642	0.029	13	32	-0.032	-0.695	0.315	14	52	-1.110	-2.620	0.002
12	13	0.326	-1.400	0.013	13	33	1.096	-0.410	0.323	14	53	-0.850	-1.761	0.006
12	14	1.674	-0.868	0.055	13	34	1.183	-1.712	0.088	14	54	-0.165	-2.996	0.003
12	15	3.096	-2.320	0.016	13	35	1.144	-0.882	0.081	14	55	0.202	-2.281	0.023
12	16	2.699	-1.527	0.047	13	36	0.000	-1.295	0.012	14	56	-0.270	-1.670	0.051
12	17	0.540	-1.202	0.096	13	37	0.280	-2.371	0.025	14	57	-0.089	-2.012	0.020
12	18	2.091	-0.317	0.048	13	38	0.250	-1.802	0.064	14	58	0.900	-2.213	0.036
12	19	3.212	-0.921	0.030	13	39	0.232	-2.782	0.055	14	59	0.627	-2.789	0.010
12	20	2.072	-0.744	0.061	13	40	0.935	-2.128	0.040	15	0	-0.231	-2.592	0.028
12	21	1.979	-1.452	0.026	13	41	0.495	-2.258	0.075	15	1	0.205	-2.312	0.009
12	22	1.417	-2.484	0.018	13	42	0.603	-3.300	0.059	15	2	-0.009	-1.482	0.014
12	23	1.221	-2.833	0.047	13	43	0.766	-3.235	0.089	15	3	0.163	-0.822	0.039
12	24	1.229	-1.236	0.111	13	44	0.655	-3.671	0.053	15	4	-0.185	-2.272	0.007
12	25	2.274	-1.120	0.025	13	45	1.008	-3.774	0.031	15	5	0.680	-1.986	-0.001
12	26	2.303	-0.792	0.016	13	46	0.990	-2.679	0.008	15	6	0.718	-1.316	0.040
12	27	2.759	0.686	0.037	13	47	0.670	-1.935	0.185	15	7	0.822	-0.790	0.052
12	28	2.728	0.214	0.026	13	48	1.053	-3.694	0.025	15	8	1.088	-1.254	0.021
12	29	2.317	0.495	0.014	13	49	0.778	-2.357	0.016	15	9	1.262	-1.368	0.066
12	30	1.267	-0.056	0.107	13	50	1.443	-2.998	0.020	15	10	2.252	-1.288	0.044
12	31	2.131	0.816	0.081	13	51	1.140	-3.542	0.015	15	11	2.659	-1.336	0.086
12	32	2.396	-0.023	0.002	13	52	0.901	-3.236	0.015	15	12	2.005	-1.474	0.073
12	33	1.914	-0.019	0.045	13	53	0.771	-2.870	0.019	15	13	1.750	-1.692	0.109
12	34	2.596	1.108	0.021	13	54	0.187	-1.923	0.080	15	14	1.987	-2.028	0.100
12	35	2.494	0.704	0.027	13	55	0.146	-2.605	0.046	15	15	1.971	-2.638	0.056
12	36	1.830	0.681	0.036	13	56	1.246	-3.463	0.034	15	16	2.108	-2.277	-0.007
12	37	1.968	-0.711	0.051	13	57	1.074	-2.111	0.032	15	17	1.024	-1.668	0.040
12	38	2.430	-1.489	0.014	13	58	0.648	-1.476	0.044	15	18	1.542	-1.499	-0.003
12	39	3.274	-1.682	0.043	13	59	0.725	-1.024	0.024	15	19	1.144	-1.586	0.025
12	40	2.859	-0.603	0.095	14	0	0.957	-0.403	0.023	15	20	0.342	-1.736	0.017
12	41	1.515	-1.623	0.092	14	1	1.387	-0.888	0.045	15	21	1.611	-1.103	0.101
12	42	-0.007	-0.688	0.068	14	2	1.882	-0.351	0.079	15	22	1.845	-0.267	0.044
12	43	0.064	-0.739	0.032	14	3	1.445	-0.048	0.064	15	23	1.210	-0.336	0.038
12	44	0.948	-0.264	0.129	14	4	2.493	-0.791	0.112	15	24	1.683	-0.030	0.061
12	45	1.522	-0.408	0.109	14	5	1.766	-1.918	0.092	15	25	1.867	-0.697	0.035
12	46	2.199	-0.705	0.103	14	6	0.882	-3.543	0.035	15	26	1.351	0.005	0.146
12	47	2.842	-1.168	0.171	14	7	0.637	-2.735	0.060	15	27	2.486	-0.203	0.064
12	48	2.329	0.457	0.171	14	8	0.658	-1.867	0.115	15	28	2.549	-0.083	0.128
12	49	2.620	-0.336	0.075	14	9	1.442	-1.888	0.047	15	29	2.154	-0.483	0.093
12	50	2.753	0.073	0.076	14	10	0.981	-1.541	0.029	15	30	1.989	-0.405	0.239
12	51	1.612	0.107	0.139	14	11	1.335	-2.824	0.034	15	31	1.761	-1.457	0.039
12	52	1.930	-0.050	0.127	14	12	1.461	-1.435	0.048	15	32	2.180	-1.463	0.052
12	53	1.203	-0.259	0.065	14	13	1.447	-1.440	0.049	15	33	2.710	-1.658	0.055
12	54	1.660	0.368	0.118	14	14	1.479	-2.440	-0.012	15	34	2.806	-1.101	0.032
12	55	1.234	-0.447	0.244	14	15	1.550	-2.317	0.006	15	35	2.391	-0.864	0.059
12	56	0.866	-1.101	0.031	14	16	1.987	-2.450	0.038	15	36	3.038	-1.987	0.130
12	57	1.219	-0.707	0.175	14	17	1.785	-2.316	0.015	15	37	2.687	-1.793	0.063
12	58	2.241	-0.887	0.061	14	18	1.140	-1.388	0.028	15	38	3.027	-0.443	0.169
12	59	2.729	-0.188	0.085	14	19	1.674	-1.629	0.044	15	39	3.465	-1.427	0.077
13	0	2.050	-0.656	0.079	14	20	2.148	-1.696	0.020	15	40	1.989	-1.759	0.075
13	1	1.959	-0.159	0.025	14	21	2.352	-2.309	0.009	15	41	1.025	-2.074	0.070
13	2	2.074	-0.385	0.241	14	22	1.755	-3.256	0.031	15	42	0.866	-2.589	0.173
13	3	2.610	-0.656	0.098	14	23	1.596	-4.211	0.011	15	43	1.894	-2.385	0.072
13	4	2.548	-0.212	0.086	14	24	1.398	-3.303	0.015	15	44	3.139	-1.698	0.186
13	5	1.352	-0.363	0.116	14	25	0.706	-3.488	0.016	15	45	1.679	-1.408	0.062
13	6	1.997	-0.866	0.110	14	26	0.980	-3.822	0.019	15	46	2.554	-0.310	0.216
13	7	3.352	-1.900	0.150	14	27	0.001	-3.031	0.011	15	47	2.502	-0.725	0.142
13	8	3.493	-0.014	0.070	14	28	0.424	-3.247	0.027	15	48	1.951	-1.116	0.156
13	9	2.487	-0.726	0.124	14	29	1.018	-3.702	0.026	15	49	1.004	-0.838	0.070
13	10	1.973	-0.706	0.123	14	30	0.702	-2.908	0.012	15	50	1.480	-1.172	0.144
13	11	1.637	-0.354	0.218	14	31	0.910	-2.198	0.005	15	51	3.464	-1.501	0.156
13	12	1.846	-0.212	0.285	14	32	1.905	-2.340	0.025	15	52	2.837	-1.505	0.303
13	13	2.004	-1.112	0.286	14	33	0.311	-1.828	0.009	15	53	1.866	-1.093	0.121
13	14	2.367	-1.179	0.117	14	34	0.193	-0.929	0.014	15	54	0.571	-1.989	0.111
13	15	3.052	-0.208	0.079	14	35	1.452	-0.921	0.029	15	55	0.936	-2.131	0.031
13	16	2.212	-0.204	0.212	14	36	2.882	-3.080	0.017	15	56	0.120	-1.036	0.264
13	17	1.415	-0.664	0.194	14	37	2.802	-3.580	0.019	15	57	1.697	-0.738	0.188
13	18	1.987	-1.206	0.112	14	38	1.948	-1.111	0.018	15	58	2.208	-1.458	0.119
13	19	3.609	-0.971	0.102	14	39	1.122	-0.420	0.023	15	59	0.510	-2.332	0.035
13	20	2.552	-0.265	0.078	14	40	1.867	-0.207	0.016	16	0	0.431	-2.072	0.082
13	21	2.411	-0.675	0.095	14	41	2.290	-0.386	0.022	16	1	0.623	-2.317	0.059
13	22	0.499	-0.590	0.118	14	42	1.247	-0.533	0.016	16	2	0.634	-2.716	0.047
13	23	1.787	-0.847	0.097	14	43	0.711	-1.533	0.010	16	3	0.678	-3.105	0.042
13	24	3.667	-0.324	0.115	14	44	0.427	-2.245	0.004	16	4	1.207	-3.058	0.033
13	25	2.535	-0.894	0.230	14	45	0.662	-2.820	0.006	16	5	1.446	-2.769	0.017
13	26	1.609	0.075	0.133	14	46	0.941	-2.817	0.021	16	6	1.485	-1.095	0.064





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

16	7	0.717	-2.391	0.109	17	27	0.558	-1.316	0.010	18	47	2.323	-0.087	0.002
16	8	0.441	-1.854	0.046	17	28	0.534	-0.837	0.012	18	48	2.854	0.019	0.007
16	9	0.372	-1.695	0.086	17	29	0.552	-1.924	0.011	18	49	2.669	-0.095	0.002
16	10	1.137	-2.257	0.010	17	30	1.531	-1.022	0.005	18	50	2.946	-0.361	0.002
16	11	0.747	-1.187	0.019	17	31	2.057	-1.172	0.036	18	51	3.093	-0.465	0.002
16	12	0.266	-1.024	0.160	17	32	1.239	-1.080	0.006	18	52	2.775	-0.285	0.002
16	13	0.200	-0.582	0.133	17	33	1.537	-0.160	0.005	18	53	2.661	-0.157	0.003
16	14	0.699	-1.652	0.175	17	34	0.552	-0.151	0.003	18	54	2.027	-0.525	0.001
16	15	1.997	-2.068	0.023	17	35	0.888	0.093	0.010	18	55	2.043	-0.373	0.005
16	16	1.505	-1.072	0.042	17	36	0.683	0.224	0.000	18	56	2.553	-0.480	0.001
16	17	1.313	-1.229	0.029	17	37	0.547	0.258	0.002	18	57	1.758	-1.028	0.002
16	18	1.014	-0.938	0.116	17	38	0.023	-0.124	0.014	18	58	1.485	-1.100	0.001
16	19	2.802	-1.530	0.165	17	39	-0.097	-0.643	0.005	18	59	1.582	-0.865	0.005
16	20	1.551	-1.335	0.111	17	40	0.027	-0.686	0.004	19	0	1.435	-1.272	-0.001
16	21	0.798	-2.032	0.196	17	41	0.138	-0.232	0.004	19	1	2.114	-0.784	0.000
16	22	0.875	-1.643	0.056	17	42	1.205	0.218	0.011	19	2	1.616	-0.904	0.001
16	23	0.739	-1.727	0.068	17	43	0.935	-0.734	0.010	19	3	1.699	-0.862	0.001
16	24	1.826	-2.708	0.017	17	44	0.858	-1.079	0.007	19	4	1.585	-0.843	0.001
16	25	1.783	-2.600	0.024	17	45	1.484	0.061	0.002	19	5	1.332	-0.863	0.002
16	26	2.292	-1.537	0.028	17	46	1.515	0.223	0.004	19	6	1.809	-0.784	0.000
16	27	2.296	-1.681	0.094	17	47	1.554	0.303	0.006	19	7	1.107	-1.127	0.013
16	28	1.580	-1.037	0.047	17	48	2.783	-0.130	0.014	19	8	1.690	-1.959	0.006
16	29	1.131	-0.182	0.180	17	49	2.478	0.015	0.011	19	9	0.625	-0.707	0.012
16	30	0.639	0.049	0.235	17	50	2.133	-0.666	0.004	19	10	0.161	-1.279	-0.000
16	31	0.047	-0.147	0.109	17	51	2.063	-0.267	0.008	19	11	0.122	-1.315	0.003
16	32	0.765	-2.131	0.055	17	52	3.080	0.443	0.003	19	12	0.351	-0.583	0.005
16	33	0.166	-2.200	0.001	17	53	2.710	0.839	0.004	19	13	0.498	-0.678	0.003
16	34	-0.037	-2.587	0.023	17	54	1.977	0.133	0.010	19	14	0.002	-0.610	0.001
16	35	0.939	-1.450	0.014	17	55	3.400	-0.130	0.004	19	15	0.297	-0.151	0.002
16	36	2.187	-1.499	0.074	17	56	2.237	0.197	0.007	19	16	0.688	-1.214	0.001
16	37	1.795	-1.354	0.053	17	57	2.864	0.005	0.010	19	17	0.382	-1.041	0.004
16	38	2.644	-1.121	0.061	17	58	2.754	-0.289	0.008	19	18	-0.044	-0.801	0.005
16	39	1.580	-1.711	0.202	17	59	2.822	0.147	0.005	19	19	-0.105	-2.020	-0.000
16	40	0.126	-1.782	0.175	18	0	3.208	0.002	0.012	19	20	0.039	-2.181	-0.000
16	41	-0.053	-2.067	0.014	18	1	2.771	0.471	0.003	19	21	0.023	-1.957	0.005
16	42	0.183	-1.669	0.102	18	2	2.726	0.475	0.047	19	22	0.092	-0.633	0.013
16	43	0.370	-1.310	0.079	18	3	2.571	0.155	0.023	19	23	0.075	-0.868	0.006
16	44	0.404	-0.829	0.061	18	4	3.240	0.573	0.007	19	24	0.126	-0.659	0.005
16	45	0.471	-1.563	0.034	18	5	2.722	0.298	0.006	19	25	-0.112	-0.917	0.000
16	46	0.787	-0.842	0.020	18	6	2.161	0.033	0.012	19	26	0.231	-0.837	0.004
16	47	1.377	-1.626	0.065	18	7	2.129	-0.032	0.005	19	27	-0.049	-0.850	0.001
16	48	0.987	-3.062	0.035	18	8	3.672	0.185	0.010	19	28	0.163	-0.257	0.002
16	49	1.268	-3.101	0.040	18	9	3.796	0.072	0.003	19	29	0.320	0.000	0.000
16	50	0.694	-2.889	0.089	18	10	3.064	0.107	0.011	19	30	0.480	-0.552	0.000
16	51	1.265	-3.897	0.061	18	11	3.712	0.023	0.007	19	31	0.359	-0.141	0.002
16	52	1.330	-3.646	0.065	18	12	3.012	-0.080	0.006	19	32	0.000	-0.180	0.003
16	53	0.204	-2.620	0.066	18	13	2.917	-0.386	0.010	19	33	0.229	-0.005	0.003
16	54	-0.119	-2.990	0.033	18	14	3.315	-0.253	0.006	19	34	1.150	-0.193	0.007
16	55	0.472	-2.376	0.023	18	15	3.681	-0.299	0.027	19	35	0.937	-0.491	-0.001
16	56	1.178	-1.852	0.053	18	16	3.045	-0.373	0.024	19	36	0.977	-0.626	0.003
16	57	2.795	-1.174	0.108	18	17	3.299	0.030	0.038	19	37	0.361	-0.550	0.000
16	58	1.989	-1.464	0.071	18	18	2.877	0.183	0.016	19	38	-0.001	-0.726	0.000
16	59	1.927	-1.240	0.015	18	19	2.241	-0.062	0.017	19	39	-0.002	-0.260	0.000
17	0	1.032	-1.255	-0.008	18	20	1.907	-0.116	0.007	19	40	0.000	0.000	0.000
17	1	2.972	-1.601	0.057	18	21	2.216	-0.007	0.004	19	41	0.123	-0.561	0.000
17	2	3.109	-1.293	0.053	18	22	2.422	-0.080	0.000	19	42	0.105	-0.312	0.002
17	3	2.956	-1.125	0.036	18	23	2.252	-0.456	0.003	19	43	0.043	-0.554	0.000
17	4	2.480	-0.925	0.060	18	24	2.060	-0.677	0.000	19	44	0.090	-0.980	-0.004
17	5	2.533	-1.413	0.011	18	25	1.608	-2.293	0.002	19	45	0.136	-1.483	0.000
17	6	2.038	-1.645	0.017	18	26	1.241	-1.560	0.003	19	46	0.077	-1.709	-0.000
17	7	2.401	-1.455	0.008	18	27	2.273	-0.306	0.004	19	47	0.013	-1.737	-0.000
17	8	1.043	-1.949	0.024	18	28	2.645	-0.410	0.001	19	48	0.025	-1.976	0.000
17	9	0.908	-2.346	0.035	18	29	2.462	-0.163	0.001	19	49	0.006	-2.144	0.000
17	10	1.544	-1.009	0.020	18	30	1.488	-0.212	0.004	19	50	0.011	-1.923	0.000
17	11	2.239	0.051	0.050	18	31	2.112	0.074	0.001	19	51	0.054	-1.650	0.000
17	12	2.570	-0.332	0.021	18	32	2.482	-0.248	0.001	19	52	0.075	-1.289	0.004
17	13	1.494	-0.669	0.037	18	33	2.298	-0.795	0.002	19	53	-0.021	-1.174	0.001
17	14	0.549	-0.644	0.082	18	34	2.034	-0.834	0.004	19	54	0.072	-1.182	0.002
17	15	0.787	-1.087	0.021	18	35	1.856	-0.433	0.004	19	55	0.030	-1.215	0.002
17	16	1.558	-0.860	0.010	18	36	1.613	-0.030	0.005	19	56	-0.021	-1.372	0.000
17	17	2.286	0.111	0.029	18	37	2.776	-0.457	0.004	19	57	-0.123	-0.999	0.000
17	18	2.118	-0.645	0.010	18	38	2.554	-0.619	0.000	19	58	0.059	-0.883	0.000
17	19	2.037	-0.284	0.009	18	39	2.292	-0.207	0.001	19	59	-0.150	-1.010	0.001
17	20	2.202	-0.089	0.021	18	40	1.981	0.028	0.005	20	0	0.126	-1.611	0.003
17	21	2.349	-0.245	0.003	18	41	1.617	-0.208	0.003	20	1	0.048	-0.940	0.004
17	22	2.012	-0.267	0.012	18	42	1.520	-0.186	-0.001	20	2	0.177	-1.802	0.001
17	23	0.910	-0.201	0.005	18	43	2.074	-0.070	0.002	20	3	0.220	-1.514	0.002
17	24	0.417	-0.144	0.013	18	44	2.062	-0.248	0.002	20	4	0.453	-1.306	0.004
17	25	0.597	0.011	0.030	18	45	2.313	0.127	0.002	20	5	0.410	-1.107	0.002
17	26	0.594	0.017	0.007	18	46	2.496	0.078	0.002	20	6	0.384	-0.654	0.002





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

20	7	0.086	-1.279	0.003	21	27	1.665	-0.008	0.003	22	47	0.000	0.000	0.000
20	8	0.120	-1.302	-0.003	21	28	2.077	0.017	0.009	22	48	0.000	0.000	0.000
20	9	-0.021	-1.072	0.004	21	29	2.329	-0.001	0.010	22	49	0.000	0.000	0.000
20	10	0.208	-1.549	0.003	21	30	2.264	-0.133	0.010	22	50	-0.346	-0.026	0.002
20	11	0.040	-1.733	0.001	21	31	2.001	-0.001	0.004	22	51	-0.317	-0.305	0.000
20	12	0.291	-0.761	0.003	21	32	2.137	0.000	0.011	22	52	-0.401	0.000	0.000
20	13	-0.022	-1.068	0.002	21	33	2.137	-0.108	0.005	22	53	-0.277	0.000	0.000
20	14	0.253	-1.314	-0.002	21	34	1.968	-0.250	0.009	22	54	0.000	0.000	0.000
20	15	0.037	-0.871	0.003	21	35	1.782	-0.189	0.005	22	55	0.000	0.038	0.005
20	16	0.296	-0.427	0.000	21	36	1.846	-0.066	0.008	22	56	-0.006	0.078	0.000
20	17	0.009	-0.091	0.005	21	37	1.787	-0.051	0.006	22	57	0.000	0.000	0.000
20	18	0.220	-1.598	0.000	21	38	1.994	-0.266	0.009	22	58	-0.049	0.000	0.000
20	19	0.007	-0.702	0.002	21	39	1.891	-0.193	0.016	22	59	-0.004	0.009	-0.000
20	20	-0.069	-0.643	0.003	21	40	1.922	-0.194	0.015	23	0	-0.117	0.002	0.009
20	21	0.149	-1.354	0.006	21	41	1.687	-0.353	0.006	23	1	-0.453	0.000	0.000
20	22	0.208	-1.323	0.001	21	42	1.536	-0.158	0.017	23	2	-0.616	0.000	0.000
20	23	-0.010	-1.178	0.001	21	43	1.792	-0.046	0.019	23	3	-0.701	0.000	0.000
20	24	0.008	-0.688	0.001	21	44	1.623	-0.129	0.013	23	4	-0.903	0.000	0.000
20	25	0.149	-0.705	0.001	21	45	1.620	-0.026	0.019	23	5	-0.787	0.000	0.000
20	26	0.241	-0.753	0.006	21	46	1.314	-0.110	0.007	23	6	-0.778	0.000	0.000
20	27	0.056	-0.361	0.000	21	47	1.433	-0.003	0.021	23	7	-0.850	0.000	0.000
20	28	0.129	-0.499	0.005	21	48	1.399	-0.151	0.021	23	8	-0.904	0.000	0.000
20	29	0.345	-0.003	0.001	21	49	0.871	-0.003	0.007	23	9	-0.907	0.000	0.000
20	30	0.326	0.057	0.004	21	50	0.724	-0.016	0.012	23	10	-0.509	0.099	0.000
20	31	0.190	0.062	0.005	21	51	0.950	-0.003	0.002	23	11	-0.628	0.079	0.001
20	32	1.074	-0.083	0.004	21	52	1.213	0.000	0.001	23	12	-0.681	0.060	0.000
20	33	1.170	-0.068	0.005	21	53	0.921	0.000	0.002	23	13	-0.656	0.000	0.002
20	34	0.935	-0.072	0.005	21	54	1.077	0.000	0.000	23	14	-0.350	0.129	0.000
20	35	0.867	-0.373	0.000	21	55	1.202	0.004	0.012	23	15	-0.277	0.003	0.001
20	36	0.443	-0.015	0.000	21	56	1.382	-0.001	0.007	23	16	-0.501	0.014	0.000
20	37	0.280	0.000	0.000	21	57	1.573	0.002	0.013	23	17	-0.088	0.051	0.006
20	38	0.177	-0.140	0.001	21	58	1.779	0.000	0.030	23	18	-0.113	0.007	0.000
20	39	0.013	-0.167	0.001	21	59	1.967	-0.001	0.039	23	19	-0.002	0.117	0.000
20	40	0.375	0.000	0.000	22	0	2.099	-0.056	0.039	23	20	0.000	0.164	0.018
20	41	0.670	0.006	0.001	22	1	1.881	-0.307	0.057	23	21	-0.003	0.224	0.025
20	42	0.108	0.112	0.006	22	2	1.461	-0.118	0.042	23	22	-0.005	0.028	0.016
20	43	0.413	0.063	0.001	22	3	1.105	-0.006	0.037	23	23	0.013	0.000	0.024
20	44	0.567	0.058	0.004	22	4	1.201	-0.228	0.037	23	24	0.006	0.000	0.014
20	45	0.806	0.115	0.003	22	5	1.367	-0.369	0.030	23	25	0.000	0.000	0.014
20	46	1.276	-0.016	0.002	22	6	1.330	-0.508	0.022	23	26	0.000	0.021	0.035
20	47	1.285	0.003	0.001	22	7	1.405	-0.686	0.004	23	27	0.000	0.000	0.001
20	48	1.298	0.006	0.001	22	8	1.289	-0.648	0.014	23	28	0.000	0.000	0.000
20	49	1.346	-0.000	0.003	22	9	1.622	-1.134	0.032	23	29	0.000	0.000	0.000
20	50	1.306	-0.046	0.007	22	10	1.294	-0.779	0.004	23	30	0.000	0.000	0.000
20	51	1.370	-0.001	0.007	22	11	0.876	-0.268	0.017	23	31	0.000	0.000	0.000
20	52	2.159	0.023	0.003	22	12	1.005	-0.000	0.028	23	32	0.000	0.000	0.000
20	53	2.130	0.059	0.008	22	13	1.073	-0.260	0.024	23	33	0.000	0.000	0.000
20	54	1.751	0.051	0.005	22	14	1.126	-0.042	0.006	23	34	0.000	0.000	0.000
20	55	2.008	-0.030	0.007	22	15	1.425	-0.076	0.010	23	35	0.000	0.000	0.000
20	56	2.062	-0.133	0.013	22	16	1.049	-0.198	0.003	23	36	0.000	0.000	0.000
20	57	1.902	0.078	0.006	22	17	0.680	0.000	0.001	23	37	-0.051	0.016	0.005
20	58	2.093	-0.099	0.005	22	18	0.749	0.021	0.000	23	38	-0.270	0.000	0.000
20	59	2.157	-0.037	0.005	22	19	0.961	0.136	0.006	23	39	-0.402	0.030	0.000
21	0	1.951	-0.200	0.008	22	20	0.969	-0.048	0.025	23	40	-0.225	0.322	0.002
21	1	2.172	0.049	0.013	22	21	0.748	-0.318	0.016	23	41	-0.073	0.105	0.008
21	2	2.309	-0.018	0.020	22	22	0.126	0.000	0.086	23	42	-0.249	0.138	0.000
21	3	2.266	-0.113	0.003	22	23	-0.963	-0.013	0.018	23	43	-0.028	0.006	0.002
21	4	2.316	-0.047	0.003	22	24	-1.057	0.027	0.000	23	44	0.000	0.000	0.000
21	5	2.231	0.088	0.005	22	25	-0.809	0.000	-0.000	23	45	-0.137	0.000	0.000
21	6	2.214	0.133	0.005	22	26	-0.947	0.000	0.000	23	46	0.000	0.000	0.000
21	7	2.453	-0.048	0.007	22	27	-1.225	-0.003	-0.001	23	47	0.000	0.000	0.000
21	8	2.411	-0.260	0.004	22	28	-1.182	0.000	0.000	23	48	0.000	-0.014	0.000
21	9	1.934	-0.082	0.004	22	29	-1.299	-0.003	-0.001	23	49	0.000	0.000	0.000
21	10	2.022	-0.007	0.007	22	30	-1.476	-0.091	-0.002	23	50	0.000	0.000	0.019
21	11	2.295	0.040	0.003	22	31	-1.328	-0.014	0.000	23	51	0.000	0.093	0.060
21	12	2.215	-0.078	0.006	22	32	-1.113	-0.002	-0.000	23	52	0.000	0.000	0.026
21	13	2.509	-0.180	0.000	22	33	-1.271	0.004	-0.003	23	53	0.008	0.178	0.094
21	14	2.138	-0.318	0.009	22	34	-1.224	0.006	0.000	23	54	0.003	0.323	0.048
21	15	2.148	-0.163	0.008	22	35	-1.327	0.012	0.000	23	55	0.000	0.754	0.005
21	16	2.005	-0.401	0.015	22	36	-1.320	0.000	0.000	23	56	-0.014	0.750	0.009
21	17	1.915	-0.428	0.005	22	37	-1.256	0.000	0.000	23	57	-0.013	0.734	0.004
21	18	1.880	-0.361	0.001	22	38	-1.201	0.000	0.000	23	58	-0.192	0.805	0.000
21	19	1.874	-0.121	0.005	22	39	-1.219	0.000	0.000	23	59	-0.350	0.813	0.000
21	20	1.685	-0.327	0.001	22	40	-0.557	0.239	0.000					
21	21	1.495	-0.262	0.005	22	41	-0.118	0.347	0.005					
21	22	1.671	-0.070	0.004	22	42	-0.505	0.581	0.000					
21	23	1.545	-0.150	0.005	22	43	-0.480	0.433	0.000					
21	24	1.448	-0.224	0.001	22	44	-0.261	0.369	0.004					
21	25	1.864	0.002	0.010	22	45	0.000	0.198	0.000					
21	26	2.047	-0.001	0.006	22	46	-0.070	0.026	0.000					
										18/07/95				
										0	0	-0.694	0.588	0.000
										0	1	-0.627	0.858	0.000
										0	2	-0.234	0.908	0.002
										0	3	-0.011	1.263	0.005





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

0	4	-0.052	1.549	0.002	1	24	0.000	0.000	0.000	2	44	-0.032	0.000	0.000
0	5	0.000	1.741	0.012	1	25	0.000	0.000	0.000	2	45	0.000	0.000	0.000
0	6	0.000	1.768	0.005	1	26	-0.269	0.001	0.000	2	46	0.000	0.000	0.000
0	7	0.000	1.697	0.008	1	27	-0.638	0.000	0.000	2	47	0.000	0.000	0.000
0	8	0.000	1.505	0.012	1	28	-0.787	0.015	0.000	2	48	0.000	0.000	0.000
0	9	0.000	1.359	0.001	1	29	-0.741	0.000	0.000	2	49	0.000	0.000	0.000
0	10	0.000	1.021	0.000	1	30	-0.672	0.126	0.000	2	50	0.000	0.000	0.000
0	11	0.000	0.737	0.001	1	31	-0.726	0.000	0.000	2	51	0.008	0.000	0.000
0	12	0.000	0.791	0.007	1	32	-0.771	0.000	0.000	2	52	0.000	0.046	0.000
0	13	0.000	0.834	0.002	1	33	-0.850	0.000	0.000	2	53	0.045	0.179	0.000
0	14	0.000	0.825	0.000	1	34	-0.933	0.000	0.000	2	54	0.000	0.166	0.000
0	15	0.164	0.655	0.002	1	35	-0.953	0.000	0.000	2	55	0.000	0.009	0.000
0	16	0.381	0.782	0.004	1	36	-0.910	0.000	0.000	2	56	0.000	0.000	0.000
0	17	0.078	0.426	0.003	1	37	-0.864	0.000	0.000	2	57	-0.229	0.007	0.000
0	18	0.000	0.486	0.002	1	38	-0.789	0.005	0.000	2	58	-0.365	0.003	0.000
0	19	0.000	0.605	0.005	1	39	-0.681	0.000	0.000	2	59	-0.619	0.000	0.000
0	20	0.078	0.693	0.000	1	40	-0.505	0.002	0.000	3	0	-0.494	0.000	0.000
0	21	0.000	0.832	0.002	1	41	-0.080	0.000	0.000	3	1	-0.025	0.086	0.000
0	22	0.047	0.790	0.001	1	42	0.000	0.000	0.000	3	2	-0.073	0.177	0.000
0	23	0.223	0.817	0.004	1	43	-0.121	0.000	0.000	3	3	-0.487	0.000	0.000
0	24	0.000	0.754	0.004	1	44	-0.561	0.000	0.000	3	4	-0.670	0.000	0.000
0	25	0.219	0.760	0.000	1	45	-0.550	0.000	0.000	3	5	-0.788	0.000	0.000
0	26	0.516	1.193	0.001	1	46	-0.539	0.000	0.000	3	6	-0.755	0.000	0.000
0	27	0.607	1.434	0.008	1	47	-0.674	0.003	0.000	3	7	-0.787	0.000	0.000
0	28	0.746	1.499	0.007	1	48	-0.686	0.000	0.000	3	8	-0.781	0.000	0.000
0	29	0.699	1.376	0.001	1	49	-0.586	0.000	0.000	3	9	-0.613	0.000	0.000
0	30	0.478	0.958	0.005	1	50	-0.356	0.000	0.000	3	10	-0.404	0.008	0.000
0	31	0.446	0.649	0.006	1	51	0.000	0.031	0.000	3	11	-0.130	0.007	0.000
0	32	0.141	0.503	0.000	1	52	-0.009	0.188	0.000	3	12	0.000	0.061	0.000
0	33	0.034	0.325	0.011	1	53	-0.062	0.000	0.000	3	13	-0.000	0.118	0.000
0	34	-0.031	0.078	0.007	1	54	0.000	0.000	0.000	3	14	0.000	0.273	0.000
0	35	0.000	0.000	0.000	1	55	0.000	0.000	0.000	3	15	0.000	0.089	0.000
0	36	0.000	0.000	0.000	1	56	0.000	0.000	0.000	3	16	0.000	0.000	0.000
0	37	0.000	-0.469	0.000	1	57	0.000	-0.120	0.000	3	17	0.000	0.000	0.000
0	38	-0.003	-0.128	0.000	1	58	0.000	-0.356	0.000	3	18	0.000	0.000	0.000
0	39	-0.202	0.000	0.000	1	59	0.000	-0.294	0.000	3	19	0.000	0.000	0.000
0	40	0.000	-0.094	0.000	2	0	0.000	-0.111	0.000	3	20	0.000	0.000	0.000
0	41	0.000	-0.002	0.000	2	1	0.000	0.000	0.000	3	21	-0.036	0.026	0.000
0	42	0.224	0.000	0.000	2	2	0.000	0.000	0.000	3	22	0.000	0.004	0.000
0	43	0.069	0.000	0.000	2	3	0.000	0.000	0.000	3	23	0.000	0.128	0.000
0	44	-0.000	0.000	0.000	2	4	0.000	0.000	0.000	3	24	0.012	0.470	0.000
0	45	-0.065	0.000	0.000	2	5	0.000	0.000	0.000	3	25	0.003	0.385	0.000
0	46	-0.778	0.000	0.000	2	6	0.000	0.000	0.000	3	26	0.001	0.230	0.000
0	47	-1.276	-0.870	0.000	2	7	0.000	0.000	0.000	3	27	0.002	0.240	0.000
0	48	-0.677	-1.398	0.000	2	8	0.000	0.000	0.000	3	28	0.005	0.369	0.000
0	49	-0.977	-1.093	0.000	2	9	0.000	0.000	0.000	3	29	-0.001	0.303	0.000
0	50	-0.950	-1.085	0.000	2	10	0.000	-0.001	0.000	3	30	0.003	0.122	0.000
0	51	-0.607	-1.174	0.000	2	11	0.000	0.000	0.000	3	31	-0.000	0.392	0.000
0	52	-0.638	-1.190	0.000	2	12	0.000	0.000	0.000	3	32	0.000	0.079	0.000
0	53	-0.570	-1.478	0.000	2	13	0.000	0.001	0.000	3	33	-0.216	0.000	0.000
0	54	-0.695	-1.561	0.000	2	14	0.000	0.016	0.000	3	34	-0.416	0.000	0.000
0	55	-0.556	-1.504	0.000	2	15	0.000	0.000	0.000	3	35	-0.024	0.000	0.000
0	56	-0.524	-1.356	0.000	2	16	0.000	-0.003	0.000	3	36	0.000	0.000	0.000
0	57	-0.282	-1.099	0.000	2	17	0.005	0.006	0.000	3	37	0.000	0.000	0.000
0	58	-0.154	-1.245	0.000	2	18	0.007	0.000	0.000	3	38	0.000	0.178	0.000
0	59	-0.142	-1.324	0.000	2	19	0.000	0.000	0.000	3	39	-0.001	0.228	0.000
1	0	-0.131	-1.376	0.000	2	20	0.000	0.000	0.000	3	40	0.000	0.157	0.006
1	1	-0.011	-1.347	0.000	2	21	-0.003	0.000	0.000	3	41	0.004	0.453	0.000
1	2	0.000	-1.349	0.000	2	22	-0.047	0.000	0.000	3	42	0.000	0.408	0.002
1	3	-0.002	-1.209	0.000	2	23	0.000	0.000	0.000	3	43	0.001	0.576	0.001
1	4	-0.554	-1.122	0.000	2	24	0.000	0.000	0.000	3	44	-0.000	0.297	0.003
1	5	-0.613	-1.003	0.000	2	25	0.000	0.000	0.000	3	45	-0.000	0.128	0.003
1	6	-0.579	-0.951	0.000	2	26	-0.088	0.000	0.000	3	46	0.000	0.171	0.002
1	7	-0.365	-0.829	0.000	2	27	-0.039	0.000	0.000	3	47	0.000	0.013	0.001
1	8	-0.122	-0.771	0.000	2	28	0.019	0.000	0.000	3	48	-0.001	0.195	0.000
1	9	0.000	-0.502	0.000	2	29	0.000	0.000	0.000	3	49	0.001	0.000	0.000
1	10	0.000	-0.068	0.000	2	30	-0.001	0.000	0.000	3	50	0.006	0.222	0.011
1	11	0.000	0.000	0.000	2	31	-0.014	0.000	0.000	3	51	0.007	0.037	0.005
1	12	0.026	0.055	0.000	2	32	0.000	0.000	0.000	3	52	0.000	0.003	0.000
1	13	0.000	0.000	0.000	2	33	-0.023	0.069	0.000	3	53	0.000	0.000	0.000
1	14	0.000	0.000	0.000	2	34	-0.032	0.033	0.000	3	54	0.000	0.000	0.000
1	15	0.000	0.000	0.000	2	35	0.000	0.023	0.000	3	55	-0.044	0.063	0.000
1	16	0.000	0.000	0.000	2	36	0.000	-0.000	0.000	3	56	-0.267	0.000	0.000
1	17	0.000	0.000	0.000	2	37	0.130	0.000	0.000	3	57	-0.386	0.000	0.000
1	18	0.000	0.000	0.000	2	38	0.326	-0.000	0.000	3	58	-0.365	0.000	0.000
1	19	0.000	0.000	0.000	2	39	0.400	0.000	0.000	3	59	-0.414	0.000	0.000
1	20	0.000	0.000	0.000	2	40	0.064	0.000	0.000	4	0	-0.491	0.000	0.000
1	21	0.000	0.000	0.000	2	41	0.000	0.000	0.000	4	1	-0.497	-0.007	0.000
1	22	0.000	0.000	0.000	2	42	0.001	0.000	0.000	4	2	-0.800	-0.492	0.000
1	23	0.000	0.000	0.000	2	43	0.000	0.000	0.000	4	3	-0.920	-0.489	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

4	4	-0.890	-0.237	0.000	5	24	0.000	0.000	0.007	6	44	0.000	0.000	0.003
4	5	-0.702	-0.001	0.000	5	25	0.000	0.000	0.000	6	45	0.001	0.000	0.022
4	6	-0.409	0.000	0.000	5	26	0.000	0.000	0.000	6	46	-0.019	0.065	0.017
4	7	-0.029	0.000	0.000	5	27	0.000	0.000	0.000	6	47	0.001	0.239	0.024
4	8	0.000	0.000	0.000	5	28	0.000	0.000	0.000	6	48	-0.002	0.410	0.038
4	9	0.000	0.000	0.000	5	29	0.000	0.008	0.008	6	49	0.026	0.412	0.035
4	10	0.000	0.000	0.000	5	30	-0.024	0.003	0.027	6	50	0.219	0.192	0.031
4	11	0.000	0.000	0.000	5	31	-0.000	0.449	0.013	6	51	0.481	0.011	0.020
4	12	0.000	0.000	0.000	5	32	-0.286	0.846	0.000	6	52	0.617	0.000	0.001
4	13	0.000	0.000	0.000	5	33	-0.008	0.622	0.019	6	53	0.264	0.000	0.000
4	14	0.000	0.000	0.000	5	34	0.000	0.717	0.001	6	54	0.000	0.000	0.000
4	15	0.221	0.000	0.000	5	35	0.000	0.463	0.013	6	55	0.005	0.000	0.005
4	16	0.008	0.000	0.000	5	36	0.000	0.034	0.020	6	56	0.000	0.146	0.087
4	17	0.000	0.000	0.000	5	37	0.000	0.292	0.045	6	57	0.005	0.340	0.020
4	18	0.000	0.000	0.000	5	38	0.000	0.091	0.051	6	58	-0.000	0.329	0.042
4	19	0.000	0.012	0.000	5	39	0.000	0.002	0.026	6	59	-0.008	0.113	0.030
4	20	0.000	0.062	0.003	5	40	0.000	0.000	0.000	7	0	-0.002	0.210	0.032
4	21	0.004	0.005	0.009	5	41	0.000	0.000	0.000	7	1	-0.001	0.404	0.005
4	22	0.002	0.057	0.037	5	42	0.000	0.000	0.000	7	2	-0.003	0.422	0.020
4	23	0.000	0.087	0.016	5	43	-0.000	0.216	0.000	7	3	-0.001	0.644	0.007
4	24	0.006	0.070	0.029	5	44	0.000	0.415	0.004	7	4	-0.013	0.125	0.031
4	25	0.003	0.196	0.038	5	45	-0.001	0.554	0.008	7	5	0.061	0.161	0.068
4	26	0.007	0.080	0.020	5	46	0.000	0.516	0.000	7	6	0.000	0.540	0.005
4	27	0.001	0.242	0.018	5	47	0.000	0.010	0.008	7	7	0.001	0.434	0.017
4	28	0.000	0.000	0.027	5	48	0.000	0.000	0.019	7	8	0.045	0.369	0.129
4	29	0.005	0.053	0.015	5	49	0.000	-0.001	0.019	7	9	0.024	0.464	0.030
4	30	0.000	0.264	0.036	5	50	0.000	0.000	0.000	7	10	0.068	0.563	0.019
4	31	0.000	0.105	0.020	5	51	0.000	0.000	0.000	7	11	0.077	0.276	0.002
4	32	0.000	0.013	0.020	5	52	0.000	0.000	0.000	7	12	0.112	0.232	0.036
4	33	0.006	0.073	0.019	5	53	0.000	0.000	0.000	7	13	-0.001	0.000	0.003
4	34	0.004	0.264	0.024	5	54	0.000	0.000	0.000	7	14	-0.008	0.007	0.008
4	35	-0.015	0.026	0.041	5	55	0.000	0.000	0.000	7	15	0.026	0.205	0.050
4	36	0.001	0.000	0.004	5	56	0.000	0.000	0.000	7	16	0.000	0.018	0.030
4	37	-0.035	0.079	0.020	5	57	0.000	0.000	0.000	7	17	0.339	0.169	0.094
4	38	0.000	0.287	0.002	5	58	-0.251	0.000	0.000	7	18	0.397	0.003	0.018
4	39	0.000	0.266	0.019	5	59	-0.436	0.000	0.000	7	19	0.013	0.004	0.086
4	40	0.000	0.195	0.000	6	0	-0.554	0.000	0.000	7	20	0.187	0.013	0.038
4	41	0.000	0.322	0.000	6	1	-0.661	0.000	0.000	7	21	0.086	0.000	0.000
4	42	0.000	0.367	0.001	6	2	-0.668	0.000	0.000	7	22	0.000	0.000	0.000
4	43	0.000	0.457	0.000	6	3	-0.631	0.000	0.000	7	23	0.318	0.222	0.007
4	44	0.000	0.315	0.001	6	4	-0.642	-0.016	0.000	7	24	0.585	0.000	0.000
4	45	0.000	0.069	0.000	6	5	-0.621	-0.071	0.000	7	25	0.458	0.000	0.000
4	46	0.000	-0.002	0.000	6	6	-0.690	0.000	0.000	7	26	0.723	0.000	0.001
4	47	-0.102	0.000	0.000	6	7	-0.707	0.000	0.000	7	27	0.683	0.000	0.002
4	48	-0.467	0.000	0.000	6	8	-0.696	0.000	0.000	7	28	0.661	0.000	0.006
4	49	-0.463	0.000	0.000	6	9	-0.811	0.000	0.000	7	29	0.461	0.296	0.014
4	50	-0.433	0.000	0.000	6	10	-0.949	-0.189	0.000	7	30	0.148	0.414	0.045
4	51	-0.383	0.000	0.000	6	11	-0.936	-0.659	0.000	7	31	0.218	0.301	0.036
4	52	-0.341	0.000	0.000	6	12	-0.802	-0.477	0.000	7	32	0.011	0.001	0.076
4	53	-0.266	0.000	0.000	6	13	-0.606	-0.393	0.000	7	33	0.000	0.000	0.003
4	54	-0.195	0.000	0.000	6	14	-0.425	-0.078	0.000	7	34	0.000	0.008	0.013
4	55	-0.027	0.000	0.000	6	15	-0.302	0.000	0.000	7	35	-0.012	0.398	0.043
4	56	-0.267	0.000	0.000	6	16	-0.141	0.000	0.000	7	36	0.025	0.239	0.050
4	57	-0.357	-0.666	0.000	6	17	0.000	0.000	0.000	7	37	-0.000	0.338	0.064
4	58	-0.379	-0.762	0.000	6	18	0.000	0.000	0.000	7	38	-0.091	0.005	0.055
4	59	-0.375	-0.728	0.000	6	19	0.000	0.000	0.000	7	39	-0.002	0.016	0.045
5	0	-0.419	-0.666	0.000	6	20	0.000	0.000	0.000	7	40	-0.043	0.003	0.116
5	1	-0.550	-0.611	0.000	6	21	0.000	0.000	0.000	7	41	-0.045	0.209	0.016
5	2	-0.637	-0.565	0.000	6	22	0.000	0.000	0.000	7	42	-0.009	0.273	0.091
5	3	-0.740	-0.558	0.000	6	23	0.000	0.000	0.000	7	43	-0.043	0.450	0.020
5	4	-0.953	-0.292	0.000	6	24	0.000	0.000	0.000	7	44	0.002	0.547	0.017
5	5	-0.999	-0.583	0.000	6	25	0.000	0.000	0.000	7	45	-0.007	0.276	0.027
5	6	-1.000	-0.378	0.000	6	26	0.000	0.000	0.000	7	46	0.000	0.033	0.024
5	7	-0.914	-0.319	0.000	6	27	0.000	0.000	0.000	7	47	0.012	0.313	0.015
5	8	-0.796	-0.053	0.000	6	28	0.000	0.000	0.000	7	48	-0.031	0.363	0.002
5	9	-0.575	0.000	0.000	6	29	0.000	0.000	0.000	7	49	0.013	0.384	0.025
5	10	-0.457	-0.000	0.000	6	30	0.000	0.000	0.000	7	50	-0.000	0.756	0.014
5	11	-0.033	0.000	0.000	6	31	0.000	0.000	0.000	7	51	-0.001	0.809	0.006
5	12	0.000	0.000	0.000	6	32	0.000	-0.000	0.000	7	52	-0.022	0.480	0.020
5	13	0.000	0.000	0.000	6	33	0.000	0.000	0.000	7	53	0.010	0.621	0.018
5	14	-0.303	0.000	0.000	6	34	0.000	0.000	0.000	7	54	-0.024	0.632	0.020
5	15	-0.745	0.001	0.000	6	35	0.000	-0.001	0.000	7	55	0.007	0.705	0.001
5	16	-0.809	0.000	0.000	6	36	0.000	0.000	0.000	7	56	-0.006	0.435	0.001
5	17	-0.671	-0.000	0.000	6	37	0.000	0.000	0.000	7	57	-0.001	-0.045	0.075
5	18	-0.388	0.000	0.000	6	38	0.000	0.000	0.000	7	58	-0.020	0.013	0.032
5	19	-0.180	0.000	0.000	6	39	0.000	0.000	0.000	7	59	0.266	0.014	0.078
5	20	0.000	0.000	0.000	6	40	0.000	0.000	0.000	8	0	0.052	0.285	0.098
5	21	0.000	0.000	0.000	6	41	0.000	0.000	0.000	8	1	0.000	0.513	0.037
5	22	0.000	0.000	0.000	6	42	0.000	0.000	0.000	8	2	-0.006	0.613	0.013
5	23	0.000	0.000	0.005	6	43	0.000	0.000	0.000	8	3	0.006	0.480	0.005



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

8	4	0.286	0.813	0.007	9	24	-1.221	0.399	0.001	10	44	-0.607	1.670	0.015
8	5	0.164	0.321	0.000	9	25	-1.088	0.411	0.001	10	45	-1.264	1.451	0.052
8	6	-0.032	0.047	0.029	9	26	-1.044	0.024	0.002	10	46	-0.577	1.718	0.026
8	7	0.221	0.396	0.052	9	27	-1.167	-0.018	0.001	10	47	-1.152	0.812	0.055
8	8	0.787	0.300	0.006	9	28	-0.993	-0.076	0.000	10	48	-2.976	1.125	0.037
8	9	0.789	0.424	0.015	9	29	-0.348	-0.129	0.014	10	49	-2.971	1.974	0.025
8	10	0.548	0.247	0.002	9	30	-0.430	0.441	0.015					
8	11	0.539	0.476	0.000	9	31	-0.889	0.589	0.000					
8	12	0.246	0.256	-0.000	9	32	-1.052	0.569	0.005					
8	13	0.120	0.057	0.009	9	33	-1.128	0.087	0.000					
8	14	0.688	-0.010	0.031	9	34	-0.260	0.047	0.000					
8	15	1.050	-0.001	0.005	9	35	-0.242	0.015	-0.001					
8	16	0.818	0.000	0.000	9	36	-0.307	-0.016	-0.001					
8	17	0.499	0.000	0.000	9	37	-0.284	-0.442	0.000					
8	18	0.500	0.000	0.000	9	38	0.007	-0.962	0.003					
8	19	0.442	0.000	0.000	9	39	-0.323	-0.464	0.023					
8	20	0.457	0.000	0.000	9	40	-0.449	-0.022	0.007					
8	21	0.228	0.000	0.000	9	41	0.067	0.798	0.112					
8	22	0.373	0.037	0.000	9	42	0.570	0.500	0.117					
8	23	0.768	0.144	0.010	9	43	0.307	0.758	0.032					
8	24	0.781	0.135	0.006	9	44	-0.159	0.174	0.064					
8	25	0.752	0.232	0.004	9	45	-1.084	0.481	0.005					
8	26	0.293	0.000	-0.001	9	46	-1.772	0.375	0.003					
8	27	-0.001	0.104	0.004	9	47	-1.396	0.363	0.013					
8	28	0.446	0.000	0.005	9	48	-2.036	0.813	0.002					
8	29	0.799	0.000	0.006	9	49	-1.546	0.338	-0.000					
8	30	0.207	0.000	0.000	9	50	-1.061	0.665	0.000					
8	31	0.230	0.000	0.000	9	51	-1.090	0.556	0.010					
8	32	0.006	0.000	0.000	9	52	-1.211	0.955	0.000					
8	33	0.307	0.000	0.000	9	53	-1.066	0.960	0.006					
8	34	0.312	-0.384	0.001	9	54	-1.485	0.459	0.003					
8	35	0.011	-0.572	0.016	9	55	-0.931	0.035	0.000					
8	36	-0.163	-0.980	0.002	9	56	-0.987	-0.016	0.026					
8	37	-0.563	-0.554	0.003	9	57	-1.597	0.132	0.018					
8	38	-0.698	-0.537	0.000	9	58	-1.297	0.056	0.034					
8	39	-0.709	-0.427	0.000	9	59	-1.088	-0.029	0.032					
8	40	-0.160	-0.585	0.001	10	0	-2.087	0.032	0.014					
8	41	-0.436	-1.206	0.000	10	1	-1.698	0.611	0.028					
8	42	0.005	-0.946	0.002	10	2	-1.012	-0.348	0.021					
8	43	-0.017	-0.759	0.000	10	3	-1.537	-0.525	0.026					
8	44	-0.017	-0.598	0.000	10	4	-0.621	0.065	0.176					
8	45	-0.159	-0.595	0.001	10	5	-0.365	0.694	0.000					
8	46	-0.371	-0.562	0.000	10	6	-1.243	0.280	0.017					
8	47	-0.464	-0.302	0.024	10	7	-1.467	0.033	0.014					
8	48	-0.733	-0.113	0.000	10	8	-2.526	0.014	0.018					
8	49	-0.713	-0.263	0.000	10	9	-2.505	0.092	0.008					
8	50	-0.594	0.000	-0.001	10	10	-2.270	-0.245	0.012					
8	51	-0.202	0.000	0.000	10	11	-1.851	-0.728	0.007					
8	52	-0.767	-0.121	0.000	10	12	-1.984	-0.751	0.011					
8	53	-0.812	-0.749	0.001	10	13	-1.119	-0.753	0.128					
8	54	-0.676	-0.651	0.000	10	14	0.337	0.148	0.409					
8	55	-0.522	-0.724	0.001	10	15	-0.287	0.242	0.162					
8	56	-0.309	-0.844	0.008	10	16	-0.201	1.216	0.066					
8	57	-0.043	-0.676	0.003	10	17	-0.375	0.793	0.009					
8	58	0.317	-0.621	0.000	10	18	-0.887	0.531	0.052					
8	59	0.244	-0.392	0.063	10	19	-0.544	1.132	0.011					
9	0	0.081	-0.205	0.018	10	20	-0.125	0.624	0.043					
9	1	-0.133	-0.011	0.031	10	21	-0.693	0.917	0.022					
9	2	-0.385	-1.138	0.023	10	22	-0.071	0.725	0.038					
9	3	-0.964	-1.017	0.000	10	23	-0.018	0.504	0.304					
9	4	-1.271	-0.911	0.009	10	24	-0.746	0.458	0.104					
9	5	-1.336	-0.324	0.009	10	25	-0.359	0.032	0.021					
9	6	-0.272	-0.218	0.000	10	26	-1.010	-0.045	0.002					
9	7	-0.273	-0.230	0.004	10	27	-1.838	0.263	0.053					
9	8	-0.621	-0.485	0.000	10	28	-1.781	0.565	0.000					
9	9	-0.593	-0.645	0.001	10	29	-0.974	0.093	0.008					
9	10	-0.644	-0.276	0.009	10	30	-1.983	1.018	0.029					
9	11	-0.324	-0.165	0.009	10	31	-2.151	0.758	0.024					
9	12	-1.092	-0.049	0.000	10	32	-1.906	0.294	0.003					
9	13	-1.392	0.075	0.003	10	33	-1.315	0.683	0.017					
9	14	-0.995	0.384	0.004	10	34	-2.037	0.655	0.011					
9	15	-0.495	0.555	-0.001	10	35	-1.927	0.423	0.083					
9	16	-0.021	0.144	0.001	10	36	-1.903	0.750	0.029					
9	17	-0.199	0.089	0.007	10	37	-1.599	1.426	0.017					
9	18	-0.394	0.003	0.003	10	38	-1.352	1.803	0.006					
9	19	-0.438	-0.002	0.000	10	39	-0.236	1.017	0.019					
9	20	-0.240	0.417	0.006	10	40	-0.932	1.660	0.015					
9	21	-0.827	0.522	0.009	10	41	-2.229	1.639	0.020					
9	22	-0.701	0.574	0.005	10	42	-2.033	1.987	0.016					
9	23	-0.538	0.383	0.012	10	43	-0.895	1.877	0.029					



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

**R M YOUNG 26700 SERIES
DATA TRANSLATOR/RECORDER**

Time hour	Time mins	U M/S	V M/S	W M/S
--------------	--------------	----------	----------	----------

18/07/95

11	16	0.000	0.000	0.000
11	17	-2.455	-0.908	0.007
11	18	-2.098	-0.838	0.014
11	19	-2.488	-0.672	0.040
11	20	-2.745	-0.204	0.020
11	21	-3.736	0.147	0.012
11	22	-1.973	1.514	0.013
11	23	-1.692	0.553	0.014
11	24	-2.069	0.776	0.031
11	25	-2.655	0.474	0.046
11	26	-3.009	0.363	0.049
11	27	-2.541	0.022	0.006
11	28	-2.127	-0.222	0.032
11	29	-2.952	-0.072	0.038
11	30	-2.830	-0.335	0.054
11	31	-3.197	-0.389	0.011
11	32	-2.101	-0.051	0.028
11	33	-3.272	0.212	0.013
11	34	-2.839	-0.007	0.024
11	35	-3.247	0.195	0.019
11	36	-2.484	-0.427	0.051
11	37	-3.726	0.782	0.013
11	38	-3.063	0.279	0.043
11	39	-2.356	-0.157	0.029
11	40	-2.561	0.226	0.026
11	41	-2.775	0.250	0.030
11	42	-3.069	-1.106	0.031
11	43	-4.550	-0.501	0.003
11	44	-3.684	-0.485	0.021
11	45	-3.354	-0.596	0.020
11	46	-1.864	-0.434	0.044
11	47	-2.986	-0.507	0.041
11	48	-3.640	-0.425	0.027
11	49	-3.115	-0.745	0.027
11	50	-3.882	-0.561	0.006
11	51	-3.891	0.160	0.008
11	52	-3.572	0.262	0.029
11	53	-4.132	0.127	0.017
11	54	-3.942	0.164	0.010
11	55	-3.712	0.333	0.039
11	56	-2.697	0.084	0.018
11	57	-2.408	-0.200	0.009
11	58	-3.623	-0.036	0.012
11	59	-2.624	0.106	0.019
12	0	-2.916	-0.059	0.009
12	1	-2.680	0.171	-0.001
12	2	-2.424	-0.009	0.005
12	3	-2.834	-0.091	0.005
12	4	-2.614	-0.061	0.011
12	5	-2.708	0.344	0.011
12	6	-2.646	-0.022	0.004
12	7	-3.757	-0.833	0.007
12	8	-4.070	-0.493	0.001
12	9	-2.996	-0.039	0.005
12	10	-3.516	0.368	0.009
12	11	-2.787	0.178	0.025
12	12	-3.066	-0.777	0.042
12	13	-4.497	-0.819	0.002
12	14	-3.488	-0.768	0.100
12	15	-3.783	-1.614	0.014
12	16	-2.774	0.025	0.047
12	17	-2.974	1.295	0.049
12	18	-3.077	1.310	0.008
12	19	-2.921	1.216	0.012
12	20	-3.435	0.411	0.003
12	21	-3.272	0.209	0.056
12	22	-2.869	0.219	0.060
12	23	-3.742	-1.096	0.033
12	24	-3.806	-0.381	0.008
12	25	-3.877	-0.135	0.003
12	26	-3.024	-0.274	0.009

12	27	-3.554	0.486	0.027
12	28	-3.482	0.300	0.000
12	29	-2.240	0.152	0.031
12	30	-2.118	0.504	0.006
12	31	-3.109	0.119	0.017
12	32	-3.677	0.089	0.002
12	33	-3.393	0.044	0.016
12	34	-3.236	0.068	0.009
12	35	-3.544	-0.032	0.004
12	36	-3.350	0.029	0.018
12	37	-3.265	-0.209	0.003
12	38	-3.369	0.336	0.009
12	39	-3.605	0.055	0.004
12	40	-3.714	-0.495	0.009
12	41	-2.724	-0.272	0.023
12	42	-2.935	1.555	0.034
12	43	-2.055	0.556	0.131
12	44	-3.620	0.543	0.040
12	45	-3.558	-0.188	0.048
12	46	-3.205	-0.060	0.035
12	47	-4.154	-0.158	0.020
12	48	-3.984	0.302	0.040
12	49	-2.862	0.350	0.084
12	50	-3.247	-0.183	0.025
12	51	-3.968	0.413	0.031
12	52	-3.973	-0.172	0.048
12	53	-3.682	-0.193	0.018
12	54	-4.015	-0.195	0.015
12	55	-3.993	-0.123	0.012
12	56	-4.785	-0.035	0.009
12	57	-4.624	0.201	0.018
12	58	-3.934	0.444	0.008
12	59	-4.216	-0.516	0.032
13	0	-3.989	-0.291	0.031
13	1	-3.768	0.008	0.026
13	2	-4.324	0.019	0.007
13	3	-4.857	0.467	0.013
13	4	-3.109	-0.253	0.047
13	5	-2.985	0.016	0.052
13	6	-3.021	-0.339	0.039
13	7	-2.913	-0.434	0.021
13	8	-2.999	0.047	0.007
13	9	-3.772	-0.445	0.009
13	10	-3.486	-0.708	0.004
13	11	-2.806	0.482	0.015
13	12	-2.484	0.309	0.007
13	13	-2.711	0.176	0.025
13	14	-3.236	-0.505	0.048
13	15	-4.286	-0.841	0.009
13	16	-3.429	-0.223	0.015
13	17	-3.489	-0.243	0.036
13	18	-3.436	0.079	0.010
13	19	-2.690	0.215	0.028
13	20	-3.877	1.385	0.017
13	21	-3.939	1.252	0.016
13	22	-3.842	1.488	0.008
13	23	-3.137	0.881	0.026
13	24	-2.968	1.410	0.012
13	25	-2.735	0.599	0.010
13	26	-3.077	0.354	0.018
13	27	-4.192	0.868	-0.002
13	28	-3.309	0.250	0.013
13	29	-3.172	-0.140	0.093
13	30	-4.841	-0.714	0.054
13	31	-3.231	-0.129	0.068
13	32	-4.114	0.399	0.018
13	33	-2.417	0.276	0.053
13	34	-4.633	0.466	0.024
13	35	-3.977	0.071	0.022
13	36	-3.218	-0.306	0.019
13	37	-3.481	0.266	0.019
13	38	-2.691	0.262	0.062
13	39	-3.683	0.039	0.017
13	40	-4.323	-0.063	0.022
13	41	-4.447	0.037	0.016
13	42	-4.896	0.321	0.022
13	43	-3.604	0.168	0.023
13	44	-3.464	0.306	0.047
13	45	-4.520	0.019	0.017
13	46	-4.669	0.472	0.044

13	47	-4.536	0.251	0.039
13	48	-4.435	0.287	0.023
13	49	-4.291	0.217	0.013
13	50	-4.705	0.086	0.016
13	51	-4.769	0.158	0.006
13	52	-4.500	0.429	0.038
13	53	-3.617	0.537	0.026
13	54	-2.566	0.039	0.049
13	55	-3.190	0.114	0.054
13	56	-4.047	-0.183	0.093
13	57	-3.940	-0.211	0.059
13	58	-5.302	-0.042	0.061
13	59	-5.570	0.131	0.020
14	0	-4.497	0.456	0.017
14	1	-4.739	0.338	0.008
14	2	-4.104	0.108	0.019
14	3	-4.681	0.186	0.030
14	4	-4.763	-0.215	0.057
14	5	-4.402	1.374	0.066
14	6	-5.512	1.305	0.034
14	7	-4.325	0.463	0.070
14	8	-5.185	-0.219	0.043
14	9	-5.482	0.230	0.018
14	10	-4.357	0.449	0.023
14	11	-5.074	1.008	0.012
14	12	-4.643	0.524	0.026
14	13	-5.182	0.815	0.032
14	14	-4.404	0.768	0.021
14	15	-5.296	0.873	0.007
14	16	-4.728	0.737	0.010
14	17	-4.926	0.767	0.014
14	18	-5.946	0.455	0.048
14	19	-4.843	0.542	0.050
14	20	-4.342	0.280	0.013
14	21	-5.043	-0.235	0.029
14	22	-5.016	0.054	0.025
14	23	-4.762	0.067	0.020
14	24	-4.944	-0.017	0.007
14	25	-4.972	-0.545	0.055
14	26	-4.518	-0.392	0.008
14	27	-5.408	-0.003	0.014
14	28	-5.483	0.254	0.023
14	29	-4.560	0.585	0.075
14	30	-5.434	0.632	0.078
14	31	-5.824	0.371	0.026
14	32	-5.647	0.491	0.071
14	33	-6.246	0.326	0.023
14	34	-5.880	0.027	0.040
14	35	-5.202	0.938	0.051
14	36	-5.470	0.430	0.071
14	37	-3.770	0.569	0.032
14	38	-5.926	0.834	0.043
14	39	-5.193	0.412	0.066
14	40	-4.144	-0.238	0.092
14	41	-3.780	0.083	0.098
14	42	-4.906	-0.210	0.131
14	43	-4.773	-0.005	0.094
14	44	-5.796	0.378	0.039
14	45	-5.391	0.985	0.040
14	46	-4.121	0.525	0.064
14	47	-4.430	-0.095	0.133
14	48	-6.322	-0.576	0.047
14	49	-5.663	-0.103	0.045
14	50	-5.639	0.226	0.067
14	51	-5.940	0.555	0.053
14	52	-6.043	1.291	0.043
14	53	-4.529	0.849	0.032
14	54	-5.475	0.101	0.036
14	55	-4.303	0.141	0.043
14	56	-4.986	-0.197	0.030
14	57	-5.521	0.181	0.037
14	58	-5.091	0.356	0.030
14	59	-4.909	0.579	0.065
15	0	-4.816	-0.237	0.048
15	1	-4.741	-0.111	0.067
15	2	-5.461	0.427	0.033
15	3	-4.748	0.676	0.032
15	4	-4.335	0.498	0.024
15	5	-3.374	0.128	0.018
15	6	-5.386	0.070	0.022





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

15	7	-5.713	0.291	0.035	16	27	-3.701	-0.475	0.059	17	47	-2.009	-2.624	0.032
15	8	-5.966	0.324	0.018	16	28	-4.603	0.105	0.043	17	48	-2.165	-2.292	0.028
15	9	-4.634	0.997	0.009	16	29	-3.143	-0.826	0.015	17	49	-2.143	-2.620	0.029
15	10	-4.452	1.433	0.017	16	30	-4.409	0.437	0.022	17	50	-1.959	-3.683	0.029
15	11	-3.492	-0.039	0.024	16	31	-3.599	0.054	0.027	17	51	-1.920	-3.279	0.015
15	12	-4.868	0.587	0.027	16	32	-2.949	-0.440	0.019	17	52	-2.009	-3.104	0.020
15	13	-5.574	0.636	0.024	16	33	-2.522	0.019	0.006	17	53	-1.735	-2.714	0.018
15	14	-3.850	-0.607	0.032	16	34	-2.588	-0.193	0.036	17	54	-2.229	-1.743	0.055
15	15	-4.084	-0.540	0.014	16	35	-2.517	-0.402	0.064	17	55	-1.748	-1.916	0.037
15	16	-3.781	0.114	0.006	16	36	-2.297	0.013	0.033	17	56	-1.206	-2.390	0.014
15	17	-3.121	-0.083	0.006	16	37	-2.890	0.979	0.004	17	57	-1.143	-3.088	0.014
15	18	-4.128	0.482	0.031	16	38	-2.597	0.197	0.041	17	58	-0.877	-2.427	0.039
15	19	-4.073	0.447	0.013	16	39	-4.097	0.012	0.015	17	59	-1.318	-2.631	0.026
15	20	-3.851	0.187	0.029	16	40	-4.057	-0.601	0.007	18	0	-1.243	-2.476	0.046
15	21	-2.652	1.704	0.038	16	41	-4.196	-0.427	0.022	18	1	-2.001	-3.112	0.022
15	22	-3.897	1.753	0.026	16	42	-3.257	-0.625	0.026	18	2	-2.759	-3.242	0.024
15	23	-4.907	1.978	0.014	16	43	-2.810	0.116	0.045	18	3	-1.152	-3.497	0.012
15	24	-4.331	0.814	0.022	16	44	-2.166	0.759	0.016	18	4	-0.997	-2.213	0.087
15	25	-5.187	-0.118	0.020	16	45	-2.685	1.362	0.013	18	5	-1.600	-2.643	0.009
15	26	-5.089	0.189	0.002	16	46	-3.103	1.616	0.006	18	6	-0.978	-1.627	0.049
15	27	-4.063	0.556	0.017	16	47	-3.875	0.553	0.020	18	7	-0.922	-2.465	0.023
15	28	-4.749	-0.286	0.053	16	48	-3.314	0.413	0.036	18	8	-2.191	-3.093	0.021
15	29	-5.460	0.553	0.019	16	49	-3.778	-0.261	0.034	18	9	-1.042	-2.436	0.049
15	30	-4.832	-0.071	0.026	16	50	-3.656	-0.096	0.017	18	10	-1.411	-2.728	0.048
15	31	-3.844	0.228	0.050	16	51	-4.047	0.367	0.017	18	11	-1.160	-2.604	0.041
15	32	-4.235	0.609	0.022	16	52	-3.140	-0.196	0.047	18	12	-1.599	-2.896	0.013
15	33	-5.349	0.756	0.042	16	53	-3.293	-0.210	0.028	18	13	-0.945	-3.445	0.034
15	34	-5.695	1.526	0.035	16	54	-3.680	0.019	0.021	18	14	-1.022	-2.285	0.024
15	35	-7.210	-1.414	0.056	16	55	-3.853	-0.363	0.024	18	15	-1.162	-3.901	0.021
15	36	-6.232	-0.499	0.029	16	56	-4.326	0.046	0.017	18	16	-0.898	-3.460	0.016
15	37	-5.057	0.030	0.059	16	57	-3.029	0.240	0.026	18	17	-1.155	-3.219	0.030
15	38	-4.342	-1.302	0.017	16	58	-2.851	0.376	0.021	18	18	-1.504	-2.648	0.026
15	39	-4.439	-0.848	0.014	16	59	-2.613	1.113	0.047	18	19	-1.182	-2.325	0.059
15	40	-4.299	-0.861	0.032	17	0	-3.663	1.144	0.019	18	20	-1.068	-2.793	0.042
15	41	-4.406	1.025	0.044	17	1	-4.667	1.030	0.026	18	21	-1.021	-1.977	0.031
15	42	-4.990	-0.130	0.022	17	2	-3.848	0.947	0.020	18	22	-1.976	-2.342	0.032
15	43	-5.151	-0.259	0.027	17	3	-3.099	0.983	0.019	18	23	-1.522	-2.315	0.044
15	44	-4.787	-0.469	0.016	17	4	-2.873	0.600	0.011	18	24	-1.029	-2.805	0.025
15	45	-4.263	-0.550	0.012	17	5	-1.864	0.098	0.051	18	25	-1.174	-1.670	0.048
15	46	-3.606	0.220	0.013	17	6	-2.025	0.854	0.077	18	26	-1.808	-1.968	0.041
15	47	-2.518	-0.120	0.034	17	7	-3.529	0.517	0.016	18	27	-2.001	-2.313	0.012
15	48	-3.176	-0.238	0.013	17	8	-3.307	0.310	0.014	18	28	-2.606	-2.953	0.007
15	49	-3.828	-0.177	0.013	17	9	-2.884	0.631	0.028	18	29	-3.302	-2.694	0.031
15	50	-3.888	-0.706	0.027	17	10	-3.067	0.205	0.035	18	30	-2.220	-2.801	0.034
15	51	-4.104	-1.037	-0.003	17	11	-3.718	-0.219	0.019	18	31	-2.261	-2.907	0.033
15	52	-3.157	-1.152	0.041	17	12	-3.224	-0.008	0.013	18	32	-2.763	-3.632	0.017
15	53	-4.353	-0.547	0.013	17	13	-2.803	-0.243	0.010	18	33	-2.042	-3.435	0.042
15	54	-3.341	-0.114	0.026	17	14	-2.846	-0.736	0.007	18	34	-1.987	-2.614	0.068
15	55	-3.368	-0.539	0.015	17	15	-2.591	-0.111	0.014	18	35	-1.806	-2.462	0.042
15	56	-3.745	0.088	0.015	17	16	-2.852	-0.308	0.015	18	36	-2.698	-3.072	0.036
15	57	-3.828	0.254	0.016	17	17	-3.438	-0.693	0.006	18	37	-1.827	-2.561	0.023
15	58	-3.727	0.121	0.001	17	18	-4.263	-0.645	0.020	18	38	-2.000	-2.591	0.023
15	59	-3.055	1.037	0.015	17	19	-4.323	-0.410	0.012	18	39	-2.260	-2.944	0.014
16	0	-3.531	0.671	0.016	17	20	-4.115	0.002	0.012	18	40	-1.608	-2.494	0.057
16	1	-5.176	0.230	0.010	17	21	-3.878	-0.231	0.026	18	41	-1.882	-2.299	0.040
16	2	-3.992	0.201	0.024	17	22	-3.726	-0.036	-0.000	18	42	-1.598	-2.224	0.034
16	3	-3.747	-0.385	0.005	17	23	-3.574	0.075	0.007	18	43	-1.901	-2.616	0.025
16	4	-3.868	-0.422	0.016	17	24	-3.275	0.117	0.016	18	44	-1.960	-2.761	0.015
16	5	-3.253	-0.570	0.008	17	25	-3.145	-0.211	0.012	18	45	-1.638	-2.650	0.020
16	6	-2.452	0.320	0.029	17	26	-3.051	-0.735	0.010	18	46	-1.293	-2.646	0.026
16	7	-3.888	-1.108	0.020	17	27	-2.551	-0.492	0.027	18	47	-1.337	-2.262	0.027
16	8	-3.994	0.090	0.036	17	28	-3.149	-0.441	0.007	18	48	-1.218	-2.018	0.036
16	9	-4.005	0.034	0.012	17	29	-3.623	-0.488	0.020	18	49	-1.853	-1.835	0.045
16	10	-3.607	0.344	0.011	17	30	-3.750	-1.556	0.020	18	50	-2.357	-2.609	0.004
16	11	-2.881	0.122	0.012	17	31	-3.925	-2.102	0.020	18	51	-1.421	-2.219	0.005
16	12	-2.831	0.276	0.023	17	32	-3.317	-2.582	0.027	18	52	-1.606	-2.688	0.003
16	13	-4.485	0.089	0.040	17	33	-3.589	-2.241	0.014	18	53	-1.705	-2.205	0.015
16	14	-4.521	-0.010	0.010	17	34	-3.260	-2.046	0.005	18	54	-1.710	-1.751	0.020
16	15	-3.308	0.209	0.003	17	35	-2.762	-2.060	0.011	18	55	-1.621	-1.982	0.039
16	16	-3.708	-0.047	0.020	17	36	-2.515	-1.996	0.021	18	56	-1.992	-1.559	0.017
16	17	-4.376	-1.163	0.010	17	37	-2.367	-1.064	0.021	18	57	-2.004	-2.318	0.028
16	18	-2.432	-0.742	0.037	17	38	-2.513	-0.937	0.017	18	58	-1.927	-1.919	0.016
16	19	-2.763	0.117	0.034	17	39	-2.133	-0.935	0.018	18	59	-1.695	-1.404	0.021
16	20	-3.839	0.306	0.023	17	40	-2.685	-0.865	0.022	19	0	-1.372	-1.017	0.027
16	21	-3.256	0.597	0.051	17	41	-2.489	-0.822	0.005	19	1	-2.141	-1.599	0.027
16	22	-3.950	0.726	0.013	17	42	-3.352	-0.936	0.015	19	2	-1.957	-1.376	0.002
16	23	-3.460	0.132	0.016	17	43	-2.845	-0.876	0.035	19	3	-2.607	-1.064	0.007
16	24	-3.685	0.024	0.019	17	44	-2.678	-1.182	0.002	19	4	-2.317	-1.268	0.010
16	25	-3.414	-0.712	0.010	17	45	-2.919	-2.143	0.012	19	5	-2.329	-1.515	0.004
16	26	-4.735	-0.203	0.012	17	46	-2.190	-2.263	0.029	19	6	-2.001	-0.820	0.002





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

19	7	-2.206	-1.042	0.008	20	27	-0.001	-1.612	0.002	21	47	0.000	0.000	0.000
19	8	-2.045	-0.825	0.009	20	28	-0.003	-1.625	0.000	21	48	0.000	0.000	0.000
19	9	-2.131	-1.090	0.019	20	29	-0.104	-1.264	0.001	21	49	0.002	0.007	0.053
19	10	-1.989	-1.443	0.004	20	30	-0.152	-1.113	0.006	21	50	0.000	0.000	0.006
19	11	-1.915	-0.749	0.014	20	31	-0.483	-1.846	0.001	21	51	0.000	0.000	0.039
19	12	-1.522	-1.306	0.007	20	32	-0.465	-1.612	0.015	21	52	0.001	0.003	0.085
19	13	-1.573	-1.085	0.003	20	33	0.002	-0.721	0.001	21	53	0.001	0.005	0.043
19	14	-1.126	-0.739	0.004	20	34	-0.182	-0.932	0.000	21	54	0.016	0.099	0.065
19	15	-1.091	-1.123	0.006	20	35	-0.039	-0.923	-0.004	21	55	0.000	0.196	0.008
19	16	-1.839	-1.359	0.024	20	36	0.005	-0.991	0.001	21	56	0.000	0.005	0.000
19	17	-1.481	-1.411	0.014	20	37	0.000	-0.209	-0.000	21	57	-0.029	0.067	0.000
19	18	-1.521	-1.434	0.022	20	38	0.000	0.000	0.000	21	58	0.001	0.064	0.005
19	19	-2.023	-1.563	0.006	20	39	0.000	0.000	0.000	21	59	0.000	0.263	0.037
19	20	-2.708	-2.293	0.011	20	40	0.000	0.000	0.000	22	0	0.000	0.240	0.033
19	21	-2.074	-2.249	0.015	20	41	0.000	0.000	-0.000	22	1	-0.001	0.060	0.004
19	22	-1.731	-1.970	0.004	20	42	0.000	0.000	-0.001	22	2	-0.001	0.009	0.019
19	23	-1.621	-1.287	0.011	20	43	-0.072	-0.801	0.000	22	3	-0.035	0.000	0.035
19	24	-1.821	-1.191	0.010	20	44	-0.098	-1.024	-0.002	22	4	0.000	0.000	0.017
19	25	-1.593	-1.080	0.001	20	45	0.001	-1.099	0.001	22	5	0.000	0.057	0.000
19	26	-1.315	-0.693	0.000	20	46	0.002	-0.990	0.005	22	6	-0.001	0.000	0.004
19	27	-1.337	-0.450	0.010	20	47	-0.064	-0.474	0.004	22	7	0.000	0.000	0.000
19	28	-1.477	-1.056	0.001	20	48	-0.204	-0.279	-0.001	22	8	-0.002	0.000	0.012
19	29	-1.162	-1.177	0.003	20	49	-0.577	-0.345	0.000	22	9	-0.004	0.083	0.003
19	30	-1.175	-1.013	0.003	20	50	-0.623	-0.365	-0.003	22	10	-0.252	0.000	0.000
19	31	-1.155	-1.180	0.001	20	51	-0.515	-0.257	-0.002	22	11	-0.481	0.000	0.000
19	32	-1.099	-1.439	0.002	20	52	-0.126	-0.759	-0.001	22	12	-0.602	-0.001	0.000
19	33	-1.047	-0.943	0.005	20	53	-0.101	-0.263	0.000	22	13	-0.458	0.000	0.000
19	34	-0.901	-1.493	0.021	20	54	0.000	0.000	0.000	22	14	-0.037	0.000	0.000
19	35	-1.191	-1.490	0.013	20	55	-0.075	-0.117	0.000	22	15	-0.163	0.000	0.000
19	36	-1.100	-0.988	0.020	20	56	-0.242	-0.124	0.015	22	16	-0.136	0.000	0.000
19	37	-1.235	-1.399	0.018	20	57	-0.005	-0.739	0.000	22	17	-0.062	0.000	0.014
19	38	-0.818	-1.379	0.004	20	58	0.000	-0.739	0.000	22	18	-0.085	0.000	0.000
19	39	-0.744	-1.226	0.002	20	59	0.000	-0.860	0.000	22	19	-0.039	0.010	0.000
19	40	-1.106	-1.599	0.003	21	0	-0.001	-0.901	0.003	22	20	-0.119	0.007	0.006
19	41	-1.081	-1.933	0.019	21	1	0.007	-0.464	0.014	22	21	0.000	0.059	0.007
19	42	-1.160	-1.751	0.009	21	2	0.000	-0.664	-0.000	22	22	-0.030	0.000	0.000
19	43	-0.790	-1.591	0.004	21	3	0.000	-0.527	-0.000	22	23	-0.343	0.000	0.000
19	44	-0.933	-1.952	0.005	21	4	0.000	-0.466	0.000	22	24	-0.540	0.000	0.000
19	45	-1.136	-1.280	0.008	21	5	0.000	-0.004	0.000	22	25	-0.486	0.000	0.000
19	46	-1.072	-1.432	0.005	21	6	-0.001	0.000	0.010	22	26	-0.093	0.310	0.039
19	47	-1.150	-1.722	0.005	21	7	0.004	0.086	0.086	22	27	0.049	0.208	0.101
19	48	-0.845	-1.733	0.013	21	8	0.028	0.166	0.076	22	28	0.006	0.462	0.037
19	49	-0.518	-1.475	0.006	21	9	0.009	0.134	0.080	22	29	0.014	0.689	0.073
19	50	-0.228	-1.678	0.002	21	10	-0.005	0.315	0.070	22	30	0.069	0.897	0.019
19	51	-0.231	-1.147	0.014	21	11	-0.003	0.467	0.071	22	31	0.046	0.739	0.016
19	52	-0.023	-0.918	0.006	21	12	-0.000	0.493	0.057	22	32	0.012	0.279	0.063
19	53	-0.076	-0.871	0.002	21	13	-0.003	0.568	0.065	22	33	-0.004	0.399	0.113
19	54	-0.076	-1.112	0.012	21	14	-0.001	0.484	0.080	22	34	-0.000	0.579	0.044
19	55	-0.036	-0.800	0.026	21	15	0.001	0.468	0.074	22	35	0.000	0.569	0.005
19	56	-0.231	-1.453	0.004	21	16	-0.011	0.366	0.088	22	36	-0.001	0.501	0.063
19	57	-0.674	-1.532	0.009	21	17	0.000	0.023	0.008	22	37	0.000	0.308	0.092
19	58	-0.313	-1.444	0.015	21	18	0.001	0.026	0.006	22	38	-0.000	0.192	0.108
19	59	-0.409	-1.748	0.017	21	19	-0.003	0.060	0.000	22	39	0.000	0.005	0.097
20	0	-0.564	-2.189	0.004	21	20	0.000	0.142	0.027	22	40	0.020	0.001	0.108
20	1	-0.439	-1.957	-0.002	21	21	0.001	0.386	0.047	22	41	0.000	0.000	0.066
20	2	-0.370	-1.815	0.011	21	22	-0.003	0.549	0.058	22	42	-0.000	0.011	0.045
20	3	-0.427	-1.756	0.031	21	23	0.000	0.478	0.022	22	43	-0.050	0.012	0.047
20	4	-0.300	-1.677	0.021	21	24	0.000	0.021	0.024	22	44	-0.025	0.000	0.043
20	5	-0.056	-2.135	0.014	21	25	0.000	0.039	0.025	22	45	0.000	0.004	0.006
20	6	-0.002	-2.165	0.021	21	26	0.000	0.016	0.084	22	46	0.000	0.019	0.012
20	7	-0.072	-1.740	0.011	21	27	0.119	0.012	0.080	22	47	0.000	0.000	0.027
20	8	-0.300	-1.241	0.004	21	28	0.021	-0.003	0.059	22	48	0.020	0.000	0.014
20	9	-0.188	-1.627	0.001	21	29	0.000	0.000	0.000	22	49	0.000	0.000	0.000
20	10	-0.199	-1.141	0.001	21	30	0.000	0.000	0.002	22	50	0.000	0.000	0.000
20	11	-0.565	-0.854	-0.001	21	31	0.000	0.000	0.023	22	51	0.155	0.000	0.029
20	12	-0.870	-0.749	0.001	21	32	0.000	0.004	0.034	22	52	0.003	0.003	0.066
20	13	-0.665	-0.572	0.011	21	33	0.000	0.000	0.000	22	53	0.000	0.000	0.050
20	14	-0.763	-0.810	-0.000	21	34	0.000	0.000	0.000	22	54	0.000	0.000	0.009
20	15	-0.743	-0.437	-0.004	21	35	0.000	0.000	0.000	22	55	0.000	0.000	0.006
20	16	-0.725	-0.438	-0.001	21	36	0.000	0.000	0.000	22	56	-0.331	0.000	-0.000
20	17	-0.303	-0.470	0.000	21	37	0.000	0.000	0.003	22	57	-0.593	0.000	0.000
20	18	-0.118	-0.589	0.000	21	38	0.000	0.000	0.001	22	58	-0.810	0.000	0.000
20	19	-0.115	-1.070	-0.001	21	39	0.012	0.000	0.007	22	59	-0.924	-0.000	0.000
20	20	-0.017	-0.798	0.000	21	40	0.021	0.041	0.075	23	0	-1.010	0.000	0.000
20	21	-0.112	-1.123	0.000	21	41	-0.203	0.003	0.024	23	1	-0.970	0.014	0.001
20	22	-0.442	-1.434	-0.000	21	42	-0.094	0.113	0.036	23	2	-0.696	0.000	0.000
20	23	-0.547	-1.541	-0.001	21	43	0.000	0.000	0.001	23	3	-0.548	0.000	0.001
20	24	-0.551	-1.345	0.001	21	44	0.000	-0.001	0.000	23	4	-0.812	-0.001	0.001
20	25	-0.200	-1.176	0.002	21	45	0.000	0.000	0.000	23	5	-0.743	-0.015	-0.000
20	26	-0.085	-1.598	0.004	21	46	0.000	0.000	0.000	23	6	-0.770	-0.005	-0.000



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

23	7	-0.828	0.000	0.000	0	24	-0.001	0.122	0.064	1	44	0.661	0.000	0.000
23	8	-0.697	-0.280	0.002	0	25	0.001	0.368	0.136	1	45	0.443	0.000	0.002
23	9	-0.837	-0.231	0.000	0	26	0.007	0.487	0.076	1	46	0.000	-0.631	0.001
23	10	-0.693	0.000	-0.001	0	27	0.000	0.448	0.065	1	47	0.015	-1.015	0.006
23	11	-0.613	0.000	0.000	0	28	-0.000	0.367	0.038	1	48	0.018	-0.473	0.000
23	12	-0.701	0.000	0.000	0	29	-0.016	0.251	0.094	1	49	0.000	-0.001	0.000
23	13	-0.688	0.000	-0.002	0	30	-0.010	0.138	0.116	1	50	0.000	0.000	0.000
23	14	-0.643	0.000	0.000	0	31	-0.062	0.000	0.004	1	51	-0.329	-0.814	0.000
23	15	-0.532	0.000	0.000	0	32	-0.631	0.000	0.000	1	52	-1.204	-0.326	0.000
23	16	-0.253	0.030	0.004	0	33	-0.784	0.000	0.000	1	53	-0.226	0.000	0.001
23	17	0.000	0.000	0.000	0	34	-0.721	0.000	0.000	1	54	0.001	0.054	0.062
23	18	0.000	-0.001	0.000	0	35	-0.578	0.000	0.000	1	55	-0.002	1.028	0.052
23	19	0.000	0.000	0.000	0	36	-0.517	0.000	0.000	1	56	0.003	1.264	0.004
23	20	0.000	0.000	0.000	0	37	-0.481	0.000	0.000	1	57	0.056	1.133	0.017
23	21	0.000	0.000	0.000	0	38	-0.399	-0.033	0.000	1	58	0.014	0.443	0.022
23	22	0.000	0.000	0.000	0	39	0.000	0.000	0.002	1	59	0.000	0.036	0.033
23	23	0.000	0.000	0.000	0	40	0.000	0.000	0.000	2	0	0.008	0.012	0.066
23	24	-0.001	0.000	0.000	0	41	0.000	0.000	0.000	2	1	0.461	0.564	0.022
23	25	0.000	0.000	0.000	0	42	0.000	0.000	0.000	2	2	0.015	0.232	0.107
23	26	0.000	0.000	0.000	0	43	0.000	0.000	0.002	2	3	0.000	0.081	0.018
23	27	0.000	0.000	0.005	0	44	0.000	0.000	0.000	2	4	0.397	0.000	0.010
23	28	-0.081	0.000	0.000	0	45	0.000	0.000	0.000	2	5	0.868	0.000	0.005
23	29	0.000	0.002	0.000	0	46	0.000	0.000	0.000	2	6	0.663	0.000	0.000
23	30	0.001	0.012	0.050	0	47	-0.001	0.000	0.000	2	7	0.665	0.000	0.000
23	31	0.000	0.002	0.116	0	48	0.000	-0.042	0.000	2	8	0.518	0.000	0.000
23	32	0.000	0.129	0.172	0	49	-0.562	-0.354	0.000	2	9	0.013	0.000	0.024
23	33	0.000	0.395	0.059	0	50	-0.519	-0.528	0.000	2	10	0.000	0.001	0.066
23	34	-0.001	0.401	0.075	0	51	-0.475	-0.475	0.000	2	11	0.000	0.000	0.009
23	35	0.000	0.397	0.040	0	52	-0.312	-0.537	0.000	2	12	0.000	0.000	0.010
23	36	-0.001	0.543	0.100	0	53	-0.458	-0.138	0.000	2	13	0.000	0.000	0.001
23	37	-0.002	0.523	0.077	0	54	-0.437	-0.001	0.000	2	14	0.000	0.000	0.000
23	38	-0.039	0.428	0.001	0	55	-0.074	-0.007	0.000	2	15	0.000	0.000	0.009
23	39	0.000	0.003	0.000	0	56	0.000	-0.001	0.000	2	16	0.000	0.000	0.000
23	40	-0.033	0.051	0.001	0	57	0.000	0.006	0.024	2	17	0.000	0.000	0.000
23	41	-0.138	0.035	0.033	0	58	-0.002	0.027	0.119	2	18	0.000	0.000	0.001
23	42	-0.493	0.031	0.000	0	59	-0.001	0.011	0.085	2	19	0.000	0.000	0.004
23	43	-0.629	-0.100	0.000	1	0	0.018	0.035	0.141	2	20	0.000	0.000	0.029
23	44	-0.555	0.000	0.000	1	1	0.000	0.009	0.113	2	21	-0.001	0.090	0.107
23	45	-0.582	0.000	0.000	1	2	0.000	-0.001	0.034	2	22	-0.093	0.016	0.061
23	46	-0.640	0.000	0.000	1	3	0.026	0.000	0.084	2	23	-0.113	0.149	0.030
23	47	-0.704	0.000	0.000	1	4	0.000	0.000	0.086	2	24	-0.001	0.604	0.037
23	48	-0.794	0.000	0.000	1	5	0.000	0.000	0.025	2	25	0.000	0.687	0.000
23	49	-0.797	0.000	0.000	1	6	0.004	0.000	0.058	2	26	0.506	0.716	0.032
23	50	-0.688	0.000	0.000	1	7	0.000	-0.000	0.032	2	27	0.727	0.388	0.007
23	51	-0.711	0.000	0.001	1	8	0.232	0.001	0.017	2	28	0.003	0.126	0.089
23	52	-0.597	0.000	0.000	1	9	0.001	0.012	0.000	2	29	0.139	0.047	0.039
23	53	-0.641	0.000	0.001	1	10	0.000	0.031	0.000	2	30	0.007	0.321	0.079
23	54	-0.836	0.000	0.000	1	11	0.000	0.004	0.000	2	31	0.002	0.296	0.014
23	55	-0.862	0.000	0.000	1	12	0.000	-0.001	0.000	2	32	0.108	0.260	0.032
23	56	-1.010	0.000	0.000	1	13	0.000	0.000	0.000	2	33	0.012	0.388	0.009
23	57	-1.007	0.000	0.000	1	14	-0.370	-0.062	0.000	2	34	0.000	0.226	0.066
23	58	-0.919	0.000	0.000	1	15	-0.701	-0.131	0.000	2	35	0.006	0.350	0.034
23	59	-0.808	-0.312	0.000	1	16	-0.612	0.000	0.000	2	36	0.005	0.047	0.051
					1	17	-0.629	0.000	0.000	2	37	0.016	0.187	0.127
					1	18	-0.796	0.000	0.000	2	38	0.006	0.289	0.052
					1	19	-1.157	0.305	0.000	2	39	0.000	0.463	0.003
					1	20	-1.167	0.309	0.000	2	40	0.000	0.293	0.037
					1	21	-0.676	0.208	0.000	2	41	0.021	0.046	0.011
					1	22	-0.088	0.080	0.000	2	42	0.173	0.366	0.005
					1	23	0.000	0.041	0.000	2	43	0.000	0.620	0.001
					1	24	-0.000	0.028	0.000	2	44	0.302	0.669	0.017
					1	25	0.000	0.000	0.000	2	45	0.274	0.435	0.009
					1	26	0.000	0.064	0.000	2	46	0.212	0.000	0.014
					1	27	0.000	0.004	0.000	2	47	0.391	0.000	0.004
					1	28	-0.000	0.005	0.000	2	48	0.641	0.000	0.003
					1	29	0.000	0.000	0.000	2	49	0.588	0.110	0.006
					1	30	-0.444	-0.011	0.000	2	50	1.133	0.656	0.003
					1	31	-0.463	0.000	0.000	2	51	1.043	0.513	0.009
					1	32	-0.209	0.000	0.000	2	52	0.692	0.244	0.050
					1	33	-0.037	0.218	0.023	2	53	1.155	0.284	0.012
					1	34	-0.314	0.423	0.002	2	54	1.261	0.142	0.003
					1	35	-0.428	0.856	0.000	2	55	1.081	0.104	0.008
					1	36	-0.207	1.152	0.012	2	56	0.771	0.275	0.009
					1	37	-0.123	1.097	0.010	2	57	0.162	0.160	0.080
					1	38	-0.017	0.999	0.010	2	58	0.000	0.273	0.072
					1	39	0.000	0.280	0.063	2	59	0.083	0.420	0.058
					1	40	-0.000	0.000	0.018	3	0	0.195	0.370	0.010
					1	41	0.000	-0.000	0.023	3	1	0.535	0.871	0.006
					1	42	0.000	0.000	0.005	3	2	0.445	1.046	0.008
					1	43	0.297	0.000	0.005	3	3	0.666	1.124	0.006

19/07/95



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

3	4	0.532	1.100	0.018	4	24	0.000	-0.307	0.000	5	44	0.310	0.425	0.054
3	5	0.282	0.932	0.005	4	25	0.000	-1.067	0.000	5	45	0.313	0.494	0.005
3	6	0.127	0.476	0.060	4	26	0.000	-0.762	0.000	5	46	0.103	0.558	0.008
3	7	0.000	0.698	0.008	4	27	0.000	-0.115	0.000	5	47	0.023	0.493	0.024
3	8	0.167	0.497	0.030	4	28	0.000	0.005	0.007	5	48	0.000	0.784	0.000
3	9	0.646	0.076	0.040	4	29	-0.002	0.355	0.022	5	49	0.004	0.821	0.003
3	10	0.639	0.000	0.039	4	30	0.000	0.913	0.003	5	50	0.000	0.615	0.009
3	11	0.508	0.099	0.000	4	31	0.004	1.265	0.011	5	51	0.317	0.428	0.007
3	12	0.013	0.499	0.066	4	32	0.000	0.716	0.024	5	52	0.516	0.191	0.006
3	13	-0.001	0.559	0.061	4	33	0.280	0.393	0.049	5	53	0.395	0.001	0.005
3	14	0.000	0.496	0.042	4	34	0.573	0.511	0.026	5	54	0.298	0.000	0.000
3	15	0.000	0.525	0.007	4	35	0.343	0.751	0.016	5	55	0.015	0.000	0.000
3	16	0.005	0.590	0.022	4	36	0.557	0.897	0.016	5	56	0.000	0.000	0.000
3	17	0.000	0.532	0.017	4	37	0.642	0.885	0.009	5	57	0.000	0.000	0.000
3	18	0.616	0.428	0.009	4	38	0.777	0.984	0.012	5	58	0.000	0.000	0.000
3	19	1.022	0.116	0.007	4	39	0.628	0.587	0.030	5	59	0.000	0.000	0.000
3	20	1.179	0.000	0.008	4	40	0.408	0.158	0.009	6	0	0.000	0.000	0.000
3	21	1.304	0.000	0.010	4	41	0.599	0.000	0.005	6	1	0.000	0.000	0.000
3	22	1.340	0.000	0.024	4	42	0.607	0.000	0.000	6	2	0.000	0.000	0.000
3	23	1.124	0.069	0.031	4	43	0.577	0.000	0.017	6	3	0.000	0.000	0.000
3	24	0.425	0.386	0.050	4	44	0.620	0.022	0.009	6	4	0.000	0.000	0.000
3	25	0.000	0.002	0.038	4	45	0.652	0.754	0.002	6	5	0.000	0.000	0.000
3	26	-0.064	-0.017	0.010	4	46	0.651	0.458	0.002	6	6	0.000	0.000	0.000
3	27	-0.198	0.000	-0.000	4	47	0.685	0.228	0.000	6	7	-0.002	0.000	0.000
3	28	-0.216	0.000	0.000	4	48	0.441	0.007	0.003	6	8	0.000	0.000	0.000
3	29	0.000	-0.064	0.000	4	49	0.482	0.000	0.000	6	9	0.000	0.000	0.000
3	30	0.000	-0.009	0.034	4	50	0.078	0.000	0.000	6	10	0.000	0.000	0.000
3	31	0.001	0.000	0.051	4	51	0.000	0.000	0.000	6	11	0.000	-0.203	0.000
3	32	0.000	-0.018	0.000	4	52	0.004	0.000	0.000	6	12	0.000	-0.446	0.000
3	33	0.000	0.000	0.000	4	53	0.066	0.000	0.000	6	13	0.000	-0.359	0.000
3	34	0.353	0.000	0.000	4	54	0.500	-0.018	0.007	6	14	0.000	-0.042	0.000
3	35	0.578	0.000	0.000	4	55	0.148	0.000	0.000	6	15	0.000	0.000	0.000
3	36	0.236	0.000	0.001	4	56	0.003	0.000	0.000	6	16	0.000	0.000	0.000
3	37	0.132	0.019	0.001	4	57	0.000	0.000	0.000	6	17	-0.008	0.000	0.000
3	38	0.006	0.007	0.099	4	58	0.000	0.000	0.000	6	18	-0.095	0.000	0.000
3	39	0.020	0.167	0.113	4	59	-0.000	0.068	0.039	6	19	-0.239	0.000	0.000
3	40	0.006	0.460	0.073	5	0	-0.004	0.274	0.060	6	20	-0.404	0.000	0.000
3	41	0.031	0.755	0.015	5	1	-0.011	0.127	0.037	6	21	-0.480	0.000	0.000
3	42	0.478	0.991	0.006	5	2	-0.048	0.206	0.001	6	22	-0.500	0.004	0.000
3	43	0.494	1.093	0.015	5	3	0.000	0.030	0.032	6	23	-0.495	0.000	0.000
3	44	0.440	1.010	0.024	5	4	0.000	0.000	0.000	6	24	-0.264	0.113	0.001
3	45	0.461	0.952	0.003	5	5	0.000	0.000	0.007	6	25	-0.001	0.203	0.005
3	46	0.343	0.896	0.011	5	6	0.000	0.008	0.021	6	26	0.000	0.007	0.011
3	47	0.151	0.381	0.011	5	7	0.000	0.019	0.049	6	27	-0.001	0.167	0.091
3	48	0.133	0.013	0.030	5	8	0.096	0.158	0.038	6	28	-0.000	0.059	0.038
3	49	0.015	-0.759	0.024	5	9	0.095	0.031	0.009	6	29	0.001	0.395	0.044
3	50	0.006	-0.560	0.002	5	10	-0.029	0.000	0.000	6	30	-0.000	0.304	0.056
3	51	0.004	0.484	0.007	5	11	0.000	0.000	0.063	6	31	-0.004	0.272	0.003
3	52	0.039	0.860	0.000	5	12	0.266	0.000	0.035	6	32	0.000	0.221	0.026
3	53	0.431	0.870	0.000	5	13	0.194	0.000	0.004	6	33	0.127	0.385	0.023
3	54	0.475	0.899	0.001	5	14	0.372	0.312	0.019	6	34	0.069	0.025	0.024
3	55	0.582	0.793	0.000	5	15	0.584	0.964	0.005	6	35	0.141	0.202	0.003
3	56	0.559	0.815	0.000	5	16	0.137	0.599	0.001	6	36	0.201	0.306	0.019
3	57	0.261	0.673	0.009	5	17	0.145	0.119	0.039	6	37	0.042	0.372	0.014
3	58	-0.082	0.060	0.079	5	18	0.085	0.289	0.015	6	38	0.000	0.468	0.003
3	59	-0.518	-0.963	0.004	5	19	0.000	0.108	0.011	6	39	0.000	0.242	0.000
4	0	-0.064	-0.885	0.000	5	20	0.000	0.045	0.020	6	40	0.000	0.209	0.000
4	1	0.000	-0.650	0.001	5	21	0.000	0.153	0.000	6	41	0.000	0.190	0.002
4	2	-0.001	-0.771	0.002	5	22	0.000	-0.003	0.035	6	42	0.086	0.064	0.042
4	3	0.000	-0.153	0.000	5	23	0.000	0.000	0.034	6	43	0.312	0.000	0.038
4	4	0.000	0.170	0.047	5	24	0.009	0.000	0.011	6	44	0.549	0.002	0.008
4	5	0.000	0.089	0.040	5	25	0.260	0.000	0.000	6	45	0.411	0.000	0.000
4	6	0.000	0.000	0.000	5	26	0.153	0.000	0.005	6	46	0.099	0.207	0.041
4	7	0.000	0.000	0.000	5	27	0.000	0.000	0.000	6	47	0.004	0.279	0.113
4	8	0.000	0.000	0.002	5	28	0.010	0.000	0.009	6	48	0.051	0.333	0.045
4	9	-0.047	-0.624	0.001	5	29	0.000	0.382	0.085	6	49	0.188	0.358	0.049
4	10	0.000	-0.476	0.004	5	30	0.000	0.257	0.048	6	50	0.269	0.179	0.003
4	11	0.154	0.144	0.000	5	31	0.000	0.000	0.044	6	51	0.198	0.006	0.007
4	12	0.686	0.709	0.016	5	32	0.000	0.026	0.068	6	52	0.339	0.000	0.022
4	13	0.405	0.976	0.032	5	33	0.000	0.020	0.077	6	53	0.400	0.000	0.000
4	14	0.089	0.606	0.058	5	34	0.035	0.200	0.070	6	54	0.488	0.000	0.000
4	15	0.006	0.239	0.044	5	35	0.142	0.000	0.025	6	55	0.391	0.000	0.030
4	16	0.011	0.184	0.042	5	36	0.208	0.031	0.047	6	56	0.034	0.033	0.107
4	17	0.121	0.000	0.081	5	37	0.074	0.102	0.035	6	57	-0.020	0.018	0.086
4	18	0.152	0.178	0.070	5	38	0.009	0.163	0.049	6	58	-0.009	0.020	0.063
4	19	0.000	-0.002	0.047	5	39	0.000	0.103	0.075	6	59	0.014	0.246	0.072
4	20	0.000	0.000	0.000	5	40	0.001	0.010	0.059	7	0	0.024	0.018	0.130
4	21	0.000	0.000	0.000	5	41	0.079	0.041	0.053	7	1	0.004	0.292	0.129
4	22	0.000	0.296	0.065	5	42	0.020	0.268	0.052	7	2	-0.007	0.189	0.057
4	23	0.000	0.000	0.040	5	43	0.116	0.260	0.012	7	3	0.008	0.033	0.062



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

7	4	-0.049	0.022	0.039	8	24	-0.530	0.020	0.016	9	44	-2.686	0.113	0.000
7	5	-0.136	0.059	0.068	8	25	-0.251	0.335	0.012	9	45	-1.711	-0.136	0.011
7	6	-0.155	0.091	0.024	8	26	-0.980	0.046	0.002	9	46	-1.984	0.487	0.011
7	7	0.006	0.254	0.043	8	27	-1.099	0.291	0.006	9	47	-2.713	0.312	0.008
7	8	-0.029	0.505	0.017	8	28	-0.910	-0.036	0.009	9	48	-2.364	1.230	0.010
7	9	-0.003	0.365	0.063	8	29	-0.639	-0.793	0.008	9	49	-2.645	0.464	0.005
7	10	0.042	0.464	0.099	8	30	-0.766	-1.388	0.004	9	50	-1.806	-0.071	0.000
7	11	-0.010	0.020	0.077	8	31	-1.009	-0.518	0.000	9	51	-1.789	0.319	0.022
7	12	-0.024	0.099	0.040	8	32	-0.208	-0.525	0.004	9	52	-2.420	-0.175	0.009
7	13	0.000	0.013	0.044	8	33	-0.496	-0.702	0.025	9	53	-3.176	-0.365	0.004
7	14	0.000	0.000	0.041	8	34	-0.476	-0.056	0.012	9	54	-2.902	0.151	0.000
7	15	0.000	0.000	0.003	8	35	-0.926	0.162	-0.001	9	55	-1.276	0.393	0.001
7	16	0.000	-0.006	0.000	8	36	-0.921	0.056	0.000	9	56	-1.746	-0.182	0.004
7	17	0.000	-0.008	0.005	8	37	-1.150	0.119	0.002	9	57	-1.982	0.968	0.005
7	18	0.000	0.000	0.000	8	38	-0.769	0.517	0.018	9	58	-1.997	-0.010	0.022
7	19	-0.143	-0.001	0.001	8	39	-1.871	0.228	0.004	9	59	-3.288	0.191	0.004
7	20	-0.099	-0.097	0.000	8	40	-1.541	-0.273	0.012	10	0	-2.914	0.057	0.020
7	21	0.116	-0.020	0.012	8	41	-0.427	0.366	0.032	10	1	-3.514	0.012	0.004
7	22	0.031	-0.024	0.021	8	42	-1.378	0.364	0.002	10	2	-2.957	0.049	0.009
7	23	0.790	-0.014	0.000	8	43	-1.117	-0.001	0.002	10	3	-2.019	0.277	0.004
7	24	0.696	-0.003	0.000	8	44	-0.707	0.378	0.000	10	4	-1.351	0.092	0.000
7	25	0.448	-0.283	0.001	8	45	-0.609	0.576	0.011	10	5	-1.371	-0.085	0.002
7	26	0.633	-0.157	-0.000	8	46	-1.334	0.259	0.001	10	6	-3.026	-0.376	0.006
7	27	0.564	0.000	0.010	8	47	-1.306	0.435	0.000	10	7	-1.101	-0.141	0.012
7	28	0.705	0.000	0.000	8	48	-1.018	0.087	0.000	10	8	-1.926	-0.128	0.001
7	29	0.713	0.000	0.000	8	49	-1.240	0.056	-0.002	10	9	-2.593	-0.032	0.000
7	30	0.240	0.208	0.020	8	50	-0.434	0.083	0.004	10	10	-2.088	-0.036	0.005
7	31	0.436	0.054	0.025	8	51	-0.090	0.018	0.054	10	11	-1.390	0.018	0.003
7	32	0.447	0.000	0.019	8	52	-0.907	-0.753	0.014	10	12	-1.619	0.099	0.002
7	33	0.022	0.000	0.015	8	53	-1.518	0.094	0.008	10	13	-2.222	-0.265	0.019
7	34	0.000	0.000	0.011	8	54	-1.153	0.672	0.005	10	14	-3.356	-0.896	0.003
7	35	0.000	-0.088	0.000	8	55	-2.090	0.360	0.007	10	15	-2.748	-0.527	0.001
7	36	0.000	-0.201	0.024	8	56	-3.286	0.212	0.005	10	16	-2.126	-0.357	0.002
7	37	0.007	-0.281	0.016	8	57	-2.869	0.101	0.004	10	17	-2.929	0.628	0.003
7	38	-0.000	0.000	0.039	8	58	-2.935	0.373	0.003	10	18	-3.163	-0.038	0.010
7	39	0.000	0.000	0.000	8	59	-2.684	0.194	0.003	10	19	-2.630	-0.137	0.004
7	40	0.002	0.125	0.050	9	0	-2.428	0.183	0.004	10	20	-2.005	-0.066	-0.001
7	41	0.014	0.003	0.070	9	1	-2.796	0.108	0.001	10	21	-2.290	-0.758	0.004
7	42	0.221	-0.000	0.050	9	2	-2.713	0.120	0.005	10	22	-2.671	-0.605	0.021
7	43	0.000	0.000	0.001	9	3	-2.488	0.098	0.005	10	23	-3.150	-0.556	0.007
7	44	0.000	0.000	0.001	9	4	-2.028	0.141	0.003	10	24	-2.471	-0.651	0.005
7	45	0.052	-0.007	0.028	9	5	-1.916	-0.248	0.015	10	25	-2.042	-0.611	0.008
7	46	0.000	0.000	0.000	9	6	-1.872	0.097	0.000	10	26	-1.960	-0.958	0.006
7	47	0.000	0.000	0.000	9	7	-1.498	0.346	0.001	10	27	-3.047	-0.961	-0.000
7	48	-0.001	0.000	0.019	9	8	-1.767	-0.050	0.011	10	28	-1.774	-1.084	0.024
7	49	0.051	-0.000	0.000	9	9	-2.414	-0.082	0.006	10	29	-2.694	-0.212	0.014
7	50	0.050	0.000	0.000	9	10	-2.638	0.137	0.002	10	30	-2.051	0.161	0.005
7	51	0.000	0.000	0.002	9	11	-1.870	-0.021	0.000	10	31	-2.667	-0.498	0.006
7	52	0.000	0.000	0.000	9	12	-1.811	-0.564	0.007	10	32	-4.185	-0.224	0.002
7	53	0.000	0.000	0.000	9	13	-1.995	-0.436	0.000	10	33	-4.077	-0.271	0.002
7	54	-0.220	0.005	0.015	9	14	-1.545	-0.036	0.006	10	34	-2.943	-1.028	0.007
7	55	-0.352	0.045	0.012	9	15	-2.131	-0.289	0.011	10	35	-2.255	-0.540	0.019
7	56	-0.041	0.095	0.022	9	16	-3.107	-1.063	0.006	10	36	-2.032	0.378	0.002
7	57	-0.002	0.004	0.037	9	17	-2.977	-0.622	0.004	10	37	-2.289	0.293	0.002
7	58	0.000	0.018	0.021	9	18	-2.696	-0.319	0.001	10	38	-1.635	0.534	0.025
7	59	-0.083	0.062	0.042	9	19	-2.163	-0.367	0.019	10	39	-2.008	0.700	0.006
8	0	0.000	0.037	0.037	9	20	-2.667	-0.675	0.004	10	40	-4.130	0.118	0.002
8	1	0.004	0.018	0.060	9	21	-1.882	-1.055	0.008	10	41	-4.446	0.303	0.011
8	2	-0.038	-0.003	0.025	9	22	-2.602	1.293	0.002	10	42	-3.420	-0.140	0.000
8	3	-0.125	-0.003	0.010	9	23	-1.689	0.657	0.005	10	43	-2.938	-0.277	0.018
8	4	-0.042	0.001	0.023	9	24	-2.796	0.401	0.011	10	44	-3.777	-0.335	0.001
8	5	-0.139	-0.325	0.014	9	25	-2.223	0.716	0.001	10	45	-3.517	-0.339	0.009
8	6	-0.523	-0.544	0.003	9	26	-2.269	0.865	0.005	10	46	-4.119	0.205	0.005
8	7	-0.285	-0.168	-0.000	9	27	-2.680	1.083	0.006	10	47	-4.322	-0.069	0.002
8	8	-0.008	-0.420	0.004	9	28	-2.020	1.059	0.007	10	48	-3.300	0.005	0.012
8	9	0.000	-0.041	0.002	9	29	-1.920	0.369	0.020	10	49	-3.291	0.021	0.017
8	10	-0.001	0.000	0.000	9	30	-2.536	0.551	0.010	10	50	-3.330	0.044	0.002
8	11	-0.130	-0.024	0.004	9	31	-3.274	0.716	0.007	10	51	-2.441	0.055	0.012
8	12	-0.175	0.076	0.045	9	32	-3.027	0.449	0.007	10	52	-2.966	-0.490	0.021
8	13	-0.021	0.254	0.033	9	33	-2.368	0.487	0.005	10	53	-2.873	0.010	0.005
8	14	0.000	0.039	0.019	9	34	-2.714	0.143	0.006	10	54	-3.394	-0.328	0.011
8	15	-0.059	0.162	0.014	9	35	-2.586	0.433	0.001	10	55	-2.864	-0.316	0.000
8	16	-0.191	0.263	0.004	9	36	-2.167	0.121	0.000	10	56	-2.977	-0.573	0.012
8	17	-0.120	0.050	0.000	9	37	-1.384	0.087	0.002	10	57	-1.811	-0.115	0.006
8	18	-0.004	0.074	0.055	9	38	-2.278	0.155	0.005	10	58	-0.733	-0.242	0.036
8	19	-0.312	0.235	-0.001	9	39	-3.098	0.220	0.010	10	59	-1.936	0.273	0.000
8	20	-0.235	0.264	0.013	9	40	-3.705	0.051	0.003	11	0	-2.989	0.129	0.004
8	21	-0.400	0.017	0.013	9	41	-3.361	0.011	0.003	11	1	-2.375	0.517	0.000
8	22	-0.014	0.000	0.000	9	42	-3.228	-0.075	0.000	11	2	-1.921	0.100	0.004
8	23	-0.373	-0.233	0.028	9	43	-3.018	-0.174	0.001	11	3	-3.205	-0.189	0.009





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

11	4	-3.643	-0.301	0.000	12	24	-3.387	0.764	0.043	13	44	-3.117	0.774	0.051
11	5	-2.875	-0.108	0.002	12	25	-3.931	1.021	0.007	13	45	-3.717	0.294	0.014
11	6	-3.015	-1.733	0.011	12	26	-3.652	0.208	0.011	13	46	-3.755	-0.015	0.017
11	7	-3.168	-1.390	0.005	12	27	-2.876	0.170	0.015	13	47	-4.029	0.129	0.047
11	8	-1.851	-0.504	0.005	12	28	-3.365	0.113	0.007	13	48	-4.647	0.034	0.034
11	9	-3.960	0.088	0.009	12	29	-4.168	0.343	0.009	13	49	-4.590	-0.055	0.042
11	10	-3.481	0.008	0.005	12	30	-4.046	0.057	0.011	13	50	-5.315	-0.187	0.033
11	11	-2.688	0.053	0.011	12	31	-3.557	0.066	0.001	13	51	-5.265	-0.229	0.032
11	12	-2.604	-0.547	0.001	12	32	-3.226	0.090	0.008	13	52	-5.949	-0.377	0.006
11	13	-3.359	-0.789	0.004	12	33	-4.003	0.544	0.011	13	53	-5.942	-0.080	0.036
11	14	-3.220	0.487	0.015	12	34	-3.366	0.403	0.010	13	54	-5.001	-0.372	0.020
11	15	-2.929	0.663	0.000	12	35	-4.325	0.900	0.001	13	55	-4.301	-0.169	0.016
11	16	-2.666	0.339	0.029	12	36	-2.640	0.906	0.011	13	56	-4.587	0.078	0.035
11	17	-2.807	-0.056	0.002	12	37	-3.983	-0.139	0.015	13	57	-3.856	-0.086	0.063
11	18	-2.827	0.229	0.007	12	38	-4.103	0.190	0.002	13	58	-3.368	-0.595	0.079
11	19	-2.480	-0.122	0.013	12	39	-4.491	-0.257	0.011	13	59	-3.997	0.441	0.024
11	20	-2.722	0.045	0.003	12	40	-5.250	-0.145	0.009	14	0	-4.206	-0.239	0.034
11	21	-1.981	0.109	0.006	12	41	-4.651	-0.073	0.005	14	1	-3.435	-0.117	0.037
11	22	-2.676	-0.276	0.012	12	42	-4.052	0.038	0.005	14	2	-2.784	0.255	0.039
11	23	-3.823	-0.699	0.004	12	43	-4.338	-0.110	0.008	14	3	-3.967	0.056	0.026
11	24	-3.599	-1.269	0.001	12	44	-5.021	-0.148	0.008	14	4	-3.799	-0.166	0.031
11	25	-3.221	-0.373	0.016	12	45	-4.425	-0.156	0.019	14	5	-4.627	-0.095	0.022
11	26	-2.450	-0.173	0.016	12	46	-3.630	-0.191	0.019	14	6	-5.885	-0.005	0.017
11	27	-2.249	0.087	0.013	12	47	-3.281	-0.289	0.016	14	7	-5.101	-0.072	0.044
11	28	-2.476	0.171	0.005	12	48	-3.407	0.306	0.006	14	8	-4.922	0.349	0.009
11	29	-2.581	0.394	0.001	12	49	-3.767	-0.202	0.020	14	9	-5.149	0.605	0.014
11	30	-1.658	0.034	-0.001	12	50	-3.602	-0.505	0.040	14	10	-4.524	0.013	0.008
11	31	-1.466	0.912	0.009	12	51	-4.803	0.188	0.006	14	11	-4.338	0.275	0.025
11	32	-3.349	0.417	0.002	12	52	-4.311	0.197	0.004	14	12	-4.330	0.121	0.016
11	33	-2.793	0.194	0.004	12	53	-3.598	0.182	0.022	14	13	-4.240	0.139	0.022
11	34	-3.010	0.509	-0.000	12	54	-5.691	0.005	0.012	14	14	-4.613	0.136	0.017
11	35	-2.336	0.444	0.017	12	55	-4.921	-0.042	0.010	14	15	-4.101	0.174	0.014
11	36	-2.119	0.747	0.004	12	56	-5.867	0.010	0.013	14	16	-3.487	-0.040	0.054
11	37	-2.427	1.094	0.004	12	57	-5.597	-0.026	0.015	14	17	-4.749	0.066	0.012
11	38	-2.727	0.182	0.013	12	58	-5.295	-0.246	0.017	14	18	-4.430	0.468	0.012
11	39	-3.776	-0.568	0.002	12	59	-5.556	-0.398	0.013	14	19	-4.552	-0.006	0.025
11	40	-4.388	-0.954	0.007	13	0	-4.402	0.694	0.021	14	20	-5.397	0.010	0.014
11	41	-3.382	-0.674	0.002	13	1	-4.306	1.100	0.016	14	21	-4.887	0.016	0.006
11	42	-2.870	-0.248	0.009	13	2	-4.784	1.547	0.009	14	22	-3.986	-0.040	0.015
11	43	-1.794	0.826	0.020	13	3	-4.146	0.984	0.014	14	23	-4.782	0.051	0.006
11	44	-2.285	0.155	0.019	13	4	-5.343	-0.299	0.021	14	24	-4.527	-0.645	0.008
11	45	-3.153	-0.033	0.017	13	5	-4.397	-0.101	0.021	14	25	-4.307	0.008	0.009
11	46	-2.532	1.398	0.016	13	6	-4.959	-0.010	0.012	14	26	-5.171	0.641	0.016
11	47	-1.816	1.196	0.000	13	7	-4.302	-0.436	0.016	14	27	-4.207	0.099	0.023
11	48	-2.734	0.005	0.011	13	8	-4.916	0.074	0.020	14	28	-3.384	0.174	0.010
11	49	-1.791	0.492	0.005	13	9	-4.860	-0.301	0.015	14	29	-5.123	0.439	0.011
11	50	-3.787	0.310	0.010	13	10	-4.748	-0.512	0.008	14	30	-4.595	0.038	0.016
11	51	-4.950	-0.348	0.011	13	11	-4.947	-0.356	0.025	14	31	-4.562	-0.021	0.023
11	52	-4.674	-0.282	0.011	13	12	-3.565	-0.027	0.016	14	32	-4.820	-0.296	0.017
11	53	-4.721	-0.473	0.010	13	13	-3.776	-0.211	0.015	14	33	-4.253	-0.162	0.025
11	54	-4.552	-0.410	0.006	13	14	-4.143	-0.380	0.017	14	34	-4.823	-0.205	0.020
11	55	-3.020	0.152	0.009	13	15	-4.554	-0.974	0.039	14	35	-4.056	0.002	0.002
11	56	-3.748	0.341	0.005	13	16	-4.153	-0.097	0.039	14	36	-3.008	0.679	0.004
11	57	-3.675	-0.397	0.007	13	17	-4.370	0.021	0.024	14	37	-4.459	1.953	0.036
11	58	-3.255	-0.175	0.003	13	18	-4.154	0.417	0.028	14	38	-3.852	2.033	0.018
11	59	-3.516	-0.008	0.006	13	19	-3.553	-0.176	0.021	14	39	-3.529	0.785	0.065
12	0	-3.025	0.094	0.030	13	20	-3.631	-0.109	0.029	14	40	-3.576	0.608	0.023
12	1	-4.292	0.582	-0.002	13	21	-3.864	0.023	0.024	14	41	-2.908	0.298	0.014
12	2	-2.990	0.530	0.002	13	22	-3.902	0.152	0.055	14	42	-2.906	1.342	0.052
12	3	-2.949	0.814	0.008	13	23	-3.989	0.503	0.030	14	43	-3.451	1.372	0.022
12	4	-3.674	0.123	0.009	13	24	-3.508	0.371	0.023	14	44	-2.839	0.580	0.072
12	5	-3.761	-0.055	0.008	13	25	-5.083	0.368	0.016	14	45	-4.435	1.984	0.022
12	6	-3.516	-0.214	0.018	13	26	-4.084	0.046	0.024	14	46	-4.072	2.702	0.006
12	7	-4.252	0.284	0.000	13	27	-3.288	0.314	0.041	14	47	-3.577	1.605	0.029
12	8	-3.643	-0.120	0.020	13	28	-4.229	-0.014	0.014	14	48	-2.289	0.364	0.094
12	9	-3.401	-0.403	0.002	13	29	-3.086	-0.043	0.055	14	49	-3.688	0.639	0.027
12	10	-2.444	-0.255	0.024	13	30	-3.374	0.172	0.040	14	50	-2.964	1.180	0.023
12	11	-2.146	0.338	0.018	13	31	-3.295	0.067	0.015	14	51	-2.763	0.927	0.048
12	12	-2.870	1.404	0.005	13	32	-3.139	0.115	0.013	14	52	-3.841	-0.119	0.020
12	13	-3.727	2.246	0.010	13	33	-3.394	0.077	0.017	14	53	-3.616	0.023	0.007
12	14	-3.300	1.042	0.025	13	34	-4.115	0.354	0.021	14	54	-4.062	-0.208	0.058
12	15	-2.301	1.401	0.006	13	35	-2.756	0.418	0.028	14	55	-4.622	-0.829	0.049
12	16	-2.463	1.364	0.009	13	36	-3.032	0.267	0.023	14	56	-3.611	-0.104	0.039
12	17	-2.306	0.808	0.003	13	37	-4.921	1.638	0.004	14	57	-3.495	0.212	0.086
12	18	-3.957	0.493	-0.001	13	38	-4.410	0.862	0.028	14	58	-4.277	0.112	0.050
12	19	-3.842	1.345	0.005	13	39	-4.322	1.466	0.017	14	59	-4.359	0.028	0.020
12	20	-3.484	-0.059	0.021	13	40	-4.076	2.022	0.020	15	0	-4.718	-0.114	0.081
12	21	-4.637	-0.018	0.005	13	41	-3.366	0.341	0.010	15	1	-4.280	-0.075	0.006
12	22	-4.777	0.448	0.001	13	42	-3.695	0.782	0.029	15	2	-4.440	-0.060	0.038
12	23	-3.667	-0.011	0.012	13	43	-3.584	0.576	0.030	15	3	-3.482	0.058	0.057

15	4	-2.799	0.540	0.056	16	24	-4.601	1.722	0.049	17	44	-2.206	-1.604	0.007
15	5	-3.711	1.789	0.050	16	25	-4.069	1.077	0.055	17	45	-3.041	-2.495	0.000
15	6	-4.531	1.149	0.021	16	26	-3.662	0.993	0.064	17	46	-1.711	-2.639	0.012
15	7	-3.674	1.347	0.064	16	27	-4.705	1.583	0.042	17	47	-2.169	-1.964	0.020
15	8	-2.925	0.504	0.045	16	28	-4.837	1.403	0.063	17	48	-1.981	-1.479	0.009
15	9	-3.857	0.044	0.094	16	29	-3.488	1.000	0.059	17	49	-3.589	-2.063	0.001
15	10	-3.068	0.294	0.052	16	30	-4.018	1.485	0.067	17	50	-3.725	-1.490	0.003
15	11	-4.062	0.832	0.049	16	31	-3.997	1.240	0.029	17	51	-2.872	-3.142	0.003
15	12	-3.960	1.472	0.061	16	32	-4.134	1.402	0.040	17	52	-2.477	-3.639	0.001
15	13	-3.840	0.973	0.069	16	33	-4.122	1.024	0.015	17	53	-2.751	-3.070	0.005
15	14	-3.867	1.529	0.082	16	34	-2.325	0.296	0.082	17	54	-3.001	-2.184	0.004
15	15	-3.522	1.346	0.057	16	35	-2.923	0.323	0.070	17	55	-3.381	-3.171	0.006
15	16	-3.859	1.986	0.081	16	36	-3.979	0.411	0.011	17	56	-3.373	-3.251	0.002
15	17	-3.822	1.771	0.074	16	37	-4.262	1.014	0.023	17	57	-2.744	-3.750	0.006
15	18	-4.830	2.947	0.046	16	38	-2.818	0.152	0.019	17	58	-2.460	-3.243	0.010
15	19	-4.778	2.562	0.035	16	39	-3.178	0.560	0.033	17	59	-3.027	-2.910	0.002
15	20	-4.374	2.187	0.105	16	40	-3.335	0.946	0.078	18	0	-2.674	-3.937	0.002
15	21	-4.896	1.607	0.036	16	41	-2.868	0.639	0.073	18	1	-2.326	-3.107	0.005
15	22	-3.703	0.428	0.043	16	42	-3.017	0.406	0.080	18	2	-1.980	-2.737	0.004
15	23	-3.126	1.642	0.059	16	43	-3.413	0.158	0.037	18	3	-3.205	-3.744	0.006
15	24	-3.884	0.887	0.115	16	44	-3.381	-0.060	0.066	18	4	-4.175	-3.593	0.003
15	25	-3.569	0.593	0.049	16	45	-3.400	-0.264	0.084	18	5	-3.618	-2.024	0.003
15	26	-3.588	0.353	0.104	16	46	-3.046	-0.108	0.014	18	6	-2.465	-2.420	0.000
15	27	-3.112	0.056	0.082	16	47	-2.649	0.016	0.040	18	7	-2.695	-2.498	0.000
15	28	-3.085	0.384	0.070	16	48	-2.882	0.267	0.023	18	8	-2.807	-3.268	0.004
15	29	-3.365	-0.011	0.113	16	49	-3.434	-0.195	0.016	18	9	-2.672	-2.874	0.002
15	30	-3.626	0.137	0.091	16	50	-3.300	-0.073	0.047	18	10	-2.499	-3.070	0.001
15	31	-5.303	-0.050	0.080	16	51	-2.693	0.483	0.027	18	11	-2.234	-2.166	0.001
15	32	-5.500	0.135	0.053	16	52	-2.525	0.318	0.053	18	12	-1.840	-1.790	0.001
15	33	-5.452	0.001	0.049	16	53	-3.084	0.573	0.016	18	13	-1.550	-2.470	0.005
15	34	-5.409	-0.282	0.072	16	54	-3.738	0.299	0.079	18	14	-2.020	-2.714	0.000
15	35	-5.174	-0.009	0.030	16	55	-3.564	0.250	0.057	18	15	-1.857	-2.849	0.001
15	36	-4.281	0.350	0.052	16	56	-3.058	0.337	0.008	18	16	-2.014	-1.700	0.002
15	37	-4.261	0.019	0.076	16	57	-2.131	0.318	0.024	18	17	-2.267	-1.511	0.000
15	38	-4.354	0.172	0.086	16	58	-2.912	0.279	0.033	18	18	-1.814	-1.565	0.000
15	39	-4.667	-0.078	0.076	16	59	-3.058	0.358	0.032	18	19	-2.452	-2.267	0.001
15	40	-5.251	0.174	0.040	17	0	-3.116	0.385	0.023	18	20	-3.059	-2.868	0.000
15	41	-5.546	-0.117	0.037	17	1	-3.032	0.586	0.004	18	21	-3.095	-2.519	0.001
15	42	-4.046	-0.065	0.021	17	2	-2.885	0.039	0.007	18	22	-2.955	-2.602	-0.000
15	43	-5.225	-0.032	0.043	17	3	-3.759	-0.072	0.007	18	23	-2.817	-2.631	0.000
15	44	-5.138	-0.135	0.039	17	4	-4.203	-0.065	0.010	18	24	-2.261	-1.884	0.001
15	45	-4.875	0.558	0.007	17	5	-3.508	0.060	0.006	18	25	-2.807	-1.692	0.000
15	46	-4.023	-0.026	0.029	17	6	-3.740	-0.105	0.026	18	26	-1.872	-1.882	0.001
15	47	-3.979	0.181	0.055	17	7	-3.567	-0.099	0.030	18	27	-1.885	-1.777	0.001
15	48	-2.646	0.187	0.086	17	8	-3.324	0.273	0.007	18	28	-1.812	-1.496	-0.001
15	49	-2.499	0.284	0.179	17	9	-2.469	0.428	0.011	18	29	-1.787	-2.468	0.000
15	50	-3.305	1.252	0.070	17	10	-3.265	0.710	0.012	18	30	-1.903	-2.448	0.000
15	51	-2.967	1.145	0.040	17	11	-3.343	0.141	0.004	18	31	-1.806	-2.492	0.000
15	52	-2.651	0.378	0.099	17	12	-2.925	0.442	0.006	18	32	-1.617	-1.693	0.003
15	53	-2.584	0.655	0.150	17	13	-3.692	0.714	0.021	18	33	-1.452	-1.598	0.002
15	54	-2.688	0.090	0.177	17	14	-3.585	0.287	0.020	18	34	-1.807	-1.488	0.000
15	55	-3.326	0.185	0.095	17	15	-4.414	0.380	0.029	18	35	-1.868	-2.254	0.000
15	56	-4.145	-0.713	0.229	17	16	-3.958	0.425	0.000	18	36	-1.510	-2.180	0.001
15	57	-3.378	0.087	0.025	17	17	-3.412	0.209	0.015	18	37	-1.886	-2.538	0.000
15	58	-2.501	0.078	0.114	17	18	-3.339	0.661	0.005	18	38	-1.743	-2.482	0.000
15	59	-2.351	0.261	0.115	17	19	-3.174	0.136	0.032	18	39	-2.037	-2.574	0.000
16	0	-2.751	0.617	0.101	17	20	-3.650	-0.102	0.026	18	40	-2.338	-2.667	0.001
16	1	-3.082	0.983	0.114	17	21	-4.140	-0.005	0.008	18	41	-2.328	-2.328	0.001
16	2	-3.313	0.775	0.119	17	22	-5.029	0.243	0.006	18	42	-1.884	-2.427	0.000
16	3	-3.233	1.430	0.119	17	23	-4.869	0.408	0.010	18	43	-2.232	-3.217	0.000
16	4	-3.747	1.291	0.052	17	24	-4.166	0.694	0.007	18	44	-2.838	-3.174	0.000
16	5	-4.291	1.461	0.089	17	25	-4.680	0.224	0.005	18	45	-2.956	-2.907	0.000
16	6	-4.305	2.092	0.043	17	26	-4.063	-0.801	0.015	18	46	-2.792	-2.872	0.000
16	7	-3.414	1.087	0.077	17	27	-3.946	-1.082	0.007	18	47	-3.467	-2.971	0.000
16	8	-4.197	1.649	0.021	17	28	-2.092	-0.297	0.039	18	48	-2.652	-2.275	0.003
16	9	-3.162	0.971	0.114	17	29	-2.252	-0.464	0.011	18	49	-2.811	-2.805	0.000
16	10	-4.341	1.381	0.073	17	30	-2.679	-0.517	0.006	18	50	-2.556	-2.411	0.001
16	11	-4.321	1.987	0.071	17	31	-3.673	-0.950	0.009	18	51	-3.331	-2.626	0.001
16	12	-5.151	1.891	0.054	17	32	-3.125	-1.245	0.002	18	52	-2.431	-2.453	-0.000
16	13	-4.784	1.588	0.029	17	33	-3.927	-1.308	0.001	18	53	-2.410	-3.232	0.000
16	14	-3.996	0.966	0.049	17	34	-3.721	-1.500	0.006	18	54	-2.000	-2.128	0.000
16	15	-2.599	0.564	0.200	17	35	-4.440	-1.522	0.002	18	55	-1.937	-1.261	0.003
16	16	-3.565	1.067	0.056	17	36	-3.535	-1.488	0.001	18	56	-2.064	-1.495	0.000
16	17	-2.482	0.761	0.073	17	37	-3.048	-1.512	0.035	18	57	-2.549	-1.935	0.000
16	18	-2.890	0.163	0.108	17	38	-3.498	-1.855	0.002	18	58	-3.132	-2.635	0.000
16	19	-4.268	0.145	0.054	17	39	-3.161	-2.054	0.001	18	59	-2.850	-2.415	0.001
16	20	-3.878	-0.116	0.062	17	40	-3.141	-2.639	0.011	19	0	-2.923	-2.343	0.000
16	21	-3.005	0.546	0.055	17	41	-4.106	-2.036	0.004	19	1	-2.707	-1.822	0.001
16	22	-2.518	0.882	0.179	17	42	-2.994	-1.527	0.001	19	2	-2.567	-1.674	0.000
16	23	-4.406	1.737	0.050	17	43	-2.440	-1.740	0.006	19	3	-2.354	-1.571	0.000



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

19	4	-2.133	-1.809	0.000	20	24	-0.768	-1.056	0.000	21	44	-0.217	-0.066	0.000
19	5	-2.362	-1.924	0.001	20	25	-1.012	-1.251	0.000	21	45	0.000	-0.000	0.000
19	6	-1.739	-1.889	0.000	20	26	-1.092	-0.831	0.000	21	46	-0.083	0.000	0.000
19	7	-2.268	-1.721	0.000	20	27	-1.226	-1.343	0.000	21	47	-0.235	0.000	0.000
19	8	-2.192	-2.462	0.000	20	28	-1.014	-1.175	0.000	21	48	-0.317	-0.342	0.000
19	9	-2.311	-2.076	0.001	20	29	-1.461	-0.947	0.000	21	49	-0.308	-0.424	0.000
19	10	-2.260	-2.245	0.000	20	30	-1.001	-1.192	0.000	21	50	-0.222	-0.438	0.000
19	11	-2.310	-2.648	0.000	20	31	-1.115	-1.162	0.000	21	51	-0.280	-0.184	0.000
19	12	-1.466	-2.740	0.002	20	32	-1.058	-1.042	0.000	21	52	-0.924	0.015	0.000
19	13	-1.880	-1.675	0.000	20	33	-0.830	-0.492	0.000	21	53	-1.058	-0.280	0.000
19	14	-2.176	-1.943	0.000	20	34	-0.725	-0.408	0.000	21	54	-0.758	-0.401	0.000
19	15	-1.673	-1.632	0.000	20	35	-0.617	-0.776	0.000	21	55	-0.706	-0.525	0.000
19	16	-1.497	-1.343	0.001	20	36	-0.787	-0.293	0.000	21	56	-0.649	-0.519	0.000
19	17	-1.328	-1.634	0.000	20	37	-0.413	-0.187	0.000	21	57	-0.298	-0.667	0.000
19	18	-0.911	-0.987	-0.001	20	38	-0.118	0.000	0.000	21	58	-0.303	-0.974	0.000
19	19	-0.685	-1.080	0.000	20	39	0.000	0.000	0.000	21	59	0.067	-0.718	0.000
19	20	-0.471	-1.512	0.000	20	40	0.000	0.000	0.000	22	0	-0.001	-0.661	0.000
19	21	-0.804	-1.855	0.001	20	41	-0.111	0.012	0.000	22	1	0.000	-0.209	0.000
19	22	-0.340	-1.614	0.000	20	42	-0.278	0.005	-0.000	22	2	0.000	0.000	0.000
19	23	-0.480	-1.540	0.000	20	43	-0.002	-0.001	0.000	22	3	-0.545	0.162	0.000
19	24	-0.534	-2.545	0.000	20	44	0.006	-0.560	0.000	22	4	-0.059	0.248	0.000
19	25	-0.737	-2.339	-0.001	20	45	0.000	-0.161	0.000	22	5	-0.105	0.718	0.000
19	26	-0.961	-1.636	0.000	20	46	0.000	0.000	0.000	22	6	-0.400	0.400	0.000
19	27	-0.488	-1.101	0.000	20	47	0.000	0.000	0.000	22	7	-0.158	0.196	0.000
19	28	-0.578	-1.500	0.000	20	48	0.030	0.000	0.000	22	8	-0.217	0.006	0.000
19	29	-0.943	-1.581	-0.001	20	49	-0.005	0.084	0.000	22	9	-0.025	0.122	0.000
19	30	-0.566	-1.410	0.000	20	50	-0.013	0.288	0.000	22	10	0.015	0.015	-0.000
19	31	-0.569	-1.549	0.000	20	51	-0.315	0.583	0.000	22	11	0.000	-0.316	0.000
19	32	-0.193	-1.653	0.000	20	52	-0.202	0.383	0.000	22	12	0.000	-0.015	0.000
19	33	-0.098	-1.568	0.000	20	53	-0.254	0.122	0.000	22	13	0.165	-0.403	0.000
19	34	-0.230	-1.866	0.000	20	54	0.000	0.323	0.000	22	14	0.434	-0.598	0.000
19	35	-0.056	-1.862	0.000	20	55	-0.000	0.498	0.000	22	15	0.237	-0.788	0.000
19	36	-0.130	-1.788	0.000	20	56	-0.000	0.607	0.000	22	16	0.129	-0.762	0.000
19	37	-0.036	-1.603	0.000	20	57	0.000	0.570	0.000	22	17	0.155	-0.272	0.000
19	38	-0.108	-1.698	0.000	20	58	0.000	0.459	0.000	22	18	0.000	-0.192	0.000
19	39	-0.067	-1.760	0.000	20	59	-0.007	0.475	0.002	22	19	0.000	-0.607	0.000
19	40	-0.244	-2.165	0.000	21	0	-0.000	0.461	0.000	22	20	0.013	-0.614	0.000
19	41	-0.629	-1.825	0.000	21	1	-0.017	0.110	0.002	22	21	0.119	-0.178	0.000
19	42	-0.640	-1.673	-0.000	21	2	0.000	0.001	0.000	22	22	-0.000	-0.125	0.000
19	43	-0.564	-1.584	-0.001	21	3	0.000	0.000	0.000	22	23	-0.075	0.000	0.000
19	44	-0.748	-1.783	0.000	21	4	-0.406	0.000	0.000	22	24	-0.033	-0.004	0.000
19	45	-0.502	-1.418	0.000	21	5	-0.788	0.000	0.000	22	25	-0.243	-0.002	0.000
19	46	-0.782	-2.173	-0.000	21	6	-0.755	0.016	0.000	22	26	-0.332	0.003	0.000
19	47	-0.281	-2.121	-0.001	21	7	-0.944	0.000	0.000	22	27	-0.081	0.049	0.000
19	48	-0.481	-1.672	0.000	21	8	-0.385	0.021	0.000	22	28	0.000	0.000	0.000
19	49	-0.534	-1.444	0.000	21	9	-0.344	0.000	0.000	22	29	-0.114	0.019	0.000
19	50	-0.895	-1.608	0.000	21	10	-0.590	0.000	0.000	22	30	-0.469	-0.014	0.000
19	51	-1.222	-1.679	0.000	21	11	-0.406	0.019	-0.000	22	31	-0.309	-0.202	-0.000
19	52	-1.018	-2.356	0.000	21	12	-0.415	0.001	0.000	22	32	-0.003	-0.047	0.000
19	53	-1.210	-2.140	0.000	21	13	-0.518	0.000	0.000	22	33	-0.096	0.000	0.000
19	54	-0.796	-2.166	0.000	21	14	-0.754	-0.187	0.000	22	34	-0.000	-0.048	0.000
19	55	-0.714	-2.028	0.000	21	15	-0.478	-0.716	0.000	22	35	-0.005	-0.100	0.000
19	56	-0.688	-1.910	0.000	21	16	-0.095	-0.986	0.000	22	36	-0.127	0.000	0.000
19	57	-0.365	-1.889	0.001	21	17	0.002	-0.523	0.001	22	37	0.000	0.000	0.000
19	58	-0.299	-2.136	0.000	21	18	0.026	-0.035	0.000	22	38	0.000	0.000	0.000
19	59	-0.596	-2.227	0.000	21	19	-0.009	-0.624	0.000	22	39	0.000	0.000	0.000
20	0	-0.644	-2.211	0.000	21	20	-0.144	-0.352	0.000	22	40	0.000	0.000	0.000
20	1	-0.237	-2.242	-0.000	21	21	-0.614	0.000	0.000	22	41	0.000	0.000	0.000
20	2	-0.253	-2.199	0.000	21	22	-0.862	0.000	0.000	22	42	0.000	0.000	0.000
20	3	-0.210	-1.650	0.000	21	23	-0.681	0.000	0.000	22	43	0.000	-0.514	0.000
20	4	-0.304	-1.931	0.000	21	24	-0.425	-0.026	-0.001	22	44	0.000	-0.419	0.000
20	5	-0.155	-1.328	0.000	21	25	-0.052	-0.041	0.000	22	45	-0.127	-0.643	0.000
20	6	-0.136	-1.485	0.000	21	26	-0.143	-0.164	0.000	22	46	0.146	-0.497	0.000
20	7	-0.138	-1.549	0.000	21	27	0.000	-0.492	0.000	22	47	0.090	0.000	0.000
20	8	-0.212	-1.293	0.000	21	28	-0.005	-0.908	0.000	22	48	0.000	-0.354	0.000
20	9	-0.169	-1.395	-0.002	21	29	0.020	-0.948	0.000	22	49	0.000	-0.146	0.000
20	10	-0.261	-2.116	0.001	21	30	0.146	-0.989	-0.000	22	50	-0.001	0.014	0.000
20	11	-0.555	-1.947	0.000	21	31	-0.023	-1.389	0.000	22	51	0.019	0.030	0.001
20	12	-0.658	-2.130	0.000	21	32	-0.416	-1.276	0.000	22	52	-0.001	0.128	0.002
20	13	-1.464	-1.761	0.000	21	33	-0.226	-1.362	0.000	22	53	0.000	0.002	0.000
20	14	-1.201	-1.291	0.000	21	34	-0.064	-1.752	0.000	22	54	0.000	-0.037	0.000
20	15	-1.375	-1.613	0.000	21	35	-0.060	-1.504	0.000	22	55	0.000	-0.157	0.000
20	16	-1.389	-1.461	0.000	21	36	-0.084	-1.536	0.000	22	56	-0.048	-0.640	0.000
20	17	-1.167	-1.137	0.000	21	37	-0.310	-1.717	0.000	22	57	-0.100	-0.693	0.000
20	18	-1.141	-1.478	0.000	21	38	-0.573	-1.087	0.000	22	58	-0.001	-0.856	0.000
20	19	-1.567	-1.340	0.000	21	39	-0.583	-1.186	0.000	22	59	0.048	-0.727	0.000
20	20	-1.413	-1.233	0.000	21	40	-0.388	-1.369	0.000	23	0	0.066	-0.701	0.000
20	21	-1.133	-1.054	0.000	21	41	-0.459	-1.029	0.000	23	1	0.229	-0.849	0.000
20	22	-1.268	-0.965	-0.000	21	42	-0.134	-0.060	0.000	23	2	0.064	-0.778	0.000
20	23	-1.184	-0.549	0.000	21	43	-0.194	0.000	0.000	23	3	0.040	-0.745	0.000





Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

23	4	0.003	-0.631	0.000	0	21	-1.498	-0.312	0.000	1	41	-0.016	0.116	0.000
23	5	-0.009	-0.505	0.000	0	22	-1.293	-0.069	0.000	1	42	-0.102	0.000	0.000
23	6	0.001	-0.653	0.000	0	23	-1.420	0.000	0.000	1	43	0.003	0.352	0.000
23	7	0.000	-0.724	0.000	0	24	-1.476	0.000	0.000	1	44	0.004	0.066	0.000
23	8	-0.115	-1.251	0.000	0	25	-1.425	0.000	0.000	1	45	0.000	0.000	0.007
23	9	-0.159	-1.336	0.000	0	26	-1.246	0.023	0.000	1	46	-0.000	0.000	0.000
23	10	-0.236	-1.153	0.000	0	27	-1.157	0.112	0.000	1	47	0.000	0.000	0.000
23	11	-0.347	-1.291	-0.000	0	28	-0.901	0.382	0.000	1	48	0.048	0.000	0.001
23	12	-0.378	-1.534	0.000	0	29	-0.588	0.298	0.000	1	49	0.344	0.000	0.000
23	13	-0.349	-1.286	0.000	0	30	-0.383	0.556	0.000	1	50	0.652	-0.000	0.000
23	14	-0.178	-1.145	0.000	0	31	-0.004	0.576	0.000	1	51	0.643	0.000	0.000
23	15	-0.396	-1.004	0.000	0	32	0.000	0.557	0.000	1	52	0.437	0.000	0.000
23	16	-0.410	-0.993	0.000	0	33	0.000	0.671	0.000	1	53	0.153	0.000	0.000
23	17	-0.632	-0.836	0.000	0	34	0.000	0.593	0.000	1	54	0.000	0.000	0.000
23	18	-0.738	-0.720	0.000	0	35	0.000	0.482	0.000	1	55	-0.181	0.000	0.000
23	19	-0.696	-0.705	0.000	0	36	0.000	0.198	0.000	1	56	-0.705	-0.033	0.000
23	20	-0.417	-0.731	0.000	0	37	0.000	0.002	0.000	1	57	-0.767	-0.796	0.000
23	21	-0.456	-0.552	0.000	0	38	0.000	0.000	0.000	1	58	-0.287	-0.591	0.000
23	22	-0.408	-0.574	0.000	0	39	0.000	0.000	0.000	1	59	0.000	-0.260	0.000
23	23	-0.422	-0.099	0.000	0	40	0.000	0.000	0.000	2	0	0.000	-0.433	0.000
23	24	-0.178	0.000	0.000	0	41	0.000	0.000	0.000	2	1	0.000	-0.711	0.000
23	25	0.000	0.000	0.000	0	42	0.000	0.000	0.000	2	2	0.000	-0.277	0.000
23	26	0.000	0.012	0.000	0	43	0.000	0.000	0.000	2	3	0.000	0.000	0.000
23	27	-0.001	0.105	0.000	0	44	0.176	-0.013	0.000	2	4	0.000	0.000	0.000
23	28	0.000	0.264	0.000	0	45	0.090	-0.003	0.000	2	5	0.000	-0.000	0.000
23	29	-0.034	0.000	0.000	0	46	0.000	0.000	0.000	2	6	0.000	0.000	0.000
23	30	0.000	0.000	0.000	0	47	0.000	0.000	0.000	2	7	0.000	0.000	0.000
23	31	0.000	0.006	0.000	0	48	0.000	0.000	0.000	2	8	0.000	0.000	0.000
23	32	-0.003	0.121	0.001	0	49	0.000	0.000	0.000	2	9	0.000	0.000	0.000
23	33	0.019	0.273	0.000	0	50	0.000	0.000	0.000	2	10	0.000	0.000	0.000
23	34	0.318	0.114	0.000	0	51	0.000	0.000	0.000	2	11	-0.147	0.275	0.000
23	35	0.718	0.240	0.000	0	52	0.000	0.000	0.000	2	12	-0.022	0.745	0.001
23	36	0.535	0.244	0.000	0	53	-0.002	-0.001	0.000	2	13	-0.008	0.727	0.000
23	37	0.663	0.214	0.000	0	54	-0.131	0.000	0.000	2	14	0.000	0.549	0.000
23	38	0.460	0.000	0.000	0	55	-0.007	0.000	0.000	2	15	0.000	0.374	0.001
23	39	0.923	0.000	0.000	0	56	0.000	0.000	0.000	2	16	0.000	0.532	0.000
23	40	0.784	0.000	0.000	0	57	0.000	0.000	0.000	2	17	0.000	0.755	0.000
23	41	0.784	0.000	0.000	0	58	-0.004	0.000	0.000	2	18	-0.005	0.921	0.000
23	42	0.582	0.000	0.000	0	59	0.000	0.000	0.000	2	19	0.000	0.857	0.000
23	43	0.009	0.001	0.000	1	0	0.000	0.000	0.000	2	20	0.000	0.701	0.000
23	44	0.011	0.028	0.000	1	1	0.000	0.000	0.000	2	21	0.011	0.541	0.000
23	45	0.008	0.003	0.000	1	2	-0.020	0.000	0.000	2	22	-0.004	0.458	0.001
23	46	0.000	0.083	0.000	1	3	-0.017	0.000	0.003	2	23	0.012	0.168	0.000
23	47	-0.003	0.477	0.004	1	4	-0.001	0.000	0.000	2	24	-0.362	0.004	0.000
23	48	0.000	0.541	0.000	1	5	-0.044	0.000	0.000	2	25	-0.096	0.044	0.000
23	49	-0.013	0.582	0.001	1	6	-0.010	0.000	0.000	2	26	0.000	0.819	0.000
23	50	-0.003	0.617	0.000	1	7	0.000	0.000	0.000	2	27	0.000	0.724	0.000
23	51	0.138	0.524	0.000	1	8	0.000	0.000	0.000	2	28	0.000	0.531	0.000
23	52	0.003	0.372	0.002	1	9	0.000	0.000	0.000	2	29	-0.001	0.464	0.002
23	53	0.391	0.504	0.000	1	10	0.000	0.000	0.000	2	30	0.000	0.399	0.001
23	54	0.655	0.450	0.000	1	11	0.000	0.000	0.000	2	31	0.041	0.227	0.001
23	55	0.357	0.366	0.002	1	12	0.000	0.000	0.000	2	32	-0.112	0.000	0.000
23	56	0.177	0.277	0.000	1	13	0.000	0.000	0.000	2	33	-0.048	0.000	0.000
23	57	-0.002	0.179	0.006	1	14	0.000	0.000	0.000	2	34	-0.017	0.121	0.000
23	58	-0.004	0.224	0.006	1	15	0.402	0.000	0.000	2	35	-0.004	0.476	0.002
23	59	-0.003	0.247	0.004	1	16	0.418	0.002	0.000	2	36	0.000	0.031	0.001
					1	17	0.331	0.330	0.000	2	37	-0.007	0.000	0.001
					1	18	0.554	0.575	0.000	2	38	-0.001	-0.008	0.007
					1	19	0.538	0.723	0.000	2	39	0.075	-0.002	0.002
					1	20	0.407	0.739	0.000	2	40	0.300	0.000	0.000
					1	21	0.378	0.707	0.000	2	41	0.183	0.109	0.003
					1	22	0.329	0.916	0.000	2	42	0.000	0.161	0.007
					1	23	0.016	1.168	0.000	2	43	0.000	0.000	0.000
					1	24	-0.000	1.290	0.000	2	44	0.000	0.000	0.000
					1	25	-0.057	1.252	0.000	2	45	0.000	0.000	0.000
					1	26	-0.003	1.057	0.000	2	46	0.000	0.000	0.000
					1	27	0.139	0.808	0.000	2	47	0.000	0.000	0.000
					1	28	0.310	0.549	0.000	2	48	0.000	0.000	0.000
					1	29	0.005	0.118	0.000	2	49	0.000	0.000	0.000
					1	30	0.012	0.006	0.000	2	50	0.000	0.000	0.000
					1	31	0.208	-0.003	0.001	2	51	0.000	0.108	0.000
					1	32	0.005	0.000	0.000	2	52	0.000	0.000	0.000
					1	33	-0.001	0.000	0.000	2	53	0.000	0.001	0.000
					1	34	-0.002	-0.003	0.000	2	54	0.000	0.000	0.000
					1	35	0.000	0.000	0.000	2	55	0.231	0.040	0.000
					1	36	0.001	0.002	0.000	2	56	0.955	0.063	0.000
					1	37	0.000	0.000	0.000	2	57	1.020	0.021	0.000
					1	38	0.000	0.000	0.000	2	58	1.053	0.010	0.000
					1	39	-0.074	0.011	0.001	2	59	0.735	0.111	0.000
					1	40	-0.016	0.177	0.000	3	0	0.033	0.200	0.000

20/07/95

0	0	0.000	0.261	0.002
0	1	-0.001	0.615	0.000
0	2	-0.000	0.871	0.000
0	3	-0.001	0.781	0.000
0	4	0.000	0.564	0.001
0	5	0.000	0.299	0.001
0	6	-0.012	0.437	0.001
0	7	0.087	0.280	0.000
0	8	0.002	0.297	0.000
0	9	0.000	0.005	0.002
0	10	-0.009	-0.005	0.002
0	11	0.000	0.081	0.004
0	12	-0.058	0.000	0.000
0	13	-0.545	0.000	0.000
0	14	-0.653	0.000	0.000
0	15	-0.427	0.000	0.000
0	16	-0.564	0.000	0.000
0	17	-1.119	-0.033	0.000
0	18	-0.836	0.000	0.000
0	19	-0.706	0.000	0.000
0	20	-1.320	-0.194	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

3	1	0.000	0.004	0.000	4	21	0.000	0.000	0.000	5	41	0.444	0.000	0.000
3	2	0.302	0.056	0.000	4	22	0.020	0.209	0.000	5	42	0.259	0.000	0.000
3	3	0.720	0.001	0.000	4	23	-0.002	0.141	0.000	5	43	0.206	0.000	0.000
3	4	0.656	0.000	0.000	4	24	0.000	0.036	0.001	5	44	0.249	0.000	0.000
3	5	0.586	0.008	0.000	4	25	0.000	0.000	0.000	5	45	0.044	0.000	0.001
3	6	0.485	0.006	0.000	4	26	0.002	0.368	0.000	5	46	0.051	0.053	0.000
3	7	0.163	0.000	0.000	4	27	0.001	0.389	0.002	5	47	0.160	0.085	0.000
3	8	0.001	0.058	0.000	4	28	0.000	0.400	0.001	5	48	0.366	0.099	0.000
3	9	-0.003	0.052	0.000	4	29	0.000	0.383	0.000	5	49	0.543	0.212	0.000
3	10	-0.000	0.281	0.000	4	30	0.000	0.323	0.000	5	50	0.047	0.091	0.000
3	11	0.000	0.425	0.000	4	31	0.180	0.308	0.000	5	51	0.001	0.032	0.005
3	12	0.000	0.393	0.000	4	32	0.462	0.277	0.001	5	52	0.119	-0.000	0.000
3	13	0.000	0.665	0.000	4	33	0.501	0.347	0.000	5	53	0.000	0.000	0.000
3	14	0.000	0.865	0.000	4	34	0.620	0.421	0.000	5	54	0.000	0.000	0.000
3	15	0.000	0.745	0.000	4	35	0.254	0.512	0.000	5	55	0.000	0.000	0.000
3	16	0.001	0.613	0.000	4	36	0.280	0.604	0.003	5	56	0.000	-0.016	0.000
3	17	0.208	0.414	0.000	4	37	0.235	0.667	0.000	5	57	-0.000	0.190	0.000
3	18	0.008	0.000	0.000	4	38	0.022	0.726	0.000	5	58	-0.006	0.178	0.000
3	19	0.061	0.000	0.000	4	39	0.172	0.696	0.000	5	59	-0.006	0.011	0.000
3	20	0.430	0.000	0.000	4	40	0.652	0.654	0.000	6	0	-0.000	0.002	0.002
3	21	0.585	0.000	0.000	4	41	0.570	0.350	0.000	6	1	-0.001	0.038	0.003
3	22	0.539	0.000	0.000	4	42	0.967	0.480	0.000	6	2	0.006	0.003	0.002
3	23	0.778	-0.000	0.000	4	43	0.804	0.172	0.000	6	3	0.018	0.002	0.001
3	24	0.604	0.000	0.000	4	44	0.681	0.288	0.001	6	4	0.005	0.186	0.001
3	25	0.543	0.000	0.000	4	45	0.715	0.242	0.000	6	5	0.000	0.103	0.000
3	26	0.482	0.460	0.000	4	46	0.901	0.144	0.000	6	6	0.007	0.052	0.001
3	27	0.097	0.253	0.000	4	47	1.011	0.000	0.000	6	7	0.000	-0.003	0.004
3	28	0.146	0.378	0.000	4	48	0.922	0.000	0.000	6	8	0.000	0.000	0.001
3	29	0.328	0.121	0.000	4	49	0.910	0.000	0.000	6	9	0.000	0.000	0.000
3	30	0.348	0.006	0.000	4	50	1.003	0.000	0.000	6	10	0.000	0.000	0.000
3	31	0.277	0.130	0.000	4	51	0.917	0.000	0.000	6	11	0.000	0.000	0.000
3	32	0.090	0.138	0.002	4	52	0.973	0.000	0.000	6	12	0.000	0.000	0.000
3	33	0.450	0.009	0.000	4	53	0.438	0.094	0.000	6	13	0.000	0.000	0.000
3	34	0.642	0.002	0.000	4	54	0.620	0.000	0.000	6	14	0.000	0.009	0.000
3	35	0.281	0.036	0.000	4	55	0.849	0.000	0.000	6	15	0.000	0.000	0.000
3	36	0.029	0.059	0.000	4	56	0.742	0.051	0.000	6	16	0.000	0.000	0.000
3	37	0.000	0.000	0.000	4	57	0.928	0.000	0.000	6	17	0.000	0.000	0.000
3	38	0.208	0.000	0.000	4	58	1.022	0.000	0.000	6	18	0.000	0.000	0.000
3	39	0.919	-0.001	0.000	4	59	0.809	0.000	0.000	6	19	0.000	0.000	0.000
3	40	0.713	0.000	0.000	5	0	0.631	0.000	0.000	6	20	0.000	0.000	0.000
3	41	0.512	0.000	0.000	5	1	0.628	0.000	0.000	6	21	0.000	0.000	0.000
3	42	0.428	0.000	0.000	5	2	0.808	0.022	0.000	6	22	0.000	0.000	0.000
3	43	0.000	0.020	0.000	5	3	0.999	0.000	0.000	6	23	0.000	0.000	0.000
3	44	0.000	0.315	0.000	5	4	0.945	0.000	0.000	6	24	0.000	0.000	0.000
3	45	0.000	0.136	0.000	5	5	1.033	0.000	0.000	6	25	0.000	0.000	0.000
3	46	0.000	0.009	0.000	5	6	1.121	0.000	0.000	6	26	0.000	0.000	0.000
3	47	0.000	0.113	0.000	5	7	1.175	0.000	0.000	6	27	0.000	0.063	0.000
3	48	0.000	0.135	0.000	5	8	0.957	0.000	0.000	6	28	0.000	0.004	0.000
3	49	0.000	0.015	0.000	5	9	0.495	0.000	0.000	6	29	0.000	0.012	0.000
3	50	0.000	0.000	0.000	5	10	0.556	0.000	0.000	6	30	-0.137	0.001	0.000
3	51	0.000	0.001	0.000	5	11	0.448	0.000	0.000	6	31	-0.118	0.006	0.000
3	52	0.000	0.000	0.000	5	12	0.069	0.000	0.000	6	32	-0.192	0.098	0.000
3	53	0.153	0.000	0.000	5	13	0.002	0.000	0.000	6	33	-0.002	0.241	0.000
3	54	0.074	0.000	0.000	5	14	-0.001	0.000	0.000	6	34	-0.006	0.517	0.000
3	55	0.000	0.000	0.000	5	15	0.054	0.000	0.000	6	35	-0.105	0.213	0.000
3	56	0.000	0.000	0.000	5	16	0.499	0.000	0.000	6	36	-0.226	0.005	0.000
3	57	0.000	0.000	0.000	5	17	0.439	0.000	0.000	6	37	-0.434	0.003	0.000
3	58	0.000	0.000	0.000	5	18	0.351	0.000	0.000	6	38	-0.049	0.000	0.000
3	59	0.000	0.000	0.000	5	19	0.355	0.000	0.000	6	39	0.000	0.000	0.000
4	0	0.000	0.004	0.000	5	20	0.651	0.087	0.000	6	40	0.000	0.000	0.000
4	1	-0.007	0.026	0.003	5	21	0.505	0.226	0.000	6	41	0.000	0.000	0.000
4	2	0.003	0.019	0.000	5	22	0.761	0.178	0.002	6	42	0.000	0.000	0.000
4	3	0.012	0.092	0.002	5	23	0.902	0.198	0.000	6	43	0.000	0.000	0.000
4	4	0.004	0.064	0.000	5	24	0.973	0.322	0.000	6	44	0.000	0.000	0.000
4	5	-0.000	0.151	0.007	5	25	0.750	0.308	0.000	6	45	0.000	0.000	0.000
4	6	0.003	0.028	0.000	5	26	0.819	0.201	0.000	6	46	0.000	0.006	0.000
4	7	0.000	0.000	0.000	5	27	0.718	0.161	0.000	6	47	-0.011	0.008	0.000
4	8	0.000	0.000	0.000	5	28	0.508	0.179	0.000	6	48	-0.203	0.021	0.000
4	9	0.000	0.000	0.000	5	29	0.025	0.016	0.000	6	49	0.005	0.160	0.000
4	10	0.000	0.000	0.000	5	30	0.000	0.039	0.000	6	50	0.002	0.181	0.001
4	11	0.000	0.000	0.000	5	31	0.067	0.006	0.001	6	51	-0.157	0.214	0.000
4	12	0.000	0.000	0.000	5	32	0.252	0.001	0.001	6	52	-1.179	0.233	0.000
4	13	-0.001	0.204	0.000	5	33	0.604	0.070	0.000	6	53	-1.202	0.189	0.000
4	14	0.000	0.055	0.000	5	34	0.749	0.004	0.000	6	54	-0.810	0.221	0.000
4	15	0.000	0.140	0.000	5	35	0.676	0.000	0.000	6	55	-0.036	0.000	0.000
4	16	0.196	0.262	0.000	5	36	0.865	0.000	0.000	6	56	0.000	0.006	0.000
4	17	0.064	0.038	0.000	5	37	0.903	0.000	0.000	6	57	0.000	0.101	0.000
4	18	0.000	0.000	0.000	5	38	0.894	0.000	0.000	6	58	0.001	0.136	0.000
4	19	0.000	0.000	0.000	5	39	0.688	0.000	0.000	6	59	-0.064	0.123	0.000
4	20	0.000	0.000	0.000	5	40	0.267	0.000	0.000	7	0	-0.087	0.106	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

7	1	0.013	0.009	0.000	8	21	-3.412	0.461	0.000	9	41	-3.687	0.574	0.001
7	2	0.008	0.138	0.002	8	22	-3.271	-0.012	0.000	9	42	-3.073	0.525	0.000
7	3	0.000	0.076	0.000	8	23	-3.099	0.426	0.000	9	43	-3.640	0.409	0.000
7	4	0.024	0.046	0.000	8	24	-2.411	0.111	0.000	9	44	-2.604	0.558	0.000
7	5	-0.126	0.012	0.000	8	25	-2.663	0.050	0.000	9	45	-3.908	-0.240	0.000
7	6	-0.443	0.155	0.000	8	26	-2.549	-0.149	0.000	9	46	-3.898	-0.609	0.000
7	7	-0.492	0.209	0.000	8	27	-3.288	-1.130	0.000	9	47	-3.375	0.475	0.000
7	8	-0.006	0.381	0.000	8	28	-3.007	-0.140	0.000	9	48	-3.647	0.827	0.001
7	9	0.046	0.184	0.000	8	29	-3.691	-0.193	0.000	9	49	-2.875	0.112	0.000
7	10	0.005	0.249	0.000	8	30	-3.427	-1.034	0.000	9	50	-3.250	-0.123	0.000
7	11	0.000	0.027	0.000	8	31	-4.200	-0.718	0.000	9	51	-4.323	0.057	0.000
7	12	0.000	0.000	0.000	8	32	-3.445	-0.241	0.000	9	52	-5.281	-0.106	0.000
7	13	0.000	-0.000	0.000	8	33	-4.185	-0.389	0.000	9	53	-5.048	0.414	0.000
7	14	0.000	0.000	0.000	8	34	-3.961	-0.110	0.000	9	54	-4.765	-0.305	0.000
7	15	0.311	0.000	0.000	8	35	-2.755	-0.238	0.000	9	55	-5.011	-0.099	0.000
7	16	0.551	0.000	0.000	8	36	-3.129	-0.057	0.000	9	56	-4.580	-0.132	0.000
7	17	0.499	0.000	0.000	8	37	-3.626	0.025	0.000	9	57	-5.007	-0.580	0.000
7	18	0.427	0.000	0.000	8	38	-3.586	-0.182	0.000	9	58	-4.667	-0.313	0.000
7	19	0.452	0.000	0.000	8	39	-3.073	-0.394	0.000	9	59	-4.434	-0.653	0.000
7	20	0.333	0.000	0.000	8	40	-3.600	0.060	0.000	10	0	-4.006	0.194	0.000
7	21	0.427	0.000	0.000	8	41	-3.595	0.226	0.000	10	1	-3.973	0.251	0.000
7	22	0.402	0.000	0.000	8	42	-3.709	-0.117	0.000	10	2	-2.863	-0.584	0.000
7	23	0.346	0.000	0.000	8	43	-4.666	0.027	0.000	10	3	-3.637	1.235	0.000
7	24	0.000	0.000	0.000	8	44	-5.277	0.331	0.000	10	4	-4.651	0.660	0.000
7	25	-0.034	0.000	0.000	8	45	-4.481	0.368	0.000	10	5	-4.946	-0.003	0.000
7	26	-0.024	0.000	0.000	8	46	-4.194	0.020	0.000	10	6	-5.077	-0.084	0.000
7	27	0.000	0.000	0.000	8	47	-4.586	0.208	0.000	10	7	-5.691	-0.009	0.000
7	28	0.269	0.000	0.000	8	48	-4.135	-0.627	0.000	10	8	-5.500	-0.416	0.000
7	29	0.204	0.000	0.000	8	49	-4.448	-0.619	0.000	10	9	-4.951	0.166	0.000
7	30	0.028	0.000	0.000	8	50	-3.723	-0.422	0.000	10	10	-5.098	0.241	0.000
7	31	0.000	0.000	0.000	8	51	-3.821	-0.125	0.000	10	11	-5.508	-0.216	0.000
7	32	0.000	0.000	0.000	8	52	-6.489	0.131	0.000	10	12	-5.201	0.398	0.000
7	33	0.032	0.000	0.000	8	53	-5.446	0.158	0.000	10	13	-5.752	0.065	0.000
7	34	0.000	0.000	0.000	8	54	-5.947	-0.013	0.000	10	14	-5.062	0.091	0.000
7	35	0.000	0.000	0.000	8	55	-4.167	0.278	0.000	10	15	-5.641	0.049	0.000
7	36	0.000	0.000	0.000	8	56	-4.938	0.249	0.000	10	16	-4.653	0.062	0.000
7	37	0.000	0.000	0.000	8	57	-5.674	0.166	0.000	10	17	-5.362	-0.007	0.000
7	38	0.000	0.000	0.000	8	58	-6.522	0.277	0.000	10	18	-5.803	0.534	0.000
7	39	-0.070	0.000	0.000	8	59	-5.006	0.375	0.000	10	19	-5.179	0.397	0.000
7	40	-0.461	0.000	0.000	9	0	-4.616	-0.145	0.000	10	20	-5.438	0.375	0.000
7	41	-0.172	0.000	0.000	9	1	-4.905	-0.125	0.000	10	21	-3.464	0.039	0.000
7	42	0.000	-0.005	0.000	9	2	-4.186	0.037	0.000	10	22	-4.820	1.129	0.002
7	43	-0.193	-0.005	0.000	9	3	-5.066	-0.313	0.000	10	23	-5.322	0.194	0.001
7	44	-0.035	-0.063	0.000	9	4	-5.559	-0.708	0.000	10	24	-4.555	0.404	0.000
7	45	-0.342	-0.462	0.000	9	5	-4.163	-0.256	0.000	10	25	-6.128	0.047	0.000
7	46	-0.021	-0.001	0.000	9	6	-3.444	0.011	0.000	10	26	-5.743	-0.132	0.000
7	47	0.000	0.000	0.000	9	7	-4.037	0.100	0.000	10	27	-5.372	0.023	0.000
7	48	0.000	-0.001	0.000	9	8	-4.526	0.355	0.000	10	28	-5.952	0.121	0.000
7	49	0.000	0.000	0.000	9	9	-4.540	0.175	0.000	10	29	-5.855	0.184	0.000
7	50	0.000	-0.003	0.000	9	10	-4.633	0.362	0.000	10	30	-4.849	0.203	0.003
7	51	-0.314	-0.010	0.000	9	11	-4.782	0.389	0.000	10	31	-4.534	0.131	0.000
7	52	-0.669	0.000	0.000	9	12	-4.927	0.532	0.000	10	32	-4.761	-0.606	0.001
7	53	-0.657	-0.036	0.000	9	13	-5.796	0.390	0.000	10	33	-5.875	-0.341	0.000
7	54	-0.949	-0.312	0.000	9	14	-5.494	0.387	0.000	10	34	-4.897	-0.158	0.002
7	55	-1.135	-0.114	0.000	9	15	-4.428	-0.032	0.000	10	35	-6.442	-0.079	0.001
7	56	-1.211	-0.103	0.000	9	16	-6.110	0.035	0.000	10	36	-5.909	-0.075	0.000
7	57	-1.409	-0.636	0.000	9	17	-5.135	0.187	0.000	10	37	-3.711	0.068	0.000
7	58	-0.976	-0.631	0.000	9	18	-4.618	-0.199	0.000	10	38	-5.538	-0.118	0.000
7	59	-0.846	0.026	0.000	9	19	-5.113	0.087	0.000	10	39	-6.004	0.287	0.000
8	0	-1.619	0.144	0.000	9	20	-4.720	0.224	0.000	10	40	-3.702	0.566	0.000
8	1	-2.324	0.236	0.000	9	21	-5.482	0.200	0.000	10	41	-3.553	0.137	0.001
8	2	-2.719	0.163	0.000	9	22	-4.108	0.113	0.000	10	42	-4.326	-0.411	0.000
8	3	-2.803	0.024	0.000	9	23	-4.738	-0.028	0.000	10	43	-5.394	0.046	0.001
8	4	-2.799	-0.032	0.000	9	24	-4.427	-0.016	0.000	10	44	-5.376	0.071	0.000
8	5	-3.058	0.045	0.000	9	25	-4.459	0.616	0.000	10	45	-6.352	0.221	0.000
8	6	-2.371	-0.422	0.000	9	26	-3.474	0.751	0.000	10	46	-6.015	0.477	0.000
8	7	-1.596	-1.078	0.000	9	27	-3.216	1.425	0.000	10	47	-6.111	-0.106	0.000
8	8	-2.261	-0.002	0.000	9	28	-3.845	2.047	0.000	10	48	-4.708	0.037	0.001
8	9	-2.656	-0.219	0.000	9	29	-3.837	2.055	0.000	10	49	-6.186	0.598	0.000
8	10	-2.931	-0.034	0.000	9	30	-3.280	0.758	0.000	10	50	-5.899	1.125	0.000
8	11	-2.539	0.794	0.000	9	31	-4.938	0.867	0.000	10	51	-6.331	0.503	0.002
8	12	-2.723	0.109	0.000	9	32	-5.236	-0.016	0.000	10	52	-5.831	-0.669	0.000
8	13	-2.502	0.146	0.000	9	33	-4.445	0.041	0.000	10	53	-5.187	-0.188	0.000
8	14	-2.553	0.610	0.000	9	34	-3.591	-0.244	0.000	10	54	-3.719	-0.058	0.002
8	15	-2.304	0.063	0.000	9	35	-3.726	0.242	0.000	10	55	-5.738	-0.189	0.002
8	16	-3.197	0.349	0.000	9	36	-4.702	0.006	0.000	10	56	-4.064	-0.218	0.003
8	17	-2.465	1.115	0.000	9	37	-3.398	0.294	0.000	10	57	-4.970	-0.894	0.003
8	18	-2.847	0.778	0.000	9	38	-3.757	0.175	0.001	10	58	-3.509	0.130	0.002
8	19	-3.041	0.057	0.000	9	39	-4.161	0.578	0.000	10	59	-5.839	0.562	0.000
8	20	-2.821	0.291	0.000	9	40	-4.453	0.476	0.000	11	0	-5.156	0.122	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

19	1	-0.791	-1.529	0.003	20	21	-0.400	0.250	0.000	21	41	0.000	0.007	0.000
19	2	-1.224	-1.058	0.002	20	22	0.000	0.573	0.000	21	42	0.000	0.000	0.000
19	3	-1.165	-1.086	-0.000	20	23	0.000	0.351	0.001	21	43	-0.001	0.054	0.001
19	4	-0.804	-1.256	0.001	20	24	0.000	0.002	0.001	21	44	0.008	-0.005	0.002
19	5	-0.752	-2.004	0.000	20	25	-0.015	0.000	0.000	21	45	-0.001	0.029	0.002
19	6	-1.082	-1.618	0.001	20	26	0.007	0.002	0.003	21	46	0.000	0.244	0.000
19	7	-0.489	-1.263	0.000	20	27	-0.012	0.127	0.034	21	47	0.000	0.121	0.000
19	8	-0.856	-1.200	0.000	20	28	-0.036	0.075	0.001	21	48	0.000	0.117	0.000
19	9	-0.704	-2.079	0.004	20	29	-0.459	0.000	0.000	21	49	0.000	0.000	0.000
19	10	-0.763	-2.730	-0.000	20	30	-0.679	-0.002	0.000	21	50	-0.041	-0.004	0.000
19	11	-0.701	-3.174	0.001	20	31	-0.306	0.076	0.000	21	51	0.000	-0.047	0.000
19	12	-0.527	-2.795	0.001	20	32	-0.000	0.054	0.000	21	52	0.000	0.000	0.000
19	13	-0.155	-2.759	0.000	20	33	-1.468	-0.844	0.000	21	53	0.000	-0.000	0.000
19	14	-0.059	-2.132	-0.001	20	34	-0.844	-1.739	0.000	21	54	0.000	0.000	0.000
19	15	-0.266	-2.172	0.000	20	35	-0.492	-1.271	0.000	21	55	0.000	-0.233	0.000
19	16	-0.363	-2.028	0.000	20	36	-1.096	-1.262	0.000	21	56	0.000	-0.452	0.000
19	17	-0.187	-1.524	0.001	20	37	-0.392	-1.311	0.000	21	57	0.000	-0.139	0.000
19	18	-0.098	-1.728	0.001	20	38	-0.100	-1.534	0.000	21	58	0.000	0.000	0.000
19	19	-0.797	-2.123	0.000	20	39	-0.247	-1.884	-0.000	21	59	0.000	0.000	0.000
19	20	-1.006	-1.529	0.000	20	40	-1.144	-1.597	0.000	22	0	-0.184	0.000	0.000
19	21	-0.951	-1.373	0.000	20	41	-0.238	-2.302	0.001	22	1	-0.054	0.002	0.000
19	22	-0.661	-1.739	-0.000	20	42	-0.341	-3.201	0.000	22	2	-0.206	0.096	0.000
19	23	-0.880	-1.519	0.000	20	43	-0.369	-2.604	-0.002	22	3	-0.066	0.345	0.000
19	24	-0.865	-1.601	0.000	20	44	-0.088	-2.014	0.000	22	4	-0.042	0.014	0.000
19	25	-1.373	-1.813	0.000	20	45	-0.264	-1.820	0.000	22	5	-0.381	-0.000	0.000
19	26	-0.832	-1.868	0.000	20	46	-0.505	-2.011	0.000	22	6	-0.724	0.000	0.000
19	27	-0.385	-1.085	0.000	20	47	-0.114	-1.914	0.000	22	7	-0.876	-0.027	0.000
19	28	-1.039	-1.271	-0.000	20	48	0.051	-1.728	0.000	22	8	-0.819	-0.030	0.000
19	29	-0.882	-1.345	0.000	20	49	0.154	-1.503	0.000	22	9	-0.787	0.000	0.000
19	30	-0.750	-0.888	0.000	20	50	-0.162	-1.697	0.000	22	10	-0.682	0.000	0.000
19	31	-1.508	-0.652	0.000	20	51	-0.578	-2.052	0.000	22	11	-0.244	0.000	0.000
19	32	-1.858	-1.658	0.000	20	52	-0.433	-1.565	0.000	22	12	-0.002	0.133	0.000
19	33	-1.498	-1.677	0.000	20	53	-0.071	-1.333	0.000	22	13	-0.015	0.055	0.002
19	34	-1.353	-1.652	-0.003	20	54	-0.159	-1.544	0.000	22	14	0.000	0.033	0.000
19	35	-0.981	-1.764	0.000	20	55	-0.347	-1.576	0.000	22	15	-1.125	-0.700	0.003
19	36	-0.996	-1.709	0.000	20	56	-0.304	-2.095	0.000	22	16	-1.565	-0.752	0.000
19	37	-0.894	-1.574	0.000	20	57	-0.070	-1.898	0.000	22	17	-1.365	-0.144	0.000
19	38	-0.859	-1.698	0.000	20	58	0.079	-1.745	0.000	22	18	-0.880	-0.003	0.000
19	39	-1.004	-1.403	0.000	20	59	0.159	-1.621	0.000	22	19	-0.979	-0.000	0.000
19	40	-1.009	-1.626	0.000	21	0	0.037	-1.284	0.001	22	20	-1.138	-0.001	0.000
19	41	-1.073	-1.377	-0.002	21	1	0.167	-1.468	0.000	22	21	-1.327	0.000	0.000
19	42	-1.344	-0.669	0.000	21	2	0.056	-1.089	0.000	22	22	-1.458	0.002	0.000
19	43	-1.382	-1.368	-0.001	21	3	0.081	-1.309	0.003	22	23	-1.024	-0.008	0.000
19	44	-1.776	-2.350	-0.002	21	4	0.026	-1.213	0.005	22	24	-1.067	-0.040	0.000
19	45	-0.976	-2.300	0.000	21	5	0.115	-1.473	0.000	22	25	-0.710	-0.197	0.000
19	46	-1.325	-2.494	0.000	21	6	0.028	-1.339	0.003	22	26	-0.918	-0.249	0.000
19	47	-0.793	-2.158	-0.001	21	7	0.054	-1.723	0.000	22	27	-0.961	-0.182	0.000
19	48	-1.393	-2.154	0.000	21	8	0.008	-1.549	0.000	22	28	-0.526	-0.279	0.000
19	49	-1.308	-1.457	0.001	21	9	0.000	-1.392	0.000	22	29	-0.002	-0.496	0.000
19	50	-1.577	-0.996	0.001	21	10	0.042	-1.114	0.000	22	30	-0.228	-0.013	0.000
19	51	-2.093	-1.015	0.000	21	11	0.024	-1.917	0.000	22	31	-0.010	-1.033	0.000
19	52	-2.772	-1.365	0.000	21	12	-0.052	-1.650	0.000	22	32	0.004	-1.425	0.000
19	53	-2.141	-1.621	0.000	21	13	0.278	-1.625	0.001	22	33	-0.030	-1.899	0.000
19	54	-2.256	-1.601	0.000	21	14	0.016	-1.080	0.000	22	34	0.013	-1.390	0.002
19	55	-2.072	-0.719	-0.000	21	15	-0.040	-0.765	0.001	22	35	-0.030	-1.661	0.000
19	56	-1.519	-0.949	0.001	21	16	-0.131	-1.100	0.000	22	36	-0.078	-1.288	0.000
19	57	-1.922	-1.088	0.000	21	17	-0.197	-0.843	0.000	22	37	-0.137	-1.223	0.000
19	58	-1.382	-1.327	0.000	21	18	0.000	-0.201	0.000	22	38	-0.419	-1.559	0.000
19	59	-1.284	-0.870	0.000	21	19	0.000	-0.006	0.000	22	39	-0.382	-1.775	0.000
20	0	-1.658	-1.276	-0.000	21	20	-0.000	-0.599	0.000	22	40	-0.252	-1.480	0.000
20	1	-1.276	-1.099	0.000	21	21	-0.032	-0.567	0.000	22	41	-0.188	-1.105	-0.000
20	2	-1.523	-1.177	0.001	21	22	0.000	0.000	0.000	22	42	-0.324	-1.175	0.000
20	3	-1.995	-1.959	0.002	21	23	-0.003	-0.405	0.000	22	43	-0.450	-1.924	0.000
20	4	-2.767	-2.439	0.000	21	24	-0.029	-0.881	0.000	22	44	-0.496	-1.822	0.000
20	5	-2.558	-1.736	0.000	21	25	0.000	-0.791	0.000	22	45	-0.741	-1.469	0.000
20	6	-1.793	-1.496	0.000	21	26	-0.000	-0.903	0.000	22	46	-1.114	-1.556	-0.000
20	7	-1.287	-1.376	0.000	21	27	0.000	-0.691	0.000	22	47	-0.515	-1.995	0.000
20	8	-1.321	-2.074	-0.000	21	28	0.000	-0.771	0.000	22	48	-0.428	-2.288	0.000
20	9	-1.277	-1.289	0.000	21	29	0.000	-0.608	0.000	22	49	-0.329	-2.143	0.000
20	10	-1.119	-0.808	0.000	21	30	0.000	-0.689	0.000	22	50	-0.991	-2.758	0.000
20	11	-0.859	-1.324	0.001	21	31	-0.339	-0.295	0.000	22	51	-0.644	-1.902	0.003
20	12	-1.342	-1.686	0.000	21	32	-0.387	-0.972	0.000	22	52	-0.843	-0.243	0.000
20	13	-1.092	-2.034	0.002	21	33	-0.658	-0.920	0.000	22	53	-1.150	-1.042	0.000
20	14	-0.845	-0.847	0.000	21	34	-0.655	-0.784	0.000	22	54	-0.801	-1.462	0.000
20	15	-0.823	-1.316	0.001	21	35	-0.271	-0.219	0.000	22	55	-0.461	-1.387	0.000
20	16	-1.234	-1.918	0.001	21	36	-0.012	-0.062	0.000	22	56	-0.784	-1.688	0.000
20	17	-1.089	-1.138	0.003	21	37	0.001	-0.154	0.000	22	57	-0.890	-1.146	0.000
20	18	-1.310	-0.493	0.000	21	38	0.000	0.001	0.000	22	58	-1.467	-1.056	0.000
20	19	-1.357	-0.022	-0.000	21	39	0.000	0.035	0.000	22	59	-1.180	-0.771	0.000
20	20	-0.817	0.000	0.000	21	40	0.000	0.093	0.000	23	0	-0.576	-1.292	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

15	1	-5.949	0.123	0.000	16	21	-2.832	-0.944	0.000	17	41	-1.987	-1.188	0.001
15	2	-5.533	0.117	0.000	16	22	-3.379	-1.167	0.000	17	42	-2.055	-1.983	0.002
15	3	-5.792	0.072	0.000	16	23	-3.023	-0.973	-0.001	17	43	-3.293	-1.374	0.001
15	4	-5.086	0.321	0.001	16	24	-2.180	-1.033	0.001	17	44	-4.506	-1.076	0.000
15	5	-3.304	0.026	0.001	16	25	-1.717	-2.193	0.000	17	45	-4.137	-1.416	0.000
15	6	-3.964	0.250	0.002	16	26	-0.656	-1.544	0.005	17	46	-4.105	-1.082	0.001
15	7	-3.431	-0.059	0.001	16	27	-2.223	-1.300	0.013	17	47	-3.441	-1.870	0.004
15	8	-4.111	0.053	0.000	16	28	-3.513	-3.132	0.003	17	48	-2.977	-1.494	0.003
15	9	-4.852	-0.018	0.001	16	29	-3.098	-2.350	0.000	17	49	-2.927	-1.199	0.000
15	10	-4.777	-0.070	0.000	16	30	-2.842	-2.270	0.001	17	50	-3.848	-0.643	0.000
15	11	-5.166	-0.220	0.001	16	31	-3.455	-1.264	0.008	17	51	-4.412	-1.260	0.001
15	12	-4.020	-0.515	0.000	16	32	-3.651	-1.382	0.004	17	52	-3.123	-1.121	0.007
15	13	-3.963	-0.064	0.000	16	33	-2.710	-1.718	0.006	17	53	-2.918	-1.604	0.001
15	14	-2.626	-0.095	0.000	16	34	-3.355	-1.585	0.000	17	54	-2.783	-1.108	0.009
15	15	-2.055	-0.384	0.001	16	35	-3.176	-1.023	0.003	17	55	-3.855	-0.945	0.005
15	16	-4.176	-0.759	0.000	16	36	-4.475	-0.387	0.005	17	56	-2.752	-1.206	0.005
15	17	-3.115	-0.126	0.010	16	37	-3.945	-0.510	0.003	17	57	-4.080	-1.276	0.001
15	18	-4.346	0.213	0.002	16	38	-3.496	-0.802	0.006	17	58	-4.659	-1.297	0.004
15	19	-4.954	-0.029	0.000	16	39	-3.786	-0.050	0.007	17	59	-4.370	-1.296	0.000
15	20	-3.890	0.189	0.000	16	40	-3.338	-0.113	0.003	18	0	-3.292	-1.905	0.001
15	21	-3.769	0.128	0.000	16	41	-4.051	-0.420	0.005	18	1	-3.151	-1.661	0.006
15	22	-5.592	-0.078	0.000	16	42	-3.854	-1.042	0.014	18	2	-2.973	-0.919	0.000
15	23	-5.809	-0.675	0.000	16	43	-4.354	-2.511	0.004	18	3	-2.423	-1.653	0.010
15	24	-5.449	-0.681	0.000	16	44	-3.921	-2.186	0.002	18	4	-2.790	-0.442	0.011
15	25	-4.381	-0.443	0.000	16	45	-4.145	-1.683	0.001	18	5	-3.555	-1.121	0.000
15	26	-3.971	-0.470	0.000	16	46	-3.616	-0.635	0.006	18	6	-3.179	-0.818	0.000
15	27	-4.284	-0.994	0.000	16	47	-3.266	-0.428	0.004	18	7	-3.592	-1.093	0.002
15	28	-3.626	-0.986	0.000	16	48	-3.465	-0.463	0.011	18	8	-2.538	-1.227	-0.000
15	29	-3.493	-1.057	0.000	16	49	-3.111	0.037	0.022	18	9	-2.041	-0.722	0.005
15	30	-3.030	-0.220	0.000	16	50	-4.578	0.695	0.015	18	10	-2.240	-0.600	0.000
15	31	-2.909	0.369	0.001	16	51	-3.795	0.292	0.011	18	11	-2.182	-0.510	0.000
15	32	-3.856	-0.439	0.001	16	52	-3.319	-0.031	0.017	18	12	-2.221	-1.014	0.004
15	33	-3.898	-0.378	0.000	16	53	-4.013	-0.197	0.013	18	13	-1.645	-1.152	0.000
15	34	-3.809	-0.213	0.000	16	54	-4.280	-1.183	0.002	18	14	-1.230	-1.404	0.001
15	35	-4.684	0.310	0.000	16	55	-3.157	-1.109	0.000	18	15	-1.248	-2.226	0.000
15	36	-4.620	0.625	0.001	16	56	-3.297	-1.159	0.001	18	16	-1.013	-2.321	0.000
15	37	-3.526	0.158	0.000	16	57	-3.652	-1.778	-0.000	18	17	-1.986	-3.763	0.005
15	38	-3.895	0.016	0.000	16	58	-3.197	-1.487	-0.002	18	18	-2.090	-2.310	0.001
15	39	-3.165	0.337	0.001	16	59	-2.659	-0.532	0.026	18	19	-1.934	-1.608	0.007
15	40	-3.611	0.249	0.002	17	0	-3.762	-1.209	0.011	18	20	-1.353	-0.903	0.000
15	41	-3.741	0.056	0.000	17	1	-4.600	-0.752	0.002	18	21	-1.116	-1.431	0.000
15	42	-3.593	-0.957	0.002	17	2	-3.755	-0.612	0.000	18	22	-0.576	-1.730	0.000
15	43	-2.898	-0.670	0.000	17	3	-3.775	-0.291	-0.002	18	23	-0.906	-2.017	0.000
15	44	-3.249	-1.016	0.000	17	4	-4.527	-2.130	-0.002	18	24	-1.100	-1.810	0.003
15	45	-3.810	-2.014	0.000	17	5	-2.778	-2.696	0.013	18	25	-0.717	-1.777	0.000
15	46	-3.821	-0.926	0.002	17	6	-3.002	-2.660	0.019	18	26	-0.748	-1.484	0.005
15	47	-3.804	-1.229	-0.000	17	7	-4.366	-3.043	0.008	18	27	-0.989	-2.635	-0.002
15	48	-3.588	-0.742	0.000	17	8	-3.715	-1.811	-0.000	18	28	-1.410	-3.232	0.002
15	49	-5.213	-0.343	0.000	17	9	-3.310	-0.920	0.008	18	29	-1.113	-4.466	0.011
15	50	-5.567	-0.850	0.000	17	10	-2.500	-1.294	0.018	18	30	-1.948	-4.391	0.006
15	51	-3.776	-0.270	0.003	17	11	-2.316	-3.138	0.007	18	31	-1.763	-3.773	0.006
15	52	-3.787	-0.195	0.000	17	12	-2.713	-1.990	0.015	18	32	-2.155	-3.584	0.006
15	53	-4.518	-0.128	0.000	17	13	-3.404	-2.306	0.002	18	33	-1.650	-2.840	0.006
15	54	-4.134	-0.100	0.000	17	14	-3.979	-1.900	0.022	18	34	-1.428	-3.244	0.000
15	55	-4.160	-0.030	0.001	17	15	-3.969	-2.153	0.005	18	35	-1.026	-2.792	0.020
15	56	-3.912	-0.269	0.000	17	16	-3.659	-2.110	0.004	18	36	-1.010	-3.577	0.006
15	57	-3.220	-0.154	0.000	17	17	-2.801	-2.596	0.004	18	37	-1.077	-3.101	0.003
15	58	-3.694	-0.101	0.000	17	18	-3.501	-2.682	0.002	18	38	-1.505	-3.026	0.002
15	59	-3.849	-0.618	0.003	17	19	-2.997	-1.864	0.014	18	39	-0.783	-2.801	0.002
16	0	-4.168	-1.367	0.000	17	20	-2.991	-2.771	0.008	18	40	-0.737	-3.373	0.000
16	1	-4.623	-1.736	0.000	17	21	-2.945	-3.093	0.004	18	41	-0.703	-3.196	0.000
16	2	-3.576	-1.275	0.000	17	22	-2.632	-1.842	0.014	18	42	-0.952	-2.160	0.018
16	3	-3.815	-1.038	0.002	17	23	-2.497	-1.802	0.012	18	43	-0.854	-2.568	-0.000
16	4	-3.848	-1.625	0.000	17	24	-3.675	-1.380	0.006	18	44	-1.148	-3.486	0.003
16	5	-4.246	-2.184	0.000	17	25	-2.947	-2.050	0.001	18	45	-1.083	-3.068	0.001
16	6	-3.196	-2.781	0.000	17	26	-3.691	-2.071	0.001	18	46	-0.895	-2.177	0.000
16	7	-3.504	-3.343	0.000	17	27	-2.974	-1.342	0.001	18	47	-0.605	-2.049	0.001
16	8	-2.271	-2.042	0.000	17	28	-3.675	-1.972	0.003	18	48	-0.906	-1.687	0.000
16	9	-2.565	-2.333	0.000	17	29	-2.946	-2.368	0.008	18	49	-1.082	-2.353	-0.001
16	10	-2.931	-2.484	0.000	17	30	-2.761	-1.670	0.010	18	50	-0.398	-1.959	0.000
16	11	-2.684	-1.999	0.000	17	31	-2.811	-2.942	0.005	18	51	-0.438	-2.831	0.008
16	12	-2.118	-1.157	0.001	17	32	-2.561	-1.855	0.004	18	52	-0.150	-2.659	0.010
16	13	-2.369	-0.598	0.000	17	33	-2.699	-1.149	0.008	18	53	-1.039	-2.329	0.008
16	14	-1.953	-0.714	0.000	17	34	-3.078	-2.188	0.003	18	54	-1.157	-2.050	0.001
16	15	-3.121	-0.612	0.000	17	35	-3.750	-2.381	0.003	18	55	-0.375	-2.122	0.005
16	16	-3.297	-0.743	0.000	17	36	-4.286	-3.234	-0.001	18	56	-0.293	-2.933	0.005
16	17	-3.387	-0.682	0.000	17	37	-3.033	-2.273	0.004	18	57	-0.751	-3.072	0.004
16	18	-3.643	-0.808	0.000	17	38	-2.751	-2.468	0.014	18	58	-1.348	-3.305	-0.002
16	19	-2.553	-0.186	0.000	17	39	-2.658	-1.584	0.003	18	59	-0.703	-2.322	0.000
16	20	-2.016	-0.283	0.002	17	40	-2.502	-1.237	-0.001	19	0	-0.423	-2.375	0.007



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

19	1	-0.791	-1.529	0.003	20	21	-0.400	0.250	0.000	21	41	0.000	0.007	0.000
19	2	-1.224	-1.058	0.002	20	22	0.000	0.573	0.000	21	42	0.000	0.000	0.000
19	3	-1.165	-1.086	-0.000	20	23	0.000	0.351	0.001	21	43	-0.001	0.034	0.001
19	4	-0.804	-1.256	0.001	20	24	0.000	0.002	0.001	21	44	0.008	-0.005	0.002
19	5	-0.752	-2.004	0.000	20	25	-0.015	0.000	0.000	21	45	-0.001	0.029	0.002
19	6	-1.082	-1.618	0.001	20	26	0.007	0.002	0.003	21	46	0.000	0.244	0.000
19	7	-0.489	-1.263	0.000	20	27	-0.012	0.127	0.034	21	47	0.000	0.121	0.000
19	8	-0.856	-1.200	0.000	20	28	-0.036	0.075	0.001	21	48	0.000	0.117	0.000
19	9	-0.704	-2.079	0.004	20	29	-0.459	0.000	0.000	21	49	0.000	0.000	0.000
19	10	-0.763	-2.730	-0.000	20	30	-0.679	-0.002	0.000	21	50	-0.041	-0.004	0.000
19	11	-0.701	-3.174	0.001	20	31	-0.306	0.076	0.000	21	51	0.000	-0.047	0.000
19	12	-0.527	-2.795	0.001	20	32	-0.000	0.054	0.000	21	52	0.000	0.000	0.000
19	13	-0.155	-2.759	0.000	20	33	-1.468	-0.844	0.000	21	53	0.000	-0.000	0.000
19	14	-0.059	-2.132	-0.001	20	34	-0.844	-1.739	0.000	21	54	0.000	0.000	0.000
19	15	-0.266	-2.172	0.000	20	35	-0.492	-1.271	0.000	21	55	0.000	-0.233	0.000
19	16	-0.363	-2.028	0.000	20	36	-1.096	-1.262	0.000	21	56	0.000	-0.452	0.000
19	17	-0.187	-1.524	0.001	20	37	-0.392	-1.311	0.000	21	57	0.000	-0.139	0.000
19	18	-0.098	-1.728	0.001	20	38	-0.100	-1.534	0.000	21	58	0.000	0.000	0.000
19	19	-0.797	-2.123	0.000	20	39	-0.247	-1.884	-0.000	21	59	0.000	0.000	0.000
19	20	-1.006	-1.529	0.000	20	40	-1.144	-1.597	0.000	22	0	-0.184	0.000	0.000
19	21	-0.951	-1.373	0.000	20	41	-0.238	-2.302	0.001	22	1	-0.054	0.002	0.000
19	22	-0.661	-1.739	-0.000	20	42	-0.341	-3.201	0.000	22	2	-0.206	0.096	0.000
19	23	-0.880	-1.519	0.000	20	43	-0.369	-2.604	-0.002	22	3	-0.066	0.345	0.000
19	24	-0.865	-1.601	0.000	20	44	-0.088	-2.014	0.000	22	4	-0.042	0.014	0.000
19	25	-1.373	-1.813	0.000	20	45	-0.264	-1.820	0.000	22	5	-0.381	-0.000	0.000
19	26	-0.832	-1.868	0.000	20	46	-0.505	-2.011	0.000	22	6	-0.724	0.000	0.000
19	27	-0.385	-1.085	0.000	20	47	-0.114	-1.914	0.000	22	7	-0.876	-0.027	0.000
19	28	-1.039	-1.271	-0.000	20	48	0.051	-1.728	0.000	22	8	-0.819	-0.030	0.000
19	29	-0.882	-1.345	0.000	20	49	0.154	-1.503	0.000	22	9	-0.787	0.000	0.000
19	30	-0.750	-0.888	0.000	20	50	-0.162	-1.697	0.000	22	10	-0.682	0.000	0.000
19	31	-1.508	-0.652	0.000	20	51	-0.578	-2.052	0.000	22	11	-0.244	0.000	0.000
19	32	-1.858	-1.658	0.000	20	52	-0.433	-1.565	0.000	22	12	-0.002	0.133	0.000
19	33	-1.498	-1.677	0.000	20	53	-0.071	-1.333	0.000	22	13	-0.015	0.055	0.002
19	34	-1.353	-1.652	-0.003	20	54	-0.159	-1.544	0.000	22	14	0.000	0.033	0.000
19	35	-0.981	-1.764	0.000	20	55	-0.347	-1.576	0.000	22	15	-1.125	-0.700	0.003
19	36	-0.996	-1.709	0.000	20	56	-0.304	-2.095	0.000	22	16	-1.565	-0.752	0.000
19	37	-0.894	-1.574	0.000	20	57	-0.070	-1.898	0.000	22	17	-1.365	-0.144	0.000
19	38	-0.859	-1.698	0.000	20	58	0.079	-1.745	0.000	22	18	-0.880	-0.003	0.000
19	39	-1.004	-1.403	0.000	20	59	0.159	-1.621	0.000	22	19	-0.979	-0.000	0.000
19	40	-1.009	-1.626	0.000	21	0	0.037	-1.284	0.001	22	20	-1.138	-0.001	0.000
19	41	-1.073	-1.377	-0.002	21	1	0.167	-1.468	0.000	22	21	-1.327	0.000	0.000
19	42	-1.344	-0.669	0.000	21	2	0.056	-1.089	0.000	22	22	-1.458	0.002	0.000
19	43	-1.382	-1.368	-0.001	21	3	0.081	-1.309	0.003	22	23	-1.024	-0.008	0.000
19	44	-1.776	-2.350	-0.002	21	4	0.026	-1.213	0.005	22	24	-1.067	-0.040	0.000
19	45	-0.976	-2.300	0.000	21	5	0.115	-1.473	0.000	22	25	-0.710	-0.197	0.000
19	46	-1.325	-2.494	0.000	21	6	0.028	-1.339	0.003	22	26	-0.918	-0.249	0.000
19	47	-0.793	-2.158	-0.001	21	7	0.054	-1.723	0.000	22	27	-0.961	-0.182	0.000
19	48	-1.393	-2.154	0.000	21	8	0.008	-1.549	0.000	22	28	-0.526	-0.279	0.000
19	49	-1.308	-1.457	0.001	21	9	0.000	-1.392	0.000	22	29	-0.002	-0.496	0.000
19	50	-1.577	-0.996	0.001	21	10	0.042	-1.114	0.000	22	30	-0.228	-0.013	0.000
19	51	-2.093	-1.015	0.000	21	11	0.024	-1.917	0.000	22	31	-0.010	-1.033	0.000
19	52	-2.772	-1.365	0.000	21	12	-0.052	-1.650	0.000	22	32	0.004	-1.425	0.000
19	53	-2.141	-1.621	0.000	21	13	0.278	-1.625	0.001	22	33	-0.030	-1.899	0.000
19	54	-2.256	-1.601	0.000	21	14	0.016	-1.080	0.000	22	34	0.013	-1.390	0.002
19	55	-2.072	-0.719	-0.000	21	15	-0.040	-0.765	0.001	22	35	-0.030	-1.661	0.000
19	56	-1.519	-0.949	0.001	21	16	-0.131	-1.100	0.000	22	36	-0.078	-1.288	0.000
19	57	-1.922	-1.088	0.000	21	17	-0.197	-0.843	0.000	22	37	-0.137	-1.223	0.000
19	58	-1.382	-1.327	0.000	21	18	0.000	-0.201	0.000	22	38	-0.419	-1.559	0.000
19	59	-1.284	-0.870	0.000	21	19	0.000	-0.006	0.000	22	39	-0.382	-1.775	0.000
20	0	-1.658	-1.276	-0.000	21	20	-0.000	-0.599	0.000	22	40	-0.252	-1.480	0.000
20	1	-1.276	-1.099	0.000	21	21	-0.032	-0.567	0.000	22	41	-0.188	-1.105	-0.000
20	2	-1.523	-1.177	0.001	21	22	0.000	0.000	0.000	22	42	-0.324	-1.175	0.000
20	3	-1.995	-1.959	0.002	21	23	-0.003	-0.405	0.000	22	43	-0.450	-1.924	0.000
20	4	-2.767	-2.439	0.000	21	24	-0.029	-0.881	0.000	22	44	-0.496	-1.822	0.000
20	5	-2.558	-1.736	0.000	21	25	0.000	-0.791	0.000	22	45	-0.741	-1.469	0.000
20	6	-1.793	-1.496	0.000	21	26	-0.000	-0.903	0.000	22	46	-1.114	-1.556	-0.000
20	7	-1.287	-1.376	0.000	21	27	0.000	-0.691	0.000	22	47	-0.515	-1.995	0.000
20	8	-1.321	-2.074	-0.000	21	28	0.000	-0.771	0.000	22	48	-0.428	-2.288	0.000
20	9	-1.277	-1.289	0.000	21	29	0.000	-0.608	0.000	22	49	-0.329	-2.143	0.000
20	10	-1.119	-0.808	0.000	21	30	0.000	-0.689	0.000	22	50	-0.991	-2.758	0.000
20	11	-0.859	-1.324	0.001	21	31	-0.339	-0.295	0.000	22	51	-0.644	-1.902	0.003
20	12	-1.342	-1.686	0.000	21	32	-0.387	-0.972	0.000	22	52	-0.843	-0.243	0.000
20	13	-1.092	-2.034	0.002	21	33	-0.658	-0.920	0.000	22	53	-1.150	-1.042	0.000
20	14	-0.845	-0.847	0.000	21	34	-0.655	-0.784	0.000	22	54	-0.801	-1.462	0.000
20	15	-0.823	-1.316	0.001	21	35	-0.271	-0.219	0.000	22	55	-0.461	-1.387	0.000
20	16	-1.234	-1.918	0.001	21	36	-0.012	-0.062	0.000	22	56	-0.784	-1.688	0.000
20	17	-1.089	-1.138	0.003	21	37	0.001	-0.154	0.000	22	57	-0.890	-1.146	0.000
20	18	-1.310	-0.493	0.000	21	38	0.000	0.001	0.000	22	58	-1.467	-1.056	0.000
20	19	-1.357	-0.022	-0.000	21	39	0.000	0.035	0.000	22	59	-1.180	-0.771	0.000
20	20	-0.817	0.000	0.000	21	40	0.000	0.093	0.000	23	0	-0.576	-1.292	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

23	1	-0.827	-0.935	0.000	0	18	0.000	0.000	0.000	1	38	-1.902	0.040	0.000
23	2	-0.716	-1.554	0.000	0	19	0.000	0.000	0.000	1	39	-1.577	0.035	0.000
23	3	-0.913	-1.447	0.000	0	20	0.000	0.000	0.000	1	40	-1.655	0.089	0.000
23	4	-1.029	-1.114	0.000	0	21	0.000	0.000	0.000	1	41	-1.812	-0.007	0.000
23	5	-0.763	-1.246	0.000	0	22	0.000	0.000	0.000	1	42	-1.494	0.025	0.000
23	6	-0.720	-0.975	0.000	0	23	-0.086	-0.025	0.000	1	43	-1.492	-0.019	0.000
23	7	-0.585	-0.975	0.000	0	24	-0.002	-0.657	0.000	1	44	-1.397	0.155	0.000
23	8	-0.679	-0.806	0.000	0	25	-0.242	-0.823	0.000	1	45	-1.210	0.044	0.000
23	9	-0.945	-0.761	0.000	0	26	-0.019	-1.076	0.000	1	46	-1.579	0.337	0.000
23	10	-1.344	-1.293	0.000	0	27	0.000	-0.867	0.000	1	47	-1.452	0.124	0.000
23	11	-1.216	-1.259	0.000	0	28	0.000	-0.851	0.000	1	48	-1.734	-0.030	0.000
23	12	-1.363	-1.189	0.000	0	29	0.000	-0.646	0.000	1	49	-1.958	-0.007	0.000
23	13	-0.911	-1.208	0.000	0	30	-0.007	-0.716	0.000	1	50	-1.435	-0.122	0.000
23	14	-0.854	-0.886	0.000	0	31	-0.894	-1.003	0.000	1	51	-1.667	-0.420	0.000
23	15	-1.155	-1.108	0.000	0	32	-0.835	-1.062	0.000	1	52	-2.084	-0.650	0.000
23	16	-1.218	-1.083	0.000	0	33	-0.757	-1.075	0.000	1	53	-2.516	-0.874	0.000
23	17	-1.308	-1.010	0.000	0	34	-0.724	-1.129	0.000	1	54	-2.641	-0.890	0.000
23	18	-1.083	-1.423	0.000	0	35	-0.702	-0.896	0.000	1	55	-2.333	-0.385	0.000
23	19	-1.120	-1.366	0.000	0	36	-0.948	-1.223	0.000	1	56	-1.908	-0.151	0.000
23	20	-1.428	-1.180	0.000	0	37	-0.896	-1.175	0.000	1	57	-1.696	-0.028	0.000
23	21	-1.626	-0.524	0.000	0	38	-1.059	-0.926	0.000	1	58	-1.868	-0.431	0.000
23	22	-1.367	-0.042	0.000	0	39	-1.378	-0.863	0.000	1	59	-2.037	-0.678	0.000
23	23	-1.447	-0.100	0.000	0	40	-1.017	-0.852	0.000	2	0	-1.914	-0.546	0.000
23	24	-1.366	-0.371	0.000	0	41	-0.713	-0.702	0.000	2	1	-1.826	-0.897	0.000
23	25	-1.016	-0.837	0.000	0	42	-0.767	-0.396	0.000	2	2	-1.689	-0.737	0.000
23	26	-1.009	-1.250	0.000	0	43	-0.763	-0.946	0.000	2	3	-2.193	-1.014	0.000
23	27	-0.924	-1.317	0.000	0	44	-1.215	-0.591	0.000	2	4	-2.039	-0.727	0.000
23	28	-1.357	-0.867	0.000	0	45	-1.208	-0.356	0.000	2	5	-2.219	-0.791	0.000
23	29	-1.380	-0.246	0.000	0	46	-1.369	-0.330	0.000	2	6	-2.601	-0.897	0.000
23	30	-1.126	-0.821	0.000	0	47	-1.635	-0.149	0.000	2	7	-2.367	-1.337	0.000
23	31	-0.918	-1.087	0.000	0	48	-1.618	-0.059	0.000	2	8	-1.988	-0.763	0.000
23	32	-0.935	-1.085	0.000	0	49	-1.519	-0.006	0.000	2	9	-2.082	-0.925	0.000
23	33	-0.951	-0.918	0.000	0	50	-1.421	0.035	0.000	2	10	-1.456	-0.615	0.000
23	34	-0.914	-1.225	0.000	0	51	-1.306	0.021	0.000	2	11	-1.637	-0.359	0.000
23	35	-0.916	-1.189	0.000	0	52	-1.512	0.035	0.000	2	12	-1.727	-0.359	0.000
23	36	-1.160	-1.141	0.000	0	53	-1.381	0.006	0.000	2	13	-1.836	-0.468	0.000
23	37	-1.007	-1.066	0.000	0	54	-1.283	0.000	0.000	2	14	-1.929	-0.679	0.000
23	38	-1.228	-1.042	0.000	0	55	-1.231	0.000	0.000	2	15	-2.651	-0.542	0.000
23	39	-1.137	-1.043	0.000	0	56	-1.379	0.000	0.000	2	16	-2.012	-0.621	0.000
23	40	-1.208	-1.102	0.000	0	57	-1.388	-0.043	0.000	2	17	-2.040	-0.750	0.000
23	41	-1.040	-1.050	0.000	0	58	-1.322	-0.145	0.000	2	18	-1.945	-0.739	0.000
23	42	-0.878	-1.190	0.000	0	59	-1.200	-0.101	0.000	2	19	-2.037	-0.862	0.000
23	43	-0.938	-1.162	0.000	1	0	-1.152	-0.004	0.000	2	20	-1.946	-0.918	0.000
23	44	-0.713	-1.264	0.000	1	1	-1.287	-0.000	0.000	2	21	-1.816	-0.695	0.000
23	45	-0.863	-0.918	0.000	1	2	-1.405	0.000	0.000	2	22	-1.318	-0.879	0.000
23	46	-0.723	-0.668	0.000	1	3	-1.227	0.000	0.000	2	23	-1.858	-0.471	0.000
23	47	-0.270	-1.362	0.000	1	4	-1.307	0.098	0.000	2	24	-2.190	-0.684	0.000
23	48	-0.537	-1.258	0.000	1	5	-1.217	0.063	0.000	2	25	-2.377	-0.797	0.000
23	49	-0.368	-1.022	0.000	1	6	-1.411	0.260	0.000	2	26	-2.442	-0.774	0.000
23	50	-0.889	-0.935	0.000	1	7	-1.229	0.157	0.000	2	27	-2.390	-0.545	0.000
23	51	-0.992	-0.419	0.000	1	8	-1.589	0.463	0.000	2	28	-2.184	-0.306	0.000
23	52	-0.527	-0.001	0.000	1	9	-1.288	0.090	0.000	2	29	-2.118	-0.606	0.000
23	53	-0.201	-0.001	0.000	1	10	-1.520	0.033	0.000	2	30	-1.923	-0.393	0.000
23	54	0.000	-0.004	0.000	1	11	-1.693	0.132	0.000	2	31	-1.839	-0.701	0.000
23	55	0.000	0.001	0.000	1	12	-2.071	-0.027	0.000	2	32	-1.766	-0.905	0.000
23	56	-0.171	-0.004	0.000	1	13	-1.999	-0.239	0.000	2	33	-1.729	-0.868	0.000
23	57	-0.391	-0.112	0.000	1	14	-1.911	0.004	0.000	2	34	-1.986	-0.927	0.000
23	58	-0.282	-0.696	0.000	1	15	-1.972	-0.060	0.000	2	35	-2.028	-0.784	0.000
23	59	-0.476	-0.492	0.000	1	16	-1.957	-0.064	0.000	2	36	-2.324	-0.631	0.000
					1	17	-1.654	-0.024	0.000	2	37	-1.833	-1.110	0.000
					1	18	-1.429	-0.001	0.000	2	38	-0.740	-1.321	0.000
					1	19	-1.463	0.000	0.000	2	39	-0.643	-1.051	0.000
					1	20	-1.397	0.072	0.000	2	40	-0.677	-0.677	0.000
					1	21	-1.601	0.135	0.000	2	41	-0.547	-1.270	0.000
					1	22	-1.740	0.158	0.000	2	42	-0.575	-1.077	0.000
					1	23	-1.813	0.127	0.000	2	43	-1.173	-0.755	0.000
					1	24	-1.939	0.095	0.000	2	44	-1.030	-0.691	0.000
					1	25	-1.811	0.175	0.000	2	45	-1.149	-0.451	0.000
					1	26	-1.866	0.228	0.000	2	46	-0.571	-0.409	0.000
					1	27	-2.034	-0.410	0.001	2	47	-0.199	-1.086	0.000
					1	28	-2.056	-0.125	0.000	2	48	-0.020	-1.050	0.000
					1	29	-2.063	0.158	0.000	2	49	0.000	-0.901	0.000
					1	30	-2.140	-0.062	0.000	2	50	-0.282	-0.582	0.000
					1	31	-1.296	-0.355	0.000	2	51	-0.776	-0.535	0.000
					1	32	-1.957	-0.073	0.000	2	52	-0.639	-0.609	0.000
					1	33	-1.716	0.007	0.000	2	53	-0.738	-1.043	0.000
					1	34	-1.904	-0.034	0.000	2	54	-1.166	-1.342	0.000
					1	35	-1.803	0.033	0.000	2	55	-0.943	-1.618	0.000
					1	36	-1.904	0.125	0.000	2	56	-0.078	-1.407	0.000
					1	37	-1.904	0.165	0.000	2	57	-0.021	-1.622	0.000

21/07/95

0	0	-0.396	0.000	0.000
0	1	-0.479	-0.172	0.000
0	2	-0.346	-0.295	0.000
0	3	-0.749	-0.003	0.000
0	4	-0.971	0.006	0.000
0	5	-0.969	0.000	0.000
0	6	-1.196	-0.003	0.000
0	7	-0.008	-0.710	0.000
0	8	0.000	-0.450	0.000
0	9	0.000	0.000	0.001
0	10	0.000	0.000	0.000
0	11	0.000	0.000	0.000
0	12	0.000	0.000	0.000
0	13	0.000	0.000	0.000
0	14	0.000	0.000	0.000
0	15	-0.000	0.000	0.000
0	16	0.000	0.001	0.000
0	17	0.000	-0.001	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

2	58	-0.107	-1.664	0.000	4	18	-1.659	-0.640	0.000	5	38	0.109	-0.427	0.000
2	59	-0.282	-1.571	0.000	4	19	-1.551	-0.518	0.000	5	39	0.090	-0.087	0.000
3	0	-0.325	-1.489	0.000	4	20	-1.587	-0.674	0.000	5	40	0.000	-0.300	0.000
3	1	-0.239	-1.683	0.000	4	21	-1.674	-0.705	0.000	5	41	-0.090	0.108	0.002
3	2	-0.140	-1.738	0.000	4	22	-1.991	-0.672	0.000	5	42	0.000	-0.065	0.000
3	3	-0.013	-1.420	0.000	4	23	-1.296	-0.842	0.000	5	43	-0.185	0.010	0.000
3	4	-0.228	-1.039	0.000	4	24	-1.860	-0.898	0.000	5	44	-0.705	0.040	0.000
3	5	-0.300	-1.484	0.000	4	25	-1.998	-1.518	0.000	5	45	-0.372	0.017	0.000
3	6	-0.450	-1.345	0.000	4	26	-1.827	-1.812	0.000	5	46	0.000	-0.002	0.000
3	7	-0.487	-1.413	0.000	4	27	-2.408	-1.145	0.000	5	47	0.000	0.000	0.000
3	8	-0.549	-1.208	0.000	4	28	-1.919	-1.408	0.000	5	48	0.000	-0.116	0.000
3	9	-0.302	-1.283	0.000	4	29	-1.699	-1.289	0.000	5	49	0.000	-0.050	0.000
3	10	-0.196	-1.222	0.000	4	30	-1.333	-1.324	0.000	5	50	0.000	0.003	0.000
3	11	-0.274	-1.186	0.000	4	31	-1.115	-1.163	0.000	5	51	0.000	0.002	0.000
3	12	-0.221	-1.214	0.000	4	32	-1.113	-0.699	0.000	5	52	0.269	0.020	0.000
3	13	-0.084	-1.378	0.000	4	33	-1.632	-1.078	0.000	5	53	0.486	0.000	0.000
3	14	-0.237	-1.402	0.000	4	34	-1.669	-0.915	0.000	5	54	0.548	0.000	0.000
3	15	-0.303	-1.428	0.000	4	35	-1.224	-0.591	0.000	5	55	0.492	0.011	0.000
3	16	-0.034	-1.513	0.000	4	36	-1.061	-0.752	0.001	5	56	0.234	0.033	0.001
3	17	-0.242	-1.618	0.000	4	37	-0.620	-0.632	0.000	5	57	0.000	0.458	0.000
3	18	-0.704	-1.708	0.000	4	38	-0.745	-0.712	0.000	5	58	0.723	0.556	0.000
3	19	-0.806	-1.514	0.000	4	39	-0.594	-0.626	0.000	5	59	1.007	0.429	0.000
3	20	-0.636	-1.460	0.000	4	40	-0.050	-0.754	0.000	6	0	0.791	0.171	0.000
3	21	-0.278	-1.177	0.000	4	41	-0.237	-0.943	0.000	6	1	0.698	0.307	0.000
3	22	-0.258	-1.218	0.000	4	42	-0.256	-0.885	0.000	6	2	0.445	0.613	0.000
3	23	-0.053	-1.146	0.000	4	43	-0.627	-0.674	0.000	6	3	0.692	0.564	0.000
3	24	0.000	-0.838	0.000	4	44	-0.164	-0.306	0.000	6	4	0.850	0.389	0.000
3	25	0.001	-0.768	0.000	4	45	-0.324	-0.001	0.000	6	5	0.814	0.398	0.000
3	26	0.001	-0.374	0.000	4	46	-0.152	-0.006	0.000	6	6	0.685	0.422	0.000
3	27	0.026	-0.052	0.000	4	47	-0.716	-0.011	0.000	6	7	0.436	0.611	0.000
3	28	-0.004	-0.015	0.000	4	48	-0.778	0.000	0.000	6	8	0.358	0.211	0.000
3	29	-0.031	-0.596	0.000	4	49	-0.192	0.068	0.000	6	9	0.008	0.034	0.000
3	30	-0.007	-0.631	0.000	4	50	-0.681	-0.025	0.000	6	10	0.030	0.410	0.000
3	31	-0.013	-0.693	0.000	4	51	-0.494	0.000	0.000	6	11	-0.032	0.574	0.000
3	32	0.000	-0.583	0.000	4	52	-0.017	0.000	0.000	6	12	0.000	0.591	0.000
3	33	0.000	-0.436	0.000	4	53	-0.310	0.000	0.000	6	13	0.000	0.011	0.000
3	34	0.000	-0.119	0.000	4	54	-2.101	-0.807	-0.000	6	14	0.000	0.000	0.007
3	35	0.000	0.000	0.000	4	55	-1.759	-1.596	-0.000	6	15	-0.092	0.631	0.000
3	36	-0.000	0.000	0.000	4	56	-1.277	-0.561	0.000	6	16	-0.156	0.286	0.000
3	37	0.001	0.000	0.000	4	57	-0.761	-0.121	0.000	6	17	-0.002	0.034	0.000
3	38	0.000	0.000	0.000	4	58	-0.658	-0.067	0.000	6	18	0.000	0.008	0.000
3	39	0.000	0.000	0.000	4	59	-0.473	-0.017	0.000	6	19	0.000	0.000	0.000
3	40	0.000	0.000	0.000	5	0	-0.289	0.000	0.000	6	20	0.001	-0.003	0.000
3	41	0.000	0.000	0.000	5	1	-0.175	-0.005	0.000	6	21	0.000	0.115	0.000
3	42	0.000	0.000	0.000	5	2	-0.680	-0.003	0.000	6	22	-0.045	0.150	0.000
3	43	0.000	0.000	0.000	5	3	-0.450	0.000	0.000	6	23	-0.455	0.036	0.000
3	44	0.000	-0.522	0.000	5	4	-0.241	0.000	0.000	6	24	-0.072	0.000	0.000
3	45	0.000	-0.854	0.000	5	5	-0.553	0.024	0.000	6	25	-0.282	0.227	0.000
3	46	0.000	-0.652	0.000	5	6	-0.592	0.083	0.000	6	26	-0.625	0.000	0.000
3	47	0.000	-0.375	0.000	5	7	-0.104	0.003	0.000	6	27	-1.167	0.065	0.000
3	48	0.000	-0.154	0.000	5	8	0.000	0.005	0.000	6	28	-1.059	0.033	0.000
3	49	-0.108	0.000	0.000	5	9	0.011	0.163	0.000	6	29	-0.925	-0.002	0.000
3	50	-0.478	0.000	0.000	5	10	0.000	0.004	0.000	6	30	-1.318	0.027	0.000
3	51	-0.034	0.000	0.000	5	11	0.002	0.285	0.001	6	31	-1.343	0.000	0.000
3	52	-0.310	0.000	0.000	5	12	0.127	0.156	0.000	6	32	-0.589	-0.021	0.000
3	53	-0.481	0.000	0.000	5	13	0.554	0.013	0.000	6	33	-0.852	0.000	0.000
3	54	-0.390	0.003	0.000	5	14	0.633	0.000	0.000	6	34	-0.882	0.000	0.000
3	55	-0.891	-0.350	0.000	5	15	0.504	0.000	0.000	6	35	-0.621	-0.058	0.000
3	56	-0.894	-0.091	0.000	5	16	0.687	0.000	0.000	6	36	-0.545	0.000	0.000
3	57	-1.044	0.000	0.000	5	17	0.559	0.000	0.000	6	37	-0.579	0.000	0.000
3	58	-0.370	0.000	0.000	5	18	0.068	0.000	0.000	6	38	-0.827	-0.096	0.000
3	59	-0.199	-0.095	0.000	5	19	0.000	0.000	0.000	6	39	-0.788	-0.169	0.000
4	0	-0.808	-0.208	0.000	5	20	0.000	0.000	0.000	6	40	-0.616	-0.510	0.000
4	1	-0.758	-0.499	0.000	5	21	0.163	0.108	0.000	6	41	-0.545	-0.305	0.000
4	2	-0.838	-0.664	0.000	5	22	0.003	0.205	0.000	6	42	-1.222	-0.282	0.000
4	3	-1.185	-0.728	0.000	5	23	-0.001	0.161	0.001	6	43	-0.700	-0.862	0.000
4	4	-1.840	-0.555	0.000	5	24	0.000	0.001	0.000	6	44	-0.866	-0.639	0.000
4	5	-1.112	-0.045	0.000	5	25	0.000	0.000	0.000	6	45	-0.678	-0.584	0.000
4	6	-0.719	0.000	0.000	5	26	0.056	0.077	0.000	6	46	-0.579	-0.806	0.000
4	7	-0.912	-0.340	0.000	5	27	0.135	0.013	0.000	6	47	-0.548	-0.452	0.000
4	8	-1.034	-0.328	0.000	5	28	0.394	0.042	0.000	6	48	-0.331	-0.883	0.000
4	9	-1.777	-0.640	0.000	5	29	0.312	0.049	0.000	6	49	-0.701	-0.555	0.000
4	10	-1.558	-0.786	0.000	5	30	0.440	0.084	0.000	6	50	-0.670	-0.688	0.000
4	11	-1.648	-0.263	0.000	5	31	0.426	0.092	0.000	6	51	-0.473	-0.258	0.000
4	12	-1.396	-0.128	0.000	5	32	0.355	0.176	0.000	6	52	-0.018	0.000	0.000
4	13	-1.717	-0.489	0.000	5	33	0.024	0.011	0.001	6	53	-0.343	-0.125	0.000
4	14	-2.004	-0.735	0.000	5	34	0.000	0.000	0.000	6	54	-0.930	-0.421	0.000
4	15	-2.247	-0.638	0.000	5	35	0.000	0.000	0.000	6	55	-0.982	-0.796	0.000
4	16	-2.176	-0.596	0.000	5	36	0.571	-0.035	0.000	6	56	-1.327	-0.587	0.000
4	17	-1.988	-0.625	0.000	5	37	0.758	-0.033	0.000	6	57	-1.151	-0.543	0.000



6	58	-0.833	-0.567	0.000	8	18	-4.165	-0.062	0.000	9	38	-5.838	-0.061	0.000
6	59	-0.341	-0.509	0.000	8	19	-4.020	0.134	0.000	9	39	-5.304	0.180	0.000
7	0	-0.515	-0.656	0.000	8	20	-3.534	0.288	0.000	9	40	-5.699	0.112	0.000
7	1	-0.730	-0.336	0.000	8	21	-4.779	1.406	0.000	9	41	-5.610	0.494	0.000
7	2	-1.505	-0.420	0.000	8	22	-4.973	1.150	0.000	9	42	-6.168	-0.118	0.000
7	3	-0.972	-0.311	0.000	8	23	-3.424	1.066	0.000	9	43	-5.978	0.218	0.000
7	4	-1.034	-0.709	0.000	8	24	-4.436	0.679	0.000	9	44	-5.327	0.594	0.000
7	5	-1.411	-0.348	0.000	8	25	-3.501	0.096	0.001	9	45	-5.360	0.299	0.000
7	6	-1.288	-0.245	0.000	8	26	-3.731	-0.035	0.000	9	46	-4.349	0.608	0.000
7	7	-1.147	-0.385	0.000	8	27	-3.641	0.256	0.001	9	47	-4.822	0.480	0.000
7	8	-0.707	-0.884	0.000	8	28	-4.280	0.089	0.000	9	48	-4.943	0.724	0.002
7	9	-1.145	-1.213	0.000	8	29	-3.253	-0.048	0.001	9	49	-4.051	0.742	0.001
7	10	-1.159	-1.480	0.000	8	30	-4.059	-0.120	0.000	9	50	-4.755	0.807	0.001
7	11	-1.169	-0.782	0.000	8	31	-4.673	0.044	0.000	9	51	-5.096	0.366	0.001
7	12	-0.908	-0.373	0.001	8	32	-4.994	-0.205	0.000	9	52	-5.140	0.176	0.000
7	13	-1.182	-0.153	0.000	8	33	-4.699	-0.043	0.000	9	53	-5.525	0.301	0.000
7	14	-1.718	-0.455	0.000	8	34	-3.599	-0.118	0.000	9	54	-5.582	0.091	0.001
7	15	-1.462	-0.497	0.000	8	35	-3.501	0.159	0.000	9	55	-5.526	-0.412	0.002
7	16	-2.550	-0.554	0.000	8	36	-4.417	0.130	0.000	9	56	-5.967	-0.311	0.001
7	17	-2.604	-0.343	0.000	8	37	-4.159	0.356	0.002	9	57	-5.502	0.376	0.000
7	18	-1.998	-0.307	0.000	8	38	-4.880	0.412	0.000	9	58	-4.818	0.282	0.001
7	19	-2.467	-0.233	0.000	8	39	-3.762	0.772	0.000	9	59	-4.504	0.742	0.001
7	20	-2.655	-0.603	0.000	8	40	-3.289	0.614	0.000	10	0	-3.706	1.128	0.001
7	21	-2.783	0.008	0.000	8	41	-4.778	0.761	0.000	10	1	-3.325	-0.144	0.002
7	22	-2.354	-0.116	0.000	8	42	-4.693	0.833	0.000	10	2	-5.121	0.154	0.000
7	23	-2.946	-0.041	0.000	8	43	-5.042	1.233	0.000	10	3	-5.075	0.426	0.000
7	24	-2.904	-0.183	0.000	8	44	-3.977	0.810	0.000	10	4	-4.986	0.706	0.000
7	25	-2.845	-0.206	0.000	8	45	-5.260	0.669	0.000	10	5	-4.437	0.329	0.000
7	26	-3.456	-0.281	0.000	8	46	-4.990	-0.166	0.001	10	6	-4.433	0.171	0.002
7	27	-3.224	-0.532	0.000	8	47	-4.808	-0.759	0.000	10	7	-3.612	1.108	0.000
7	28	-3.025	-0.312	0.000	8	48	-4.924	-0.535	0.000	10	8	-3.257	0.750	0.002
7	29	-3.792	-0.582	0.000	8	49	-4.572	-0.428	0.000	10	9	-4.389	0.299	0.002
7	30	-4.099	-1.070	0.000	8	50	-4.143	-0.551	0.002	10	10	-5.341	0.184	0.000
7	31	-3.115	-0.625	0.000	8	51	-4.152	-0.375	0.000	10	11	-3.925	-0.020	0.000
7	32	-2.592	-0.132	0.000	8	52	-4.019	1.022	0.002	10	12	-5.345	-0.028	0.002
7	33	-3.350	-0.134	0.000	8	53	-4.215	0.284	0.000	10	13	-5.843	-0.101	0.000
7	34	-4.425	0.314	0.000	8	54	-3.033	0.340	0.002	10	14	-4.192	-0.172	0.001
7	35	-3.906	-0.056	0.000	8	55	-3.076	-0.027	0.000	10	15	-4.659	0.135	0.000
7	36	-3.494	-0.067	0.001	8	56	-3.581	0.281	0.000	10	16	-5.589	0.553	0.000
7	37	-3.443	-0.217	0.000	8	57	-3.402	0.907	0.001	10	17	-5.232	0.320	0.000
7	38	-3.017	-0.304	0.000	8	58	-3.739	0.133	0.002	10	18	-4.164	0.527	0.001
7	39	-3.764	-0.099	0.000	8	59	-3.768	0.517	0.000	10	19	-3.908	1.334	0.001
7	40	-4.100	-0.391	0.000	9	0	-3.507	0.916	0.001	10	20	-4.576	1.160	0.002
7	41	-3.302	-0.049	0.000	9	1	-4.045	1.458	0.001	10	21	-4.692	0.039	0.002
7	42	-3.465	0.135	0.000	9	2	-3.995	0.747	0.001	10	22	-4.881	0.357	0.001
7	43	-3.646	-0.163	0.000	9	3	-3.802	1.429	0.001	10	23	-4.893	0.020	0.000
7	44	-4.167	0.196	0.000	9	4	-4.262	1.460	0.000	10	24	-3.320	0.090	0.000
7	45	-3.968	0.187	0.000	9	5	-3.992	0.367	0.000	10	25	-4.728	-0.469	0.002
7	46	-3.234	-0.163	0.000	9	6	-4.120	1.051	0.003	10	26	-4.968	-0.026	0.000
7	47	-4.637	0.312	0.000	9	7	-3.952	0.986	0.002	10	27	-5.190	-0.473	0.000
7	48	-4.072	-0.098	0.000	9	8	-4.412	1.201	0.000	10	28	-3.464	-0.249	0.000
7	49	-4.267	0.224	0.000	9	9	-5.003	0.240	0.001	10	29	-2.366	0.342	0.001
7	50	-3.762	0.011	0.000	9	10	-4.529	0.121	0.000	10	30	-3.795	-0.119	0.002
7	51	-4.625	-0.454	0.000	9	11	-4.219	-0.219	0.000	10	31	-4.022	-0.067	0.002
7	52	-5.135	-0.585	0.000	9	12	-2.832	0.232	0.001	10	32	-3.727	-0.183	0.000
7	53	-4.594	-0.270	0.000	9	13	-4.213	0.112	0.001	10	33	-4.201	-0.083	0.001
7	54	-4.162	-0.139	0.000	9	14	-3.998	0.418	0.001	10	34	-5.517	-0.311	0.000
7	55	-3.531	-0.029	0.000	9	15	-3.790	0.767	0.000	10	35	-4.691	0.196	0.000
7	56	-4.716	0.002	0.000	9	16	-5.261	1.191	0.001	10	36	-4.724	0.601	0.000
7	57	-5.336	-0.045	0.000	9	17	-4.337	0.747	0.000	10	37	-4.337	0.630	0.000
7	58	-4.117	-0.232	0.000	9	18	-3.945	0.499	0.001	10	38	-4.198	-0.148	0.000
7	59	-4.912	0.003	0.000	9	19	-5.016	0.650	0.000	10	39	-4.031	-0.059	0.001
8	0	-4.920	0.092	0.000	9	20	-4.478	0.711	0.002	10	40	-5.012	0.124	0.001
8	1	-3.618	0.150	0.000	9	21	-4.409	0.396	0.001	10	41	-5.451	0.229	0.000
8	2	-3.116	-0.246	0.000	9	22	-4.471	-0.191	0.001	10	42	-4.915	0.482	0.001
8	3	-3.118	0.212	0.000	9	23	-3.715	-0.012	0.000	10	43	-4.342	0.712	0.002
8	4	-3.300	-0.030	0.000	9	24	-4.878	0.029	0.000	10	44	-3.954	0.468	0.000
8	5	-3.448	0.344	0.000	9	25	-4.158	0.302	0.000	10	45	-3.593	1.266	0.000
8	6	-3.439	-0.022	0.000	9	26	-4.983	0.644	0.002	10	46	-4.665	0.639	0.000
8	7	-3.415	-0.038	0.000	9	27	-3.943	0.871	0.000	10	47	-4.777	0.572	0.000
8	8	-3.670	-0.071	0.001	9	28	-4.673	0.431	0.003	10	48	-5.229	0.832	0.001
8	9	-3.863	0.049	0.000	9	29	-4.762	0.386	0.000	10	49	-3.727	0.536	0.000
8	10	-4.247	0.077	0.000	9	30	-4.391	0.282	0.000	10	50	-3.578	0.633	0.000
8	11	-3.762	0.342	0.000	9	31	-3.823	0.021	0.001	10	51	-5.033	0.418	0.000
8	12	-3.433	0.059	0.000	9	32	-4.425	-0.033	0.002	10	52	-5.399	-0.010	0.000
8	13	-3.806	0.177	0.001	9	33	-5.009	0.274	0.000	10	53	-4.649	-0.367	0.000
8	14	-3.726	-0.088	0.000	9	34	-4.574	0.344	0.000	10	54	-4.448	-0.099	0.003
8	15	-3.971	-0.263	0.000	9	35	-3.538	1.373	0.000	10	55	-5.459	-0.081	0.002
8	16	-4.568	-0.411	0.000	9	36	-4.066	1.163	0.000	10	56	-5.813	0.052	0.001
8	17	-5.149	-0.424	0.000	9	37	-4.407	0.247	0.001	10	57	-5.026	0.306	0.000





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

10	58	-4.645	-0.016	0.000	12	18	-4.338	-0.985	0.000	13	38	-5.705	1.387	-0.000
10	59	-4.123	-0.228	0.000	12	19	-5.481	-0.915	0.008	13	39	-3.965	1.459	0.000
11	0	-2.733	0.557	0.001	12	20	-5.413	-0.590	0.001	13	40	-2.999	0.319	0.005
11	1	-4.345	2.115	0.001	12	21	-4.860	-1.410	0.002	13	41	-4.579	0.695	0.003
11	2	-4.670	0.758	0.003	12	22	-3.686	-0.558	0.013	13	42	-4.512	0.221	0.031
11	3	-5.042	-0.026	0.002	12	23	-3.908	0.809	0.002	13	43	-4.155	0.706	0.000
11	4	-3.140	0.305	0.000	12	24	-3.792	1.020	0.000	13	44	-5.718	-0.420	0.016
11	5	-2.746	1.223	0.003	12	25	-5.109	-0.623	0.004	13	45	-4.655	-0.759	0.010
11	6	-4.215	0.645	0.005	12	26	-4.815	-1.375	0.000	13	46	-4.859	0.058	0.020
11	7	-6.358	1.181	0.000	12	27	-4.358	0.202	0.005	13	47	-5.055	-0.066	0.004
11	8	-4.121	0.710	0.001	12	28	-4.806	0.116	0.012	13	48	-4.318	0.008	0.014
11	9	-4.637	1.099	0.003	12	29	-4.772	-0.381	0.004	13	49	-4.878	-0.096	0.005
11	10	-3.954	0.350	0.003	12	30	-4.775	-0.172	0.002	13	50	-2.934	-0.114	0.009
11	11	-4.672	-0.196	0.000	12	31	-5.189	-0.262	-0.000	13	51	-5.087	-0.019	0.012
11	12	-5.206	-0.139	0.003	12	32	-5.201	-0.170	0.003	13	52	-5.134	-0.130	0.002
11	13	-3.952	0.015	0.003	12	33	-4.525	-0.236	0.005	13	53	-5.000	0.486	0.006
11	14	-3.665	0.030	0.011	12	34	-4.503	0.034	0.002	13	54	-5.376	0.806	0.017
11	15	-4.472	0.096	0.012	12	35	-5.848	0.207	0.004	13	55	-4.335	-0.238	-0.001
11	16	-5.218	0.063	0.002	12	36	-5.170	-0.133	0.001	13	56	-4.788	0.359	0.019
11	17	-4.838	0.129	0.005	12	37	-4.575	-0.180	0.005	13	57	-5.737	-0.166	0.004
11	18	-5.106	-0.258	0.011	12	38	-5.710	0.420	0.004	13	58	-3.881	-0.289	-0.001
11	19	-4.583	-0.336	0.005	12	39	-4.319	0.639	0.004	13	59	-3.550	-0.159	0.005
11	20	-6.325	0.121	0.001	12	40	-4.679	1.528	0.010	14	0	-5.060	-0.347	0.026
11	21	-6.289	0.258	0.000	12	41	-4.759	1.455	0.009	14	1	-4.407	0.100	0.008
11	22	-4.320	-0.143	0.003	12	42	-5.414	0.027	0.013	14	2	-3.544	0.116	0.005
11	23	-5.452	1.501	0.004	12	43	-5.249	-0.097	0.005	14	3	-5.130	-0.488	0.003
11	24	-4.793	0.481	0.011	12	44	-4.910	0.536	0.002	14	4	-4.475	-0.309	0.001
11	25	-5.197	0.901	0.002	12	45	-2.530	0.235	0.026	14	5	-4.031	-0.510	0.001
11	26	-4.280	0.494	0.004	12	46	-2.274	0.351	0.028	14	6	-5.224	-0.565	-0.001
11	27	-4.982	0.242	0.008	12	47	-3.086	-0.067	0.030	14	23	0.000	0.000	0.000
11	28	-5.777	0.172	0.001	12	48	-3.625	-0.474	0.014	14	24	-3.733	-0.444	0.030
11	29	-4.818	0.818	0.000	12	49	-4.428	0.620	0.020	14	25	-3.641	0.068	0.039
11	30	-4.549	0.388	0.008	12	50	-3.580	-0.399	0.019	14	26	-4.395	-0.531	0.002
11	31	-5.518	1.350	0.006	12	51	-4.542	-0.752	0.003	14	27	-3.681	-0.163	0.027
11	32	-5.426	1.332	0.001	12	52	-3.899	-1.502	0.012	14	28	-5.090	-0.357	0.012
11	33	-3.490	1.044	0.001	12	53	-5.860	-2.124	0.003	14	29	-5.414	-1.074	0.013
11	34	-4.689	1.231	0.001	12	54	-3.834	-1.780	0.001	14	30	-4.223	-0.410	0.007
11	35	-6.165	0.895	0.007	12	55	-3.898	-0.761	0.000	14	31	-2.232	0.087	0.021
11	36	-5.142	0.048	0.006	12	56	-5.343	-0.155	0.003	14	32	-2.983	-0.565	0.022
11	37	-4.670	-0.170	0.002	12	57	-5.777	-0.343	0.002	14	33	-3.674	-0.793	0.018
11	38	-4.744	0.693	0.002	12	58	-5.481	-1.514	0.001	14	34	-3.661	-0.456	0.026
11	39	-5.027	0.026	0.003	12	59	-4.471	0.070	0.004	14	35	-4.504	-0.247	0.019
11	40	-4.749	-0.526	0.007	13	0	-5.431	-1.847	0.003	14	36	-4.864	-0.037	0.007
11	41	-4.856	-0.369	0.009	13	1	-5.418	-1.057	0.011	14	37	-4.963	-0.138	0.009
11	42	-5.031	-0.313	0.005	13	2	-2.792	-0.096	0.002	14	38	-4.176	-0.977	0.006
11	43	-4.504	-0.114	0.003	13	3	-3.161	0.176	0.008	14	39	-4.220	-1.151	0.049
11	44	-4.730	0.566	0.002	13	4	-4.942	0.829	0.006	14	40	-2.533	-0.511	0.024
11	45	-5.073	0.506	0.002	13	5	-3.910	0.127	0.018	14	41	-2.263	-0.457	-0.001
11	46	-3.604	-0.230	0.000	13	6	-4.096	-0.521	0.010	14	42	-2.583	-0.512	0.013
11	47	-6.192	0.021	0.000	13	7	-5.476	-0.728	0.001	14	43	-5.621	-1.969	0.021
11	48	-4.442	0.163	0.000	13	8	-6.073	0.100	0.002	14	44	-5.035	-0.586	0.063
11	49	-3.855	-0.313	0.008	13	9	-4.856	-0.140	0.002					
11	50	-5.202	0.555	0.020	13	10	-3.798	-0.026	0.000					
11	51	-4.338	-0.385	0.011	13	11	-4.726	-0.054	0.004					
11	52	-4.134	-0.530	0.009	13	12	-4.560	-0.101	0.003					
11	53	-5.152	-1.383	0.004	13	13	-5.340	0.518	0.006					
11	54	-4.906	-1.479	0.003	13	14	-4.402	-0.096	0.013					
11	55	-4.366	-0.645	0.007	13	15	-4.379	-0.518	0.008					
11	56	-4.478	-0.117	0.002	13	16	-4.122	0.270	0.006					
11	57	-5.205	-0.053	0.012	13	17	-2.897	0.587	0.010					
11	58	-4.381	-0.186	0.002	13	18	-6.264	-0.110	0.003					
11	59	-4.092	-0.147	0.005	13	19	-6.110	0.212	0.001					
12	0	-5.570	0.001	0.008	13	20	-5.053	0.601	0.000					
12	1	-4.333	0.151	0.010	13	21	-5.815	0.056	0.005					
12	2	-3.766	-0.103	0.008	13	22	-5.263	-0.038	0.004					
12	3	-3.739	0.099	0.012	13	23	-5.787	0.307	0.006					
12	4	-3.699	0.971	0.008	13	24	-4.288	0.589	0.001					
12	5	-3.187	0.910	0.009	13	25	-5.301	0.802	0.001					
12	6	-2.833	0.440	0.027	13	26	-4.746	0.344	0.002					
12	7	-4.090	0.712	0.012	13	27	-5.047	0.757	0.004					
12	8	-5.203	0.299	0.000	13	28	-3.512	0.591	0.002					
12	9	-4.651	0.174	0.005	13	29	-5.524	0.082	0.013					
12	10	-3.685	0.092	0.007	13	30	-4.924	-0.145	0.002					
12	11	-5.663	0.414	0.001	13	31	-4.480	0.287	-0.001					
12	12	-4.757	0.230	0.001	13	32	-5.221	0.265	0.011					
12	13	-4.716	0.161	0.001	13	33	-5.016	-0.016	-0.001					
12	14	-3.339	0.899	0.000	13	34	-2.782	0.319	0.015					
12	15	-2.098	0.458	0.002	13	35	-3.849	0.055	0.007					
12	16	-2.664	0.134	0.003	13	36	-4.016	0.267	0.009					
12	17	-5.118	-0.651	0.015	13	37	-3.821	-0.130	0.017					



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

R M YOUNG 26700 SERIES
DATA TRANSLATOR/RECORDER

Time Time U V W
h m M/S M/S M/S

24/07/95

6	14	-3.478	-0.796	0.000	7	25	-3.628	-0.553	0.000	8	45	-2.339	1.110	0.000
6	15	-2.710	-0.194	0.001	7	26	-3.586	-0.493	0.000	8	46	-2.639	0.227	0.000
6	16	-2.943	-0.322	0.004	7	27	-3.377	0.196	0.000	8	47	-2.125	0.049	0.000
6	17	-3.959	-0.431	0.001	7	28	-3.361	-0.182	0.000	8	48	-1.652	-0.161	0.000
6	18	-2.967	-0.291	0.000	7	29	-3.439	-0.243	0.001	8	49	-2.564	0.376	0.001
6	19	-3.267	-0.321	0.000	7	30	-3.805	-0.331	0.000	8	50	-3.051	0.055	0.001
6	20	-3.413	-0.465	0.000	7	31	-3.586	-0.176	0.001	8	51	-3.618	0.080	0.000
6	21	-3.639	-0.440	0.000	7	32	-4.611	-0.643	0.000	8	52	-3.129	0.428	0.000
6	22	-3.074	-0.302	0.001	7	33	-4.397	-0.736	0.000	8	53	-2.528	0.200	0.001
6	23	-3.245	-0.334	0.000	7	34	-3.671	-0.581	0.000	8	54	-2.885	0.133	0.000
6	24	-2.983	-0.463	0.001	7	35	-2.969	-0.865	0.001	8	55	-2.510	-0.019	0.000
6	25	-3.652	-0.415	0.000	7	36	-3.755	-0.207	0.000	8	56	-2.233	-0.186	0.001
6	26	-2.756	-0.106	0.000	7	37	-4.343	-0.963	0.001	8	57	-3.615	-0.368	0.000
6	27	-3.006	-0.530	0.000	7	38	-4.861	-1.011	0.000	8	58	-2.826	-0.288	0.001
6	28	-3.292	-0.363	0.001	7	39	-4.791	-0.790	0.000	8	59	-2.923	-0.693	0.000
6	29	-3.376	-0.426	0.000	7	40	-4.082	-0.589	0.000	9	0	-3.211	-0.303	0.000
6	30	-2.430	0.017	0.000	7	41	-4.757	-0.852	0.000	9	1	-2.824	-0.036	0.000
6	31	-2.645	-0.258	0.001	7	42	-4.340	-0.344	0.000	9	2	-3.426	-0.584	0.000
6	32	-3.335	-0.519	0.000	7	43	-5.106	-0.317	0.000	9	3	-3.576	-0.571	0.000
6	33	-3.391	-0.512	0.000	7	44	-4.585	-0.352	0.000	9	4	-3.443	-0.460	0.000
6	34	-3.563	-0.467	0.000	7	45	-4.404	-0.698	0.000	9	5	-2.197	-0.182	0.000
6	35	-3.080	-0.186	0.000	7	46	-3.821	-0.269	0.000	9	6	-2.256	0.012	0.000
6	36	-2.743	-0.197	0.000	7	47	-4.001	-0.253	0.000	9	7	-2.083	-0.489	0.000
6	37	-2.698	-0.197	0.000	7	48	-3.732	-0.161	0.000	9	8	-2.336	-0.766	0.000
6	38	-2.900	-0.133	0.001	7	49	-3.570	-0.226	0.000	9	9	-2.219	-1.063	0.001
6	39	-2.925	0.039	0.000	7	50	-3.254	-0.331	0.000	9	10	-3.610	-0.623	0.000
6	40	-3.151	-0.097	0.000	7	51	-3.833	-0.696	0.002	9	11	-3.528	-0.893	0.000
6	41	-2.595	-0.263	0.000	7	52	-3.785	-0.265	0.000	9	12	-3.119	-0.244	0.000
6	42	-2.132	0.016	0.000	7	53	-3.763	0.446	0.001	9	13	-4.304	-0.598	0.001
6	43	-2.718	-0.067	0.000	7	54	-4.415	0.227	0.000	9	14	-3.391	-0.197	0.000
6	44	-2.392	-0.262	0.001	7	55	-4.119	0.563	0.000	9	15	-3.483	-0.017	0.000
6	45	-2.109	-0.026	0.000	7	56	-4.013	0.351	0.002	9	16	-3.600	-0.302	0.000
6	46	-2.898	-0.012	0.000	7	57	-4.336	0.315	0.000	9	17	-2.250	-0.526	0.000
6	47	-2.674	-0.127	0.000	7	58	-3.830	0.078	0.000	9	18	-1.634	-1.014	0.001
6	48	-2.810	-0.196	0.000	7	59	-4.010	0.480	0.000	9	19	-2.161	-0.481	0.000
6	49	-2.504	-0.158	0.000	8	0	-4.325	0.098	0.000	9	20	-3.812	-0.369	0.000
6	50	-3.301	0.202	0.000	8	1	-3.786	-0.152	0.000	9	21	-3.176	-0.294	0.000
6	51	-3.173	-0.084	0.000	8	2	-4.057	-0.126	0.000	9	22	-4.617	-0.221	0.000
6	52	-2.696	-0.346	0.000	8	3	-4.269	-0.151	0.000	9	23	-3.797	0.031	0.000
6	53	-2.415	-0.372	0.001	8	4	-4.139	0.277	0.001	9	24	-2.936	-0.027	0.000
6	54	-2.895	-0.170	0.000	8	5	-4.683	0.282	0.000	9	25	-1.838	-0.456	0.000
6	55	-3.226	-0.280	0.000	8	6	-3.688	0.133	0.000	9	26	-2.714	-1.386	0.000
6	56	-2.820	-0.422	0.000	8	7	-4.545	0.604	0.000	9	27	-2.964	-0.697	0.000
6	57	-2.272	-0.081	0.000	8	8	-4.475	0.264	0.000	9	28	-4.005	-0.799	0.000
6	58	-2.043	-0.279	0.000	8	9	-4.223	0.192	0.000	9	29	-2.987	0.090	0.000
6	59	-1.933	0.018	0.000	8	10	-4.226	0.433	0.000	9	30	-3.811	-0.412	0.000
7	0	-1.978	-0.131	0.000	8	11	-3.723	-0.097	0.000	9	31	-3.753	-0.849	0.000
7	1	-2.611	-0.252	0.000	8	12	-3.450	-0.233	0.000	9	32	-2.580	-1.245	0.000
7	2	-1.956	-0.147	0.000	8	13	-3.361	-0.057	0.000	9	33	-4.550	-1.042	0.000
7	3	-2.141	0.009	0.000	8	14	-3.258	-1.026	0.000	9	34	-5.310	0.186	0.000
7	4	-2.211	0.043	0.000	8	15	-2.568	-1.344	0.000	9	35	-3.652	0.287	0.000
7	5	-2.080	0.061	0.000	8	16	-2.061	-1.171	0.000	9	36	-3.528	0.762	0.000
7	6	-2.121	0.302	0.000	8	17	-2.577	-1.242	0.000	9	37	-3.526	0.141	0.000
7	7	-2.090	-0.173	0.000	8	18	-2.619	-1.040	0.000	9	38	-4.205	-0.645	0.001
7	8	-2.752	0.230	0.000	8	19	-2.829	-0.145	0.000	9	39	-3.397	-0.020	0.000
7	9	-2.599	0.123	0.001	8	20	-2.935	-0.211	0.000	9	40	-2.399	-0.362	0.000
7	10	-1.857	-0.340	0.000	8	21	-2.196	0.017	0.001	9	41	-2.807	-0.856	0.001
7	11	-1.858	-0.225	0.000	8	22	-3.867	-0.401	0.000	9	42	-3.223	-0.747	0.000
7	12	-2.489	0.080	0.001	8	23	-4.347	-0.825	0.000	9	43	-3.479	-0.467	0.000
7	13	-2.801	0.019	0.000	8	24	-2.976	-0.398	0.000	9	44	-3.971	0.030	0.000
7	14	-3.926	0.058	0.000	8	25	-2.584	-0.630	0.000	9	45	-3.334	0.238	0.000
7	15	-3.351	-0.702	0.000	8	26	-3.340	-0.469	0.000	9	46	-2.882	1.882	0.000
7	16	-3.176	-0.603	0.000	8	27	-3.219	-0.080	0.000	9	47	-3.069	1.068	0.000
7	17	-2.837	-0.273	0.000	8	28	-3.512	-0.744	0.000	9	48	-2.708	0.620	0.000
7	18	-2.537	-0.072	0.000	8	29	-3.281	-0.720	0.001	9	49	-2.129	0.518	0.000
7	19	-2.791	0.005	0.000	8	30	-2.929	-0.164	0.000	9	50	-2.995	0.123	0.000
7	20	-2.962	-0.404	0.000	8	31	-2.543	-0.222	0.000	9	51	-3.661	-0.070	0.000
7	21	-2.471	-0.479	0.000	8	32	-2.688	-0.368	0.000	9	52	-2.954	-0.198	0.002
7	22	-2.299	-0.188	0.000	8	33	-2.989	0.369	0.000	9	53	-4.959	-0.903	0.000
7	23	-2.510	0.018	0.000	8	34	-3.511	0.356	0.001	9	54	-4.739	-0.585	0.000
7	24	-3.184	-0.080	0.000	8	35	-3.694	0.119	0.000	9	55	-4.394	-0.587	0.000
					8	36	-2.910	0.041	0.000	9	56	-3.456	-0.020	0.000
					8	37	-2.627	0.030	0.000	9	57	-3.818	0.069	0.000
					8	38	-3.339	0.226	0.000	9	58	-4.120	0.209	0.000
					8	39	-3.428	0.115	0.001	9	59	-4.444	-0.944	0.000
					8	40	-2.334	0.137	0.000	10	0	-3.375	-0.437	0.000
					8	41	-2.718	0.076	0.000	10	1	-3.631	-0.720	0.000
					8	42	-2.177	-0.067	0.002	10	2	-3.992	-0.376	0.001
					8	43	-1.835	-0.569	0.001	10	3	-3.836	-0.817	0.000
					8	44	-1.713	0.668	0.001	10	4	-2.762	-0.305	0.000



18 16	-0.656	-1.457	0.083	19 36	-0.130	-1.103	0.006	20 56	-1.107	-0.405	0.000
18 17	-2.186	-0.602	0.035	19 37	0.005	-1.087	0.004	20 57	-1.049	-1.170	0.000
18 18	-2.191	-2.164	0.015	19 38	0.001	-1.077	-0.000	20 58	-0.970	-1.149	0.000
18 19	-2.381	-1.157	-0.012	19 39	-0.001	-0.829	0.010	20 59	-0.957	-0.266	0.003
18 20	-2.975	-0.752	0.032	19 40	0.000	-1.051	-0.001	21 0	-0.614	-1.003	0.000
18 21	-2.831	-0.773	0.121	19 41	-0.259	-1.093	-0.001	21 1	-0.119	-1.387	-0.001
18 22	-2.550	-1.225	0.028	19 42	-0.753	-1.180	0.000	21 2	-0.017	-1.323	0.000
18 23	-2.796	-1.032	0.033	19 43	-1.096	-0.875	-0.010	21 3	-0.154	-1.492	0.000
18 24	-3.233	-1.391	0.037	19 44	-1.312	-0.915	0.000	21 4	-0.002	-0.863	0.008
18 25	-3.326	-1.364	0.005	19 45	-1.700	-1.033	-0.002	21 5	0.063	-1.459	-0.000
18 26	-3.495	-0.880	0.022	19 46	-1.585	-0.665	0.001	21 6	0.116	-0.887	0.002
18 27	-3.025	-0.813	0.024	19 47	-1.552	-0.429	0.000	21 7	0.001	-0.532	0.003
18 28	-2.653	-0.944	0.031	19 48	-1.367	-0.293	0.002	21 8	-0.024	-1.017	0.000
18 29	-2.740	-0.720	0.007	19 49	-1.619	-0.296	0.005	21 9	-0.013	-1.206	0.001
18 30	-2.837	-1.007	0.012	19 50	-1.046	-0.033	0.021	21 10	0.041	-0.422	0.005
18 31	-2.547	-0.476	0.019	19 51	-1.014	-0.449	-0.001	21 11	-0.035	-0.631	0.008
18 32	-2.704	-0.113	-0.004	19 52	-1.374	-0.449	0.002	21 12	-0.069	-0.753	0.017
18 33	-3.762	-1.027	0.028	19 53	-1.689	-0.411	0.000	21 13	-0.134	-2.068	0.002
18 34	-4.756	-1.154	0.047	19 54	-1.607	-0.713	-0.006	21 14	0.267	-1.887	0.007
18 35	-4.351	-0.634	0.075	19 55	-1.257	-0.792	0.003	21 15	0.854	-1.495	0.004
18 36	-4.111	-1.714	0.023	19 56	-1.186	-0.655	-0.002	21 16	0.043	-0.717	0.047
18 37	-4.138	-1.302	0.047	19 57	-0.564	-0.920	-0.001	21 17	0.101	-0.224	0.035
18 38	-4.114	-1.284	0.015	19 58	-0.029	-0.665	-0.003	21 18	0.041	-0.083	0.005
18 39	-4.093	-0.736	0.063	19 59	0.075	-0.222	0.029	21 19	0.327	0.000	0.000
18 40	-3.467	-0.880	0.045	20 0	0.047	0.000	0.074	21 20	0.000	0.000	0.000
18 41	-3.209	-0.698	0.026	20 1	0.000	0.000	0.000	21 21	0.000	0.000	0.000
18 42	-2.951	-0.373	0.041	20 2	0.000	0.000	-0.000	21 22	-0.246	-0.092	0.000
18 43	-2.723	-0.498	0.008	20 3	0.000	0.000	0.001	21 23	-0.945	-0.146	-0.000
18 44	-2.237	-0.804	0.014	20 4	0.075	-0.052	0.015	21 24	-0.606	-0.547	0.000
18 45	-1.871	-0.273	0.006	20 5	0.002	-0.038	0.072	21 25	-0.610	-1.008	0.000
18 46	-1.801	-0.146	0.054	20 6	-0.037	-0.297	0.002	21 26	-1.164	-1.167	0.007
18 47	-2.567	-0.726	0.035	20 7	-0.119	-0.380	0.000	21 27	-1.348	-1.726	0.003
18 48	-3.116	-1.022	0.077	20 8	-0.052	-0.858	-0.001	21 28	-1.006	-1.710	-0.000
18 49	-2.665	-1.048	0.016	20 9	-0.006	-0.390	0.001	21 29	-0.976	-1.300	0.000
18 50	-2.253	-0.668	0.012	20 10	0.004	-0.096	0.000	21 30	-1.043	-0.532	0.001
18 51	-1.770	-0.665	0.013	20 11	0.130	-0.743	0.010	21 31	-1.579	-0.558	0.002
18 52	-1.536	-0.569	0.002	20 12	-0.391	-0.356	0.001	21 32	-2.043	-0.797	0.000
18 53	-1.400	-0.992	0.003	20 13	-0.513	-0.490	-0.001	21 33	-1.831	-0.750	0.000
18 54	-0.597	-1.085	0.003	20 14	-0.684	-0.258	-0.001	21 34	-2.153	-0.991	0.000
18 55	-0.177	-1.004	0.014	20 15	-0.540	-0.481	0.000	21 35	-1.764	-1.421	0.000
18 56	-0.190	-1.770	0.034	20 16	-0.284	-0.626	-0.000	21 36	-1.421	-1.591	0.000
18 57	-0.547	-2.192	0.013	20 17	-0.131	-0.946	-0.009	21 37	-0.853	-1.299	0.001
18 58	-0.452	-1.575	0.100	20 18	0.000	-0.264	-0.011	21 38	-0.667	-1.244	0.002
18 59	-0.252	-1.310	0.057	20 19	-0.009	0.000	-0.000	21 39	-0.292	-1.381	0.000
19 0	-1.367	-0.961	0.046	20 20	0.130	0.000	0.009	21 40	-0.022	-1.375	0.005
19 1	-0.850	-1.537	0.028	20 21	0.111	-0.003	0.002	21 41	0.003	-1.080	0.000
19 2	-0.420	-1.294	0.015	20 22	0.233	-0.735	0.008	21 42	-0.000	-0.340	0.000
19 3	-0.760	-1.258	0.042	20 23	0.053	-1.427	0.009	21 43	-0.119	-0.811	0.000
19 4	-0.782	-0.491	0.008	20 24	0.039	-1.651	0.000	21 44	0.000	-0.902	0.000
19 5	-1.004	-0.790	-0.007	20 25	-0.018	-2.215	0.003	21 45	0.006	-0.961	0.000
19 6	-1.647	-0.670	-0.005	20 26	-0.067	-2.063	0.001	21 46	-0.000	-1.130	0.000
19 7	-2.047	-1.721	-0.020	20 27	0.005	-1.331	0.003	21 47	0.013	-1.000	0.000
19 8	-1.859	-1.760	-0.034	20 28	-0.012	-1.209	0.001	21 48	0.001	-1.139	0.000
19 9	-2.267	-0.905	-0.016	20 29	-0.040	-1.106	0.001	21 49	-0.000	-0.835	0.008
19 10	-1.940	-0.567	-0.007	20 30	-0.016	-1.264	0.000	21 50	-0.001	-0.661	0.000
19 11	-1.132	-0.601	0.007	20 31	0.000	-1.128	0.000	21 51	0.015	-0.898	0.000
19 12	-1.671	-0.287	-0.001	20 32	0.000	-1.113	0.000	21 52	-0.000	-1.042	0.000
19 13	-1.396	-0.181	-0.012	20 33	0.000	-0.917	0.000	21 53	-0.001	-0.778	0.000
19 14	-1.354	-0.107	-0.009	20 34	0.000	-0.871	0.000	21 54	-0.486	-1.379	0.000
19 15	-1.542	-0.174	0.019	20 35	-0.060	-0.849	0.000	21 55	-1.385	-1.543	-0.000
19 16	-1.496	-0.295	-0.018	20 36	-0.348	-0.841	-0.002	21 56	-1.124	-0.779	0.000
19 17	-0.931	-0.224	0.069	20 37	-0.585	-0.874	0.000	21 57	-0.687	-0.033	0.009
19 18	-1.331	-0.018	0.006	20 38	-0.623	-0.232	0.001	21 58	-1.016	-0.681	0.000
19 19	-1.399	-0.292	0.009	20 39	-0.940	0.000	-0.001	21 59	-1.242	-1.740	0.000
19 20	-1.135	-0.989	0.003	20 40	-0.749	0.000	0.000	22 0	-3.090	-1.886	0.000
19 21	-0.485	-0.721	0.001	20 41	-0.723	0.000	-0.000	22 1	-2.473	-2.246	-0.002
19 22	-0.267	-0.744	-0.009	20 42	-0.815	0.000	0.000	22 2	-1.330	-1.336	0.017
19 23	-0.125	-0.978	0.001	20 43	-0.589	0.003	0.000	22 3	-1.812	-0.656	0.006
19 24	-0.460	-0.963	0.012	20 44	-0.627	0.000	0.000	22 4	-2.223	-0.830	0.002
19 25	-0.129	-1.009	-0.003	20 45	-0.514	0.000	0.000	22 5	-1.269	-1.416	-0.001
19 26	0.000	-0.478	-0.020	20 46	-0.638	0.025	0.001	22 6	-1.667	-0.773	0.001
19 27	-0.333	0.124	-0.003	20 47	-0.766	-0.001	0.000	22 7	-1.997	-0.116	0.005
19 28	-0.365	-0.003	-0.003	20 48	-0.420	0.000	0.003	22 8	-1.958	-1.476	0.018
19 29	-0.236	0.016	0.003	20 49	-0.711	0.000	0.000	22 9	-1.468	-0.880	0.011
19 30	-0.327	0.042	0.004	20 50	-0.089	0.233	0.003	22 10	-1.852	-1.246	0.000
19 31	-0.405	-0.012	0.011	20 51	-0.656	0.201	0.000	22 11	-1.692	-1.177	0.001
19 32	-0.354	-0.130	0.004	20 52	-0.876	0.049	0.000	22 12	-1.679	-0.694	0.000
19 33	-0.062	-0.001	0.107	20 53	-1.172	0.000	0.000	22 13	-0.975	-1.649	0.008
19 34	0.150	-0.624	0.072	20 54	-1.179	0.000	0.000	22 14	-1.193	-1.558	0.002
19 35	-0.035	-0.561	0.033	20 55	-1.222	0.000	0.000	22 15	-0.439	-2.262	0.001



14	5	-5.353	0.403	0.000	15	25	-3.639	-1.291	-0.008	16	45	-2.588	0.546	0.070
14	6	-4.356	0.673	0.003	15	26	-2.353	-0.442	0.013	16	46	-2.845	0.455	0.050
14	7	-5.217	-1.490	0.004	15	27	-3.627	-0.309	0.008	16	47	-3.649	1.300	0.001
14	8	-4.517	-1.239	0.006	15	28	-3.356	0.246	0.009	16	48	-3.675	0.449	0.027
14	9	-4.239	-1.342	0.001	15	29	-4.530	-0.018	0.003	16	49	-4.150	0.185	0.021
14	10	-3.592	-0.581	0.000	15	30	-2.915	-0.160	0.016	16	50	-2.674	0.220	0.063
14	11	-4.006	-0.387	0.006	15	31	-2.301	-0.217	0.014	16	51	-3.383	0.039	0.014
14	12	-4.401	-0.354	0.006	15	32	-4.001	-0.028	0.001	16	52	-4.840	0.251	0.017
14	13	-4.558	-0.129	0.003	15	33	-3.505	-0.133	0.007	16	53	-3.985	0.548	0.035
14	14	-3.484	-0.490	0.003	15	34	-3.118	-0.368	-0.005	16	54	-4.641	0.938	-0.032
14	15	-4.251	-0.447	0.000	15	35	-3.415	-0.273	-0.009	16	55	-4.575	0.385	-0.023
14	16	-4.508	-0.030	0.007	15	36	-2.782	-1.011	-0.014	16	56	-4.050	0.143	0.037
14	17	-4.552	0.245	0.000	15	37	-2.966	0.679	0.018	16	57	-4.527	-0.520	0.025
14	18	-4.672	-0.177	0.002	15	38	-3.635	0.634	0.025	16	58	-5.442	-0.793	0.032
14	19	-3.535	-0.503	0.004	15	39	-3.390	-0.007	0.027	16	59	-4.314	-0.603	0.058
14	20	-4.070	-0.467	0.005	15	40	-2.811	-0.048	0.032	17	0	-4.863	-0.024	0.019
14	21	-4.998	-0.857	0.000	15	41	-3.095	0.028	0.073	17	1	-4.908	0.071	-0.000
14	22	-4.055	-0.464	0.002	15	42	-4.228	-0.060	0.018	17	2	-3.933	0.376	0.014
14	23	-3.590	-0.189	0.005	15	43	-3.747	-0.697	0.072	17	3	-4.587	0.348	-0.003
14	24	-3.427	-0.208	0.006	15	44	-3.075	-0.112	0.036	17	4	-3.254	0.185	0.021
14	25	-4.414	0.596	0.008	15	45	-2.304	-0.173	-0.007	17	5	-3.026	0.380	0.059
14	26	-6.125	1.116	0.002	15	46	-2.586	0.060	0.071	17	6	-3.758	-0.505	0.006
14	27	-4.301	0.447	0.007	15	47	-3.245	-0.019	-0.002	17	7	-3.445	-1.763	-0.033
14	28	-4.155	0.267	0.006	15	48	-3.545	-0.046	0.013	17	8	-2.143	-2.040	-0.007
14	29	-4.495	0.024	0.007	15	49	-2.876	-0.015	0.001	17	9	-1.630	-1.691	0.055
14	30	-3.308	-0.293	0.005	15	50	-2.917	0.163	0.051	17	10	-2.436	-4.025	-0.003
14	31	-4.569	-0.823	0.003	15	51	-3.607	0.536	0.038	17	11	-2.304	-2.733	0.094
14	32	-4.306	-0.013	0.000	15	52	-3.556	-0.031	0.083	17	12	-3.726	-4.243	0.033
14	33	-5.659	0.241	0.001	15	53	-4.135	-0.067	0.020	17	13	-3.392	-4.016	0.016
14	34	-5.573	0.152	0.000	15	54	-3.131	-0.005	-0.004	17	14	-3.404	-4.175	-0.034
14	35	-5.122	-0.235	0.002	15	55	-4.024	0.264	0.030	17	15	-3.069	-4.150	0.005
14	36	-5.151	-0.479	-0.001	15	56	-3.585	-0.119	0.062	17	16	-2.288	-2.890	0.086
14	37	-3.794	0.340	0.001	15	57	-3.518	0.092	0.053	17	17	-2.282	-3.468	0.049
14	38	-4.014	0.346	0.003	15	58	-3.436	1.176	0.004	17	18	-2.187	-4.042	0.033
14	39	-3.146	-0.442	0.007	15	59	-3.888	1.306	0.029	17	19	-1.893	-2.931	0.058
14	40	-4.550	-0.560	0.000	16	0	-4.202	0.556	0.008	17	20	-2.072	-2.744	0.059
14	41	-4.929	0.437	0.001	16	1	-4.104	0.275	-0.005	17	21	-2.390	-3.699	-0.003
14	42	-4.853	0.037	0.000	16	2	-2.877	-0.027	0.072	17	22	-1.937	-3.548	0.015
14	43	-3.700	-0.628	-0.002	16	3	-2.670	0.574	0.032	17	23	-2.827	-2.690	0.084
14	44	-4.302	0.313	-0.000	16	4	-3.026	1.087	0.018	17	24	-3.375	-3.560	-0.036
14	45	-4.148	-0.178	0.006	16	5	-3.527	0.290	0.040	17	25	-2.778	-3.051	-0.005
14	46	-3.737	-0.230	0.007	16	6	-4.351	1.073	0.012	17	26	-2.861	-2.933	0.005
14	47	-4.490	0.145	0.006	16	7	-3.236	0.877	0.022	17	27	-3.097	-2.694	-0.020
14	48	-4.704	-0.519	0.004	16	8	-3.256	0.314	0.007	17	28	-2.441	-3.255	-0.032
14	49	-3.920	-0.015	0.018	16	9	-2.519	0.227	0.017	17	29	-1.199	-3.119	0.057
14	50	-3.824	0.219	-0.007	16	10	-3.367	0.219	0.052	17	30	-2.211	-3.797	0.024
14	51	-3.208	0.410	0.034	16	11	-3.883	0.161	0.007	17	31	-3.141	-3.141	0.029
14	52	-4.582	0.171	0.021	16	12	-3.365	-0.043	-0.006					
14	53	-3.944	0.354	0.014	16	13	-3.244	-0.011	0.022	17	45	-1.909	-4.190	0.010
14	54	-4.783	0.111	0.018	16	14	-2.905	0.435	0.041	17	46	-1.012	-3.164	0.085
14	55	-4.328	0.764	0.007	16	15	-3.469	0.445	0.029	17	47	-1.705	-3.259	0.057
14	56	-4.641	0.224	0.003	16	16	-3.438	-0.235	0.005	17	48	-2.068	-3.300	0.016
14	57	-4.523	0.279	-0.008	16	17	-4.153	-0.189	0.024	17	49	-1.456	-2.484	-0.063
14	58	-4.777	0.257	0.003	16	18	-3.128	-0.116	0.067	17	50	-1.228	-2.181	0.002
14	59	-3.590	0.519	0.010	16	19	-3.209	-0.079	0.029	17	51	-1.415	-2.515	0.086
15	0	-3.044	-0.061	0.016	16	20	-3.063	-0.017	-0.009	17	52	-2.615	-2.624	-0.039
15	1	-3.084	-0.169	0.004	16	21	-2.669	0.812	0.027	17	53	-1.777	-2.602	0.038
15	2	-3.086	-0.187	-0.018	16	22	-3.282	0.354	0.038	17	54	-2.539	-2.428	0.065
15	3	-3.651	0.165	0.017	16	23	-3.421	0.028	0.017	17	55	-2.469	-3.129	0.056
15	4	-3.603	-0.413	0.016	16	24	-3.493	-0.164	0.038	17	56	-2.644	-4.037	-0.012
15	5	-3.586	-0.894	-0.023	16	25	-3.111	-0.023	0.012	17	57	-2.191	-3.724	0.005
15	6	-1.973	-0.678	0.038	16	26	-3.686	-0.012	0.004	17	58	-1.751	-2.594	0.052
15	7	-3.445	-0.522	0.023	16	27	-4.063	0.004	0.019	17	59	-1.579	-2.754	0.103
15	8	-5.275	0.399	0.002	16	28	-3.973	-0.111	0.032	18	0	-1.461	-3.296	0.050
15	9	-4.024	-0.021	0.002	16	29	-2.665	0.020	0.052	18	1	-2.276	-2.507	0.071
15	10	-2.759	0.038	0.004	16	30	-3.404	0.082	0.019	18	2	-1.024	-1.831	0.061
15	11	-2.687	-0.250	-0.003	16	31	-3.748	0.157	0.041	18	3	-2.411	-2.835	0.015
15	12	-3.131	0.595	0.011	16	32	-3.988	0.423	0.003	18	4	-1.911	-2.719	0.049
15	13	-2.768	0.282	-0.004	16	33	-3.419	0.909	0.018	18	5	-2.947	-2.961	-0.002
15	14	-2.964	-0.120	0.028	16	34	-4.447	1.851	0.007	18	6	-2.122	-3.382	0.006
15	15	-3.104	0.407	0.016	16	35	-4.822	1.141	0.014	18	7	-2.312	-2.273	0.041
15	16	-3.126	-0.106	-0.021	16	36	-3.983	0.548	0.019	18	8	-2.069	-1.385	0.124
15	17	-2.757	-0.163	-0.003	16	37	-3.245	0.908	-0.009	18	9	-2.382	-2.492	0.003
15	18	-2.934	-0.494	0.012	16	38	-3.366	0.816	0.043	18	10	-2.323	-2.111	0.007
15	19	-4.131	-0.543	0.003	16	39	-4.033	0.528	0.007	18	11	-1.932	-1.648	0.045
15	20	-3.890	-0.920	0.003	16	40	-3.542	0.726	0.031	18	12	-2.554	-1.558	0.116
15	21	-4.223	-0.635	-0.039	16	41	-4.274	1.350	-0.012	18	13	-2.372	-1.723	0.069
15	22	-3.537	-0.543	0.021	16	42	-3.975	0.924	0.019	18	14	-2.302	-1.165	0.095
15	23	-3.835	-0.177	-0.019	16	43	-4.036	0.527	0.026	18	15	-1.661	-1.286	0.070
15	24	-3.921	-0.672	-0.014	16	44	-2.215	0.154	0.088					



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

18	16	-0.656	-1.457	0.083	19	36	-0.130	-1.103	0.006	20	56	-1.107	-0.405	0.000
18	17	-2.186	-0.602	0.035	19	37	0.005	-1.087	0.004	20	57	-1.049	-1.170	0.000
18	18	-2.191	-2.164	0.015	19	38	0.001	-1.077	-0.000	20	58	-0.970	-1.149	0.000
18	19	-2.381	-1.157	-0.012	19	39	-0.001	-0.829	0.010	20	59	-0.957	-0.266	0.003
18	20	-2.975	-0.752	0.032	19	40	0.000	-1.051	-0.001	21	0	-0.614	-1.003	0.000
18	21	-2.831	-0.773	0.121	19	41	-0.259	-1.093	-0.001	21	1	-0.119	-1.387	-0.001
18	22	-2.550	-1.225	0.028	19	42	-0.753	-1.180	0.000	21	2	-0.017	-1.323	0.000
18	23	-2.796	-1.032	0.033	19	43	-1.096	-0.875	-0.010	21	3	-0.154	-1.492	0.000
18	24	-3.233	-1.391	0.037	19	44	-1.312	-0.915	0.000	21	4	-0.002	-0.863	0.008
18	25	-3.326	-1.364	0.005	19	45	-1.700	-1.033	-0.002	21	5	0.063	-1.459	-0.000
18	26	-3.495	-0.880	0.022	19	46	-1.585	-0.665	0.001	21	6	0.116	-0.887	0.002
18	27	-3.025	-0.813	0.024	19	47	-1.552	-0.429	0.000	21	7	0.001	-0.532	0.003
18	28	-2.653	-0.944	0.031	19	48	-1.367	-0.293	0.002	21	8	-0.024	-1.017	0.000
18	29	-2.740	-0.720	0.007	19	49	-1.619	-0.296	0.005	21	9	-0.013	-1.206	0.001
18	30	-2.837	-1.007	0.012	19	50	-1.046	-0.033	0.021	21	10	0.041	-0.422	0.005
18	31	-2.547	-0.476	0.019	19	51	-1.014	-0.449	-0.001	21	11	-0.035	-0.631	0.008
18	32	-2.704	-0.113	-0.004	19	52	-1.374	-0.449	0.002	21	12	-0.069	-0.753	0.017
18	33	-3.762	-1.027	0.028	19	53	-1.689	-0.411	0.000	21	13	-0.134	-2.068	0.002
18	34	-4.756	-1.154	0.047	19	54	-1.607	-0.713	-0.006	21	14	0.267	-1.887	0.007
18	35	-4.351	-0.634	0.075	19	55	-1.257	-0.792	0.003	21	15	0.854	-1.495	0.004
18	36	-4.111	-1.714	0.023	19	56	-1.186	-0.655	-0.002	21	16	0.043	-0.717	0.047
18	37	-4.138	-1.302	0.047	19	57	-0.564	-0.920	-0.001	21	17	0.101	-0.224	0.035
18	38	-4.114	-1.284	0.015	19	58	-0.029	-0.665	-0.003	21	18	0.041	-0.083	0.005
18	39	-4.093	-0.736	0.063	19	59	0.075	-0.222	0.029	21	19	0.327	0.000	0.000
18	40	-3.467	-0.880	0.045	20	0	0.047	0.000	0.074	21	20	0.000	0.000	0.000
18	41	-3.209	-0.698	0.026	20	1	0.000	0.000	0.000	21	21	0.000	0.000	0.000
18	42	-2.951	-0.373	0.041	20	2	0.000	0.000	-0.000	21	22	-0.246	-0.092	0.000
18	43	-2.723	-0.498	0.008	20	3	0.000	0.000	0.001	21	23	-0.945	-0.146	-0.000
18	44	-2.237	-0.804	0.014	20	4	0.075	-0.052	0.015	21	24	-0.606	-0.547	0.000
18	45	-1.871	-0.273	0.006	20	5	0.002	-0.038	0.072	21	25	-0.610	-1.008	0.000
18	46	-1.801	-0.146	0.054	20	6	-0.037	-0.297	0.002	21	26	-1.164	-1.167	0.007
18	47	-2.567	-0.726	0.035	20	7	-0.119	-0.380	0.000	21	27	-1.348	-1.726	0.003
18	48	-3.116	-1.022	0.077	20	8	-0.052	-0.858	-0.001	21	28	-1.006	-1.710	-0.000
18	49	-2.665	-1.048	0.016	20	9	-0.006	-0.390	0.001	21	29	-0.976	-1.300	0.000
18	50	-2.253	-0.668	0.012	20	10	0.004	-0.096	0.000	21	30	-1.043	-0.532	0.001
18	51	-1.770	-0.665	0.013	20	11	0.130	-0.743	0.010	21	31	-1.579	-0.558	0.002
18	52	-1.536	-0.569	0.002	20	12	-0.391	-0.356	0.001	21	32	-2.043	-0.797	0.000
18	53	-1.400	-0.992	0.003	20	13	-0.513	-0.490	-0.001	21	33	-1.831	-0.750	0.000
18	54	-0.597	-1.085	0.003	20	14	-0.684	-0.258	-0.001	21	34	-2.153	-0.991	0.000
18	55	-0.177	-1.004	0.014	20	15	-0.540	-0.481	0.000	21	35	-1.764	-1.421	0.000
18	56	-0.190	-1.770	0.034	20	16	-0.284	-0.626	-0.000	21	36	-1.421	-1.591	0.000
18	57	-0.547	-2.192	0.013	20	17	-0.131	-0.946	-0.009	21	37	-0.853	-1.299	0.001
18	58	-0.452	-1.575	0.100	20	18	0.000	-0.264	-0.011	21	38	-0.667	-1.244	0.002
18	59	-0.252	-1.310	0.057	20	19	-0.009	0.000	-0.000	21	39	-0.292	-1.381	0.000
19	0	-1.367	-0.961	0.046	20	20	0.130	0.000	0.009	21	40	-0.022	-1.375	0.005
19	1	-0.850	-1.537	0.028	20	21	0.111	-0.003	0.002	21	41	0.003	-1.080	0.000
19	2	-0.420	-1.294	0.015	20	22	0.233	-0.735	0.008	21	42	-0.000	-0.340	0.000
19	3	-0.760	-1.258	0.042	20	23	0.053	-1.427	0.009	21	43	-0.119	-0.811	0.000
19	4	-0.782	-0.491	0.008	20	24	0.039	-1.651	0.000	21	44	0.000	-0.902	0.000
19	5	-1.004	-0.790	-0.007	20	25	-0.018	-2.215	0.003	21	45	0.006	-0.961	0.000
19	6	-1.647	-0.670	-0.005	20	26	-0.067	-2.063	0.001	21	46	-0.000	-1.130	0.000
19	7	-2.047	-1.721	-0.020	20	27	0.005	-1.331	0.003	21	47	0.013	-1.000	0.000
19	8	-1.859	-1.760	-0.034	20	28	-0.012	-1.209	0.001	21	48	0.001	-1.139	0.000
19	9	-2.267	-0.905	-0.016	20	29	-0.040	-1.106	0.001	21	49	-0.000	-0.835	0.008
19	10	-1.940	-0.567	-0.007	20	30	-0.016	-1.264	0.000	21	50	-0.001	-0.661	0.000
19	11	-1.132	-0.601	0.007	20	31	0.000	-1.128	0.000	21	51	0.015	-0.898	0.000
19	12	-1.671	-0.287	-0.001	20	32	0.000	-1.113	0.000	21	52	-0.000	-1.042	0.000
19	13	-1.396	-0.181	-0.012	20	33	0.000	-0.917	0.000	21	53	-0.001	-0.778	0.000
19	14	-1.354	-0.107	-0.009	20	34	0.000	-0.871	0.000	21	54	-0.486	-1.379	0.000
19	15	-1.542	-0.174	0.019	20	35	-0.060	-0.849	0.000	21	55	-1.385	-1.543	-0.000
19	16	-1.496	-0.295	-0.018	20	36	-0.348	-0.841	-0.002	21	56	-1.124	-0.779	0.000
19	17	-0.931	-0.224	0.069	20	37	-0.585	-0.874	0.000	21	57	-0.687	-0.033	0.009
19	18	-1.331	-0.018	0.006	20	38	-0.623	-0.232	0.001	21	58	-1.016	-0.681	0.000
19	19	-1.399	-0.292	0.009	20	39	-0.940	0.000	-0.001	21	59	-1.242	-1.740	0.000
19	20	-1.135	-0.989	0.003	20	40	-0.749	0.000	0.000	22	0	-3.090	-1.886	0.000
19	21	-0.485	-0.721	0.001	20	41	-0.723	0.000	-0.000	22	1	-2.473	-2.246	-0.002
19	22	-0.267	-0.744	-0.009	20	42	-0.815	0.000	0.000	22	2	-1.330	-1.336	0.017
19	23	-0.125	-0.978	0.001	20	43	-0.589	0.003	0.000	22	3	-1.812	-0.656	0.006
19	24	-0.460	-0.963	0.012	20	44	-0.627	0.000	0.000	22	4	-2.223	-0.830	0.002
19	25	-0.129	-1.009	-0.003	20	45	-0.514	0.000	0.000	22	5	-1.269	-1.416	-0.001
19	26	0.000	-0.478	-0.020	20	46	-0.638	0.025	0.001	22	6	-1.667	-0.773	0.001
19	27	-0.333	0.124	-0.003	20	47	-0.766	-0.001	0.000	22	7	-1.997	-0.116	0.005
19	28	-0.365	-0.003	-0.003	20	48	-0.420	0.000	0.003	22	8	-1.958	-1.476	0.018
19	29	-0.236	0.016	0.003	20	49	-0.711	0.000	0.000	22	9	-1.468	-0.880	0.011
19	30	-0.327	0.042	0.004	20	50	-0.089	0.233	0.003	22	10	-1.852	-1.246	0.000
19	31	-0.405	-0.012	0.011	20	51	-0.656	0.201	0.000	22	11	-1.692	-1.177	0.001
19	32	-0.354	-0.130	0.004	20	52	-0.876	0.049	0.000	22	12	-1.679	-0.694	0.000
19	33	-0.062	0.001	0.107	20	53	-1.172	0.000	0.000	22	13	-0.975	-1.649	0.008
19	34	0.150	-0.624	0.072	20	54	-1.179	0.000	0.000	22	14	-1.193	-1.558	0.002
19	35	-0.035	-0.561	0.033	20	55	-1.222	0.000	0.000	22	15	-0.439	-2.262	0.001



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

22 16	-0.341	-2.121	0.000	23 36	0.000	0.000	0.000	0 53	-1.481	-1.558	0.000
22 17	-0.381	-1.700	0.012	23 37	0.000	-0.309	0.000	0 54	-1.135	-2.168	0.001
22 18	-0.468	-1.941	0.006	23 38	-0.127	-0.407	0.000	0 55	-2.276	-2.035	0.001
22 19	-0.911	-3.513	0.006	23 39	-0.443	-0.337	0.000	0 56	-1.900	-1.035	0.001
22 20	-0.876	-3.029	0.008	23 40	-0.018	-0.619	0.000	0 57	-1.839	-0.442	0.001
22 21	-0.811	-3.053	0.002	23 41	-0.019	-0.574	0.000	0 58	-2.394	-0.849	0.000
22 22	-0.618	-2.731	0.003	23 42	0.000	-0.596	0.000	0 59	-2.335	-0.334	0.000
22 23	-0.408	-2.508	0.011	23 43	0.000	-0.928	0.000	1 0	-2.121	-0.157	0.000
22 24	-0.093	-2.515	0.012	23 44	-0.166	-0.938	0.000	1 1	-2.303	-0.683	0.000
22 25	-0.440	-2.780	0.013	23 45	-0.668	-1.149	0.000	1 2	-1.750	-0.011	-0.000
22 26	-0.508	-2.759	0.015	23 46	-0.654	-1.598	0.000	1 3	-1.412	0.089	0.000
22 27	-0.135	-2.876	0.006	23 47	-0.603	-1.408	0.000	1 4	-0.765	-0.145	0.001
22 28	-0.302	-3.080	0.005	23 48	-0.679	-1.274	0.000	1 5	-0.371	-0.824	0.000
22 29	-0.833	-3.331	0.007	23 49	-0.325	-1.102	0.000	1 6	-0.131	-1.121	0.000
22 30	-0.305	-2.675	0.002	23 50	-0.495	-1.087	0.000	1 7	-0.358	-0.426	0.000
22 31	0.052	-2.811	0.012	23 51	-0.722	-1.056	0.000	1 8	-0.924	-0.150	0.000
22 32	-0.192	-2.351	0.003	23 52	-0.684	-1.020	0.000	1 9	-0.695	0.000	0.000
22 33	-0.144	-2.068	0.004	23 53	-0.327	-0.836	0.000	1 10	-0.320	0.385	0.000
22 34	0.149	-2.378	0.003	23 54	-0.041	-0.957	0.000	1 11	-0.205	0.298	0.002
22 35	0.053	-1.526	0.002	23 55	0.000	-0.749	0.000	1 12	-0.861	0.013	0.000
22 36	0.160	-1.725	0.012	23 56	0.000	-0.330	0.000	1 13	-0.358	0.721	0.000
22 37	0.002	-1.071	0.011	23 57	0.000	0.000	0.000	1 14	-0.095	0.087	0.000
22 38	-0.206	-1.421	0.014	23 58	0.000	0.000	0.000	1 15	-0.165	0.000	0.000
22 39	-0.389	-1.905	0.000	23 59	0.000	0.000	0.000	1 16	-0.056	0.005	0.000
22 40	-0.309	-1.629	0.001					1 17	0.000	0.000	0.000
22 41	-0.055	-1.652	0.003	25/07/95				1 18	0.009	0.004	0.002
22 42	-0.025	-1.568	0.001					1 19	0.000	0.000	0.000
22 43	0.017	-1.637	0.000	0 0	0.000	0.000	0.003	1 20	-0.508	-0.168	-0.001
22 44	-0.199	-1.816	0.000	0 1	0.034	-0.165	0.000	1 21	-0.063	-0.814	0.001
22 45	-0.191	-1.429	0.000	0 2	0.137	-0.021	0.000	1 22	0.000	-0.019	0.000
22 46	-0.457	-1.320	0.001	0 3	0.000	-0.335	0.000	1 23	-0.093	-0.103	-0.000
22 47	-0.681	-1.163	0.000	0 4	0.000	-0.282	0.000	1 24	-0.980	-0.422	0.000
22 48	-1.076	-1.028	0.000	0 5	-0.877	-0.801	0.000	1 25	-0.970	-0.791	0.000
22 49	-1.081	-0.835	0.000	0 6	-0.446	-1.038	0.000	1 26	-1.539	-0.348	0.000
22 50	-1.155	-1.063	0.000	0 7	-0.283	-0.474	0.000				
22 51	-1.005	-0.619	0.000	0 8	-0.747	-0.281	0.000				
22 52	-0.714	-0.655	0.000	0 9	-0.754	-0.139	0.000				
22 53	-0.497	-0.721	0.000	0 10	-0.376	0.000	0.000				
22 54	-0.128	-0.610	0.000	0 11	-0.404	0.000	0.000				
22 55	-0.005	-0.135	0.000	0 12	-0.613	-0.299	0.000				
22 56	-0.548	0.003	0.000	0 13	-0.573	-0.084	0.000				
22 57	-0.697	-0.117	0.000	0 14	-0.555	0.003	0.000				
22 58	-1.038	0.000	0.000	0 15	-0.000	0.003	0.000				
22 59	-1.089	-0.006	0.000	0 16	-0.702	-0.001	0.000				
23 0	-1.093	0.000	0.000	0 17	-0.708	-0.031	0.000				
23 1	-0.274	-0.056	0.000	0 18	-0.444	-0.294	0.000				
23 2	-0.039	-1.334	0.000	0 19	-0.618	-0.565	0.000				
23 3	-0.287	-1.770	0.000	0 20	-0.507	-0.712	0.000				
23 4	-0.229	-1.585	0.003	0 21	-0.780	-0.362	0.000				
23 5	-0.217	-0.628	0.000	0 22	-0.585	-0.011	0.000				
23 6	-0.017	-0.733	0.004	0 23	-0.140	-0.730	0.000				
23 7	0.000	-0.965	0.000	0 24	-0.049	-0.459	0.000				
23 8	0.000	-0.467	0.000	0 25	0.000	-1.113	0.000				
23 9	0.000	-0.193	0.000	0 26	-0.071	-1.157	0.000				
23 10	0.000	-0.497	0.000	0 27	0.046	-1.351	0.000				
23 11	-0.003	-0.663	0.000	0 28	0.338	-1.573	0.000				
23 12	0.018	-0.710	0.000	0 29	-0.019	-0.752	0.003				
23 13	0.000	-0.269	0.000	0 30	0.010	-1.437	0.000				
23 14	0.000	-0.224	0.000	0 31	-0.102	-1.599	0.000				
23 15	0.000	0.000	0.000	0 32	-0.304	-1.324	0.000				
23 16	-0.001	0.000	0.000	0 33	-0.483	-1.659	0.000				
23 17	-0.118	0.000	0.000	0 34	-0.740	-1.686	0.000				
23 18	-1.419	-0.101	-0.001	0 35	-0.859	-1.590	0.000				
23 19	-0.783	-1.176	0.000	0 36	-1.200	-0.986	0.000				
23 20	-1.027	-1.019	0.002	0 37	-1.180	-0.426	0.000				
23 21	-1.582	-0.428	0.003	0 38	-0.984	-0.219	-0.000				
23 22	-1.044	0.063	-0.000	0 39	-0.425	-0.731	0.000				
23 23	-0.277	0.067	0.001	0 40	-1.501	-1.343	0.000				
23 24	-0.125	0.047	0.000	0 41	-1.495	-0.280	0.000				
23 25	-0.032	0.108	0.001	0 42	-1.703	-0.040	0.000				
23 26	0.000	-0.002	0.003	0 43	-1.490	-0.763	0.002				
23 27	0.000	-0.170	0.000	0 44	-1.227	-1.726	0.001				
23 28	0.000	-0.429	0.000	0 45	-1.312	-1.471	0.000				
23 29	-0.061	-0.481	0.000	0 46	-2.733	-0.711	0.002				
23 30	0.002	-0.436	0.000	0 47	-2.561	-0.827	-0.000				
23 31	-0.108	-0.310	0.000	0 48	-1.444	-1.080	0.000				
23 32	0.000	0.000	0.000	0 49	-1.066	-0.507	-0.000				
23 33	0.000	0.000	0.000	0 50	-1.288	-0.342	0.000				
23 34	0.000	0.000	0.000	0 51	-0.753	-1.606	0.000				
23 35	0.000	0.000	0.000	0 52	-0.764	-1.521	0.000				



14	39	-4.269	-0.674	30.3	80
14	40	-4.760	-0.402	30.3	80
14	41	-3.839	0.398	30.3	80
14	42	-4.329	0.335	30.5	80
14	43	-3.994	-0.133	30.4	81
14	44	-3.477	0.122	30.4	81
14	45	-4.158	0.207	30.4	81
14	46	-4.146	0.407	30.4	80
14	47	-4.007	-0.229	30.3	80
14	48	-3.184	0.202	30.3	80
14	49	-3.005	0.129	30.3	80
14	50	-2.873	0.442	30.4	81
14	51	-2.302	0.444	30.5	80
14	52	-2.237	0.237	30.6	80
14	53	-3.006	0.170	30.7	78
14	54	-2.353	0.578	30.7	78
14	55	-1.920	0.014	30.8	78
14	56	-2.401	0.911	30.7	76
14	57	-2.243	0.217	30.7	76
14	58	-1.747	0.218	30.6	76
14	59	-1.914	0.200	30.7	77
15	0	-2.043	0.039	30.6	78
15	1	-1.898	-0.013	30.3	78
15	2	-1.811	-0.200	30.2	79
15	3	-2.208	-0.238	30.1	80
15	4	-2.237	0.030	30.0	80
15	5	-1.934	0.052	30.0	81
15	6	-2.279	0.189	29.9	80
15	7	-1.325	0.434	29.9	81
15	8	-2.400	0.533	30.0	81
15	9	-2.004	0.260	29.9	81
15	10	-2.473	0.212	29.9	80
15	11	-2.268	0.199	29.9	80
15	12	-1.694	0.144	29.9	81
15	13	-1.344	0.054	29.9	82
15	14	-2.124	-0.003	29.8	81
15	15	-1.764	0.240	29.7	82
15	16	-1.981	0.155	29.8	82
15	17	-1.427	0.061	29.7	83
15	18	-1.747	0.052	29.7	83
15	19	-2.285	-0.065	29.6	82
15	20	-2.459	-0.035	29.6	82
15	21	-2.354	0.036	29.6	82
15	22	-2.105	-0.097	29.6	82
15	23	-2.235	-0.152	29.5	82
15	24	-1.648	-0.025	29.5	83
15	25	-1.575	-0.045	29.5	84
15	26	-1.907	-0.157	29.4	84
15	27	-2.139	-0.500	29.4	84
15	28	-1.865	0.021	29.4	85
15	29	-2.038	-0.166	29.5	85
15	30	-1.714	0.099	29.4	84
15	31	-1.605	-0.062	29.5	84
15	32	-1.592	-0.270	29.4	85
15	33	-2.076	-0.551	29.3	85
15	34	-1.950	-0.557	29.3	85
15	35	-2.437	-0.684	29.2	85
15	36	-2.093	-0.725	29.2	85
15	37	-1.624	-0.727	29.3	87
15	38	-1.726	-1.010	29.1	87
15	39	-1.586	-0.844	29.1	87
15	40	-1.199	-0.700	29.1	88
15	41	-0.771	-0.329	29.1	88
15	42	-0.360	-0.374	29.2	88
15	43	-0.243	-0.886	29.3	88
15	44	-0.582	-0.779	29.3	87
15	45	-0.673	-0.130	29.3	87
15	46	-0.621	-0.486	29.2	88
15	47	-0.190	-1.031	29.3	88
15	48	-0.271	-0.758	29.2	88
15	49	0.000	-0.853	29.2	88
15	50	-0.073	-0.601	29.2	87
15	51	-0.021	-0.235	29.2	87
15	52	-0.030	-0.086	29.2	87
15	53	-0.178	-0.027	29.2	88
15	54	-0.160	-0.000	29.2	88
15	55	0.000	-0.065	29.2	88
15	56	0.000	-0.442	29.2	88
15	57	0.000	-0.123	29.1	88
15	58	0.000	0.000	29.2	88

27/07/95

15	59	-0.076	0.000	29.2	87
16	0	-0.003	0.000	29.2	88
16	1	0.000	0.000	29.2	88
16	2	0.000	-0.030	29.2	87
16	3	0.000	0.000	29.2	87
16	4	0.000	0.000	29.1	87
16	5	0.000	0.000	29.1	87
16	6	0.000	0.000	29.1	87
16	7	0.000	0.000	29.1	88
10	18	0.000	0.000	0.0	0
10	19	-1.701	-0.132	26.9	93
10	20	-2.210	-0.225	26.9	93
10	21	-2.466	-0.246	26.9	92
10	22	-2.564	-0.577	26.8	92
10	23	-2.158	-0.153	26.8	92
10	24	-1.973	0.212	26.9	93
10	25	-1.887	-0.242	26.9	93
10	26	-2.338	-0.088	26.8	92
10	27	-2.093	-0.031	26.8	92
10	28	-2.491	0.080	26.8	92
10	29	-2.172	0.010	26.8	92
10	30	-2.058	-0.164	26.8	93
10	31	-2.115	-0.638	26.8	93
10	32	-1.874	-0.037	26.8	93
10	33	-1.771	-0.202	26.8	93
10	34	-1.920	-0.045	26.8	94
10	35	-2.659	-0.644	26.8	93
10	36	-2.529	-0.422	26.8	92
10	37	-2.294	-0.646	26.8	93
10	38	-2.203	-0.523	26.8	93
10	39	-2.876	-0.817	26.8	92
10	40	-2.937	-1.173	26.8	92
10	41	-2.543	-0.480	26.7	92
10	42	-2.891	-0.395	26.7	92
10	43	-2.824	-1.153	26.7	92
10	44	-2.588	-0.723	26.7	92
10	45	-1.775	-0.233	26.7	93
10	46	-2.181	-0.466	26.7	93
10	47	-2.118	-0.535	26.7	93
10	48	-2.022	-0.215	26.7	93
10	49	-1.902	-0.090	26.8	94
10	50	-2.158	0.091	26.9	93
10	51	-2.406	-0.010	26.9	93
10	52	-2.531	-0.265	26.8	93
10	53	-2.125	0.013	26.9	93
10	54	-2.575	-0.211	26.8	92
10	55	-3.009	-0.039	26.9	92
10	56	-2.672	-0.323	26.9	92
10	57	-2.110	0.032	26.9	93
10	58	-2.492	0.104	26.9	92
10	59	-4.229	-0.309	26.8	92
11	0	-3.287	-0.224	26.7	92
11	1	-3.615	0.065	26.7	92
11	2	-2.812	-0.174	26.7	92
11	3	-3.165	-0.186	26.7	92
11	4	-3.604	-0.032	26.6	92
11	5	-2.955	-0.242	26.6	93
11	6	-3.083	0.037	26.5	93
11	7	-3.192	-0.487	26.5	93
11	8	-2.469	-0.411	26.5	93
11	9	-3.093	-0.533	26.6	93
11	10	-3.089	-0.446	26.5	93
11	11	-3.659	-0.440	26.5	93
11	12	-3.257	-0.716	26.6	93
11	13	-2.894	-0.473	26.6	93
11	14	-2.023	-0.245	26.6	94
11	15	-1.861	-0.252	26.6	94
11	16	-2.275	-0.717	26.6	93
11	17	-1.924	-0.193	26.7	94
11	18	-2.803	-0.402	26.6	93
11	19	-1.942	-0.119	26.7	93
11	20	-2.068	-0.169	26.7	93
11	21	-2.480	-0.866	26.7	93
11	22	-2.192	-0.590	26.6	93
11	23	-2.268	-0.287	26.7	93
11	24	-2.429	-0.393	26.7	93
11	25	-2.341	-0.507	26.7	93

11	26	-2.114	-0.370	26.7	93
11	27	-1.455	-0.127	26.7	93
11	28	-1.482	-0.393	26.8	94
11	29	-1.261	-0.504	26.8	93
11	30	-1.344	-0.378	26.8	93
11	31	-0.653	-0.620	26.9	93
11	32	-0.605	-0.708	27.0	93
11	33	-0.501	-0.139	27.1	93
11	34	0.000	-0.766	27.1	93
11	35	0.000	-0.851	27.1	92
11	36	0.017	-0.620	27.1	92
11	37	0.004	-0.861	27.2	92
11	38	-0.049	-0.960	27.2	92
11	39	-0.051	-1.114	27.2	91
11	40	0.000	-1.070	27.3	91
11	41	-0.018	-0.933	27.3	91
11	42	-0.646	-0.725	27.3	91
11	43	-0.291	-0.498	27.3	91
11	44	0.000	-0.138	27.3	90
11	45	0.000	-0.025	27.2	89
11	46	0.000	-0.044	27.3	90
11	47	0.000	-0.632	27.5	91
11	48	0.000	-0.625	27.7	91
11	49	0.002	-0.765	27.7	90
11	50	0.001	-0.686	27.8	90
11	51	0.000	-1.294	27.8	90
11	52	0.000	-1.638	27.7	89
11	53	0.028	-1.742	27.7	89
11	54	0.024	-1.250	27.6	88
11	55	-0.001	-0.864	27.7	89
11	56	0.086	-1.359	27.7	88
11	57	0.079	-2.232	27.7	88
11	58	0.011	-1.471	27.7	89
11	59	0.020	-1.449	27.7	87
12	0	0.376	-1.044	27.8	88
12	1	0.226	-0.182	28.0	88
12	2	0.038	-0.013	28.1	88
12	3	0.429	-0.508	28.1	86
12	4	0.123	-0.937	28.0	87
12	5	0.339	-1.358	28.0	87
12	6	0.080	-1.645	27.9	87
12	7	0.374	-0.910	28.0	88
12	8	0.292	-1.674	28.0	88
12	9	0.516	-1.520	28.0	87
12	10	0.255	-1.337	28.1	87
12	11	0.210	-0.772	28.2	88
12	12	-0.008	-1.868	28.3	87
12	13	-0.257	-1.974	28.1	86
12	14	-0.079	-2.321	28.1	87
12	15	0.063	-2.037	28.1	87
12	16	0.041	-2.219	28.1	87
12	17	-0.215	-2.100	28.1	87
12	18	0.002	-1.871	28.2	87
12	19	0.013	-2.594	28.2	87
12	20	-0.055	-2.257	28.1	87
12	21	-0.068	-1.790	28.1	87
12	22	-0.010	-1.624	28.2	87
12	23	0.012	-1.529	28.2	86
12	24	0.318	-0.852	28.3	87
12	25	-0.063	-0.830	28.4	87
12	26	-0.373	-1.818	28.5	86
12	27	-0.047	-2.138	28.4	86
12	28	0.002	-2.120	28.3	86
12	29	-0.081	-1.440	28.3	86
12	30	-0.030	-1.519	28.3	86
12	31	0.026	-1.693	28.3	86
12	32	-0.063	-1.567	28.3	86
12	33	0.090	-1.614	28.5	85
12	34	0.077	-2.016	28.5	



12	46	0.345	-0.061	28.5	84	14	6	3.043	0.082	27.1	93	15	26	2.927	-0.049	27.2	89
12	47	1.162	-0.097	28.5	85	14	7	3.064	-0.253	27.0	92	15	27	2.982	-0.102	27.2	89
12	48	1.785	-0.209	28.5	84	14	8	1.879	-0.494	27.1	92	15	28	2.715	-0.117	27.2	89
12	49	1.745	-0.239	28.4	84	14	9	1.974	-0.575	27.1	92	15	29	2.135	-0.068	27.2	89
12	50	0.857	-0.145	28.5	85	14	10	2.341	-0.308	27.1	93	15	30	2.057	-0.166	27.2	90
12	51	1.083	-0.579	28.6	84	14	11	2.604	-0.167	27.1	92	15	31	1.921	-0.040	27.2	89
12	52	1.821	-0.391	28.6	84	14	12	3.120	-0.039	27.1	92	15	32	2.166	-0.342	27.4	89
12	53	2.196	-0.969	28.6	82	14	13	2.715	-0.226	27.1	92	15	33	1.435	-0.085	27.4	89
12	54	1.975	-0.714	28.6	83	14	14	3.938	-0.320	27.1	92	15	34	2.261	-0.009	27.4	89
12	55	1.969	-0.926	28.6	83	14	15	4.185	0.137	27.1	91	15	35	2.206	-0.241	27.4	88
12	56	2.322	-0.855	28.5	83	14	16	3.659	-1.242	27.1	91	15	36	1.332	-0.533	27.4	88
12	57	2.509	-0.778	28.5	83	14	17	3.013	-1.578	27.1	91	15	37	2.705	-1.294	27.5	87
12	58	1.779	-1.697	28.6	82	14	18	3.258	-1.034	27.1	91	15	38	2.332	-1.266	27.5	86
12	59	1.469	-1.196	28.6	83	14	19	2.843	-0.095	27.1	91	15	39	2.853	-1.567	27.5	86
13	0	1.381	-0.792	28.6	83	14	20	1.952	-0.567	27.1	92	15	40	2.010	-0.910	27.5	85
13	1	0.540	-0.467	28.7	83	14	21	0.902	-0.174	27.1	93	15	41	1.411	-1.014	27.6	86
13	2	1.732	-0.257	28.7	83	14	22	1.428	-0.395	27.1	93	15	42	1.770	-0.157	27.7	87
13	3	1.364	-0.460	28.7	83	14	23	2.025	-0.226	27.1	92	15	43	1.928	-0.265	27.6	86
13	4	1.145	-0.239	28.7	83	14	24	2.304	-0.681	27.1	91	15	44	1.703	0.031	27.6	86
13	5	1.057	-0.431	28.8	83	14	25	1.540	-1.543	27.2	91	15	45	1.595	-0.170	27.6	85
13	6	0.207	-0.263	28.8	84	14	26	1.844	-0.335	27.2	91	15	46	1.481	0.093	27.6	86
13	7	0.537	-0.148	28.9	83	14	27	2.602	-0.115	27.1	91	15	47	1.783	0.257	27.6	86
13	8	0.645	-0.199	28.9	83	14	28	2.075	-0.261	27.1	91	15	48	2.244	0.158	27.6	86
13	9	1.654	-0.372	28.8	82	14	29	2.130	-0.326	27.1	91	15	49	1.719	0.135	27.6	86
13	10	1.367	-0.331	28.7	82	14	30	2.378	-0.514	27.1	91	15	50	1.266	-0.013	27.7	87
13	11	1.216	-0.618	28.7	82	14	31	1.076	-1.361	27.1	91	15	51	1.804	-0.209	27.6	86
13	12	1.361	-0.872	28.8	82	14	32	1.671	-3.579	27.2	91	15	52	1.183	0.033	27.7	87
13	13	1.366	-0.450	28.8	82	14	33	2.583	-0.275	27.1	91	15	53	1.514	0.003	27.7	86
13	14	1.643	-0.781	28.8	82	14	34	2.175	-0.874	27.1	92	15	54	2.628	-0.998	27.6	85
13	15	2.332	-0.278	28.7	82	14	35	2.626	-0.946	27.0	91	15	55	1.833	-0.264	27.7	86
13	16	1.995	-0.773	28.7	82	14	36	2.259	-1.227	27.1	91	15	56	2.154	-0.270	27.7	86
13	17	2.257	-1.253	28.7	82	14	37	1.823	-1.303	27.1	91	15	57	1.513	-1.361	27.7	85
13	18	1.997	-1.045	28.7	82	14	38	2.528	-0.558	27.1	90	15	58	1.902	-2.761	27.7	85
13	19	1.764	-0.734	28.7	81	14	39	2.774	-0.594	27.1	91	15	59	1.878	-0.275	27.7	86
13	20	1.654	-0.114	28.7	82	14	40	1.954	-0.297	27.1	91	16	0	2.755	-0.043	27.6	85
13	21	2.498	-0.408	28.6	83	14	41	2.041	-0.766	27.1	91	16	1	2.692	-0.510	27.6	86
13	22	2.811	-1.683	28.5	83	14	42	1.868	-1.085	27.1	91	16	2	2.103	-0.085	27.5	86
13	23	3.582	-2.143	28.4	83	14	43	1.810	-0.069	27.1	91	16	3	2.633	-0.313	27.4	86
13	24	2.851	-2.019	28.2	84	14	44	1.362	-0.133	27.1	92	16	4	2.314	-0.282	27.3	87
13	25	3.222	-1.611	28.1	85	14	45	1.942	-0.280	27.1	91	16	5	2.433	-0.216	27.3	88
13	26	3.891	-2.396	27.8	86	14	46	1.806	-0.613	27.1	91	16	6	3.001	0.064	27.3	88
13	27	3.009	-2.128	27.5	87	14	47	1.662	-0.812	27.1	91	16	7	2.590	-0.246	27.3	88
13	28	3.327	-2.197	27.4	89	14	48	1.722	-0.609	27.1	91	16	8	2.194	-1.187	27.3	88
13	29	3.662	-2.451	27.3	89	14	49	2.163	-0.383	27.1	91	16	9	2.384	-0.229	27.3	87
13	30	2.836	-1.588	27.3	90	14	50	2.766	-0.723	27.1	91	16	10	2.218	-0.081	27.3	88
13	31	2.247	-1.272	27.3	91	14	51	2.720	-0.703	27.1	91	16	11	2.584	0.054	27.3	88
13	32	1.525	-1.556	27.3	90	14	52	2.580	-0.329	27.1	91	16	12	4.279	-0.675	27.3	87
13	33	2.414	-0.827	27.2	91	14	53	2.712	-1.021	27.0	91	16	13	3.483	-1.810	27.4	86
13	34	2.724	-1.672	27.1	91	14	54	3.242	-0.651	27.0	91	16	14	2.126	-1.279	27.4	87
13	35	2.454	-1.525	27.1	91	14	55	3.691	-0.977	27.0	90	16	15	2.327	-0.642	27.4	87
13	36	2.358	-1.122	27.1	91	14	56	2.402	0.213	27.1	90	16	16	1.771	-0.045	27.4	88
13	37	2.642	-0.081	27.1	92	14	57	2.977	-0.289	27.1	91	16	17	1.983	-0.730	27.4	88
13	38	2.840	-0.015	27.1	92	14	58	2.513	-0.594	27.0	92	16	18	2.263	-0.452	27.4	87
13	39	2.189	-0.107	27.0	93	14	59	2.565	-0.793	27.0	91	16	19	2.518	-0.207	27.4	87
13	40	2.626	-0.100	27.0	93	15	0	2.126	-0.640	27.0	92	16	20	3.731	-0.614	27.4	87
13	41	2.943	-0.178	26.9	92	15	1	1.060	-0.254	27.0	93	16	21	2.743	-0.906	27.4	87
13	42	2.731	-0.044	26.9	93	15	2	1.980	-0.219	27.0	92	16	22	3.580	-0.079	27.4	87
13	43	1.948	-0.003	26.9	93	15	3	3.147	-0.394	27.1	90	16	23	3.056	-0.402	27.3	87
13	44	2.360	0.252	26.9	94	15	4	3.139	-1.524	27.0	90	16	24	2.094	-0.349	27.2	89
13	45	1.802	0.002	26.9	94	15	5	2.721	-2.021	27.1	90	16	25	2.511	-0.439	27.2	89
13	46	1.844	0.126	27.0	94	15	6	2.741	0.176	27.1	91	16	26	2.290	-1.452	27.1	90
13	47	1.790	0.303	26.9	94	15	7	2.848	-0.478	27.1	90	16	27	2.605	-1.154	27.0	90
13	48	2.033	0.245	27.0	94	15	8	2.854	-1.230	27.1	91	16	28	3.379	-0.285	27.0	90
13	49	2.270	0.246	27.0	94	15	9	3.279	-1.482	27.1	89	16	29	2.471	-1.018	26.9	91
13	50	2.247	0.234	27.0	95	15	10	3.840	-2.443	27.1	89	16	30	3.162	-1.453	26.9	91
13	51	2.956	0.017	26.9	94	15	11	2.644	-1.089	27.1	89	16	31	2.883	-0.209	26.9	91
13	52	2.405	0.062	26.8	94	15	12	2.841	-1.802	27.1	90	16	32	2.274	-1.144	26.9	91
13	53	2.847	0.047	26.8	94	15	13	2.703	-0.238	27.1	90	16	33	2.030	-1.626	26.9	91
13	54	2.424	-0.118	26.8	94	15	14	2.691	-1.357	27.1	90	16	34	2.486	-0.858	26.9	91
13	55	2.388	-0.042	26.8	94	15	15	2.089	-0.779	27.1	90	16	35	3.179	-2.124	26.9	90
13	56	2.486	0.123	26.9	94	15	16	2.642	0.056	27.1	90	16	36	3.621	-2.362	26.9	90
13	57	2.843	0.174	26.9	94	15	17	2.807	-0.950	27.1	90	16	37	3.178	-2.264	26.9	90
13	58	2.664	0.119	26.8	93	15	18	2.156	-0.505	27.2	90	16	38	1.821	-2.232	26.9	91
13	59	2.611	0.093	26.9	93	15	19	2.287	-0.192	27.2	90	16	39	3.027	-3.183	27.0	90
14	0	2.662	0.029	26.9	93	15	20	0.632	-0.390	27.3	91	16	40	2.455	-1.001	27.1	89
14	1	2.325	-0.118	26.9	94	15	21	1.904	-0.131	27.2	89	16	41	2.261	-1.035	27.0	90
14	2	2.400	0.261	26.9	93	15	22	1.626	-0.230	27.3	90	16	42	2.612	-1.311	27.0	89
14	3	2.197	0.263	27.0	94	15	23	2.054	-0.268	27.2	90	16	43	1.715	-1.346	27.0	90
14	4	3.050	-0.387	26.9	93	15	24	1.974	-0.104	27.2	90	16	44	3.290	-0.660	27.0	90
14	5	2.048	0.027	27.0	93	15	25	2.988	-0.171	27.3	89	16	45	2.817	-1.599	27.1	



Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

16	46	3.915	-2.534	27.2	88	18	6	3.947	0.098	27.3	86	19	26	2.763	-0.106	27.3	85
16	47	3.085	-1.144	27.2	88	18	7	4.292	0.020	27.3	86	19	27	2.484	-0.037	27.3	86
16	48	2.392	-1.231	27.1	88	18	8	3.969	0.003	27.2	87	19	28	2.385	0.131	27.2	86
16	49	2.886	-0.335	27.1	89	18	9	4.096	0.201	27.1	87	19	29	2.281	0.159	27.3	86
16	50	3.223	-0.287	27.2	88	18	10	4.411	0.198	27.0	89	19	30	2.327	-0.050	27.2	86
16	51	1.391	-0.884	27.2	88	18	11	4.384	0.272	26.9	89	19	31	1.945	0.026	27.2	86
16	52	2.252	-1.056	27.2	88	18	12	4.022	-0.042	26.8	90	19	32	2.203	0.331	27.3	86
16	53	3.740	-0.394	27.3	87	18	13	3.456	0.248	26.7	91	19	33	1.672	0.852	27.3	87
16	54	4.737	0.006	27.3	86	18	14	4.239	0.030	26.7	91	19	34	1.440	0.783	27.2	87
16	55	4.436	-0.343	27.3	86	18	15	3.831	0.054	26.6	91	19	35	2.657	0.586	27.2	87
16	56	2.850	-0.405	27.2	87	18	16	3.515	0.263	26.5	92	19	36	2.249	0.573	27.2	87
16	57	2.664	-0.029	27.2	88	18	17	3.939	0.175	26.5	92	19	37	2.158	0.540	27.2	87
16	58	3.309	-0.237	27.2	87	18	18	3.044	0.278	26.5	93	19	38	2.541	0.631	27.2	87
16	59	3.822	-1.014	27.3	86	18	19	2.969	0.066	26.5	92	19	39	2.184	0.398	27.2	87
17	0	2.858	-0.384	27.4	86	18	20	2.214	0.181	26.5	93	19	40	2.127	0.500	27.2	88
17	1	3.720	0.646	27.3	87	18	21	2.983	0.372	26.5	93	19	41	2.083	0.301	27.1	88
17	2	3.733	-0.458	27.3	86	18	22	2.736	0.053	26.5	93	19	42	2.002	0.071	27.1	88
17	3	3.475	-0.256	27.2	87	18	23	2.184	-0.044	26.5	93	19	43	1.613	-0.021	27.1	88
17	4	3.432	-0.372	27.2	87	18	24	2.234	0.136	26.5	93	19	44	1.452	0.156	27.0	88
17	5	3.131	-0.047	27.2	87	18	25	2.839	0.357	26.5	92	19	45	1.293	0.588	27.0	89
17	6	3.577	0.013	27.3	87	18	26	3.311	0.162	26.5	92	19	46	2.407	0.223	27.0	89
17	7	3.113	-0.745	27.3	87	18	27	2.925	-0.374	26.5	92	19	47	2.717	0.007	27.0	89
17	8	3.783	-1.849	27.4	85	18	28	2.698	-0.261	26.5	93	19	48	2.606	0.154	27.0	89
17	9	2.525	-1.376	27.5	85	18	29	2.396	-0.611	26.5	93	19	49	2.257	0.338	26.9	89
17	10	2.114	-0.285	27.5	85	18	30	2.063	-0.121	26.5	92	19	50	2.433	0.430	26.9	90
17	11	1.571	-0.514	27.4	86	18	31	1.889	-0.785	26.6	92	19	51	1.590	0.167	26.9	90
17	12	3.050	-1.548	27.4	85	18	32	1.708	-0.217	26.7	92	19	52	1.815	0.473	26.9	91
17	13	3.248	-2.072	27.5	84	18	33	2.082	-0.098	26.7	91	19	53	1.920	0.602	26.9	90
17	14	2.999	-1.881	27.6	84	18	34	2.399	-0.071	26.7	91	19	54	1.614	1.046	26.9	90
17	15	2.911	-1.326	27.5	85	18	35	1.932	0.125	26.7	91	19	55	1.950	0.659	26.9	91
17	16	2.763	-0.725	27.4	85	18	36	1.781	0.270	26.8	92	19	56	2.055	0.723	27.0	91
17	17	3.123	-1.019	27.5	84	18	37	2.442	0.040	26.7	91	19	57	1.967	0.229	27.0	90
17	18	2.468	-0.509	27.5	85	18	38	2.320	0.067	26.7	91	19	58	1.812	0.099	26.9	90
17	19	3.154	-1.351	27.5	84	18	39	2.753	-0.085	26.8	91	19	59	1.622	0.000	26.9	90
17	20	3.036	-0.533	27.6	84	18	40	1.602	-0.049	26.7	91	20	0	1.476	0.013	26.9	90
17	21	2.770	-0.583	27.6	85	18	41	1.787	-0.165	26.8	91	20	1	1.569	0.000	26.9	90
17	22	3.597	-1.945	27.6	84	18	42	1.866	-0.290	26.8	91	20	2	1.425	-0.071	26.9	90
17	23	4.095	-0.983	27.5	84	18	43	2.485	0.360	26.8	90	20	3	1.414	0.091	27.0	90
17	24	4.639	-2.050	27.6	83	18	44	2.748	-0.235	26.8	90	20	4	1.403	-0.005	26.9	90
17	25	3.566	-1.094	27.6	83	18	45	2.352	-0.274	26.8	90	20	5	1.101	-0.013	26.9	89
17	26	3.709	-0.644	27.6	83	18	46	2.589	-0.107	26.8	90	20	6	1.997	-0.433	27.0	89
17	27	4.227	-1.283	27.5	84	18	47	2.250	0.071	26.9	90	20	7	1.487	-0.339	27.0	89
17	28	3.359	-1.623	27.5	84	18	48	1.878	-0.160	26.9	89	20	8	1.325	-0.144	27.0	90
17	29	3.505	-0.445	27.5	84	18	49	1.771	-0.032	26.9	90	20	9	1.241	-0.722	26.9	90
17	30	2.371	-1.545	27.5	84	18	50	2.656	-0.361	26.9	89	20	10	1.818	-0.769	26.9	90
17	31	2.088	-0.238	27.5	84	18	51	2.171	-0.114	27.0	89	20	11	2.026	-1.200	26.9	90
17	32	1.902	-0.183	27.5	85	18	52	2.589	-0.134	27.1	89	20	12	2.022	-0.798	26.9	90
17	33	2.666	0.008	27.5	85	18	53	2.248	-0.195	27.1	88	20	13	1.783	-0.268	26.9	90
17	34	2.601	-0.323	27.5	86	18	54	2.081	-0.702	27.1	88	20	14	1.315	-0.038	26.8	91
17	35	3.471	-0.301	27.4	85	18	55	1.582	-0.105	27.1	89	20	15	1.864	0.153	26.8	91
17	36	2.624	-0.408	27.5	85	18	56	2.188	-0.117	27.2	88	20	16	1.774	-0.079	26.8	92
17	37	2.600	-0.244	27.5	86	18	57	2.239	0.111	27.2	88	20	17	2.367	-0.137	26.7	91
17	38	3.250	-1.138	27.5	84	18	58	2.808	0.605	27.2	89	20	18	2.112	-0.242	26.7	91
17	39	2.686	-1.002	27.6	84	18	59	2.873	0.391	27.1	89	20	19	1.727	0.054	26.7	92
17	40	4.685	-0.939	27.5	84	19	0	2.741	0.177	27.0	89	20	20	1.926	0.121	26.7	92
17	41	3.787	-1.469	27.6	84	19	1	2.590	0.220	27.0	89	20	21	1.645	0.217	26.7	92
17	42	2.857	-1.191	27.5	85	19	2	3.038	0.138	27.0	89	20	22	1.680	-0.089	26.6	92
17	43	3.919	-1.057	27.5	84	19	3	3.376	-0.045	27.0	88	20	23	1.992	-0.009	26.6	92
17	44	3.812	-0.648	27.5	85	19	4	3.242	0.582	27.1	89	20	24	2.318	0.164	26.6	92
17	45	3.991	-0.363	27.5	85	19	5	3.759	-0.028	27.1	88	20	25	2.126	0.084	26.6	92
17	46	3.373	-0.513	27.5	85	19	6	3.751	0.006	27.0	88	20	26	2.600	0.185	26.7	92
17	47	2.691	-0.537	27.5	85	19	7	2.836	0.418	27.1	88	20	27	2.570	0.436	26.7	92
17	48	2.123	-0.207	27.5	86	19	8	2.855	0.153	27.0	88	20	28	2.878	0.355	26.7	92
17	49	2.863	-0.073	27.5	86	19	9	2.879	0.753	27.0	88	20	29	2.091	0.167	26.6	92
17	50	3.254	-0.238	27.4	85	19	10	2.992	0.263	27.2	87	20	30	2.569	0.787	26.6	92
17	51	3.659	-0.243	27.4	86	19	11	2.768	0.152	27.1	87	20	31	2.247	0.118	26.6	93
17	52	2.914	-0.431	27.5	86	19	12	2.407	-0.022	27.1	87	20	32	2.712	0.159	26.5	93
17	53	3.264	-0.338	27.5	85	19	13	2.600	0.032	27.1	88	20	33	2.482	0.322	26.6	93
17	54	4.363	-0.640	27.6	84	19	14	2.808	0.249	27.1	87	20	34	2.369	0.339	26.5	93
17	55	3.558	-0.498	27.6	84	19	15	2.019	-0.076	27.1	86	20	35	2.391	0.446	26.5	93
17	56	4.654	-0.760	27.5	84	19	16	2.001	0.065	27.2	86	20	36	2.270	0.512	26.5	93
17	57	3.754	-1.484	27.6	84	19	17	2.730	0.279	27.1	86	20	37	1.916	0.477	26.6	94
17	58	3.843	-1.436	27.6	83	19	18	2.112	-0.027	27.1	86	20	38	2.219	0.536	26.6	94
17	59	4.033	0.013	27.6	84	19	19	1.980	-0.290	27.1	87	20	39	2.428	0.851	26.6	93
18	0	3.087	-0.606	27.6	84	19	20	2.748	-1.229	27.1	86	20	40	2.310	0.736	26.7	93
18	1	2.267	-0.863	27.6	85	19	21	3.395	-1.861	27.3	86	20	41	2.434	0.266	26.7	92
18	2	3.638	-0.168	27.5	85	19	22	3.410	-1.103	27.4	85	20	42	1.776	0.347	26.7	92
18	3	3.607	-0.237	27.4	85	19	23	2.550	-0.356	27.3	86	20	43	1.777	0.749	26.7	92
18	4	4.240	-0.177	27.4	85	19	24	1.999	-0.947	27.3	86	20	44	2.593	0.955	26.8	91
18	5	4.283	-0.012	27.4	8												



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

4	43	3.732	1.656	27.4	90	6	3	3.270	1.249	27.5	91	7	23	2.672	0.655	27.6	91
4	44	3.005	1.195	27.4	90	6	4	2.795	0.263	27.5	91	7	24	2.607	0.264	27.5	92
4	45	3.990	0.864	27.4	90	6	5	2.741	0.520	27.5	91	7	25	2.471	-0.072	27.5	92
4	46	3.708	0.533	27.4	90	6	6	2.941	1.106	27.5	91	7	26	1.280	-0.592	27.4	93
4	47	3.017	1.224	27.4	90	6	7	3.150	1.162	27.6	91	7	27	1.285	-0.118	27.4	93
4	48	3.392	1.501	27.4	90	6	8	3.717	0.525	27.6	90	7	28	1.481	-0.570	27.3	93
4	49	3.817	0.549	27.4	90	6	9	3.596	0.678	27.6	90	7	29	1.355	-0.874	27.3	93
4	50	3.570	1.059	27.4	90	6	10	3.275	1.116	27.6	90	7	30	1.256	-1.683	27.3	93
4	51	3.239	0.300	27.5	90	6	11	2.851	0.929	27.6	90	7	31	0.522	-1.802	27.3	93
4	52	2.573	0.391	27.5	90	6	12	2.517	1.445	27.6	90	7	32	1.149	-3.032	27.3	93
4	53	2.525	0.319	27.4	89	6	13	4.458	2.231	27.6	90	7	33	0.087	-2.455	27.2	94
4	54	2.915	0.753	27.5	89	6	14	3.703	1.463	27.8	89	7	34	-0.021	-2.396	27.1	94
4	55	2.889	0.234	27.5	89	6	15	2.908	1.066	27.7	90	7	35	-0.008	-2.256	27.1	95
4	56	3.286	0.006	27.6	88	6	16	2.626	1.009	27.6	91	7	36	-0.000	-1.755	27.0	95
4	57	2.447	-0.159	27.6	88	6	17	2.743	-0.113	27.5	91	7	37	-0.236	-2.057	27.0	95
4	58	3.558	-0.293	27.7	87	6	18	2.023	1.314	27.6	91	7	38	-0.112	-2.096	27.0	95
4	59	3.206	0.085	27.7	87	6	19	2.761	1.819	27.6	91	7	39	-0.072	-2.632	27.0	95
5	0	3.293	0.058	27.7	87	6	20	3.226	1.839	27.6	90	7	40	-0.808	-3.138	26.9	95
5	1	2.604	-0.292	27.6	88	6	21	3.163	1.059	27.7	91	7	41	-0.346	-2.315	26.9	95
5	2	2.962	-0.190	27.6	88	6	22	4.211	0.520	27.6	90	7	42	0.545	-2.860	26.9	96
5	3	2.587	-0.275	27.6	88	6	23	3.333	1.459	27.7	90	7	43	1.037	-3.036	26.8	95
5	4	3.190	-0.777	27.6	87	6	24	2.556	1.187	27.8	90	7	44	1.433	-2.032	26.9	95
5	5	2.850	-0.191	27.6	87	6	25	2.511	0.683	27.7	90	7	45	2.564	-2.037	26.9	95
5	6	2.718	0.029	27.7	88	6	26	3.501	-0.041	27.7	90	7	46	1.651	-2.468	27.0	95
5	7	2.874	-0.092	27.7	87	6	27	3.601	1.183	27.7	90	7	47	1.692	-0.667	27.0	95
5	8	2.053	-0.117	27.6	88	6	28	1.919	1.153	27.8	91	7	48	2.368	-1.087	27.1	94
5	9	3.060	0.000	27.6	87	6	29	2.842	1.078	27.8	91	7	49	3.460	-0.905	27.0	94
5	10	2.952	-0.264	27.7	87	6	30	2.881	1.524	27.8	91	7	50	4.440	-0.500	27.2	92
5	11	3.153	-0.157	27.7	87	6	31	4.192	0.656	27.8	90	7	51	2.196	-1.512	27.3	91
5	12	2.768	-0.083	27.6	87	6	32	3.949	0.591	27.8	90	7	52	1.089	-0.421	27.3	92
5	13	2.478	-0.200	27.6	88	6	33	4.268	0.558	27.9	89	7	53	3.074	-0.070	27.3	90
5	14	1.937	0.022	27.5	88	6	34	3.558	0.975	27.8	90	7	54	3.622	0.560	27.5	89
5	15	2.893	-0.017	27.5	88	6	35	3.989	1.630	27.9	90	7	55	3.148	-1.993	27.5	89
5	16	3.272	-0.083	27.6	87	6	36	3.301	1.044	27.9	90	7	56	2.836	-0.625	27.4	89
5	17	3.124	-0.004	27.6	87	6	37	3.528	2.062	27.8	90	7	57	3.170	-0.558	27.4	89
5	18	2.806	-0.104	27.6	87	6	38	3.900	1.888	27.9	90	7	58	2.638	-1.017	27.4	89
5	19	2.033	0.362	27.6	88	6	39	3.976	1.372	27.8	90	7	59	2.289	-1.116	27.5	88
5	20	2.706	0.888	27.6	88	6	40	4.483	1.181	27.9	89	8	0	2.114	-1.731	27.5	89
5	21	2.888	0.880	27.6	88	6	41	3.419	0.838	27.9	89	8	1	1.360	-0.897	27.6	88
5	22	3.271	0.811	27.6	87	6	42	2.875	0.616	27.9	90	8	2	1.587	-0.420	27.7	88
5	23	3.042	0.742	27.7	87	6	43	3.807	1.167	27.9	89	8	3	2.036	-0.615	27.8	88
5	24	3.092	0.526	27.6	87	6	44	2.865	1.023	27.9	89	8	4	2.688	-1.053	27.7	88
5	25	2.509	0.479	27.6	87	6	45	3.163	0.814	27.9	90	8	5	2.148	-0.874	27.7	88
5	26	2.633	0.705	27.6	88	6	46	5.016	1.180	27.9	89	8	6	3.010	-0.129	27.7	88
5	27	2.717	1.275	27.6	88	6	47	3.650	0.575	28.0	89	8	7	3.197	-0.391	27.8	88
5	28	3.064	1.241	27.6	88	6	48	4.266	1.827	28.0	89	8	8	2.711	-0.732	27.8	88
5	29	3.062	1.396	27.6	88	6	49	4.484	1.260	28.0	88	8	9	3.474	-0.832	27.7	88
5	30	3.190	0.962	27.6	88	6	50	3.225	1.659	27.9	89	8	10	2.940	-0.840	27.7	88
5	31	2.528	1.293	27.6	88	6	51	3.776	1.265	27.8	90	8	11	2.836	-0.781	27.6	88
5	32	2.043	0.917	27.6	89	6	52	2.903	0.589	27.8	90	8	12	0.845	-0.986	27.5	90
5	33	1.926	0.952	27.5	89	6	53	3.218	0.168	27.8	90	8	13	1.634	-0.209	27.5	90
5	34	2.530	1.573	27.5	89	6	54	4.048	1.445	27.8	90	8	14	3.008	-0.873	27.5	89
5	35	2.592	0.633	27.5	89	6	55	3.309	0.556	27.8	90	8	15	2.238	-0.779	27.7	89
5	36	2.017	0.704	27.5	89	6	56	2.941	0.792	27.8	90	8	16	0.998	-0.396	27.8	88
5	37	2.245	1.018	27.5	89	6	57	3.889	0.994	27.8	90	8	17	2.539	-0.403	27.8	88
5	38	2.555	0.791	27.5	90	6	58	3.230	0.589	27.9	90	8	18	2.208	0.155	27.9	88
5	39	2.957	0.639	27.5	90	6	59	2.986	0.704	27.9	90	8	19	2.942	-0.023	28.0	87
5	40	4.325	2.144	27.4	90	7	0	3.243	1.350	27.9	89	8	20	1.803	-1.247	28.0	87
5	41	3.662	1.193	27.4	91	7	1	2.855	2.237	27.9	90	8	21	2.369	-0.031	28.0	86
5	42	3.600	1.423	27.4	91	7	2	3.688	1.913	27.9	89	8	22	3.541	-0.417	28.1	86
5	43	3.459	0.871	27.4	91	7	3	3.442	1.447	28.0	89	8	23	2.772	-1.007	28.1	86
5	44	2.605	0.745	27.3	92	7	4	3.667	1.296	27.9	89	8	24	3.031	-2.123	28.1	86
5	45	1.842	0.471	27.3	92	7	5	3.325	0.665	27.9	89	8	25	2.984	-1.833	28.1	86
5	46	2.164	1.939	27.2	92	7	6	3.379	0.930	27.9	89	8	26	3.672	0.729	28.1	86
5	47	2.187	1.992	27.2	92	7	7	3.138	1.015	27.9	90	8	27	2.700	1.140	28.2	86
5	48	2.077	1.224	27.2	93	7	8	3.800	1.662	27.8	90	8	28	2.691	0.954	28.2	86
5	49	1.858	0.695	27.2	93	7	9	4.511	0.853	27.9	89	8	29	2.045	1.175	28.1	87
5	50	2.069	1.142	27.2	93	7	10	2.602	0.935	27.9	90	8	30	3.606	1.339	28.2	87
5	51	2.575	1.003	27.1	93	7	11	3.164	0.478	27.9	90	8	31	3.484	1.604	28.2	87
5	52	2.295	1.164	27.2	93	7	12	2.474	0.497	27.9	90	8	32	3.312	0.305	28.1	87
5	53	2.748	1.729	27.2	93	7	13	2.727	0.719	28.0	89	8	33	4.035	-0.467	28.0	87
5	54	2.637	0.920	27.3	93	7	14	2.871	0.099	27.9	89	8	34	3.077	-0.251	27.8	88
5	55	3.153	1.761	27.3	93	7	15	2.491	0.409	27.9	89	8	35	2.022	-0.857	27.7	89
5	56	3.517	1.664	27.3	92	7	16	2.957	1.642	27.9	89	8	36	1.664	0.831	27.7	89
5	57	2.825	0.283	27.4	92	7	17	2.935	0.401	27.9	89	8	37	2.238	0.671	27.7	90
5	58	3.041	0.405	27.4	92	7	18	3.247	0.359	27.8	90	8	38	1.529	2.067	27.7	90
5	59	2.675	1.253	27.4	92	7	19	3.426	0.671	27.8	90	8	39	2.006	1.763	27.5	90
6	0	2.682	0.755	27.4	92	7	20	2.765	0.250	27.7	90	8	40	1.494	1.738	27.5	91
6	1	3.483	0.825	27.5	92	7	21	2.710	0.377	27.7	91	8	41	1.435	1.606	27.5	91
6	2	3.251	0.785	27.5	91	7	22	3.217	0.145	27.6	91	8	42	1.433	1.708	27.5	91



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

8	43	1.613	1.592	27.6	91	10	3	2.919	1.335	30.5	82	11	23	5.060	0.914	30.1	81
8	44	2.206	1.363	27.7	91	10	4	2.711	1.336	30.4	81	11	24	4.248	-0.222	30.3	81
8	45	2.825	0.997	27.8	90	10	5	2.702	0.154	30.4	82	11	25	4.792	0.474	30.4	80
8	46	1.641	1.497	27.8	89	10	6	3.452	0.085	30.3	80	11	26	3.913	1.017	30.3	80
8	47	1.826	0.673	27.9	90	10	7	2.269	0.254	30.4	82	11	27	4.162	1.861	30.4	81
8	48	2.679	0.268	27.8	90	10	8	4.089	0.526	30.4	80	11	28	3.741	0.667	30.7	81
8	49	2.151	0.178	27.8	88	10	9	3.265	1.000	30.3	82	11	29	3.077	1.158	30.7	81
8	50	1.421	1.241	27.9	89	10	10	3.530	0.518	30.2	82	11	30	3.932	1.311	30.9	81
8	51	2.254	0.214	27.9	89	10	11	2.285	0.496	30.3	83	11	31	2.717	0.302	30.6	80
8	52	1.894	0.723	27.9	89	10	12	4.162	2.208	30.5	81	11	32	4.389	1.790	30.9	80
8	53	2.117	0.637	27.9	89	10	13	4.928	1.067	30.2	81	11	33	4.146	2.715	30.5	81
8	54	2.068	0.339	27.9	89	10	14	3.295	0.843	30.2	82	11	34	5.078	2.059	30.5	82
8	55	1.710	0.002	27.8	90	10	15	3.571	0.350	30.3	81	11	35	4.561	1.000	30.4	81
8	56	0.944	0.267	27.9	90	10	16	3.967	0.680	30.2	81	11	36	3.589	0.860	30.4	82
8	57	2.001	0.433	28.0	90	10	17	4.059	1.501	30.2	81	11	37	3.530	2.170	30.5	81
8	58	2.126	-0.054	28.0	89	10	18	2.837	0.341	30.4	81	11	38	3.834	3.215	30.4	81
8	59	3.358	0.160	28.3	88	10	19	3.010	0.040	30.5	81	11	39	3.491	0.426	30.4	81
9	0	1.270	-0.647	28.4	88	10	20	2.770	0.350	30.5	80	11	40	2.273	0.953	30.6	82
9	1	1.434	1.454	28.5	87	10	21	2.541	0.241	30.5	81	11	41	2.912	0.404	30.9	81
9	2	1.494	1.054	28.4	88	10	22	4.522	-0.304	30.5	80	11	42	3.751	1.409	30.9	80
9	3	1.854	0.186	28.4	88	10	23	3.922	-0.012	30.3	80	11	43	4.131	1.052	30.8	79
9	4	1.654	0.006	28.4	88	10	24	3.286	0.281	30.5	81	11	44	4.624	1.621	30.7	78
9	5	1.836	0.042	28.5	87	10	25	3.083	0.180	30.5	81	11	45	4.644	0.844	30.8	78
9	6	1.354	0.002	28.5	87	10	26	4.869	-0.124	30.3	79	11	46	3.107	-0.037	31.0	78
9	7	1.076	1.459	28.7	87	10	27	3.567	-0.138	30.3	80	11	47	3.591	0.070	31.2	77
9	8	0.521	1.352	28.9	88	10	28	3.148	-0.495	30.4	81	11	48	3.158	0.408	31.5	77
9	9	2.386	0.440	28.9	86	10	29	3.449	-0.704	30.4	79	11	49	3.722	0.077	31.5	76
9	10	1.825	-0.217	28.9	86	10	30	2.456	-0.634	30.5	81	11	50	2.143	0.010	31.4	77
9	11	1.778	1.276	28.9	86	10	31	2.208	-0.144	30.9	81	11	51	1.890	0.042	31.5	76
9	12	2.219	1.714	28.9	85	10	32	2.846	-0.055	30.8	79	11	52	2.332	0.028	31.7	77
9	13	3.477	-1.441	29.1	83	10	33	3.329	0.753	30.8	79	11	53	1.905	-0.140	31.7	76
9	14	2.887	-0.691	29.2	83	10	34	3.509	0.659	30.7	79	11	54	3.184	1.574	31.3	77
9	15	1.045	0.253	29.2	85	10	35	4.377	0.693	30.6	79	11	55	2.546	0.614	31.0	80
9	16	0.930	0.716	29.2	85	10	36	3.908	0.322	30.5	80	11	56	2.678	1.084	31.3	79
9	17	0.476	0.634	29.3	85	10	37	3.886	0.934	30.7	80	11	57	3.263	0.625	31.5	77
9	18	1.865	1.511	29.3	85	10	38	2.842	0.570	30.8	79	11	58	3.564	0.015	31.4	77
9	19	1.955	1.089	29.2	85	10	39	4.018	0.858	30.6	79	11	59	2.331	-0.030	31.5	75
9	20	2.296	-0.117	29.3	84	10	40	3.897	0.381	30.3	80	12	0	1.759	-0.515	31.8	75
9	21	2.620	1.218	29.2	84	10	41	3.163	-0.188	30.1	81	12	1	1.539	-0.353	31.9	74
9	22	2.235	1.294	29.0	86	10	42	2.568	0.364	30.1	82	12	2	1.686	-0.055	32.0	75
9	23	2.548	1.259	29.0	86	10	43	3.390	0.649	30.1	81	12	3	2.256	1.175	31.9	75
9	24	2.779	1.492	28.9	86	10	44	3.122	0.943	30.1	81	12	4	0.885	-0.212	31.7	77
9	25	2.798	1.371	28.9	86	10	45	2.804	0.458	30.3	82	12	5	1.029	-0.679	31.8	75
9	26	2.799	0.866	28.9	86	10	46	2.838	-0.798	30.4	81	12	6	2.172	-0.156	31.9	74
9	27	2.119	0.819	28.9	86	10	47	4.022	-0.590	30.3	81	12	7	3.457	0.185	31.6	75
9	28	3.288	1.115	29.0	86	10	48	4.020	-0.033	30.4	80	12	8	3.333	0.188	31.3	76
9	29	2.968	1.021	29.1	86	10	49	3.412	0.030	30.4	80	12	9	3.447	0.312	31.5	76
9	30	2.794	1.130	29.1	86	10	50	3.349	-0.327	30.6	80	12	10	3.026	-1.097	31.7	75
9	31	3.262	1.570	29.0	86	10	51	3.101	-0.156	30.4	79	12	11	1.597	-0.424	32.0	74
9	32	2.654	1.573	29.0	87	10	52	2.952	0.337	30.7	80	12	12	1.636	-0.064	32.1	75
9	33	3.135	0.931	29.1	86	10	53	3.026	-0.009	30.8	79	12	13	2.650	0.278	31.9	74
9	34	2.585	0.227	29.2	85	10	54	3.241	-0.267	30.9	79	12	14	4.053	-0.399	31.7	74
9	35	2.596	1.136	29.2	85	10	55	4.620	-0.545	31.1	76	12	15	3.450	-0.404	31.4	76
9	36	3.110	1.449	29.2	86	10	56	3.091	-0.780	31.1	76	12	16	3.071	-0.989	31.6	76
9	37	3.371	1.791	29.2	85	10	57	4.290	0.051	31.3	75	12	17	2.933	-0.863	31.4	76
9	38	2.639	1.374	29.4	85	10	58	4.992	-0.623	31.2	74	12	18	2.935	-0.277	31.3	76
9	39	3.123	1.511	29.4	84	10	59	4.434	-0.915	31.2	76	12	19	2.670	0.506	31.3	77
9	40	3.212	0.388	29.3	85	11	0	3.837	-0.533	31.4	76	12	20	3.609	-0.196	31.1	77
9	41	3.382	0.734	29.3	85	11	1	2.597	-0.717	31.3	75	12	21	4.062	1.122	31.0	78
9	42	2.112	1.577	29.3	85	11	2	3.252	-1.129	31.5	75	12	22	4.195	-0.284	31.2	77
9	43	2.530	0.731	29.4	86	11	3	5.169	-0.441	31.3	73	12	23	4.531	1.466	31.3	77
9	44	2.464	0.751	29.6	84	11	4	4.432	-1.219	31.3	74	12	24	4.463	1.599	31.0	77
9	45	3.308	0.955	29.7	84	11	5	2.656	-0.958	31.4	75	12	25	4.226	2.336	30.9	79
9	46	3.521	-0.026	29.6	84	11	6	3.050	-1.166	31.8	73	12	26	3.819	2.271	31.1	80
9	47	3.570	-0.279	29.6	84	11	7	3.753	-1.311	31.2	74	12	27	5.256	2.203	30.9	79
9	48	3.490	-0.362	29.6	84	11	8	3.262	-1.720	31.1	75	12	28	5.528	3.324	30.7	80
9	49	2.410	0.699	29.8	85	11	9	3.059	-0.679	31.2	77	12	29	6.196	1.961	30.6	80
9	50	2.820	0.835	29.8	85	11	10	3.185	-0.333	31.4	77	12	30	6.853	2.594	30.2	80
9	51	3.232	1.049	29.7	84	11	11	3.817	-0.059	31.3	78	12	31	6.125	2.426	30.2	80
9	52	4.154	1.697	29.4	84	11	12	3.962	-0.106	31.2	77	12	32	5.923	2.788	30.3	81
9	53	3.599	1.283	29.5	85	11	13	3.729	1.461	31.0	78	12	33	5.826	2.499	30.3	81
9	54	4.389	1.210	29.4	83	11	14	3.531	2.004	30.8	80	12	34	4.809	1.870	30.4	81
9	55	3.394	0.968	29.4	83	11	15	3.471	0.811	30.8	80	12	35	5.291	3.645	30.5	81
9	56	3.631	0.742	29.5	83	11	16	3.405	1.004	31.0	81	12	36	5.792	3.020	30.4	81
9	57	4.387	0.014	29.5	82	11	17	3.716	1.557	30.9	80	12	37	5.356	2.768	30.5	81
9	58	2.493	0.772	29.7	83	11	18	3.905	1.427	30.5	80	12	38	5.264	1.559	30.7	81
9	59	3.350	1.355	30.0	82	11	19	3.214	0.486	30.7	81	12	39	4.578	1.686	31.0	80
10	0	3.203	0.834	30.0	82	11	20	4.555	1.235	30.4	80	12	40	5.542	2.850	30.8	79
10	1	3.381	0.567	30.0	81	11	21	4.799	2.619	30.2	81	12	41	4.908	2.861	30.8	80
10	2	2.597	0.622	30.2	83	11	22	5.602	2.045	30.1	81	12	42	4.461</			

12	43	4.575	2.702	31.1	80
12	44	4.741	0.223	31.1	78
12	45	4.189	2.061	31.4	79
12	46	3.551	1.258	31.3	78
12	47	4.047	1.745	31.3	78
12	48	4.917	1.601	31.2	78
12	49	4.891	1.634	31.2	78
12	50	4.945	2.013	31.1	78
12	51	4.988	1.925	31.0	78
12	52	4.700	1.419	30.8	78
12	53	5.106	2.364	30.9	79
12	54	4.587	1.883	30.9	79
12	55	4.921	2.135	30.8	79
12	56	4.977	2.525	30.8	79
12	57	4.395	2.627	30.7	79
12	58	3.591	1.140	31.0	79
12	59	3.374	0.533	31.2	78
13	0	4.930	1.603	31.0	77
13	1	4.065	0.824	30.9	78
13	2	3.819	1.192	31.1	78
13	3	5.128	2.036	30.9	79
13	4	4.998	0.802	30.7	79
13	5	5.440	2.178	30.6	80
13	6	4.295	1.926	30.7	79
13	7	5.563	1.178	30.9	79
13	8	5.675	2.750	30.7	79
13	9	4.890	0.932	30.6	80
13	10	5.262	1.390	30.9	79
13	11	5.339	1.278	30.6	80
13	12	5.917	2.820	30.4	80
13	13	4.424	1.674	30.4	80
13	14	4.712	1.579	30.6	80
13	15	4.543	1.418	30.6	80
13	16	4.684	0.830	30.7	80
13	17	3.477	0.388	30.7	81
13	18	3.736	1.167	30.8	80
13	19	2.537	0.154	30.6	82
13	20	3.513	1.353	30.5	82
13	21	5.156	1.828	30.2	82
13	22	4.957	0.595	30.1	83
13	23	5.292	0.987	30.2	82
13	24	5.308	1.334	30.0	82
13	25	4.662	1.443	29.9	83
13	26	3.958	1.321	29.9	84
13	27	4.701	2.099	29.9	83
13	28	4.691	1.952	29.8	84
13	29	4.995	0.719	29.7	83
13	30	3.391	0.849	29.9	84
13	31	3.662	1.302	30.1	84
13	32	4.500	0.969	30.1	83
13	33	4.385	0.069	30.1	83
13	34	3.830	0.251	30.3	82
13	35	3.865	0.990	30.2	81
13	36	4.280	0.545	30.2	82
13	37	3.585	1.580	30.3	82
13	38	3.891	0.682	30.4	82
13	39	3.520	0.261	30.6	81
13	40	2.873	0.820	30.5	82
13	41	3.103	-0.375	30.4	82
13	42	2.934	-0.530	30.5	83
13	43	4.463	0.170	30.4	83
13	44	5.170	1.267	30.0	83
13	45	5.366	1.760	29.9	84
13	46	5.495	0.856	29.7	83
13	47	4.374	1.088	29.6	83
13	48	4.917	1.636	29.6	85
13	49	4.318	0.486	29.5	86
13	50	3.977	1.190	29.6	88
13	51	4.383	1.729	29.4	87
13	52	4.351	1.447	29.2	87
13	53	5.194	2.559	29.2	87
13	54	4.975	1.558	29.1	87
13	55	3.637	0.998	29.2	87
13	56	4.252	0.624	29.2	87
13	57	3.727	0.525	29.2	87

6

6



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

R M YOUNG 26700 SERIES
DATA TRANSLATOR/RECORDER

Time Time U V TEMP RH
hh mm m/s m/s BC %

30/07/95

16	4	-0.109	-0.349	36.9	54	17	15	-0.028	-1.633	34.6	67	18	35	3.061	-0.224	32.2	72
16	5	-0.038	-0.987	36.7	54	17	16	0.094	-1.841	34.4	68	18	36	3.749	-0.164	32.1	72
16	6	-0.039	-0.849	36.5	54	17	17	-0.047	-2.376	34.4	68	18	37	3.603	-0.215	32.1	72
16	7	-0.273	-0.598	36.5	54	17	18	0.116	-1.710	34.2	68	18	38	3.211	-0.169	32.1	72
16	8	-0.368	-0.190	36.2	55	17	19	0.152	-1.929	34.2	68	18	39	3.496	-0.473	32.0	72
16	9	-0.557	-0.129	36.0	54	17	20	0.376	-2.129	34.4	68	18	40	3.524	-0.262	32.1	72
16	10	-0.988	-0.311	36.0	57	17	21	0.582	-2.119	34.3	67	18	41	3.275	-0.302	32.0	72
16	11	-1.105	-0.398	35.8	59	17	22	0.340	-1.868	34.3	67	18	42	4.296	-0.182	32.0	72
16	12	-1.038	-0.728	35.9	61	17	23	0.449	-1.435	34.3	67	18	43	3.620	-0.262	32.0	72
16	13	-0.964	-1.204	35.8	62	17	24	0.767	-1.453	34.3	67	18	44	3.257	-0.414	32.0	72
16	14	-1.151	-0.606	35.5	61	17	25	0.581	-1.548	34.1	68	18	45	2.241	-0.459	32.0	72
16	15	-1.548	-0.135	35.4	62	17	26	1.031	-2.002	34.1	68	18	46	2.169	-0.221	32.1	72
16	16	-1.356	0.304	35.5	61	17	27	0.872	-2.053	34.1	68	18	47	2.770	-0.623	32.1	72
16	17	-1.363	-0.003	35.6	61	17	28	1.092	-1.834	34.0	68	18	48	2.912	-1.271	32.1	71
16	18	-0.937	-0.067	35.5	63	17	29	0.986	-1.547	33.9	68	18	49	2.135	-0.670	32.1	72
16	19	-0.652	0.222	35.7	63	17	30	0.837	-1.251	33.9	68	18	50	2.221	-0.186	32.1	72
16	20	-1.116	0.481	35.8	63	17	31	0.700	-0.920	34.0	68	18	51	2.355	-0.286	32.1	71
16	21	-1.096	0.075	35.8	63	17	32	0.660	-0.979	34.0	68	18	52	3.234	-1.358	32.1	70
16	22	-0.981	0.015	35.7	63	17	33	0.937	-1.801	33.9	68	18	53	2.569	-0.485	32.1	70
16	23	-1.355	0.001	35.6	63	17	34	0.691	-1.387	34.0	68	18	54	2.527	-0.610	32.1	71
16	24	-0.632	0.000	35.6	63	17	35	1.311	-1.792	33.9	68	18	55	2.917	-0.603	32.1	71
16	25	-0.006	0.000	35.7	62	17	36	1.154	-1.261	33.9	68	18	56	3.154	-0.294	32.0	70
16	26	0.171	-0.311	35.9	62	17	37	1.581	-1.182	33.8	68	18	57	3.140	-0.938	32.0	70
16	27	0.129	-0.766	35.9	63	17	38	1.372	-0.654	33.7	68	18	58	2.668	-0.443	32.0	70
16	28	0.020	-1.570	35.7	64	17	39	1.268	-0.649	33.9	68	18	59	3.176	-0.530	32.0	70
16	29	-0.286	-1.641	35.4	64	17	40	1.448	-0.408	33.8	68	19	0	2.844	-0.941	31.9	70
16	30	-0.420	-1.515	35.4	64	17	41	1.356	-0.671	33.7	69	19	1	3.242	-1.218	32.0	69
16	31	-0.438	-1.451	35.5	65	17	42	1.725	-0.814	33.7	68	19	2	2.798	-1.287	31.9	69
16	32	-0.135	-1.574	35.5	65	17	43	1.797	-0.933	33.6	69	19	3	3.837	-1.151	31.9	69
16	33	-0.023	-1.780	35.5	65	17	44	1.293	-0.323	33.7	69	19	4	4.187	-1.026	31.9	69
16	34	0.404	-1.877	35.4	65	17	45	0.993	0.072	33.7	69	19	5	3.361	-0.660	31.9	69
16	35	0.084	-1.694	35.5	64	17	46	1.694	0.144	33.8	69	19	6	3.851	-0.908	31.8	69
16	36	-0.008	-1.845	35.4	64	17	47	2.432	0.229	33.6	69	19	7	3.554	-0.424	31.8	69
16	37	0.509	-2.048	35.4	64	17	48	2.449	-0.081	33.3	69	19	8	2.799	-0.116	31.8	69
16	38	0.653	-2.337	35.3	64	17	49	2.534	0.146	33.2	70	19	9	2.554	-0.259	31.8	70
16	39	0.775	-2.311	35.4	64	17	50	2.572	-0.195	33.3	70	19	10	3.199	-0.126	31.7	70
16	40	0.739	-2.014	35.1	64	17	51	2.090	-0.084	33.2	70	19	11	3.972	-0.164	31.6	70
16	41	0.235	-1.422	35.1	65	17	52	1.807	-0.046	33.3	70	19	12	3.341	-0.004	31.6	70
16	42	0.250	-0.971	35.3	65	17	53	2.100	-0.275	33.2	70	19	13	3.467	-0.187	31.6	70
16	43	0.490	-1.267	35.5	65	17	54	2.637	-0.194	33.2	70	19	14	4.143	-0.346	31.6	70
16	44	-0.015	-1.360	35.5	64	17	55	3.016	-0.114	33.2	70	19	15	3.468	-0.449	31.6	70
16	45	0.430	-1.238	35.4	65	17	56	2.567	-0.424	33.1	70	19	16	2.924	-0.244	31.6	70
16	46	0.615	-1.546	35.3	65	17	57	3.094	-0.067	33.1	71	19	17	2.735	-0.094	31.5	70
16	47	0.559	-1.341	35.1	65	17	58	2.629	-0.413	33.0	70	19	18	2.930	-0.031	31.5	71
16	48	-0.046	-1.492	35.2	66	17	59	2.304	-0.252	33.0	71	19	19	2.839	-0.065	31.5	71
16	49	0.123	-1.338	35.3	65	18	0	1.847	-0.133	33.0	71	19	20	2.873	0.003	31.5	71
16	50	0.247	-1.265	35.4	65	18	1	2.325	-0.110	33.0	71	19	21	2.752	0.058	31.4	71
16	51	-0.104	-1.572	35.4	65	18	2	1.902	0.027	33.0	71	19	22	3.154	-0.041	31.3	71
16	52	-0.066	-2.015	35.1	65	18	3	2.585	0.119	33.0	70	19	23	2.374	-0.175	31.3	71
16	53	-0.418	-2.166	34.8	66	18	4	2.115	-0.167	32.9	71	19	24	1.513	-0.637	31.4	71
16	54	-0.789	-2.395	34.6	67	18	5	2.418	-0.183	33.0	71	19	25	1.336	-0.186	31.4	71
16	55	-0.734	-2.041	34.5	68	18	6	2.312	0.011	32.9	71	19	26	1.972	-0.069	31.5	71
16	56	-0.536	-2.492	34.4	68	18	7	2.706	-0.249	32.8	71	19	27	1.526	-0.085	31.5	71
16	57	-0.608	-1.992	34.5	68	18	8	2.709	-0.396	32.8	71	19	28	0.797	-0.150	31.5	71
16	58	-0.338	-1.904	34.6	68	18	9	3.195	-0.336	32.8	71	19	29	2.230	-0.062	31.5	71
16	59	0.029	-1.404	34.6	68	18	10	3.294	-0.083	32.8	71	19	30	1.296	-0.153	31.6	71
17	0	-0.210	-1.221	34.7	67	18	11	3.443	-1.015	32.8	71	19	31	1.388	-0.043	31.6	71
17	1	-0.095	-1.556	34.7	67	18	12	3.223	-0.324	32.7	71	19	32	1.615	-0.020	31.5	71
17	2	-0.198	-2.189	34.5	67	18	13	2.994	-0.111	32.8	71	19	33	1.223	-0.029	31.4	71
17	3	0.179	-1.240	34.4	68	18	14	4.018	-0.237	32.7	70	19	34	1.299	0.002	31.4	71
17	4	0.146	-1.164	34.8	68	18	15	3.148	-0.401	32.7	70	19	35	1.671	-0.009	31.4	71
17	5	-0.042	-1.812	34.8	67	18	16	2.942	-0.428	32.7	70	19	36	1.886	-0.071	31.3	72
17	6	0.051	-1.838	34.6	67	18	17	3.325	-0.140	32.7	71	19	37	1.563	-0.066	31.3	72
17	7	-0.056	-1.800	34.6	67	18	18	3.093	-0.475	32.6	70	19	38	2.071	-0.124	31.3	72
17	8	0.299	-1.648	34.5	68	18	19	2.846	-0.505	32.6	71	19	39	1.563	-0.119	31.3	72
17	9	-0.161	-1.647	34.7	67	18	20	3.556	-0.216	32.5	71	19	40	1.544	0.005	31.3	72
17	10	-0.034	-1.659	34.6	67	18	21	2.893	-0.304	32.5	71	19	41	2.000	0.044	31.3	72
17	11	-0.014	-2.100	34.6	67	18	22	3.352	-0.034	32.5	71	19	42	2.050	-0.336	31.2	72
17	12	0.171	-2.206	34.5	67	18	23	3.294	-0.154	32.4	71	19	43	1.858	-1.242	31.2	72
17	13	0.074	-2.099	34.5	67	18	24	3.023	-0.480	32.4	71	19	44	1.169	0.002	31.4	72
17	14	0.133	-1.820	34.4	67	18	25	4.005	-0.885	32.4	71	19	45	1.923	0.053	31.1	73
						18	26	3.475	0.084	32.4	71	19	46	1.550	-0.044	31.0	74
						18	27	2.905	0.065	32.4	72	19	47	1.513	-0.116	31.0	74
						18	28	4.478	-0.269	32.3	71	19	48	2.615	-0.532	31.1	73
						18	29	3.857	-0.234	32.2	71	19	49	2.034	-0.744	31.2	73
						18	30	4.117	-0.132	32.2	71	19	50	1.742	-0.388	31.3	73
						18	31	3.874	-0.174	32.2	71	19	51	1.895	-0.383	31.3	73
						18	32	3.595	-0.075	32.2	72	19	52	1.958	-0.287	31.4	72
						18	33	4.264	-0.067	32.2	72	19	53	1.800	-0.257	31.4	73
						18	34	3.179	-0.063	32.2	72	19	54	1.782			



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

19	55	2.467	0.036	31.3	72	21	15	2.746	-0.465	30.4	78	22	35	2.595	0.403	30.2	82
19	56	2.752	-0.036	31.2	73	21	16	2.977	0.050	30.4	78	22	36	2.248	0.181	30.3	82
19	57	2.325	-0.363	31.2	73	21	17	2.824	0.003	30.3	79	22	37	2.389	0.115	30.3	82
19	58	2.406	-1.053	31.3	72	21	18	3.237	0.056	30.4	79	22	38	2.400	0.194	30.3	82
19	59	2.416	-0.802	31.3	72	21	19	3.371	-0.256	30.3	78	22	39	2.472	0.157	30.3	82
20	0	1.811	-0.494	31.3	72	21	20	3.593	-0.005	30.3	79	22	40	2.711	0.181	30.2	82
20	1	2.864	-0.806	31.3	72	21	21	3.527	-0.049	30.3	79	22	41	2.763	0.321	30.2	82
20	2	3.376	-0.788	31.3	72	21	22	3.731	0.090	30.3	79	22	42	2.602	0.247	30.2	83
20	3	3.076	-0.216	31.3	72	21	23	3.621	0.169	30.3	79	22	43	2.497	0.112	30.2	82
20	4	3.107	-0.286	31.2	73	21	24	3.408	-0.157	30.3	79	22	44	2.634	-0.106	30.2	82
20	5	2.217	0.006	31.3	73	21	25	2.690	-0.463	30.3	79	22	45	2.730	-0.183	30.3	82
20	6	2.779	-0.052	31.3	73	21	26	3.067	-0.235	30.3	79	22	46	2.781	-0.070	30.4	82
20	7	2.514	-0.082	31.2	73	21	27	2.910	-0.554	30.3	79	22	47	2.414	0.008	30.4	82
20	8	2.258	-0.067	31.1	73	21	28	2.682	-0.087	30.4	79	22	48	2.060	0.277	30.3	82
20	9	2.190	-0.624	31.2	73	21	29	2.438	-0.164	30.4	79	22	49	2.004	0.086	30.2	83
20	10	2.193	0.087	31.2	73	21	30	3.167	-0.059	30.4	79	22	50	2.342	0.037	30.2	82
20	11	2.307	0.036	31.2	73	21	31	3.114	-0.290	30.4	79	22	51	2.324	-0.027	30.1	83
20	12	2.241	0.075	31.1	73	21	32	2.603	-0.489	30.4	79	22	52	2.934	0.127	30.2	83
20	13	2.441	0.082	31.1	74	21	33	2.245	-0.315	30.3	79	22	53	2.897	-0.021	30.3	83
20	14	3.099	0.198	30.9	74	21	34	2.815	-0.101	30.3	79	22	54	2.957	-0.056	30.2	83
20	15	2.997	0.120	30.9	75	21	35	2.481	-0.318	30.3	79	22	55	3.283	-0.206	30.3	82
20	16	2.588	0.114	30.9	75	21	36	2.370	-0.228	30.3	79	22	56	2.799	-0.507	30.3	82
20	17	3.066	0.325	30.9	75	21	37	2.461	-0.461	30.3	79	22	57	2.718	-0.876	30.5	82
20	18	2.844	0.242	30.8	75	21	38	3.395	-0.255	30.4	79	22	58	3.034	-0.510	30.5	82
20	19	2.696	0.421	30.8	75	21	39	3.558	-0.164	30.4	79	22	59	2.305	-0.324	30.4	82
20	20	2.557	0.231	30.7	75	21	40	2.770	-0.307	30.4	79	23	0	2.712	-0.006	30.4	82
20	21	4.025	-0.111	30.8	75	21	41	2.757	-0.376	30.4	79	23	1	2.679	-0.412	30.4	82
20	22	3.195	-0.087	30.8	75	21	42	2.772	-0.126	30.3	80	23	2	2.234	-0.289	30.4	82
20	23	3.058	-0.073	30.8	75	21	43	2.864	-0.329	30.4	79	23	3	2.808	-0.161	30.4	82
20	24	2.618	-0.165	30.8	75	21	44	2.978	-0.226	30.4	79	23	4	2.746	-0.292	30.5	82
20	25	3.054	-0.158	30.8	75	21	45	2.988	-0.026	30.4	79	23	5	2.792	-0.293	30.5	82
20	26	2.721	-0.811	30.9	74	21	46	3.135	-0.231	30.4	79	23	6	3.193	-0.287	30.5	82
20	27	2.180	-0.157	30.8	75	21	47	2.951	-0.542	30.4	80	23	7	3.325	-0.513	30.6	81
20	28	2.182	-0.475	30.9	75	21	48	2.733	0.109	30.3	80	23	8	3.326	-1.255	30.7	81
20	29	2.276	-1.014	31.0	74	21	49	2.343	-0.244	30.3	80	23	9	3.212	-1.227	30.8	80
20	30	2.561	-0.931	31.0	74	21	50	2.883	-0.335	30.3	80	23	10	3.431	-1.407	30.8	80
20	31	1.737	-0.466	31.0	74	21	51	2.846	-0.172	30.3	80	23	11	2.657	-0.547	30.7	81
20	32	2.515	-0.269	31.0	74	21	52	2.143	-0.371	30.2	80	23	12	2.553	-0.288	30.6	81
20	33	2.323	-0.144	30.9	74	21	53	3.040	-0.194	30.3	80	23	13	3.632	-1.345	30.5	81
20	34	2.289	0.091	30.9	75	21	54	3.163	-0.323	30.3	80	23	14	3.946	-1.770	30.7	80
20	35	2.138	-0.040	30.9	75	21	55	3.490	-0.567	30.4	80	23	15	3.302	-1.748	30.8	80
20	36	2.606	-0.152	30.9	75	21	56	2.362	-0.211	30.4	80	23	16	2.989	-0.757	30.7	80
20	37	2.127	-0.415	30.9	75	21	57	2.258	-0.341	30.4	80	23	17	3.709	-1.819	30.7	80
20	38	2.294	-0.355	30.9	75	21	58	1.638	-0.246	30.5	79	23	18	4.248	-1.473	30.8	80
20	39	2.791	-0.208	30.9	75	21	59	2.386	-0.212	30.5	79	23	19	3.214	-1.608	30.8	80
20	40	2.600	-0.011	30.8	75	22	0	2.630	-0.178	30.5	79	23	20	2.828	-1.155	30.8	80
20	41	3.323	0.013	30.7	76	22	1	2.812	-0.432	30.5	79	23	21	2.537	-1.170	30.8	80
20	42	2.708	-0.097	30.6	76	22	2	2.318	-0.150	30.4	79	23	22	2.162	-1.457	30.8	80
20	43	2.562	0.312	30.6	76	22	3	3.192	-0.097	30.6	79	23	23	2.164	-2.970	30.8	80
20	44	2.177	0.189	30.5	77	22	4	3.029	-1.218	30.6	79	23	24	2.403	-2.783	30.9	79
20	45	2.495	0.014	30.5	77	22	5	2.641	0.132	30.5	79	23	25	2.457	-2.402	30.9	79
20	46	3.052	0.040	30.5	77	22	6	3.361	0.052	30.2	80	23	26	2.011	-1.883	30.9	79
20	47	2.702	-0.026	30.5	77	22	7	3.140	-0.010	30.1	81	23	27	1.631	-1.522	30.8	79
20	48	2.898	-0.158	30.5	77	22	8	2.843	0.096	30.1	81	23	28	1.432	-1.937	30.9	79
20	49	2.380	-0.193	30.7	76	22	9	3.150	-0.078	30.1	81	23	29	2.127	-2.898	30.9	79
20	50	2.264	-0.188	30.7	76	22	10	2.456	-0.242	30.1	81	23	30	3.506	-1.598	30.9	79
20	51	2.338	-0.134	30.8	76	22	11	3.356	0.060	30.2	81	23	31	2.904	-2.377	30.8	79
20	52	1.901	-0.150	30.7	76	22	12	2.555	-0.281	30.3	81	23	32	2.188	-1.899	30.9	79
20	53	2.392	-0.400	30.7	76	22	13	2.639	-0.529	30.2	81	23	33	2.018	-1.448	30.8	79
20	54	2.817	-0.208	30.7	76	22	14	2.855	-0.704	30.4	80	23	34	2.649	-2.081	30.8	79
20	55	2.654	-0.031	30.6	77	22	15	2.243	0.165	30.4	80	23	35	2.379	-2.436	30.8	79
20	56	1.739	-0.293	30.6	77	22	16	2.498	-0.024	30.3	80	23	36	1.872	-1.516	30.8	79
20	57	2.305	-0.559	30.7	77	22	17	1.923	0.216	30.3	81	23	37	1.830	-2.886	30.8	79
20	58	2.514	-0.150	30.6	77	22	18	2.438	0.471	30.2	81	23	38	1.484	-0.901	30.8	80
20	59	2.773	-0.156	30.6	77	22	19	2.416	0.337	30.1	82	23	39	1.259	-2.603	30.8	79
21	0	1.932	-0.528	30.6	78	22	20	2.610	0.625	30.1	82	23	40	3.432	-1.724	30.8	79
21	1	2.277	-0.077	30.6	78	22	21	2.082	0.249	30.0	82	23	41	2.674	-0.659	30.8	80
21	2	2.545	-0.245	30.6	77	22	22	1.886	0.287	30.0	82	23	42	1.704	-1.940	30.8	80
21	3	3.682	-0.848	30.5	77	22	23	2.706	0.353	30.0	82	23	43	2.787	-2.003	30.8	79
21	4	2.850	-0.425	30.5	78	22	24	2.302	0.220	30.1	82	23	44	1.477	-2.713	30.8	79
21	5	2.927	-0.519	30.4	78	22	25	2.238	0.126	30.1	82	23	45	2.421	-1.682	30.8	79
21	6	2.213	-0.786	30.5	78	22	26	2.575	0.116	30.1	82	23	46	3.001	-2.016	30.8	79
21	7	2.819	-0.277	30.5	78	22	27	2.354	0.039	30.1	82	23	47	2.098	-1.748	30.8	79
21	8	3.078	-0.631	30.5	78	22	28	1.956	-0.104	30.2	82	23	48	1.608	-2.809	30.9	79
21	9	3.815	-0.761	30.5	78	22	29	2.096	-0.216	30.3	81	23	49	1.743	-2.352	30.9	79
21	10	3.391	-0.080	30.5	78	22	30	2.293	0.198	30.3	81	23	50	3.371	-2.194	30.8	79
21	11	3.102	-0.540	30.4	78	22	31	2.197	0.268	30.3	82	23	51	2.537	-2.660	30.9	79
21	12	2.649	-0.018	30.4	78	22	32	2.193	0.418	30.2	82	23	52	3.718	-2.259	30.9	79
21	13	3.719	-0.226	30.5	78	22	33	2.482	0.220	30.2	82	23	53	1.916	-1.871	30.9	79
21	14	3.125	-0.345	30.5	78	22											



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

23 55 1.709 -3.483 30.9 79
23 56 1.707 -1.316 30.9 79
23 57 2.145 -1.153 30.9 79
23 58 1.608 -1.558 30.9 79
23 59 1.527 -2.489 30.9 79

31/07/95

0 0 1.837 -2.384 30.9 78
0 1 3.149 -2.245 30.9 78
0 2 2.864 -3.239 30.9 78
0 3 2.726 -2.057 30.9 78
0 4 1.937 -3.320 30.9 78
0 5 1.295 -2.199 30.9 78
0 6 2.082 -1.982 30.9 78
0 7 2.819 -3.446 30.9 78
0 8 1.642 -2.760 30.9 78
0 9 2.947 -2.320 30.9 78
0 10 3.469 -0.936 30.9 78
0 11 2.302 -1.379 30.9 78
0 12 1.538 -1.728 30.9 78
0 13 1.546 -1.695 31.0 78
0 14 2.407 -2.502 31.0 78
0 15 2.737 -2.422 31.0 77
0 16 2.832 -1.119 31.0 77
0 17 5.387 -0.940 30.9 77
0 18 3.528 -1.784 30.9 77
0 19 2.447 -1.367 30.9 77
0 20 3.891 -1.601 30.9 77
0 21 3.278 -1.964 30.9 77
0 22 2.780 -0.838 31.0 77
0 23 4.731 -1.271 30.9 77
0 24 3.662 -1.009 30.9 77
0 25 3.689 -1.378 30.9 77
0 26 3.943 -1.261 30.9 77
0 27 4.348 -2.058 30.9 77
0 28 2.156 -1.718 31.0 77
0 29 1.603 -1.857 31.0 77
0 30 1.561 -1.714 31.0 77
0 31 3.251 -2.439 31.0 76
0 32 3.038 -1.907 31.0 76
0 33 3.383 -1.177 31.0 76
0 34 1.750 -0.927 30.9 77
0 35 1.614 -0.889 31.0 77
0 36 2.450 -0.746 30.9 77
0 37 3.518 -2.374 30.9 76
0 38 4.121 -3.028 30.9 76
0 39 3.328 -1.737 30.9 76
0 40 2.298 -1.029 30.9 77
0 41 2.332 -1.086 30.9 77
0 42 3.731 -2.040 30.9 76
0 43 2.854 -1.769 30.9 76
0 44 2.257 -0.624 30.9 76
0 45 1.188 -1.348 31.0 76
0 46 1.126 -0.598 31.0 76
0 47 0.843 -0.840 31.0 76
0 48 2.076 -2.535 31.0 76
0 49 2.385 -1.261 31.0 76
0 50 2.013 -0.930 31.0 76
0 51 1.355 -1.727 31.0 76
0 52 1.863 -1.374 30.9 76
0 53 1.881 -1.179 30.9 76
0 54 2.721 -1.477 30.9 76
0 55 2.139 -1.527 30.9 76
0 56 3.553 -2.365 31.0 75
0 57 2.107 -2.275 31.0 75
0 58 2.329 -2.958 31.0 75
0 59 1.668 -1.699 31.0 75
1 0 2.137 -1.331 31.0 75
1 1 2.656 -1.061 31.0 75
1 2 1.881 -0.675 31.0 75
1 3 1.999 -0.852 30.9 75
1 4 4.011 -1.963 31.0 75
1 5 3.885 -1.511 31.0 74
1 6 4.857 -1.568 31.0 74
1 7 3.465 -1.390 31.0 74
1 8 2.994 -2.904 30.9 74
1 9 2.761 -1.519 31.0 74
1 10 1.668 -0.727 31.0 74
1 11 2.257 -0.853 31.0 74

1 12 4.592 -1.527 30.9 74
1 13 3.906 -1.576 30.9 74
1 14 2.464 -2.037 31.0 74
1 15 2.044 -0.971 31.0 74
1 16 1.692 -0.945 31.0 74
1 17 2.183 -1.489 30.9 74
1 18 2.327 -2.647 30.9 74
1 19 1.966 -2.335 30.9 74
1 20 1.489 -2.524 30.9 74
1 21 2.503 -2.669 30.9 74
1 22 1.976 -2.106 30.9 74
1 23 1.939 -1.581 30.9 74
1 24 2.611 -1.597 30.9 74
1 25 3.206 -1.711 30.9 74
1 26 4.063 -2.005 30.8 74
1 27 1.577 -1.564 30.8 74
1 28 0.856 -1.043 30.8 74
1 29 0.845 -1.672 30.8 74
1 30 2.333 -0.852 30.8 74
1 31 3.868 -2.400 30.8 74
1 32 2.523 -2.284 30.8 74
1 33 2.092 -1.599 30.8 74
1 34 3.064 -1.074 30.8 74
1 35 1.324 -1.239 30.8 74
1 36 1.782 -2.439 30.8 74
1 37 2.097 -1.631 30.8 74
1 38 1.011 -1.471 30.8 74
1 39 1.850 -2.781 30.8 74
1 40 3.018 -1.833 30.8 74
1 41 3.653 -1.218 30.7 74
1 42 2.000 -1.231 30.7 74
1 43 3.085 -1.444 30.7 74
1 44 2.768 -2.073 30.7 74
1 45 4.117 -3.342 30.7 74
1 46 2.278 -1.771 30.7 74
1 47 2.137 -1.986 30.8 74
1 48 1.506 -1.759 30.7 74
1 49 2.680 -2.382 30.7 74
1 50 2.332 -2.551 30.7 74
1 51 3.547 -1.725 30.7 74
1 52 3.987 -2.197 30.6 74
1 53 2.788 -1.855 30.6 74
1 54 2.759 -2.117 30.6 74
1 55 1.957 -1.249 30.6 74
1 56 3.548 -1.646 30.6 74
1 57 2.898 -1.060 30.6 75
1 58 1.751 -0.824 30.5 75
1 59 1.419 -1.789 30.6 75
2 0 2.573 -1.689 30.6 74
2 1 2.327 -0.597 30.6 75
2 2 1.638 -0.709 30.5 75
2 3 1.223 -1.116 30.6 75
2 4 2.488 -0.697 30.6 75
2 5 2.619 -0.954 30.5 75
2 6 1.069 -1.936 30.5 75
2 7 1.387 -0.881 30.6 75
2 8 1.294 -1.079 30.5 75
2 9 2.182 -0.942 30.6 75
2 10 1.685 -0.876 30.5 75
2 11 1.653 -0.735 30.5 75
2 12 1.389 -0.975 30.5 75
2 13 1.240 -0.443 30.5 75
2 14 0.672 -1.275 30.5 75
2 15 0.646 -1.429 30.6 75
2 16 1.005 -2.079 30.6 75
2 17 2.398 -1.376 30.5 75
2 18 0.968 -1.750 30.5 75
2 19 1.865 -1.840 30.5 75
2 20 1.675 -1.312 30.5 75
2 21 2.930 -1.233 30.4 75
2 22 2.504 -1.730 30.4 76
2 23 2.230 -1.324 30.4 76
2 24 2.491 -1.719 30.4 76
2 25 2.912 -1.219 30.4 76
2 26 2.485 -0.764 30.4 76
2 27 1.808 -1.689 30.3 76
2 28 1.556 -1.929 30.4 76
2 29 2.512 -0.646 30.3 76
2 30 2.117 -2.155 30.3 76
2 31 2.677 -1.352 30.3 76

2 32 2.364 -1.059 30.3 76
2 33 2.414 -1.479 30.3 77
2 34 1.509 -1.702 30.3 77
2 35 2.110 -1.913 30.3 76
2 36 1.662 -1.905 30.3 76
2 37 1.482 -1.132 30.3 76
2 38 0.892 -1.758 30.3 76
2 39 1.299 -1.238 30.4 76
2 40 2.122 -0.786 30.3 76
2 41 1.667 -0.890 30.3 76
2 42 1.081 -0.869 30.3 76
2 43 0.959 -1.036 30.3 76
2 44 0.996 -0.774 30.3 76
2 45 0.580 -1.006 30.4 76
2 46 0.878 -0.600 30.4 76
2 47 1.389 -0.960 30.4 76
2 48 2.096 -1.545 30.3 76
2 49 2.225 -1.387 30.3 76
2 50 2.353 -1.579 30.3 76
2 51 2.745 -2.038 30.3 76
2 52 2.851 -1.892 30.3 76
2 53 2.862 -1.636 30.3 76
2 54 2.847 -0.823 30.3 76
2 55 2.265 -1.169 30.2 77
2 56 2.237 -1.910 30.2 77
2 57 2.311 -1.743 30.3 76
2 58 1.783 -1.045 30.3 77
2 59 2.359 -1.653 30.2 77
3 0 3.259 -2.525 30.2 77
3 1 3.012 -2.329 30.2 77
3 2 2.946 -2.070 30.3 77
3 3 3.174 -2.615 30.3 77
3 4 2.185 -1.383 30.3 77
3 5 2.584 -2.629 30.2 77
3 6 2.048 -1.906 30.3 76
3 7 2.047 -1.203 30.3 77
3 8 1.945 -0.254 30.2 77
3 9 1.983 0.078 30.2 77
3 10 2.205 0.065 30.2 77
3 11 2.915 0.017 30.1 77
3 12 2.400 0.090 30.1 77
3 13 2.980 -0.300 30.1 77
3 14 2.544 -0.395 30.2 77
3 15 2.094 0.130 30.1 77
3 16 2.279 0.406 30.0 78
3 17 2.759 0.081 29.9 78
3 18 2.718 0.033 29.8 78
3 19 2.419 -0.128 29.7 79
3 20 2.596 0.078 29.6 80
3 21 2.673 0.178 29.5 80
3 22 2.722 0.206 29.4 80
3 23 2.886 0.231 29.4 80
3 24 2.751 0.010 29.5 80
3 25 2.741 0.032 29.6 79
3 26 2.214 0.189 29.6 80
3 27 1.755 0.184 29.6 80
3 28 1.870 0.097 29.6 80
3 29 2.170 0.064 29.6 80
3 30 2.176 -0.083 29.6 80
3 31 2.086 0.002 29.6 80
3 32 2.245 0.127 29.6 80
3 33 2.221 0.256 29.5 80
3 34 2.330 0.163 29.5 80
3 35 1.875 0.220 29.6 80
3 36 2.350 -0.271 29.6 79
3 37 2.494 0.074 29.6 79
3 38 2.388 -0.046 29.6 79
3 39 2.179 0.102 29.6 79
3 40 2.337 -0.026 29.6 79
3 41 1.669 -0.029 29.6 80
3 42 1.555 -0.116 29.6 80
3 43 1.517 -0.006 29.7 79
3 44 1.750 -0.432 29.8 78
3 45 1.677 -0.168 29.9 77
3 46 1.224 -0.213 30.0 77
3 47 1.239 0.440 29.9 78
3 48 1.665 0.467 29.7 79
3 49 1.959 0.264 29.6 79
3 50 1.970 0.130 29.6 80
3 51 1.814 0.093 29.4 80



3	52	2.094	0.015	29.4	80	5	12	1.047	0.000	29.6	78	6	32	1.103	-0.390	29.4	82
3	53	2.158	-0.021	29.5	80	5	13	1.004	0.105	29.7	78	6	33	1.124	-0.386	29.5	82
3	54	2.315	-0.323	29.5	79	5	14	1.151	0.530	29.8	78	6	34	1.065	-0.295	29.5	82
3	55	2.149	-0.089	29.6	79	5	15	1.593	0.610	29.8	78	6	35	0.896	0.001	29.5	82
3	56	2.292	-0.366	29.7	79	5	16	1.593	0.488	29.8	78	6	36	0.896	-0.009	29.5	82
3	57	2.134	-0.210	29.7	79	5	17	1.225	0.333	29.8	78	6	37	0.984	-0.087	29.6	81
3	58	2.050	0.026	29.6	79	5	18	1.366	0.367	29.8	78	6	38	0.781	-0.079	29.5	81
3	59	1.927	0.052	29.5	79	5	19	1.384	0.199	29.8	78	6	39	0.498	0.000	29.7	81
4	0	1.901	0.151	29.5	80	5	20	1.369	0.545	29.7	78	6	40	0.629	0.000	29.7	81
4	1	2.491	0.040	29.6	79	5	21	1.311	0.565	29.8	78	6	41	0.745	0.000	29.8	81
4	2	2.145	-0.247	29.7	78	5	22	1.249	0.578	29.8	79	6	42	0.988	0.000	29.8	80
4	3	1.798	0.269	29.7	79	5	23	1.248	0.663	29.7	78	6	43	0.771	0.000	29.7	81
4	4	2.522	-0.209	29.8	78	5	24	1.521	0.811	29.6	78	6	44	0.853	0.009	29.7	81
4	5	1.762	-0.003	29.9	77	5	25	1.452	0.782	29.6	78	6	45	0.851	0.009	29.6	81
4	6	1.644	0.007	29.9	78	5	26	1.361	1.034	29.5	79	6	46	0.726	0.000	29.6	81
4	7	1.809	-0.020	29.9	77	5	27	1.630	1.092	29.6	79	6	47	0.530	-0.005	29.7	81
4	8	1.428	0.054	29.9	78	5	28	1.855	0.717	29.6	79	6	48	0.093	0.012	29.7	81
4	9	1.653	0.405	29.8	78	5	29	1.506	0.548	29.6	80	6	49	-0.471	0.071	29.6	82
4	10	1.335	0.482	29.8	78	5	30	1.697	0.295	29.5	80	6	50	-0.027	0.137	29.6	83
4	11	1.477	0.341	29.8	78	5	31	1.444	0.402	29.5	79	6	51	-0.010	0.148	29.5	83
4	12	1.506	0.739	29.8	78	5	32	1.112	0.640	29.6	80	6	52	-0.113	0.214	29.5	83
4	13	1.603	0.430	29.7	79	5	33	1.948	0.722	29.5	80	6	53	0.008	0.222	29.5	84
4	14	1.672	0.652	29.7	79	5	34	1.715	0.803	29.5	80	6	54	0.105	0.089	29.5	83
4	15	1.396	0.268	29.6	79	5	35	1.735	1.225	29.4	81	6	55	0.000	0.034	29.6	83
4	16	0.847	0.280	29.7	79	5	36	1.812	1.109	29.4	81	6	56	0.165	0.099	29.6	83
4	17	1.981	0.732	29.8	79	5	37	1.745	0.989	29.4	81	6	57	0.253	0.183	29.6	83
4	18	1.828	0.810	29.8	79	5	38	1.369	1.045	29.5	81	6	58	0.456	0.002	29.7	83
4	19	2.224	1.191	29.7	79	5	39	1.563	0.971	29.3	81	6	59	0.138	0.000	29.7	82
4	20	1.771	1.730	29.5	79	5	40	1.587	0.809	29.2	82	7	0	0.000	0.000	29.7	82
4	21	1.994	1.240	29.5	80	5	41	1.626	0.720	29.2	82	7	1	0.000	0.000	29.6	83
4	22	1.897	1.776	29.5	79	5	42	1.482	0.374	29.3	82	7	2	0.011	0.159	29.7	83
4	23	1.815	1.705	29.4	80	5	43	1.638	0.088	29.3	82	7	3	0.083	0.000	29.8	82
4	24	1.781	1.424	29.5	79	5	44	1.684	0.031	29.3	81	7	4	0.128	0.147	29.9	82
4	25	2.017	1.464	29.5	79	5	45	1.692	0.079	29.4	81	7	5	0.000	0.000	29.7	82
4	26	1.995	1.220	29.5	80	5	46	1.639	0.038	29.4	80	7	6	1.019	0.000	29.6	82
4	27	2.123	0.921	29.3	80	5	47	1.334	0.034	29.5	81	7	7	1.200	0.000	29.4	82
4	28	2.172	1.073	29.3	80	5	48	1.113	0.000	29.6	80	7	8	1.012	0.000	29.4	82
4	29	2.298	0.693	29.3	81	5	49	0.872	0.000	29.6	80	7	9	1.016	0.001	29.5	83
4	30	2.426	0.364	29.3	81	5	50	0.979	0.000	29.6	80	7	10	0.776	0.189	29.5	83
4	31	2.572	0.805	29.3	80	5	51	1.196	0.304	29.6	80	7	11	0.455	0.312	29.6	83
4	32	1.791	0.596	29.4	81	5	52	0.850	0.288	29.6	80	7	12	0.298	0.024	29.8	83
4	33	2.056	0.318	29.4	80	5	53	0.697	0.444	29.6	80	7	13	0.395	0.042	29.9	82
4	34	1.443	0.636	29.4	80	5	54	0.999	0.644	29.7	80	7	14	0.144	0.031	30.0	82
4	35	2.396	0.696	29.4	80	5	55	1.207	0.905	29.6	80	7	15	0.353	0.000	30.0	82
4	36	2.059	0.837	29.4	80	5	56	1.050	1.002	29.6	81	7	16	0.010	0.000	30.0	82
4	37	2.402	0.708	29.6	80	5	57	0.982	0.965	29.7	80	7	17	0.137	0.000	30.0	82
4	38	2.274	0.560	29.5	80	5	58	0.817	0.856	29.8	80	7	18	0.384	0.000	30.0	81
4	39	2.307	0.568	29.4	80	5	59	0.675	0.845	29.8	80	7	19	0.401	0.004	30.0	81
4	40	2.341	0.516	29.5	79	6	0	0.667	0.831	29.8	80	7	20	-0.236	0.226	30.0	81
4	41	1.951	0.480	29.5	80	6	1	0.645	0.853	29.8	80	7	21	-0.359	0.030	30.1	81
4	42	1.840	0.544	29.4	80	6	2	0.709	0.942	29.8	80	7	22	-0.645	0.079	30.1	82
4	43	1.995	0.437	29.4	80	6	3	0.776	1.097	29.8	80	7	23	-0.803	0.193	29.9	83
4	44	2.074	0.541	29.4	80	6	4	0.730	1.300	29.7	80	7	24	-0.905	0.026	29.9	83
4	45	2.550	0.384	29.4	80	6	5	0.511	1.298	29.7	80	7	25	-1.033	0.032	29.9	83
4	46	2.778	0.359	29.4	80	6	6	0.424	1.228	29.7	80	7	26	-1.001	-0.029	29.7	83
4	47	2.512	0.241	29.3	80	6	7	0.703	1.176	29.6	80	7	27	-0.912	0.000	29.7	82
4	48	2.472	0.137	29.4	79	6	8	0.648	1.201	29.6	81	7	28	-0.622	0.041	29.7	82
4	49	2.148	0.034	29.3	80	6	9	0.503	1.014	29.6	81	7	29	-0.365	0.090	29.8	82
4	50	2.059	0.033	29.3	80	6	10	0.535	1.087	29.7	81	7	30	-0.326	0.009	29.9	82
4	51	2.331	0.153	29.4	80	6	11	0.425	0.924	29.7	81	7	31	-0.134	0.051	29.9	82
4	52	1.919	0.204	29.4	79	6	12	0.294	0.789	29.7	81	7	32	-0.013	0.075	29.9	82
4	53	1.885	0.158	29.4	80	6	13	0.263	0.552	29.8	81	7	33	-0.046	0.104	29.9	82
4	54	1.912	0.312	29.4	79	6	14	0.096	0.322	29.8	81	7	34	-0.001	0.002	30.0	82
4	55	2.220	0.258	29.5	79	6	15	0.080	0.267	29.8	82	7	35	-0.001	0.009	30.0	81
4	56	2.116	0.318	29.5	79	6	16	0.371	0.357	29.7	82	7	36	-0.080	0.005	30.1	81
4	57	2.404	0.325	29.6	79	6	17	0.263	0.026	29.6	82	7	37	0.001	-0.002	30.1	81
4	58	2.140	0.164	29.6	78	6	18	0.533	0.000	29.6	82	7	38	0.187	0.000	30.2	81
4	59	2.133	-0.012	29.6	78	6	19	0.465	0.000	29.5	81	7	39	0.066	0.000	30.2	81
5	0	2.022	0.069	29.6	79	6	20	0.332	0.000	29.4	82	7	40	0.065	-0.193	30.2	81
5	1	1.984	0.254	29.6	78	6	21	0.002	0.019	29.6	82	7	41	0.087	-0.024	30.1	81
5	2	2.041	0.537	29.7	78	6	22	0.223	0.000	29.6	81	7	42	-0.000	0.000	30.1	81
5	3	1.996	0.496	29.7	78	6	23	0.605	0.000	29.6	80	7	43	-0.036	0.057	30.1	82
5	4	2.062	0.355	29.7	78	6	24	0.705	0.000	29.5	80	7	44	-0.019	-0.001	30.2	81
5	5	1.511	0.459	29.7	78	6	25	0.685	-0.001	29.5	81	7	45	0.000	-0.005	30.2	81
5	6	1.249	0.509	29.7	78	6	26	0.763	-0.027	29.5	81	7	46	-0.018	0.162	30.2	81
5	7	1.140	0.165	29.7	78	6	27	0.860	-0.314	29.5	81	7	47	-0.204	0.000	30.2	81
5	8	0.883	0.000	29.7	78	6	28	0.970	-0.221	29.4	81	7	48	-0.239	0.189	30.2	81
5	9	0.938	0.000	29.7	78	6	29	0.844	-0.059	29.4	82	7	49	-0.513	0.173	30.2	81
5	10	1.283	0.000	29.6	78	6	30	0.931	-0.151	29.4	82	7	50	-0.048	0.416	30.1	81
5	11	0.964	-0.150	29.6	78	6	31	0.898	-0.191	29.4	82	7	51	-0.271	0.065	30.1	81





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

7	52	-0.537	-0.005	30.0	82	9	12	1.702	1.150	31.6	76	10	32	0.174	2.065	33.9	69
7	53	-1.109	-0.018	29.9	82	9	13	1.551	0.834	31.6	77	10	33	-0.125	2.299	34.4	68
7	54	-0.939	-0.082	29.9	82	9	14	1.055	1.523	32.0	77	10	34	-0.081	1.883	34.7	67
7	55	-1.303	-0.026	29.9	82	9	15	1.020	1.230	32.0	75	10	35	-0.146	2.539	34.6	67
7	56	-1.201	-0.024	29.8	83	9	16	1.005	0.894	32.1	75	10	36	-0.169	2.623	34.4	67
7	57	-0.885	-0.252	29.8	83	9	17	1.458	0.779	32.4	75	10	37	-0.055	2.887	34.4	67
7	58	-0.745	-0.015	29.9	82	9	18	1.503	1.004	32.0	75	10	38	-0.009	2.033	34.3	67
7	59	-0.431	-0.023	30.0	82	9	19	2.249	1.429	31.9	76	10	39	-0.291	1.201	34.3	67
8	0	-0.520	-0.043	30.0	82	9	20	0.992	2.414	31.8	75	10	40	-0.392	2.168	34.1	67
8	1	-0.484	-0.014	30.0	82	9	21	0.046	0.955	32.1	75	10	41	-0.284	2.121	34.0	67
8	2	-0.398	0.004	30.0	83	9	22	0.698	1.090	32.5	74	10	42	-0.763	2.428	34.0	67
8	3	-0.871	0.003	30.1	82	9	23	1.488	1.876	32.3	74	10	43	-0.639	2.409	33.9	67
8	4	-0.912	0.036	30.1	82	9	24	1.173	1.810	32.2	74	10	44	-0.970	3.042	33.9	67
8	5	-0.820	0.044	30.1	82	9	25	1.822	2.233	32.1	75	10	45	-0.394	2.205	34.1	67
8	6	-0.566	0.000	30.2	81	9	26	0.999	2.122	32.0	75	10	46	-0.160	2.133	34.4	67
8	7	-0.492	0.000	30.2	81	9	27	1.258	1.620	32.0	75	10	47	0.937	3.099	34.4	67
8	8	-0.548	0.005	30.3	81	9	28	0.548	1.104	32.2	75	10	48	1.298	1.794	34.2	68
8	9	-0.014	0.000	30.3	81	9	29	0.037	1.886	32.8	74	10	49	1.561	2.493	34.3	67
8	10	-0.055	0.045	30.4	81	9	30	-0.323	0.940	32.8	73	10	50	1.160	1.567	33.9	67
8	11	-0.236	-0.067	30.3	81	9	31	-0.015	0.799	32.9	73	10	51	0.554	1.084	34.0	67
8	12	-0.005	0.032	30.5	81	9	32	0.437	0.661	33.3	73	10	52	0.199	1.476	34.4	66
8	13	0.014	0.117	30.6	81	9	33	0.306	1.921	33.2	72	10	53	0.035	2.441	34.5	65
8	14	0.098	0.001	30.7	80	9	34	0.000	1.939	33.3	71	10	54	0.283	2.309	34.6	65
8	15	0.026	0.008	30.8	80	9	35	0.366	2.257	33.4	70	10	55	1.300	2.126	34.6	66
8	16	0.000	-0.000	30.8	79	9	36	0.504	2.053	33.2	71	10	56	0.487	1.857	34.8	65
8	17	-0.001	0.062	30.8	79	9	37	0.325	2.004	33.1	71	10	57	1.334	1.958	34.5	64
8	18	0.027	0.143	30.7	79	9	38	-0.037	2.796	33.4	71	10	58	0.361	1.157	34.3	66
8	19	-0.233	-0.009	30.8	79	9	39	0.018	2.970	33.2	70	10	59	0.640	1.882	34.6	64
8	20	0.129	1.221	30.8	79	9	40	-0.109	2.276	33.4	70	11	0	0.707	2.551	34.8	64
8	21	0.215	1.532	30.7	78	9	41	0.328	3.178	33.3	70	11	1	0.606	1.215	34.6	64
8	22	-0.090	1.858	30.8	79	9	42	0.559	2.535	33.2	70	11	2	0.037	2.369	34.8	64
8	23	-0.085	1.615	30.8	78	9	43	0.435	2.934	33.1	70	11	3	1.034	2.302	34.7	64
8	24	0.409	1.228	30.9	78	9	44	-0.014	2.617	33.2	70	11	4	1.488	2.585	34.0	65
8	25	0.579	0.349	30.9	79	9	45	-0.049	2.733	33.4	70	11	5	0.878	2.450	33.9	66
8	26	0.249	0.973	31.0	79	9	46	0.719	2.302	33.4	70	11	6	2.011	1.872	33.9	66
8	27	0.056	1.463	31.0	78	9	47	0.941	1.360	32.7	71	11	7	0.982	3.038	33.8	67
8	28	-0.087	1.748	31.0	78	9	48	-0.199	1.163	33.1	71	11	8	0.778	2.776	34.3	65
8	29	0.190	1.397	31.0	78	9	49	-0.056	1.065	33.3	70	11	9	0.298	2.188	34.5	65
8	30	0.107	2.640	30.9	78	9	50	0.972	0.453	33.3	70	11	10	0.561	3.263	34.7	63
8	31	0.367	1.995	30.9	78	9	51	1.706	0.138	32.8	71	11	11	0.693	3.246	34.6	64
8	32	0.423	1.561	30.9	78	9	52	1.871	0.076	32.4	72	11	12	1.334	1.893	34.6	65
8	33	0.306	2.139	31.0	78	9	53	1.942	-0.162	32.3	72	11	13	-0.128	2.501	34.9	64
8	34	0.602	1.965	30.9	78	9	54	0.921	0.649	32.6	73	11	14	-0.104	4.071	35.2	63
8	35	0.299	1.440	31.1	78	9	55	0.324	0.795	32.9	72	11	15	1.087	2.473	35.2	63
8	36	0.685	1.477	31.0	77	9	56	1.170	0.600	33.1	71	11	16	0.628	3.631	34.9	61
8	37	0.852	1.256	30.8	78	9	57	1.447	1.243	32.9	72	11	17	0.748	2.530	34.6	62
8	38	0.670	1.590	31.0	78	9	58	0.985	1.104	32.9	72	11	18	-0.544	3.435	35.1	62
8	39	0.949	1.253	31.0	78	9	59	0.273	1.979	33.2	71	11	19	-0.279	2.595	35.4	60
8	40	1.451	1.334	31.0	78	10	0	0.807	1.798	33.2	71	11	20	0.287	1.562	35.6	59
8	41	0.694	2.185	30.9	78	10	1	0.830	1.667	32.9	72	11	21	1.525	0.775	35.3	59
8	42	0.063	2.328	31.0	78	10	2	-0.364	2.313	33.0	72	11	22	3.024	1.364	34.7	62
8	43	0.669	1.979	31.0	78	10	3	-0.012	2.084	33.2	71	11	23	2.670	2.450	34.6	64
8	44	0.315	2.076	30.9	78	10	4	0.031	2.262	33.3	70	11	24	0.954	2.788	34.6	63
8	45	0.405	2.091	31.1	78	10	5	-0.185	2.142	33.4	70	11	25	0.431	1.888	35.3	61
8	46	0.696	1.681	31.3	77	10	6	-0.134	2.094	33.4	70	11	26	1.123	1.284	35.6	61
8	47	0.743	1.263	31.3	77	10	7	-0.070	2.032	33.3	70	11	27	2.453	1.522	35.0	60
8	48	0.165	1.423	31.4	77	10	8	-0.366	1.899	33.4	70	11	28	2.058	1.913	34.4	61
8	49	0.227	0.728	31.8	76	10	9	0.360	1.688	33.3	70	11	29	2.020	1.886	34.3	64
8	50	0.272	0.600	32.0	75	10	10	0.856	1.759	33.3	70	11	30	1.487	2.040	34.7	64
8	51	0.360	1.446	32.1	75	10	11	0.737	1.942	33.1	70	11	31	1.425	2.345	34.9	63
8	52	0.490	1.084	32.0	75	10	12	1.363	1.950	32.8	71	11	32	1.826	2.013	35.0	64
8	53	1.463	1.791	31.8	75	10	13	1.008	2.297	32.7	72	11	33	0.601	2.704	35.1	64
8	54	1.472	1.223	31.2	76	10	14	0.265	2.019	33.0	72	11	34	0.033	1.809	35.5	63
8	55	1.424	1.042	31.0	77	10	15	0.803	2.071	33.0	71	11	35	0.618	1.832	35.9	61
8	56	0.899	1.023	31.0	77	10	16	0.739	1.098	32.9	71	11	36	1.840	2.972	35.2	61
8	57	2.138	1.416	31.1	78	10	17	0.073	2.687	33.1	71	11	37	0.552	2.152	34.8	63
8	58	2.014	2.315	31.0	78	10	18	-0.156	2.280	33.4	70	11	38	-0.090	1.295	35.4	63
8	59	1.079	2.221	31.0	78	10	19	0.126	2.350	33.6	70	11	39	-0.282	2.354	35.6	62
9	0	0.908	1.478	31.2	78	10	20	0.924	0.934	33.3	70	11	40	0.228	2.267	35.6	60
9	1	1.008	1.406	31.3	77	10	21	0.943	0.986	33.0	71	11	41	-0.010	1.488	35.5	60
9	2	0.418	1.040	31.7	77	10	22	0.964	0.812	32.8	71	11	42	0.293	0.955	35.7	59
9	3	0.608	2.048	31.8	76	10	23	1.190	0.904	32.9	71	11	43	0.188	2.352	35.7	60
9	4	0.841	1.764	31.7	76	10	24	0.529	0.670	33.0	71	11	44	1.449	1.960	35.1	60
9	5	0.555	1.192	31.7	76	10	25	0.128	1.767	33.4	70	11	45	1.480	0.855	34.8	61
9	6	0.671	1.552	31.6	76	10	26	0.250	1.729	33.6	69	11	46	1.684	1.387	34.5	63
9	7	0.657	1.678	31.6	76	10	27	0.061	1.286	33.7	68	11	47	1.535	1.502	34.4	63
9	8	0.225	1.284	31.7	76	10	28	0.464	2.067	33.8	68	11	48	1.982	1.067	34.2	63
9	9	1.007	1.301	31.9	76	10	29	0.297	3.320	33.4	68	11	49	2.476	1.069	34.3	64
9	10	1.469	0.827	31.5	76	10	30	0.415	3.091	33.2	69	11	50	2.554	2.440	34.2	65
9	11	1.188	1.087	31.6	77	10	31	0.178	2.811	33.4	69	11	51	1.613	1.900	34.2	66



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

11	52	1.914	2.787	34.2	65
11	53	2.162	2.071	34.4	65
11	54	2.704	2.325	34.5	66
11	55	2.822	2.212	34.3	65
11	56	3.169	1.845	34.3	66
11	57	2.482	1.355	34.5	65
11	58	1.999	2.038	34.6	66
11	59	1.327	2.617	34.5	64
12	0	0.755	2.535	34.8	63
12	1	1.482	2.030	34.8	62
12	2	1.600	1.261	34.5	64
12	3	1.794	0.533	34.3	64
12	4	1.536	0.304	34.3	64
12	5	1.402	0.802	34.4	65
12	6	0.951	2.355	34.8	65
12	7	0.766	1.637	35.2	63
12	8	0.392	1.944	35.3	62
12	9	0.399	2.010	35.2	61
12	10	1.059	1.930	35.0	61
12	11	0.273	2.596	34.9	62
12	12	0.228	3.142	34.8	63
12	13	1.446	2.336	34.6	64
12	14	1.628	3.017	34.3	64
12	15	1.252	2.876	34.4	63
12	16	0.729	2.478	34.5	61
12	17	1.190	2.829	34.8	61
12	18	0.587	2.601	35.2	61
12	19	1.824	2.110	35.0	59
12	20	0.096	2.460	35.5	60
12	21	1.834	2.727	35.5	59
12	22	1.812	2.800	35.3	60
12	23	1.839	3.681	35.3	59
12	24	1.723	3.251	35.0	59
12	25	1.530	3.135	35.0	58
12	26	2.607	2.716	34.9	59
12	27	1.193	2.973	34.8	60
12	28	0.229	2.575	35.0	60
12	29	0.870	2.701	35.3	59
12	30	0.981	3.294	35.3	59
12	31	1.148	2.590	35.4	59
12	32	1.366	2.783	35.3	59
12	33	2.783	3.181	35.1	59
12	34	2.168	2.441	35.0	60
12	35	0.754	1.965	35.6	59
12	36	1.290	0.892	36.0	57
12	37	2.220	0.752	35.4	58
12	38	2.504	1.208	35.0	60
12	39	0.332	1.857	35.3	60
12	40	0.391	1.235	36.0	59
12	41	0.199	0.926	36.6	57
12	42	0.252	1.254	36.8	57
12	43	1.192	1.817	36.8	56
12	44	1.115	2.083	36.1	56
12	45	0.793	3.242	35.8	56
12	46	0.676	2.553	35.8	56
12	47	0.750	0.754	35.7	54
12	48	-0.007	1.542	36.4	54
12	49	1.182	1.534	36.5	54
12	50	2.734	0.525	35.6	55
12	51	2.493	0.737	35.0	56
12	52	1.615	0.939	35.2	57
12	53	0.691	1.727	35.4	57
12	54	0.883	1.790	36.0	57
12	55	2.533	1.767	35.8	58
12	56	2.540	1.930	35.3	60
12	57	1.160	3.196	35.5	60
12	58	0.084	2.120	36.0	57
12	59	0.169	1.839	36.3	57
13	0	1.148	2.239	36.3	57
13	1	1.456	2.489	35.7	57
13	2	0.633	1.481	35.5	57
13	3	-0.072	0.224	36.0	56
13	4	0.689	0.673	36.1	56
13	5	1.180	0.898	36.0	57
13	6	1.981	2.333	35.5	56
13	7	2.305	2.630	35.2	57
13	8	2.224	1.112	35.2	58
13	9	1.921	1.998	35.3	59
13	10	1.432	2.146	35.4	59
13	11	1.058	1.283	35.2	59
13	12	1.075	1.349	35.5	60
13	13	2.542	1.227	35.3	59
13	14	2.276	1.798	35.0	58
13	15	2.552	1.882	35.1	58
13	16	1.334	2.466	35.3	59
13	17	1.166	2.837	35.5	58
13	18	1.176	2.222	35.6	57
13	19	1.745	2.905	35.6	58
13	20	1.404	2.468	35.6	58
13	21	0.080	2.325	35.9	57
13	22	0.192	1.995	36.4	55
13	23	0.828	1.404	36.1	55
13	24	0.777	0.785	35.9	57
13	25	1.325	0.153	35.6	56
13	26	1.314	0.410	35.5	56
13	27	0.850	1.197	35.8	57
13	28	1.445	1.802	36.0	56
13	29	3.172	2.706	35.5	57
13	30	3.055	2.875	35.3	56
13	31	2.938	3.229	35.3	57
13	32	1.901	3.035	35.4	57
13	33	1.492	2.334	35.8	56
13	34	1.506	1.701	35.8	56
13	35	1.714	2.971	35.9	55
13	36	2.794	2.821	35.9	56
13	37	2.453	1.696	35.7	57
13	38	1.966	1.105	35.6	57
13	39	2.002	1.347	35.5	56
13	40	1.653	1.316	35.5	56
13	41	1.561	1.146	35.6	56
13	42	0.852	0.695	35.9	57
13	43	1.551	0.524	36.2	57
13	44	1.847	1.177	36.2	56
13	45	2.837	0.365	36.2	55
13	46	1.038	1.970	36.3	55
13	47	1.065	1.876	36.5	54
13	48	2.350	1.773	36.4	56
13	49	1.567	2.845	36.2	55
13	50	0.892	1.940	36.3	55
13	51	1.436	2.386	36.3	53
13	52	0.931	1.732	36.0	54
13	53	0.550	2.129	36.3	53
13	54	1.026	1.997	36.4	52
13	55	1.525	1.602	36.2	54
13	56	2.351	1.088	36.2	56
13	57	2.232	0.562	36.3	55
13	58	2.400	2.044	36.3	55
13	59	2.631	1.204	36.2	55
14	0	2.657	1.034	36.0	55
14	1	2.573	1.105	35.9	56
14	2	2.219	1.559	35.9	57
14	3	2.080	2.799	35.8	56
14	4	1.255	2.282	35.8	54
14	5	1.978	1.108	35.7	55
14	6	2.503	-0.155	35.6	57
14	7	3.453	0.200	35.5	57
14	8	3.279	0.600	35.5	57
14	9	3.310	2.006	35.5	58
14	10	2.408	2.547	35.3	60
14	11	3.147	3.651	35.1	60
14	12	2.551	3.452	34.8	64
14	13	2.436	2.443	34.2	67
14	14	3.828	2.524	33.5	69
14	15	4.486	2.546	32.7	70
14	16	4.745	2.090	32.5	71
14	17	3.471	2.288	32.4	72
14	18	3.011	3.374	32.3	72
14	19	1.353	2.957	32.2	76
14	20	1.665	3.128	31.9	75
14	21	2.670	1.377	31.6	75
14	22	2.876	-0.182	31.0	80
14	23	2.574	-1.292	30.9	78
14	24	1.397	-1.452	31.3	76
14	25	0.257	-0.840	31.6	75
14	26	-0.256	-0.396	31.8	72
14	27	-0.818	-0.211	31.9	73
14	28	-2.348	-0.455	31.7	74
14	29	-2.543	-0.454	31.5	74
14	30	-2.265	-0.601	31.4	74
14	31	-1.884	-0.523	31.5	73
14	32	-1.402	-0.187	31.7	72
14	33	-0.707	0.117	32.0	74
14	34	-0.114	1.286	32.1	75
14	35	0.338	2.456	32.0	76
14	36	1.214	4.311	31.8	75
14	37	1.376	4.674	31.7	76
14	38	0.022	4.470	31.7	76
14	39	-0.464	4.631	31.8	75
14	40	0.202	4.016	31.8	74
14	41	0.159	3.146	31.9	76
14	42	0.357	3.047	31.8	76
14	43	-0.749	3.317	32.0	75
14	44	-0.460	3.587	32.4	72
14	45	-0.561	3.538	32.9	71
14	46	-0.122	3.396	33.1	70
14	47	-0.002	2.054	33.3	71
14	48	0.027	1.776	33.5	69
14	49	0.416	1.718	33.8	68
14	50	0.122	1.725	33.6	68
14	51	0.429	1.292	34.0	68
14	52	0.427	1.324	34.0	66
14	53	1.237	0.787	33.8	67
14	54	1.437	0.923	33.0	67
14	55	1.657	0.820	32.6	68
14	56	1.628	0.388	32.4	70
14	57	1.589	0.953	32.4	71
14	58	1.405	0.410	32.3	72
14	59	2.175	0.254	32.2	71
15	0	2.480	-0.005	32.3	72
15	1	3.169	0.124	32.2	71
15	2	3.226	-0.115	32.0	72
15	3	3.413	-0.029	31.7	74
15	4	3.597	-0.207	31.5	76
15	5	3.236	0.107	31.5	77
15	6	3.262	0.544	31.5	79
15	7	3.311	0.163	31.4	78
15	8	3.681	0.471	31.3	79
15	9	3.261	0.252	31.1	81
15	10	3.293	0.173	31.0	82
15	11	3.566	0.596	30.9	82
15	12	3.459	-0.558	30.7	83
15	13	3.291	-0.369	30.7	84
15	14	3.509	-1.221	30.7	85
15	15	4.336	-0.535	30.7	83
15	16	2.495	-0.027	30.7	84
15	17	2.028	0.101	30.7	85
15	18	1.621	0.771	30.7	84
15	19	0.608	1.315	30.7	85
15	20	-0.006	1.250	30.9	86
15	21	0.018	1.033	31.0	86
15	22	-0.082	1.546	31.0	86
15	23	-0.023	0.913	30.9	86
15	24	-0.000	0.413	30.9	85
15	25	0.329	-0.009	31.0	86
15	26	0.913	-0.707	30.9	85
15	27	1.249	-1.164	30.7	85
15	28	2.376	-1.662	30.6	84
15	29	1.946	-1.849	30.6	84
15	30	2.151	-1.824	30.7	84
15	31	2.366	-2.593	30.8	83
15	32	2.305	-2.102	30.8	83
15	33	2.039	-1.802	30.8	83
15	34	2.546	-1.272	30.9	84
15	35	2.746			



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

15	52	1.373	-0.385	32.1	81	17	12	-0.300	1.184	32.5	78	18	32	2.081	-0.152	32.0	77
15	53	1.812	-0.236	32.3	79	17	13	-0.632	1.274	32.3	78	18	33	3.335	-0.307	32.0	77
15	54	2.179	-0.488	32.1	79	17	14	-0.876	1.420	32.3	78	18	34	2.914	-0.247	31.9	77
15	55	1.967	-0.234	32.1	79	17	15	-0.635	1.501	32.2	78	18	35	2.287	-0.324	31.8	78
15	56	1.850	-0.038	32.1	78	17	16	-0.191	0.976	32.2	78	18	36	2.720	-0.245	31.8	78
15	57	2.224	-0.306	32.2	79	17	17	-0.166	0.839	32.3	77	18	37	2.742	-0.324	31.8	78
15	58	2.402	-0.831	32.2	78	17	18	0.000	0.320	32.2	77	18	38	2.563	-0.492	31.9	76
15	59	2.469	-0.001	32.3	80	17	19	-0.026	0.052	32.2	77	18	39	2.079	-0.606	31.9	77
16	0	2.685	-0.326	32.1	78	17	20	0.005	0.006	32.3	77	18	40	2.411	-0.735	31.8	76
16	1	2.008	-0.086	32.1	79	17	21	0.182	0.000	32.5	77	18	41	2.044	-0.546	31.9	76
16	2	2.000	-0.060	32.1	80	17	22	0.072	0.000	32.6	77	18	42	2.427	-0.727	31.9	76
16	3	1.904	-0.081	32.2	80	17	23	0.147	-0.073	32.6	77	18	43	2.478	-0.955	31.9	75
16	4	2.517	-0.142	32.2	78	17	24	0.159	-0.577	32.5	77	18	44	2.073	-0.348	31.9	76
16	5	2.497	-0.174	32.1	78	17	25	0.408	-0.153	32.5	77	18	45	2.264	-0.117	31.8	75
16	6	1.999	-0.301	32.1	79	17	26	0.800	0.000	32.3	78	18	46	3.337	0.023	31.8	75
16	7	1.576	-0.236	32.1	79	17	27	0.882	0.000	32.4	77	18	47	3.305	-0.118	31.8	75
16	8	1.797	0.026	32.1	79	17	28	0.887	0.008	32.4	76	18	48	2.571	0.283	31.7	75
16	9	1.248	-0.014	32.1	80	17	29	0.600	0.029	32.5	76	18	49	2.569	0.192	31.6	75
16	10	1.229	-0.028	32.2	80	17	30	0.540	0.633	32.6	76	18	50	2.325	0.188	31.6	76
16	11	1.375	0.077	32.2	80	17	31	0.449	0.703	32.5	76	18	51	1.595	0.472	31.6	77
16	12	1.620	0.011	32.3	80	17	32	0.864	0.670	32.6	76	18	52	1.649	0.358	31.6	77
16	13	0.940	0.084	32.2	80	17	33	0.894	0.543	32.5	76	18	53	1.643	0.468	31.6	77
16	14	1.220	0.000	32.3	79	17	34	1.313	0.026	32.4	77	18	54	1.500	0.168	31.6	76
16	15	1.064	0.307	32.4	80	17	35	0.922	0.148	32.4	78	18	55	1.137	0.568	31.6	77
16	16	0.990	0.651	32.3	80	17	36	0.975	0.072	32.4	77	18	56	0.838	0.734	31.7	76
16	17	1.159	1.024	32.3	79	17	37	1.411	-0.000	32.4	76	18	57	0.509	1.159	31.8	76
16	18	1.474	1.252	32.3	79	17	38	1.688	0.068	32.3	77	18	58	0.723	1.077	31.8	76
16	19	1.314	1.493	32.4	80	17	39	2.036	0.214	32.1	77	18	59	0.574	0.952	31.9	77
16	20	1.513	1.930	32.5	79	17	40	1.809	0.358	32.0	77	19	0	0.621	0.896	31.9	77
16	21	1.798	2.212	32.5	78	17	41	1.615	0.610	32.0	78	19	1	0.790	1.097	31.8	77
16	22	0.464	2.199	32.6	79	17	42	1.686	0.824	32.1	77	19	2	0.844	1.172	31.7	78
16	23	0.112	2.257	32.9	79	17	43	1.833	0.820	32.1	77	19	3	0.919	1.027	31.6	78
16	24	0.100	1.809	33.0	78	17	44	1.556	0.925	32.1	76	19	4	1.384	1.154	31.4	79
16	25	-0.036	1.648	33.2	77	17	45	1.711	0.752	32.2	77	19	5	1.457	0.924	31.2	80
16	26	0.011	2.931	33.1	76	17	46	1.146	0.669	32.2	76	19	6	1.615	0.821	31.2	81
16	27	0.255	2.660	32.9	76	17	47	1.014	0.154	32.2	76	19	7	1.808	0.784	31.1	81
16	28	0.415	2.630	32.8	75	17	48	1.822	0.295	32.2	76	19	8	1.520	0.857	31.1	82
16	29	0.510	2.338	32.7	75	17	49	1.803	0.196	32.2	77	19	9	2.063	1.427	30.9	82
16	30	1.067	1.888	32.6	76	17	50	2.142	0.242	32.1	76	19	10	2.027	1.322	30.9	82
16	31	1.053	1.907	32.7	76	17	51	1.582	0.232	32.1	76	19	11	2.371	1.305	30.9	81
16	32	1.170	1.615	32.6	76	17	52	1.406	0.792	32.1	75	19	12	2.287	0.972	30.9	81
16	33	1.284	1.467	32.4	76	17	53	2.129	0.170	32.1	75	19	13	2.082	0.752	31.0	82
16	34	1.515	1.450	32.5	76	17	54	1.884	0.717	32.0	76	19	14	2.542	0.733	30.9	81
16	35	1.331	1.127	32.4	76	17	55	1.715	0.520	32.1	75	19	15	2.114	0.400	31.0	80
16	36	1.683	1.409	32.4	76	17	56	1.956	0.288	32.2	76	19	16	1.951	0.292	31.0	80
16	37	1.100	1.116	32.4	76	17	57	1.612	0.244	32.1	76	19	17	2.018	0.251	31.0	81
16	38	1.145	0.731	32.5	77	17	58	1.825	0.303	32.1	77	19	18	1.691	0.253	31.1	81
16	39	1.311	1.262	32.5	76	17	59	1.474	0.300	32.1	77	19	19	1.347	0.188	31.0	81
16	40	1.396	1.076	32.5	76	18	0	1.481	0.036	32.1	77	19	20	1.440	0.201	31.1	81
16	41	1.090	0.553	32.5	77	18	1	1.522	0.684	32.0	78	19	21	1.600	0.229	31.1	80
16	42	1.351	0.946	32.4	77	18	2	1.769	0.647	31.9	79	19	22	1.495	0.016	31.0	80
16	43	1.530	1.277	32.4	77	18	3	1.904	0.831	31.9	79	19	23	1.119	-0.017	30.9	81
16	44	1.069	1.294	32.6	77	18	4	1.929	0.972	31.9	79	19	24	1.240	0.002	30.8	80
16	45	0.864	1.519	32.6	76	18	5	2.087	0.472	31.8	79	19	25	1.107	0.004	30.8	81
16	46	0.773	1.320	32.8	76	18	6	1.468	-0.016	31.8	79	19	26	1.055	0.005	30.8	81
16	47	0.988	1.726	32.8	77	18	7	1.743	-0.153	31.8	79	19	27	1.396	0.421	30.9	81
16	48	0.861	1.610	32.8	77	18	8	1.838	-0.061	31.7	79	19	28	1.546	0.269	30.9	81
16	49	0.688	1.802	32.7	77	18	9	2.142	-0.036	31.7	79	19	29	1.567	0.248	30.8	81
16	50	0.403	2.198	32.7	77	18	10	1.736	-0.097	31.6	79	19	30	2.194	0.396	30.8	81
16	51	0.545	2.588	32.5	77	18	11	1.415	0.265	31.7	80	19	31	2.194	0.301	30.7	81
16	52	0.370	1.867	32.6	76	18	12	1.347	0.231	31.8	80	19	32	1.738	0.046	30.7	81
16	53	0.086	1.569	32.6	76	18	13	1.205	0.324	31.7	80	19	33	1.733	0.325	30.7	81
16	54	0.090	1.407	32.8	76	18	14	1.471	0.238	31.7	80	19	34	1.986	0.709	30.8	81
16	55	0.080	1.397	32.8	76	18	15	1.632	0.025	31.8	80	19	35	1.809	0.635	30.8	81
16	56	0.154	1.772	32.9	75	18	16	1.559	-0.031	31.8	80	19	36	1.690	0.491	30.8	81
16	57	0.265	1.458	32.9	75	18	17	1.316	-0.002	31.8	80	19	37	1.230	0.517	30.8	81
16	58	0.293	1.116	32.9	76	18	18	1.256	-0.008	31.8	79	19	38	1.706	0.527	30.8	81
16	59	0.894	1.115	32.9	76	18	19	1.664	-0.001	31.8	79	19	39	1.489	0.586	30.8	81
17	0	0.470	1.046	32.7	76	18	20	2.301	0.167	31.8	80	19	40	1.151	0.505	30.9	81
17	1	0.661	1.350	32.8	76	18	21	2.047	0.007	31.9	80	19	41	1.364	0.109	30.8	81
17	2	0.099	1.105	32.8	76	18	22	1.809	0.401	31.8	81	19	42	1.235	0.000	30.8	80
17	3	0.168	0.873	32.9	76	18	23	1.384	0.068	31.9	81	19	43	1.187	0.513	30.8	81
17	4	-0.023	0.925	33.0	76	18	24	1.688	0.028	31.8	81	19	44	1.010	0.303	30.8	80
17	5	-0.038	1.262	32.9	77	18	25	3.003	-0.091	31.9	79	19	45	1.156	0.628	30.8	81
17	6	-0.209	1.251	32.7	77	18	26	3.110	-0.323	31.9	79	19	46	1.770	0.378	30.8	81
17	7	-0.310	1.120	32.6	77	18	27	2.829	-0.016	32.0	79	19	47	0.921	0.808	30.8	81
17	8	-0.670	1.292	32.5	77	18	28	2.929	-0.930	32.0	78	19	48	1.104	1.035	30.9	81
17	9	-0.175	1.067	32.5	78	18	29	2.724	-0.609	32.0	77	19	49	1.377	1.022	30.9	81
17	10	-0.102	1.730	32.5	78	18	30	1.988	-0.623	32.0	78	19	50	1.512	1.079	30.9	81
17	11	-0.021	1.554	32.6													



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

19	52	1.408	1.063	30.5	82	21	12	1.859	0.188	30.8	80	22	32	2.336	0.060	30.6	78
19	53	1.478	0.730	30.5	82	21	13	2.177	0.059	30.8	79	22	33	2.396	0.282	30.6	78
19	54	1.680	0.613	30.4	83	21	14	1.991	0.158	30.7	80	22	34	2.279	0.292	30.6	79
19	55	2.102	0.976	30.5	83	21	15	1.516	0.231	30.7	80	22	35	2.087	0.155	30.7	79
19	56	1.978	0.894	30.5	83	21	16	2.337	0.384	30.8	79	22	36	1.933	-0.048	30.6	78
19	57	2.082	0.651	30.5	83	21	17	2.248	0.465	30.8	79	22	37	1.990	-0.012	30.5	78
19	58	2.356	0.532	30.4	83	21	18	2.883	0.419	30.9	78	22	38	2.142	0.005	30.5	78
19	59	2.215	0.278	30.4	83	21	19	2.352	0.341	30.9	78	22	39	1.912	-0.006	30.5	78
20	0	2.216	0.404	30.5	83	21	20	2.708	0.319	30.9	78	22	40	1.951	-0.033	30.5	79
20	1	2.765	0.860	30.6	83	21	21	2.771	0.306	30.9	78	22	41	1.689	0.053	30.5	79
20	2	2.860	1.007	30.6	83	21	22	2.866	0.442	30.9	78	22	42	1.371	0.068	30.6	79
20	3	3.013	0.603	30.6	83	21	23	2.890	0.521	30.9	78	22	43	1.480	0.116	30.6	79
20	4	2.684	0.648	30.6	82	21	24	2.865	0.463	31.0	78	22	44	1.341	0.145	30.6	79
20	5	2.816	0.420	30.6	82	21	25	2.566	0.225	31.0	78	22	45	1.649	0.235	30.6	79
20	6	2.649	0.364	30.6	82	21	26	2.833	0.238	31.0	78	22	46	1.762	0.128	30.5	79
20	7	2.282	0.340	30.5	83	21	27	2.806	0.371	31.0	77	22	47	1.363	0.000	30.6	79
20	8	2.357	0.369	30.5	83	21	28	2.589	0.288	31.1	77	22	48	1.352	0.000	30.6	80
20	9	2.284	0.240	30.5	83	21	29	3.219	0.412	31.1	77	22	49	1.321	0.326	30.5	80
20	10	2.314	0.315	30.5	83	21	30	2.628	0.166	31.1	77	22	50	1.657	0.759	30.4	80
20	11	2.383	0.502	30.6	83	21	31	2.317	0.266	31.1	77	22	51	1.769	0.768	30.3	80
20	12	2.916	0.789	30.7	82	21	32	2.087	0.258	31.1	77	22	52	1.239	0.770	30.3	81
20	13	2.997	0.574	30.8	81	21	33	2.335	0.240	31.0	77	22	53	1.066	0.741	30.4	81
20	14	2.678	0.821	30.9	81	21	34	1.627	0.335	31.0	77	22	54	0.712	1.092	30.5	81
20	15	2.709	1.059	30.8	80	21	35	1.491	0.146	31.1	77	22	55	0.421	1.112	30.6	81
20	16	2.836	1.422	30.8	80	21	36	1.554	0.457	31.1	77	22	56	0.222	0.348	30.7	80
20	17	2.726	0.786	30.8	81	21	37	1.293	0.626	31.0	77	22	57	0.001	0.000	30.7	80
20	18	2.977	0.517	30.7	80	21	38	1.118	0.806	31.0	78	22	58	0.303	0.729	30.7	79
20	19	2.914	0.646	30.7	80	21	39	0.975	0.917	31.0	78	22	59	0.281	1.142	30.8	79
20	20	2.593	0.615	30.8	80	21	40	1.075	0.999	31.0	78	23	0	0.377	1.241	30.8	78
20	21	3.018	0.914	30.8	80	21	41	0.761	0.879	31.0	78	23	1	0.566	1.524	30.8	78
20	22	2.718	0.533	30.8	80	21	42	0.915	1.147	31.0	78	23	2	0.362	1.188	30.9	78
20	23	2.820	0.391	30.8	80	21	43	0.700	1.155	30.9	79	23	3	0.237	1.386	30.9	77
20	24	3.297	0.436	30.7	81	21	44	1.233	1.021	30.9	79	23	4	0.129	1.655	30.9	78
20	25	3.862	0.403	30.8	80	21	45	1.461	0.899	30.7	79	23	5	-0.002	2.187	30.8	79
20	26	3.437	0.454	30.7	81	21	46	1.609	0.576	30.7	80	23	6	-0.000	2.134	30.6	79
20	27	3.176	0.611	30.8	81	21	47	1.856	0.532	30.7	79	23	7	0.097	1.953	30.5	79
20	28	3.296	0.375	30.9	80	21	48	1.833	0.242	30.6	79	23	8	0.021	1.965	30.5	80
20	29	3.265	0.364	30.8	80	21	49	2.377	0.179	30.7	79	23	9	0.145	1.932	30.4	80
20	30	3.305	0.386	30.7	80	21	50	1.974	-0.066	30.7	79	23	10	0.323	1.567	30.4	80
20	31	3.146	0.573	30.7	80	21	51	2.607	-0.327	30.7	79	23	11	0.369	1.089	30.4	80
20	32	3.157	0.543	30.8	80	21	52	2.793	-0.844	30.8	78	23	12	0.251	0.928	30.4	80
20	33	3.190	0.309	30.8	80	21	53	2.987	0.107	30.9	78	23	13	0.164	0.668	30.5	80
20	34	3.192	0.033	30.8	80	21	54	2.632	0.053	31.0	78	23	14	0.017	0.645	30.6	80
20	35	3.766	0.114	30.7	80	21	55	2.354	0.037	31.0	77	23	15	-0.003	0.738	30.6	80
20	36	3.243	0.212	30.7	80	21	56	1.947	0.081	31.0	78	23	16	-0.000	0.992	30.6	80
20	37	2.958	0.002	30.6	81	21	57	2.101	0.017	30.9	78	23	17	0.064	1.355	30.5	80
20	38	3.799	0.201	30.7	80	21	58	1.891	-0.001	30.9	79	23	18	0.100	1.103	30.5	79
20	39	3.004	0.009	30.7	80	21	59	1.516	0.019	30.7	79	23	19	0.017	0.557	30.5	80
20	40	3.078	-0.005	30.6	80	22	0	2.076	0.214	30.7	79	23	20	0.106	0.167	30.5	80
20	41	2.638	0.107	30.6	81	22	1	1.846	0.570	30.7	80	23	21	-0.000	0.000	30.4	80
20	42	2.758	0.105	30.6	81	22	2	2.235	0.340	30.7	80	23	22	0.000	0.019	30.4	80
20	43	2.491	0.018	30.6	81	22	3	1.966	0.416	30.8	79	23	23	-0.001	0.007	30.4	80
20	44	2.524	-0.008	30.6	81	22	4	2.120	0.357	30.8	80	23	24	0.001	-0.001	30.4	80
20	45	2.898	-0.196	30.6	81	22	5	1.972	0.258	30.7	80	23	25	0.000	0.000	30.3	80
20	46	2.358	-0.298	30.5	81	22	6	1.732	0.218	30.7	80	23	26	0.000	0.000	30.3	80
20	47	3.043	-0.582	30.6	81	22	7	1.982	0.086	30.7	79	23	27	0.000	0.000	30.2	81
20	48	2.914	-0.692	30.6	81	22	8	1.647	0.194	30.7	80	23	28	0.005	0.011	30.3	81
20	49	2.474	-0.327	30.6	81	22	9	1.405	0.344	30.7	80	23	29	0.000	0.001	30.3	81
20	50	2.780	-0.342	30.7	80	22	10	1.396	0.275	30.6	81	23	30	0.030	0.000	30.3	81
20	51	2.008	-0.383	30.7	81	22	11	1.429	0.250	30.6	81	23	31	0.030	0.000	30.2	81
20	52	2.043	-0.368	30.7	81	22	12	2.088	-0.021	30.5	80	23	32	0.102	0.000	30.2	81
20	53	1.823	-0.227	30.7	81	22	13	1.714	-0.011	30.6	81	23	33	0.000	0.000	30.1	81
20	54	2.365	-0.517	30.7	81	22	14	2.291	-0.088	30.5	80	23	34	0.000	-0.553	30.1	81
20	55	2.480	-0.315	30.7	81	22	15	2.073	0.044	30.5	80	23	35	-0.000	-0.883	30.1	81
20	56	2.942	-0.171	30.7	80	22	16	1.901	-0.093	30.5	80	23	36	-0.017	-1.132	30.0	81
20	57	2.694	-0.151	30.7	80	22	17	1.939	-0.220	30.6	80	23	37	-0.065	-1.141	30.0	82
20	58	2.987	-0.092	30.7	80	22	18	2.105	-0.115	30.6	80	23	38	-0.255	-0.936	29.9	82
20	59	2.993	-0.124	30.7	80	22	19	2.379	-0.312	30.6	80	23	39	-0.324	-1.094	29.9	82
21	0	3.242	-0.060	30.7	80	22	20	2.114	-0.171	30.6	80	23	40	-0.417	-1.150	29.8	83
21	1	3.536	-0.026	30.7	80	22	21	2.253	-0.107	30.7	79	23	41	-0.688	-0.945	29.6	84
21	2	3.180	0.073	30.8	80	22	22	2.091	-0.168	30.6	79	23	42	-0.695	-0.494	29.4	85
21	3	2.924	0.016	30.8	80	22	23	2.023	-0.268	30.6	79	23	43	-0.595	-1.165	29.4	84
21	4	2.923	0.001	30.7	80	22	24	2.404	-0.277	30.6	79	23	44	-0.635	-1.154	29.5	84
21	5	2.782	-0.066	30.7	80	22	25	1.998	-0.228	30.6	79	23	45	-0.395	-0.772	29.4	84
21	6	2.503	0.045	30.7	80	22	26	1.913	-0.380	30.6	79	23	46	-0.142	-0.987	29.4	85
21	7	2.804	0.083	30.8	79	22	27	1.901	-0.229	30.6	79	23	47	-0.039	-1.071	29.4	85
21	8	2.528	-0.005	30.8	79	22	28	2.027	-0.065	30.6	78	23	48	-0.144	-1.282	29.4	85
21	9	2.262	0.046	30.8	79	22	29	2.289	0.199	30.7	78	23	49	-0.370	-1.246	29.4	84
21	10	2.196	0.175	30.8	79	22	30	1.744	-0.051	30.6	79	23	50	-0.368	-1.402	29.5	84
21	11	2.049	0.093	30.8													



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

23	52	-1.045	-1.284	29.5	84	1	9	0.635	1.527	30.2	74	2	29	0.000	0.000	28.9	82
23	53	-0.844	-0.976	29.5	84	1	10	0.580	1.307	30.3	74	2	30	0.000	0.000	28.8	82
23	54	-0.963	-1.021	29.4	85	1	11	0.356	1.334	30.4	73	2	31	0.000	-0.082	28.8	82
23	55	-1.389	-0.949	29.3	85	1	12	0.062	0.811	30.4	73	2	32	0.000	-1.032	28.7	83
23	56	-1.576	-1.098	29.1	85	1	13	0.003	0.407	30.4	74	2	33	0.000	-0.998	28.6	84
23	57	-1.092	-0.884	29.1	86	1	14	0.053	0.334	30.4	74	2	34	0.000	-0.902	28.5	84
23	58	-0.621	0.043	29.2	86	1	15	0.288	0.727	30.2	75	2	35	0.000	-1.142	28.5	84
23	59	-0.520	0.003	29.2	86	1	16	0.469	1.684	30.2	75	2	36	-0.496	-1.443	28.5	84
						1	17	1.708	1.325	30.4	72	2	37	-0.785	-1.619	28.4	84
						1	18	1.261	2.040	30.5	73	2	38	-0.719	-1.436	28.4	85
						1	19	0.643	2.241	30.5	72	2	39	-0.762	-1.260	28.4	85
						1	20	0.426	2.669	30.5	72	2	40	-0.674	-1.079	28.4	85
						1	21	0.344	2.297	30.5	73	2	41	-0.784	-0.964	28.5	84
						1	22	0.749	1.557	30.3	73	2	42	-0.757	-0.899	28.6	84
						1	23	0.861	2.296	30.4	73	2	43	-0.537	-0.684	28.6	84
						1	24	0.778	2.518	30.5	72	2	44	-0.061	-0.249	28.7	83
						1	25	0.436	2.280	30.5	72	2	45	0.391	0.000	28.8	84
						1	26	0.285	2.461	30.4	73	2	46	0.166	0.000	28.7	84
						1	27	0.308	3.106	30.3	73	2	47	0.000	0.000	28.7	84
						1	28	0.407	3.283	30.4	72	2	48	0.000	0.000	28.7	84
						1	29	0.413	3.405	30.4	72	2	49	-0.028	-0.649	28.8	84
						1	30	0.839	3.169	30.4	72	2	50	-0.126	-0.833	28.8	83
						1	31	0.754	2.774	30.3	73	2	51	-0.588	-0.984	28.8	83
						1	32	1.351	2.205	30.4	72	2	52	-0.521	-0.987	28.8	83
						1	33	1.373	2.439	30.3	72	2	53	-0.733	-0.778	28.8	83
						1	34	1.143	2.561	30.5	71	2	54	-1.118	-0.721	28.8	83
						1	35	0.653	1.574	30.6	72	2	55	-1.107	-0.463	28.7	83
						1	36	0.525	1.439	30.5	72	2	56	-1.175	-0.340	28.5	84
						1	37	1.004	1.212	30.5	72	2	57	-1.271	-0.598	28.4	85
						1	38	1.160	1.125	30.5	72	2	58	-1.527	-1.185	28.3	85
						1	39	1.095	2.057	30.5	72	2	59	-1.862	-1.232	28.1	86
						1	40	1.734	2.081	30.4	72	3	0	-1.859	-0.943	28.0	87
						1	41	1.354	1.609	30.4	72	3	1	-1.703	-0.495	27.9	87
						1	42	1.335	1.361	30.3	73	3	2	-1.904	-0.488	27.8	88
						1	43	1.177	1.347	30.2	73	3	3	-1.882	-0.386	27.8	88
						1	44	1.141	1.776	30.1	74	3	4	-1.607	-0.142	27.9	88
						1	45	0.471	1.353	30.1	74	3	5	-2.035	-0.418	27.9	88
						1	46	0.019	1.405	30.1	75	3	6	-2.405	-0.979	27.8	88
						1	47	0.047	1.317	30.0	75	3	7	-2.282	-0.982	27.9	88
						1	48	0.011	1.469	30.0	76	3	8	-1.826	-0.466	28.0	88
						1	49	0.111	1.444	30.0	76	3	9	-1.853	-0.249	28.0	88
						1	50	0.000	1.586	29.9	76	3	10	-1.955	-0.150	27.9	88
						1	51	-0.004	1.461	29.8	76	3	11	-1.887	-0.035	28.0	88
						1	52	-0.294	1.721	29.7	77	3	12	-1.919	0.000	28.0	87
						1	53	-0.306	1.813	29.6	77	3	13	-2.023	-0.176	28.0	87
						1	54	-0.437	1.492	29.6	77	3	14	-1.868	-0.437	28.1	87
						1	55	-0.319	1.498	29.6	78	3	15	-1.813	-0.195	28.0	87
						1	56	-0.010	0.992	29.5	78	3	16	-1.619	-0.076	28.1	87
						1	57	0.000	1.017	29.5	78	3	17	-1.654	-0.233	28.1	87
						1	58	0.000	1.215	29.6	79	3	18	-1.717	-0.059	28.2	87
						1	59	0.007	1.490	29.6	78	3	19	-1.061	-0.015	28.2	87
						2	0	0.000	1.602	29.7	78	3	20	-1.121	0.090	28.2	87
						2	1	-0.091	1.597	29.7	78	3	21	-0.605	0.035	28.4	85
						2	2	-0.192	1.386	29.6	79	3	22	-0.731	-0.198	28.6	84
						2	3	-0.095	1.059	29.5	79	3	23	-0.913	-0.323	28.6	85
						2	4	-0.005	0.807	29.4	79	3	24	-0.761	-0.075	28.5	85
						2	5	-0.053	1.014	29.4	80	3	25	-0.516	-0.068	28.5	85
						2	6	-0.153	1.481	29.4	79	3	26	-0.383	-0.001	28.6	84
						2	7	-0.114	1.449	29.5	79	3	27	-0.273	0.007	28.7	84
						2	8	-0.051	1.152	29.5	79	3	28	-0.037	0.004	28.8	83
						2	9	-0.039	1.197	29.5	79	3	29	-0.018	0.030	28.8	83
						2	10	-0.091	1.343	29.5	80	3	30	-0.254	0.000	28.8	83
						2	11	-0.150	1.268	29.6	79	3	31	-0.439	0.000	28.8	83
						2	12	-0.116	1.233	29.6	79	3	32	-0.492	0.000	28.8	83
						2	13	-0.102	1.299	29.6	79	3	33	-0.363	0.000	28.7	83
						2	14	-0.061	1.297	29.6	79	3	34	-0.432	-0.002	28.7	83
						2	15	-0.037	1.262	29.6	79	3	35	-0.378	0.000	28.7	84
						2	16	0.000	1.054	29.7	79	3	36	-0.048	0.093	28.6	84
						2	17	0.001	0.435	29.7	79	3	37	-0.167	0.008	28.7	84
						2	18	-0.122	0.331	29.7	77	3	38	-0.673	0.201	28.8	83
						2	19	-0.207	0.509	29.8	77	3	39	-0.572	0.155	29.0	82
						2	20	-0.181	0.467	29.9	76	3	40	-0.818	0.009	29.1	82
						2	21	-0.000	0.392	30.0	76	3	41	-0.583	0.093	29.1	81
						2	22	-0.019	0.120	30.0	76	3	42	-0.037	0.100	29.1	81
						2	23	0.000	-0.007	29.7	78	3	43	-0.412	0.336	29.2	81
						2	24	0.000	0.000	29.2	80	3	44	-1.214	0.479	29.3	80
						2	25	0.000	0.000	29.0	81	3	45	-1.010	0.248	29.3	80
						2	26	0.000	0.000	29.0	81	3	46	-0.474	0.458	29.3	80
						2	27	0.000	0.000	29.1	81	3	47	-0.202	0.405	29.2	80
						2	28	0.000	0.000	29.0	81	3	48	0.009	0.198	29.1	81





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

3	49	0.010	0.136	29.1	82	5	9	-2.643	0.418	29.6	77	6	29	-1.743	0.180	30.0	78
3	50	0.007	0.175	29.1	82	5	10	-3.355	0.547	29.4	77	6	30	-2.473	0.169	29.9	78
3	51	0.007	0.164	29.1	82	5	11	-2.932	0.568	29.4	77	6	31	-3.003	1.108	30.0	78
3	52	0.000	0.091	29.1	82	5	12	-2.838	0.741	29.4	77	6	32	-2.148	1.074	30.1	77
3	53	-0.013	0.219	29.2	82	5	13	-2.596	0.558	29.4	77	6	33	-2.505	0.645	30.2	77
3	54	-0.180	0.311	29.2	81	5	14	-2.674	0.524	29.4	78	6	34	-2.380	0.748	30.2	77
3	55	-0.165	0.000	29.2	81	5	15	-2.665	0.145	29.4	77	6	35	-2.236	0.684	30.1	77
3	56	-0.353	0.011	29.2	81	5	16	-2.672	0.175	29.4	77	6	36	-1.871	0.231	30.0	78
3	57	-0.520	0.053	29.1	81	5	17	-2.525	0.566	29.5	77	6	37	-2.211	0.515	30.0	78
3	58	-0.671	0.147	29.1	81	5	18	-2.277	0.201	29.6	77	6	38	-2.578	0.749	30.0	78
3	59	-0.300	0.361	29.2	81	5	19	-2.380	0.060	29.5	78	6	39	-1.976	0.610	30.0	78
4	0	-0.178	0.151	29.2	81	5	20	-2.413	0.037	29.4	77	6	40	-2.241	0.275	30.0	78
4	1	0.000	0.133	29.2	81	5	21	-2.846	0.062	29.4	78	6	41	-2.452	0.764	30.0	78
4	2	0.000	0.000	29.2	81	5	22	-2.607	0.132	29.4	78	6	42	-2.725	0.575	30.0	77
4	3	-0.004	0.199	29.2	81	5	23	-2.617	0.126	29.4	78	6	43	-2.112	0.338	30.0	78
4	4	-0.011	0.316	29.2	81	5	24	-2.598	0.182	29.4	79	6	44	-1.718	0.397	30.1	77
4	5	-0.014	0.449	29.2	81	5	25	-2.137	0.259	29.4	79	6	45	-1.867	0.451	30.1	77
4	6	-0.000	0.377	29.1	81	5	26	-2.030	1.113	29.5	79	6	46	-2.124	0.212	30.1	77
4	7	-0.007	0.074	29.0	81	5	27	-1.571	0.938	29.7	78	6	47	-2.233	0.098	30.1	77
4	8	0.002	0.038	29.1	81	5	28	-2.423	0.423	29.7	78	6	48	-2.233	0.166	30.1	77
4	9	0.000	0.000	29.2	81	5	29	-2.426	0.168	29.6	78	6	49	-2.254	0.202	30.1	77
4	10	0.001	-0.001	29.1	81	5	30	-2.569	0.091	29.5	78	6	50	-2.422	0.060	30.0	78
4	11	0.008	0.000	29.0	82	5	31	-2.550	-0.032	29.4	79	6	51	-2.307	-0.102	30.1	78
4	12	0.000	-0.182	29.0	82	5	32	-2.387	0.040	29.3	79	6	52	-2.328	0.261	30.1	78
4	13	0.010	-0.644	28.9	82	5	33	-2.382	0.094	29.3	79	6	53	-1.715	0.023	30.1	78
4	14	0.082	-1.009	28.9	82	5	34	-2.391	0.114	29.3	80	6	54	-1.882	0.052	30.0	78
4	15	0.099	-0.958	28.9	82	5	35	-2.540	0.023	29.3	80	6	55	-1.644	0.311	30.1	78
4	16	0.177	-0.731	28.9	83	5	36	-2.549	0.004	29.3	80	6	56	-2.048	0.244	30.2	78
4	17	0.019	-0.630	28.9	82	5	37	-2.756	0.093	29.3	80	6	57	-2.061	0.344	30.1	78
4	18	0.000	-0.323	28.9	82	5	38	-2.455	0.025	29.2	80	6	58	-1.908	-0.025	30.1	78
4	19	0.000	-0.743	28.8	82	5	39	-2.968	0.012	29.1	81	6	59	-2.222	0.062	30.1	79
4	20	-0.053	-0.646	28.8	82	5	40	-3.516	0.001	29.1	81	7	0	-1.993	0.319	30.2	79
4	21	-0.040	-0.370	28.9	82	5	41	-3.314	-0.010	29.2	81	7	1	-1.639	0.083	30.2	78
4	22	-0.068	-0.524	28.9	82	5	42	-3.209	0.065	29.2	81	7	2	-1.631	0.006	30.1	79
4	23	0.000	-0.049	29.0	82	5	43	-3.104	0.291	29.2	81	7	3	-1.257	0.117	30.1	79
4	24	0.008	0.056	29.1	81	5	44	-2.813	0.485	29.2	81	7	4	-1.761	0.172	30.2	79
4	25	-0.045	0.367	29.2	80	5	45	-2.989	0.330	29.2	81	7	5	-1.892	0.049	30.2	78
4	26	-0.104	0.377	29.3	80	5	46	-2.880	0.542	29.2	81	7	6	-1.638	-0.055	30.1	79
4	27	-0.095	0.020	29.2	81	5	47	-3.489	0.606	29.2	81	7	7	-1.760	0.137	30.1	79
4	28	0.008	0.005	29.2	81	5	48	-3.335	0.690	29.2	81	7	8	-1.622	0.077	30.1	79
4	29	0.000	-0.001	29.1	81	5	49	-3.031	0.722	29.2	81	7	9	-1.262	0.093	30.0	79
4	30	-0.899	-0.023	28.9	82	5	50	-3.093	0.853	29.3	81	7	10	-1.506	0.016	30.0	80
4	31	-0.862	-0.003	28.8	82	5	51	-3.169	0.643	29.2	81	7	11	-2.265	0.043	29.9	80
4	32	-1.256	0.176	28.9	81	5	52	-2.722	0.829	29.2	81	7	12	-2.880	0.338	30.0	80
4	33	-1.762	0.196	28.9	81	5	53	-2.608	0.730	29.3	81	7	13	-3.127	0.319	30.0	80
4	34	-1.751	0.482	29.0	81	5	54	-2.485	0.976	29.3	81	7	14	-3.003	0.264	30.1	80
4	35	-1.648	0.348	29.1	81	5	55	-2.186	0.957	29.4	81	7	15	-3.142	0.203	30.1	81
4	36	-1.595	0.355	29.2	81	5	56	-2.400	1.194	29.4	80	7	16	-2.819	0.052	30.1	81
4	37	-1.871	0.266	29.1	81	5	57	-2.572	1.969	29.6	79	7	17	-3.269	0.050	30.1	80
4	38	-2.022	0.430	29.1	80	5	58	-2.157	0.556	29.8	78	7	18	-3.133	0.094	30.1	81
4	39	-2.041	0.198	29.1	80	5	59	-2.533	0.600	29.6	79	7	19	-3.809	0.025	30.1	81
4	40	-2.411	0.515	29.1	80	6	0	-2.525	1.046	29.6	78	7	20	-2.967	0.133	30.1	81
4	41	-2.699	0.510	29.2	80	6	1	-2.186	0.791	29.7	78	7	21	-3.622	0.338	30.2	81
4	42	-2.472	0.458	29.2	80	6	2	-2.620	0.982	29.7	78	7	22	-3.507	0.134	30.2	80
4	43	-2.469	0.432	29.1	80	6	3	-2.368	0.778	29.8	78	7	23	-2.959	0.070	30.2	80
4	44	-2.606	0.361	29.1	80	6	4	-3.011	0.587	29.7	78	7	24	-3.042	0.139	30.1	81
4	45	-2.775	0.580	29.1	80	6	5	-2.684	0.879	29.8	78	7	25	-3.113	0.176	30.2	81
4	46	-2.334	0.544	29.2	79	6	6	-2.976	1.106	29.8	77	7	26	-2.959	0.031	30.2	81
4	47	-2.137	0.806	29.3	79	6	7	-3.086	1.251	29.9	77	7	27	-2.882	0.041	30.2	81
4	48	-2.182	0.913	29.4	78	6	8	-3.424	0.784	29.8	77	7	28	-3.086	0.080	30.2	81
4	49	-2.220	0.660	29.4	78	6	9	-2.820	0.899	29.8	77	7	29	-3.036	0.077	30.2	81
4	50	-2.682	0.712	29.3	78	6	10	-3.037	0.734	29.9	77	7	30	-2.943	0.177	30.2	81
4	51	-1.982	1.037	29.5	77	6	11	-2.603	0.503	29.8	78	7	31	-3.088	0.209	30.2	81
4	52	-2.389	1.148	29.5	77	6	12	-2.885	1.029	29.8	78	7	32	-2.520	0.338	30.3	81
4	53	-2.419	1.157	29.7	76	6	13	-2.577	0.861	29.8	77	7	33	-2.104	0.335	30.3	81
4	54	-1.770	0.519	29.7	77	6	14	-2.674	1.050	29.8	78	7	34	-1.892	0.217	30.3	81
4	55	-2.189	0.480	29.6	77	6	15	-2.907	1.012	29.7	78	7	35	-1.950	0.313	30.3	81
4	56	-2.339	0.773	29.6	77	6	16	-2.974	1.007	29.7	78	7	36	-2.166	0.437	30.4	81
4	57	-2.611	0.409	29.5	77	6	17	-2.927	1.288	29.7	78	7	37	-1.904	0.396	30.4	80
4	58	-2.233	0.655	29.5	77	6	18	-3.097	1.003	29.7	78	7	38	-2.146	0.710	30.5	80
4	59	-2.615	0.550	29.5	77	6	19	-3.153	0.815	29.7	78	7	39	-1.805	0.315	30.5	80
5	0	-2.706	0.735	29.5	77	6	20	-3.113	0.707	29.7	78	7	40	-1.621	0.273	30.6	80
5	1	-2.817	0.784	29.5	77	6	21	-2.902	0.535	29.7	78	7	41	-2.158	0.145	30.5	80
5	2	-2.724	0.635	29.6	77	6	22	-2.966	0.766	29.7	78	7	42	-2.208	0.582	30.6	81
5	3	-2.443	0.845	29.5	77	6	23	-2.913	1.096	29.7	78	7	43	-2.350	0.371	30.6	81
5	4	-2.588	0.965	29.5	77	6	24	-3.042	0.736	29.8	78	7	44	-1.952	0.246	30.6	81
5	5	-2.508	0.812	29.6	77	6	25	-3.214	0.555	29.9	78	7	45	-1.895	0.308	30.7	81
5	6	-1.151	0.919	29.5	76	6	26	-3.289	0.540	29.8	78	7	46	-2.112	0.731	30.8	81
5	7	-3.182	0.858	29.6	76	6	27	-3.218	0.451	30.0	77	7	47	-2.583	0.915	30.8	81
5	8	-2.595	0.557	29.6	76	6	28	-2.224	0.146	30.0	77	7	48	-2.021	1.150	30.9	80



7	0	-3.565	0.259	31.0	81	9	19	-2.824	0.873	33.0	67
8	1	-2.555	0.309	31.0	81	9	20	-3.959	0.267	33.0	68
8	2	-2.196	0.205	31.0	81	9	21	-4.003	0.158	33.0	68
8	3	-2.057	0.213	31.0	81	9	22	-4.774	1.467	32.9	67
8	4	-2.327	0.103	31.0	81	9	23	-4.478	0.644	32.9	67
8	5	-2.706	0.054	31.0	81	9	24	-4.989	2.073	33.0	66
8	6	-2.697	0.086	31.1	81	9	25	-4.808	1.608	33.0	66
8	7	-2.929	0.164	31.1	81	9	26	-4.020	1.930	33.0	67
8	8	-3.041	0.290	31.1	81	9	27	-4.257	1.199	33.1	67
8	9	-3.431	0.196	31.1	80	9	28	-3.918	0.879	33.1	67
8	10	-2.568	0.076	31.1	81	9	29	-4.646	0.091	33.0	69
8	11	-2.495	0.774	31.2	81	9	30	-3.308	0.246	33.0	70
8	12	-2.502	0.947	31.2	81	9	31	-3.314	0.305	33.0	70
8	13	-3.239	0.571	31.2	80	9	32	-3.295	0.475	33.0	69
8	14	-2.133	1.121	31.2	81	9	33	-3.624	0.126	33.2	70
8	15	-2.102	0.459	31.3	80	9	34	-2.867	0.186	33.3	69
8	16	-2.830	0.431	31.2	80	9	35	-4.230	1.276	33.3	68
8	17	-3.377	0.444	31.2	80	9	36	-3.554	0.521	33.4	68
8	18	-1.297	1.450	31.2	80	9	37	-3.307	0.195	33.6	69
8	19	-2.455	1.165	31.3	79	9	38	-4.394	1.018	33.5	68
8	20	-2.849	1.422	31.4	79	9	39	-3.668	0.330	33.5	68
8	21	-2.622	0.697	31.5	78	9	40	-3.801	2.102	33.8	68
8	22	-3.654	1.446	31.4	78	9	41	-3.536	0.651	33.8	68
8	23	-3.246	1.388	31.5	77	9	42	-4.678	1.398	33.8	68
8	24	-2.709	0.691	31.6	76	9	43	-5.678	0.811	33.7	68
8	25	-4.152	0.997	31.6	75	9	44	-5.117	0.923	33.7	68
8	26	-4.073	2.904	31.6	75	9	45	-4.843	0.544	33.7	69
8	27	-3.483	2.954	31.6	74	9	46	-3.940	0.274	33.8	69
8	28	-2.436	2.638	31.7	74	9	47	-3.196	0.596	34.0	70
8	29	-1.531	1.991	31.8	73	9	48	-4.306	-0.236	33.9	70
8	30	-2.384	1.960	31.9	73	9	49	-4.184	-0.787	33.6	73
8	31	-3.124	1.620	31.8	74	9	50	-4.074	-0.465	33.4	74
8	32	-2.652	1.289	31.8	74	9	51	-4.195	0.264	33.2	74
8	33	-2.574	1.553	31.8	74	9	52	-3.619	0.003	33.3	74
8	34	-2.998	0.581	31.8	75	9	53	-4.327	-0.401	33.3	75
8	35	-3.703	1.738	31.8	74	9	54	-3.678	-0.542	33.0	76
8	36	-2.842	0.717	31.8	74	9	55	-5.437	-0.256	32.9	77
8	37	-3.284	1.029	31.8	74	9	56	-4.676	-0.106	32.8	77
8	38	-1.955	1.385	31.8	74	9	57	-4.677	0.093	32.7	77
8	39	-2.612	0.473	31.9	74	9	58	-4.344	0.662	32.8	77
8	40	-2.819	0.217	31.9	75	9	59	-4.091	-0.132	32.9	77
8	41	-2.118	0.360	31.9	75	10	0	-4.898	0.026	33.0	77
8	42	-3.335	0.379	31.9	75	10	1	-4.686	-0.074	32.8	77
8	43	-3.795	0.742	31.9	74	10	2	-5.409	-0.099	32.8	78
8	44	-3.690	0.257	31.9	74	10	3	-5.318	-0.036	32.7	78
8	45	-3.142	0.726	31.9	74	10	4	-5.817	0.781	32.8	77
8	46	-3.409	0.756	32.0	73	10	5	-4.250	0.130	32.8	77
8	47	-3.203	0.674	32.0	74	10	6	-5.461	-0.411	32.8	78
8	48	-2.592	0.047	31.9	74	10	7	-5.450	0.350	32.7	78
8	49	-2.877	0.089	32.0	74	10	8	-4.015	0.627	33.0	77
8	50	-2.329	0.143	32.0	74	10	9	-3.760	0.096	33.1	77
8	51	-2.974	-0.157	32.0	74	10	10	-5.991	0.105	33.1	77
8	52	-4.176	0.365	32.0	73	10	11	-5.909	0.167	33.0	77
8	53	-3.961	0.392	32.1	73	10	12	-6.787	0.262	33.0	76
8	54	-4.172	0.557	32.1	73	10	13	-5.614	0.107	33.0	76
8	55	-3.897	1.864	32.1	72	10	14	-6.974	0.636	33.0	77
8	56	-3.643	1.403	32.2	72	10	15	-5.276	0.325	32.9	77
8	57	-4.137	1.138	32.2	71	10	16	-5.297	0.067	32.9	77
8	58	-3.909	1.137	32.2	71						
8	59	-4.180	1.543	32.3	71						
9	0	-3.301	0.536	32.3	71						
9	1	-3.513	0.568	32.4	71						
9	2	-3.532	2.874	32.5	69						
9	3	-3.571	1.175	32.6	69						
9	4	-4.749	1.851	32.6	69						
9	5	-3.115	1.460	32.7	69						
9	6	-4.268	1.049	32.7	68						
9	7	-4.147	0.709	32.8	68						
9	8	-4.459	2.679	32.7	68						



R M YOUNG 26700 SERIES
DATA TRANSLATOR/RECORDER

Time U V TEMP RH
hh mm m/s m/s BC %

02/08/95

Table with 12 columns: Time (hh mm), U (m/s), V (m/s), TEMP (BC), RH (%). The table contains three columns of data, each with 24 rows. The first column starts at 16:00 and ends at 19:19. The second column starts at 17:20 and ends at 18:39. The third column starts at 18:40 and ends at 19:59.



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

20	0	-3.069	-2.175	30.2	82	21	20	-1.376	-0.010	29.9	85	22	40	0.000	0.000	29.7	89
20	1	-3.222	-1.281	30.2	81	21	21	-1.447	0.064	29.9	85	22	41	0.000	0.000	29.7	89
20	2	-2.725	-1.329	30.3	81	21	22	-1.358	0.081	29.9	85	22	42	0.000	0.000	29.7	88
20	3	-3.036	-1.681	30.2	82	21	23	-1.480	0.136	29.9	85	22	43	0.000	0.000	29.7	89
20	4	-3.171	-1.171	30.1	82	21	24	-1.338	0.055	29.9	85	22	44	0.000	0.000	29.6	89
20	5	-3.059	-0.977	30.1	82	21	25	-0.770	0.246	30.0	86	22	45	0.000	0.000	29.5	89
20	6	-2.681	-0.733	30.1	82	21	26	-0.190	0.393	30.0	86	22	46	0.000	0.000	29.5	89
20	7	-2.599	-1.476	30.0	82	21	27	-1.090	0.330	30.0	86	22	47	0.000	-0.779	29.4	90
20	8	-2.673	-1.202	30.1	82	21	28	-1.681	0.223	29.9	86	22	48	0.001	-1.188	29.4	90
20	9	-2.504	-1.100	30.2	82	21	29	-2.141	0.359	29.8	86	22	49	-0.078	-0.987	29.3	90
20	10	-1.997	-1.473	30.1	82	21	30	-2.315	0.075	29.8	87	22	50	-0.006	-0.871	29.3	90
20	11	-1.943	-0.969	30.1	82	21	31	-2.459	0.014	29.7	87	22	51	0.064	-0.322	29.2	91
20	12	-2.536	-1.623	30.1	82	21	32	-2.770	0.005	29.7	87	22	52	0.132	-0.555	29.2	91
20	13	-2.297	-0.915	30.1	82	21	33	-2.558	0.134	29.8	87	22	53	0.000	0.000	29.2	91
20	14	-3.773	-1.024	30.2	82	21	34	-2.163	-0.067	29.8	87	22	54	0.007	-0.423	29.3	91
20	15	-3.185	-1.295	30.2	82	21	35	-2.044	-0.285	29.7	87	22	55	0.022	-0.708	29.3	90
20	16	-3.272	-2.442	30.2	82	21	36	-1.870	-0.438	29.7	88	22	56	0.000	-0.701	29.3	90
20	17	-3.668	-1.905	30.3	82	21	37	-1.600	-0.519	29.6	88	22	57	0.000	-0.731	29.3	90
20	18	-3.075	-1.350	30.3	82	21	38	-1.757	-0.946	29.6	88	22	58	-0.152	-0.735	29.3	90
20	19	-3.248	-1.328	30.3	82	21	39	-1.709	-0.312	29.6	88	22	59	-0.078	-0.718	29.3	90
20	20	-2.485	-1.419	30.2	82	21	40	-1.428	-0.261	29.6	88	23	0	-0.027	-1.035	29.3	90
20	21	-2.440	-0.863	30.2	82	21	41	-1.715	-0.339	29.6	88	23	1	-0.064	-1.496	29.2	90
20	22	-2.811	-1.747	30.2	82	21	42	-1.491	-0.185	29.6	88	23	2	-0.055	-1.607	29.1	90
20	23	-2.857	-0.997	30.2	83	21	43	-1.386	-0.006	29.6	88	23	3	-0.178	-1.567	29.0	91
20	24	-4.021	-0.888	30.2	83	21	44	-1.551	-0.002	29.6	88	23	4	-0.413	-1.265	29.0	91
20	25	-3.214	-1.426	30.2	83	21	45	-1.714	-0.016	29.6	88	23	5	-0.171	-0.867	29.0	91
20	26	-2.772	-1.144	30.2	83	21	46	-1.530	-0.237	29.6	88	23	6	-0.220	-1.157	28.9	91
20	27	-2.468	-0.902	30.1	83	21	47	-1.531	-0.163	29.6	88	23	7	-0.125	-0.932	28.9	91
20	28	-2.806	-0.966	30.1	83	21	48	-1.534	-0.131	29.6	88	23	8	-0.136	-0.729	28.9	91
20	29	-3.042	-0.887	30.1	83	21	49	-1.454	-0.334	29.6	88	23	9	-0.526	-0.209	28.9	91
20	30	-2.550	-1.083	30.1	83	21	50	-1.374	-0.265	29.6	88	23	10	-0.655	-0.009	29.0	91
20	31	-2.695	-0.814	30.0	83	21	51	-1.250	-0.118	29.6	88	23	11	-0.692	0.001	29.0	92
20	32	-2.618	-1.012	30.0	83	21	52	-1.081	-0.193	29.6	88	23	12	-1.346	-0.040	28.9	92
20	33	-3.019	-1.373	30.1	83	21	53	-0.883	-0.131	29.6	88	23	13	-1.658	-0.322	28.8	92
20	34	-3.287	-1.130	30.1	83	21	54	-1.099	0.000	29.7	88	23	14	-1.658	-0.983	28.8	93
20	35	-3.213	-1.135	30.1	83	21	55	-0.871	-0.338	29.7	88	23	15	-1.499	-1.248	28.7	93
20	36	-3.861	-2.202	30.2	83	21	56	-0.982	-0.569	29.7	88	23	16	-0.858	-1.273	28.7	93
20	37	-4.026	-2.059	30.3	82	21	57	-0.775	-0.360	29.7	88	23	17	-0.786	-0.977	28.7	94
20	38	-4.301	-1.609	30.3	82	21	58	-0.453	-0.454	29.7	88	23	18	-0.452	-0.523	28.7	94
20	39	-3.550	-1.566	30.3	82	21	59	-0.362	-0.389	29.7	88	23	19	-0.142	-0.470	28.7	94
20	40	-3.713	-1.282	30.3	82	22	0	-0.773	-0.062	29.8	88	23	20	0.000	-0.032	28.7	94
20	41	-3.255	-1.352	30.2	83	22	1	-0.752	0.000	29.8	87	23	21	0.000	0.000	28.7	94
20	42	-2.710	-1.146	30.1	83	22	2	-0.340	-0.001	29.8	87	23	22	0.000	0.000	28.8	94
20	43	-2.914	-1.018	30.1	83	22	3	-0.226	-0.001	29.9	87	23	23	0.000	0.000	28.8	93
20	44	-2.159	-0.607	30.1	83	22	4	-0.445	-0.081	29.9	87	23	24	0.540	0.000	28.8	93
20	45	-2.289	-0.831	30.1	83	22	5	-0.282	-0.281	29.9	87	23	25	1.045	0.000	28.7	92
20	46	-2.267	-0.659	30.0	83	22	6	-0.048	-0.009	29.9	87	23	26	0.856	0.000	28.7	93
20	47	-2.462	-0.542	30.0	84	22	7	0.000	0.000	29.8	87	23	27	0.791	0.000	28.7	93
20	48	-2.766	-0.508	30.0	84	22	8	0.000	-0.543	29.8	87	23	28	0.719	0.000	28.8	93
20	49	-2.159	-0.538	30.1	83	22	9	-0.001	-0.728	29.8	87	23	29	0.627	0.000	28.7	93
20	50	-2.319	-0.367	30.0	83	22	10	0.000	-0.659	29.8	87	23	30	0.377	0.000	28.7	92
20	51	-2.730	-0.560	30.0	83	22	11	0.025	-0.710	29.8	87	23	31	0.178	0.000	28.7	92
20	52	-2.558	-0.494	30.1	83	22	12	0.000	-0.431	29.8	86	23	32	0.454	0.000	28.8	92
20	53	-2.455	-0.212	30.1	83	22	13	0.000	-0.098	29.9	86	23	33	0.683	0.000	28.8	91
20	54	-2.368	-0.350	30.1	83	22	14	0.019	-0.088	29.9	86	23	34	0.380	0.000	28.8	92
20	55	-2.523	-0.359	30.0	83	22	15	0.002	-0.010	29.9	85	23	35	0.172	0.000	28.8	91
20	56	-2.203	-0.309	30.1	83	22	16	0.003	-0.250	30.0	84	23	36	0.000	0.000	28.9	92
20	57	-2.461	-0.012	30.0	84	22	17	0.147	-0.287	30.0	84	23	37	0.000	0.000	28.9	92
20	58	-2.083	-0.245	30.1	83	22	18	0.353	-0.115	30.0	84	23	38	0.000	0.000	29.0	92
20	59	-2.565	-0.373	30.1	83	22	19	0.000	0.000	30.0	85	23	39	-0.001	0.318	29.0	92
21	0	-2.106	-0.217	30.1	83	22	20	0.149	0.000	30.0	86	23	40	0.546	0.735	29.0	92
21	1	-1.638	-0.082	30.1	83	22	21	0.605	0.010	29.9	88	23	41	1.242	0.672	28.9	92
21	2	-2.143	-0.211	30.0	84	22	22	0.976	0.039	29.7	88	23	42	1.463	1.124	28.8	92
21	3	-2.495	-0.367	30.1	83	22	23	0.938	0.000	29.5	89	23	43	1.771	0.791	28.7	93
21	4	-2.635	-0.548	30.1	83	22	24	0.877	0.000	29.5	89	23	44	1.022	0.357	28.7	93
21	5	-2.152	-0.448	30.0	84	22	25	0.735	0.000	29.5	89	23	45	0.015	0.000	28.7	93
21	6	-1.936	-0.414	29.9	84	22	26	0.553	0.000	29.5	90	23	46	-0.908	0.019	28.7	93
21	7	-1.875	-0.684	29.9	84	22	27	0.041	0.000	29.5	89	23	47	-0.984	0.255	28.6	93
21	8	-1.983	-0.535	29.9	84	22	28	0.241	0.000	29.6	88	23	48	0.041	1.067	28.6	93
21	9	-2.118	-0.590	29.9	85	22	29	0.000	0.000	29.7	89	23	49	0.478	0.625	28.6	92
21	10	-2.003	-0.596	29.8	85	22	30	0.116	0.000	29.8	89	23	50	0.647	0.040	28.6	91
21	11	-2.116	-0.589	29.8	85	22	31	-0.002	0.000	29.7	89	23	51	0.735	-0.054	28.6	91
21	12	-1.825	-0.801	29.8	85	22	32	0.000	0.000	29.7	90	23	52	-0.701	-1.895	28.6	92
21	13	-1.855	-1.112	29.9	85	22	33	0.000	0.000	29.7	90	23	53	-3.056	-2.479	28.5	93
21	14	-1.898	-0.805	29.9	85	22	34	0.000	0.000	29.6	90	23	54	-2.727	-2.170	28.4	94
21	15	-1.758	-0.287	30.0	85	22	35	0.000	0.000	29.6	90	23	55	-2.267	-1.623	28.3	93
21	16	-1.918	-0.238	29.9	84	22	36	0.000	0.000	29.6	90	23	56	-2.481	-2.569	28.3	93
21	17	-2.174	-0.313	30.0	84	22	37	0.000	0.000	29.6	90	23	57	-2.843	-2.184	28.3	93
21	18	-1.773	-0.132	30.0	84	22	38	0.000	0.000	29.6	90	23	58	-2.751	-1.856	28.3	92
21	19	-1.772	-0.079	30.0													



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

03/08/95

0	0	-3.406	-2.733	28.3	91	1	17	0.003	0.918	27.5	90	2	37	1.913	0.000	26.7	95
0	1	-3.150	-1.426	28.3	91	1	18	-0.001	0.912	27.5	90	2	38	1.926	0.000	26.6	95
0	2	-2.491	-0.828	28.2	91	1	19	0.000	0.859	27.5	90	2	39	2.067	0.003	26.7	96
0	3	-2.142	-0.507	28.2	91	1	20	-0.000	0.643	27.5	90	2	40	2.156	0.000	26.6	96
0	4	-2.226	-1.443	28.1	90	1	21	0.000	0.298	27.5	90	2	41	2.222	-0.004	26.6	96
0	5	-1.830	-1.515	28.2	90	1	22	0.000	0.097	27.4	90	2	42	2.287	-0.004	26.5	96
0	6	-1.726	-1.525	28.1	90	1	23	0.000	0.000	27.3	90	2	43	2.184	-0.002	26.6	96
0	7	-1.530	-1.937	28.1	90	1	24	0.000	0.000	27.3	91	2	44	2.013	0.001	26.5	96
0	8	-1.819	-2.383	28.0	89	1	25	0.000	0.000	27.3	91	2	45	2.203	0.009	26.5	96
0	9	-1.244	-2.136	28.0	89	1	26	0.000	0.000	27.3	91	2	46	1.781	-0.007	26.6	96
0	10	-1.233	-2.801	27.9	89	1	27	0.000	0.000	27.3	91	2	47	1.883	-0.003	26.5	96
0	11	-0.875	-2.736	27.8	89	1	28	0.000	0.000	27.3	91	2	48	1.660	-0.002	26.5	96
0	12	-0.831	-3.197	27.6	89	1	29	0.000	0.000	27.4	92	2	49	1.400	0.000	26.6	96
0	13	-0.866	-2.824	27.6	89	1	30	0.000	0.000	27.3	92	2	50	1.235	0.001	26.6	96
0	14	-0.832	-2.661	27.5	89	1	31	-0.000	0.148	27.4	91	2	51	1.116	0.000	26.6	96
0	15	-0.829	-1.987	27.5	90	1	32	-0.000	0.132	27.4	91	2	52	1.207	0.000	26.6	95
0	16	-0.716	-1.537	27.5	90	1	33	0.000	0.000	27.4	91	2	53	0.837	0.000	26.6	95
0	17	-0.728	-1.576	27.5	90	1	34	0.000	0.000	27.4	91	2	54	0.158	0.000	26.7	96
0	18	-1.139	-1.735	27.4	89	1	35	0.000	0.000	27.4	91	2	55	0.375	0.000	26.8	96
0	19	-0.970	-1.375	27.5	89	1	36	-0.000	0.000	27.4	90	2	56	0.236	0.000	26.8	96
0	20	-1.057	-1.404	27.5	88	1	37	0.000	0.000	27.3	90	2	57	0.000	0.000	26.8	95
0	21	-0.857	-1.483	27.6	87	1	38	0.000	0.000	27.4	90	2	58	0.000	0.000	26.8	95
0	22	-0.286	-0.640	27.6	88	1	39	0.000	0.000	27.4	90	2	59	0.000	0.000	26.7	95
0	23	0.108	-1.103	27.6	88	1	40	0.000	0.000	27.3	90	3	0	0.000	0.000	26.8	95
0	24	0.390	-0.871	27.6	88	1	41	0.000	0.000	27.3	90	3	1	0.000	0.000	26.8	95
0	25	0.495	-0.850	27.5	88	1	42	0.000	0.000	27.4	91	3	2	0.939	0.001	26.8	95
0	26	0.838	-0.761	27.5	88	1	43	0.002	0.000	27.3	91	3	3	1.722	0.000	26.7	95
0	27	1.446	-0.664	27.5	88	1	44	0.000	0.000	27.3	91	3	4	0.930	0.000	26.7	95
0	28	1.342	-0.668	27.5	89	1	45	0.000	0.000	27.4	91	3	5	1.408	0.000	26.8	95
0	29	0.928	-0.910	27.4	89	1	46	0.000	0.000	27.3	91	3	6	1.678	-0.003	26.8	95
0	30	0.614	-0.901	27.5	87	1	47	0.000	0.000	27.3	91	3	7	1.642	0.000	26.7	95
0	31	1.211	-1.592	27.5	87	1	48	0.000	0.000	27.3	91	3	8	1.182	0.000	26.7	95
0	32	1.160	-1.504	27.6	87	1	49	0.000	0.000	27.3	91	3	9	1.228	-0.003	26.7	95
0	33	0.847	-1.213	27.6	87	1	50	0.000	0.000	27.3	92	3	10	0.941	0.000	26.8	96
0	34	0.095	-1.277	27.6	87	1	51	0.000	0.000	27.2	92	3	11	1.167	0.000	26.7	95
0	35	0.396	-1.350	27.6	86	1	52	0.000	0.000	27.2	92	3	12	1.540	-0.003	26.7	95
0	36	0.012	-1.294	27.6	88	1	53	0.000	0.000	27.1	92	3	13	0.998	0.000	26.8	96
0	37	0.001	-0.947	27.5	88	1	54	-0.007	0.000	27.1	92	3	14	0.924	0.000	26.7	96
0	38	0.114	-0.788	27.5	88	1	55	-0.503	0.000	27.0	92	3	15	1.071	0.000	26.8	96
0	39	-0.003	-0.764	27.5	88	1	56	-1.205	0.000	27.0	93	3	16	0.904	0.000	26.8	96
0	40	0.000	-0.704	27.5	88	2	57	-0.922	0.000	27.0	93	3	17	0.376	0.000	26.9	96
0	41	0.000	-0.698	27.5	88	1	58	-0.564	0.000	27.0	93	3	18	0.237	0.000	26.9	96
0	42	0.000	-0.752	27.4	87	2	59	-0.069	0.000	27.1	93	3	19	0.000	0.047	26.9	96
0	43	0.000	-0.341	27.5	87	2	0	-0.006	0.000	27.2	93	3	20	0.039	0.000	26.9	96
0	44	0.000	0.000	27.5	87	2	1	-1.539	-0.005	27.1	93	3	21	1.188	0.000	26.8	95
0	45	-0.000	0.000	27.5	87	2	2	-2.433	-0.269	27.0	93	3	22	1.088	0.000	26.8	95
0	46	0.000	0.040	27.6	87	2	3	-2.295	-0.014	26.9	93	3	23	1.006	0.000	26.7	95
0	47	0.000	0.000	27.6	87	2	4	-2.221	-0.049	26.9	94	3	24	1.102	0.000	26.8	96
0	48	0.000	0.000	27.5	87	2	5	-1.720	-0.010	26.9	94	3	25	0.900	0.000	26.8	95
0	49	0.133	0.000	27.5	87	2	6	-1.075	0.011	26.9	94	3	26	0.961	0.000	26.7	95
0	50	0.233	0.000	27.5	87	2	7	-1.471	0.027	27.0	94	3	27	0.679	0.000	26.8	96
0	51	0.136	0.000	27.5	86	2	8	-2.755	-0.261	26.9	94	3	28	0.551	0.000	26.9	96
0	52	0.119	0.000	27.5	85	2	9	-2.931	-0.164	26.9	94	3	29	0.550	0.006	26.9	96
0	53	0.000	0.000	27.4	86	2	10	-2.233	0.030	26.8	94	3	30	0.458	1.039	26.9	96
0	54	0.000	0.000	27.4	86	2	11	-1.853	0.380	26.8	94	3	31	0.000	0.952	27.0	96
0	55	0.364	-0.070	27.4	88	2	12	-1.898	0.819	26.8	94	3	32	0.000	0.709	26.9	96
0	56	1.204	-0.264	27.2	90	2	13	-1.440	0.230	26.8	95	3	33	0.000	0.684	27.0	96
0	57	1.470	-0.200	27.1	90	2	14	-1.569	0.117	26.7	95	3	34	0.000	0.359	27.0	95
0	58	1.783	-0.060	27.0	90	2	15	-1.790	0.197	26.7	95	3	35	0.000	0.000	27.0	95
0	59	1.607	0.000	27.0	90	2	16	-1.394	0.341	26.6	95	3	36	0.000	0.000	27.0	95
1	0	1.495	0.105	27.1	91	2	17	-1.001	0.501	26.7	95	3	37	0.000	0.000	27.0	95
1	1	1.254	0.346	27.1	92	2	18	-1.695	0.149	26.6	95	3	38	-0.001	0.000	27.1	95
1	2	1.149	0.481	27.2	92	2	19	-1.344	-0.216	26.6	95	3	39	0.000	0.000	27.0	95
1	3	0.940	0.552	27.2	91	2	20	-1.514	-0.453	26.5	95	3	40	0.000	0.157	27.0	95
1	4	1.300	0.903	27.1	90	2	21	-1.629	-0.563	26.5	95	3	41	0.000	1.003	27.1	95
1	5	1.067	1.194	27.2	91	2	22	-1.157	-0.250	26.5	95	3	42	0.000	0.735	27.0	95
1	6	1.124	1.443	27.3	92	2	23	-0.831	-0.000	26.5	95	3	43	0.000	0.907	27.0	95
1	7	1.079	1.713	27.3	92	2	24	-0.594	0.000	26.5	96	3	44	0.000	0.707	27.1	95
1	8	0.621	1.639	27.2	91	2	25	0.000	0.056	26.6	96	3	45	0.000	0.274	27.1	95
1	9	0.394	1.328	27.3	92	2	26	0.000	0.232	26.7	96	3	46	0.000	0.220	27.1	95
1	10	0.599	1.410	27.3	91	2	27	0.000	0.000	26.7	96	3	47	0.000	0.475	27.1	95
1	11	0.333	1.400	27.3	91	2	28	0.000	0.000	26.7	96	3	48	-0.455	1.008	27.1	95
1	12	0.467	1.297	27.3	91	2	29	0.131	0.000	26.7	95	3	49	-0.289	0.975	27.0	95
1	13	0.318	0.967	27.3	91	2	30	0.000	0.000	26.8	95	3	50	0.000	0.825	27.0	95
1	14	0.639	0.929	27.3	90	2	31	0.000	0.000	26.7	95	3	51	0.000	0.886	27.0	95
1	15	0.598	1.088	27.4	90	2	32	0.529	0.000	26.8	95	3	52	-0.001	0.980	27.0	95
1	16	0.413	1.011	27.4	90	2	33	1.435	0.000	26.8	95	3	53	0.000	0.749	27.1	95
						2	34	1.424	0.000	26.7	95	3	54	0.000	0.108	27.1	95
						2	35	1.616	0.048	26.8	96	3	55	0.000	0.000	27.1	95
						2	36	1.857	0.001	26.7	95	3	56	0.000	0.000	27.0	95



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

3	57	-0.000	0.382	27.0	95	5	17	0.000	0.000	27.3	94	6	37	1.079	-0.546	27.3	93
3	58	0.000	0.000	27.0	95	5	18	0.000	0.000	27.3	94	6	38	0.327	-0.452	27.4	93
3	59	0.000	0.000	26.9	95	5	19	0.000	0.000	27.3	94	6	39	0.000	-0.895	27.4	93
4	0	0.000	0.808	27.0	95	5	20	0.000	0.000	27.4	94	6	40	0.250	-1.358	27.5	93
4	1	-0.011	1.676	27.0	95	5	21	0.000	0.000	27.3	94	6	41	0.000	-1.260	27.5	93
4	2	0.000	1.663	27.0	95	5	22	0.000	0.613	27.3	94	6	42	0.000	-1.235	27.5	92
4	3	0.000	0.983	26.9	95	5	23	0.000	0.936	27.3	94	6	43	0.752	-0.878	27.6	91
4	4	0.000	0.420	27.0	96	5	24	0.000	0.696	27.3	94	6	44	1.146	-0.370	27.7	92
4	5	0.000	0.000	27.0	96	5	25	0.000	0.000	27.3	95	6	45	1.635	-0.721	27.6	91
4	6	0.000	0.000	26.9	96	5	26	0.000	-0.000	27.2	95	6	46	1.884	-1.095	27.6	92
4	7	0.000	0.000	26.8	96	5	27	0.000	-0.000	27.1	95	6	47	1.732	-1.123	27.6	91
4	8	-0.000	0.000	26.9	96	5	28	0.000	-0.001	27.2	95	6	48	1.376	-1.396	27.7	90
4	9	0.000	0.000	27.0	96	5	29	0.000	-0.553	27.2	95	6	49	1.461	-0.907	27.7	90
4	10	0.000	0.000	27.0	96	5	30	0.001	-0.409	27.2	95	6	50	1.991	-1.400	27.7	90
4	11	0.000	0.000	27.0	96	5	31	0.003	-1.410	27.2	95	6	51	1.645	-1.042	27.7	91
4	12	0.000	-0.003	27.0	96	5	32	-0.000	-1.298	27.3	95	6	52	1.734	-1.275	27.6	91
4	13	0.000	0.000	26.9	96	5	33	0.000	-1.037	27.2	95	6	53	1.414	-1.138	27.5	92
4	14	0.000	0.000	26.9	96	5	34	0.000	-1.360	27.2	95	6	54	1.069	-0.975	27.5	92
4	15	0.000	-0.215	26.9	96	5	35	0.001	-0.732	27.2	95	6	55	0.710	-0.218	27.5	92
4	16	0.662	-1.166	26.8	96	5	36	0.014	-1.480	27.2	95	6	56	0.680	-0.366	27.5	92
4	17	0.920	-0.320	26.8	96	5	37	0.005	-1.279	27.3	95	6	57	0.000	-0.851	27.5	92
4	18	2.095	-0.033	26.8	96	5	38	0.077	-1.451	27.3	94	6	58	0.000	-0.005	27.5	92
4	19	1.585	0.000	26.8	96	5	39	-0.002	-1.892	27.3	94	6	59	0.135	0.000	27.5	92
4	20	1.485	0.000	26.9	96	5	40	0.006	-1.732	27.3	94	7	0	1.305	-0.404	27.4	92
4	21	1.490	0.000	26.9	96	5	41	0.089	-1.769	27.3	94	7	1	1.099	-0.404	27.4	92
4	22	1.026	-0.244	26.9	96	5	42	0.117	-1.819	27.3	94	7	2	1.169	-0.435	27.5	93
4	23	0.780	-0.253	27.1	97	5	43	0.148	-2.116	27.3	94	7	3	1.389	-0.565	27.5	93
4	24	-0.001	0.014	27.1	96	5	44	0.067	-1.555	27.3	94	7	4	1.610	-0.798	27.4	93
4	25	0.971	0.666	27.1	96	5	45	0.001	-1.527	27.3	94	7	5	1.585	-0.466	27.4	93
4	26	1.022	0.348	27.0	96	5	46	-0.031	-0.844	27.3	94	7	6	1.176	-0.191	27.4	93
4	27	0.280	0.058	27.1	96	5	47	0.014	-1.563	27.4	94	7	7	1.359	-0.074	27.5	93
4	28	0.000	0.000	27.1	96	5	48	0.038	-1.660	27.3	94	7	8	0.502	-0.038	27.4	93
4	29	0.000	0.000	27.1	96	5	49	0.000	-1.032	27.4	94	7	9	0.000	-0.060	27.5	94
4	30	0.000	0.000	27.0	96	5	50	0.000	-1.036	27.4	93	7	10	0.000	-0.056	27.4	93
4	31	0.000	0.000	27.0	96	5	51	0.000	-0.707	27.4	93	7	11	0.000	-0.039	27.4	93
4	32	0.000	0.000	26.9	96	5	52	-0.003	-1.394	27.4	93	7	12	0.283	0.001	27.4	93
4	33	0.000	0.003	26.9	96	5	53	-0.000	-1.217	27.4	93	7	13	1.089	0.000	27.4	93
4	34	0.828	0.000	26.9	96	5	54	-0.001	-1.078	27.4	93	7	14	1.129	-0.009	27.3	93
4	35	1.808	0.000	26.8	96	5	55	0.001	-1.003	27.4	93	7	15	1.281	0.003	27.3	93
4	36	1.602	0.000	26.9	96	5	56	-0.026	-1.502	27.4	93	7	16	1.175	0.002	27.3	94
4	37	1.536	0.000	26.9	96	5	57	0.072	-1.327	27.4	93	7	17	0.993	0.045	27.4	94
4	38	1.335	0.000	26.9	96	5	58	0.000	-1.076	27.4	93	7	18	1.226	0.000	27.4	93
4	39	1.519	0.000	26.9	96	5	59	-0.000	-0.226	27.4	93	7	19	1.068	0.000	27.5	93
4	40	1.652	0.000	27.0	96	6	0	0.001	-0.502	27.4	93	7	20	1.029	0.000	27.5	94
4	41	1.600	0.000	27.0	96	6	1	0.009	-0.229	27.5	93	7	21	0.376	0.000	27.5	93
4	42	1.373	0.000	27.0	96	6	2	0.003	-0.001	27.5	93	7	22	0.687	0.077	27.4	93
4	43	1.347	0.000	27.0	96	6	3	0.110	0.000	27.5	93	7	23	1.436	0.106	27.4	93
4	44	1.339	0.000	27.0	96	6	4	0.267	0.000	27.5	92	7	24	0.972	0.000	27.4	93
4	45	1.162	0.000	27.0	96	6	5	1.140	0.000	27.5	92	7	25	1.415	0.336	27.4	93
4	46	1.033	-0.098	27.0	96	6	6	1.171	0.000	27.5	93	7	26	1.764	0.641	27.4	93
4	47	1.654	-0.655	27.0	96	6	7	1.269	0.000	27.4	93	7	27	1.439	0.596	27.4	94
4	48	1.880	-0.774	27.0	96	6	8	0.982	0.000	27.4	94	7	28	1.374	0.813	27.4	94
4	49	1.437	-0.699	27.0	96	6	9	0.825	0.000	27.4	94	7	29	1.260	0.773	27.3	94
4	50	1.368	-0.357	27.0	95	6	10	0.851	0.000	27.4	94	7	30	1.519	1.089	27.3	94
4	51	1.062	-0.521	27.0	95	6	11	0.764	0.000	27.4	94	7	31	1.298	1.290	27.3	93
4	52	0.935	-0.377	27.1	95	6	12	1.027	0.001	27.5	94	7	32	0.889	1.126	27.4	94
4	53	0.173	-0.847	27.1	95	6	13	1.205	0.000	27.4	94	7	33	0.876	1.092	27.5	94
4	54	0.061	-0.136	27.2	95	6	14	1.298	0.000	27.4	94	7	34	0.978	0.991	27.5	94
4	55	0.000	0.000	27.2	95	6	15	1.165	0.000	27.4	94	7	35	1.064	1.178	27.5	93
4	56	0.000	0.000	27.2	95	6	16	0.922	0.000	27.4	94	7	36	0.995	1.207	27.4	93
4	57	0.000	0.000	27.2	95	6	17	0.501	0.000	27.4	94	7	37	1.149	1.125	27.4	93
4	58	0.000	0.000	27.3	94	6	18	0.797	0.000	27.5	94	7	38	0.220	0.896	27.4	94
4	59	0.000	0.000	27.3	94	6	19	1.534	0.000	27.4	94	7	39	0.368	0.980	27.5	94
5	0	0.000	0.000	27.3	94	6	20	1.431	0.000	27.4	93	7	40	1.249	1.412	27.5	93
5	1	0.000	0.000	27.3	94	6	21	1.030	0.000	27.4	93	7	41	1.416	1.346	27.5	93
5	2	0.000	0.000	27.3	94	6	22	0.994	0.000	27.5	93	7	42	0.957	0.882	27.5	93
5	3	0.000	0.000	27.3	94	6	23	1.138	0.000	27.4	93	7	43	1.260	1.066	27.5	93
5	4	0.000	-0.085	27.3	94	6	24	1.203	0.000	27.4	93	7	44	1.409	1.159	27.5	93
5	5	0.000	0.000	27.3	94	6	25	0.982	0.000	27.5	93	7	45	1.038	0.796	27.4	93
5	6	0.000	-0.000	27.3	94	6	26	0.936	0.003	27.5	94	7	46	0.718	0.201	27.5	93
5	7	0.000	-0.068	27.3	95	6	27	1.072	0.019	27.5	93	7	47	0.019	0.427	27.4	93
5	8	0.000	0.000	27.4	94	6	28	1.295	0.000	27.5	93	7	48	0.000	0.020	27.4	93
5	9	0.000	0.000	27.4	94	6	29	1.209	0.000	27.5	94	7	49	0.202	0.000	27.4	93
5	10	0.000	0.000	27.4	94	6	30	1.129	0.000	27.5	93	7	50	0.183	0.000	27.4	93
5	11	0.000	0.000	27.5	94	6	31	0.738	0.000	27.4	93	7	51	0.443	0.000	27.4	93
5	12	0.000	0.000	27.4	94	6	32	0.434	-0.044	27.4	93	7	52	0.052	0.000	27.4	93
5	13	0.000	0.000	27.4	94	6	33	1.072	-0.222	27.4	93	7	53	0.000	0.000	27.5	93
5	14	0.000	0.000	27.4	94	6	34	0.641	0.000	27.4	93	7	54	0.490	0.000	27.5	94
5	15	0.000	0.000	27.4	94	6	35	0.892	0.000	27.4	93	7	55	0.960	0.000	27.5	93
5	16	0.000	0.000	27.4	94	6	36	1.226	-0.406	27.4	93	7	56	1.273	0.000	27.4	93



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

7	57	1.274	0.000	27.4	93	9	17	1.597	1.837	27.0	96	10	37	1.562	-0.001	26.4	97
7	58	1.434	0.000	27.4	93	9	18	1.731	2.088	27.0	96	10	38	1.339	-0.175	26.4	96
7	59	1.277	0.000	27.5	93	9	19	2.420	1.280	26.9	96	10	39	1.413	-0.003	26.4	96
8	0	1.523	0.000	27.4	93	9	20	1.780	2.251	26.9	96	10	40	1.204	-0.188	26.5	97
8	1	1.523	0.000	27.4	93	9	21	3.010	2.516	26.8	96	10	41	2.163	-1.187	26.4	96
8	2	1.605	0.000	27.4	93	9	22	3.260	0.797	26.8	96	10	42	1.748	-0.993	26.4	96
8	3	1.761	-0.002	27.4	93	9	23	2.992	-0.018	26.7	96	10	43	1.585	-0.596	26.4	96
8	4	1.315	0.002	27.4	93	9	24	2.835	-0.113	26.7	96	10	44	1.503	-0.528	26.4	96
8	5	1.344	0.032	27.4	94	9	25	2.280	-0.539	26.7	96	10	45	1.397	-0.014	26.4	96
8	6	1.604	0.108	27.4	93	9	26	1.959	-1.377	26.8	96	10	46	2.325	-0.199	26.4	96
8	7	1.239	0.001	27.4	93	9	27	2.326	-0.513	26.7	96	10	47	1.919	-0.244	26.4	96
8	8	1.431	0.005	27.4	93	9	28	2.546	-0.266	26.7	96	10	48	1.065	-0.130	26.5	96
8	9	1.542	0.000	27.3	93	9	29	2.834	-0.219	26.6	96	10	49	1.131	0.000	26.5	96
8	10	1.388	0.000	27.3	94	9	30	2.406	-0.047	26.6	96	10	50	1.519	0.002	26.7	96
8	11	1.734	0.005	27.3	94	9	31	2.255	0.043	26.6	96	10	51	1.232	0.687	26.6	96
8	12	1.176	0.002	27.3	94	9	32	1.669	0.005	26.7	97	10	52	1.526	0.691	26.6	96
8	13	0.997	0.000	27.4	94	9	33	1.574	0.015	26.7	97	10	53	1.118	0.794	26.6	96
8	14	0.952	-0.000	27.3	94	9	34	1.706	0.013	26.8	97	10	54	1.268	0.768	26.7	96
8	15	1.354	-0.028	27.3	94	9	35	1.195	-0.108	26.6	96	10	55	1.100	0.205	26.7	96
8	16	1.321	0.000	27.2	94	9	36	0.579	-0.027	26.7	97	10	56	1.329	0.640	26.7	96
8	17	1.410	0.000	27.2	94	9	37	1.308	-0.002	26.7	97	10	57	1.029	0.541	26.7	96
8	18	1.792	0.000	27.2	94	9	38	1.601	-0.019	26.6	96	10	58	0.894	0.204	26.7	96
8	19	1.557	0.004	27.2	94	9	39	1.581	-0.165	26.5	97	10	59	1.098	0.481	26.6	96
8	20	1.266	-0.011	27.2	94	9	40	1.835	-0.686	26.6	97	11	0	0.467	0.224	26.7	96
8	21	1.573	0.000	27.2	94	9	41	2.811	-0.809	26.4	96	11	1	0.002	0.000	26.7	96
8	22	1.482	0.000	27.2	94	9	42	2.258	-0.677	26.4	96	11	2	0.342	0.094	26.8	96
8	23	1.551	0.000	27.2	93	9	43	2.222	-0.004	26.5	96	11	3	0.903	0.000	26.7	96
8	24	0.884	0.100	27.3	94	9	44	2.826	-0.238	26.5	96	11	4	0.459	0.000	26.7	96
8	25	0.800	0.082	27.3	94	9	45	2.789	-0.058	26.5	96	11	5	0.251	0.033	26.7	96
8	26	1.439	0.000	27.4	94	9	46	3.115	-0.233	26.4	96	11	6	0.000	0.085	26.7	96
8	27	1.402	0.000	27.3	94	9	47	2.731	-0.197	26.4	96	11	7	0.000	0.168	26.8	96
8	28	1.286	0.001	27.4	94	9	48	2.340	-0.034	26.4	96	11	8	0.000	0.519	26.8	96
8	29	1.459	0.000	27.4	94	9	49	1.953	-0.293	26.4	96	11	9	0.000	0.311	26.9	95
8	30	1.172	0.000	27.4	94	9	50	1.371	-0.351	26.4	96	11	10	0.000	0.349	26.8	95
8	31	1.839	0.761	27.4	94	9	51	1.235	-0.524	26.4	96	11	11	0.000	0.327	26.8	95
8	32	2.136	0.669	27.3	94	9	52	1.311	-0.567	26.4	96	11	12	0.445	0.613	26.9	95
8	33	2.443	0.518	27.2	94	9	53	1.147	-0.983	26.4	96	11	13	0.329	0.479	27.0	95
8	34	2.449	0.590	27.2	94	9	54	0.707	-0.872	26.4	96	11	14	0.761	0.880	26.9	95
8	35	2.247	0.558	27.2	94	9	55	0.728	-1.058	26.5	96	11	15	0.887	0.766	26.9	95
8	36	1.743	0.000	27.2	95	9	56	0.467	-0.984	26.4	96	11	16	1.417	0.517	26.9	95
8	37	2.008	-0.002	27.2	95	9	57	0.000	-0.988	26.5	96	11	17	1.255	0.017	26.9	95
8	38	1.639	-0.017	27.1	95	9	58	0.000	-1.005	26.6	96	11	18	1.167	0.001	26.9	95
8	39	1.821	-0.068	27.2	95	9	59	0.220	-1.116	26.6	96	11	19	1.102	-0.001	26.9	95
8	40	1.633	-0.000	27.1	95	10	0	0.186	-0.402	26.5	96	11	20	1.533	0.000	26.9	95
8	41	1.679	-0.070	27.1	95	10	1	0.789	0.000	26.5	96	11	21	1.514	0.000	26.9	95
8	42	0.755	-0.037	27.1	95	10	2	0.374	0.000	26.5	96	11	22	1.213	0.000	26.8	94
8	43	1.169	0.000	27.1	95	10	3	0.425	0.000	26.5	96	11	23	1.341	0.000	26.8	94
8	44	1.219	0.000	27.1	95	10	4	0.000	0.000	26.5	96	11	24	1.129	0.000	26.8	94
8	45	0.000	0.000	27.2	95	10	5	0.132	0.019	26.7	97	11	25	1.102	0.000	26.8	94
8	46	0.000	0.000	27.1	95	10	6	1.332	0.038	26.5	96	11	26	0.648	0.000	26.8	94
8	47	0.000	0.000	27.2	95	10	7	1.037	0.000	26.5	96	11	27	0.390	0.000	26.8	94
8	48	0.047	0.000	27.2	94	10	8	0.921	0.000	26.5	96	11	28	0.000	0.000	26.9	95
8	49	0.721	0.000	27.2	94	10	9	0.965	0.000	26.4	96	11	29	0.000	0.000	26.9	94
8	50	0.467	-0.000	27.2	94	10	10	0.934	0.000	26.4	96	11	30	0.000	0.000	27.0	94
8	51	0.128	0.054	27.3	94	10	11	1.224	0.101	26.5	96	11	31	0.000	0.000	27.0	94
8	52	0.000	0.146	27.4	94	10	12	1.480	0.000	26.4	96	11	32	0.000	0.000	27.1	94
8	53	0.000	0.292	27.4	94	10	13	1.330	0.005	26.4	96	11	33	0.000	0.000	27.1	94
8	54	0.000	0.649	27.4	94	10	14	1.369	-0.029	26.4	96	11	34	0.000	0.000	27.1	94
8	55	0.000	0.342	27.4	94	10	15	1.115	0.000	26.3	96	11	35	0.000	0.000	27.1	94
8	56	0.000	0.210	27.3	94	10	16	0.398	0.000	26.4	97	11	36	0.000	0.000	27.1	94
8	57	0.000	0.484	27.3	94	10	17	0.000	0.000	26.4	97	11	37	0.000	0.000	27.1	94
8	58	0.259	0.754	27.3	94	10	18	0.000	0.000	26.4	97	11	38	0.000	0.000	27.1	94
8	59	0.000	1.182	27.3	94	10	19	0.000	0.000	26.4	97	11	39	-0.069	0.000	27.1	94
9	0	0.000	1.226	27.3	94	10	20	0.000	-0.216	26.5	97	11	40	0.000	0.000	27.1	94
9	1	0.000	0.873	27.3	94	10	21	0.000	-0.121	26.3	96	11	41	-0.001	0.000	27.1	94
9	2	0.005	1.087	27.3	94	10	22	0.098	-0.801	26.4	97	11	42	0.000	0.000	27.2	94
9	3	0.287	0.864	27.3	94	10	23	0.779	-1.355	26.4	97	11	43	0.000	0.000	27.2	94
9	4	0.000	0.634	27.3	94	10	24	0.935	-1.066	26.4	97	11	44	-0.509	0.000	27.1	94
9	5	0.000	0.000	27.3	95	10	25	0.494	-0.865	26.4	97	11	45	-0.954	-0.068	27.0	94
9	6	0.043	0.180	27.3	95	10	26	0.657	-1.715	26.4	97	11	46	-0.483	-0.040	27.1	94
9	7	0.445	0.708	27.3	95	10	27	0.216	-1.736	26.4	96	11	47	0.000	0.000	27.2	94
9	8	0.003	1.280	27.3	95	10	28	0.323	-0.866	26.4	96	11	48	-0.000	0.000	27.3	94
9	9	0.670	1.239	27.3	95	10	29	0.000	-0.026	26.4	96	11	49	-0.430	0.000	27.3	94
9	10	1.304	1.254	27.2	95	10	30	0.569	-0.053	26.4	96	11	50	-0.542	0.000	27.2	94
9	11	1.685	1.747	27.2	95	10	31	0.934	-0.100	26.5	97	11	51	-0.065	0.000	27.3	94
9	12	1.652	1.513	27.1	95	10	32	1.187	-0.233	26.5	97	11	52	-0.059	0.000	27.3	94
9	13	1.673	1.075	27.1	95	10	33	1.366	-0.094	26.4	96	11	53	-0.000	0.000	27.4	94
9	14	1.526	1.850	27.1	96	10	34	1.928	0.035	26.4	96	11	54	0.000	0.000	27.4	94
9	15	1.189	2.150	27.1	96	10	35	1.890	-0.017	26.4	96	11	55	0.000	0.321	27.4	94
9	16	1.247	1.916	27.1	96	10	36	1.705	-0.312	26.4	96	11	56	0.000	1.204	27.3	94



11	57	0.000	1.278	27.3	94	13	17	0.000	-0.000	27.9	90	14	37	0.005	-1.919	27.5	90
11	58	0.000	1.194	27.4	94	13	18	0.000	0.000	28.0	90	14	38	0.032	-1.817	27.5	91
11	59	0.000	0.896	27.4	94	13	19	0.000	0.000	28.0	90	14	39	0.069	-1.809	27.5	91
12	0	-0.010	0.878	27.3	94	13	20	0.000	-0.002	28.0	90	14	40	0.355	-1.787	27.5	91
12	1	-0.006	0.871	27.3	93	13	21	0.000	-0.003	28.0	90	14	41	0.029	-1.544	27.5	91
12	2	0.000	0.808	27.3	93	13	22	0.000	0.000	27.9	90	14	42	-0.066	-2.090	27.5	91
12	3	0.000	0.633	27.3	93	13	23	0.000	0.000	27.9	90	14	43	0.032	-1.605	27.5	91
12	4	0.000	0.592	27.3	93	13	24	0.000	-0.004	27.9	91	14	44	0.057	-1.902	27.5	91
12	5	-0.001	0.868	27.3	93	13	25	0.000	-0.002	27.9	90	14	45	0.039	-1.885	27.5	91
12	6	0.000	1.098	27.4	94	13	26	0.000	0.000	27.9	90	14	46	-0.038	-1.973	27.6	90
12	7	0.000	1.077	27.4	94	13	27	0.000	0.000	27.8	90	14	47	-0.006	-1.778	27.5	90
12	8	0.000	0.795	27.5	94	13	28	0.000	0.000	27.8	90	14	48	0.000	-1.076	27.6	91
12	9	0.000	0.954	27.5	94	13	29	0.000	0.000	27.8	90	14	49	0.000	-0.115	27.7	91
12	10	0.000	1.040	27.5	94	13	30	0.000	0.000	27.9	90	14	50	0.000	-1.222	27.7	91
12	11	0.000	0.845	27.5	93	13	31	0.000	0.000	27.9	90	14	51	0.000	-1.014	27.8	90
12	12	-0.001	1.012	27.5	93	13	32	0.000	-0.352	28.0	91	14	52	-0.046	-0.794	27.8	90
12	13	-0.000	1.040	27.5	93	13	33	0.000	-0.353	27.9	90	14	53	-0.018	-0.713	27.8	90
12	14	-0.000	0.760	27.5	93	13	34	0.000	-0.255	27.9	89	14	54	0.022	-0.501	27.8	91
12	15	-0.000	0.275	27.5	93	13	35	0.000	0.000	27.9	89	14	55	0.000	0.000	27.8	91
12	16	0.000	0.000	27.5	92	13	36	0.000	0.000	27.9	89	14	56	0.000	0.000	27.8	91
12	17	0.000	0.003	27.5	91	13	37	-0.000	-0.168	28.0	89	14	57	0.000	0.000	27.7	90
12	18	0.000	0.120	27.6	91	13	38	0.000	-0.524	28.0	88	14	58	0.000	0.000	27.6	90
12	19	0.000	0.086	27.6	91	13	39	0.000	-0.383	28.0	88	14	59	0.000	0.000	27.6	90
12	20	0.000	-0.000	27.7	92	13	40	0.000	-0.013	28.0	87	15	0	-0.229	-0.352	27.6	90
12	21	0.000	0.000	27.7	91	13	41	-0.440	-0.007	28.0	87	15	1	-0.782	-0.637	27.5	90
12	22	0.000	0.030	27.6	91	13	42	-1.018	-0.023	28.0	86	15	2	-0.989	-0.845	27.5	90
12	23	0.001	0.000	27.7	91	13	43	-0.921	-0.143	28.0	87	15	3	-0.963	-1.156	27.4	91
12	24	0.183	0.214	27.7	91	13	44	-1.129	-0.496	28.0	87	15	4	-1.399	-1.557	27.4	91
12	25	0.057	0.282	27.7	91	13	45	-0.429	-0.129	27.9	86	15	5	-1.102	-1.823	27.4	91
12	26	0.000	0.178	27.7	91	13	46	-0.020	-0.021	28.0	87	15	6	-0.907	-1.419	27.4	91
12	27	0.000	0.000	27.7	91	13	47	0.000	0.000	28.0	87	15	7	-0.818	-1.691	27.4	91
12	28	0.000	0.000	27.7	91	13	48	0.000	-0.330	28.1	87	15	8	0.000	-1.446	27.4	91
12	29	0.000	0.156	27.8	90	13	49	0.061	-0.481	28.1	88	15	9	0.000	-1.398	27.4	92
12	30	0.000	0.935	27.9	91	13	50	0.019	-0.954	28.0	89	15	10	0.000	-1.657	27.4	92
12	31	0.000	1.000	27.9	91	13	51	1.163	-1.479	27.9	88	15	11	0.000	-1.941	27.3	91
12	32	0.000	0.803	27.9	91	13	52	1.004	-1.806	27.9	88	15	12	-0.007	-2.034	27.3	91
12	33	0.000	0.989	27.9	91	13	53	0.424	-1.529	27.9	89	15	13	-0.045	-1.543	27.3	91
12	34	0.000	0.947	27.9	91	13	54	0.966	-2.237	27.8	89	15	14	-0.248	-2.430	27.3	91
12	35	0.000	0.675	27.8	91	13	55	0.293	-2.004	27.8	89	15	15	-0.600	-1.760	27.2	92
12	36	0.000	0.855	27.8	90	13	56	0.048	-2.116	27.9	90	15	16	0.001	-1.268	27.2	93
12	37	0.000	1.092	27.8	91	13	57	-0.004	-2.000	27.9	89	15	17	-0.154	-1.823	27.1	93
12	38	0.000	1.015	27.8	91	13	58	0.228	-1.786	27.9	90	15	18	-0.464	-1.688	27.1	93
12	39	0.000	1.322	27.9	92	13	59	0.186	-1.924	27.9	90	15	19	0.000	-1.451	27.1	93
12	40	0.000	1.464	27.9	92	14	0	0.360	-2.208	27.9	90	15	20	-0.067	-1.210	27.1	94
12	41	0.000	1.211	27.8	91	14	1	0.800	-1.972	27.9	89	15	21	-0.031	-0.420	27.1	94
12	42	0.000	1.291	27.8	92	14	2	0.386	-1.703	27.9	90	15	22	0.000	-1.002	27.1	94
12	43	-0.001	1.286	27.9	92	14	3	0.139	-0.976	27.9	90	15	23	0.730	-0.312	27.0	94
12	44	0.015	1.449	27.9	92	14	4	-0.021	-1.424	27.9	90	15	24	0.599	-0.863	26.9	93
12	45	0.000	1.521	27.9	92	14	5	-0.042	-2.611	27.9	90	15	25	0.093	-0.331	27.0	94
12	46	0.000	0.619	27.9	92	14	6	-0.175	-3.116	27.8	90	15	26	1.054	-0.921	27.0	94
12	47	-0.029	1.129	27.9	92	14	7	-0.066	-2.514	27.8	91	15	27	0.084	-0.260	27.0	94
12	48	0.000	1.179	27.9	92	14	8	0.248	-3.043	27.8	91	15	28	0.001	-0.974	27.0	94
12	49	0.000	1.455	27.8	92	14	9	0.065	-2.278	27.8	89	15	29	-0.157	-0.272	27.0	94
12	50	0.000	1.235	27.8	92	14	10	-0.067	-2.433	27.8	90	15	30	-0.417	0.000	26.8	94
12	51	0.001	0.976	27.9	92	14	11	-0.214	-2.252	27.7	91	15	31	0.000	-0.373	26.9	94
12	52	0.000	0.839	27.8	91	14	12	-0.913	-1.795	27.8	91	15	32	-0.002	-1.043	26.9	94
12	53	-0.002	0.941	27.9	91	14	13	-0.891	-2.266	27.7	91	15	33	-0.013	-1.315	26.9	95
12	54	-0.000	0.947	27.9	91	14	14	-1.756	-3.062	27.7	90	15	34	0.119	-1.265	26.9	95
12	55	0.000	0.646	27.9	90	14	15	-1.269	-2.750	27.7	90	15	35	0.068	-0.590	26.8	94
12	56	0.000	0.705	27.9	90	14	16	-1.591	-2.629	27.7	90	15	36	0.738	-0.325	26.7	94
12	57	0.000	0.531	27.9	91	14	17	-1.145	-2.594	27.6	91	15	37	0.286	-1.093	26.7	94
12	58	0.000	0.481	28.0	91	14	18	-1.003	-2.489	27.6	90	15	38	0.000	-0.321	26.8	94
12	59	0.002	0.485	28.0	91	14	19	-0.252	-2.331	27.6	91	15	39	-0.009	-0.778	26.8	94
13	0	0.000	0.709	28.0	91	14	20	-1.316	-2.749	27.5	91	15	40	-0.005	-1.292	26.9	94
13	1	0.015	0.754	28.0	90	14	21	-0.861	-2.903	27.5	91	15	41	-0.132	-1.119	26.9	94
13	2	0.002	0.437	28.0	90	14	22	-1.403	-2.795	27.5	91	15	42	0.097	-1.302	26.9	94
13	3	0.000	0.501	28.1	91	14	23	-0.569	-2.281	27.5	91	15	43	0.682	-0.572	26.9	94
13	4	0.000	0.687	28.1	91	14	24	-1.332	-3.640	27.5	92	15	44	0.138	-1.039	26.9	95
13	5	0.000	0.774	28.1	90	14	25	-1.205	-2.907	27.5	91	15	45	-0.000	-1.082	26.8	95
13	6	0.000	0.632	28.0	90	14	26	-1.931	-3.225	27.5	91	15	46	0.001	-1.149	26.8	94
13	7	0.000	0.361	28.1	90	14	27	-1.014	-4.056	27.5	90	15	47	-0.163	-0.722	26.7	94
13	8	0.000	0.002	28.1	90	14	28	-0.688	-3.508	27.5	91	15	48	0.014	-1.772	26.8	94
13	9	0.000	0.042	28.1	90	14	29	-1.494	-3.885	27.5	90	15	49	-0.445	-2.778	26.7	93
13	10	0.000	0.000	28.1	90	14	30	-0.645	-2.705	27.5	91	15	50	-1.467	-2.229	26.7	93
13	11	0.000	0.000	28.1	90	14	31	-1.420	-3.203	27.5	91	15	51	-1.673	-1.980	26.7	94
13	12	0.000	0.000	28.1	90	14	32	-0.985	-3.173	27.5	90	15	52	-1.926	-3.028	26.7	94
13	13	0.000	0.000	28.1	90	14	33	-0.775	-2.842	27.5	90	15	53	-0.361	-1.909	26.7	94
13	14	0.000	0.000	28.0	89	14	34	-0.912	-2.371	27.5	91	15	54	-0.289	-2.850	26.6	93
13	15	0.000	0.000	27.9	89	14	35	-0.884	-2.737	27.5	90	15	55	0.847	-2.692	26.6	94
13	16	0.000	0.000	27.9	89	14	36	-0.854	-2.970	27.5	90	15	56	1.261	-2.220	26.6	

15	57	1.835	-1.189	26.6	95	17	17	-0.334	-4.573	26.0	94	18	37	-1.197	-2.587	26.2	95
15	58	1.552	-0.656	26.6	95	17	18	0.075	-3.427	26.0	94	18	38	-1.859	-3.138	26.2	96
15	59	1.710	-0.179	26.5	95	17	19	-0.101	-3.188	26.0	94	18	39	-1.147	-3.501	26.2	96
16	0	1.214	-0.277	26.5	95	17	20	-0.185	-2.197	26.0	94	18	40	-1.975	-3.254	26.2	95
16	1	0.759	-0.853	26.5	95	17	21	0.616	-1.395	26.0	94	18	41	-1.131	-4.126	26.2	95
16	2	-0.626	-0.839	26.6	95	17	22	-0.037	-1.147	26.0	95	18	42	-1.476	-4.111	26.2	95
16	3	0.024	-1.219	26.6	95	17	23	0.016	-1.606	26.0	95	18	43	-1.773	-4.609	26.3	95
16	4	-0.115	-2.273	26.5	95	17	24	0.215	-1.370	26.0	95	18	44	-1.578	-4.259	26.3	95
16	5	-0.112	-2.865	26.5	95	17	25	2.053	-0.287	26.0	95	18	45	-1.639	-3.952	26.3	95
16	6	0.023	-1.754	26.5	95	17	26	2.522	0.942	26.1	95	18	46	-1.641	-2.638	26.3	95
16	7	-0.042	-0.973	26.5	95	17	27	2.394	0.455	26.1	95	18	47	-2.072	-4.340	26.3	95
16	8	-0.801	-2.794	26.4	95	17	28	1.732	0.349	26.1	96	18	48	-1.347	-3.562	26.3	95
16	9	-0.730	-2.608	26.3	94	17	29	1.431	0.040	26.1	96	18	49	-0.271	-2.639	26.3	95
16	10	-0.663	-3.783	26.3	94	17	30	1.156	0.161	26.0	95	18	50	-0.632	-2.533	26.2	96
16	11	-0.341	-2.825	26.3	94	17	31	1.337	0.132	26.0	96	18	51	-0.673	-2.335	26.2	95
16	12	-1.661	-2.738	26.4	94	17	32	0.871	-0.000	26.0	96	18	52	-0.661	-3.582	26.2	95
16	13	0.307	-3.069	26.5	94	17	33	0.380	0.395	26.1	96	18	53	-0.956	-3.251	26.2	95
16	14	0.267	-3.616	26.4	94	17	34	1.423	1.069	26.0	96	18	54	-0.727	-3.265	26.2	96
16	15	0.133	-3.176	26.3	94	17	35	1.369	0.670	26.0	96	18	55	-1.102	-2.876	26.2	95
16	16	0.062	-3.309	26.3	94	17	36	0.637	0.161	26.1	96	18	56	-1.308	-2.595	26.2	96
16	17	-0.198	-3.541	26.3	94	17	37	0.995	-0.213	26.0	96	18	57	-0.995	-2.910	26.2	96
16	18	-0.641	-3.561	26.4	94	17	38	0.372	-0.648	26.0	96	18	58	-0.493	-2.565	26.2	96
16	19	-1.054	-4.207	26.4	94	17	39	-0.514	-0.579	26.0	96	18	59	-1.107	-2.996	26.2	96
16	20	-2.266	-4.260	26.5	93	17	40	-1.045	-2.044	26.0	96	19	0	-0.712	-2.265	26.2	96
16	21	-1.162	-3.361	26.7	92	17	41	-2.084	-1.908	26.2	96	19	1	-0.543	-2.326	26.2	96
16	22	-2.094	-4.629	26.6	93	17	42	-2.730	-3.340	26.2	95	19	2	-0.249	-2.300	26.2	96
16	23	-1.322	-3.948	26.7	93	17	43	-2.959	-4.899	26.5	94	19	3	-0.947	-3.520	26.2	96
16	24	-0.310	-3.571	26.6	93	17	44	-0.702	-3.747	26.5	94	19	4	-0.702	-2.788	26.2	96
16	25	-0.326	-4.503	26.6	93	17	45	-1.153	-2.670	26.5	94	19	5	-0.841	-2.699	26.2	96
16	26	-1.066	-4.674	26.6	92	17	46	-1.417	-3.076	26.4	95	19	6	-1.112	-3.142	26.2	96
16	27	-1.078	-3.829	26.6	93	17	47	-1.876	-3.504	26.4	95	19	7	-1.096	-2.810	26.2	96
16	28	-1.552	-5.337	26.5	93	17	48	-1.462	-3.802	26.4	95	19	8	-1.803	-3.059	26.3	96
16	29	-0.533	-5.866	26.6	91	17	49	-2.155	-4.235	26.4	95	19	9	-0.884	-2.433	26.3	96
16	30	0.174	-4.240	26.5	91	17	50	-3.109	-5.015	26.5	94	19	10	-0.437	-2.451	26.2	96
16	31	-0.462	-4.371	26.4	92	17	51	-0.833	-4.527	26.5	94	19	11	-0.242	-1.693	26.2	96
16	32	1.029	-4.029	26.3	92	17	52	-1.832	-4.531	26.4	94	19	12	-0.090	-1.602	26.2	96
16	33	1.053	-3.537	26.4	92	17	53	-1.493	-5.690	26.4	94	19	13	0.130	-0.774	26.2	96
16	34	0.899	-2.845	26.4	92	17	54	-7.788	-10.214	26.6	93	19	14	0.557	-1.346	26.3	96
16	35	0.282	-3.295	26.3	92	17	55	-6.708	-6.880	26.9	93	19	15	0.862	-0.802	26.3	96
16	36	-1.280	-4.965	26.3	92	17	56	-5.882	-6.485	26.9	93	19	16	0.686	-1.303	26.2	96
16	37	-1.180	-4.838	26.4	91	17	57	-3.782	-5.778	26.7	94	19	17	0.526	-0.412	26.3	96
16	38	-0.666	-4.220	26.3	92	17	58	-2.391	-6.497	26.5	95	19	18	1.048	-0.880	26.3	96
16	39	0.120	-2.369	26.2	93	17	59	-3.648	-8.355	26.8	94	19	19	1.089	-0.888	26.3	96
16	40	0.709	-2.004	26.3	93	18	0	-3.792	-7.582	26.9	94	19	20	0.768	-1.298	26.3	96
16	41	0.495	-3.397	26.3	93	18	1	-3.137	-7.565	26.7	94	19	21	0.934	-1.137	26.3	96
16	42	0.068	-3.240	26.2	93	18	2	-3.578	-6.359	26.7	94	19	22	1.113	-1.160	26.4	96
16	43	0.220	-3.979	26.2	93	18	3	-4.447	-8.308	26.8	94	19	23	0.548	-1.237	26.4	96
16	44	-0.763	-4.801	26.3	92	18	4	-4.372	-8.798	26.8	94	19	24	0.268	-1.325	26.4	96
16	45	-1.197	-3.775	26.3	92	18	5	-5.450	-7.477	26.7	94	19	25	0.251	-0.910	26.5	96
16	46	-0.385	-2.775	26.3	92	18	6	-2.883	-6.456	26.8	94	19	26	0.423	-1.253	26.5	96
16	47	-0.039	-1.983	26.2	93	18	7	-2.765	-6.004	26.6	94	19	27	0.001	-0.101	26.5	96
16	48	-0.713	-2.913	26.1	93	18	8	-2.305	-7.258	26.6	94	19	28	0.064	-0.308	26.5	96
16	49	-0.065	-2.046	26.1	94	18	9	-1.554	-6.007	26.6	94	19	29	0.311	-1.030	26.5	96
16	50	-0.221	-1.624	26.1	94	18	10	-2.908	-6.465	26.5	94	19	30	0.033	-0.778	26.4	96
16	51	-0.106	-2.774	26.1	94	18	11	-4.345	-6.240	26.5	94	19	31	0.000	-0.288	26.5	95
16	52	-0.052	-2.085	26.1	94	18	12	-2.865	-6.039	26.5	94	19	32	0.205	0.000	26.5	95
16	53	-0.031	-1.870	26.1	94	18	13	-4.321	-5.059	26.5	94	19	33	0.332	0.000	26.5	95
16	54	0.944	-1.288	26.2	94	18	14	-4.050	-6.041	26.5	94	19	34	0.000	0.000	26.4	95
16	55	1.687	-0.802	26.3	94	18	15	-1.783	-3.761	26.4	95	19	35	0.000	0.000	26.4	95
16	56	1.794	-0.239	26.3	93	18	16	-3.408	-5.166	26.3	95	19	36	0.000	-0.418	26.4	95
16	57	1.197	-0.196	26.4	93	18	17	-2.744	-5.991	26.5	94	19	37	0.543	-1.255	26.4	96
16	58	-1.260	-0.214	26.4	93	18	18	-1.922	-4.746	26.4	95	19	38	0.650	-1.089	26.4	95
16	59	-0.407	-1.366	26.4	93	18	19	-4.296	-6.948	26.4	94	19	39	0.336	-0.575	26.4	96
17	0	-1.468	-1.219	26.4	93	18	20	-3.639	-6.538	26.5	94	19	40	0.533	0.000	26.4	96
17	1	-0.686	-3.899	26.3	92	18	21	-3.139	-4.989	26.4	95	19	41	0.486	0.000	26.4	96
17	2	0.073	-5.878	26.3	92	18	22	-2.361	-5.098	26.3	95	19	42	0.091	0.000	26.5	96
17	3	0.540	-6.158	26.5	91	18	23	-3.074	-6.622	26.4	95	19	43	0.082	0.000	26.5	96
17	4	0.488	-8.086	26.5	91	18	24	-3.252	-7.406	26.5	94	19	44	0.747	0.000	26.5	96
17	5	0.481	-6.788	26.4	92	18	25	-1.117	-5.148	26.5	94	19	45	0.760	0.000	26.4	96
17	6	-1.865	-5.276	26.3	93	18	26	-1.184	-4.524	26.4	95	19	46	0.526	0.000	26.5	96
17	7	-0.971	-4.246	26.2	93	18	27	-1.708	-6.259	26.3	95	19	47	0.435	0.000	26.5	96
17	8	-2.075	-5.158	26.2	93	18	28	-1.621	-5.448	26.4	95	19	48	0.735	0.000	26.4	95
17	9	-1.162	-4.348	26.1	94	18	29	-3.256	-7.190	26.5	94	19	49	0.542	0.000	26.5	96
17	10	-1.403	-6.430	26.0	94	18	30	-1.471	-6.507	26.6	94	19	50	0.856	0.120	26.5	96
17	11	-1.562	-5.625	26.0	94	18	31	-1.419	-5.478	26.4	94	19	51	1.175	0.643	26.4	96
17	12	-1.979	-6.282	26.1	94	18	32	-2.253	-4.708	26.4	95	19	52	1.236	0.686	26.3	95
17	13	-2.134	-5.811	26.0	94	18	33	-2.938	-5.063	26.4	95	19	53	1.185	1.050	26.4	95
17	14	-0.956	-5.989	26.0	94	18	34	-2.227	-4.675	26.4	95	19	54	1.219	1.109	26.5	96
17	15	-0.029	-5.122	26.0	94	18	35	-1.931	-3.995	26.4	95	19	55	1.175	0.776	26.4	96
17	16	-0.243	-4.237	26.													



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

19	57	0.723	0.587	26.5	96	21	17	1.347	-1.029	26.7	95	22	37	0.777	-1.934	27.6	91
19	58	0.762	0.676	26.5	96	21	18	1.641	-1.191	26.8	93	22	38	1.082	-2.352	27.6	91
19	59	0.791	0.727	26.5	96	21	19	1.898	-0.398	26.9	93	22	39	0.911	-1.884	27.6	91
20	0	0.731	0.225	26.5	96	21	20	1.743	0.040	27.0	93	22	40	0.764	-1.747	27.5	92
20	1	0.737	0.000	26.5	96	21	21	1.503	0.054	27.0	93	22	41	0.274	-1.597	27.4	92
20	2	1.041	0.000	26.6	96	21	22	1.159	0.009	27.0	93	22	42	0.060	-1.474	27.4	92
20	3	1.255	0.000	26.5	95	21	23	1.211	0.341	26.9	93	22	43	0.565	-1.518	27.3	92
20	4	1.336	0.000	26.6	95	21	24	1.111	0.258	26.9	94	22	44	0.472	-1.311	27.3	93
20	5	1.305	0.052	26.6	96	21	25	1.281	0.757	26.9	94	22	45	1.049	-1.081	27.3	93
20	6	1.388	0.044	26.6	95	21	26	0.625	0.037	26.9	94	22	46	1.650	-0.622	27.3	92
20	7	1.495	0.079	26.6	96	21	27	1.001	0.391	26.9	94	22	47	1.867	-0.566	27.3	93
20	8	1.754	0.100	26.6	95	21	28	0.953	1.144	26.8	94	22	48	2.070	-0.732	27.2	93
20	9	1.702	0.157	26.6	96	21	29	0.798	1.142	26.9	94	22	49	2.138	-1.476	27.2	93
20	10	1.891	0.023	26.6	95	21	30	1.020	1.207	26.8	94	22	50	1.193	-1.882	27.3	93
20	11	1.830	0.087	26.6	95	21	31	0.381	0.528	26.8	94	22	51	2.639	-1.160	27.3	92
20	12	1.579	0.387	26.7	95	21	32	0.919	0.279	26.9	94	22	52	1.981	-1.803	27.3	92
20	13	1.270	0.179	26.7	95	21	33	1.130	0.942	26.9	94	22	53	2.268	-1.594	27.4	92
20	14	0.906	0.601	26.8	95	21	34	1.351	0.218	26.9	94	22	54	1.626	-0.939	27.3	92
20	15	0.677	0.079	26.8	95	21	35	1.188	0.546	27.1	93	22	55	2.228	-1.124	27.3	92
20	16	0.693	0.000	26.8	95	21	36	0.943	0.323	27.1	93	22	56	0.748	-0.652	27.3	92
20	17	0.808	0.000	26.8	94	21	37	0.804	0.139	27.1	93	22	57	0.897	-0.590	27.3	92
20	18	0.055	0.000	26.9	94	21	38	0.866	0.182	27.1	93	22	58	0.442	0.000	27.3	92
20	19	0.425	0.836	26.9	95	21	39	0.914	0.160	27.1	92	22	59	0.525	0.000	27.3	92
20	20	0.103	0.746	26.9	95	21	40	0.764	0.000	27.1	92	23	0	0.984	0.000	27.3	92
20	21	0.025	0.827	26.9	95	21	41	0.632	0.000	27.2	92	23	1	0.845	-0.033	27.3	92
20	22	0.060	0.503	26.9	95	21	42	0.884	0.355	27.2	92	23	2	0.885	-0.001	27.4	92
20	23	0.011	0.198	26.9	95	21	43	0.220	0.630	27.2	92	23	3	0.768	0.000	27.4	92
20	24	-0.023	0.000	26.8	95	21	44	0.364	0.476	27.2	93	23	4	1.268	0.000	27.4	92
20	25	-0.283	-0.024	26.8	95	21	45	0.921	0.000	27.1	93	23	5	1.099	-0.001	27.4	92
20	26	-0.859	-0.640	26.7	95	21	46	0.788	0.000	27.1	92	23	6	1.090	0.110	27.4	92
20	27	-0.636	-0.260	26.7	95	21	47	0.884	0.014	27.2	93	23	7	0.997	0.047	27.5	92
20	28	-0.503	0.000	26.6	96	21	48	0.572	0.001	27.2	93	23	8	0.133	0.000	27.6	92
20	29	-0.465	-0.292	26.6	96	21	49	1.206	0.000	27.3	92	23	9	0.467	0.000	27.6	91
20	30	-0.048	-1.128	26.6	95	21	50	1.191	0.000	27.3	92	23	10	0.773	0.139	27.6	91
20	31	0.429	-0.340	26.8	95	21	51	1.142	0.000	27.3	92	23	11	1.302	0.875	27.5	91
20	32	1.714	-0.070	26.9	94	21	52	0.718	0.000	27.3	92	23	12	1.039	0.950	27.6	91
20	33	0.427	-2.554	27.1	93	21	53	0.312	0.000	27.3	92	23	13	0.698	0.146	27.5	91
20	34	0.241	-1.849	27.1	93	21	54	0.433	0.191	27.3	92	23	14	1.233	-0.051	27.5	91
20	35	0.251	-1.117	27.1	93	21	55	0.696	0.018	27.4	92	23	15	1.240	0.302	27.5	90
20	36	0.808	-1.800	27.0	94	21	56	0.458	0.000	27.4	92	23	16	2.013	0.274	27.6	90
20	37	1.126	-2.229	27.0	94	21	57	0.799	0.000	27.4	92	23	17	1.848	0.649	27.6	89
20	38	0.853	-2.028	27.1	93	21	58	1.168	-0.109	27.4	91	23	18	1.829	0.551	27.6	89
20	39	0.674	-1.172	27.0	93	21	59	0.573	0.824	27.5	91	23	19	1.347	0.523	27.6	89
20	40	0.236	-1.197	27.0	93	22	0	0.382	1.391	27.5	91	23	20	1.998	0.384	27.5	90
20	41	-1.200	-1.694	27.0	93	22	1	0.235	0.291	27.5	91	23	21	1.704	0.283	27.5	90
20	42	-1.735	-0.957	26.8	94	22	2	0.437	0.193	27.6	91	23	22	1.428	0.429	27.5	90
20	43	-1.552	-0.812	26.7	94	22	3	0.868	0.547	27.6	91	23	23	1.684	0.157	27.5	89
20	44	-1.393	-1.581	26.7	94	22	4	0.616	0.658	27.5	91	23	24	1.336	0.002	27.6	89
20	45	-0.671	-2.517	26.6	95	22	5	0.607	0.000	27.5	91	23	25	1.467	0.117	27.7	89
20	46	0.306	-1.810	26.6	95	22	6	0.605	0.196	27.6	91	23	26	1.817	0.360	27.7	88
20	47	0.949	-2.209	26.7	94	22	7	1.490	0.332	27.6	91	23	27	1.595	0.055	27.6	88
20	48	1.464	-2.263	26.8	93	22	8	1.888	0.348	27.6	90	23	28	0.733	0.012	27.6	89
20	49	1.355	-0.971	27.0	93	22	9	1.173	0.204	27.6	90	23	29	0.233	0.107	27.7	89
20	50	1.618	-0.937	27.0	93	22	10	1.311	0.065	27.5	91	23	30	0.123	0.000	27.8	89
20	51	1.271	-0.837	26.9	93	22	11	1.578	0.016	27.5	91	23	31	-0.267	-0.159	27.7	89
20	52	1.365	-0.293	26.9	93	22	12	1.559	0.015	27.4	91	23	32	-0.751	-0.033	27.6	89
20	53	1.498	-0.222	27.0	93	22	13	1.457	0.095	27.4	92	23	33	-1.420	0.421	27.5	89
20	54	1.114	-0.310	26.9	94	22	14	1.641	0.013	27.4	91	23	34	-1.244	0.417	27.5	90
20	55	0.986	-0.498	26.8	94	22	15	1.503	0.000	27.4	91	23	35	-1.067	0.189	27.5	90
20	56	0.725	-0.204	26.7	94	22	16	1.288	-0.139	27.3	92	23	36	-1.138	0.347	27.5	89
20	57	1.037	-0.038	26.7	95	22	17	0.913	-0.442	27.3	92	23	37	-1.304	0.714	27.6	89
20	58	1.268	-0.293	26.6	95	22	18	1.025	-0.303	27.2	92	23	38	-0.953	1.282	27.6	89
20	59	1.636	0.000	26.7	95	22	19	1.250	-0.665	27.2	92	23	39	-0.289	0.996	27.5	90
21	0	1.378	0.044	26.7	95	22	20	1.201	-0.323	27.2	92	23	40	-0.204	0.886	27.6	89
21	1	1.372	-0.068	26.8	95	22	21	1.422	-0.061	27.2	92	23	41	-0.324	0.953	27.6	89
21	2	2.017	0.000	26.7	95	22	22	0.706	0.016	27.3	92	23	42	-0.859	0.843	27.6	90
21	3	1.734	0.000	26.6	95	22	23	1.165	0.000	27.3	92	23	43	-1.217	0.818	27.6	90
21	4	1.651	-0.264	26.6	95	22	24	0.989	0.011	27.3	92	23	44	-1.148	0.897	27.6	89
21	5	1.848	-0.257	26.6	95	22	25	1.234	0.000	27.3	92	23	45	-1.223	-0.485	27.6	89
21	6	1.971	-0.124	26.6	95	22	26	0.841	0.000	27.4	92	23	46	-1.460	-0.133	27.6	89
21	7	1.895	-0.023	26.6	95	22	27	0.695	-0.033	27.4	92	23	47	-1.113	-0.004	27.7	88
21	8	1.658	0.000	26.6	95	22	28	0.876	-0.206	27.4	92	23	48	-0.129	-0.448	27.7	89
21	9	1.638	-0.186	26.5	95	22	29	1.059	-0.308	27.5	91	23	49	0.012	-0.612	27.5	90
21	10	1.540	-0.376	26.5	96	22	30	1.467	0.074	27.5	92	23	50	0.000	-0.123	27.5	90
21	11	1.139	-0.108	26.5	96	22	31	1.727	-1.159	27.5	91	23	51	0.000	0.000	27.5	90
21	12	1.172	-0.023	26.5	96	22	32	1.368	-0.814	27.5	91	23	52	0.000	0.000	27.5	90
21	13	1.707	-0.063	26.5	95	22	33	0.528	-1.432	27.5	92	23	53	0.000	0.000	27.5	90
21	14	1.354	-0.032	26.6	95	22	34	0.133	-0.885	27.5	92	23	54	-0.000	0.000	27.5	90
21	15	1.266	-0.329	26.6	95	22	35	0.055	-0.815	27.5	92	23	55	0.000	0.001	27.6	89
21	16	0.936	-0.001	26.7	9												



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

23 57 0.164 0.000 27.6 90
23 58 0.536 0.000 27.6 91
23 59 0.663 0.000 27.4 91

04/08/95

0 0 0.521 0.000 27.4 92
0 1 0.119 0.000 27.4 91
0 2 0.000 0.002 27.5 90
0 3 -0.008 0.001 27.6 90
0 4 0.000 0.000 27.7 90
0 5 -0.058 -0.017 27.7 89
0 6 0.118 0.000 27.8 89
0 7 0.013 -0.113 27.8 88
0 8 0.008 -1.171 27.8 88
0 9 0.101 -0.899 27.8 88
0 10 0.057 -1.427 27.9 88
0 11 0.644 -1.461 27.8 88
0 12 1.559 -1.967 27.9 87
0 13 1.524 -1.414 28.0 87
0 14 1.839 -1.376 28.0 87
0 15 1.310 -1.763 27.9 87
0 16 1.320 -2.254 27.9 87
0 17 1.153 -2.349 27.9 87
0 18 1.019 -1.611 28.0 87
0 19 1.139 -1.814 27.9 87
0 20 1.067 -1.484 27.9 87
0 21 1.047 -1.668 27.9 87
0 22 1.410 -2.352 27.9 87
0 23 1.029 -2.293 28.0 86
0 24 0.751 -2.630 28.0 86
0 25 0.510 -2.452 28.0 86
0 26 -0.043 -1.216 28.0 87
0 27 0.103 -1.263 27.9 87
0 28 0.830 -0.935 27.9 87
0 29 0.378 -1.273 27.9 87
0 30 0.257 -1.156 27.9 87
0 31 0.600 -1.094 27.9 87
0 32 0.557 -1.450 27.8 87
0 33 1.181 -2.380 27.9 86
0 34 0.509 -2.087 28.0 86
0 35 0.826 -1.683 28.0 86
0 36 2.057 -1.891 28.0 86
0 37 0.635 -0.722 28.1 85
0 38 0.198 -0.807 28.1 86
0 39 0.241 -1.384 28.0 86
0 40 0.643 -1.620 27.9 86
0 41 1.088 -1.180 27.9 87
0 42 1.204 -0.885 27.9 87
0 43 0.998 -1.496 27.9 87
0 44 1.079 -0.776 27.9 87
0 45 1.180 -1.405 27.9 87
0 46 1.464 -1.541 27.9 86
0 47 1.980 -0.478 27.9 86
0 48 1.534 -1.063 27.9 86
0 49 1.905 -1.356 28.0 86
0 50 1.402 -0.717 28.0 86
0 51 1.444 -0.054 27.9 86
0 52 1.050 -0.612 27.8 87
0 53 1.447 -0.596 27.8 87
0 54 1.777 -1.506 27.9 86
0 55 1.177 -1.298 28.0 86
0 56 1.530 -0.947 28.0 86
0 57 1.985 -1.510 28.0 86
0 58 1.526 -1.325 28.0 85
0 59 2.023 -0.531 28.1 86
1 0 2.565 -1.645 28.1 85
1 1 2.252 -1.785 28.1 85
1 2 1.035 -1.822 28.1 85
1 3 0.876 -1.221 28.0 86
1 4 1.984 -1.291 28.0 86
1 5 1.740 -1.885 28.1 85
1 6 1.410 -0.425 28.1 86
1 7 1.116 -1.099 28.1 85
1 8 1.485 -2.052 28.2 85
1 9 1.520 -1.040 28.2 85
1 10 2.510 -0.806 28.1 85
1 11 1.435 -0.179 28.1 85
1 12 1.399 -0.776 28.0 86
1 13 1.575 -1.593 28.0 85

1 14 0.743 -1.913 28.1 85
1 15 1.352 -1.894 28.1 85
1 16 1.164 -1.960 28.2 85
1 17 0.970 -1.613 28.1 85
1 18 0.909 -1.505 28.1 85
1 19 1.474 -1.552 28.1 85
1 20 1.025 -0.533 28.1 85
1 21 1.240 -1.279 28.1 85
1 22 1.216 -1.052 28.1 85
1 23 1.566 -1.234 28.2 85
1 24 1.368 -1.584 28.2 85
1 25 1.186 -1.990 28.3 84
1 26 0.701 -2.053 28.3 84
1 27 0.690 -1.056 28.2 85
1 28 0.151 -0.885 28.2 85
1 29 0.189 -0.616 28.1 85
1 30 0.592 -0.833 28.1 85
1 31 0.475 -1.427 28.1 85
1 32 0.601 -0.842 28.1 85
1 33 0.233 -0.918 28.1 85
1 34 0.498 -2.063 28.1 85
1 35 0.926 -1.660 28.0 86
1 36 0.525 -1.697 28.1 85
1 37 0.006 -0.510 28.1 86
1 38 0.004 -0.207 28.0 86
1 39 -0.069 0.000 27.9 87
1 40 -0.194 -0.301 27.9 87
1 41 -0.337 -0.216 27.8 87
1 42 -0.026 -0.003 27.8 87
1 43 -0.004 0.000 27.7 87
1 44 -0.090 0.000 27.7 87
1 45 -0.025 0.000 27.8 87
1 46 -0.512 0.002 27.8 87
1 47 -0.045 0.000 27.9 87
1 48 -0.004 0.178 27.9 86
1 49 -0.000 0.061 27.9 86
1 50 -0.531 0.000 28.0 86
1 51 -0.612 0.000 28.0 86
1 52 -0.795 0.060 28.0 86
1 53 -0.783 0.177 28.1 85
1 54 -0.446 -0.111 28.2 85
1 55 0.009 0.001 28.1 85
1 56 0.003 0.000 28.0 86
1 57 0.000 0.000 28.0 86
1 58 0.000 0.000 28.1 86
1 59 0.000 0.000 28.1 86
2 0 0.000 0.003 28.1 86
2 1 0.093 0.000 28.1 86
2 2 0.288 0.000 28.1 86
2 3 0.350 0.000 28.1 87
2 4 0.637 0.000 28.1 86
2 5 0.803 0.000 28.2 85
2 6 0.734 0.000 28.2 86
2 7 0.917 0.000 28.2 86
2 8 0.920 -0.001 28.2 86
2 9 0.422 0.000 28.1 86
2 10 0.282 0.000 28.1 86
2 11 0.368 0.000 28.1 86
2 12 0.302 0.000 28.1 86
2 13 0.130 0.000 28.0 87
2 14 0.213 0.001 28.0 86
2 15 0.456 0.000 28.1 86
2 16 0.548 0.000 28.1 86
2 17 0.715 0.000 28.1 86
2 18 0.871 0.000 28.1 88
2 19 0.898 0.000 28.0 87
2 20 0.773 0.000 27.9 87
2 21 0.777 0.000 27.9 88
2 22 0.486 0.000 27.9 88
2 23 -0.019 0.000 27.9 88
2 24 -0.261 0.000 27.8 89
2 25 -1.053 0.216 27.6 90
2 26 -0.877 0.536 27.5 90
2 27 -0.164 0.080 27.5 90
2 28 0.069 0.000 27.6 90
2 29 0.000 0.000 27.6 90
2 30 0.067 0.010 27.7 90
2 31 0.596 0.128 27.7 90
2 32 0.510 0.027 27.8 90
2 33 0.411 0.060 27.8 90

2 34 0.522 0.000 27.8 90
2 35 0.965 0.000 27.8 90
2 36 0.826 0.000 27.7 90
2 37 1.108 0.000 27.6 90
2 38 1.291 -0.024 27.6 90
2 39 1.146 0.015 27.6 90
2 40 1.305 -0.080 27.6 90
2 41 1.284 0.000 27.8 89
2 42 0.941 0.000 27.8 89
2 43 0.719 0.004 27.9 89
2 44 0.442 0.204 27.9 88
2 45 1.038 0.669 27.9 88
2 46 1.155 0.837 27.9 89
2 47 1.479 0.736 27.8 89
2 48 1.140 0.256 27.7 89
2 49 1.499 0.012 27.6 89
2 50 1.401 0.000 27.6 89
2 51 0.860 0.000 27.6 89
2 52 -0.198 -0.079 27.6 89
2 53 -1.308 -0.015 27.6 90
2 54 -1.483 0.000 27.5 91
2 55 -1.584 0.000 27.4 91
2 56 -1.996 -0.111 27.3 91
2 57 -2.777 -0.756 27.2 92
2 58 -2.411 -0.386 27.2 92
2 59 -2.091 -0.271 27.3 91
3 0 -2.015 -0.649 27.3 91
3 1 -2.781 -1.781 27.2 92
3 2 -2.789 -3.222 27.2 91
3 3 -2.260 -2.684 27.4 89
3 4 -1.416 -2.752 27.5 89
3 5 -0.080 -3.250 27.5 88
3 6 1.750 -1.945 27.7 87
3 7 -0.826 -3.504 27.6 87
3 8 0.672 -3.553 27.6 87
3 9 0.967 -2.996 27.8 87
3 10 1.178 -2.488 27.7 88
3 11 0.348 -1.924 27.6 88
3 12 0.096 -1.915 27.5 89
3 13 0.273 -1.970 27.6 89
3 14 0.297 -2.014 27.6 88
3 15 0.216 -1.919 27.7 87
3 16 -0.310 -2.836 27.7 87
3 17 -0.289 -1.908 27.6 87
3 18 -0.562 -1.897 27.5 86
3 19 -0.359 -1.196 27.4 87
3 20 -0.451 -1.671 27.4 88
3 21 -0.642 -1.552 27.3 88
3 22 -0.526 -2.112 27.3 88
3 23 -0.579 -2.094 27.3 89
3 24 -0.147 -1.628 27.3 89
3 25 0.002 -1.738 27.3 88
3 26 0.249 -0.957 27.4 88
3 27 0.269 -0.085 27.4 89
3 28 0.304 -0.166 27.4 89
3 29 0.774 -1.127 27.4 88
3 30 1.741 -0.885 27.4 89
3 31 1.770 -1.197 27.5 89
3 32 2.571 -1.036 27.5 89
3 33 1.348 -1.765 27.4 89
3 34 0.361 -1.028 27.4 90
3 35 0.144 -0.661 27.4 90
3 36 0.234 -0.246 27.3 90
3 37 0.460 -1.118 27.2 90
3 38 0.397 -1.021 27.2 90
3 39 -0.218 -0.502 27.2 90
3 40 -0.760 -0.661 27.1 89
3 41 -2.172 -0.669 27.1 89
3 42 -2.216 -0.816 27.0 90
3 43 -2.074 -1.493 26.9 90
3 44 -2.118 -1.794 26.8 90
3 45 -1.713 -1.586 26.8 91
3 46 -1.366 -1.673 26.8 90
3 47 -0.589 -1.096 26.8 90
3 48 -0.734 -1.332 26.7 91
3 49 0.096 -1.008 26.6 92
3 50 0.180 -1.291 26.6 92
3 51 0.232 -1.344 26.6 92
3 52 0.958 -0.771 26.5 92
3 53 1.112 -0.016 26.5 92





Sheung Shui Slaughter House

Supplementary Environmental Impact Assessment (Final Report)

3	54	0.972	0.000	26.6	92	5	14	0.000	0.000	26.2	96	6	34	-0.280	-1.623	26.7	88
3	55	1.040	0.000	26.5	92	5	15	0.000	0.000	26.2	96	6	35	-0.247	-1.209	26.7	88
3	56	1.364	0.018	26.5	92	5	16	0.000	0.000	26.3	96	6	36	-0.039	-1.333	26.7	88
3	57	1.151	0.588	26.6	93	5	17	0.000	0.059	26.3	96	6	37	0.025	-0.989	26.7	88
3	58	1.517	0.739	26.5	93	5	18	0.338	1.424	26.4	96	6	38	-0.180	-0.881	26.7	88
3	59	1.603	0.409	26.6	93	5	19	0.408	1.727	26.3	96	6	39	-0.186	-0.880	26.7	88
4	0	1.988	0.073	26.5	93	5	20	0.680	2.051	26.3	96	6	40	-0.067	-1.107	26.7	88
4	1	1.837	-0.020	26.4	93	5	21	0.828	2.413	26.3	96	6	41	-0.758	-1.373	26.9	86
4	2	1.877	-0.021	26.4	93	5	22	0.677	2.156	26.2	96	6	42	0.314	-0.124	27.0	86
4	3	1.479	0.310	26.5	93	5	23	0.627	1.691	26.3	96	6	43	0.995	0.000	27.0	86
4	4	1.039	0.645	26.5	94	5	24	0.698	1.643	26.3	97	6	44	0.495	0.000	26.9	87
4	5	0.512	0.611	26.5	94	5	25	0.627	1.776	26.3	96	6	45	-0.083	0.000	26.9	87
4	6	0.408	0.388	26.6	94	5	26	0.328	1.948	26.3	96	6	46	0.235	0.000	26.9	87
4	7	0.117	0.000	26.6	94	5	27	0.085	1.914	26.3	96	6	47	0.541	-0.009	26.9	87
4	8	0.026	0.000	26.6	94	5	28	0.024	2.206	26.3	96	6	48	0.853	-0.084	26.9	88
4	9	0.083	0.004	26.7	94	5	29	0.007	2.091	26.3	96	6	49	0.510	0.000	26.8	88
4	10	0.306	0.237	26.6	93	5	30	0.006	1.798	26.3	96	6	50	0.370	0.000	26.8	88
4	11	1.065	0.119	26.6	93	5	31	0.002	1.624	26.3	96	6	51	0.580	0.081	26.7	88
4	12	0.719	-0.120	26.6	92	5	32	-0.000	1.264	26.3	96	6	52	1.199	0.149	26.8	89
4	13	0.307	-0.209	26.6	92	5	33	-0.000	0.809	26.3	96	6	53	1.358	0.000	26.7	88
4	14	0.604	-0.437	26.6	92	5	34	-0.003	1.124	26.3	96	6	54	1.443	0.000	26.7	89
4	15	0.403	-0.017	26.6	92	5	35	0.000	1.197	26.3	96	6	55	1.518	0.740	26.7	90
4	16	0.558	0.000	26.6	92	5	36	0.020	1.142	26.3	96	6	56	1.477	0.892	26.6	91
4	17	0.615	0.000	26.6	92	5	37	0.003	1.257	26.4	96	6	57	1.314	1.185	26.6	91
4	18	0.325	0.028	26.6	92	5	38	0.150	0.929	26.4	96	6	58	1.041	1.344	26.6	92
4	19	0.356	0.000	26.6	92	5	39	0.203	0.455	26.4	96	6	59	0.848	1.268	26.6	92
4	20	0.050	0.481	26.7	93	5	40	0.001	0.518	26.4	96	7	0	0.702	1.425	26.6	91
4	21	0.437	0.653	26.7	93	5	41	0.194	0.000	26.5	96	7	1	0.847	1.642	26.6	90
4	22	0.081	0.242	26.7	93	5	42	0.004	0.000	26.5	96	7	2	0.639	1.392	26.7	90
4	23	0.170	0.430	26.7	93	5	43	0.000	0.000	26.5	96	7	3	0.925	1.479	26.7	90
4	24	0.001	0.383	26.7	93	5	44	0.000	0.000	26.4	95	7	4	1.061	1.675	26.7	90
4	25	-0.001	0.012	26.7	93	5	45	0.000	0.000	26.4	95	7	5	0.970	1.706	26.7	91
4	26	0.000	0.091	26.6	93	5	46	0.000	0.000	26.4	95	7	6	0.990	1.810	26.6	91
4	27	0.000	0.333	26.6	93	5	47	0.006	0.000	26.4	95	7	7	0.844	1.800	26.6	91
4	28	0.000	0.470	26.6	93	5	48	0.029	0.000	26.4	95	7	8	0.621	1.778	26.5	91
4	29	-0.001	0.005	26.6	93	5	49	0.000	0.000	26.3	95	7	9	0.616	1.778	26.5	92
4	30	-0.001	0.474	26.6	93	5	50	0.058	0.000	26.3	95	7	10	0.760	1.530	26.4	92
4	31	0.000	0.607	26.6	93	5	51	0.179	-0.257	26.3	95	7	11	0.563	1.766	26.4	92
4	32	0.066	0.391	26.7	93	5	52	0.189	-0.236	26.4	95	7	12	0.474	1.505	26.4	92
4	33	0.308	0.110	26.7	93	5	53	0.446	-1.116	26.4	95	7	13	1.098	1.207	26.4	92
4	34	0.031	0.041	26.7	93	5	54	0.560	-1.096	26.4	95	7	14	1.604	1.297	26.4	92
4	35	0.000	0.395	26.7	93	5	55	0.976	-0.499	26.4	95	7	15	1.559	1.397	26.4	92
4	36	0.000	0.000	26.6	93	5	56	1.952	-0.794	26.4	94	7	16	1.810	1.562	26.4	92
4	37	0.061	0.263	26.7	93	5	57	1.586	-0.192	26.6	93	7	17	1.598	1.030	26.3	92
4	38	0.056	0.149	26.7	93	5	58	0.067	-0.914	26.6	93	7	18	1.771	0.859	26.3	92
4	39	-0.001	0.439	26.7	93	5	59	-0.123	-1.043	26.6	94	7	19	2.103	0.622	26.2	92
4	40	-0.001	0.516	26.7	93	6	0	-0.478	-0.791	26.6	94	7	20	2.010	0.725	26.2	93
4	41	0.000	0.730	26.7	93	6	1	-0.330	-0.639	26.5	94	7	21	1.950	0.696	26.2	93
4	42	-0.001	0.690	26.6	93	6	2	-0.188	-0.703	26.5	95	7	22	2.199	0.877	26.2	92
4	43	-0.000	0.000	26.6	93	6	3	-0.532	-0.659	26.4	95	7	23	1.673	0.685	26.2	93
4	44	0.001	0.000	26.6	93	6	4	-0.421	-0.198	26.4	95	7	24	1.650	0.417	26.3	93
4	45	-0.420	-0.486	26.5	93	6	5	-0.053	-0.084	26.4	95	7	25	1.712	-0.047	26.3	93
4	46	-0.294	-0.550	26.5	94	6	6	0.477	-0.607	26.4	95	7	26	1.850	0.012	26.2	93
4	47	0.000	-0.728	26.5	94	6	7	0.238	-1.064	26.5	95	7	27	1.926	0.047	26.1	93
4	48	-0.158	-0.371	26.5	94	6	8	0.082	-0.818	26.5	94	7	28	2.481	0.635	26.1	93
4	49	-0.549	-0.786	26.4	95	6	9	0.940	-1.460	26.5	93	7	29	1.884	0.105	26.1	93
4	50	-0.579	-0.817	26.3	95	6	10	0.024	-1.235	26.6	93	7	30	2.515	0.917	26.3	94
4	51	-0.421	-1.083	26.3	95	6	11	-1.975	-1.347	26.6	93	7	31	2.564	0.811	26.2	93
4	52	0.190	-1.018	26.3	95	6	12	-2.102	-1.485	26.4	94	7	32	2.658	0.896	26.3	93
4	53	0.154	-1.285	26.3	95	6	13	-0.699	-1.505	26.4	94	7	33	2.494	1.331	26.3	93
4	54	0.662	-1.255	26.3	95	6	14	-0.458	-1.758	26.4	94	7	34	2.625	1.460	26.2	93
4	55	0.568	-1.457	26.3	95	6	15	-0.228	-3.091	26.4	93	7	35	2.383	1.165	26.3	92
4	56	0.466	-1.200	26.3	95	6	16	0.063	-2.720	26.6	92	7	36	2.832	1.751	26.2	91
4	57	0.568	-1.804	26.3	95	6	17	0.229	-2.004	26.7	91	7	37	2.888	1.858	26.2	91
4	58	0.170	-1.286	26.3	95	6	18	0.318	-2.777	26.7	91	7	38	2.661	1.723	26.2	92
4	59	0.486	-1.709	26.3	95	6	19	-1.337	-3.256	26.9	89	7	39	2.911	1.927	26.2	92
5	0	0.090	-1.467	26.3	96	6	20	-1.329	-3.464	26.8	89	7	40	2.782	1.690	26.2	92
5	1	-0.186	-1.167	26.3	96	6	21	-1.647	-4.492	26.8	88	7	41	2.926	1.806	26.2	92
5	2	-0.851	-0.352	26.2	96	6	22	-0.805	-3.484	26.7	89	7	42	2.401	1.525	26.3	92
5	3	-1.034	-0.001	26.2	96	6	23	-0.577	-2.480	26.5	90	7	43	2.133	1.520	26.3	91
5	4	-0.950	0.000	26.1	96	6	24	-0.420	-2.147	26.5	90	7	44	2.225	1.675	26.3	92
5	5	-0.749	-0.120	26.1	96	6	25	-0.711	-2.069	26.6	90	7	45	2.108	2.091	26.3	91
5	6	-0.062	-0.257	26.1	96	6	26	-0.567	-2.876	26.6	89	7	46	1.650	1.990	26.3	92
5	7	-0.003	0.000	26.1	96	6	27	-0.092	-1.542	26.8	88	7	47	1.783	2.063	26.3	91
5	8	-0.267	0.000	26.1	96	6	28	-0.707	-1.480	26.7	89	7	48	2.362	1.794	26.4	91
5	9	-0.371	0.000	26.1	96	6	29	-1.031	-1.501	26.6	89	7	49	2.549	1.762	26.4	91
5	10	-0.098	0.001	26.1	96	6	30	-1.145	-2.794	26.7	88	7	50	2.895	1.130	26.3	90
5	11	0.000	0.000	26.1	96	6	31	-1.361	-2.772	26.9	87	7	51	1.875	1.191	26.3	90
5	12	0.000	0.000	26.1	96	6	32	-0.364	-3.184	26.8	87	7	52	2.667	1.097	26.5	90
5	13	0.000	0.004	26.1	96	6	33	-0.636	-2.766	26.8	87	7	53	2.559	0.625	26.5	90



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

7	54	2.676	0.202	26.4	89	9	14	2.167	-1.032	26.9	90	10	34	3.233	-1.767	27.1	93
7	55	2.255	1.516	26.4	89	9	15	2.621	-1.200	27.1	88	10	35	3.011	-0.627	27.2	93
7	56	2.510	1.455	26.5	89	9	16	1.794	-1.510	27.1	88	10	36	1.685	-0.813	27.2	94
7	57	3.338	1.731	26.6	88	9	17	1.868	-1.224	27.1	88	10	37	2.557	-0.907	27.2	94
7	58	2.624	1.005	26.5	88	9	18	1.815	-1.489	27.2	87	10	38	2.457	-0.421	27.2	94
7	59	2.770	0.332	26.5	88	9	19	0.652	-1.728	27.2	88	10	39	2.344	0.015	27.3	94
8	0	2.377	1.447	26.5	89	9	20	1.510	-2.767	27.1	88	10	40	2.433	-0.160	27.4	93
8	1	2.882	0.794	26.5	88	9	21	2.288	-1.049	27.1	88	10	41	2.761	-1.446	27.4	93
8	2	2.515	0.284	26.5	89	9	22	2.178	-1.142	27.1	88	10	42	2.275	-0.477	27.5	92
8	3	2.172	0.347	26.4	89	9	23	3.582	-1.092	27.2	87	10	43	1.814	-0.290	27.6	93
8	4	2.081	0.361	26.5	89	9	24	1.937	-1.399	27.2	88	10	44	2.292	-0.608	27.6	93
8	5	1.913	0.446	26.4	89	9	25	0.572	-1.205	27.2	88	10	45	2.009	-0.250	27.6	93
8	6	2.264	0.633	26.5	89	9	26	0.788	-1.137	27.2	88	10	46	2.025	-0.134	27.7	93
8	7	2.330	1.063	26.5	89	9	27	1.475	-1.050	27.1	88	10	47	2.294	-0.292	27.7	92
8	8	2.146	0.199	26.5	90	9	28	2.030	-0.333	27.2	87	10	48	1.432	-0.166	27.7	93
8	9	2.127	0.551	26.4	90	9	29	0.850	0.117	27.3	89	10	49	1.428	-0.147	27.8	93
8	10	2.658	1.126	26.4	90	9	30	1.589	0.168	27.3	88	10	50	1.790	0.081	27.8	93
8	11	3.203	1.406	26.4	89	9	31	2.859	-0.729	27.2	87	10	51	2.048	-0.634	27.7	91
8	12	3.251	1.331	26.4	89	9	32	1.803	-1.260	27.2	88	10	52	1.847	-1.369	27.9	90
8	13	3.093	1.203	26.4	90	9	33	1.313	-0.109	27.2	89	10	53	1.804	-1.321	28.0	90
8	14	2.591	0.766	26.4	91	9	34	2.016	-0.802	27.2	89	10	54	1.597	-1.129	28.1	90
8	15	2.912	1.072	26.4	90	9	35	2.228	-0.862	27.1	89	10	55	2.999	-0.545	28.0	89
8	16	2.583	1.097	26.4	91	9	36	2.226	-1.081	27.1	88	10	56	1.829	-0.462	28.1	89
8	17	2.338	0.912	26.4	91	9	37	1.825	-1.209	27.2	88	10	57	2.632	-1.043	28.0	88
8	18	3.134	0.400	26.4	91	9	38	2.044	-0.966	27.2	89	10	58	2.889	-0.815	28.1	88
8	19	2.302	0.499	26.3	91	9	39	1.818	-1.619	27.2	89	10	59	2.460	-0.029	28.1	88
8	20	2.772	0.316	26.4	91	9	40	1.447	-1.500	27.3	88	11	0	1.419	-1.143	28.2	88
8	21	2.953	0.143	26.3	91	9	41	1.559	-1.954	27.2	89	11	1	1.709	-2.905	28.2	88
8	22	2.646	0.234	26.3	91	9	42	1.858	-0.747	27.2	89	11	2	2.077	-2.769	28.2	87
8	23	2.566	0.488	26.4	92	9	43	1.976	-1.116	27.2	89	11	3	2.019	-1.838	28.2	87
8	24	2.627	0.725	26.4	91	9	44	1.663	-1.106	27.2	89	11	4	1.475	-0.659	28.2	87
8	25	3.479	0.783	26.4	91	9	45	1.957	-1.427	27.2	89	11	5	1.439	-0.354	28.2	88
8	26	3.344	0.739	26.3	91	9	46	1.922	-1.911	27.3	89	11	6	1.460	-0.397	28.1	89
8	27	2.517	0.431	26.5	92	9	47	2.345	-1.063	27.3	89	11	7	2.398	-0.691	28.1	88
8	28	2.322	0.660	26.4	92	9	48	2.134	-1.223	27.3	89	11	8	2.664	-1.809	28.1	86
8	29	3.127	0.487	26.4	92	9	49	1.358	-1.228	27.3	89	11	9	2.947	-2.670	28.2	86
8	30	2.956	0.386	26.4	91	9	50	1.160	-0.792	27.2	90	11	10	2.510	-1.497	28.2	87
8	31	3.424	0.104	26.3	91	9	51	0.782	-0.108	27.3	90	11	11	2.989	-2.552	28.1	86
8	32	3.272	-0.270	26.3	91	9	52	1.112	-1.237	27.3	90	11	12	1.395	-3.022	28.2	87
8	33	3.418	-0.307	26.3	91	9	53	1.199	-1.726	27.3	89	11	13	1.535	-3.396	28.2	86
8	34	4.104	-0.138	26.3	91	9	54	0.463	-2.455	27.4	89	11	14	1.819	-3.585	28.2	86
8	35	3.714	-0.142	26.4	91	9	55	1.880	-2.857	27.4	88	11	15	1.715	-3.896	28.1	85
8	36	3.041	-0.342	26.4	91	9	56	1.177	-2.087	27.4	89	11	16	1.822	-2.634	28.1	86
8	37	2.097	-0.179	26.5	91	9	57	1.760	-1.187	27.4	89	11	17	1.486	-1.554	28.1	87
8	38	1.722	-0.671	26.5	91	9	58	1.378	-0.964	27.4	89	11	18	1.445	-3.280	28.1	87
8	39	1.619	-2.048	26.6	91	9	59	2.507	-1.221	27.4	89	11	19	1.776	-2.133	28.0	87
8	40	2.115	-0.723	26.7	90	10	0	1.929	-0.659	27.4	89	11	20	2.341	-1.720	28.0	87
8	41	2.184	-1.638	26.8	89	10	1	1.966	-1.295	27.4	89	11	21	2.492	-1.778	28.0	86
8	42	2.325	-0.904	26.9	88	10	2	2.552	-1.350	27.4	89	11	22	2.656	-2.122	28.0	85
8	43	2.476	-0.719	26.9	88	10	3	1.822	-1.447	27.4	88	11	23	2.054	-2.426	28.0	86
8	44	2.474	-0.544	26.9	89	10	4	1.875	-1.188	27.4	89	11	24	3.531	-2.191	27.9	86
8	45	2.769	-1.274	26.9	88	10	5	2.247	-1.369	27.4	89	11	25	2.859	-2.922	27.9	87
8	46	2.132	-0.188	26.9	88	10	6	2.019	-1.057	27.3	90	11	26	2.793	-1.504	27.8	88
8	47	3.634	0.072	26.8	89	10	7	1.369	-0.962	27.2	90	11	27	2.716	-1.950	27.8	87
8	48	3.366	0.029	26.7	89	10	8	0.710	-2.004	27.1	91	11	28	2.500	-1.463	27.8	88
8	49	3.066	-0.059	26.7	89	10	9	1.060	-1.358	27.1	91	11	29	1.639	-1.372	27.7	88
8	50	3.499	0.014	26.7	89	10	10	1.444	-1.733	27.0	91	11	30	2.528	-1.449	27.7	88
8	51	2.158	-0.223	26.7	90	10	11	1.439	-1.542	27.0	92	11	31	2.407	-1.337	27.7	88
8	52	1.986	-0.028	26.6	90	10	12	1.670	-1.054	27.0	92	11	32	1.326	-1.222	27.7	88
8	53	2.901	0.231	26.6	90	10	13	1.652	-1.315	27.0	92	11	33	2.657	-1.253	27.8	88
8	54	3.285	0.212	26.6	90	10	14	1.617	-0.930	27.0	93	11	34	0.837	-1.307	27.7	88
8	55	2.700	-0.073	26.6	90	10	15	1.113	-0.623	27.0	93	11	35	0.948	-1.479	27.7	88
8	56	1.865	-0.383	26.6	90	10	16	1.815	-0.739	27.0	93	11	36	1.161	-0.869	27.8	89
8	57	1.671	-1.090	26.7	90	10	17	2.024	-0.471	26.9	93	11	37	1.979	-0.939	27.8	89
8	58	1.136	-0.679	26.7	91	10	18	1.894	-0.342	26.9	94	11	38	1.375	-0.166	27.8	89
8	59	1.634	-1.221	26.7	90	10	19	1.456	-0.827	27.0	94	11	39	2.412	-1.398	27.6	87
9	0	0.916	-0.515	26.7	89	10	20	1.514	-0.171	27.0	94	11	40	2.878	-0.940	27.6	88
9	1	1.445	-0.717	26.8	89	10	21	1.523	-0.175	27.0	94	11	41	4.113	-2.187	27.5	87
9	2	0.668	-0.534	26.8	90	10	22	2.726	-0.964	26.9	94	11	42	2.644	-1.229	27.5	87
9	3	-0.548	-1.498	26.9	89	10	23	2.360	-0.692	27.0	93	11	43	1.995	-0.887	27.5	88
9	4	-0.985	-1.881	27.0	88	10	24	1.426	-0.905	27.0	94	11	44	2.419	-1.027	27.4	88
9	5	0.871	-1.098	27.0	88	10	25	1.598	-1.013	27.0	94	11	45	2.806	-0.681	27.4	88
9	6	-0.462	-1.629	27.0	88	10	26	1.864	-0.839	27.0	93	11	46	2.588	-0.657	27.3	88
9	7	-1.449	-1.316	27.1	88	10	27	1.180	-1.014	27.0	94	11	47	2.037	-1.092	27.3	88
9	8	-1.797	0.043	26.9	90	10	28	1.324	-1.101	27.0	94	11	48	1.670	-0.996	27.3	88
9	9	-1.491	0.115	26.8	91	10	29	1.741	-1.191	27.0	94	11	49	2.310	-0.379	27.3	89
9	10	-0.549	0.193	26.8	91	10	30	1.859	-1.239	27.0	94	11	50	1.908	-0.212	27.3	88
9	11	-0.118	0.000	26.9	91	10	31	2.634	-1.903	27.1	94	11	51	2.374	-1.413	27.3	89
9	12	0.075	0.777	26.9	92	10	32	3.213	-1.470	27.1	94	11	52	2.943	-1.494	27.3	88
9	13	0.126	0.397	26.9	92	10	33	3.283	-1.804	27.1	94	11	53	3.269	-1.011	27.3	87



Sheung Shui Slaughter House Supplementary Environmental Impact Assessment (Final Report)

11	54	2.181	-0.749	27.3	88	13	14	1.881	-1.985	28.3	87	14	34	1.672	-2.922	28.5	84
11	55	1.573	-0.341	27.3	89	13	15	2.111	-1.382	28.4	87	14	35	2.706	-2.522	28.5	83
11	56	3.427	-1.491	27.3	88	13	16	2.130	-1.411	28.4	86	14	36	0.806	-2.977	28.5	84
11	57	3.697	-1.515	27.3	87	13	17	2.839	-2.113	28.4	86	14	37	1.358	-3.323	28.4	84
11	58	1.947	-1.327	27.3	88	13	18	1.064	-1.992	28.4	86	14	38	1.628	-1.741	28.4	84
11	59	2.808	-1.192	27.3	88	13	19	0.473	-1.294	28.6	87	14	39	1.815	-4.245	28.4	84
12	0	3.877	-0.697	27.3	88	13	20	1.052	-1.174	28.6	86	14	40	1.281	-3.226	28.3	84
12	1	3.801	-1.189	27.3	88	13	21	0.598	-1.264	28.6	87	14	41	2.568	-3.156	28.3	84
12	2	3.323	-1.772	27.3	87	13	22	1.786	-2.641	28.6	85	14	42	1.785	-4.314	28.3	84
12	3	2.910	-0.160	27.3	88	13	23	0.517	-2.994	28.5	85	14	43	1.913	-3.038	28.2	84
12	4	1.421	-0.819	27.3	89	13	24	0.395	-2.194	28.6	86	14	44	1.477	-2.032	28.2	85
12	5	2.594	-0.485	27.3	88	13	25	1.311	-4.184	28.5	85	14	45	1.509	-1.904	28.2	85
12	6	2.302	-0.184	27.3	89	13	26	1.638	-3.478	28.4	85	14	46	2.262	-1.136	28.3	85
12	7	2.391	-0.765	27.3	89	13	27	0.558	-2.811	28.5	86	14	47	1.330	-1.964	28.3	85
12	8	2.967	-1.047	27.3	88	13	28	1.878	-2.236	28.5	86	14	48	2.742	-0.716	28.2	85
12	9	2.667	-0.301	27.3	89	13	29	1.671	-3.947	28.6	85	14	49	2.423	-1.121	28.2	85
12	10	2.572	-0.526	27.3	89	13	30	1.065	-3.333	28.6	85	14	50	1.842	-1.248	28.2	85
12	11	2.139	-0.986	27.3	89	13	31	0.549	-1.989	28.6	86	14	51	1.342	-1.634	28.2	86
12	12	3.646	-1.775	27.3	88	13	32	1.525	-3.649	28.6	84	14	52	1.266	-0.617	28.1	86
12	13	2.759	-1.852	27.3	88	13	33	1.701	-3.698	28.6	84	14	53	1.154	-0.731	28.2	86
12	14	2.901	-1.894	27.3	88	13	34	1.321	-3.326	28.5	85	14	54	1.615	-1.061	28.2	86
12	15	3.433	-2.355	27.3	88	13	35	1.016	-2.756	28.4	85	14	55	0.576	-1.364	28.2	87
12	16	2.485	-0.829	27.3	89	13	36	1.845	-2.640	28.4	86	14	56	1.533	-0.908	28.2	86
12	17	2.575	-1.646	27.3	89	13	37	0.475	-2.981	28.4	86	14	57	2.650	-1.196	28.2	86
12	18	2.996	-1.142	27.3	89	13	38	1.000	-2.967	28.3	86	14	58	2.747	-1.299	28.1	86
12	19	2.743	-0.939	27.4	89	13	39	1.388	-1.598	28.2	86	14	59	2.018	-0.806	28.1	87
12	20	2.762	-0.369	27.4	89	13	40	1.745	-1.257	28.3	85	15	0	1.841	-0.727	28.2	87
12	21	3.606	-2.983	27.4	88	13	41	1.605	-0.748	28.4	85	15	1	2.304	-1.206	28.1	86
12	22	3.333	-2.556	27.5	87	13	42	0.636	-1.826	28.4	85	15	2	3.010	-1.777	28.2	86
12	23	2.409	-1.234	27.5	88	13	43	0.683	-2.799	28.4	85	15	3	2.577	-1.911	28.2	85
12	24	1.865	-0.290	27.5	89	13	44	1.351	-2.844	28.4	85	15	4	2.337	-1.286	28.2	85
12	25	2.517	-0.138	27.5	89	13	45	1.555	-2.262	28.5	85	15	5	3.817	-1.908	28.1	85
12	26	1.775	-1.091	27.6	89	13	46	2.134	-1.080	28.6	86	15	6	2.343	-1.804	28.1	85
12	27	2.908	-1.963	27.6	88	13	47	2.645	-1.559	28.7	85	15	7	2.497	-1.658	28.1	86
12	28	3.266	-2.057	27.6	87	13	48	1.415	-3.158	28.7	85	15	8	3.650	-1.710	28.1	85
12	29	1.984	-1.907	27.5	88	13	49	1.925	-1.434	28.7	85	15	9	3.160	-1.537	28.1	85
12	30	1.097	-1.124	27.6	88	13	50	2.310	-1.582	28.7	85	15	10	4.133	-2.680	28.1	84
12	31	2.973	-1.878	27.6	87	13	51	2.956	-1.136	28.7	85	15	11	3.387	-2.326	28.1	85
12	32	1.309	-3.266	27.7	88	13	52	2.557	-1.367	28.8	84	15	12	2.970	-1.773	28.1	86
12	33	1.927	-1.229	27.7	88	13	53	2.468	-0.710	28.8	85	15	13	3.377	-1.437	28.1	85
12	34	1.996	-0.639	27.7	87	13	54	1.764	-1.303	28.8	85	15	14	2.134	-1.726	28.2	86
12	35	1.785	-1.454	27.7	88	13	55	0.218	-1.154	28.9	87	15	15	2.605	-2.915	28.2	85
12	36	3.602	-1.569	27.7	87	13	56	0.244	-1.036	29.1	87	15	16	2.257	-2.120	28.3	84
12	37	1.792	-1.431	27.7	87	13	57	1.487	-2.413	29.0	86	15	17	3.360	-1.441	28.2	84
12	38	2.501	-2.009	27.7	87	13	58	1.038	-1.230	28.9	85	15	18	1.685	-1.331	28.2	85
12	39	1.954	-1.329	27.7	87	13	59	1.168	-3.014	28.9	85	15	19	2.053	-1.177	28.2	85
12	40	2.552	-1.385	27.7	88	14	0	1.666	-3.893	28.8	85	15	20	3.107	-1.986	28.3	85
12	41	2.460	-2.193	27.6	88	14	1	1.436	-3.401	28.8	85	15	21	3.109	-1.952	28.2	84
12	42	1.785	-2.192	27.6	88	14	2	1.307	-2.251	28.8	85	15	22	2.649	-1.809	28.3	84
12	43	2.677	-2.101	27.6	87	14	3	0.530	-2.922	28.8	86	15	23	3.376	-1.607	28.2	84
12	44	3.180	-1.077	27.6	88	14	4	1.204	-3.536	28.8	85	15	24	1.876	-2.277	28.3	85
12	45	2.070	-2.020	27.6	88	14	5	1.475	-3.254	28.8	84	15	25	2.687	-1.879	28.3	84
12	46	2.381	-2.896	27.6	88	14	6	1.687	-3.709	28.8	84	15	26	3.702	-2.740	28.3	83
12	47	2.205	-2.340	27.6	87	14	7	2.203	-3.922	28.9	84	15	27	2.720	-0.820	28.3	84
12	48	1.952	-1.198	27.6	88	14	8	1.578	-2.857	28.9	84	15	28	2.229	-0.891	28.3	85
12	49	1.677	-1.656	27.6	88	14	9	0.814	-2.465	28.9	85	15	29	2.759	-0.891	28.4	84
12	50	1.795	-1.614	27.7	88	14	10	1.649	-2.765	28.9	85	15	30	3.096	-1.123	28.4	84
12	51	1.428	-2.364	27.7	88	14	11	3.106	-3.794	28.8	84	15	31	3.140	-1.355	28.3	83
12	52	2.274	-1.468	27.7	89	14	12	1.522	-2.676	28.9	84	15	32	2.870	-1.262	28.3	83
12	53	3.048	-1.775	27.7	88	14	13	1.735	-3.549	28.8	84	15	33	2.386	-1.170	28.3	84
12	54	3.123	-2.251	27.7	87	14	14	1.934	-3.850	28.8	83	15	34	1.349	-0.498	28.4	85
12	55	2.933	-1.933	27.8	87	14	15	1.445	-2.361	28.8	82	15	35	2.211	-1.435	28.4	84
12	56	1.476	-2.278	27.8	88	14	16	1.092	-1.824	28.9	84	15	36	2.797	-1.380	28.4	84
12	57	1.838	-1.931	27.8	88	14	17	1.206	-1.709	28.8	84	15	37	3.000	-1.756	28.3	84
12	58	1.819	-1.754	27.8	87	14	18	0.783	-3.242	28.8	84	15	38	2.385	-1.887	28.4	84
12	59	2.639	-1.550	27.8	87	14	19	0.719	-2.711	28.8	84	15	39	2.463	-0.409	28.4	85
13	0	2.364	-1.693	27.8	87	14	20	1.370	-3.431	28.8	84	15	40	2.511	-1.793	28.4	84
13	1	3.008	-1.477	27.8	88	14	21	1.016	-1.137	28.8	85	15	41	2.816	-1.316	28.4	84
13	2	3.082	-1.232	27.9	87	14	22	1.440	-1.331	28.8	84	15	42	2.680	-0.764	28.4	84
13	3	1.761	-1.129	27.9	88	14	23	1.252	-1.851	28.7	84	15	43	2.839	-0.867	28.3	84
13	4	1.482	-0.800	28.0	89	14	24	0.911	-2.932	28.7	83	15	44	2.832	-0.967	28.3	85
13	5	1.941	-0.899	28.0	88	14	25	3.013	-2.029	28.7	83	15	45	1.978	-1.223	28.3	84
13	6	1.897	-1.225	28.1	88	14	26	1.797	-1.727	28.7	84	15	46	2.151	-1.173	28.3	85
13	7	2.711	-1.379	28.1	87	14	27	2.600	-3.793	28.6	84	15	47	2.325	-2.229	28.3	84
13	8	2.306	-1.486	28.1	87	14	28	1.980	-2.868	28.6	84	15	48	2.070	-1.499	28.3	84
13	9	1.963	-1.482	28.1	86	14	29	1.858	-4.437	28.5	83	15	49	2.442	-2.279	28.3	84
13	10	2.304	-0.367	28.2	87	14	30	1.501	-2.766	28.4	84	15	50	2.588	-2.224	28.3	84
13	11	1.135	-0.894	28.2	87	14	31	1.879	-1.222	28.4	84	15	51	1.912	-1.092	28.3	85
13	12	2.292	-1.048	28.2	86	14	32	1.593	-2.660	28.5	84	15	52	2.572	-1.366	28.3	85
13	13	2.345	-1.872	28.2													



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

15	54	2.738	-1.995	28.3	84	17	14	1.603	-0.570	28.2	86	18	34	3.146	-0.324	27.3	85
15	55	2.191	-2.762	28.3	84	17	15	1.599	-0.406	28.2	87	18	35	2.969	-0.233	27.3	85
15	56	3.055	-0.715	28.3	84	17	16	1.635	-0.421	28.2	87	18	36	2.890	-0.557	27.3	85
15	57	3.193	-0.446	28.2	84	17	17	2.950	-0.001	28.2	86	18	37	1.840	-0.739	27.3	85
15	58	4.264	-1.449	28.2	84	17	18	2.540	0.238	28.2	86	18	38	1.237	-0.304	27.3	85
15	59	2.471	-2.042	28.2	84	17	19	1.983	-0.164	28.1	87	18	39	3.054	-0.582	27.3	85
16	0	3.418	-1.953	28.2	84	17	20	1.906	-0.152	28.1	87	18	40	1.060	-0.991	27.3	85
16	1	2.378	-2.799	28.2	85	17	21	1.900	-0.953	28.0	87	18	41	1.650	-0.752	27.3	85
16	2	2.403	-1.847	28.2	85	17	22	1.592	-0.768	28.1	87	18	42	1.450	-0.714	27.3	85
16	3	2.361	-0.872	28.2	85	17	23	1.234	-0.379	28.1	87	18	43	2.130	-0.116	27.3	85
16	4	3.169	-1.595	28.1	85	17	24	2.035	-0.033	28.0	87	18	44	2.162	-0.972	27.2	85
16	5	3.068	-0.447	28.1	86	17	25	1.663	-0.108	27.9	88	18	45	2.412	-0.384	27.1	86
16	6	3.689	-1.678	28.1	85	17	26	2.237	-0.441	27.8	89	18	46	2.752	-0.215	27.2	86
16	7	3.196	-2.406	28.1	85	17	27	1.781	-0.544	27.7	89	18	47	3.324	-0.636	27.2	85
16	8	2.341	-1.526	28.1	85	17	28	2.199	-2.091	27.8	89	18	48	2.112	-0.570	27.2	85
16	9	3.410	-2.303	28.1	85	17	29	4.574	-3.426	28.2	86	18	49	1.314	0.116	27.2	86
16	10	3.773	-1.739	28.1	85	17	30	2.414	-2.224	28.3	86	18	50	3.157	0.119	27.2	85
16	11	2.757	-1.858	28.1	85	17	31	0.863	-2.993	28.3	85	18	51	3.581	0.188	27.2	85
16	12	2.908	-2.314	28.1	85	17	32	0.166	-2.083	28.3	85	18	52	2.967	-1.051	27.2	86
16	13	3.524	-2.711	28.3	84	17	33	2.548	-2.304	28.2	85	18	53	2.296	-0.163	27.1	86
16	14	2.042	-1.959	28.3	84	17	34	1.849	-2.926	28.2	85	18	54	2.551	-1.225	27.2	86
16	15	1.585	-1.318	28.2	85	17	35	0.205	-3.046	28.1	86	18	55	1.899	-0.687	27.2	86
16	16	2.140	-1.618	28.2	85	17	36	1.702	-1.779	28.1	86	18	56	1.625	-0.650	27.2	86
16	17	2.322	-1.979	28.2	85	17	37	1.270	-2.954	28.1	86	18	57	1.567	-1.244	27.2	86
16	18	2.602	-1.370	28.2	85	17	38	1.701	-1.915	28.1	86	18	58	1.654	-0.677	27.3	85
16	19	3.162	-2.480	28.2	84	17	39	0.800	-2.146	28.0	87	18	59	2.589	-0.809	27.2	86
16	20	2.508	-1.484	28.1	85	17	40	0.788	-1.038	28.0	86	19	0	3.461	-1.852	27.3	85
16	21	2.307	-0.346	28.1	85	17	41	2.819	-2.667	28.1	85	19	1	3.315	-2.058	27.4	85
16	22	1.492	-0.461	28.0	86	17	42	1.785	-1.576	28.1	86	19	2	2.133	-2.045	27.4	85
16	23	2.942	-0.537	28.0	86	17	43	2.236	-0.398	28.0	87	19	3	2.299	-0.435	27.4	85
16	24	3.210	-1.248	28.0	86	17	44	0.939	-1.478	28.0	87	19	4	4.895	-0.971	27.4	84
16	25	3.088	-1.408	28.1	86	17	45	1.536	-1.653	28.0	87	19	5	3.043	-3.900	27.4	84
16	26	2.908	-1.194	28.1	86	17	46	0.814	-2.311	28.0	87	19	6	1.522	-2.793	27.4	84
16	27	2.963	-1.654	28.0	86	17	47	1.875	-2.380	28.0	86	19	7	1.764	-2.174	27.4	84
16	28	3.081	-1.587	27.9	86	17	48	0.323	-0.233	28.0	86	19	8	2.294	-0.313	27.4	85
16	29	4.020	-1.991	27.9	86	17	49	0.122	-1.281	28.0	86	19	9	2.375	-0.157	27.4	85
16	30	3.441	-2.355	27.9	86	17	50	0.242	-1.238	27.9	87	19	10	3.261	-0.154	27.4	84
16	31	4.086	-2.266	28.0	86	17	51	1.135	-0.250	27.9	87	19	11	4.073	-0.181	27.4	84
16	32	2.950	-1.092	27.9	86	17	52	0.359	-0.977	27.8	88	19	12	2.685	-0.649	27.4	84
16	33	2.185	-0.529	27.9	87	17	53	1.762	-1.936	27.8	86	19	13	2.316	0.260	27.4	84
16	34	2.047	-0.561	27.8	87	17	54	1.489	-1.115	27.9	86	19	14	1.856	-0.773	27.3	85
16	35	3.468	-0.595	27.8	87	17	55	0.953	-0.162	27.9	86	19	15	3.438	-0.427	27.3	85
16	36	3.801	-0.924	27.9	87	17	56	0.418	-0.887	27.9	87	19	16	4.620	-1.123	27.3	85
16	37	3.249	-0.985	27.8	87	17	57	1.114	-1.158	27.8	85	19	17	3.775	-3.065	27.4	84
16	38	2.174	-1.158	27.9	87	17	58	0.582	-0.877	27.8	86	19	18	2.758	-2.646	27.4	84
16	39	2.416	-1.052	27.8	87	17	59	1.840	-1.077	27.8	85	19	19	3.680	-1.849	27.4	84
16	40	2.271	-0.383	27.9	87	18	0	1.689	-0.874	27.7	85	19	20	4.991	-1.075	27.5	84
16	41	2.352	-0.190	27.9	87	18	1	2.074	-0.250	27.6	84	19	21	2.642	-1.227	27.4	84
16	42	2.013	-0.172	27.9	87	18	2	1.273	-1.337	27.6	84	19	22	2.167	-0.913	27.4	84
16	43	3.123	-0.321	27.9	87	18	3	1.623	-1.828	27.6	83	19	23	2.933	-2.234	27.4	85
16	44	2.820	-0.076	27.9	86	18	4	1.234	-2.249	27.7	83	19	24	2.767	-2.435	27.4	85
16	45	2.040	-1.123	27.9	87	18	5	2.583	-2.130	27.7	82	19	25	2.071	-1.317	27.4	85
16	46	1.877	-0.899	28.0	87	18	6	2.576	-1.271	27.7	82	19	26	1.515	-1.083	27.4	85
16	47	2.590	-1.407	28.0	87	18	7	2.128	-0.544	27.6	82	19	27	3.820	-1.283	27.4	85
16	48	2.506	-0.469	28.0	86	18	8	1.715	-0.799	27.6	82	19	28	3.690	-2.780	27.4	85
16	49	2.432	-0.542	28.0	87	18	9	0.325	-1.009	27.6	83	19	29	3.356	-0.643	27.4	85
16	50	1.773	-0.368	28.0	87	18	10	0.330	-0.426	27.5	83	19	30	2.042	-0.102	27.4	85
16	51	2.532	-0.490	28.0	87	18	11	1.429	-1.047	27.5	83	19	31	3.365	-0.364	27.4	85
16	52	2.880	-0.335	28.0	87	18	12	1.621	-0.250	27.5	83	19	32	2.103	-0.788	27.4	85
16	53	2.924	-0.730	28.0	87	18	13	1.150	-0.459	27.5	84	19	33	2.341	-1.456	27.4	85
16	54	2.694	-0.404	28.0	87	18	14	0.696	-2.272	27.5	83	19	34	2.137	-1.031	27.4	85
16	55	2.670	-0.261	28.0	87	18	15	1.701	-1.052	27.5	83	19	35	2.361	-0.607	27.4	85
16	56	2.751	-1.144	28.0	87	18	16	1.324	0.107	27.4	84	19	36	2.451	-0.355	27.4	85
16	57	2.981	-0.787	28.0	87	18	17	1.549	-0.450	27.4	83	19	37	1.429	-0.921	27.4	85
16	58	2.865	-1.030	28.1	87	18	18	2.464	-0.567	27.4	83	19	38	2.753	-1.030	27.4	85
16	59	2.521	-1.671	28.1	86	18	19	0.795	-0.937	27.4	84	19	39	1.759	-0.630	27.5	84
17	0	2.491	-0.522	28.1	87	18	20	0.647	-1.816	27.4	83	19	40	1.505	-0.730	27.4	86
17	1	2.477	-0.379	28.0	87	18	21	0.398	-2.495	27.4	83	19	41	1.683	-0.859	27.4	85
17	2	2.424	-0.341	28.0	87	18	22	1.477	-0.610	27.5	84	19	42	0.984	-1.097	27.5	85
17	3	2.060	-0.864	28.0	87	18	23	2.541	-0.989	27.5	83	19	43	0.133	-0.745	27.5	85
17	4	1.787	-1.058	28.0	87	18	24	3.101	-1.081	27.4	83	19	44	1.635	-0.772	27.5	85
17	5	2.890	-1.858	28.1	87	18	25	1.712	-0.965	27.4	83	19	45	2.301	-0.549	27.5	85
17	6	3.412	-2.604	28.3	86	18	26	1.080	-0.852	27.4	84	19	46	3.032	-1.489	27.5	85
17	7	2.197	-1.582	28.3	86	18	27	1.813	-0.881	27.4	84	19	47	2.256	-4.244	27.6	85
17	8	2.277	-1.029	28.4	85	18	28	1.272	-0.344	27.4	83	19	48	2.501	-2.552	27.5	86
17	9	2.292	-0.606	28.3	86	18	29	2.030	-0.775	27.4	83	19	49	3.917	-0.044	27.5	86
17	10	2.355	-0.616	28.3	85	18	30	1.512	-1.139	27.4	84	19	50	2.437	-1.132	27.6	86
17	11	1.698	-0.098	28.2	86	18	31	1.712	0.900	27.4	84	19	51	1.742	-1.717	27.5	85
17	12	1.839	-0.464	28.2	86	18	32	3.104	-0.679	27.4	84	19	52	3.923	-0.846	27.6	85
17	13	1.969	-0.601	28.2													



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

19	54	1.569	-3.400	27.6	85	21	14	1.148	-0.527	28.0	85	22	34	1.827	-0.690	27.6	89
19	55	1.955	-2.192	27.6	85	21	15	1.853	-1.204	28.0	86	22	35	1.330	-0.753	27.5	89
19	56	2.963	-0.611	27.7	85	21	16	2.596	-1.257	28.0	86	22	36	1.132	-0.871	27.5	89
19	57	3.790	-1.621	27.9	84	21	17	3.474	-0.604	28.0	85	22	37	1.203	-0.721	27.5	90
19	58	1.240	-2.166	27.8	84	21	18	2.419	-0.660	27.9	86	22	38	1.177	-1.515	27.5	90
19	59	2.368	-2.164	27.7	84	21	19	1.935	-1.345	27.9	86	22	39	1.738	-0.487	27.4	90
20	0	3.500	-1.867	27.8	84	21	20	1.936	-1.194	28.0	85	22	40	1.828	-0.511	27.4	90
20	1	3.872	-1.047	27.9	84	21	21	2.111	-0.735	28.0	85	22	41	1.465	-0.357	27.4	90
20	2	3.073	-2.282	27.8	84	21	22	1.620	-0.470	28.0	85	22	42	1.118	-1.006	27.3	90
20	3	2.815	-0.046	27.7	85	21	23	1.756	-1.291	27.9	86	22	43	0.866	-1.067	27.4	90
20	4	1.598	-1.255	27.7	85	21	24	3.336	-2.721	28.0	85	22	44	1.164	-0.871	27.4	90
20	5	1.650	-1.521	27.7	85	21	25	2.285	-1.870	28.1	85	22	45	2.292	-0.843	27.3	90
20	6	2.304	-1.030	27.8	84	21	26	1.489	-2.868	28.1	85	22	46	2.648	-0.387	27.3	91
20	7	1.919	-1.268	27.8	84	21	27	2.235	-2.706	28.1	85	22	47	2.247	-0.344	27.4	91
20	8	2.777	-1.961	27.8	84	21	28	2.368	-0.604	28.1	85	22	48	2.604	-1.216	27.3	91
20	9	3.012	-1.046	27.8	84	21	29	2.549	-0.846	28.0	85	22	49	2.819	-1.375	27.4	91
20	10	3.927	-0.681	27.8	84	21	30	3.163	-0.969	28.0	85	22	50	2.379	-0.836	27.4	91
20	11	4.348	-1.728	27.8	84	21	31	2.698	-0.934	28.0	85	22	51	2.625	-1.297	27.4	90
20	12	3.073	-2.261	27.9	84	21	32	2.312	-0.723	27.9	86	22	52	2.561	-0.222	27.4	91
20	13	1.847	-1.776	27.8	84	21	33	3.136	-1.050	27.9	85	22	53	2.096	-0.315	27.4	91
20	14	1.414	-2.559	27.8	85	21	34	2.652	-0.921	27.9	86	22	54	1.965	-0.210	27.3	92
20	15	1.583	-1.229	27.8	85	21	35	2.662	-1.080	27.9	86	22	55	2.737	-0.351	27.2	92
20	16	0.946	-2.513	27.8	85	21	36	2.508	-0.430	27.8	86	22	56	3.377	-0.154	27.3	91
20	17	3.354	-2.084	27.9	84	21	37	1.718	-0.892	27.8	87	22	57	2.913	-0.339	27.3	91
20	18	2.204	-1.476	27.9	84	21	38	2.190	-3.349	27.8	86	22	58	2.812	-0.834	27.3	91
20	19	2.948	-1.928	27.9	85	21	39	1.584	-2.368	28.0	86	22	59	2.781	-1.107	27.3	91
20	20	4.486	-2.185	27.9	85	21	40	1.815	-1.748	27.9	86	23	0	2.305	-0.943	27.3	92
20	21	3.310	-1.662	27.9	85	21	41	1.657	-2.565	27.9	86	23	1	2.316	-0.659	27.3	92
20	22	3.496	-2.284	27.9	85	21	42	3.219	-1.144	27.9	86	23	2	2.396	-0.931	27.3	92
20	23	2.373	-2.001	27.9	85	21	43	3.387	-1.731	27.9	86	23	3	2.127	-1.159	27.3	91
20	24	2.925	-1.562	27.8	85	21	44	2.386	-0.834	27.9	86	23	4	1.732	-2.521	27.5	90
20	25	2.555	-1.328	27.8	85	21	45	3.557	-1.207	27.9	86	23	5	1.774	-1.845	27.6	90
20	26	2.887	-1.407	27.8	85	21	46	2.899	-2.148	28.0	86	23	6	1.403	-2.625	27.6	90
20	27	3.189	-1.414	27.8	85	21	47	2.418	-0.953	28.0	86	23	7	1.354	-2.030	27.6	90
20	28	2.944	-1.060	27.8	85	21	48	2.251	-0.336	27.9	86	23	8	1.265	-1.495	27.5	90
20	29	2.354	-1.111	27.8	86	21	49	3.405	-1.099	28.0	86	23	9	1.178	-0.821	27.4	90
20	30	3.128	-2.250	27.8	86	21	50	3.396	-1.424	27.9	86	23	10	1.574	-0.706	27.4	91
20	31	2.766	-1.812	27.9	86	21	51	3.072	-0.956	27.9	86	23	11	1.074	-1.073	27.4	91
20	32	2.371	-1.672	27.9	86	21	52	2.309	-0.597	27.9	86	23	12	1.833	-0.637	27.4	91
20	33	2.489	-1.269	27.9	86	21	53	2.159	-1.483	27.9	86	23	13	1.276	-0.829	27.4	91
20	34	2.534	-2.119	27.8	86	21	54	2.518	-0.866	27.9	86	23	14	0.603	-0.631	27.4	91
20	35	2.126	-1.931	27.8	86	21	55	1.805	-1.798	27.9	86	23	15	0.577	-0.333	27.4	91
20	36	2.859	-0.409	27.9	86	21	56	2.245	-1.062	28.0	86	23	16	1.103	-0.595	27.3	91
20	37	2.331	-0.947	27.8	86	21	57	2.715	-1.310	28.0	86	23	17	1.219	-1.179	27.3	91
20	38	2.263	-1.050	27.8	86	21	58	1.692	-1.100	28.0	86	23	18	2.092	-1.261	27.3	91
20	39	2.073	-4.320	28.0	86	21	59	2.271	-0.201	28.0	86	23	19	1.710	-0.703	27.3	91
20	40	2.918	-2.158	28.0	85	22	0	1.907	-0.284	28.0	86	23	20	1.786	-0.091	27.3	91
20	41	2.055	-1.756	28.0	86	22	1	2.393	0.119	27.9	86	23	21	1.871	-0.706	27.2	92
20	42	3.068	-1.830	27.9	86	22	2	1.969	-0.037	27.9	87	23	22	1.180	-1.181	27.2	92
20	43	3.159	-1.314	28.0	86	22	3	2.282	-0.055	27.9	87	23	23	1.337	-2.690	27.3	91
20	44	2.883	-1.160	28.0	86	22	4	2.147	-0.879	27.9	87	23	24	1.881	-2.745	27.4	91
20	45	2.116	-0.665	27.9	86	22	5	1.675	-0.923	28.0	86	23	25	2.351	-2.075	27.4	91
20	46	1.501	-0.598	27.9	87	22	6	1.114	-0.399	27.9	86	23	26	1.928	-1.476	27.6	90
20	47	1.791	-1.284	27.8	87	22	7	1.922	-1.163	27.9	86	23	27	1.819	-1.269	27.6	90
20	48	2.094	-0.585	27.8	87	22	8	2.016	-1.813	28.0	86	23	28	1.415	-0.581	27.6	90
20	49	1.693	-0.991	27.8	87	22	9	2.566	-1.065	28.0	86	23	29	1.546	-0.534	27.5	90
20	50	2.477	-1.259	27.9	87	22	10	1.070	-0.825	28.0	86	23	30	1.998	-1.395	27.5	90
20	51	2.417	-2.283	28.0	86	22	11	0.116	-0.342	27.9	87	23	31	1.928	-1.181	27.6	89
20	52	4.010	-0.761	28.0	86	22	12	1.545	-0.300	27.9	86	23	32	1.745	0.224	27.7	90
20	53	2.912	-0.921	28.0	87	22	13	1.724	-0.705	28.0	86	23	33	2.331	-0.378	27.6	90
20	54	1.887	-1.940	27.9	87	22	14	0.869	-0.101	28.0	86	23	34	2.359	-0.384	27.6	89
20	55	2.640	-2.961	28.1	86	22	15	1.021	-0.023	28.0	87	23	35	2.732	-0.154	27.8	89
20	56	3.277	-1.862	28.1	86	22	16	1.770	-0.488	28.0	86	23	36	2.345	-0.540	27.9	88
20	57	1.592	-2.647	28.0	86	22	17	3.345	-0.771	28.1	85	23	37	1.625	-1.288	27.9	88
20	58	1.871	-1.323	28.0	87	22	18	2.415	-0.308	28.1	86	23	38	1.253	-0.682	27.9	88
20	59	1.938	-1.119	28.1	86	22	19	2.171	-0.575	28.0	86	23	39	2.159	-1.132	27.8	88
21	0	1.158	-0.808	28.0	87	22	20	2.088	-1.278	28.0	86	23	40	1.847	-0.191	27.8	88
21	1	0.658	-1.147	28.0	87	22	21	3.895	-1.359	28.1	85	23	41	2.278	-0.360	27.8	88
21	2	1.394	-1.583	28.0	87	22	22	2.627	-0.935	28.1	86	23	42	1.990	-0.896	27.9	88
21	3	1.711	-0.715	28.0	87	22	23	1.222	-0.753	28.0	86	23	43	1.743	-1.187	27.9	88
21	4	2.427	-1.411	28.0	87	22	24	1.389	-0.381	28.0	87	23	44	3.069	-1.735	27.9	87
21	5	2.397	-2.226	28.2	85	22	25	2.115	-0.165	27.8	87	23	45	3.645	-1.009	28.1	87
21	6	1.803	-0.854	28.2	86	22	26	3.248	-0.816	27.9	87	23	46	2.959	-0.430	28.1	87
21	7	1.512	-1.177	28.1	85	22	27	2.292	-0.898	27.8	88	23	47	2.396	-0.583	28.0	87
21	8	2.028	-0.690	28.1	86	22	28	1.537	-1.891	27.7	88	23	48	2.166	-1.121	27.9	88
21	9	1.138	-0.850	28.0	86	22	29	1.508	-1.690	27.7	88	23	49	2.511	-1.564	28.0	87
21	10	1.125	-2.595	28.1	86	22	30	1.650	-0.947	27.6	88	23	50	2.421	-1.372	28.0	87
21	11	2.317	-2.951	28.1	85	22	31	2.132	-0.344	27.5	88	23	51	2.276	-2.833	28.0	87
21	12	2.305	-1.731	28.1	85	22	32	2.091	-0.509	27.6	88	23	52	1.487	-1.195	28.0	86
21	13	1.533	-1.935	28.1	85	22	33	1.990	-0.480	27.5	89	23	53	2.382	-1.145	28.1	



**Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)**

23	54	1.727	-0.653	28.0	87
23	55	1.791	-1.042	27.9	87
23	56	1.771	-1.184	27.9	87
23	57	2.387	-1.401	27.9	87
23	58	2.025	-0.858	27.9	87
23	59	1.603	-0.635	27.9	87

05/08/95

0	0	1.389	-0.496	27.8	88
0	1	1.661	-0.512	27.8	88
0	2	1.297	-0.629	27.9	88
0	3	1.547	-0.721	27.9	88
0	4	1.678	-1.161	27.9	87
0	5	1.323	-1.001	27.9	87
0	6	2.437	-1.394	28.0	87
0	7	2.198	-1.418	28.0	87
0	8	2.810	-1.249	28.1	86
0	9	2.006	-1.063	28.1	87
0	10	1.247	-1.379	28.0	87
0	11	1.151	-0.943	28.0	87
0	12	1.379	-0.517	27.9	87
0	13	0.834	-1.447	28.0	87
0	14	1.983	-2.863	28.1	86
0	15	1.470	-3.319	28.1	86
0	16	2.248	-1.894	28.1	86
0	17	1.463	-2.463	28.1	86
0	18	2.429	-2.077	28.0	87
0	19	2.356	-2.306	28.0	86
0	20	2.881	-1.857	28.1	86
0	21	3.006	-1.368	28.1	86
0	22	3.007	-1.949	28.1	86
0	23	2.202	-2.208	28.1	86
0	24	2.082	-1.943	28.1	86
0	25	2.898	-2.199	28.2	85
0	26	3.118	-1.465	28.2	85
0	27	2.399	-1.119	28.1	86
0	28	3.070	-0.818	28.0	86
0	29	2.325	-0.589	28.1	86
0	30	2.220	-1.055	28.0	86
0	31	3.017	-0.812	28.0	86
0	32	2.790	-0.853	28.1	86
0	33	3.889	-1.927	28.1	85
0	34	3.214	-0.301	28.1	86
0	35	3.857	-0.424	28.1	85
0	36	3.208	-0.396	28.2	85
0	37	1.802	-0.621	28.1	86
0	38	2.367	-0.666	27.9	86
0	39	2.943	-1.079	28.0	86
0	40	2.885	-0.650	28.0	86
0	41	3.079	-0.373	28.1	85
0	42	3.006	-0.789	28.1	85
0	43	3.371	-1.916	28.1	85
0	44	2.998	-1.421	28.1	85
0	45	2.388	-0.312	28.1	85
0	46	3.026	-0.617	28.0	85
0	47	2.824	-0.657	28.1	85
0	48	1.638	-0.087	28.1	86
0	49	2.989	-1.211	28.1	86
0	50	4.163	-0.653	28.2	85
0	51	4.708	-1.148	28.4	84
0	52	2.674	-1.045	28.3	85
0	53	2.989	-0.118	28.1	85
0	54	3.452	-1.120	28.1	85
0	55	4.024	-1.509	28.2	85
0	56	3.119	-1.235	28.3	85
0	57	4.273	-1.632	28.2	85
0	58	3.680	-0.895	28.2	85
0	59	2.849	-0.488	28.2	85
1	0	3.113	-1.195	28.1	86
1	1	2.482	-1.368	28.1	86
1	2	1.757	-0.493	28.0	87
1	3	4.001	-0.855	28.0	86
1	4	3.553	-1.444	28.1	86
1	5	3.534	-1.362	28.2	85
1	6	2.864	-1.099	28.1	86
1	7	4.672	-1.083	28.1	85
1	8	3.858	-1.541	28.2	85
1	9	2.639	-0.891	28.1	86
1	10	2.054	-1.423	28.1	85

1	11	3.427	-0.789	28.1	86
1	12	1.897	-1.883	28.0	86
1	13	2.108	-2.080	28.0	86
1	14	1.909	-0.813	27.9	87
1	15	2.240	-0.951	27.8	88
1	16	3.762	-0.207	27.8	88
1	17	4.207	-0.374	27.8	88
1	18	2.631	0.104	27.8	88
1	19	2.454	-0.236	27.6	88
1	20	2.624	-0.666	27.7	88
1	21	4.754	-0.609	27.8	88
1	22	2.979	-1.186	28.0	87
1	23	2.488	-1.154	27.9	87
1	24	2.683	-2.211	27.9	87
1	25	2.566	-0.901	27.8	88
1	26	1.913	-0.962	27.8	88
1	27	2.552	-1.076	27.7	88
1	28	1.990	-1.482	27.8	88
1	29	1.955	-0.841	27.9	87
1	30	1.454	-0.743	27.9	87
1	31	2.066	-0.328	27.9	87
1	32	2.461	-0.621	28.0	86
1	33	2.390	-0.608	28.0	87
1	34	1.698	-1.315	28.0	87
1	35	2.409	-1.326	27.9	87
1	36	2.658	-1.576	28.0	86
1	37	2.720	-1.559	28.0	87
1	38	3.764	-2.430	28.1	86
1	39	2.631	-2.263	28.3	85
1	40	2.797	-1.361	28.2	85
1	41	2.914	-1.150	28.2	85
1	42	3.883	-0.815	28.3	85
1	43	2.921	-1.286	28.1	86
1	44	1.408	-2.158	28.3	85
1	45	1.158	-1.351	28.2	85
1	46	1.867	-0.938	28.2	85
1	47	1.821	-0.741	28.1	86
1	48	2.419	-1.422	28.0	86
1	49	2.039	-1.279	28.1	85
1	50	1.218	-1.320	28.0	86
1	51	0.734	-1.088	28.0	87
1	52	0.314	-1.301	27.9	87
1	53	1.050	-0.172	27.9	87
1	54	1.625	-0.097	28.0	87
1	55	1.960	-0.458	28.0	86
1	56	1.460	-0.150	28.0	87
1	57	1.633	-0.805	28.0	87
1	58	2.185	-2.132	28.0	86
1	59	1.820	-2.078	28.1	86
2	0	1.149	-2.346	28.0	87
2	1	1.228	-2.249	27.9	87
2	2	1.417	-2.411	27.9	87
2	3	2.061	-2.307	27.9	88
2	4	0.730	-1.011	27.8	88
2	5	0.545	-0.756	27.8	88
2	6	0.888	-0.951	27.7	89
2	7	1.558	-2.084	27.7	89
2	8	1.828	-3.814	27.8	88
2	9	1.936	-3.434	27.7	89
2	10	1.982	-2.822	27.6	89
2	11	1.856	-2.313	27.6	89
2	12	0.626	-2.107	27.5	90
2	13	0.855	-3.440	27.4	91
2	14	0.802	-3.004	27.4	91
2	15	1.042	-1.916	27.4	91
2	16	0.583	-1.178	27.4	91
2	17	2.557	-2.702	27.5	91
2	18	2.613	-2.638	27.6	90
2	19	1.515	-1.797	27.7	90
2	20	2.096	-0.590	27.6	90
2	21	1.863	-0.478	27.5	91
2	22	1.679	-0.458	27.4	92
2	23	4.157	-0.906	27.5	91
2	24	2.839	-0.789	27.6	91
2	25	2.552	-0.584	27.6	91
2	26	2.363	-0.913	27.5	91
2	27	2.516	-1.367	27.5	91
2	28	4.722	-2.583	27.7	90
2	29	2.013	-3.545	28.0	89
2	30	3.704	-2.348	27.9	89

2	31	3.439	-1.695	28.0	88
2	32	3.550	-2.158	27.9	89
2	33	2.467	-0.969	27.9	89
2	34	1.964	-0.222	27.7	90
2	35	2.527	-0.070	27.7	90
2	36	2.734	-0.097	27.7	90
2	37	3.459	-0.065	27.7	90
2	38	2.937	-0.508	27.8	90
2	39	4.550	-0.159	27.8	89
2	40	3.142	-1.810	28.0	88
2	41	4.277	-3.309	28.0	88
2	42	2.255	-2.252	28.1	87
2	43	2.128	-0.916	28.0	88
2	44	1.845	-1.121	27.8	89
2	45	1.669	-1.269	27.8	89
2	46	1.708	-2.597	27.8	89
2	47	1.271	-1.945	27.8	89
2	48	1.410	-1.749	27.8	89
2	49	1.187	-1.366	27.7	89
2	50	0.629	-1.923	27.7	90
2	51	1.101	-1.006	27.7	89
2	52	1.487	-1.682	27.7	89
2	53	0.915	-1.205	27.7	90
2	54	1.091	-0.806	27.6	90
2	55	0.563	-1.052	27.6	90
2	56	0.239	-1.222	27.6	90
2	57	0.966	-0.406	27.6	90
2	58	1.217	-1.393	27.7	90
2	59	0.937	-1.501	27.7	90
3	0	2.173	-1.591	27.8	89
3	1	0.876	-1.540	27.8	89
3	2	1.791	-1.407	27.8	89
3	3	1.327	-0.570	27.8	89
3	4	2.915	-2.237	27.8	89
3	5	2.379	-2.094	28.2	87
3	6	2.461	-1.119	28.1	87
3	7	1.723	-0.781	28.0	88
3	8	1.432	-0.848	27.9	88
3	9	1.251	-0.847	27.9	88
3	10	1.985	-1.494	28.0	87
3	11	3.102	-1.636	28.2	86
3	12	2.411	-1.742	28.3	85
3	13	1.665	-1.974	28.2	86
3	14	1.384	-2.170	28.1	87
3	15	1.365	-0.866	28.2	87
3	16	1.797	-1.551	28.1	87
3	17	1.639	-1.679	28.0	88
3	18	0.685	-1.214	28.0	88
3	19	1.161	-2.001	27.9	88
3	20	1.136	-1.873	27.9	88
3	21	0.805	-1.752	27.9	89
3	22	1.890	-1.202	27.9	89
3	23	2.167	-0.857	27.9	89
3	24	2.081	-0.956	27.8	89
3	25	2.018	-0.172	27.6	90
3	26	1.479	-0.156	27.5	91
3	27	1.820	-0.125	27.4	92
3	28	2.045	-0.628	27.4	92
3	29	1.746	-1.029	27.4	92
3	30	0.966	-1.484	27.3	93
3	31	1.153	-1.877	27.3	93
3	32	0.939	-2.581	27.2	93
3	33	1.126	-3.106	27.1	94
3	34	0.842	-2.608	27.0	95
3	35	1.872	-1.724	26.9	95
3	36	2.291	-1.404	26.9	95
3	37	3.199	-1.376	26.9	96
3	38	3.830			



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)


3	51	2.535	-0.765	26.6	95	5	11	1.274	0.000	27.1	93	6	31	0.037	-1.171	27.5	89
3	52	1.424	-0.553	26.6	95	5	12	1.910	-0.090	27.1	93	6	32	-0.041	-0.678	27.5	89
3	53	1.859	-0.815	26.6	95	5	13	1.956	-0.988	27.2	92	6	33	0.206	-1.194	27.5	89
3	54	3.005	-1.608	26.6	95	5	14	1.241	-0.508	27.3	92	6	34	0.534	-0.978	27.5	89
3	55	3.193	-1.869	26.7	94	5	15	0.875	-0.288	27.3	92	6	35	1.136	-1.210	27.5	88
3	56	2.602	-1.528	26.8	94	5	16	1.278	0.003	27.3	92	6	36	0.996	-0.798	27.5	88
3	57	2.321	-1.335	26.8	94	5	17	1.394	0.678	27.3	92	6	37	1.141	-0.396	27.5	88
3	58	1.056	-1.756	26.8	95	5	18	1.401	0.871	27.2	92	6	38	1.733	-0.822	27.5	88
3	59	1.332	-2.515	26.8	95	5	19	1.552	1.110	27.1	92	6	39	2.594	-1.374	27.6	88
4	0	1.388	-2.430	26.8	95	5	20	1.791	1.047	27.1	92	6	40	2.010	-1.570	27.8	87
4	1	1.099	-2.220	26.7	95	5	21	1.703	0.848	27.1	93	6	41	1.982	-2.093	27.8	87
4	2	1.102	-1.581	26.7	95	5	22	1.574	0.654	27.1	93	6	42	0.539	-1.066	27.7	88
4	3	1.613	-1.748	26.6	95	5	23	1.705	0.484	27.1	93	6	43	1.288	-1.509	27.7	88
4	4	1.096	-1.446	26.7	95	5	24	1.694	0.955	27.1	93	6	44	1.237	-1.847	27.8	88
4	5	1.369	-1.108	26.7	96	5	25	1.871	0.843	27.0	93	6	45	1.356	-1.170	27.7	88
4	6	1.811	-0.779	26.7	96	5	26	1.563	0.832	27.0	94	6	46	1.850	-1.259	27.8	87
4	7	1.757	-0.462	26.8	96	5	27	1.052	0.325	27.0	94	6	47	1.392	-1.199	27.8	87
4	8	1.856	0.226	26.8	96	5	28	0.827	0.051	27.0	94	6	48	0.840	-0.875	27.7	88
4	9	1.292	1.078	26.8	96	5	29	1.002	0.282	27.0	94	6	49	0.978	0.004	27.7	89
4	10	1.222	0.420	26.7	96	5	30	1.261	0.108	27.0	94	6	50	0.942	0.116	27.7	88
4	11	1.858	-0.012	26.7	96	5	31	1.429	0.139	27.0	94	6	51	0.900	-0.758	27.7	88
4	12	1.896	-0.064	26.7	96	5	32	0.725	0.451	27.0	94	6	52	0.730	-1.647	27.7	88
4	13	0.700	0.074	26.7	96	5	33	1.192	0.565	27.0	94	6	53	0.613	-0.839	27.7	89
4	14	0.694	-0.559	26.8	96	5	34	0.920	-0.014	27.0	94	6	54	0.983	-0.380	27.7	89
4	15	0.570	-0.731	26.8	96	5	35	0.659	-0.288	27.0	94	6	55	1.717	-0.046	27.6	89
4	16	1.173	-1.036	26.9	96	5	36	0.232	-0.456	27.0	94	6	56	1.237	-0.019	27.7	88
4	17	1.187	-0.723	26.9	95	5	37	0.000	-0.062	27.0	94	6	57	1.012	-0.107	27.7	89
4	18	0.991	-1.002	27.0	95	5	38	0.097	0.000	27.0	94	6	58	1.360	0.029	27.7	89
4	19	2.268	-0.686	27.1	95	5	39	0.000	0.000	27.0	93	6	59	0.959	-0.032	27.7	89
4	20	1.772	-1.866	27.1	94	5	40	0.000	0.000	27.0	94	7	0	2.149	-0.171	27.7	89
4	21	2.630	-3.268	27.3	93	5	41	0.000	0.000	26.9	94	7	1	2.628	-0.219	27.8	88
4	22	2.593	-1.391	27.3	93	5	42	0.000	0.000	26.9	94	7	2	2.925	-0.239	27.8	88
4	23	2.935	-2.956	27.3	93	5	43	0.824	-0.464	27.0	94	7	3	2.204	-0.316	27.8	88
4	24	2.479	-3.651	27.4	92	5	44	1.051	-0.145	27.0	94	7	4	2.149	-0.113	27.7	89
4	25	2.103	-1.373	27.4	93	5	45	0.928	0.103	27.0	94	7	5	2.653	-0.398	27.8	88
4	26	1.790	-1.241	27.3	93	5	46	1.274	-0.001	26.9	94	7	6	3.168	-0.020	27.8	88
4	27	2.459	-1.108	27.4	92	5	47	1.056	0.000	26.8	94	7	7	3.247	-0.878	27.9	88
4	28	2.813	0.096	27.4	92	5	48	1.241	-0.018	26.8	95	7	8	2.513	-0.756	27.8	89
4	29	3.417	-0.189	27.4	92	5	49	1.497	0.057	26.8	95	7	9	1.910	-0.104	27.7	89
4	30	3.298	-0.171	27.4	92	5	50	1.627	-0.232	26.9	95	7	10	1.952	-0.015	27.6	90
4	31	2.686	-0.264	27.4	92	5	51	1.716	-0.844	26.9	95	7	11	1.762	-0.304	27.6	90
4	32	3.400	-0.661	27.4	92	5	52	1.476	-0.046	26.9	95	7	12	1.560	-0.247	27.6	90
4	33	3.333	-0.874	27.5	92	5	53	1.191	-0.000	27.0	95	7	13	2.629	-0.560	27.5	90
4	34	2.821	-0.638	27.5	91	5	54	0.916	0.210	27.0	95	7	14	1.434	-0.532	27.6	90
4	35	2.754	-1.346	27.5	91	5	55	1.476	0.463	27.1	95	7	15	1.099	-2.022	27.6	90
4	36	2.933	-0.911	27.5	90	5	56	2.024	0.554	27.0	95	7	16	1.673	-2.011	27.6	90
4	37	1.987	-1.265	27.6	91	5	57	1.987	0.356	26.9	95	7	17	1.680	-4.101	27.8	89
4	38	1.474	-1.890	27.6	91	5	58	2.199	0.734	26.9	95	7	18	2.479	-3.204	27.9	88
4	39	1.415	-1.866	27.6	91	5	59	2.140	0.325	26.9	96	7	19	2.461	-0.417	27.8	89
4	40	1.451	-1.071	27.6	91	6	0	2.319	-0.033	26.9	95	7	20	1.885	-0.198	27.7	90
4	41	0.786	-1.135	27.5	91	6	1	1.492	0.298	26.9	95	7	21	1.959	-0.296	27.7	89
4	42	0.644	-1.210	27.5	91	6	2	0.327	-0.025	26.9	96	7	22	1.396	-0.485	27.7	89
4	43	0.553	-2.085	27.5	91	6	3	0.742	-0.511	26.9	95	7	23	1.599	-0.096	27.7	90
4	44	1.560	-2.595	27.4	91	6	4	1.286	-0.446	26.9	95	7	24	1.807	0.002	27.6	90
4	45	2.255	-2.083	27.5	91	6	5	3.081	-2.129	27.0	94	7	25	2.077	-0.102	27.5	90
4	46	0.917	-1.830	27.5	91	6	6	2.635	-0.717	27.3	93	7	26	2.148	-0.025	27.5	91
4	47	0.791	-2.982	27.5	91	6	7	2.362	-0.696	27.4	92	7	27	1.888	0.088	27.5	91
4	48	1.333	-4.027	27.5	90	6	8	2.646	-0.911	27.4	92	7	28	2.205	0.548	27.6	91
4	49	1.470	-2.027	27.5	91	6	9	1.598	-0.517	27.5	91	7	29	2.276	0.253	27.5	91
4	50	0.753	-1.594	27.5	90	6	10	2.273	-0.349	27.4	92	7	30	2.605	-0.263	27.6	90
4	51	0.417	-1.441	27.5	90	6	11	1.630	-1.129	27.4	91	7	31	1.429	-0.123	27.6	91
4	52	0.919	-0.929	27.5	90	6	12	1.797	-1.257	27.4	91	7	32	1.634	0.012	27.6	90
4	53	1.004	-0.603	27.4	91	6	13	0.671	-1.756	27.4	91	7	33	1.469	0.040	27.6	90
4	54	1.527	-0.376	27.4	91	6	14	1.683	-1.893	27.6	89	7	34	1.262	0.505	27.6	90
4	55	0.847	-0.699	27.4	91	6	15	2.656	-2.161	27.7	88	7	35	1.795	0.272	27.6	91
4	56	0.300	-0.189	27.4	91	6	16	2.918	-1.768	27.8	87	7	36	2.034	0.219	27.6	90
4	57	0.000	0.000	27.4	91	6	17	2.158	-0.919	27.7	88	7	37	1.617	0.300	27.6	90
4	58	0.101	0.000	27.4	91	6	18	1.697	-0.340	27.6	88	7	38	1.507	0.785	27.7	90
4	59	1.021	0.000	27.4	91	6	19	1.766	-1.208	27.7	88	7	39	2.897	0.111	27.6	90
5	0	0.044	-0.402	27.4	92	6	20	1.974	-0.770	27.7	87	7	40	2.095	-0.213	27.7	89
5	1	0.000	-0.829	27.3	92	6	21	2.716	-1.416	27.6	88	7	41	1.869	0.645	27.8	89
5	2	0.051	-0.774	27.4	91	6	22	2.436	-1.294	27.6	88	7	42	1.405	0.676	27.8	89
5	3	0.011	-0.465	27.4	91	6	23	1.580	-2.437	27.6	88	7	43	1.342	0.030	27.8	89
5	4	-0.009	-0.666	27.4	91	6	24	2.277	-1.421	27.7	87	7	44	1.388	-0.184	27.8	88
5	5	0.385	-1.288	27.3	91	6	25	2.227	-1.106	27.7	87	7	45	1.070	0.175	27.8	89
5	6	0.672	-0.983	27.3	91	6	26	1.864	-1.084	27.7	87	7	46	0.066	0.305	27.9	89
5	7	0.115	-1.108	27.2	92	6	27	0.699	-1.337	27.7	87	7	47	0.000	0.489	28.0	89
5	8	0.777	-0.421	27.2	92	6	28	0.331	-2.462	27.6	88	7	48	0.000	0.752	28.0	89
5	9	0.809	-0.591	27.2	92	6	29	0.953	-1.729	27.6	88	7	49	0.000	0.937	28.1	89
5	10	0.232	-0.162	27.1	93	6	30	0.510	-1.501	27.5	88	7	50	0.000	0.419	28.0	90



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

7	51	-0.004	0.035	27.9	90	9	11	2.689	0.717	26.3	95	10	31	0.699	-1.705	26.9	95
7	52	0.000	0.000	27.9	90	9	12	3.275	1.063	26.3	95	10	32	0.304	-1.423	26.9	95
7	53	0.229	0.092	27.8	90	9	13	3.724	0.002	26.2	95	10	33	1.499	-2.038	26.9	95
7	54	0.000	0.149	27.9	90	9	14	2.959	-0.009	26.2	95	10	34	1.186	-1.259	26.9	95
7	55	0.000	0.000	27.9	90	9	15	2.365	-0.013	26.2	95	10	35	1.777	-1.993	26.9	95
7	56	-0.063	0.000	27.9	90	9	16	1.826	-0.018	26.2	96	10	36	0.325	-3.177	27.0	95
7	57	-0.752	0.012	27.9	90	9	17	3.277	-0.027	26.1	96	10	37	0.336	-2.591	27.0	95
7	58	-1.150	0.055	27.8	91	9	18	2.624	0.284	26.2	96	10	38	-0.436	-2.348	26.9	95
7	59	-0.993	-0.112	27.7	91	9	19	1.962	0.039	26.1	96	10	39	-0.298	-2.544	26.9	95
8	0	-0.807	-0.834	27.6	92	9	20	2.704	0.012	26.0	96	10	40	-0.714	-2.236	26.9	95
8	1	-0.209	-1.437	27.5	93	9	21	2.408	1.169	26.1	96	10	41	-1.294	-1.720	26.9	95
8	2	-0.275	-1.650	27.3	93	9	22	2.471	1.128	26.1	96	10	42	-0.232	-2.024	26.9	95
8	3	-0.858	-1.716	27.3	93	9	23	1.956	0.825	26.2	96	10	43	-0.733	-1.248	26.9	96
8	4	-0.715	-1.625	27.2	94	9	24	1.886	1.785	26.1	96	10	44	-0.853	-2.221	26.9	95
8	5	-0.555	-1.198	27.1	94	9	25	1.554	1.287	26.1	96	10	45	0.354	-2.828	26.8	95
8	6	-0.631	-1.018	27.1	94	9	26	1.110	1.575	26.2	96	10	46	1.021	-2.116	26.8	95
8	7	-0.311	-1.389	27.2	95	9	27	0.872	1.978	26.1	95	10	47	0.746	-1.425	26.8	95
8	8	0.000	-1.026	27.1	95	9	28	0.999	1.684	26.1	96	10	48	0.606	-1.517	26.8	95
8	9	0.010	-1.072	27.1	95	9	29	1.127	1.295	26.1	96						
8	10	0.558	-2.512	27.1	95	9	30	1.032	1.879	26.2	96						
8	11	3.152	-2.396	27.2	94	9	31	1.274	1.904	26.1	96						
8	12	3.291	-4.581	27.2	94	9	32	0.773	1.373	26.1	96						
8	13	4.718	-4.114	27.0	93	9	33	0.047	1.265	26.2	96						
8	14	2.468	-3.471	26.9	94	9	34	0.000	1.396	26.3	96						
8	15	3.306	-3.496	26.8	95	9	35	0.000	1.339	26.3	96						
8	16	3.675	-4.188	26.7	95	9	36	0.000	0.564	26.3	96						
8	17	2.441	-4.404	26.7	95	9	37	-0.001	0.046	26.3	96						
8	18	3.301	-3.082	26.6	95	9	38	0.000	0.000	26.3	96						
8	19	2.682	-3.334	26.4	94	9	39	0.000	0.023	26.3	96						
8	20	4.080	-3.738	26.2	94	9	40	0.000	0.827	26.3	96						
8	21	2.732	-3.267	26.1	95	9	41	-0.052	1.343	26.4	96						
8	22	4.446	-3.859	26.0	94	9	42	0.000	1.141	26.4	95						
8	23	4.102	-2.362	25.9	95	9	43	0.000	0.156	26.4	96						
8	24	2.782	-4.076	25.8	95	9	44	-0.000	-0.664	26.4	96						
8	25	3.882	-2.796	25.9	95	9	45	0.000	-0.827	26.2	96						
8	26	2.806	-3.080	25.9	95	9	46	0.000	-0.115	26.2	96						
8	27	5.740	-3.578	26.0	94	9	47	0.000	0.000	26.2	96						
8	28	3.775	-3.153	26.0	94	9	48	0.000	0.037	26.2	96						
8	29	2.750	-2.873	26.0	94	9	49	0.000	0.478	26.2	97						
8	30	4.620	-3.018	26.1	94	9	50	-0.399	0.043	26.2	97						
8	31	2.240	-2.701	26.1	94	9	51	0.589	-0.454	26.3	97						
8	32	2.597	-2.428	26.0	95	9	52	1.141	-1.025	26.2	96						
8	33	1.274	-2.251	26.0	95	9	53	0.101	-0.000	26.3	96						
8	34	0.750	-1.565	25.9	95	9	54	-0.634	-0.002	26.4	96						
8	35	1.526	-1.704	25.9	96	9	55	-0.496	-0.143	26.3	96						
8	36	3.164	-2.092	25.9	96	9	56	-0.782	-0.231	26.3	96						
8	37	4.036	-2.762	26.0	95	9	57	-1.018	-0.384	26.3	96						
8	38	1.882	-2.345	26.1	95	9	58	-1.425	-0.283	26.3	96						
8	39	0.926	-3.427	26.0	95	9	59	-1.892	0.310	26.3	96						
8	40	2.531	-2.430	26.0	95	10	0	-1.750	0.206	26.3	96						
8	41	2.829	-2.026	26.0	95	10	1	-0.923	-0.074	26.3	96						
8	42	1.966	-2.929	26.0	95	10	2	-0.174	-0.120	26.4	97						
8	43	3.353	-4.495	26.0	95	10	3	-0.273	-0.019	26.3	97						
8	44	2.920	-3.579	26.1	95	10	4	-0.747	-0.079	26.3	97						
8	45	2.406	-1.620	26.0	96	10	5	-0.489	-0.125	26.3	97						
8	46	2.258	-1.584	26.0	96	10	6	-0.263	-0.032	26.3	97						
8	47	4.942	-2.068	26.0	96	10	7	-0.024	-0.474	26.3	97						
8	48	3.288	-1.275	26.0	96	10	8	0.186	-0.250	26.4	97						
8	49	3.757	-0.374	25.9	96	10	9	0.189	-0.836	26.5	97						
8	50	3.069	0.062	25.9	96	10	10	-0.171	-0.589	26.5	97						
8	51	3.100	0.185	25.9	96	10	11	-0.110	-0.745	26.6	96						
8	52	2.874	-1.599	25.9	96	10	12	-0.886	-0.002	26.6	96						
8	53	3.487	-1.305	25.9	96	10	13	0.101	-0.741	26.6	96						
8	54	1.680	-0.131	26.0	96	10	14	0.280	-1.777	26.6	96						
8	55	0.788	-0.576	26.0	96	10	15	0.254	-2.674	26.7	96						
8	56	0.885	-0.746	26.0	96	10	16	-0.188	-1.963	26.7	96						
8	57	0.197	-0.936	26.0	97	10	17	-0.082	-2.117	26.7	96						
8	58	1.021	-0.550	26.0	97	10	18	-0.205	-1.272	26.8	96						
8	59	0.662	-0.519	26.0	97	10	19	0.037	-2.074	26.8	96						
9	0	0.194	-0.024	26.0	97	10	20	0.756	-1.013	26.8	96						
9	1	0.457	-0.101	26.0	97	10	21	1.999	-2.047	26.7	96						
9	2	0.965	-0.025	26.0	97	10	22	1.212	-1.388	26.8	96						
9	3	0.417	0.349	26.0	97	10	23	1.613	-0.730	26.8	96						
9	4	1.019	0.742	26.1	96	10	24	1.579	-0.989	26.8	96						
9	5	2.382	-0.491	26.2	96	10	25	0.079	-1.078	26.8	96						
9	6	2.218	-2.046	26.2	96	10	26	1.966	-2.109	26.8	96						
9	7	2.564	-1.228	26.2	96	10	27	2.750	-0.926	26.8	96						
9	8	2.958	-1.753	26.3	95	10	28	2.477	-0.998	26.8	96						
9	9	4.312	-1.680	26.4	94	10	29	2.357	-1.254	26.9	95						
9	10	2.704	-0.717	26.4	94	10	30	0.980	-1.660	26.9	95						





Appendix 6.2

Cumulative Odour Impacts on ASRs by On-site Emission Sources

A. Scenario 1 : Full-scale BPP with Mitigation Measures



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

1 ISCST2 - (DATED 92273)
IBM-PC VERSION (2.01) ISCST2
(C) COPYRIGHT 1992, TRINITY CONSULTANTS, INC.
Run Began on 10/06/1995 at 22:42:41

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP with Mit. *** 10/06/95
*** 22:42:42

PAGE 1

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** MODEL SETUP OPTIONS SUMMARY ***

**Model Is Setup For Calculation of Average CONCentration Values.

**Model Uses RURAL Dispersion.

**Model Uses User-Specified Options:

1. Gradual Plume Rise.
2. Stack-tip Downwash.
3. Buoyancy-induced Dispersion.
4. Calms Processing Routine.
5. Missing Data Processing Routine.
6. Default Wind Profile Exponents.
7. Default Vertical Potential Temperature Gradients.

**Model Accepts Receptors on ELEV Terrain.

**Model Accepts FLAGPOLE Receptor Heights.

**Model Calculates 1 Short Term Average(s) of 1-HR

**This Run Includes: 48 Source(s); 1 Source Group(s); and 129 Receptor(s)

**The Model Assumes A Pollutant Type of ODOUR_2

**Model Set To Continue RUNning After the Setup Testing.

**Output Options Selected:

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)
Model Outputs External File(s) of Concurrent Values for Postprocessing (POSTFILE Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing Hours
b for Both Calm and Missing Hours

**Misc. Inputs: Anem. Hgt. (m) = 10.00; Decay Coef. = .7700E-02; Rot. Angle = .0
Emission Units = GRAMS/SEC; Emission Rate Unit Factor = 1.0000
Output Units = GRAMS/M**3

**Input Runstream File: C:\SSSHSSSHA0.DAT; **Output Print File: C:\SSSHSSSHA0.LST

**File Created for Event Model: C:\SSSHSSSHA0.EVT

**File for Saving Result Arrays: C:\SSSHSSSHA0.SV1

**File for Initializing Result Arrays: C:\SSSHSSSHA0.SV2

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP with Mit. *** 10/06/95
*** 22:42:42

PAGE 2

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO





**Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)**

*** NETWORK ID: 0 ; NETWORK TYPE: GRIDCART ***

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZFLAG)
(METERS)

```
( 30420.0, 41601.0, 9.3, .0); ( 30255.0, 41725.0, 9.8, .0);
( 29850.0, 41320.0, 9.4, .0); ( 29442.0, 41652.0, 10.2, .0);
( 29630.0, 41898.0, 10.2, .0); ( 30155.0, 40942.0, 9.7, .0);
( 30305.0, 40495.0, 10.1, .0); ( 30625.0, 41140.0, 9.4, .0);
```

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP with Mit. *** 10/06/95
*** 22:42:42

PAGE 18

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** METEOROLOGICAL DAYS SELECTED FOR PROCESSING ***
(1=YES; 0=NO)

```
1111111111 1111111111 1111111111 1111111111 1111111111
1111111111 1111111111 1111111111 1111111111 1111111111
1111111111 1111111111 1111111111 1111111111 1111111111
1111111111 1111111111 1111111111 1111111111 1111111111
1111111111 1111111111 1111111111 1111111111 1111111111
1111111111 1111111111 1111111111 1111111111 1111111111
1111111111 1111111111 1111111111 1111111111 1111111111
1111111111 1111111111 1111111111 1111111111 1111111111
1111111111 1111111111 1111111111 1111111111 1111111111
```

METEOROLOGICAL DATA PROCESSED BETWEEN START DATE: 94 1 1 1
AND END DATE: 94 12 31 24

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT IS INCLUDED IN THE DATA FILE.

*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED CATEGORIES ***
(METERS/SEC)

1.54, 3.09, 5.14, 8.23, 10.80,

*** WIND PROFILE EXPONENTS ***

STABILITY CATEGORY	WIND SPEED CATEGORY					
	1	2	3	4	5	6
A	.70000E-01	.70000E-01	.70000E-01	.70000E-01	.70000E-01	.70000E-01
B	.70000E-01	.70000E-01	.70000E-01	.70000E-01	.70000E-01	.70000E-01
C	.10000E+00	.10000E+00	.10000E+00	.10000E+00	.10000E+00	.10000E+00
D	.15000E+00	.15000E+00	.15000E+00	.15000E+00	.15000E+00	.15000E+00
E	.35000E+00	.35000E+00	.35000E+00	.35000E+00	.35000E+00	.35000E+00
F	.55000E+00	.55000E+00	.55000E+00	.55000E+00	.55000E+00	.55000E+00





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF ODOUR_2 IN GRAMS/M**3 **

X-COORD (M) (YYMMDDHH)	Y-COORD (M)	CONC (YYMMDDHH)	X-COORD (M)	Y-COORD (M)	CONC
30420.00	41601.00	.11165 (94080318)	30255.00	41725.00	.18971 (94102014)
29850.00	41320.00	.16978 (94042013)	29442.00	41652.00	.02738 (94051714)
29630.00	41898.00	.07495 (94051716)	30155.00	40942.00	.11814 (94060908)
30305.00	40495.00	.02337 (94060908)	30625.00	41140.00	.10576 (94030606)

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP with Mit. *** 10/06/95

*** 22:42:42 ***

PAGE 24

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

** CONC OF ODOUR_2 IN GRAMS/M**3 **

GROUP ID GRID-ID	DATE AVERAGE CONC (YYMMDDHH)	NETWORK RECEPTOR (XR, YR, ZELEV, ZFLAG)	OF TYPE
---------------------	---------------------------------	--	---------

OVERALL HIGH 1ST HIGH VALUE IS .21989 ON 94042412: AT (30000.00, 41250.00, 9.80, .00) GC 0

*** RECEPTOR TYPES: GC = GRIDCART

GP = GRIDPOLR

DC = DISCCART

DP = DISCPOLR

BD = BOUNDARY

*** ISCST2 Finishes Successfully ***





1 IS CST2 - (DATED 92273)
IBM-PC VERSION (2.01) IS CST2
(C) COPYRIGHT 1992, TRINITY CONSULTANTS, INC.
Run Began on 10/06/1995 at 22:42:41

*** IS CST2 - VERSION 92273 *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP with Mit. *** 10/06/95
*** 22:42:42

PAGE 1

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** MODEL SETUP OPTIONS SUMMARY ***

**Model Is Setup For Calculation of Average CONCentration Values.

**Model Uses RURAL Dispersion.

**Model Uses User-Specified Options:

1. Gradual Plume Rise.
2. Stack-tip Downwash.
3. Buoyancy-induced Dispersion.
4. Calms Processing Routine.
5. Missing Data Processing Routine.
6. Default Wind Profile Exponents.
7. Default Vertical Potential Temperature Gradients.

**Model Accepts Receptors on ELEV Terrain.

**Model Accepts FLAGPOLE Receptor Heights.

**Model Calculates 1 Short Term Average(s) of 1-HR

**This Run Includes: 48 Source(s); 1 Source Group(s); and 129 Receptor(s)

**The Model Assumes A Pollutant Type of ODOUR_2

**Model Set To Continue RUNning After the Setup Testing.

**Output Options Selected:

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)
Model Outputs External File(s) of Concurrent Values for Postprocessing (POSTFILE Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing Hours
b for Both Calm and Missing Hours

**Misc. Inputs: Anem. Hgt. (m) = 10.00; Decay Coef = .7700E-02; Rot. Angle = .0
Emission Units = GRAMS/SEC; Emission Rate Unit Factor = 1.0000
Output Units = GRAMS/M**3

**Input Runstream File: C:\SSSHSSSHA0.DAT ; **Output Print File: C:\SSSHSSSHA0.LST

**File Created for Event Model: C:\SSSHSSSHA0.EVT

**File for Saving Result Arrays: C:\SSSHSSSHA0.SV1

**File for Initializing Result Arrays: C:\SSSHSSSHA0.SV2

*** IS CST2 - VERSION 92273 *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP with Mit. *** 10/06/95
*** 22:42:42

PAGE 2

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO





*** VERTICAL POTENTIAL TEMPERATURE GRADIENTS ***
(DEGREES KELVIN PER METER)

STABILITY CATEGORY	WIND SPEED CATEGORY					
	1	2	3	4	5	6
A	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00
B	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00
C	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00
D	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00
E	.20000E-01	.20000E-01	.20000E-01	.20000E-01	.20000E-01	.20000E-01
F	.40000E-01	.40000E-01	.40000E-01	.40000E-01	.40000E-01	.40000E-01

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP with Mit. *** 10/06/95

*** 22:42:42

PAGE 19

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

FILE: C:\WALLACE\TKL94.MET FORMAT: (4I2,2F9.4,F6.1,I2,2F7.1)
SURFACE STATION NO.: 1 UPPER AIR STATION NO.: 2
NAME: SURFNAME NAME: UAIRNAME
YEAR: 1994 YEAR: 1994

FLOW SPEED TEMP STAB MIXING HEIGHT (M)
YEAR MONTH DAY HOUR VECTOR (M/S) (K) CLASS RURAL URBAN

YEAR	MONTH	DAY	HOUR	VECTOR (M/S)	TEMP (K)	CLASS	RURAL	URBAN	
94	1	1	1	360.0	1.00	284.3	6	500.0	500.0
94	1	1	2	60.0	1.00	284.9	6	500.0	500.0
94	1	1	3	220.0	1.00	285.4	6	500.0	500.0
94	1	1	4	350.0	1.00	285.8	6	500.0	500.0
94	1	1	5	290.0	1.50	284.9	6	500.0	500.0
94	1	1	6	240.0	1.00	284.0	6	500.0	500.0
94	1	1	7	210.0	1.00	283.7	6	500.0	500.0
94	1	1	8	40.0	1.00	283.5	6	500.0	500.0
94	1	1	9	310.0	1.00	285.5	4	500.0	500.0
94	1	1	10	330.0	1.00	287.4	2	500.0	500.0
94	1	1	11	110.0	1.50	289.4	2	500.0	500.0
94	1	1	12	110.0	2.00	290.7	3	500.0	500.0
94	1	1	13	100.0	2.50	292.1	2	500.0	500.0
94	1	1	14	120.0	1.50	293.5	2	787.8	787.8
94	1	1	15	100.0	2.50	293.5	2	787.8	787.8
94	1	1	16	110.0	2.50	292.3	3	787.8	787.8
94	1	1	17	110.0	2.50	291.2	4	787.8	787.8
94	1	1	18	120.0	2.50	289.7	6	787.8	787.8
94	1	1	19	150.0	1.50	288.6	6	787.8	787.8
94	1	1	20	150.0	1.50	287.9	6	777.5	777.5
94	1	1	21	170.0	2.00	287.3	6	767.2	767.2
94	1	1	22	160.0	2.00	287.2	6	756.9	756.9
94	1	1	23	160.0	2.00	287.1	6	746.6	746.6
94	1	1	24	130.0	1.00	287.0	6	736.3	736.3

*** NOTES: STABILITY CLASS 1=A, 2=B, 3=C, 4=D, 5=E AND 6=F.

FLOW VECTOR IS DIRECTION TOWARD WHICH WIND IS BLOWING.

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP with Mit. *** 10/06/95

*** 22:42:42

PAGE 23

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES FOR SOURCE GROUP: OVERALL

INCLUDING SOURCE(S): T1 , T2 , T3 , T4 , T5 , T6 , T7 ,
T8 , T9 , T10 , T11 , T12 , T13 , T14 , T15 , T16 , T17 , T18 , T19 ,
T20 , T21 , T22 , T23 , T24 , T25 , T26 , T27 , T28 , T29 , T30 , ... ,



Cumulative Odour Impacts on ASRs by On-site Emission Sources (5 sec Average)
Scenario 1: Full- scale BPP with mitigation measures

<u>ASRs</u>	<u>X-CORDINATE</u>	<u>Y-COORDINATE</u>	<u>MAXIMUM CONCENTRATION</u>
1	30420.00000	41601.00000	5.57722
2	30255.00000	41725.00000	8.30526
7	29850.00000	41320.00000	7.60258
12	29442.00000	41652.00000	1.05269
13	29630.00000	41898.00000	1.60473
14	30155.00000	40942.00000	2.86616
15	30305.00000	40495.00000	.39285
16	30625.00000	41140.00000	1.95831



Appendix 6.2

Cumulative Odour Impacts on ASRs by On-site Emission Sources

B. Scenario 2 : Full-scale BPP without Mitigation Measure





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP without Mit. ***
10/07/95

*** 13:19:41

PAGE 5

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

* SOURCE EMISSION RATE SCALARS WHICH VARY FOR EACH HOUR OF THE DAY *

 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

SOURCE ID = T1 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T2 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T3 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T4 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T5 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00





*** ISCAST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP without Mit. ***
10/07/95

*** 13:19:41

PAGE 6

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

* SOURCE EMISSION RATE SCALARS WHICH VARY FOR EACH HOUR OF THE DAY *

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

SOURCE ID = T6 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T7 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T8 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T9 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T10 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP without Mit. ***
10/07/95

*** 13:19:41

PAGE 7

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

* SOURCE EMISSION RATE SCALARS WHICH VARY FOR EACH HOUR OF THE DAY *

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

SOURCE ID = T11 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T12 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T13 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T14 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T15 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP without Mit. ***
10/07/95

*** 13:19:41

PAGE 8

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

* SOURCE EMISSION RATE SCALARS WHICH VARY FOR EACH HOUR OF THE DAY *

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

SOURCE ID = T16 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T17 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T18 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T19 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T20 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP without Mit. ***
10/07/95

*** 13:19:41

PAGE 9

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

* SOURCE EMISSION RATE SCALARS WHICH VARY FOR EACH HOUR OF THE DAY *

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

SOURCE ID = T21 ; SOURCE TYPE = VOLUME :

1 .00000E+00 2 .00000E+00 3 .00000E+00 4 .00000E+00 5 .00000E+00 6 .00000E+00
7 .00000E+00 8 .00000E+00 9 .00000E+00 10 .00000E+00 11 .00000E+00 12 .10000E+01
13 .10000E+01 14 .10000E+01 15 .10000E+01 16 .10000E+01 17 .10000E+01 18 .10000E+01
19 .10000E+01 20 .00000E+00 21 .00000E+00 22 .00000E+00 23 .00000E+00 24 .00000E+00

SOURCE ID = T22 ; SOURCE TYPE = VOLUME :

1 .00000E+00 2 .00000E+00 3 .00000E+00 4 .00000E+00 5 .00000E+00 6 .00000E+00
7 .00000E+00 8 .00000E+00 9 .00000E+00 10 .00000E+00 11 .00000E+00 12 .10000E+01
13 .10000E+01 14 .10000E+01 15 .10000E+01 16 .10000E+01 17 .10000E+01 18 .10000E+01
19 .10000E+01 20 .00000E+00 21 .00000E+00 22 .00000E+00 23 .00000E+00 24 .00000E+00

SOURCE ID = T23 ; SOURCE TYPE = VOLUME :

1 .00000E+00 2 .00000E+00 3 .00000E+00 4 .00000E+00 5 .00000E+00 6 .00000E+00
7 .00000E+00 8 .00000E+00 9 .00000E+00 10 .00000E+00 11 .00000E+00 12 .10000E+01
13 .10000E+01 14 .10000E+01 15 .10000E+01 16 .10000E+01 17 .10000E+01 18 .10000E+01
19 .10000E+01 20 .00000E+00 21 .00000E+00 22 .00000E+00 23 .00000E+00 24 .00000E+00

SOURCE ID = T24 ; SOURCE TYPE = VOLUME :

1 .00000E+00 2 .00000E+00 3 .00000E+00 4 .00000E+00 5 .00000E+00 6 .00000E+00
7 .00000E+00 8 .00000E+00 9 .00000E+00 10 .00000E+00 11 .00000E+00 12 .10000E+01
13 .10000E+01 14 .10000E+01 15 .10000E+01 16 .10000E+01 17 .10000E+01 18 .10000E+01
19 .10000E+01 20 .00000E+00 21 .00000E+00 22 .00000E+00 23 .00000E+00 24 .00000E+00

SOURCE ID = T25 ; SOURCE TYPE = VOLUME :

1 .00000E+00 2 .00000E+00 3 .00000E+00 4 .00000E+00 5 .00000E+00 6 .00000E+00
7 .00000E+00 8 .00000E+00 9 .00000E+00 10 .00000E+00 11 .00000E+00 12 .10000E+01
13 .10000E+01 14 .10000E+01 15 .10000E+01 16 .10000E+01 17 .10000E+01 18 .10000E+01
19 .10000E+01 20 .00000E+00 21 .00000E+00 22 .00000E+00 23 .00000E+00 24 .00000E+00





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP without Mit. ***
10/07/95

*** 13:19:41

PAGE 10

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

* SOURCE EMISSION RATE SCALARS WHICH VARY FOR EACH HOUR OF THE DAY *

 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

SOURCE ID = T26 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T27 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .00000E+00
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T28 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T29 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T30 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP without Mit. ***
10/07/95

*** 13:19:41
PAGE 11

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

* SOURCE EMISSION RATE SCALARS WHICH VARY FOR EACH HOUR OF THE DAY *

 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

SOURCE ID = TRUCK ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .10000E+01	8 .10000E+01	9 .10000E+01	10 .10000E+01	11 .10000E+01	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .00000E+00
19 .00000E+00	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = BPP ; SOURCE TYPE = POINT :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .10000E+01	5 .10000E+01	6 .10000E+01
7 .10000E+01	8 .10000E+01	9 .10000E+01	10 .10000E+01	11 .10000E+01	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .00000E+00	16 .00000E+00	17 .00000E+00	18 .00000E+00
19 .00000E+00	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** DISCRETE CARTESIAN RECEPTORS ***
 (X-COORD, Y-COORD, ZELEV, ZFLAG)
 (METERS)

(30420.0, 41601.0, 9.3, .0);	(30255.0, 41725.0, 9.8, .0);
(29850.0, 41320.0, 9.4, .0);	(29442.0, 41652.0, 10.2, .0);
(29630.0, 41898.0, 10.2, .0);	(30155.0, 40942.0, 9.7, .0);
(30305.0, 40495.0, 10.1, .0);	(30625.0, 41140.0, 9.4, .0);





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP without Mit. ***
10/07/95

*** 13:19:41

PAGE 19

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

FILE: C:\WALLACE\TKL94.MET	FORMAT: (4I2,2F9.4,F6.1,J2,2F7.1)
SURFACE STATION NO.: 1	UPPER AIR STATION NO.: 2
NAME: SURFNAME	NAME: UAIRNAME
YEAR: 1994	YEAR: 1994

FLOW SPEED TEMP STAB MIXING HEIGHT (M)
YEAR MONTH DAY HOUR VECTOR (M/S) (K) CLASS RURAL URBAN

YEAR	MONTH	DAY	HOUR	VECTOR (M/S)	TEMP (K)	STAB	MIXING HEIGHT (M)	CLASS	RURAL	URBAN
94	1	1	1	360.0	1.00	284.3	6	500.0	500.0	
94	1	1	2	60.0	1.00	284.9	6	500.0	500.0	
94	1	1	3	220.0	1.00	285.4	6	500.0	500.0	
94	1	1	4	350.0	1.00	285.8	6	500.0	500.0	
94	1	1	5	290.0	1.50	284.9	6	500.0	500.0	
94	1	1	6	240.0	1.00	284.0	6	500.0	500.0	
94	1	1	7	210.0	1.00	283.7	6	500.0	500.0	
94	1	1	8	40.0	1.00	283.5	6	500.0	500.0	
94	1	1	9	310.0	1.00	285.5	4	500.0	500.0	
94	1	1	10	330.0	1.00	287.4	2	500.0	500.0	
94	1	1	11	110.0	1.50	289.4	2	500.0	500.0	
94	1	1	12	110.0	2.00	290.7	3	500.0	500.0	
94	1	1	13	100.0	2.50	292.1	2	500.0	500.0	
94	1	1	14	120.0	1.50	293.5	2	787.8	787.8	
94	1	1	15	100.0	2.50	293.5	2	787.8	787.8	
94	1	1	16	110.0	2.50	292.3	3	787.8	787.8	
94	1	1	17	110.0	2.50	291.2	4	787.8	787.8	
94	1	1	18	120.0	2.50	289.7	6	787.8	787.8	
94	1	1	19	150.0	1.50	288.6	6	787.8	787.8	
94	1	1	20	150.0	1.50	287.9	6	777.5	777.5	
94	1	1	21	170.0	2.00	287.3	6	767.2	767.2	
94	1	1	22	160.0	2.00	287.2	6	756.9	756.9	
94	1	1	23	160.0	2.00	287.1	6	746.6	746.6	
94	1	1	24	130.0	1.00	287.0	6	736.3	736.3	

*** NOTES: STABILITY CLASS 1=A, 2=B, 3=C, 4=D, 5=E AND 6=F.

FLOW VECTOR IS DIRECTION TOWARD WHICH WIND IS BLOWING.

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES FOR SOURCE GROUP: OVERALL

INCLUDING SOURCE(S): T1 ,T2 ,T3 ,T4 ,T5 ,T6 ,T7 ,
T8 ,T9 ,T10 ,T11 ,T12 ,T13 ,T14 ,T15 ,T16 ,T17 ,T18 ,T19 ,
T20 ,T21 ,T22 ,T23 ,T24 ,T25 ,T26 ,T27 ,T28 ,T29 ,T30 ,...

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF ODOUR IN GRAMS/M**3 **

X-COORD (M) (YYMMDDHH)	Y-COORD (M)	CONC (YYMMDDHH)	X-COORD (M)	Y-COORD (M)	CONC
---------------------------	-------------	-----------------	-------------	-------------	------

30420.00	41601.00	2.99722 (94111812)	30255.00	41725.00	6.73332 (94102014)
29850.00	41320.00	6.70954 (94042511)	29442.00	41652.00	.85436 (94051714)
29630.00	41898.00	.96444 (94100913)	30155.00	40942.00	3.68896 (94060908)
30305.00	40495.00	.56012 (94060908)	30625.00	41140.00	3.31616 (94030606)





*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, Full-SCALE BPP without Mit. ***
10/07/95

*** 13:19:41

PAGE 24

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

** CONC OF ODOUR IN GRAMS/M**3 **

GROUP ID	DATE	AVERAGE CONC (YYMMDDHH)	NETWORK	RECEPTOR (XR, YR, ZELEV, ZFLAG)	OF TYPE
----------	------	-------------------------	---------	---------------------------------	---------

OVERALL HIGH 1ST HIGH VALUE IS 8.23479 ON 94060912: AT (30000.00, 41250.00, 9.80, .00) GC 0

*** RECEPTOR TYPES: GC = GRIDCART

GP = GRIDPOLR

DC = DISCCART

DP = DISCPOLR


BD = BOUNDARY

*** ISCST2 Finishes Successfully ***



Cumulative Odour Impacts on ASRs by On-site Emission Sources (5 sec Average)
Scenario 2: Full- scale BPP without mitigation measures

<u>ASRs</u>	<u>X-CORDINATE</u>	<u>Y-COORDINATE</u>	<u>MAXIMUM CONCENTRATION</u>
1	30420.00000	41601.00000	269.8
2	30255.00000	41725.00000	375.9
7	29850.00000	41320.00000	448.5
12	29442.00000	41652.00000	49.0
13	29630.00000	41898.00000	70.7
14	30155.00000	40942.00000	122.5
15	30305.00000	40495.00000	15.8
16	30625.00000	41140.00000	78.5



Appendix 6.3

Cumulative Odour Impacts on ASRs by On-site Emission Sources

Scenario 3 : Reduced-scale BPP with Mitigation Measures



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

1 ISCSST2 - (DATED 92273)

IBM-PC VERSION (2.01) ISCSST2
(C) COPYRIGHT 1992, TRINITY CONSULTANTS, INC.

Run Began on 10/07/1995 at 20:21:13

*** ISCSST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, REDUCED-SCALE BPP WITH MIT. ***
10/07/95

*** 20:21:14

PAGE 1

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** MODEL SETUP OPTIONS SUMMARY ***

**Model Is Setup For Calculation of Average CONCentration Values.

**Model Uses RURAL Dispersion.

**Model Uses User-Specified Options:

1. Gradual Plume Rise.
2. Stack-tip Downwash.
3. Buoyancy-induced Dispersion.
4. Calms Processing Routine.
5. Missing Data Processing Routine.
6. Default Wind Profile Exponents.
7. Default Vertical Potential Temperature Gradients.

**Model Accepts Receptors on ELEV Terrain.

**Model Accepts FLAGPOLE Receptor Heights.

**Model Calculates 1 Short Term Average(s) of: 1-HR

**This Run Includes: 47 Source(s); 1 Source Group(s); and 129 Receptor(s)

**The Model Assumes A Pollutant Type of: ODOUR_2

**Model Set To Continue RUNning After the Setup Testing.

**Output Options Selected:

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)
Model Outputs External File(s) of Concurrent Values for Postprocessing (POSTFILE Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing Hours
b for Both Calm and Missing Hours

**Misc. Inputs: Anem. Hgt. (m) = 10.00 ; Decay Coef. = .7700E-02 ; Rot. Angle = .0
Emission Units = GRAMS/SEC ; Emission Rate Unit Factor = 1.0000
Output Units = GRAMS/M**3

**Input Runstream File: C:\SSSHSSSHC0.DAT ; **Output Print File: C:\SSSHSSSHC0.LST
**File Created for Event Model: C:\SSSHSSSHC0.EVT
**File for Saving Result Arrays: C:\SSSHSSSHC0.SV1





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, REDUCED-SCALE BPP WITH MIT. ***
10/07/95

*** 20:21:14

PAGE 4

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** SOURCE IDs DEFINING SOURCE GROUPS ***

GROUP ID

SOURCE IDs

OVERALL T1 , T2 , T3 , T4 , T5 , T6 , T7 , T8 , T9 , T10 , T11 , T12 ,
T13 , T14 , T15 , T16 , T17 , T18 , T19 , T20 , T21 , T22 , T23 , T24 ,
T25 , T26 , T27 , T28 , T29 , T30 , TRUCK , FIG_P1 , FIG_P2 , FIG_P3 , FIG_P4 , FIG_P5 ,
FIG_P6 , FIG_P7 , FIG_P8 , FIG_P9 , FIG_P10 , ISO_P1 , SLA_P1 , WWTP_P1 , WWTP_P2 , WWTP_P3 , WWTP_P4 ,





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, REDUCED-SCALE BPP WITH MIT. ***
10/07/95

*** 20:21:14

PAGE 5

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

* SOURCE EMISSION RATE SCALARS WHICH VARY FOR EACH HOUR OF THE DAY *

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

SOURCE ID = T1 ; SOURCE TYPE = VOLUME :

1	.00000E+00	2	.00000E+00	3	.00000E+00	4	.00000E+00	5	.00000E+00	6	.00000E+00
7	.00000E+00	8	.00000E+00	9	.00000E+00	10	.00000E+00	11	.00000E+00	12	.10000E+01
13	.10000E+01	14	.10000E+01	15	.10000E+01	16	.10000E+01	17	.10000E+01	18	.10000E+01
19	.10000E+01	20	.00000E+00	21	.00000E+00	22	.00000E+00	23	.00000E+00	24	.00000E+00

SOURCE ID = T2 ; SOURCE TYPE = VOLUME :

1	.00000E+00	2	.00000E+00	3	.00000E+00	4	.00000E+00	5	.00000E+00	6	.00000E+00
7	.00000E+00	8	.00000E+00	9	.00000E+00	10	.00000E+00	11	.00000E+00	12	.10000E+01
13	.10000E+01	14	.10000E+01	15	.10000E+01	16	.10000E+01	17	.10000E+01	18	.10000E+01
19	.10000E+01	20	.00000E+00	21	.00000E+00	22	.00000E+00	23	.00000E+00	24	.00000E+00

SOURCE ID = T3 ; SOURCE TYPE = VOLUME :

1	.00000E+00	2	.00000E+00	3	.00000E+00	4	.00000E+00	5	.00000E+00	6	.00000E+00
7	.00000E+00	8	.00000E+00	9	.00000E+00	10	.00000E+00	11	.00000E+00	12	.10000E+01
13	.10000E+01	14	.10000E+01	15	.10000E+01	16	.10000E+01	17	.10000E+01	18	.10000E+01
19	.10000E+01	20	.00000E+00	21	.00000E+00	22	.00000E+00	23	.00000E+00	24	.00000E+00

SOURCE ID = T4 ; SOURCE TYPE = VOLUME :

1	.00000E+00	2	.00000E+00	3	.00000E+00	4	.00000E+00	5	.00000E+00	6	.00000E+00
7	.00000E+00	8	.00000E+00	9	.00000E+00	10	.00000E+00	11	.00000E+00	12	.10000E+01
13	.10000E+01	14	.10000E+01	15	.10000E+01	16	.10000E+01	17	.10000E+01	18	.10000E+01
19	.10000E+01	20	.00000E+00	21	.00000E+00	22	.00000E+00	23	.00000E+00	24	.00000E+00

SOURCE ID = T5 ; SOURCE TYPE = VOLUME :

1	.00000E+00	2	.00000E+00	3	.00000E+00	4	.00000E+00	5	.00000E+00	6	.00000E+00
7	.00000E+00	8	.00000E+00	9	.00000E+00	10	.00000E+00	11	.00000E+00	12	.10000E+01
13	.10000E+01	14	.10000E+01	15	.10000E+01	16	.10000E+01	17	.10000E+01	18	.10000E+01
19	.10000E+01	20	.00000E+00	21	.00000E+00	22	.00000E+00	23	.00000E+00	24	.00000E+00





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, REDUCED-SCALE BPP WITH MIT. ***
10/07/95

*** 20:21:14

PAGE 6

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

* SOURCE EMISSION RATE SCALARS WHICH VARY FOR EACH HOUR OF THE DAY *

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

SOURCE ID = T6 ; SOURCE TYPE = VOLUME :

1	.00000E+00	2	.00000E+00	3	.00000E+00	4	.00000E+00	5	.00000E+00	6	.00000E+00
7	.00000E+00	8	.00000E+00	9	.00000E+00	10	.00000E+00	11	.00000E+00	12	.10000E+01
13	.10000E+01	14	.10000E+01	15	.10000E+01	16	.10000E+01	17	.10000E+01	18	.10000E+01
19	.10000E+01	20	.00000E+00	21	.00000E+00	22	.00000E+00	23	.00000E+00	24	.00000E+00

SOURCE ID = T7 ; SOURCE TYPE = VOLUME :

1	.00000E+00	2	.00000E+00	3	.00000E+00	4	.00000E+00	5	.00000E+00	6	.00000E+00
7	.00000E+00	8	.00000E+00	9	.00000E+00	10	.00000E+00	11	.00000E+00	12	.10000E+01
13	.10000E+01	14	.10000E+01	15	.10000E+01	16	.10000E+01	17	.10000E+01	18	.10000E+01
19	.10000E+01	20	.00000E+00	21	.00000E+00	22	.00000E+00	23	.00000E+00	24	.00000E+00

SOURCE ID = T8 ; SOURCE TYPE = VOLUME :

1	.00000E+00	2	.00000E+00	3	.00000E+00	4	.00000E+00	5	.00000E+00	6	.00000E+00
7	.00000E+00	8	.00000E+00	9	.00000E+00	10	.00000E+00	11	.00000E+00	12	.10000E+01
13	.10000E+01	14	.10000E+01	15	.10000E+01	16	.10000E+01	17	.10000E+01	18	.10000E+01
19	.10000E+01	20	.00000E+00	21	.00000E+00	22	.00000E+00	23	.00000E+00	24	.00000E+00

SOURCE ID = T9 ; SOURCE TYPE = VOLUME :

1	.00000E+00	2	.00000E+00	3	.00000E+00	4	.00000E+00	5	.00000E+00	6	.00000E+00
7	.00000E+00	8	.00000E+00	9	.00000E+00	10	.00000E+00	11	.00000E+00	12	.10000E+01
13	.10000E+01	14	.10000E+01	15	.10000E+01	16	.10000E+01	17	.10000E+01	18	.10000E+01
19	.10000E+01	20	.00000E+00	21	.00000E+00	22	.00000E+00	23	.00000E+00	24	.00000E+00

SOURCE ID = T10 ; SOURCE TYPE = VOLUME :

1	.00000E+00	2	.00000E+00	3	.00000E+00	4	.00000E+00	5	.00000E+00	6	.00000E+00
7	.00000E+00	8	.00000E+00	9	.00000E+00	10	.00000E+00	11	.00000E+00	12	.10000E+01
13	.10000E+01	14	.10000E+01	15	.10000E+01	16	.10000E+01	17	.10000E+01	18	.10000E+01
19	.10000E+01	20	.00000E+00	21	.00000E+00	22	.00000E+00	23	.00000E+00	24	.00000E+00





*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, REDUCED-SCALE BPP WITH MIT. ***
10/07/95

*** 20:21:14

PAGE 7

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

* SOURCE EMISSION RATE SCALARS WHICH VARY FOR EACH HOUR OF THE DAY *

 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

SOURCE ID = T11 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T12 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T13 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T14 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T15 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, REDUCED-SCALE BPP WITH MIT. ***
10/07/95

*** 20:21:14

PAGE 3

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

* SOURCE EMISSION RATE SCALARS WHICH VARY FOR EACH HOUR OF THE DAY *

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

SOURCE ID = T16 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T17 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T18 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T19 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T20 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00





*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, REDUCED-SCALE BPP WITH MIT. ***
10/07/95

*** 20:21:14

PAGE 9

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

* SOURCE EMISSION RATE SCALARS WHICH VARY FOR EACH HOUR OF THE DAY *

 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

SOURCE ID = T21 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T22 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T23 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T24 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T25 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, REDUCED-SCALE BPP WITH MIT. ***
10/07/95

*** 20:21:14

PAGE 10

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

* SOURCE EMISSION RATE SCALARS WHICH VARY FOR EACH HOUR OF THE DAY *

 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

SOURCE ID = T26 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T27 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .00000E+00
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T28 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T29 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00

SOURCE ID = T30 ; SOURCE TYPE = VOLUME :

1 .00000E+00	2 .00000E+00	3 .00000E+00	4 .00000E+00	5 .00000E+00	6 .00000E+00
7 .00000E+00	8 .00000E+00	9 .00000E+00	10 .00000E+00	11 .00000E+00	12 .10000E+01
13 .10000E+01	14 .10000E+01	15 .10000E+01	16 .10000E+01	17 .10000E+01	18 .10000E+01
19 .10000E+01	20 .00000E+00	21 .00000E+00	22 .00000E+00	23 .00000E+00	24 .00000E+00





*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, REDUCED-SCALE BPP WITH MIT. ***
10/07/95 *** 20:21:14

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO
PAGE 11

*** GRIDDED RECEPTOR NETWORK SUMMARY ***

*** NETWORK ID: 0 ; NETWORK TYPE: GRIDCART ***

*** X-COORDINATES OF GRID ***
(METERS)

29000.0, 29250.0, 29500.0, 29750.0, 30000.0, 30250.0, 30500.0, 30750.0, 31000.0, 31250.0,
31500.0,

*** Y-COORDINATES OF GRID ***
(METERS)

40000.0, 40250.0, 40500.0, 40750.0, 41000.0, 41250.0, 41500.0, 41750.0, 42000.0, 42250.0,
42500.0,





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, REDUCED-SCALE BPP WITH MIT. ***
10/07/95

*** 20:21:14

PAGE 12

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS

MSGPRO





*** ICSST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, REDUCED-SCALE BPP WITH MIT. ***
10/07/95

*** 20:21:14

PAGE 16

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS

MSGPRO

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZFLAG)
(METERS)

(30420.0, 41601.0, 9.3, .0);	(30255.0, 41725.0, 9.8, .0);
(29850.0, 41320.0, 9.4, .0);	(29442.0, 41652.0, 10.2, .0);
(29630.0, 41898.0, 10.2, .0);	(30155.0, 40942.0, 9.7, .0);
(30305.0, 40495.0, 10.1, .0);	(30625.0, 41140.0, 9.4, .0);

'C

'C





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, REDUCED-SCALE BPP WITH MIT. ***
10/07/95

*** 20:21:14

PAGE 18

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS

MSGPRO

*** THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

FILE: C:\WALLACETKL94.MET
SURFACE STATION NO.: 1
NAME: SURFNAME
YEAR: 1994

FORMAT: (4I2,2F9.4,F6.1,J2,2F7.1)
UPPER AIR STATION NO.: 2
NAME: UAIRNAME
YEAR: 1994

FLOW SPEED TEMP STAB MIXING HEIGHT (M)
YEAR MONTH DAY HOUR VECTOR (M/S) (K) CLASS RURAL URBAN

94	1	1	1	360.0	1.00	284.3	6	500.0	500.0
94	1	1	2	60.0	1.00	284.9	6	500.0	500.0
94	1	1	3	220.0	1.00	285.4	6	500.0	500.0
94	1	1	4	350.0	1.00	285.8	6	500.0	500.0
94	1	1	5	290.0	1.50	284.9	6	500.0	500.0
94	1	1	6	240.0	1.00	284.0	6	500.0	500.0
94	1	1	7	210.0	1.00	283.7	6	500.0	500.0
94	1	1	8	40.0	1.00	283.5	6	500.0	500.0
94	1	1	9	310.0	1.00	285.5	4	500.0	500.0
94	1	1	10	330.0	1.00	287.4	2	500.0	500.0
94	1	1	11	110.0	1.50	289.4	2	500.0	500.0
94	1	1	12	110.0	2.00	290.7	3	500.0	500.0
94	1	1	13	100.0	2.50	292.1	2	500.0	500.0
94	1	1	14	120.0	1.50	293.5	2	787.8	787.8
94	1	1	15	100.0	2.50	293.5	2	787.8	787.8
94	1	1	16	110.0	2.50	292.3	3	787.8	787.8
94	1	1	17	110.0	2.50	291.2	4	787.8	787.8
94	1	1	18	120.0	2.50	289.7	6	787.8	787.8
94	1	1	19	150.0	1.50	288.6	6	787.8	787.8
94	1	1	20	150.0	1.50	287.9	6	777.5	777.5
94	1	1	21	170.0	2.00	287.3	6	767.2	767.2
94	1	1	22	160.0	2.00	287.2	6	756.9	756.9
94	1	1	23	160.0	2.00	287.1	6	746.6	746.6
94	1	1	24	130.0	1.00	287.0	6	736.3	736.3

*** NOTES: STABILITY CLASS 1=A, 2=B, 3=C, 4=D, 5=E AND 6=F.
FLOW VECTOR IS DIRECTION TOWARD WHICH WIND IS BLOWING.





10/07/93

20:21:14

PAGE 22

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES FOR SOURCE GROUP: OVERALL

INCLUDING SOURCE(S): T1 ,T2 ,T3 ,T4 ,T5 ,T6 ,T7 ,
T8 ,T9 ,T10 ,T11 ,T12 ,T13 ,T14 ,T15 ,T16 ,T17 ,T18 ,T19 ,
T20 ,T21 ,T22 ,T23 ,T24 ,T25 ,T26 ,T27 ,T28 ,T29 ,T30 ,....

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF ODOUR_2 IN GRAMS/M**3 **

* X-COORD (M) Y-COORD (M) CONC (YYMMDDHH) X-COORD (M) Y-COORD (M) CONC (YYMMDDHH)

X-COORD (M)	Y-COORD (M)	CONC (YYMMDDHH)	X-COORD (M)	Y-COORD (M)	CONC (YYMMDDHH)
30420.00	41601.00	.03339 (94080318)	30255.00	41725.00	.06056 (94102014)
29850.00	41320.00	.04228 (94042513)	29442.00	41652.00	.00690 (94051714)
29630.00	41898.00	.01957 (94092223)	30155.00	40942.00	.03256 (94060908)
30305.00	40495.00	.00691 (94060908)	30625.00	41140.00	.02663 (94090316)





~~*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House - OVERALL, REDUCED SCALE BPT WITH MET. ***~~

10/07/95

*** 20:21:14

PAGE 23

*** MODELING OPTIONS USED: CONC RURAL ELEV FLPOL GRDRIS MSGPRO

*** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

** CONC OF ODOUR_2 IN GRAMS/M**3 **

GROUP ID GRID-ID	DATE AVERAGE CONC (YYMMDDHH)	NETWORK RECEPTOR (XR, YR, ZELEV, ZFLAG)	OF TYPE
---------------------	---------------------------------	--	---------

OVERALL HIGH 1ST HIGH VALUE IS .16948 ON 94102219: AT (30000.00, 41500.00, 9.80, .00) GC 0

*** RECEPTOR TYPES: GC = GRIDCART
 GP = GRIDPOLR
 DC = DISCCART
 DP = DISCPOLR
 BD = BOUNDARY **



Cumulative Odour Impacts on ASRs by On-site Emission Sources (5 sec Average)
Scenario 3: Reduced scale BPP with mitigation measures

<u>ASRs</u>	<u>X-CORDINATE</u>	<u>Y-COORDINATE</u>	<u>MAXIMUM CONCENTRATION</u>
1	30420.00000	41601.00000	1.39
2	30255.00000	41725.00000	2.14
7	29850.00000	41320.00000	1.68
12	29442.00000	41652.00000	0.26
13	29630.00000	41898.00000	0.46
14	30155.00000	40942.00000	0.68
15	30305.00000	40495.00000	0.10
16	30625.00000	41140.00000	0.46



Appendix 6.3


Cumulative Odour Impacts on ASRs by On-site Emission Sources

Scenario 4 : Reduced-scale BPP without Mitigation Measure

Cumulative Odour Impacts on ASRs by On-site Emission Sources (5 sec Average)

Scenario 4: Reduced scale BPP without mitigation measures

<u>ASRs</u>	<u>X-CORDINATE</u>	<u>Y-COORDINATE</u>	<u>MAXIMUM CONCENTRATION</u>
1	30420.00000	41601.00000	19.4
2	30255.00000	41725.00000	30.6
7	29850.00000	41320.00000	24.0
12	29442.00000	41652.00000	4.5
13	29630.00000	41898.00000	7.8
14	30155.00000	40942.00000	9.3
15	30305.00000	40495.00000	1.4
16	30625.00000	41140.00000	6.1



Appendix 6.4

The Highest Odour Impact Contour

A. Full-scale BPP with Mitigation Measures



The Highest Odour Impact Contour (5 sec average)
Full-scale BPP with Mitigation Measures (OM)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	28000	28250	28500	28750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.04466	0.08036	0.1406	0.15015	0.0975	0.09073	0.05856	0.05287	0.05842	0.06142	0.02675
40250	0.10793	0.05644	0.10501	0.17478	0.19132	0.20411	0.13696	0.1668	0.11721	0.05296	0.08865
40500	0.06528	0.2558	0.22361	0.43216	0.44164	0.37601	0.25837	0.18864	0.11084	0.1587	0.08677
40750	0.08716	0.23736	0.57121	0.69151	1.11884	0.9691	0.61105	0.32095	0.24424	0.23096	0.09097
41000	0.10102	0.34821	1.03123	2.17376	3.74139	3.00607	1.38436	0.69687	0.29726	0.29028	0.14603
41250	0.22708	0.56724	1.43576	5.20442	9.82908	7.05813	2.85991	1.04106	0.47047	0.30813	0.16721
41500	0.23333	0.62669	1.83762	6.23669	2.82906	8.71158	3.52951	1.1555	0.47427	0.25416	0.16231
41750	0.14751	0.45639	1.52069	3.67638	8.28693	6.09574	2.18851	0.72772	0.41551	0.15109	0.11491
42000	0.17031	0.35358	0.79968	1.4523	2.34139	2.22665	0.98043	0.59487	0.35645	0.13732	0.08151
42250	0.12561	0.21948	0.26272	0.5744	0.71699	0.76881	0.65968	0.46237	0.29384	0.11166	0.08106
42500	0.07197	0.18173	0.16025	0.22082	0.37155	0.46592	0.3104	0.22359	0.22586	0.13568	0.05765





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

The Highest Odour Impact Contour (5 sec average)
Full-scale BPP with Mitigation Measures (10M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.04414	0.09086	0.13805	0.14742	0.09897	0.08945	0.05856	0.05205	0.05751	0.06183	0.026
40250	0.10611	0.05617	0.10292	0.17433	0.19087	0.20138	0.13874	0.16398	0.1153	0.05205	0.087
40500	0.07446	0.25125	0.32267	0.4237	0.4394	0.37346	0.25703	0.18546	0.10856	0.1557	0.085
40750	0.08672	0.23646	0.56502	0.68659	1.1099	0.96194	0.60747	0.3196	0.23888	0.22623	0.089
41000	0.10102	0.34687	1.02363	2.15096	3.68462	2.96808	1.37184	0.69285	0.29591	0.29184	0.140
41250	0.22618	0.56411	1.42459	5.19816	11.0472	7.29191	2.82102	1.03346	0.46082	0.30157	0.160
41500	0.23244	0.62312	1.81884	6.29889	8.01069	9.74415	3.48124	1.14611	0.47203	0.24907	0.153
41750	0.14706	0.45415	1.50684	3.8147	8.2771	5.99561	2.16035	0.7228	0.40559	0.15064	0.117
42000	0.16986	0.35224	0.79432	1.43934	2.31233	2.20013	0.96842	0.58458	0.34926	0.13413	0.167
42250	0.12561	0.21858	0.25689	0.57127	0.71252	0.76214	0.64255	0.45081	0.28774	0.10947	0.108
42500	0.07152	0.17818	0.15852	0.21992	0.36245	0.45555	0.30321	0.21849	0.22077	0.13322	0.058





The Highest Odour Impact Contour (5 sec average)
Full-scale BPP with Mitigation Measures (20M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.04213	0.11095	0.13068	0.1395	0.10127	0.08563	0.05811	0.0495	0.05478	0.06248	0.0252
40250	0.10083	0.05508	0.09682	0.17299	0.18908	0.25051	0.19352	0.22222	0.10956	0.04932	0.0830
40500	0.10545	0.23862	0.52406	0.39794	0.43404	0.51529	0.25434	0.1759	0.10201	0.14696	0.0808
40750	0.08627	0.40057	0.70167	0.67363	1.08398	0.94138	0.8068	0.31558	0.22331	0.21239	0.0841
41000	0.10013	0.3424	1.00217	2.08347	3.51834	2.85722	1.3343	0.68123	0.29279	0.28995	0.1348
41250	0.22395	0.55473	1.39106	5.15212	13.25355	7.79657	2.70837	1.01022	0.48191	0.30799	0.1544
41500	0.22976	0.81239	1.76252	6.39746	37.47648	11.87321	3.33864	1.11795	0.46577	0.23405	0.149
41750	0.14572	0.44745	1.46616	3.63366	8.18189	5.71042	2.0781	0.70894	0.37647	0.1493	0.1220
42000	0.16852	0.34777	0.77912	1.40179	2.2274	2.1228	1.102	0.55128	0.32769	0.12494	0.1517
42250	0.12471	0.2168	0.25032	0.56188	0.69956	0.74783	0.70848	0.45576	0.27018	0.10319	0.1
42500	0.07107	0.16771	0.15315	0.21769	0.33625	0.4446	0.28246	0.20357	0.20612	0.12604	0.0536





The Highest Odour Impact Contour (5 sec average)
Full-scale BPP with Mitigation Measures (30M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.03895	0.11775	0.11903	0.12704	0.09979	0.07935	0.05766	0.04559	0.05051	0.06273	0.0233
40250	0.09255	0.05364	0.08727	0.17075	0.18665	0.29914	0.2615	0.24813	0.11677	0.04514	0.0765
40500	0.12087	0.27872	0.60901	0.49282	0.4242	0.64149	0.24987	0.16007	0.09191	0.14145	0.0738
40750	0.08538	0.49462	0.91438	0.85173	1.04196	0.90741	1.0063	0.30932	0.19884	0.22821	0.0764
41000	0.09834	0.3348	1.35013	1.9744	3.84186	3.43318	1.27395	0.67683	0.28742	0.2961	0.1219
41250	0.22037	0.53953	1.33698	4.98635	19.4727	13.31729	2.53717	0.97267	0.61664	0.38278	0.1365
41500	0.22618	0.59466	1.87178	6.35465	65.22445	13.89008	3.5087	1.07325	0.45549	0.24108	0.1351
41750	0.14349	0.43627	1.40045	3.3458	11.05942	6.04151	1.94758	0.71315	0.42648	0.14751	0.1226
42000	0.16628	0.34061	0.75409	2.24557	2.08241	3.14429	1.78021	0.80163	0.29302	0.11084	0.1372
42250	0.12337	0.21367	0.2454	0.54713	0.6781	0.72548	1.00516	0.61065	0.24242	0.08328	0.0943
42500	0.07063	0.15133	0.15137	0.21411	0.29511	0.56244	0.25211	0.18064	0.18364	0.11484	0.049



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

The Highest Odour Impact Contour (5 sec average)
Full-scale BPP with Mitigation Measures (40M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
40000	0.03485	0.09947	0.10429	0.11111	0.09086	0.07098	0.05722	0.0405	0.04505	0.05855	0.0210
40250	0.0819	0.05319	0.07888	0.18762	0.18327	0.27035	0.25488	0.2041	0.10799	0.03977	0.0682
40500	0.10307	0.23017	0.46945	0.38433	0.41189	0.58008	0.24408	0.14473	0.0894	0.12152	0.0651
40750	0.08359	0.39663	0.69384	0.62287	0.98564	0.86226	0.73931	0.30083	0.16852	0.18819	0.066
41000	0.09655	0.32452	0.94181	1.83002	2.90818	2.97791	1.19394	0.63563	0.28027	0.2747	0.1056
41250	0.21501	0.51941	1.26387	4.87339	18.9911	10.9455	2.31144	0.92216	0.57277	0.35932	0.1219
41500	0.22082	0.57171	1.55198	5.99516	76.2806	14.9575	3.0317	1.01335	0.44164	0.20517	0.1167
41750	0.14038	0.42107	1.31329	2.98841	9.85771	4.99478	1.77772	0.65575	0.41918	0.14483	0.1143
42000	0.16316	0.33123	0.72012	2.12552	1.91808	3.14798	1.4259	0.55834	0.24943	0.10326	0.1189
42250	0.12158	0.20875	0.23825	0.58966	0.84904	0.69464	1.01778	0.5403	0.20721	0.08081	0.032
42500	0.06973	0.13049	0.14432	0.2092	0.26507	0.52332	0.24674	0.15215	0.15597	0.10074	0.035





The Highest Odour Impact Contour (5 sec average)
Full-scale BPP with Mitigation Measures (50M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.03012	0.06527	0.06772	0.08318	0.08493	0.06097	0.05632	0.0371	0.03877	0.05207	0.0182
40250	0.0666	0.0523	0.07554	0.1636	0.1788	0.17822	0.17778	0.13013	0.09389	0.03376	0.0587
40500	0.06437	0.15434	0.23731	0.28507	0.3956	0.32759	0.23602	0.12685	0.08761	0.09701	0.0553
40750	0.0818	0.21814	0.42331	0.58736	0.91769	0.80728	0.53193	0.2901	0.1645	0.14817	0.0558
41000	0.09387	0.31201	0.86137	1.65703	2.5412	2.16706	1.09828	0.60345	0.27133	0.19606	0.0877
41250	0.20875	0.49393	1.17338	4.24292	19.2317	7.74696	2.05128	0.86137	0.40632	0.23542	0.100
41500	0.21411	0.54266	1.40939	5.66662	79.0327	14.8426	2.488	0.94138	0.4242	0.19981	0.0992
41750	0.13634	0.40275	1.20914	2.66099	7.00583	4.35333	1.58059	0.61865	0.26404	0.1417	0.0962
42000	0.15913	0.31916	0.67855	1.37506	1.71603	1.81384	0.79466	0.37868	0.24227	0.10147	0.0987
42250	0.1189	0.20339	0.22976	0.53439	0.81328	0.65709	0.64272	0.32439	0.1679	0.07778	0.0707
42500	0.06884	0.1072	0.10975	0.20294	0.25658	0.41057	0.23959	0.14751	0.12813	0.08481	0.0376






The Highest Odour Impact Contour (5 sec average)
Full-scale BPP with Mitigation Measures (60M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.02512	0.03318	0.07062	0.08808	0.08314	0.05788	0.05543	0.03621	0.03212	0.04338	0.0154
40250	0.05708	0.05141	0.07378	0.15913	0.17344	0.12471	0.12248	0.0975	0.07528	0.02908	0.0488
40500	0.0589	0.1203	0.18819	0.2539	0.37727	0.30217	0.22708	0.11369	0.08538	0.07744	0.0452
40750	0.08001	0.21009	0.40185	0.54668	0.84081	0.74515	0.50084	0.27714	0.15658	0.11562	0.0518
41000	0.09119	0.29726	0.79566	1.48437	2.28227	1.86399	0.991	0.58635	0.2608	0.15779	0.0791
41250	0.2018	0.46488	1.07012	3.71412	17.8498	7.00762	1.77772	0.79253	0.38755	0.19042	0.0834
41500	0.20607	0.50913	1.25115	5.10385	69.17191	14.5579	2.14649	0.86003	0.40409	0.194	0.09
41750	0.13187	0.38084	1.08247	2.28283	6.15117	3.58181	1.38782	0.57574	0.23602	0.13788	0.0724
42000	0.15422	0.30485	0.63161	1.05447	1.49834	1.45364	0.64815	0.35134	0.23333	0.09879	0.03
42250	0.11822	0.19888	0.21948	0.47293	0.57281	0.61418	0.46354	0.22798	0.13056	0.07599	0.06
42500	0.0875	0.08363	0.10504	0.19579	0.24874	0.3053	0.23155	0.14349	0.10309	0.06843	0.032





Appendix 6.4

The Highest Odour Impact Contour

B. Full-scale BPP without Mitigation Measure



The Highest Odour Impact Contour (5 sec average)
Full-scale BPP without Mitigation Measures (0M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	1.08508	0.88101	3.06361	4.44562	2.40978	2.73082	1.60151	1.16762	1.06716	1.68286	0.73837
40250	3.21621	1.54349	3.02493	5.28556	5.208	5.97888	3.90135	3.69289	3.34926	1.46583	2.46428
40500	1.78038	7.42642	5.79312	9.60651	12.1222	10.2762	6.64063	5.57848	3.08718	4.42424	2.37737
40750	2.57964	6.5776	15.0442	20.2516	31.3718	26.4472	15.9069	8.48272	6.71098	6.54572	2.54281
41000	3.05971	10.1004	29.8364	65.633	95.8136	78.2129	37.0031	18.378	7.82742	7.97588	4.18709
41250	6.55838	16.0352	44.4926	162.412	361.121	223.591	76.4634	28.0215	13.3109	8.95713	4.87005
41500	6.94236	19.1866	59.6079	235.942	36.4265	341.343	93.7471	31.8018	12.8624	7.57493	4.50896
41750	4.33009	13.8369	46.9426	117.974	257.696	162.353	48.2371	20.1843	7.67678	3.91259	1.86864
42000	4.97422	10.3619	23.2109	43.4573	64.7949	62.5469	30.6926	15.7398	5.30291	1.82592	1.877
42250	3.65288	6.2808	7.42333	16.8126	21.7318	20.533	19.4839	12.4724	8.46591	1.57814	
42500	2.04145	2.21512	4.89187	6.67416	12.0299	13.1005	7.63799	5.34561	5.82682	4.00673	1.0047





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

The Highest Odour Impact Contour (5 sec average)
Full-scale BPP without Mitigation Measures (10M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
40000	1.06734	0.98826	3.01037	4.35908	2.42638	2.68523	1.57758	1.14908	1.05078	1.65656	0.72709
40250	3.15834	1.54081	2.96769	5.18099	5.19414	5.87724	3.84338	3.63072	3.28847	1.43917	2.42342
40500	1.76909	7.27472	5.77435	9.44152	12.0699	10.1335	6.81739	5.46646	3.02047	4.33651	2.33433
40750	2.57338	6.55481	14.784	20.1498	31.1255	26.2572	15.8202	8.44919	6.55255	6.40376	2.49304
41000	3.05033	10.0544	29.6124	64.8776	94.2692	77.1737	36.6647	18.2747	7.80015	7.79279	4.10119
41250	6.53603	15.9427	44.0854	180.188	378.151	222.49	75.4357	27.8146	12.9874	8.75029	4.7694
41500	6.91777	19.069	58.9124	236.566	496.59	359.955	92.352	31.547	12.8061	7.40776	4.41923
41750	4.31579	13.7631	46.4782	115.844	257.123	160.717	47.7052	20.0524	7.64549	3.90276	1.86354
42000	4.96036	10.3172	23.0513	43.0443	63.9112	61.7897	30.2119	15.3918	5.25314	1.78105	1.83911
42250	3.64484	6.28113	7.39204	16.7187	21.591	20.4042	18.9528	12.136	8.27663	1.56835	1.20894
42500	2.03787	2.16889	4.82316	6.65136	11.7139	12.7718	7.44771	5.21548	5.69105	3.9322	1.35981



The Highest Odour Impact Contour (5 sec average)
Full-scale BPP without Mitigation Measures (20M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
40000	1.01565	1.1899	2.85503	4.10801	2.63712	2.55137	1.55958	1.09473	1.00273	1.57994	0.69415
40250	2.99017	1.53232	2.80007	4.84784	5.15302	5.57411	4.71984	3.44817	3.11156	1.36191	2.30458
40500	1.73883	8.83146	5.77928	8.93101	11.91434	9.87121	6.54655	5.13668	2.82755	4.08253	2.20957
40750	2.55461	6.48778	13.94393	19.51987	30.39868	25.69445	15.58275	8.34907	6.09409	5.99399	2.34826
41000	3.02351	9.91759	28.9513	62.65733	89.76207	74.12801	35.66837	17.96851	7.7179	7.26444	3.85321
41250	6.46968	15.6678	42.88205	153.325	429.9139	220.9271	72.43412	27.20308	12.03329	8.24887	4.47847
41500	6.84446	18.72125	56.87047	235.5408	3773.363	407.6609	88.26596	30.79428	12.63937	6.92173	4.15888
41750	4.27332	13.54455	45.11079	109.6303	252.8701	158.0605	46.13889	19.66264	7.55341	3.87281	1.85371
42000	4.91834	10.1849	22.58021	41.82803	61.33108	59.57482	28.43632	14.32504	5.10686	1.89771	1.7
42250	3.62025	6.20188	7.29906	16.44021	21.17439	20.02292	19.6071	11.16725	7.72799	1.53825	3
42500	2.02715	2.03458	4.41314	6.58297	10.79943	11.81726	6.89789	4.84138	5.3013	3.71043	1.29102





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

The Highest Odour Impact Contour (5 sec average)
Full-scale BPP without Mitigation Measures (30M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.93448	1.24812	2.6107	3.71717	2.80809	2.33843	1.54662	1.00846	0.92684	1.45946	0.64237
40250	2.72709	1.51846	2.53499	4.7601	5.22299	5.40921	6.88079	3.15815	2.83447	1.2416	2.11866
40500	1.72274	6.1334	6.56935	8.25298	11.6596	8.82691	6.43501	4.61206	2.52898	3.68914	2.01547
40750	2.52376	6.37735	12.4332	17.7498	29.224	24.7835	15.1421	8.18546	5.38584	5.36227	2.12667
41000	2.97881	9.69409	27.8816	59.1086	82.661	69.2774	34.0654	17.4692	7.58336	7.22026	3.47038
41250	6.35902	15.2199	40.9385	142.152	511.529	216.67	67.6628	26.213	15.3968	11.6302	4.02875
41500	6.72333	18.1554	53.6118	226.459	6371.45	454.436	81.7795	29.5798	12.3654	6.16343	3.7543
41750	4.20359	13.1874	42.9183	100.642	244.168	151.035	43.6277	19.8539	7.40232	3.82409	1.83806
42000	4.8495	9.96785	21.8158	39.8737	57.2603	56.0623	25.239	12.5375	4.87111	1.67893	1.55856
42250	3.57958	6.10423	7.14664	16.009	20.4981	19.4038	32.3958	9.6865	6.87705	1.49206	1.04605
42500	2.00927	1.86801	4.05705	6.47122	9.39056	10.586	6.77876	4.26972	4.70697	3.36609	1.18364

9





The Highest Odour Impact Contour (5 sec average)
Full-scale BPP without Mitigation Measures (40M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.83083	1.04542	2.29802	3.22468	2.78398	2.06224	1.54127	0.97178	0.82874	1.30494	0.57612
40250	2.39312	1.49924	2.19483	4.67696	5.31065	5.64939	6.89169	2.85311	2.48212	1.08973	1.88234
40500	1.69994	5.24488	5.50436	8.02365	11.3118	8.57346	6.27901	3.93684	2.36971	3.35257	1.77068
40750	2.4813	6.22582	12.0131	15.5498	27.6546	23.5614	14.5727	7.96107	4.50778	5.06711	1.84812
41000	2.91757	9.39968	26.449	54.4446	73.5436	62.9568	31.9382	16.7938	7.39874	6.87488	2.99326
41250	6.20838	14.6147	38.3441	127.932	696.228	207.366	61.4491	24.8867	15.365	11.6461	3.65466
41500	6.55794	17.391	49.3369	329.221	6071.51	632.466	73.6513	27.959	11.9921	5.60593	3.24579
41750	4.10838	15.1891	40.023	90.8948	251.152	138.027	40.3136	20.8788	7.19581	3.75704	1.81571
42000	4.75519	9.87129	20.7891	39.211	52.1913	55.4352	20.7877	10.3382	4.55926	1.65345	1.500
42250	3.5237	5.97013	6.93833	18.7301	19.5875	18.5697	33.1638	7.91008	5.81481	1.42841	1.4
42500	1.98468	1.83896	3.56411	6.31745	7.83546	11.2406	6.63259	4.01406	3.97961	2.93311	1.4





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

The Highest Odour Impact Contour (5 sec average)
Full-scale BPP without Mitigation Measures (50M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.71308	0.76437	1.94321	2.67722	2.49993	1.74483	1.50728	0.95928	0.71581	1.12858	0.50069
40250	2.01785	1.4751	1.98278	4.57147	4.8723	4.26589	5.14788	2.36357	2.08545	0.9201	1.81525
40500	1.67133	4.25352	5.34835	7.73891	10.87998	8.28592	6.08412	3.17754	2.31501	2.65192	1.49722
40750	2.42766	6.03629	11.48505	14.84461	25.75882	22.07733	13.87175	7.68214	4.32517	4.08319	1.54036
41000	2.84024	9.01197	24.7124	48.94089	63.62822	55.5849	29.39204	15.96326	7.16764	5.81285	2.46956
41250	6.01975	13.87088	35.21869	112.1764	569.8171	192.3749	54.20948	23.27831	10.73158	8.24477	2.85139
41500	6.35053	16.45541	44.31245	225.3535	5877.549	474.7953	64.4203	26.00378	11.52858	5.39818	2.68241
41750	3.98858	13.05522	36.5789	79.05374	205.1775	119.3485	36.38267	17.13398	6.93878	3.8721	1.786
42000	4.63628	9.30296	19.53926	34.19565	46.39161	49.05708	19.45791	9.89032	4.1869	1.62082	1.20589
42250	3.45283	5.80251	8.87952	17.33728	18.47719	17.55101	21.10073	6.13129	4.65538	1.35048	0.82402
42500	1.95339	1.8023	3.09994	6.12524	7.57889	10.04262	6.44932	3.92466	3.2002	2.45209	0.89344



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

The Highest Odour Impact Contour (5 sec average)
Full-scale BPP without Mitigation Measures (60M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.58014	0.7532	1.57539	2.41022	2.25958	1.47108	1.48091	0.94451	0.59641	0.9434	0.42115
40250	1.63181	1.44605	1.91584	4.44631	4.7315	3.31406	3.23762	1.87524	1.67795	0.76482	1.33806
40500	1.63691	3.25807	5.1633	7.40411	10.3744	7.90475	5.85436	2.94618	2.26227	2.10383	1.21749
40750	2.36374	5.81234	10.8916	13.608	23.6159	20.3881	13.06	7.35404	4.19644	3.26516	1.35843
41000	2.74905	8.57033	22.7416	42.9098	55.5107	47.6369	26.5473	15.0031	6.89542	4.31295	2.1085
41250	5.79714	13.0131	31.7035	95.2682	395.427	168.648	46.6963	21.4538	10.2502	5.07792	2.4965
41500	6.10647	15.3795	38.8184	169.309	3104.61	397.609	54.6757	23.7978	10.9864	5.23884	2.61137
41750	3.84688	11.415	32.7615	66.3616	176.72	97.1268	32.0535	15.9409	6.63706	3.57108	1.75448
42000	4.49459	8.87206	18.1133	30.7563	40.2036	40.4414	17.9462	9.36912	3.77196	1.58238	0.97
42250	3.36815	5.60359	6.37601	13.7457	17.2068	16.3826	12.8638	5.43864	3.6331	1.26066	
42500	1.91584	1.7585	3.00518	5.89861	7.27716	8.45769	6.23207	3.81872	2.7249	1.96424	0.54





Appendix 6.4

The Highest Odour Impact Contour

C. Reduced-scale BPP with Mitigation Measures





The Highest Odour Impact Contour (5 sec average)
Reduced-scale BPP with Mitigation Measures (0M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.01156	0.02312	0.04241	0.04077	0.02567	0.0223	0.0152	0.0142	0.01884	0.01747	0.00619
40250	0.02948	0.017	0.03422	0.04604	0.05051	0.05142	0.03805	0.04869	0.02812	0.01301	0.02257
40500	0.01654	0.06843	0.07683	0.12786	0.11533	0.10046	0.07107	0.04268	0.03094	0.04213	0.0202
40750	0.02369	0.06169	0.14787	0.18318	0.29055	0.2463	0.1739	0.08135	0.07435	0.05606	0.02748
41000	0.02816	0.08074	0.26686	0.56724	0.98429	0.80549	0.34151	0.17835	0.08645	0.07003	0.04213
41250	0.05945	0.1417	0.36207	1.27171	2.61942	1.92389	0.74962	0.29189	0.11936	0.07562	0.04495
41500	0.06392	0.17165	0.50243	1.4523	2.53628	2.21131	0.9311	0.33123	0.13589	0.08044	0.05105
41750	0.04023	0.12292	0.38755	1.09649	2.96093	1.84298	0.72637	0.21814	0.10938	0.04917	0.03489
42000	0.04559	0.10549	0.24496	0.44074	0.84483	0.74068	0.2942	0.15142	0.1001	0.05387	0.05037
42250	0.03442	0.0675	0.11093	0.17522	0.21948	0.24496	0.20129	0.12731	0.08108	0.03831	
42500	0.0219	0.06215	0.04759	0.0675	0.10592	0.14724	0.08472	0.05988	0.05797	0.0404	0.011





The Highest Odour Impact Contour (5 sec average)
Reduced-scale BPP with Mitigation Measures (10M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.01137	0.02558	0.04159	0.04004	0.02575	0.02202	0.0152	0.01392	0.01847	0.01755	0.0061
40250	0.02903	0.01688	0.03349	0.04804	0.05006	0.05089	0.03887	0.04778	0.02757	0.01274	0.0222
40500	0.01829	0.06707	0.10135	0.12494	0.11488	0.09948	0.07063	0.04195	0.0303	0.04131	0.01984
40750	0.02369	0.06124	0.14578	0.18	0.28832	0.24451	0.17126	0.08091	0.07253	0.05551	0.02694
41000	0.02816	0.09029	0.26507	0.56143	0.98954	0.79586	0.33883	0.17748	0.08427	0.08995	0.04131
41250	0.059	0.14081	0.35939	1.26814	2.87823	1.98635	0.73889	0.26966	0.1189	0.07398	0.04404
41500	0.06392	0.17075	0.49706	1.4608	2.19209	2.38653	0.9159	0.32855	0.13499	0.07853	0.04996
41750	0.04023	0.12248	0.36397	1.07682	2.94573	1.82376	0.71565	0.2168	0.10658	0.04917	0.03526
42000	0.04659	0.10504	0.24317	0.43827	0.83142	0.72995	0.28792	0.14851	0.09783	0.05242	0.04923
42250	0.03442	0.0675	0.10785	0.17388	0.21769	0.24317	0.1951	0.12385	0.07926	0.03749	0.03012
42500	0.0219	0.06079	0.04696	0.0675	0.10292	0.14323	0.08263	0.05851	0.0566	0.03959	0.01500





The Highest Odour Impact Contour (5 sec average)
Reduced-scale BPP with Mitigation Measures (20M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.01083	0.03001	0.03931	0.03777	0.02575	0.02102	0.0152	0.01329	0.01756	0.01747	0.00582
40250	0.02748	0.01659	0.03139	0.04559	0.05006	0.0656	0.0483	0.05756	0.02788	0.0121	0.02111
40500	0.02575	0.06576	0.14908	0.11648	0.11354	0.15178	0.06973	0.03977	0.02857	0.03895	0.01875
40750	0.02369	0.09922	0.17646	0.17388	0.28161	0.23915	0.23337	0.08001	0.06743	0.05371	0.02539
41000	0.02771	0.08895	0.26527	0.544	0.92663	0.76571	0.33033	0.17433	0.08269	0.06822	0.03877
41250	0.05856	0.13857	0.35089	1.2516	3.42402	2.05128	0.70899	0.28295	0.11756	0.07733	0.04131
41500	0.06303	0.16762	0.48142	1.47108	7.10864	2.81252	0.87165	0.32005	0.13321	0.07289	0.04687
41750	0.03978	0.12024	0.37325	1.01871	2.87287	1.77057	0.68525	0.21232	0.09837	0.04872	0.03616
42000	0.04515	0.1037	0.23825	0.42331	0.79208	0.71496	0.34219	0.13946	0.09136	0.0485	0.04614
42250	0.03397	0.0666	0.09819	0.1712	0.21322	0.23825	0.23239	0.11849	0.07399	0.03513	
42500	0.0219	0.05669	0.04495	0.0666	0.09428	0.15121	0.07823	0.05433	0.05269	0.03731	





**Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)**

The Highest Odour Impact Contour (5 sec average)
Reduced-scale BPP with Mitigation Measures (30M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.01001	0.03091	0.03567	0.03431	0.0246	0.01947	0.0152	0.01219	0.01611	0.01706	0.00537
40250	0.02521	0.01618	0.02812	0.04515	0.04917	0.07651	0.0633	0.06322	0.02845	0.0111	0.01947
40500	0.02936	0.07372	0.16408	0.12735	0.1113	0.1786	0.06884	0.03622	0.02755	0.03575	0.0172
40750	0.02324	0.12111	0.22419	0.16852	0.27088	0.23065	0.27593	0.07823	0.05961	0.05617	0.02302
41000	0.02727	0.08716	0.34973	0.51629	1.06854	0.9366	0.31692	0.16941	0.08135	0.072	0.03494
41250	0.05766	0.13499	0.33704	1.20824	4.68835	3.21604	0.66201	0.27222	0.14178	0.08864	0.03722
41500	0.06213	0.16271	0.45594	1.44694	14.9973	3.22332	0.81951	0.30709	0.13052	0.06937	0.04195
41750	0.03934	0.11756	0.35626	0.92842	2.71821	1.65301	0.63697	0.22255	0.10135	0.04783	0.03592
42000	0.0447	0.10147	0.22976	0.5535	0.81533	0.99892	0.51176	0.14514	0.08108	0.04241	0.0415
42250	0.03397	0.06571	0.06381	0.16584	0.20517	0.23021	0.30348	0.15646	0.0657	0.03149	0.02603
42500	0.02146	0.05051	0.04764	0.06526	0.08126	0.1763	0.07688	0.04796	0.04677	0.03376	0.01301

9

9





The Highest Odour Impact Contour (5 sec average)
Reduced-scale BPP with Mitigation Measures (40M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.00892	0.02558	0.03112	0.02885	0.0228	0.01738	0.0152	0.01074	0.01429	0.01591	0.00482
40250	0.0222	0.0155	0.02402	0.04425	0.04828	0.06863	0.06002	0.05133	0.02714	0.00692	0.01729
40500	0.02485	0.05837	0.12243	0.09725	0.10773	0.15318	0.06705	0.03534	0.02468	0.03288	0.01511
40750	0.02324	0.09635	0.16818	0.16137	0.25858	0.21948	0.19787	0.07599	0.04987	0.04576	0.02002
41000	0.02882	0.08448	0.23825	0.47918	0.78138	0.79827	0.29904	0.16271	0.07912	0.06634	0.03012
41250	0.05832	0.13008	0.31828	1.12465	4.68713	2.63327	0.60077	0.25792	0.1239	0.07839	0.03362
41500	0.06079	0.15645	0.42286	1.37318	17.88358	3.42223	0.71967	0.28921	0.12805	0.05856	0.03694
41750	0.03844	0.11309	0.33346	0.81399	2.42989	1.4808	0.57529	0.19534	0.06855	0.04683	0.03296
42000	0.04381	0.06879	0.21903	0.5184	0.65486	0.90799	0.38433	0.13448	0.07867	0.03522	
42250	0.03308	0.06437	0.07668	0.15913	0.19489	0.21948	0.26494	0.13812	0.05542	0.02703	34
42500	0.02148	0.04286	0.04365	0.06362	0.07599	0.15974	0.0751	0.0447	0.03959	0.02899	0.01156



The Highest Odour Impact Contour (5 sec average)
Reduced-scale BPP with Mitigation Measures (50M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.00774	0.01656	0.02603	0.02493	0.02235	0.01609	0.01475	0.01028	0.01219	0.01394	0.00419
40250	0.01875	0.01469	0.01967	0.04336	0.04738	0.0442	0.04084	0.03428	0.02362	0.00837	0.01492
40500	0.01609	0.04022	0.0606	0.07063	0.1037	0.08692	0.06481	0.03308	0.02235	0.02548	0.01283
40750	0.02235	0.05677	0.10952	0.15243	0.23915	0.20562	0.14304	0.07331	0.04559	0.03805	0.01665
41000	0.02637	0.08135	0.2235	0.43493	0.70224	0.58199	0.27714	0.15466	0.07688	0.04715	0.02484
41250	0.05453	0.12382	0.29547	1.01245	4.65104	1.85729	0.52925	0.24093	0.10728	0.05409	0.02829
41500	0.05856	0.1484	0.38308	1.26277	18.4164	3.34848	0.62267	0.2682	0.12114	0.05722	0.02939
41750	0.0371	0.10817	0.30619	0.68659	2.07944	1.22567	0.50466	0.18327	0.08582	0.04604	0.02731
42000	0.04291	0.09476	0.20562	0.34196	0.56903	0.51718	0.21903	0.12382	0.07644	0.02995	0.02939
42250	0.03263	0.06258	0.07376	0.15109	0.18282	0.20607	0.1549	0.08553	0.04423	0.02593	0.01929
42500	0.02101	0.03449	0.03353	0.06169	0.07376	0.11677	0.07331	0.04381	0.03176	0.02448	0.00983

30

3





The Highest Odour Impact Contour (5 sec average)
Reduced-scale BPP with Mitigation Measures (60M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.00637	0.00966	0.02084	0.02369	0.0219	0.01564	0.0143	0.00983	0.0101	0.01132	0.00355
40250	0.01529	0.01374	0.01922	0.04247	0.04604	0.03263	0.03263	0.0255	0.01878	0.0076	0.01238
40500	0.01564	0.03112	0.04962	0.0675	0.09923	0.08001	0.06258	0.03218	0.0219	0.02029	0.01047
40750	0.0219	0.05453	0.10415	0.1417	0.21992	0.18998	0.13455	0.07018	0.04425	0.02936	0.0143
41000	0.02548	0.07778	0.20696	0.38576	0.6106	0.50153	0.25256	0.14483	0.07376	0.04247	0.02236
41250	0.05275	0.11622	0.26909	0.88238	4.42172	1.68832	0.45549	0.22171	0.10236	0.05275	0.02637
41500	0.05677	0.13946	0.33972	1.13672	15.5965	3.25863	0.52612	0.24406	0.11533	0.05543	0.02771
41750	0.03621	0.10236	0.2758	0.5811	1.62216	0.99592	0.43001	0.16986	0.0818	0.0447	0.0228
42000	0.04157	0.09074	0.19042	0.30575	0.48097	0.44342	0.20026	0.11622	0.07376	0.0295	0.02311
42250	0.03174	0.06035	0.07018	0.14125	0.16852	0.19067	0.14304	0.05912	0.03509	0.02548	0.01947
42500	0.02056	0.02639	0.03263	0.05945	0.07063	0.09476	0.07063	0.04247	0.02883	0.01947	0.01947







Appendix 6.4

The Highest Odour Impact Contour

D. Reduced-scale BPP without Mitigation Measure





The Highest Odour Impact Contour (5 sec average)
Reduced-scale BPP without Mitigation Measures (0M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
40000	0.14915	0.30889	0.61489	0.58959	0.36966	0.30831	0.21009	0.17381	0.29411	0.22944	0.10256
40250	0.43079	0.24793	0.53899	0.64574	0.69285	0.73191	0.54653	0.67276	0.36391	0.2356	0.32187
40500	0.22663	0.96105	1.14989	1.79061	1.57478	1.53644	1.0138	0.71089	0.56711	0.62308	0.24415
40750	0.35179	0.8341	1.93794	2.86432	3.99395	3.25148	2.5935	1.41996	1.18609	0.74311	0.49313
41000	0.42935	1.24042	3.61846	7.8529	13.3228	11.141	4.87543	2.37357	1.49429	0.88024	0.68954
41250	0.81622	1.81974	4.79497	17.6547	38.316	26.8146	10.9493	4.28092	1.64004	1.02548	0.69679
41500	0.94183	2.52466	7.41215	22.0814	28.5275	32.8938	14.2334	5.01579	2.05486	1.21321	0.7684
41750	0.64413	1.76386	5.4686	16.5305	52.7974	33.1853	11.5836	3.47006	1.62127	0.77867	0.53899
42000	0.65173	1.68921	3.99931	7.12026	15.565	12.8691	4.5442	2.54522	1.4277	0.9909	0.734
42250	0.50153	1.11169	2.12212	2.85901	4.05027	4.11821	3.23014	1.80772	1.2204	0.71369	0
42500	0.42606	1.01911	0.84366	1.1597	1.62481	2.43298	1.30394	0.8271	0.82191	0.65629	0.59





The Highest Odour Impact Contour (5 sec average)
Reduced-scale BPP without Mitigation Measures (10M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.14678	0.3353	0.60297	0.57803	0.36818	0.3033	0.20964	0.17081	0.28893	0.22935	0.10101
40250	0.42297	0.24643	0.52698	0.64368	0.69151	0.71972	0.55293	0.65948	0.35745	0.23141	0.31641
40500	0.22618	0.94112	1.46296	1.74665	1.56852	1.51288	1.01067	0.69369	0.55501	0.61043	0.23969
40750	0.35089	0.83142	1.90299	2.79698	3.96444	3.23002	2.54063	1.38584	1.15634	0.72682	0.48312
41000	0.42568	1.23506	3.59388	7.77288	13.1293	11.002	4.8352	2.36061	1.46993	0.8594	0.67256
41250	0.81354	1.8099	4.75563	17.4276	40.5559	27.0654	10.7964	4.24829	1.63334	1.00127	0.68168
41500	0.9387	2.50991	7.33035	21.7926	38.7366	35.2799	13.9831	4.97243	2.04547	1.18173	0.75121
41750	0.64234	1.75448	5.41496	16.1626	55.2733	33.2112	11.4007	3.44458	1.61412	0.77644	0.54489
42000	0.64994	1.68161	3.96981	7.04025	15.2941	12.6613	4.50353	2.53002	1.3923	0.96396	0.71863
42250	0.50019	1.10811	2.05578	2.84024	4.01764	4.08692	3.12057	1.7553	1.19001	0.69761	0.4227
42500	0.41724	0.99463	0.82837	1.15415	1.5743	2.36127	1.28155	0.8059	0.80153	0.64264	0.22122





The Highest Odour Impact Contour (5 sec average)
Reduced-scale BPP without Mitigation Measures (20M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.13969	0.38048	0.58839	0.54454	0.35941	0.28858	0.20875	0.16198	0.27409	0.22755	0.09655
40250	0.40031	0.25805	0.49231	0.63921	0.68615	0.82771	0.6337	0.70971	0.33852	0.22427	0.30076
40500	0.28339	0.88288	2.02893	1.61798	1.5493	2.30428	1.00039	0.64419	0.5421	0.57394	0.22866
40750	0.34868	1.13988	2.03098	2.58486	3.87683	3.1661	3.47213	1.55005	1.07158	0.67977	0.454
41000	0.41705	1.21942	3.68064	7.53687	12.58159	10.5939	4.71585	2.32172	1.37047	0.81516	0.62353
41250	0.80594	1.78085	4.63652	16.733	46.48711	27.50859	10.34939	4.15174	1.61233	0.94275	0.63827
41500	0.92931	2.48855	7.06987	20.85747	82.8072	40.64884	13.25355	4.84414	2.01731	1.09164	0.7017
41750	0.63608	1.72721	5.25627	15.21946	60.40892	32.75124	10.8897	3.36859	1.56266	0.8086	0.55211
42000	0.64457	1.65971	3.88309	6.80488	18.10232	12.68392	5.40628	2.48368	1.28656	0.89743	0.4
42250	0.49708	1.09894	1.86505	2.7857	3.92064	3.99439	3.83498	1.80551	1.10274	0.65038	0.4
42500	0.39186	0.92429	0.78278	1.14074	1.43052	2.54175	1.26814	0.74511	0.7432	0.60306	0.20857





The Highest Odour Impact Contour (5 sec average)
Reduced-scale BPP without Mitigation Measures (30M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.12858	0.37999	0.5147	0.49249	0.33415	0.26517	0.20696	0.15019	0.25089	0.21992	0.08945
40250	0.36491	0.23624	0.43898	0.63161	0.67721	0.92119	0.79966	0.75342	0.33628	0.21164	0.27628
40500	0.31685	0.91947	2.11904	1.57071	1.51801	2.51445	0.98385	0.56839	0.52578	0.51752	0.20703
40750	0.34464	1.34611	2.48288	2.39235	3.73603	3.06284	3.77651	1.54504	1.00614	0.61672	0.40932
41000	0.41169	1.19394	4.38831	7.15692	14.9313	13.1173	4.81061	2.25824	1.21808	0.77326	0.55819
41250	0.79253	1.73302	4.44854	15.5516	56.5716	34.9775	9.64045	3.99573	1.57791	1.02926	0.57148
41500	0.91367	2.36547	6.70545	19.2912	164.714	44.0885	12.1758	4.63718	1.97082	1.00434	0.62599
41750	0.6258	1.68206	5.00238	13.7846	76.0833	30.7415	10.0387	3.55035	1.55824	0.79942	0.53767
42000	0.63563	1.6235	3.74228	6.43054	19.302	16.3205	7.51907	2.40978	1.24087	0.77259	0.60142
42250	0.49125	1.07906	1.5763	2.69675	3.76463	3.84509	4.73747	1.92962	0.96942	0.57831	0.36218
42500	0.35358	0.817	0.77187	1.14931	1.35977	2.87238	1.24579	0.72101	0.65493	0.54227	0.1891





The Highest Odour Impact Contour (5 sec average)
Reduced-scale BPP without Mitigation Measures (40M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
40000	0.11448	0.30684	0.44745	0.42706	0.31648	0.2346	0.20473	0.14885	0.22149	0.20295	0.08035
40250	0.32005	0.22549	0.37301	0.62088	0.66558	0.81541	0.73587	0.59622	0.31767	0.18901	0.24515
40500	0.26519	0.71332	1.51446	1.16353	1.4751	2.09699	0.96105	0.49349	0.47068	0.44717	0.182
40750	0.33927	1.04476	1.81154	2.12057	3.54695	2.92338	2.60653	1.22385	0.83665	0.52349	0.35372
41000	0.40364	1.15907	3.2412	6.65315	10.4915	10.7281	4.26617	2.17242	1.18857	0.71045	0.47748
41250	0.7751	1.66776	4.19375	13.967	56.0873	28.1487	8.72142	3.78743	1.53097	0.89446	0.49192
41500	0.89177	2.29937	6.19989	17.7379	190.039	43.747	10.7933	4.36227	1.90824	0.88595	0.53271
41750	0.6115	1.62127	4.66668	11.9465	60.0554	26.6725	8.98068	3.08117	1.51086	0.7456	0.48437
42000	0.62312	1.57389	3.5541	5.94108	12.3185	13.6856	5.10466	2.30965	1.21003	0.63545	0.51406
42250	0.48321	1.05447	1.31686	2.5774	3.55723	3.64618	3.94158	1.61368	0.80653	0.48976	0.37
42500	0.34911	0.68578	0.6897	1.10192	1.31954	2.57373	1.21539	0.70715	0.54818	0.46683	r





The Highest Odour Impact Contour (5 sec average)
Reduced-scale BPP without Mitigation Measures (50M)


Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.09837	0.19467	0.37292	0.35463	0.31156	0.22978	0.20204	0.14706	0.18846	0.17581	0.07007
40250	0.28991	0.21379	0.30148	0.60792	0.65039	0.51439	0.4879	0.43878	0.27421	0.15665	0.21003
40500	0.2168	0.549	0.72422	0.99189	1.42191	1.15147	0.93244	0.48187	0.37909	0.36982	0.15388
40750	0.33257	0.76929	1.47331	2.00569	3.31808	2.75352	1.99273	0.95032	0.66558	0.45166	0.29284
41000	0.39981	1.11571	3.0483	6.05193	9.36778	8.08355	3.9555	2.09648	1.15103	0.6182	0.39012
41250	0.7523	1.58819	3.88398	12.1521	54.437	23.0701	7.65666	3.53488	1.47266	0.78225	0.4082
41500	0.86494	2.18181	5.6027	15.3205	194.862	41.0109	9.2453	4.03283	1.83002	0.8636	0.43198
41750	0.59408	1.54617	4.26706	10.0508	52.632	22.8793	7.78272	2.88226	1.4523	0.72772	0.39409
42000	0.60747	1.51265	3.32613	5.36758	10.0271	8.6575	3.62472	2.18717	1.17159	0.48322	0.41969
42250	0.47337	1.02318	1.26233	2.43213	3.3078	3.40589	2.50275	1.1006	0.63345	0.41884	0.26472
42500	0.3433	0.54555	0.55607	1.05224	1.26983	1.73373	1.1774	0.66972	0.45846	0.38448	0.1417



The Highest Odour Impact Contour (5 sec average)
Reduced-scale BPP without Mitigation Measures (60M)

Y-COORD (METERS)	X-COORDINATE (METERS)										
	29000	29250	29500	29750	30000	30250	30500	30750	31000	31250	31500
	(OU)										
40000	0.08154	0.13369	0.29766	0.32855	0.30575	0.22529	0.19847	0.14483	0.15443	0.14235	0.05915
40250	0.2184	0.20033	0.25626	0.59228	0.6325	0.44745	0.45281	0.32259	0.21697	0.12158	0.17372
40500	0.21277	0.42142	0.67676	0.95211	1.35633	1.10364	0.86892	0.46801	0.29234	0.29238	0.13321
40750	0.32407	0.74247	1.40135	1.87338	3.05837	2.55908	1.87964	0.90965	0.64591	0.39336	0.23205
41000	0.38174	1.08475	2.82325	5.38367	8.14255	8.99197	3.60506	1.94445	1.10722	0.80211	0.3330
41250	0.72593	1.46566	3.53175	10.2984	50.8388	20.4132	6.55526	3.2488	1.40447	0.75945	0.3941
41500	0.83276	2.04592	4.94685	12.9152	177.315	37.3558	7.69064	3.66361	1.73828	0.83723	0.41884
41750	0.5735	1.45901	3.82453	8.35488	44.4658	18.6296	6.5338	2.65807	1.38347	0.70626	0.34732
42000	0.5887	1.44088	3.08731	4.74267	8.27397	7.32275	3.28277	2.04637	1.12599	0.4175	0.13991
42250	0.48175	0.98653	1.19841	2.26584	3.02753	3.13436	2.34898	0.8281	0.54169	0.4099	
42500	0.33659	0.4105	0.53774	1.00843	1.21228	1.56852	1.1327	0.66916	0.42337	0.30267	0.13991







Appendix 6.5

Construction Impact on Air Quality





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Appendix - Sample Model Output

FUGITIVE DUST MODEL (FDM)
VERSION 93070
MAR, 1993
DATE AT START OF RUN: 10/06/95 TIME AT START OF RUN: 09:29:37.27

RUN TITLE:
1606/M Sheung Shui Slaughter House 1-hour average

INPUT FILE NAME: sheung03.IN
OUTPUT FILE NAME: sheung03.OUT

```

CONVERGENCE OPTION 1=OFF, 2=ON                1
MET OPTION SWITCH, 1=CARDS, 2=PREPROCESSED    1
PLOT FILE OUTPUT, 1=NO, 2=YES                 1
MET DATA PRINT SWITCH, 1=NO, 2=YES           2
POST-PROCESSOR OUTPUT, 1=NO, 2=YES           1
DEF. VEL./GRAV. SETTL. VEL., 1=DEFAULT, 2=USER 1
PRINT 1-HOUR AVERAGE CONCEN, 1=NO, 2=YES     3
PRINT 3-HOUR AVERAGE CONCEN, 1=NO, 2=YES     1
PRINT 8-HOUR AVERAGE CONCEN, 1=NO, 2=YES     1
PRINT 24-HOUR AVERAGE CONCEN, 1=NO, 2=YES    1
PRINT LONG-TERM AVERAGE CONCEN, 1=NO, 2=YES  1
BYPASS RAMMET CALMS RECOGNITION, 1=NO, 2=YES 1
READ HOURLY EMISSION RATES, 1=NO, 2=YES      1
NUMBER OF SOURCES PROCESSED                    5
NUMBER OF RECEPTORS PROCESSED                8
NUMBER OF PARTICLE SIZE CLASSES                4
NUMBER OF HOURS OF MET DATA PROCESSED        5940
LENGTH IN MINUTES OF 1-HOUR OF MET DATA      60.
ROUGHNESS LENGTH IN CM                        30.00
SCALING FACTOR FOR SOURCE AND RECEPTORS     1.0000
PARTICLE DENSITY IN G/CM**3                   2.50
ANEMOMETER HEIGHT IN M                       10.00
  
```

GENERAL PARTICLE SIZE CLASS INFORMATION

PARTICLE SIZE CLASS	CHAR. DIA. (UM)	GRAV. SETTLING VELOCITY (M/SEC)	DEPOSITION VELOCITY (M/SEC)	FRACTION IN EACH SIZE CLASS
1	5.0000000	**	**	0.1000
2	25.0000000	**	**	0.3000
3	50.0000000	**	**	0.3500
4	75.0000000	**	**	0.2500

** COMPUTED BY FDM

RECEPTOR COORDINATES (X,Y,Z)

```

( 30420., 41601., 9.) ( 30255., 41725., 10.) ( 29850., 41320., 9.)
( 29442., 41552., 10.) ( 29630., 41898., 10.) ( 30135., 40942., 10.)
( 30305., 40495., 10.) ( 30625., 41140., 9.) (
  
```

SOURCE INFORMATION



Recycled Paper



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

TYPE	RATE (G/SEC, G/SEC/M OR G/SEC/M**2)	EMISSION RATE (G/SEC)	WIND SPEED FAC.	X1 (M)	Y1 (M)	X2 (M)	Y2 (M)	HEIGHT (M)	WIDTH (M)
	3	0.000323000	4.52200	0.000	30089.	41566.	100.	140.	0.50
3	0.000323000	2.03490	0.000	30102.	41386.	45.	140.	0.50	-32.00
3	0.000323000	6.52331	0.000	30102.	41498.	68.	297.	0.50	-32.00
3	0.000323000	10.47683	0.000	30187.	41557.	106.	306.	0.50	-32.00
3	0.000323000	1.69704	0.000	30354.	41048.	74.	71.	0.50	-35.00

TOTAL EMISSIONS 0.25254E+02 GRAMS/SEC

SHORT DISTANCE (5,000 M) MASS CONSERVATION CORRECTION FACTORS USED


METEOROLOGICAL DATA FOR DAY 1. (HOURS 1 TO 24)

WIND SPEED (M/SEC)	WIND DIRECTION (DEGREES)	STABILITY CLASS (TURNER)	MIXING HEIGHT (M)	AMBIENT TEMP. (DEC. K)
1.00	0.	1	5000.	293.0
2.00	0.	1	5000.	293.0
3.00	0.	1	5000.	293.0
1.00	0.	2	5000.	293.0
2.00	0.	2	5000.	293.0
3.00	0.	2	5000.	293.0
4.00	0.	2	5000.	293.0
5.00	0.	2	5000.	293.0
1.00	0.	3	5000.	293.0
2.00	0.	3	5000.	293.0
3.00	0.	3	5000.	293.0
4.00	0.	3	5000.	293.0
5.00	0.	3	5000.	293.0
8.00	0.	3	5000.	293.0
10.00	0.	3	5000.	293.0
1.00	0.	4	5000.	293.0
2.00	0.	4	5000.	293.0
3.00	0.	4	5000.	293.0
4.00	0.	4	5000.	293.0
5.00	0.	4	5000.	293.0
8.00	0.	4	5000.	293.0
10.00	0.	4	5000.	293.0
15.00	0.	4	5000.	293.0
20.00	0.	4	5000.	293.0

HIGHEST AND SECOND HIGHEST VALUES FOR 1 HOUR AVERAGES

RECEPTOR	X-COORDINATE	Y-COORDINATE	HIGHEST VALUE	ENDING HOUR	DEPOSITION	SECOND HIGH	ENDING HOUR	DES
1	30420.0	41601.0	518.9888	4283.	14.8035	516.5642	4316.	
2	30255.0	41725.0	798.1750	3515.	27.5183	792.9308	3482.	
3	29850.0	41320.0	557.8170	917.	15.8447	556.8887	950.	
4	29442.0	41652.0	218.0376	1648.	3.0674	215.9723	1681.	
5	29630.0	41898.0	239.6745	2105.	6.1588	237.1994	2110.	
6	30155.0	40942.0	341.4962	5905.	5.2439	333.8827	5938.	
7	30305.0	40495.0	181.4313	5806.	2.1488	171.9793	5839.	
8	30625.0	41140.0	237.3346	5113.	3.5665	232.7267	5108.	

DATE AT END OF RUN: 10/06/95 TIME AT END OF RUN: 09:30:41.37,
ELAPSED TIME FOR THIS RUN: 0.64100E+02 SECONDS






Appendix 6.6a

Odour Neutralizing Sprays





Appendix 6.6a Odour Neutralizing Sprays

GENERAL SPECIATION OF NEUTRALIZATION DEODORIZATION:

As previously mentioned, the odors involved are composed of hydrogen, carbon, oxygen, and minimal sulfur. The goal of deodorization is to accelerate the breakdown of the odorous compounds into carbon dioxide (CO₂), water (H₂O), and sulfates. (In the case of an alkaline problem, where odors were nitrogen based and apparent in amine and ammonium compounds, the goal of deodorization would be to accelerate reactions leading to carbon dioxide, water and nitrates.)

There are several chemical methods by which neutralization of odors can be accomplished. In certain instances, a catalyst which triggers specific desired reactions is introduced into odorous air. The catalyst may act as a means of releasing the electrical bonds holding hydrogen, carbon, and oxygen in undesirable structures. This method is especially effective in hydrocarbon rich atmospheres such as air.

The bakery wastes are producing aldehydes, esters, acetic acid, ketones, and some mercaptans as fermentation and decomposition progress. Deodorization is accomplished by (1) the introduction of complex amino-hydroxy groups, (2) the introduction to highly reactive hydrocarbons, and (3) the introduction of a mild natural sterilant into the odorous air.

The amino-hydroxy groups (amines) convert the mercaptans (by ionization) into amino-hydroxy sulfides. These are converted (by oxidation) to amino-sulfates groups which are odor-free and which biodegrade to elemental sulfur and oxygen, with the amino parent freed to continue reacting as further sulfides are encountered.

The aldehydes, esters, and ketones are impacted by contact with reactive, cyclic hydrocarbons. These odorous gases all contain open chain hydrocarbons which are unreactive. They do not react to the alkalis from the amino groups. They do not react to oxidizers or to acids. They will, however, react to temperature in the processing system, and to cyclic hydrocarbons.

The plant terpenes found in the essential oils which are a major ingredient in neutralizing spray formulations are cyclic hydrocarbons. They act as catalysts in the breakdown of the open chain hydrocarbons, freeing radicals and atoms of hydrogen to re-form with available oxygen and continue biodegradation toward carbon dioxide and water. In all fairness it should be restated that simple down readily and quickly into CO₂ and H₂O anyway. The aldehydes and esters, however, do not, and require the presence of catalysts or extraordinary conditions for a rapid conversion.



Acetic acid is neutralized in much the same manner. The release of monovalent OH radicals from the open chains react with the acid resulting in CO_2 and H_2O with a CH_3 radical which continues to react with another OH radical and available oxygen. If acetone forms, it very quickly reacts with oxygen. If acetone forms, it very quickly reacts with oxygen until only CO_2 and H_2O remain.

The purpose of the sterilant (in this case pine oil), is to eliminate any bacteria which have been exhausted with the gases. Microscopic bits of matter which contain food for the bacteria may also become airborne. When this happens the creation of additional odor can continue to eat and expel their by-products, actually increasing odor concentrations momentarily. The sterilant simply acts as a fail safe by reducing any bacterial population in the exhaust.

The speed with which these reactions occur is so rapid as to seem instantaneous. However, since the reactions which produce the odors are on-going in most cases, introduction of the atomized mist must be regular and repeated to maintain deodorization.





Appendix 6.6a Odour Neutralizing Sprays

ODOR CONTROL ORGANIC FERTILIZERS For Agricultural Waste Treatment

DESCRIPTION

Odour control organic fertilizers is a powdered blend of selectively adapted organisms blended with crude enzymes and emulsifiers specifically designed to liquefy, digest and deodorize agricultural wastes.

FEATURE

Digests cellulosic fibers, proteins, fats and residual carbohydrates in animal wastes.

Improves consistency of waste for pumping.

Retards odor generation in animal waste by oxidizing malodorous compounds, e.g. skatole present in animal waste. Maximizes fertilizer value of animal waste material.

FIELD APPLICATIONS

Odor control for confinement areas for Swine, Cattle, Poultry, Barns, Holding Tanks, Manure Pits, Drainage systems and Waste Lagoons.

CONFINEMENT AREAS

Soak each pound of product in a minimum of 32 gallons of water approximately 2 hours. Spray all areas of waste accumulation. Apply weekly. When washed down, these areas will then sced. Specific application rate may be varied depending on amount of waste and tolerable odor level, however, entire confinement area should be sprayed with each application.





LAGOONS

Dosage rate is dependent on size of lagoon. Initial seeding dosage is 2 pounds (odor control organic fertilizers) for every 6000 gallons of waste applied weekly for one month. Reduce to 1 pound/ 6000 gallons of waste per week thereafter. Application should be made through a spray system, slurring each pound of product in 32 gallons of water and soaking 2 hours before spraying.

WASTE PITS

Bacterial action breaks up gelatinous or solid matrix in waste pits. Soak one pound in 32 gallons of water and spray through suitable, clean agricultural sprayer. Cultures must be sprayed evenly over the entire surface scum. Initial dosage of five pounds per 6000 gallons should be applied weekly until improvement in odor and consistency is determined (2-3 weeks), Dosage may then be reduced to one pound per 3000 gallons dosed on monthly basis. Dosage rate may be varied for specific applications.



COMPOSITION OF NEUTRALIZING SPRAY:

GLYCINE BETAINE.....	22.0%
ORGANIC ACID SODIUM SALT.....	3.5%
SALT OF PHOSPHORIC ACID.....	13.0%
ALCOHOL AMINE COMPOUND.....	8.0%
AMPHOTERIC SURFACTANT.....	1.5%
INDIGO CARMINE.....	0.25%
ESSENTIAL OIL.....	0.7%
WATER.....	51.05%

(ELIMINATION RATE)

1. ELIMINATION RATE BY NEUTRALIZING SPRAY A (for swine urine/waste and during fermentation process)

Spraying 1 gram of neutralizing spray A (not diluted)

- 1000ppm NH₃ (ammonia) is reduced to 0ppm
- 120ppm (CH₃)₃N (triethylamine) is reduced to 0ppm
- 500ppm H₂S (hydrogen sulfide) is reduced to 0ppm
- 20ppm CH₃SH (methyl mercaptane) is reduced to 10ppm

2. ELIMINATION RATE BY NEUTRALIZING SPRAY B (for same applications as above)

Spraying 1 gram of neutralizing spray B (not diluted)

- 700ppm NH₃ (ammonia) is reduced to 0ppm
- 120ppm (CH₃)₃N (triethylamine) is reduced to 0ppm
- 1000ppm H₂S (hydrogen sulfide) is reduced to 0ppm
- 20ppm CH₃SH (methyl mercaptane) is reduced to 1ppm

METHODS OF APPLICATION

Because industrial odours occur in various media (solid, liquid or gaseous), application methods vary widely. Here, neutralizing spray is extremely versatile. It may be fogged, sprayed, dripped or poured; it may be diluted with water with which it is totally miscible.

In Japan, U. S. A., Asia and Europe, neutralizing spray is being employed in a wide spectrum of situations, including wastewater treatment plants, waste incineration plants, wastewater from sugar mills, waste drainage from pulp/paper manufacturing plants, wastewater from breweries, restaurants and hotels, garbage containers and collection trucks, rendering plants, fish and meat processing plants, chicken and pig farms and canning plants.



Report from HAZLETON LABORATORIES AMERICA, INC.

Survival and Animal Observations:

Individual body weights and day of death for each animal are presented in Table 6.6a.1.

All animals survived to the scheduled terminal sacrifice.

There are no clinical observations observed during exposure. The only clinical observation noted 30 minutes after exposure was rough haircoat in all ten animals. Clinical observations noted during the 14-day post-exposure period included a missing digit, a crust on the nose or paws, and/or thin appearance. These findings were not considered to be related to treatment.

In general, there was no obvious effect of exposure on body weights for either sex. One female exhibited a Day 8 weight that was 31.4 grams lower than its Day 1 weight. The finding was not necessarily attributable to treatment as all other animals exhibited a reasonable body weight gain over this same period.

Gross Pathology:

There were no gross lesions exhibited at necropsy.


Table 6.6a.1: Individual Animal Body Weights and Mortality Data Acute Inhalation Toxicity Study in the Rat

Exposure Date: December 19, 1989
 Exposure Level: 5.69 mg/L
 Exposure Duration: 240 minutes

Animal Number	Body Weight (grams)			Test Day of Death	Disposition
	1 ^a	8	15		
<u>Males</u>					
0341	212.2	264.7	305.8	15	Terminal Sacrifice
0342	210.1	261.8	304.6	15	Terminal Sacrifice
0343	217.1	270.8	311.0	15	Terminal Sacrifice
0344	214.3	257.6	306.9	15	Terminal Sacrifice
0345	212.3	275.2	329.8	15	Terminal Sacrifice
<u>Mean</u>	213.2	266.0	311.6		
<u>S.D.</u>	2.64	7.03	10.44		
<u>Females</u>					
0346	188.6	199.5	230.2	15	Terminal Sacrifice
0347	165.1	183.6	197.6	15	Terminal Sacrifice
0348	188.4	157.0	224.7	15	Terminal Sacrifice
0349	191.5	228.7	238.5	15	Terminal Sacrifice
050	179.6	213.0	238.4	15	Terminal Sacrifice
<u>Mean</u>	182.6	196.4	225.3		
<u>S.D.</u>	10.77	27.59	16.34		

^a Immediately prior to exposure.







Appendix 6.6b.

Odour Deodourization



Appendix 6.6b Odour Deodourization

USE OF OZONE GENERATOR

Ozone is a natural gas yet produceable artificially by means of Electric Discharge. Ozone provide such functions as deodorization, sterilization and bleaching.

Ozone System is, therefore, widely being used with excellent results in various fields now-a-days for such applications. It is generally known as a toxic gas but it is not always correct for it is just simply a matter of interrelation between density and duration of being inhaled.

According to the data issued by I.L.O., Occupation Safety and Health, most of the countries specify the safety Ozone Level for Working Environment between 0.05 to 0.1ppm.

In the USA, it is specified that 0.1ppm is safe and harmless area for working condition of 8 hours a day, 40 hours a week. And 0.3ppm for 15 minutes. For deodorization, ordinary required level is 0.05-0.1ppm which is harm free area.

It is certainly safe and will never be harmful for human body when it is properly used within the level but brings great benefit of Ozone.

Installing Ozone System for deodorization or sterilization is a recent trend of technology worldwide.

DECOMPOSITION & ACTION OF OZONE

Ozone is a chemically unstable gas and returns easily to Oxygen (O) in a short time (seconds to 40/50minutes) in air/or water.

Specifically, as Ozone Gas contacts organic material that emits odor, the Ozone Gas is easily decomposed and returns to Oxygen immediately. This action is called "Oxidization", and Ozone has much stronger oxidization characteristics than Chlorine.

By this oxidization action, Ozone decomposes not only those molecules emitting odor (deodorization) but also those Bacterias and Viruses (Disinfection), and gases in air and/or water easy, too, and those materials contained in water such as Chlorine, Iron, fat, cosmetics and so on are solidified so that the materials can easily be filtered away.

HUMAN HEALTH AND OZONE LEVEL

Japanese Industrial Hygienic Association stipulates maximum level at 0.1ppm for working environment, and American Association ACGIH does at 0.1ppm, too, for an 8 hour working environment, and 0.3ppm for a 15 minute or shorter working environmental condition.

The right level control is needed as strong Ozone may hurt human health.

OZONE LEVEL	GENERAL PHENOMENON
0.02 ~ 0.05ppm	Can smell ozone
0.1 ~ 0.3	In a few hours, may feel irritation with nose/throat
0.6 ~ 0.8	In a few hours, may feel irritation with respiratory
1.0 ~ 2.0	In a few hours, may feel irritation with respiratory
10ppm	Harmful area if stays in for more than 50/60minutes
20ppm	Harmful area if stays in for more that 10minutes

Table 6.6b.1 Measurement Data on Deodorization by Ozonier

Materials	Before Ozone Treatment (ppm)	After Ozone Treatment (ppm)	Reduction (%)
Ammonia Gas	0.11	0.07	36.4
Methyl Gas	0.22	N/A	99.8
Hydrogen Sulfide	0.38	N/A	99.7
Hydrogen Methyl	0.013	N/A	92.3
Methyl Dioxide	0.017	N/A	94.1
Trimethylamin	-	-	-
Acetaldehyde	0.049	0.041	16.3

*Measured by gas chromatography



SAFETY

1 Gaseous Ozone Exposure—The Labor Code

Ozone becomes a toxic gas above a certain concentration. Standards on maximum exposure have been defined by health and occupational safety agencies. In the United States, the organizations responsible for these standards include

- Occupational Safety and Health Administration (OSHA);
- American National Standards Institute/American Society for Testing and Materials (ANSI/ASTM);
- American Conference of Government Industrial Hygienists (ACGIH).

In accordance with United States regulations, an individual must not be exposed to a concentration of ozone higher than:

- 0.1 ppm by volume (0.2 mg/m³ NTP), determined as a time-weighted average (TWA) over a period corresponding to a full working day (maximum 8 h) (it should be noted that this value is also the limit in most countries); and
- 0.2 ppm by volume (0.4 mg/m³ NTP), as ceiling limit for an exposure time of 10 min.

In addition, personnel working in an ozonation plant must undergo regular medical check-ups.

A notice must be posted at the entrance of the ozonation facility, which states (in effect) the following:

OZONE WARNING!
IRRITANT GAS
ADEQUATE VENTILATION REQUIRED
AVOID PROLONGED OR REPEATED
BREATHING OF OZONE.

The notice must also include instructions on what to do in the case of accidental ozone leakage.

Protective canister-type respirators must be kept available. Rubber masks can be used for concentrations up to 5 ppm (10 mg/m³ NTP). Beyond that level, respirators with compressed-air cylinders must be used. Personnel must practice handling and wearing masks and respirators.

2 Protection of Personnel

Two kinds of measures can be taken to protect personnel who may be exposed to ozone: preventive and remedial.

Preventive measures. These measures involve the personnel directly and the ozonation equipment indirectly. As with any other chemical, personnel must first be informed of the dangers of ozone. Training should cover:

- the nature and dangers of ozone;
- precautions to be taken on premises where an exposure hazard exists; and
- first aid in case ozone gas is accidentally inhaled.

To be effective and practical, this training must be established by safety personnel, industrial hygienists, members of the plant operations team, and their representatives. Training courses should be conducted at the work site to make demonstrations on actual machinery possible. To maintain training effectiveness, refresher courses should be held regularly.

Outside contractors who may be called in to work on ozonation facilities must also be informed of the dangers of ozone. A notice that includes safety instructions must be enclosed with contractor orders. Before any job can begin, the safety manager should issue a work permit that includes all the precautions to be taken when working on ozonation equipment. The person in charge should ensure that these safety measures are observed.



Onsite notices must be posted, reminding workers of the dangers of ozone, all appropriate safety measures, and the location of respirators and how to use them.

Preventive measures also include warnings to personnel of the presence of ozone. In order to do this, the premises must be fitted with continuous analyzers that detect ozone in the ambient atmosphere. At the present time (1990), one of the most accurate and reliable instruments (but also the most expensive) is an ultraviolet analyzer that is equipped with a large measuring cell adapted to a range of 0.01 to 100 ppm by vol (0.02 to 200 mg/m³ NTP). The analyzers must be installed in ozonation rooms at regular intervals along the ozonized gas distribution pipes, in contactor access galleries, and at ozone destructor discharge points. The analyzer must trigger both a displayed and an acoustic warning signal as soon as the ozone content in the ambient air exceeds 0.1 ppm (0.2 mg/m³ NTP). The alarm must be generated at the measuring site and transmitted to the entrance of the facility and to the central control unit.

To guarantee that there is no ozone in the ambient atmosphere, there are two things to do:

- strictly observe instructions concerning the types of materials to be used in contact with ozone in order to minimize the risk of leakage; and
- ensure proper operation of offgas destructors in order to avoid continuous discharge to the atmosphere.

It can be said that all efforts to select high-quality materials when designing ozone facilities have a twofold effect:

- they are instrumental in achieving better O&M with regard to ozonation structures; and
- they ensure improved occupational safety.

Preventive measures indirectly involve the ozonation machinery, since it is designed to give maximum reliability with a minimum ambient atmospheric ozone hazard. Occupational safety, as it relates to ozone hazards, can be considered part of equipment safety, and this subject has been dealt with in detail in sec. V.B.

Remedial action. Remedial actions are taken if an accident occurs. When an accident occurs, an alarm is triggered by the continuous analyzers, which detect ozone in the surrounding air.

The production of ozone must be stopped immediately by cutting off the supply of electricity. At the same time, all available ventilation must be put into operation in order to adjust the concentration of ozone in the ambient atmosphere to below the standard level. The layout of ventilators must allow for the fact that ozone is denser than air. Consequently, ozone tends to accumulate near the floor. Natural ventilation is therefore of limited effectiveness, and a forced draft must be created by blowers that are installed as mobile or permanent fixtures.

Respirators with cartridges and air cylinders should be used when personnel are locating the leak, although the ozone system may be shut down and the room sufficiently ventilated before the operators enter the room. It may be necessary to locate the leak by purging the ozone system with nonozonated gas and "soap testing" the piping, valving, and pipe joints to find the leak.

Response procedures for accidental ozone inhalation. Accidental inhalation of ozone will cause breathing trouble, the degree of which will depend on the ozone content and exposure time. The patient must rest immediately after the accident in order to reduce the suffocation effect, which is caused by the irritation of the respiratory tract, while waiting to be taken to the hospital as quickly as possible.

The discussion concerning ozone safety presented herein gives some initial safety tips. The reader should consult other documents that contain a more extensive discussion, such as O&M manuals supplied by the ozone system manufacturers, when developing specific design or operation criteria for a particular ozone facility.



Appendix 6.7

Air Quality Impact (Stack Emission)

A. Full-scale BPP

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House -SO2, 1 Hr. Ave, Full-Scale BPP *** 11/06/95
*** 14:26:21

PAGE 1

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** MODEL SETUP OPTIONS SUMMARY ***

**Model Is Setup For Calculation of Average CONCentration Values.

**Model Uses RURAL Dispersion.

**Model Uses User-Specified Options:

1. Gradual Plume Rise.
2. Stack-tip Downwash.
3. Buoyancy-induced Dispersion.
4. Calms Processing Routine.
5. Missing Data Processing Routine.
6. Default Wind Profile Exponents.
7. Default Vertical Potential Temperature Gradients.

**Model Accepts Receptors on ELEV Terrain.

**Model Accepts FLAGPOLE Receptor Heights.

**Model Calculates 1 Short Term Average(s) of: 1-HR

**This Run Includes: 1 Source(s); 1 Source Group(s); and 129 Receptor(s)

**The Model Assumes A Pollutant Type of: SO2

**Model Set To Continue RUNNING After the Setup Testing.

**Output Options Selected:

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing Hours
b for Both Calm and Missing Hours

**Misc. Inputs: Anem. Hgt. (m) = 10.00; Decay Coef. = .4812E-04; Rot. Angle = .0
Emission Units = GRAMS/SEC; Emission Rate Unit Factor = .10000E+07
Output Units = MICROGRAMS/M**3

**Input Runstream File: C:\SSSHSSSH07.DAT; **Output Print File: C:\MODELS\F1SO2.LST

*** ISCST2 - VERSION 92273 *** *** Sheung Shui Slaughter House -SO2, 1 Hr. Ave, Full-Scale BPP *** 11/06/95
*** 14:26:21

PAGE 2

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** POINT SOURCE DATA ***

NUMBER	EMISSION RATE	BASE	STACK	STACK	STACK	STACK	BUILDING	EMISSION RATE				
SOURCE	PART. (USER UNITS)	X	Y	ELEV.	HEIGHT	TEMP.	EXIT VEL.	DIAMETER	EXISTS	SCALAR		
VARY	ID	CATS.	(METERS)	(METERS)	(METERS)	(METERS)	(DEG.K)	(M/SEC)	(METERS)	BY		
-----	P1	0	.94400E+00	30097.0	41502.0	8.0	20.00	448.00	16.00	.60	NO	HROFDY

*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES FOR SOURCE GROUP: OVERALL
*** INCLUDING SOURCE(S): P1 ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF SO2 IN MICROGRAMS/M**3 **

X-COORD (M) (YYMMDDHH)	Y-COORD (M)	CONC (YYMMDDHH)	X-COORD (M)	Y-COORD (M)	CONC (YYMMDDHH)
30420.00	41601.00	23.49712 (94092712)	30255.00	41725.00	23.70476 (94020113)
29850.00	41320.00	24.00113 (94051615)	29442.00	41652.00	16.42064 (94031911)
29630.00	41898.00	19.46039 (94063009)	30155.00	40942.00	20.07854 (94051009)
30305.00	40495.00	18.03971 (94070509)	30625.00	41140.00	18.12580 (94052309)


*** MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION VALUES FOR SOURCE GROUP: OVERALL
*** INCLUDING SOURCE(S): P1 ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF SO2 IN MICROGRAMS/M**3 **

X-COORD (M) (YYMMDDHH)	Y-COORD (M)	CONC (YYMMDDHH)	X-COORD (M)	Y-COORD (M)	CONC (YYMMDDHH)
30420.00	41601.00	2.21080m (94060624)	30255.00	41725.00	4.28389 (94102124)
29850.00	41320.00	3.82577m (94051024)	29442.00	41652.00	2.06585m (94051724)
29630.00	41898.00	2.00684m (94112924)	30155.00	40942.00	2.22209 (94062724)
30305.00	40495.00	1.43778m (94060924)	30625.00	41140.00	4.68242m (94041224)



Appendix 6.7

Air Quality Impact (Stack Emission)

B. Reduced-scale BPP



***MODELING OPTIONS USED: CONC RURAL ELEV FLGPOL GRDRIS MSGPRO

*** MODEL SETUP OPTIONS SUMMARY ***

**Model Is Setup For Calculation of Average CONCentration Values.

**Model Uses RURAL Dispersion.

**Model Uses User-Specified Options:

1. Gradual Plume Rise.
2. Stack-tip Downwash.
3. Buoyancy-induced Dispersion.
4. Calms Processing Routine.
5. Missing Data Processing Routine.
6. Default Wind Profile Exponents.
7. Default Vertical Potential Temperature Gradients.

**Model Accepts Receptors on ELEV Terrain.

**Model Accepts FLAGPOLE Receptor Heights.

**Model Calculates 1 Short Term Average(s) of: 1-HR

**This Run Includes: 1 Source(s); 1 Source Group(s); and 129 Receptor(s)

**The Model Assumes A Pollutant Type of: RSO2

**Model Set To Continue RUNning After the Setup Testing.

**Output Options Selected:

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing Hours
b for Both Calm and Missing Hours

**Misc. Inputs: Anem. Hgt. (m) = 10.00 ; Decay Coef. = .4812E-04 ; Rot. Angle = .0
Emission Units = GRAMS/SEC ; Emission Rate Unit Factor = .10000E+07
Output Units = MICROGRAMS/M**3

**Input Runstream File: C:\SSSH\SSSH07.DAT ; **Output Print File: C:\MODELSR1SO2.LST

*** POINT SOURCE DATA ***

NUMBER	EMISSION RATE	BASE	STACK	STACK	STACK	STACK	BUILDING	EMISSION RATE		
SOURCE	PART.(USER UNITS)	X	Y	ELEV.	HEIGHT	TEMP.	EXIT VEL.	DIAMETER	EXISTS	SCALAR
VARY	ID	CATS.	(METERS)	(METERS)	(METERS)	(METERS)	(DEG.K)	(M/SEC)	(METERS)	BY

P1 0 .51400E+00 30097.0 41502.0 8.0 20.00 448.00 16.00 .60 NO HROFDY
 *** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES FOR SOURCE GROUP: OVERALL ***
 INCLUDING SOURCE(S): P1 ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF RSO2 IN MICROGRAMS/M**3 **


X-COORD (M)	Y-COORD (M)	CONC (YYMMDDHH)	X-COORD (M)	Y-COORD (M)	CONC (YYMMDDHH)
30420.00	41601.00	12.79398 (94092712)	30255.00	41725.00	12.90704 (94020113)
29850.00	41320.00	13.06841 (94051615)	29442.00	41652.00	8.94090 (94031911)
29630.00	41898.00	10.59602 (94063009)	30155.00	40942.00	10.93259 (94051009)
30305.00	40495.00	9.82247 (94070509)	30625.00	41140.00	9.86934 (94052309)

*** THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION VALUES FOR SOURCE GROUP: OVERALL ***
 INCLUDING SOURCE(S): P1 ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF RSO2 IN MICROGRAMS/M**3 **

X-COORD (M)	Y-COORD (M)	CONC (YYMMDDHH)	X-COORD (M)	Y-COORD (M)	CONC (YYMMDDHH)
30420.00	41601.00	1.20376m (94060624)	30255.00	41725.00	2.33254 (94102124)
29850.00	41320.00	2.08310m (94051024)	29442.00	41652.00	1.12484m (94051724)
29630.00	41898.00	1.09271m (94112924)	30155.00	40942.00	1.20991 (94062724)
30305.00	40495.00	.78286m (94060924)	30625.00	41140.00	2.54954m (94041224)






Appendix 7.1

Photographs taken on site





Photo showing noise sensitive receivers at locations 1 & 2 (partially screened by vegetation)



West view from site boundary showing a KCR passenger train



The proposed site (showing the Sewage Treatment Works on the left)

Q

Q




Photo showing a close-up view of NSRs at location 2 (partially screened by vegetation)



West view from site boundary showing a China through train

Q

Q



APPENDIX 7.2

Predicted day-time plant operation noise (no mitigation)





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017

Project : Sheung Shui Slaughter House

Title : Predicted Sound Pressure Levels at NSRs (Daytime)

Date : 8-Sep-95

Scenario : No mitigations

Item	Activities / Areas	Status	NSRs																
			1	2	7	8	9	10	11	12	13	14	15	16					
<i>Enclosed activities / areas</i>																			
1	Pig Stunning Area	✓	28	33	30	24	25	24	23	20	24	22	21	21					
2	Pig Waiting Lairage **	✓	33	38	35	29	30	29	28	25	29	27	26	26					
3	Pig Holding Lairage **	✓	23	28	25	<20	<20	<20	<20	<20	<20	<20	<20	<20					
4	Pig & Cattle Slaughter Hall	✓	22	28	24	<20	<20	<20	<20	<20	<20	<20	<20	<20					
5	Cattle Stunning Area	✓	<20	23	20	<20	<20	<20	<20	<20	<20	<20	<20	<20					
6	By-Products Plant	✓	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20					
<i>Un-enclosed activities / areas</i>																			
7	Meat Despatch Area	×	0	0	0	0	0	0	0	0	0	0	0	0					
8	Pig & Cattle Unloading Area	✓	44	54	46	41	44	43	42	40	44	38	38	30					
9	Roof Fans for Unloading Area	✓	<20	25	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20					
10	Lairage Scrubbers	✓	33	38	35	29	30	29	27	25	29	27	26	26					
11	Scrubbers for Condemned Meat Area	✓	<20	<20	23	<20	<20	<20	<20	<20	<20	<20	<20	<20					
12	Scrubbers for By-Products Plant	✓	21	23	26	21	21	21	<20	<20	<20	20	<20	<20					
SPL at NSR due to plants, dB(A)			45	54	47	42	45	43	43	41	44	39	39	33					
Train noise from siding, dB(A)			28	30	41	36	37	36	34	32	34	34	35	23					
Vehicular noise within site, dB(A)			17	17	37	32	31	32	29	26	23	30	28	25					
Total SPL at NSR, dB(A)			45	54	48	43	46	44	44	42	44	41	41	34					

Note:

1 Status of activities / areas are extracted from Table 11.1 of Mott MacDonald's Final Report Ref T355/04 Rev 02

2 Calculation of SPL due to enclosed activities / areas
 $SPL_2 = SPL_1 - SRI + 10 \log(S) - 20 \log(r) + 14 + C_g + C_{tonality} + C_{facade}$
 where
 SPL_1 = Sound pressure inside room
 SPL_2 = Sound pressure at NSR
 SRI = Sound reduction index for building envelope
 r = Distance between the wall and NSR
 S = Noise radiating surface
 C_g = Correction for soft ground absorption
 $C_{tonality}$ = Correction for tonality
 C_{facade} = Correction for facade effects (ie 3dB(A))

3 Calculation of SPL due to un-enclosed activities / areas
 $SPL_2 = SWL - 20 \log(r) - 8 - C_g + C_{screening} + C_{silencer} + C_{tonality} + C_{facade}$
 where
 SWL = Sound power level of plant / activity
 SPL_2 = Sound pressure at NSR
 r = Distance between the wall and NSR
 C_g = Correction for soft ground absorption
 $C_{screening}$ = Correction for barrier screening
 $C_{silencer}$ = Correction for silencer attenuations, if any
 $C_{tonality}$ = Correction for tonality
 C_{facade} = Correction for facade effects (ie 3dB(A))

** Semi-enclosed activities / areas





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Sound Power Levels of Daily Activities
Date: 28-Jun-95

Item	Activities / Areas	SWL, dB(A)	Ref
<i>Enclosed activities / areas</i>			
1	Pig Stunning Area	112	Table 11.4
2	Pig Waiting Lairage **	117	Table 11.4
3	Pig Holding Lairage **	79	Table 11.4
4	Pig & Cattle Slaughter Hall	113	Table 11.4
5	Cattle Stunning Area	102	Table 11.4
6	By-Products Plant	103	Table 11.4
<i>Un-enclosed activities / areas</i>			
7	Meat Despatch Area	106	Table 11.4
8	Pig & Cattle Unloading Area	101	Table 11.4
9	Roof Fans for Unloading Area	103	Empirical
10	Lairage Scrubbers	117	Table 11.7
11	Scrubbers for Condemned Meat Area	105	Table 11.7
12	Scrubbers for By-Products Plant	108	Table 11.7

** Semi-enclosed activities / areas





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017
Project : Sheung Shui Slaughter House
Title Room-side Sound Pressure Levels
Date: 28-Jun-95

Item	Activities / Areas	SWL, dB(A)	r _o m	S _o m ²	α	R m ²	SPL dB(A)
<i>Enclosed activities / areas</i>							
1	Pig Stunning Area	112	3	700	0.05	37	103
2	Pig Waiting Lairage **	117	3	700	0.05	37	108
3	Pig Holding Lairage **	79	3	3800	0.05	200	65
4	Pig & Cattle Slaughter Hall	113	3	5650	0.05	297	98
5	Cattle Stunning Area	102	3	700	0.05	37	93
6	By-Products Plant	103	3	1550	0.05	82	91
<i>Un-enclosed activities / areas</i>							
7	Meat Despatch Area	106	#				
8	Pig & Cattle Unloading Area	101	#				
9	Roof Fans for Unloading Area	103	#				
10	Lairage Scrubbers	117	#				
11	Scrubbers for Condemned Meat Area	105	#				
12	Scrubbers for By-Products Plant	108	#				

Note:

1 $SPL = SWL + 10 \log [Q/(4\pi r^2) + 4/R]$

where

SWL = Sound power level of noise source

SPL = Sound pressure level at r from noise source

Q = Directivity factor (equals to 2 in this case)

r_o = Distance from the source

S_o = Surface area of room

R = Room constant (ie S_o α/(1-α))

α = Average absorption coefficient of the room

2 # - room effects are not applicable to this plant / activity

** Semi-enclosed activities / areas





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Distance between Plant and NSRs
Date: 28-Jun-95

Item	Activities / Areas	Distance between plant & NSRs, m															
		1	2	7	8	9	10	11	12	13	14	15	16				
<i>Enclosed activities / areas</i>																	
1	Pig Stunning Area	210	130	250	420	390	420	500	620	450	540	560	580				
2	Pig Waiting Lairage **	210	130	250	420	390	420	500	620	450	540	560	580				
3	Pig Holding Lairage **	210	130	250	420	390	420	500	620	450	540	560	580				
4	Pig & Cattle Slaughter Hall	210	130	250	420	390	420	500	620	450	540	560	580				
5	Cattle Stunning Area	210	130	250	420	390	420	500	620	450	540	560	580				
6	By-Products Plant	280	220	250	410	410	410	530	690	600	420	490	530				
<i>Un-enclosed activities / areas</i>																	
7	Meat Despatch Area	250	250	250	390	430	420	530	740	670	440	440	470				
8	Pig & Cattle Unloading Area	300	120	360	550	430	480	510	600	450	730	750	740				
9	Roof Fans for Unloading Area	300	120	360	550	430	480	510	600	450	730	750	740				
10	Lairage Scrubbers	210	130	250	420	390	420	500	620	450	540	560	580				
11	Scrubbers for Condemned Meat Area	250	250	250	390	430	420	530	740	670	440	440	470				
12	Scrubbers for By-Products Plant	280	220	250	410	410	410	530	690	600	420	490	530				

** Semi-enclosed activities / areas





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017
Project: Sheung Shui Slaughter House
Title: Ground Absorptions, dB(A)
Date: 28-Jun-95

Item	Activities / Areas	Ground Absorption, dB(A)											
		NSRs											
		1	2	7	8	9	10	11	12	13	14	15	16
<i>Enclosed activities / areas</i>													
1	Pig Stunning Area	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
2	Pig Waiting Lairage**	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
3	Pig Holding Lairage**	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
4	Pig & Cattle Slaughter Hall	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
5	Cattle Stunning Area	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
6	By-Products Plant	-8	-8	-4	-5	-5	-5	-6	-6	-6	-5	-5	-6
<i>Un-enclosed activities / areas</i>													
7	Meat Despatch Area	-8	-8	-4	-5	-5	-5	-6	-6	-6	-5	-5	-5
8	Pig & Cattle Unloading Area	-8	-6	-5	-6	-5	-5	-6	-6	-5	-6	-6	-6
9	Roof Fans for Unloading Area	-8	-6	-5	-6	-5	-5	-6	-6	-5	-6	-6	-6
10	Lairage Scrubbers	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
11	Scrubbers for Condemned Meat Area	-8	-8	-4	-5	-5	-5	-6	-6	-6	-5	-5	-5
12	Scrubbers for By-Products Plant	-8	-8	-4	-5	-5	-5	-6	-6	-6	-5	-5	-6

Assumptions:

a	Average height of propagation, m =	1.5	1.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
b	Proportion of absorbent ground, % =	100	100	100	100	100	100	100	100	100	100	100	100

Note :

- 1 Calculation of ground absorption
 $C_g = 5.2 \cdot I \cdot \text{Log} ((6 \cdot H - 1.5) / (d + 3.5))$
 where
 C_g = Correction for soft ground absorption
 I = Proportion of absorbent ground
 H = Average height of propagation
 d = Distance

** Semi-enclosed activities / areas





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017
Project: Sheung Shui Slaughter House
Title: Barrier Attenuations, dB(A)
Date: 28-Jun-95

Scenario : No mitigations

Item	Activities / Areas	Barrier Attenuations, dB(A)													
		NSRs													
		1	2	7	8	9	10	11	12	13	14	15	16		
<i>Enclosed activities / areas</i>															
1	Pig Stunning Area	*	*	*	*	*	*	*	*	*	*	*	*	*	
2	Pig Waiting Lairage **	*	*	*	*	*	*	*	*	*	*	*	*	*	
3	Pig Holding Lairage **	*	*	*	*	*	*	*	*	*	*	*	*	*	
4	Pig & Cattle Slaughter Hall	*	*	*	*	*	*	*	*	*	*	*	*	*	
5	Cattle Stunning Area	*	*	*	*	*	*	*	*	*	*	*	*	*	
6	By-Products Plant	*	*	*	*	*	*	*	*	*	*	*	*	*	
<i>Un-enclosed activities / areas</i>															
7	Meat Despatch Area	-18	-17	0	0	0	0	0	0	0	0	0	0	0	
8	Pig & Cattle Unloading Area	0	0	0	0	0	0	0	0	0	0	0	0	-8	
9	Roof Fans for Unloading Area	*	*	*	*	*	*	*	*	*	*	*	*	*	
10	Lairage Scrubbers	*	*	*	*	*	*	*	*	*	*	*	*	*	
11	Scrubbers for Condemned Meat Area	*	*	*	*	*	*	*	*	*	*	*	*	*	
12	Scrubbers for By-Products Plant	*	*	*	*	*	*	*	*	*	*	*	*	*	

Note :

* Barrier Attenuations not applicable to this activity / area

** Semi-enclosed activities / areas

8





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Correction Factors for Activities and Areas
Date: 28-Jun-95


Item	Activities / Areas	SRI dB(A)	Tonality dB(A)	Silr Atten dB(A)	S m ²
<i>Enclosed activities / areas</i>					
1	Pig Stunning Area	36	6	*	100
2	Pig Waiting Lairage **	36	6	*	100
3	Pig Holding Lairage **	7	6	*	250
4	Pig & Cattle Slaughter Hall	36	0	*	350
5	Cattle Stunning Area	36	6	*	100
6	By-Products Plant	36	0	*	175
<i>Un-enclosed activities / areas</i>					
7	Meat Despatch Area	#	0	0	#
8	Pig & Cattle Unloading Area	#	6	0	#
9	Roof Fans for Unloading Area	#	0	-25	#
10	Lairage Scrubbers	#	0	-25	#
11	Scrubbers for Condemned Meat Area	#	0	-25	#
12	Scrubbers for By-Products Plant	#	0	-25	#

Note

- 1 # - room effects are not applicable to this plant / activity
- 2 * - Silencer attenuations and barrier screening not applicable to this plant /activities
- 3 S = Radiating surface of building envelope

** Semi-enclosed activities / areas





APPENDIX 7.3

Predicted night-time plant operation noise (no mitigation)



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017

Project : Sheung Shui Slaughter House

Title : Predicted Sound Pressure Levels at NSRs (Night Time)

Date: 14-Aug-95

Scenario No mitigations

Item	Activities / Areas	Status	NSRs											
			1	2	7	8	9	10	11	12	13	14	15	16
<i>Enclosed activities / areas</i>														
1	Pig Stunning Area	✓	28	33	30	24	25	24	23	20	24	22	21	21
2	Pig Waiting Lairage **	✓	33	38	35	29	30	29	28	25	29	27	26	26
3	Pig Holding Lairage **	×	0	0	0	0	0	0	0	0	0	0	0	0
4	Pig & Cattle Slaughter Hall	✓	22	28	24	<20	<20	<20	<20	<20	<20	<20	<20	<20
5	Cattle Stunning Area	✓	<20	23	20	<20	<20	<20	<20	<20	<20	<20	<20	<20
6	By-Products Plant	✓	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20
<i>Un-enclosed activities / areas</i>														
7	Meat Despatch Area	✓	27	28	49	44	43	43	41	37	38	43	43	42
8	Pig & Cattle Unloading Area	×	0	0	0	0	0	0	0	0	0	0	0	0
9	Roof Fans for Unloading Area	×	0	0	0	0	0	0	0	0	0	0	0	0
10	Lairage Scrubbers	✓	33	38	35	29	30	29	27	25	29	27	26	26
11	Scrubbers for Condemned Meat Area	×	0	0	0	0	0	0	0	0	0	0	0	0
12	Scrubbers for By-Products Plant	✓	21	23	26	21	21	21	<20	<20	<20	20	<20	<20
SPL at NSR due to plants, dB(A)			37	42	49	45	44	44	41	38	39	43	43	42
Vehicular noise within site, dB(A)			17	17	37	32	31	32	29	26	23	30	28	25
Total SPL at NSR, dB(A)			37	42	49	45	44	44	41	38	39	43	43	42

Note:

1 Status of activities / areas are extracted from Table 11.1 of Mott MacDonald's Final Report Ref T355/04 Rev 02

2 Calculation of SPL due to enclosed activities / areas

$$SPL_2 = SPL_1 - SRI + 10 \text{ Log}(S) - 20 \text{ Log}(r) - 14 + C_g + C_{\text{Tonality}} + C_{\text{Facade}}$$

where

SPL₁ = Sound pressure inside room

SPL₂ = Sound pressure at NSR

SRI = Sound reduction index for building envelope

r = Distance between the wall and NSR

S = Noise radiating surface

C_g = Correction for soft ground absorption

C_{Tonality} = Correction for tonality

C_{Facade} = Correction for facade effects (ie 3dB(A))

3 Calculation of SPL due to un-enclosed activities / areas

$$SPL_2 = SWL - 20 \text{ Log}(r) - 8 + C_g + C_{\text{Screening}} + C_{\text{Silencer}} + C_{\text{Tonality}} + C_{\text{Facade}}$$

where

SWL = Sound power level of plant / activity

SPL₂ = Sound pressure at NSR

r = Distance between the wall and NSR

C_g = Correction for soft ground absorption

C_{Screening} = Correction for barrier screening

C_{Silencer} = Correction for silencer attenuations, if any

C_{Tonality} = Correction for tonality

C_{Facade} = Correction for facade effects (ie 3dB(A))

** Semi-enclosed activities / areas





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Sound Power Levels of Daily Activities
Date: 28-Jun-95

Item	Activities / Areas	SWL, dB(A)	Ref
<i>Enclosed activities / areas</i>			
1	Pig Stunning Area	112	Table 11.4
2	Pig Waiting Lairage **	117	Table 11.4
3	Pig Holding Lairage **	79	Table 11.4
4	Pig & Cattle Slaughter Hall	113	Table 11.4
5	Cattle Stunning Area	102	Table 11.4
6	By-Products Plant	103	Table 11.4
<i>Un-enclosed activities / areas</i>			
7	Meat Despatch Area	106	Table 11.4
8	Pig & Cattle Unloading Area	101	Table 11.4
9	Roof Fans for Unloading Area	103	Empirical
10	Lairage Scrubbers	117	Table 11.7
11	Scrubbers for Condemned Meat Area	105	Table 11.7
12	Scrubbers for By-Products Plant	108	Table 11.7

** Semi-enclosed activities / areas





Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Room-side Sound Pressure Levels
Date: 28-Jun-95

Item	Activities / Areas	SWL, dB(A)	r _o m	S _o m ²	α	R m ²	SPL dB(A)
<i>Enclosed activities / areas</i>							
1	Pig Stunning Area	112	3	700	0.05	37	103
2	Pig Waiting Lairage **	117	3	700	0.05	37	108
3	Pig Holding Lairage **	79	3	3800	0.05	200	65
4	Pig & Cattle Slaughter Hall	113	3	5650	0.05	297	98
5	Cattle Stunning Area	102	3	700	0.05	37	93
6	By-Products Plant	103	3	1550	0.05	82	91
<i>Un-enclosed activities / areas</i>							
7	Meat Despatch Area	106	#				
8	Pig & Cattle Unloading Area	101	#				
9	Roof Fans for Unloading Area	103	#				
10	Lairage Scrubbers	117	#				
11	Scrubbers for Condemned Meat Area	105	#				
12	Scrubbers for By-Products Plant	108	#				

Note:

1 $SPL = SWL + 10 \log [Q/(4\pi r^2) + 4/R]$

where

SWL = Sound power level of noise source

SPL = Sound pressure level at r from noise source

Q = Directivity factor (equals to 2 in this case)

r_o = Distance from the source

S_o = Surface area of room

R = Room constant (ie S_o α/(1-α))

α = Average absorption coefficient of the room

2 # - room effects are not applicable to this plant / activity

** Semi-enclosed activities / areas





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Distance between Plant and NSRs
Date: 28-Jun-95

Item	Activities / Areas	Distance between plant & NSRs, m											
		1	2	7	8	9	10	11	12	13	14	15	16
<i>Enclosed activities / areas</i>													
1	Pig Stunning Area	210	130	250	420	390	420	500	620	450	540	560	580
2	Pig Waiting Lairage **	210	130	250	420	390	420	500	620	450	540	560	580
3	Pig Holding Lairage **	210	130	250	420	390	420	500	620	450	540	560	580
4	Pig & Cattle Slaughter Hall	210	130	250	420	390	420	500	620	450	540	560	580
5	Cattle Stunning Area	210	130	250	420	390	420	500	620	450	540	560	580
6	By-Products Plant	280	220	250	410	410	410	530	690	600	420	490	530
<i>Un-enclosed activities / areas</i>													
7	Meat Despatch Area	250	250	250	390	430	420	530	740	670	440	440	470
8	Pig & Cattle Unloading Area	300	120	360	550	430	480	510	600	450	730	750	740
9	Roof Fans for Unloading Area	300	120	360	550	430	480	510	600	450	730	750	740
10	Lairage Scrubbers	210	130	250	420	390	420	500	620	450	540	560	580
11	Scrubbers for Condemned Meat Area	250	250	250	390	430	420	530	740	670	440	440	470
12	Scrubbers for By-Products Plant	280	220	250	410	410	410	530	690	600	420	490	530

** Semi-enclosed activities / areas





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Ground Absorptions, dB(A)
Date: 28-Jun-95

Item	Activities / Areas	Ground Absorption, dB(A)											
		NSRs											
		1	2	7	8	9	10	11	12	13	14	15	16
<i>Enclosed activities / areas</i>													
1	Pig Stunning Area	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
2	Pig Waiting Lairage **	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
3	Pig Holding Lairage **	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
4	Pig & Cattle Slaughter Hall	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
5	Cattle Stunning Area	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
6	By-Products Plant	-8	-8	-4	-5	-5	-5	-6	-6	-6	-5	-5	-6
<i>Un-enclosed activities / areas</i>													
7	Meat Despatch Area	-8	-8	-4	-5	-5	-5	-6	-6	-6	-5	-5	-5
8	Pig & Cattle Unloading Area	-8	-6	-5	-6	-5	-5	-6	-6	-5	-6	-6	-6
9	Roof Fans for Unloading Area	-8	-6	-5	-6	-5	-5	-6	-6	-5	-6	-6	-6
10	Lairage Scrubbers	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
11	Scrubbers for Condemned Meat Area	-8	-8	-4	-5	-5	-5	-6	-6	-6	-5	-5	-5
12	Scrubbers for By-Products Plant	-8	-8	-4	-5	-5	-5	-6	-6	-6	-5	-5	-6

Assumptions:

a	Average height of propagation, m =	1.5	1.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
b	Proportion of absorbent ground, % =	100	100	100	100	100	100	100	100	100	100	100	100

Note :

- 1 Calculation of ground absorption
 $C_g = 5.2 * I * \text{Log} ((6 * H - 1.5) / (d + 3.5))$
 where
 C_g = Correction for soft ground absorption
 I = Proportion of absorbent ground
 H = Average height of propagation
 d = Distance

** Semi-enclosed activities / areas





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Barrier Attenuations, dB(A)
Date: 28-Jun-95

Scenario : No mitigations

Item	Activities / Areas	Barrier Attenuations, dB(A)											
		NSRs											
		1	2	7	8	9	10	11	12	13	14	15	16
<i>Enclosed activities / areas</i>													
1	Pig Stunning Area	*	*	*	*	*	*	*	*	*	*	*	*
2	Pig Waiting Lairage **	*	*	*	*	*	*	*	*	*	*	*	*
3	Pig Holding Lairage **	*	*	*	*	*	*	*	*	*	*	*	*
4	Pig & Cattle Slaughter Hall	*	*	*	*	*	*	*	*	*	*	*	*
5	Cattle Stunning Area	*	*	*	*	*	*	*	*	*	*	*	*
6	By-Products Plant	*	*	*	*	*	*	*	*	*	*	*	*
<i>Un-enclosed activities / areas</i>													
7	Meat Despatch Area	-18	-17	0	0	0	0	0	0	0	0	0	0
8	Pig & Cattle Unloading Area	0	0	0	0	0	0	0	0	0	0	0	-8
9	Roof Fans for Unloading Area	*	*	*	*	*	*	*	*	*	*	*	*
10	Lairage Scrubbers	*	*	*	*	*	*	*	*	*	*	*	*
11	Scrubbers for Condemned Meat Area	*	*	*	*	*	*	*	*	*	*	*	*
12	Scrubbers for By-Products Plant	*	*	*	*	*	*	*	*	*	*	*	*

Note :

- * Barrier Attenuations not applicable to this activity / area
- ** Semi-enclosed activities / areas





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017
Project: Sheung Shui Slaughter House
Title: Correction Factors for Activities and Areas
Date: 28-Jun-95

Item	Activities / Areas	SRI dB(A)	Tonality dB(A)	Silr Atten dB(A)	S m ²
<i>Enclosed activities / areas</i>					
1	Pig Stunning Area	36	6	*	100
2	Pig Waiting Lairage **	36	6	*	100
3	Pig Holding Lairage **	7	6	*	250
4	Pig & Cattle Slaughter Hall	36	0	*	350
5	Cattle Stunning Area	36	6	*	100
6	By-Products Plant	36	0	*	175
<i>Un-enclosed activities / areas</i>					
7	Meat Despatch Area	#	0	0	#
8	Pig & Cattle Unloading Area	#	6	0	#
9	Roof Fans for Unloading Area	#	0	-25	#
10	Lairage Scrubbers	#	0	-25	#
11	Scrubbers for Condemned Meat Area	#	0	-25	#
12	Scrubbers for By-Products Plant	#	0	-25	#

Note

- 1 # - room effects are not applicable to this plant / activity
 - 2 * - Silencer attenuations and barrier screening not applicable to this plant /activities
 - 3 S = Radiating surface of building envelope
- ** Semi-enclosed activities / areas





APPENDIX 7.4


Predicted vehicular noise within site boundary (No mitigations)



NSR 2

NSR 1

NSR 7



Computer plot of road scheme -
vehicles within site
(no mitigation)

21017



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House
 Ref : 21017
 Date : 28-Jun-95

NSR : NSR 1
 Source : Vehicular movement within site

Scenario : No mitigations

L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)	
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)		
105	11	1	15	48	2.9	0	-12	-17	3	-26.0	-18	3	
105	12	1	15	-	<1	0	-12	-	3	-	-	0	
105	13	1	15	336	4.1	0	-12	-25	3	-17.5	-16	4	
105	14	1	15	-	<1	0	-12	-	3	-	-	0	
105	15	1	15	335	4.1	0	-12	-25	3	-17.5	-16	4	
105	17	1	15	-	<1	0	-12	-	3	-	-	0	
105	18	1	15	-	<1	0	-12	-	3	-	-	0	
105	20	2	15	301	12.6	3	-12	-25	3	-18.0	-12	12	
105	21	2	15	262	14.5	3	-12	-24	3	-20.6	-11	11	
105	23	1	15	62	1.7	0	-12	-18	3	-25.8	-20	0	
Total traffic flow		12							Total SPL at NSR				17

Note: $L_p = L_w + 10 \log(\text{flow}) + 10 \log(\text{speed}) + 10 \log(\text{view angle}/180) - 10 \log(\text{distance}) + \text{barrier correction} + 3$



A7.4-2



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House
 Ref : 21017
 Date : 28-Jun-95

NSR : NSR 2
 Source : Vehicular movement within site

Scenario : No mitigations



Sheung Shui Slaughter House
 Supplementary Environmental Impact Assessment (Final Report)

L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)	
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)		
105	11	1	15	340	10	0	-12	-25	3	-17.7	-13	8	
105	12	1	15	337	3.6	0	-12	-25	3	-16.6	-17	4	
105	13	1	15	270	2.1	0	-12	-24	3	-17.8	-19	2	
105	14	1	15	311	2.3	0	-12	-25	3	-16.7	-19	3	
105	15	1	15	256	2.2	0	-12	-24	3	-17.4	-19	3	
105	17	1	15	291	3.9	0	-12	-25	3	-17.4	-17	5	
105	18	1	15	289	5	0	-12	-25	3	-18.2	-16	5	
105	20	2	15	223	7.2	3	-12	-23	3	-19.2	-14	10	
105	21	2	15	184	7	3	-12	-23	3	-21.6	-14	8	
105	23	1	15	222	5.2	0	-12	-23	3	-21.8	-15	3	
Total traffic flow		12							Total SPL at NSR				17

Note: L_p = L_w - 33 + 10xlog(flow) - 10xlog(speed) + 10xlog(view angle/180) - 10xlog(distance) + barrier correction + 3

A7.4-3



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House

Ref : 21017

Date : 28-Jun-95

NSR : NSR 7

Scenario : No mitigations

Source : Vehicular movement within site



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)	
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)		
105	11	1	15	158	9.5	0	-12	-22	3	-7.1	-13	21	
105	12	1	15	160	5.9	0	-12	-22	3	0.0	-15	26	
105	13	1	15	192	4.5	0	-12	-23	3	0.0	-16	24	
105	14	1	15	137	3.5	0	-12	-21	3	0.0	-17	25	
105	15	1	15	198	5.1	0	-12	-23	3	0.0	-15	25	
105	17	1	15	109	3.7	0	-12	-20	3	0.0	-17	26	
105	18	1	15	111	3.4	0	-12	-20	3	0.0	-17	26	
105	20	2	15	231	15	3	-12	-24	3	0.0	-11	32	
105	21	2	15	270	13.2	3	-12	-24	3	0.0	-11	31	
105	23	1	15	40	1.5	0	-12	-16	3	0.0	-21	26	
Total traffic flow		12							Total SPL at NSR				37

Note: L_p = L_w - 33 + 10xlog(flow) - 10xlog(speed) + 10xlog(view angle/180) - 10xlog(distance) + barrier correction + 3

A7.4-4



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House

Ref : 21017

Date : 28-Jun-95

NSR : NSR 8

Scenario : No mitigations

Source : Vehicular movement within site



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)	
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)		
105	11	1	15	82	2.4	0	-12	-19	3	-3.1	-19	22	
105	12	1	15	85	1.5	0	-12	-19	3	0.0	-21	23	
105	13	1	15	364	3.7	0	-12	-26	3	0.0	-17	21	
105	14	1	15	-	<1	0	-12	-	3	-	-	0	
105	15	1	15	367	3.7	0	-12	-26	3	0.0	-17	21	
105	17	1	15	-	<1	0	-12	-	3	-	-	0	
105	18	1	15	-	<1	0	-12	-	3	-	-	0	
105	20	2	15	400	9.6	3	-12	-26	3	0.0	-13	27	
105	21	2	15	440	8.8	3	-12	-26	3	0.0	-13	27	
105	23	1	15	-	<1	0	-12	-	3	-	-	0	
Total traffic flow		12							Total SPL at NSR				32

Note: $L_p = L_w - 33 + 10 \times \log(\text{flow}) - 10 \times \log(\text{speed}) + 10 \times \log(\text{view angle}/180) - 10 \times \log(\text{distance}) + \text{barrier correction} + 3$

A7.4-5



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House

Ref : 21017

Date : 28-Jun-95

NSR : NSR 9

Scenario : No mitigations

Source : Vehicular movement within site

L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)	
105	11	1	15	316	6.9	0	-12	-25	3	-8.8	-14	15
105	12	1	15	319	3.7	0	-12	-25	3	0.0	-17	21
105	13	1	15	299	2.3	0	-12	-25	3	0.0	-19	20
105	14	1	15	296	2.3	0	-12	-25	3	0.0	-19	20
105	15	1	15	312	2.5	0	-12	-25	3	0.0	-19	20
105	17	1	15	267	3	0	-12	-24	3	0.0	-18	21
105	18	1	15	270	3	0	-12	-24	3	0.0	-18	21
105	20	2	15	345	7.8	3	-12	-25	3	0.0	-14	27
105	21	2	15	384	7.5	3	-12	-26	3	-6.3	-14	20
105	23	1	15	198	2.6	0	-12	-23	3	-6.0	-18	16
Total traffic flow		12	Total SPL at NSR									31

Note: $L_p = L_w - 13 + 10 \times \log(\text{flow}) - 10 \times \log(\text{speed}) + 10 \times \log(\text{view angle}/180) - 10 \times \log(\text{distance}) + \text{barrier correction} + 3$



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1).

Project : Sheung Shui Slaughter House

Ref : 21017

Date : 28-Jun-95

NSR : NSR 10

Scenario : No mitigations

Source : Vehicular movement within site



L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)	
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)		
105	11	1	15	232	5.3	0	-12	-24	3	-7.6	-15	17	
105	12	1	15	236	3	0	-12	-24	3	0.0	-18	22	
105	13	1	15	351	2.8	0	-12	-25	3	0.0	-18	20	
105	14	1	15	213	1.7	0	-12	-23	3	0.0	-20	20	
105	15	1	15	361	3	0	-12	-26	3	0.0	-18	20	
105	17	1	15	183	2.1	0	-12	-23	3	0.0	-19	21	
105	18	1	15	187	2.1	0	-12	-23	3	0.0	-19	21	
105	20	2	15	394	8.6	3	-12	-26	3	0.0	-13	27	
105	21	2	15	433	8.1	3	-12	-26	3	-5.9	-13	21	
105	23	1	15	115	1.4	0	-12	-21	3	-3.0	-21	19	
Total traffic flow		12							Total SPL at NSR				32

Note: $L_p = L_w - 33 + 10 \times \log(\text{flow}) - 10 \times \log(\text{speed}) + 10 \times \log(\text{view angle}/180) - 10 \times \log(\text{distance}) + \text{barrier correction} + 3$

A7.4-7



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House

Ref : 21017

Date : 28-Jun-95

NSR : NSR 11

Scenario : No mitigations

Source : Vehicular movement within site

L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)	
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)		
105	11	1	15	417	5.7	0	-12	-26	3	-9.3	-15	13	
105	12	1	15	420	2.9	0	-12	-26	3	0.0	-18	19	
105	13	1	15	373	1.7	0	-12	-26	3	0.0	-20	17	
105	14	1	15	398	1.8	0	-12	-26	3	0.0	-20	17	
105	15	1	15	390	1.9	0	-12	-26	3	0.0	-20	18	
105	17	1	15	368	2.4	0	-12	-26	3	0.0	-19	19	
105	18	1	15	372	2.6	0	-12	-26	3	0.0	-18	19	
105	20	2	15	422	5.7	3	-12	-26	3	0.0	-15	25	
105	21	2	15	461	5.6	3	-12	-27	3	-6.9	-15	18	
105	23	1	15	299	2.4	0	-12	-25	3	-7.4	-19	12	
Total traffic flow		12							Total SPL at NSR				29

Note 1 p - L_w - 11 + 10xlog(flow) - 10xlog(speed) + 10xlog(view angle/180) - 10xlog(distance) + barrier correction + 3



A7.4-8



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House
 Ref : 21017
 Date : 28-Jun-95

NSR : NSR 12
 Source : Vehicular movement within site

Scenario : No mitigations



L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)	
105	11	1	15	696	5.5	0	-12	-28	3	-10.4	-15	9
105	12	1	15	699	2.6	0	-12	-28	3	0.0	-18	16
105	13	1	15	-	<1	0	-12	-	3	-	-	0
105	14	1	15	676	1.7	0	-12	-28	3	0.0	-20	15
105	15	1	15	-	<1	0	-12	-	3	-	-	0
105	17	1	15	647	2.4	0	-12	-28	3	0.0	-19	16
105	18	1	15	650	2.7	0	-12	-28	3	0.0	-18	17
105	20	2	15	359	2.8	3	-12	-26	3	0.0	-18	23
105	21	2	15	398	3	3	-12	-26	3	-9.1	-18	13
105	23	1	15	578	2.7	0	-12	-28	3	-10.3	-18	7
Total traffic flow		12	Total SPL at NSR									26

Note: L_p = L_w - 33 + 10xlog(flow) - 10xlog(speed) + 10xlog(view angle/180) - 10xlog(distance) + barrier correction + 3

A7.4.9



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House
 Ref : 21017
 Date : 28-Jun-95

NSR : NSR 13
 Source : Vehicular movement within site

Scenario : No mitigations



Sheung Shui Slaughter House
 Supplementary Environmental Impact Assessment (Final Report)

L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)	
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)		
105	11	1	15	681	7	0	-12	-28	3	-10.9	-14	10	
105	12	1	15	682	3.1	0	-12	-28	3	0.0	-18	17	
105	13	1	15	-	<1	0	-12	-	3	-	-	0	
105	14	1	15	657	2	0	-12	-28	3	0.0	-20	16	
105	15	1	15	-	<1	0	-12	-	3	-	-	0	
105	17	1	15	632	3	0	-12	-28	3	0.0	-18	17	
105	18	1	15	633	3.5	0	-12	-28	3	-8.5	-17	10	
105	20	2	15	-	<1	3	-12	-	3	-	-	0	
105	21	2	15	130	1.4	3	-12	-21	3	-22.8	-21	1	
105	23	1	15	563	3.8	0	-12	-28	3	-11.1	-17	8	
Total traffic flow		12							Total SPL at NSR				23

Note: $L_p = L_w + 33 + 10 \log(\text{flow}) + 10 \log(\text{speed}) + 10 \log(\text{view angle}/180) - 10 \log(\text{distance}) + \text{barrier correction} + 3$

A7.4-10



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House

Ref : 21017

Date : 28-Jun-95

NSR : NSR 14

Scenario : No mitigations

Source : Vehicular movement within site



L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)	
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)		
105	11	1	15	318	8.2	0	-12	-25	3	0.0	-13	25	
105	12	1	15	315	4.3	0	-12	-25	3	0.0	-16	22	
105	13	1	15	256	2.1	0	-12	-24	3	0.0	-19	20	
105	14	1	15	338	2.6	0	-12	-25	3	0.0	-18	20	
105	15	1	15	241	1.8	0	-12	-24	3	0.0	-20	19	
105	17	1	15	367	3.4	0	-12	-26	3	-6.9	-17	13	
105	18	1	15	364	3.6	0	-12	-26	3	-11.9	-17	9	
105	20	2	15	276	4.4	3	-12	-24	3	-5.9	-16	20	
105	21	2	15	316	4.6	3	-12	-25	3	-10.1	-16	15	
105	23	1	15	436	3.4	0	-12	-26	3	-5.9	-17	14	
Total traffic flow		12							Total SPL at NSR				30

Note: L_p = L_w - 33 + 10xlog(flow) - 10xlog(speed) + 10xlog(view angle/180) - 10xlog(distance) + barrier correction + 3

A7.4-11



PREDICTION OF NOISE FROM MOE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House
 Ref : 21017
 Date : 28-Jun-95

NSR : NSR 15
 Source : Vehicular movement within site

Scenario : No mitigations



Sheung Shui Slaughter House
 Supplementary Environmental Impact Assessment (Final Report)

L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)	
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)		
105	11	1	15	406	10.7	0	-12	-26	3	0.0	-12	25	
105	12	1	15	405	5	0	-12	-26	3	0.0	-16	22	
105	13	1	15	-	<1	0	-12	-	3	-	-	0	
105	14	1	15	429	3	0	-12	-26	3	0.0	-18	19	
105	15	1	15	-	<1	0	-12	-	3	-	-	0	
105	17	1	15	455	4	0	-12	-27	3	-8.5	-17	12	
105	18	1	15	454	4.5	0	-12	-27	3	-11.5	-16	9	
105	20	2	15	112	1.7	3	-12	-20	3	-13.4	-20	12	
105	21	2	15	151	2.2	3	-12	-22	3	-12.3	-19	13	
105	23	1	15	524	3.9	0	-12	-27	3	-9.1	-17	10	
Total traffic flow		12							Total SPL at NSR				28

Note: L_p = L_w - 33 + 10xlog(flow) - 10xlog(speed) + 10xlog(view angle/180) - 10xlog(distance) + barrier correction + 3

A7.4-12



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House
 Ref : 21017
 Date : 28-Jun-95

NSR : NSR 16
 Source : Vehicular movement within site

Scenario : No mitigations


L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)	
105	11	1	15	443	9.5	0	-12	-26	3	-6.1	-13	18
105	12	1	15	445	3.8	0	-12	-26	3	0.0	-17	20
105	13	1	15	201	1.1	0	-12	-23	3	0.0	-22	18
105	14	1	15	417	2.3	0	-12	-26	3	0.0	-19	18
105	15	1	15	221	1.1	0	-12	-23	3	-10.1	-22	8
105	17	1	15	492	3.4	0	-12	-27	3	-12.0	-17	7
105	18	1	15	494	4.2	0	-12	-27	3	-12.5	-16	7
105	20	2	15	185	2.3	3	-12	-23	3	-12.0	-19	13
105	21	2	15	146	1.9	3	-12	-22	3	-22.6	-20	2
105	23	1	15	561	3.7	0	-12	-27	3	-12.5	-17	6
Total traffic flow		12	Total SPL at NSR									25

Note: L_p = L_w - 33 + 10xlog(flow) - 10xlog(speed) + 10xlog(view angle/180) - 10xlog(distance) + barrier correction + 3



A7.4-13





9

APPENDIX 7.5

Predicted day-time plant operation noise (with 2m to 4m high barriers)

9





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017

Project : Sheung Shui Slaughter House

Title : Predicted Sound Pressure Levels at NSRs (Daytime)

Date : 8-Sep-95

Scenario : With 2 to 4m high barriers

Item	Activities / Areas	Status	NSRs											
			1	2	7	8	9	10	11	12	13	14	15	16
<i>Enclosed activities / areas</i>														
1	Pig Stunning Area	✓	28	33	30	24	25	24	23	20	24	22	21	21
2	Pig Waiting Lairage **	✓	33	38	35	29	30	29	28	25	29	27	26	26
3	Pig Holding Lairage **	✓	23	28	25	<20	<20	<20	<20	<20	<20	<20	<20	<20
4	Pig & Cattle Slaughter Hall	✓	22	28	24	<20	<20	<20	<20	<20	<20	<20	<20	<20
5	Cattle Stunning Area	✓	<20	23	20	<20	<20	<20	<20	<20	<20	<20	<20	<20
6	By-Products Plant	✓	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20
<i>Un-enclosed activities / areas</i>														
7	Meat Despatch Area	×	0	0	0	0	0	0	0	0	0	0	0	0
8	Pig & Cattle Unloading Area	✓	34	43	38	33	35	35	32	30	36	31	30	30
9	Roof Fans for Unloading Area	✓	<20	25	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20
10	Lairage Scrubbers	✓	33	38	35	29	30	29	27	25	29	27	26	26
11	Scrubbers for Condemned Meat Area	✓	<20	<20	23	<20	<20	<20	<20	<20	<20	<20	<20	<20
12	Scrubbers for By-Products Plant	✓	21	23	26	21	21	21	<20	<20	<20	20	<20	<20
SPL at NSR due to plants, dB(A)			39	46	42	37	38	37	35	33	37	34	33	33
Train noise from siding, dB(A)			28	30	31	26	27	26	24	22	24	24	25	23
Vehicular noise within site, dB(A)			17	17	29	24	24	24	22	19	18	23	21	20
Total SPL at NSR, dB(A)			39	46	42	37	38	38	36	34	38	35	34	34

Note:

1 Status of activities / areas are extracted from Table 11.1 of Mott MacDonald's Final Report Ref T355/04 Rev 02

2 Calculation of SPL due to enclosed activities / areas
 $SPL_2 = SPL_1 - SRI + 10 \log(S) - 20 \log(r) - 14 + C_g + C_{Tonality} + C_{Facade}$
 where
 SPL_1 = Sound pressure inside room
 SPL_2 = Sound pressure at NSR
 SRI = Sound reduction index for building envelope
 r = Distance between the wall and NSR
 S = Noise radiating surface
 C_g = Correction for soft ground absorption
 $C_{Tonality}$ = Correction for tonality
 C_{Facade} = Correction for facade effects (ie 3dB(A))

3 Calculation of SPL due to un-enclosed activities / areas
 $SPL_2 = SWL - 20 \log(r) - 8 + C_g + C_{Screening} + C_{Silencer} + C_{Tonality} + C_{Facade}$
 where
 SWL = Sound power level of plant / activity
 SPL_2 = Sound pressure at NSR
 r = Distance between the wall and NSR
 C_g = Correction for soft ground absorption
 $C_{Screening}$ = Correction for barrier screening
 $C_{Silencer}$ = Correction for silencer attenuations, if any
 $C_{Tonality}$ = Correction for tonality
 C_{Facade} = Correction for facade effects (ie 3dB(A))





Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Sound Power Levels of Daily Activities
Date: 28-Jun-95

Item	Activities / Areas	SWL, dB(A)	Ref
<i>Enclosed activities / areas</i>			
1	Pig Stunning Area	112	Table 11.4
2	Pig Waiting Lairage **	117	Table 11.4
3	Pig Holding Lairage **	79	Table 11.4
4	Pig & Cattle Slaughter Hall	113	Table 11.4
5	Cattle Stunning Area	102	Table 11.4
6	By-Products Plant	103	Table 11.4
<i>Un-enclosed activities / areas</i>			
7	Meat Despatch Area	106	Table 11.4
8	Pig & Cattle Unloading Area	101	Table 11.4
9	Roof Fans for Unloading Area	103	Empirical
10	Lairage Scrubbers	117	Table 11.7
11	Scrubbers for Condemned Meat Area	105	Table 11.7
12	Scrubbers for By-Products Plant	108	Table 11.7

** Semi-enclosed activities / areas.





Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Room-side Sound Pressure Levels
Date: 28-Jun-95

Item	Activities / Areas	SWL, dB(A)	r _o m	S _o m ²	α	R m ²	SPL dB(A)
<i>Enclosed activities / areas</i>							
1	Pig Stunning Area	112	3	700	0.05	37	103
2	Pig Waiting Lairage **	117	3	700	0.05	37	108
3	Pig Holding Lairage **	79	3	3800	0.05	200	65
4	Pig & Cattle Slaughter Hall	113	3	5650	0.05	297	98
5	Cattle Stunning Area	102	3	700	0.05	37	93
6	By-Products Plant	103	3	1550	0.05	82	91
<i>Un-enclosed activities / areas</i>							
7	Meat Despatch Area	106	#				
8	Pig & Cattle Unloading Area	101	#				
9	Roof Fans for Unloading Area	103	#				
10	Lairage Scrubbers	117	#				
11	Scrubbers for Condemned Meat Area	105	#				
12	Scrubbers for By-Products Plant	108	#				

Note:

1 $SPL = SWL + 10 \log [Q/(4\pi r^2) + 4/R]$

where

SWL = Sound power level of noise source

SPL = Sound pressure level at r from noise source

Q = Directivity factor (equals to 2 in this case)

r_o = Distance from the source

S_o = Surface area of room

R = Room constant (ie S_o α/(1-α))

α = Average absorption coefficient of the room

2 # - room effects are not applicable to this plant / activity

** Semi-enclosed activities / areas





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Distance between Plant and NSRs
Date: 28-Jun-95

Item	Activities / Areas	Distance between plant & NSRs, m											
		1	2	7	8	9	10	11	12	13	14	15	16
<i>Enclosed activities / areas</i>													
1	Pig Stunning Area	210	130	250	420	390	420	500	620	450	540	560	580
2	Pig Waiting Lairage **	210	130	250	420	390	420	500	620	450	540	560	580
3	Pig Holding Lairage **	210	130	250	420	390	420	500	620	450	540	560	580
4	Pig & Cattle Slaughter Hall	210	130	250	420	390	420	500	620	450	540	560	580
5	Cattle Stunning Area	210	130	250	420	390	420	500	620	450	540	560	580
6	By-Products Plant	280	220	250	410	410	410	530	690	600	420	490	530
<i>Un-enclosed activities / areas</i>													
7	Meat Despatch Area	250	250	250	390	430	420	530	740	670	440	440	470
8	Pig & Cattle Unloading Area	300	120	360	550	430	480	510	600	450	730	750	740
9	Roof Fans for Unloading Area	300	120	360	550	430	480	510	600	450	730	750	740
10	Lairage Scrubbers	210	130	250	420	390	420	500	620	450	540	560	580
11	Scrubbers for Condemned Meat Area	250	250	250	390	430	420	530	740	670	440	440	470
12	Scrubbers for By-Products Plant	280	220	250	410	410	410	530	690	600	420	490	530

** Semi-enclosed activities / areas





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017
Project: Sheung Shui Slaughter House
Title: Ground Absorptions, dB(A)
Date: 28-Jun-95

Item	Activities / Areas	Ground Absorption, dB(A)											
		NSRs											
		1	2	7	8	9	10	11	12	13	14	15	16
<i>Enclosed activities / areas</i>													
1	Pig Stunning Area	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
2	Pig Waiting Lairage **	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
3	Pig Holding Lairage **	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
4	Pig & Cattle Slaughter Hall	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
5	Cattle Stunning Area	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
6	By-Products Plant	-8	-8	-4	-5	-5	-5	-6	-6	-6	-5	-5	-6
<i>Un-enclosed activities / areas</i>													
7	Meat Despatch Area	-8	-8	-4	-5	-5	-5	-6	-6	-6	-5	-5	-5
8	Pig & Cattle Unloading Area	-8	-6	-5	-6	-5	-5	-6	-6	-5	-6	-6	-6
9	Roof Fans for Unloading Area	-8	-6	-5	-6	-5	-5	-6	-6	-5	-6	-6	-6
10	Lairage Scrubbers	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
11	Scrubbers for Condemned Meat Area	-8	-8	-4	-5	-5	-5	-6	-6	-6	-5	-5	-5
12	Scrubbers for By-Products Plant	-8	-8	-4	-5	-5	-5	-6	-6	-6	-5	-5	-6

Assumptions:

a	Average height of propagation, m =	1.5	1.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
b	Proportion of absorbent ground, % =	100	100	100	100	100	100	100	100	100	100	100	100

Note :

- 1 Calculation of ground absorption
 $C_g = 5.2 * I * \text{Log} ((6 * H - 1.5) / (d + 3.5))$
 where
 C_g = Correction for soft ground absorption
 I = Proportion of absorbent ground
 H = Average height of propagation
 d = Distance

** Semi-enclosed activities / areas





Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Barrier Attenuations, dB(A)
Date: 28-Jun-95

Scenario : With 2 to 4m high barriers

Item	Activities / Areas	Barrier Attenuations, dB(A)											
		NSRs											
		1	2	7	8	9	10	11	12	13	14	15	16
<i>Enclosed activities / areas</i>													
1	Pig Stunning Area	*	*	*	*	*	*	*	*	*	*	*	*
2	Pig Waiting Lairage **	*	*	*	*	*	*	*	*	*	*	*	*
3	Pig Holding Lairage **	*	*	*	*	*	*	*	*	*	*	*	*
4	Pig & Cattle Slaughter Hall	*	*	*	*	*	*	*	*	*	*	*	*
5	Cattle Stunning Area	*	*	*	*	*	*	*	*	*	*	*	*
6	By-Products Plant	*	*	*	*	*	*	*	*	*	*	*	*
<i>Un-enclosed activities / areas</i>													
7	Meat Despatch Area	-18	-17	-7	-8	-8	-8	-8	-8	-7	-7	-8	-8
8	Pig & Cattle Unloading Area	-10	-11	-8	-8	-9	-8	-10	-10	-8	-7	-8	-8
9	Roof Fans for Unloading Area	*	*	*	*	*	*	*	*	*	*	*	*
10	Lairage Scrubbers	*	*	*	*	*	*	*	*	*	*	*	*
11	Scrubbers for Condemned Meat Area	*	*	*	*	*	*	*	*	*	*	*	*
12	Scrubbers for By-Products Plant	*	*	*	*	*	*	*	*	*	*	*	*

Note :

* Barrier Attenuations not applicable to this activity / area






Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Correction Factors for Activities and Areas
Date: 28-Jun-95

Item	Activities / Areas	SRI dB(A)	Tonality dB(A)	Silr Atten dB(A)	S m ²
<i>Enclosed activities / areas</i>					
1	Pig Stunning Area	36	6	*	100
2	Pig Waiting Lairage **	36	6	*	100
3	Pig Holding Lairage **	7	6	*	250
4	Pig & Cattle Slaughter Hall	36	0	*	350
5	Cattle Stunning Area	36	6	*	100
6	By-Products Plant	36	0	*	175
<i>Un-enclosed activities / areas</i>					
7	Meat Despatch Area	#	0	0	#
8	Pig & Cattle Unloading Area	#	6	0	#
9	Roof Fans for Unloading Area	#	0	-25	#
10	Lairage Scrubbers	#	0	-25	#
11	Scrubbers for Condemned Meat Area	#	0	-25	#
12	Scrubbers for By-Products Plant	#	0	-25	#

Note

- 1 # - room effects are not applicable to this plant / activity
 - 2 * - Silencer attenuations and barrier screening not applicable to this plant /activities
 - 3 S = Radiating surface of building envelope
- ** Semi-enclosed activities / areas





9

APPENDIX 7.6

Predicted night-time plant operation noise (with 2m to 4m high barriers)

5



**Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)**

Job Ref: 21017

Project : Sheung Shui Slaughter House

Title : Predicted Sound Pressure Levels at NSRs (Night Time)

Date: 14-Aug-95

Scenario : With 2 to 4m high barriers

Item	Activities / Areas	Status	NSRs											
			1	2	7	8	9	10	11	12	13	14	15	16
<i>Enclosed activities / areas</i>														
1	Pig Stunning Area	✓	28	33	30	24	25	24	23	20	24	22	21	21
2	Pig Waiting Lairage**	✓	33	38	35	29	30	29	28	25	29	27	26	26
3	Pig Holding Lairage	×	0	0	0	0	0	0	0	0	0	0	0	0
4	Pig & Cattle Slaughter Hall	✓	22	28	24	<20	<20	<20	<20	<20	<20	<20	<20	<20
5	Cattle Stunning Area	✓	<20	23	20	<20	<20	<20	<20	<20	<20	<20	<20	<20
6	By-Products Plant	✓	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20
<i>Un-enclosed activities / areas</i>														
7	Meat Despatch Area	✓	27	28	42	36	35	35	33	29	31	36	35	34
8	Pig & Cattle Unloading Area	×	0	0	0	0	0	0	0	0	0	0	0	0
9	Roof Fans for Unloading Area	×	0	0	0	0	0	0	0	0	0	0	0	0
10	Lairage Scrubbers	✓	33	38	35	29	30	29	27	25	29	27	26	26
11	Scrubbers for Condemned Meat Area	×	0	0	0	0	0	0	0	0	0	0	0	0
12	Scrubbers for By-Products Plant	✓	21	23	26	21	21	21	<20	<20	<20	20	<20	<20
SPL at NSR due to plants, dB(A)			37	42	44	38	38	38	35	32	35	37	36	36
Vehicular noise within site, dB(A)			17	17	29	24	24	24	22	19	18	23	21	20
Total SPL at NSR, dB(A)			37	42	44	38	38	38	35	32	35	37	36	36

Note:

1 Status of activities / areas are extracted from Table 11.1 of Mott MacDonald's Final Report Ref T355/04 Rev 02

2 Calculation of SPL due to enclosed activities / areas

$$SPL_2 = SPL_1 - SRI + 10 \text{ Log}(S) - 20 \text{ Log}(r) - 14 + C_g + C_{\text{Tonality}} + C_{\text{Facade}}$$

where

SPL₁ = Sound pressure inside room

SPL₂ = Sound pressure at NSR

SRI = Sound reduction index for building envelope

r = Distance between the wall and NSR

S = Noise radiating surface

C_g = Correction for soft ground absorption

C_{Tonality} = Correction for tonality

C_{Facade} = Correction for facade effects (ie 3dB(A))

3 Calculation of SPL due to un-enclosed activities / areas

$$SPL_2 = SWL - 20 \text{ Log}(r) - 8 + C_g + C_{\text{Screening}} + C_{\text{Silencer}} + C_{\text{Tonality}} + C_{\text{Facade}}$$

where

SWL = Sound power level of plant / activity

SPL₂ = Sound pressure at NSR

r = Distance between the wall and NSR

C_g = Correction for soft ground absorption

C_{Screening} = Correction for barrier screening

C_{Silencer} = Correction for silencer attenuations, if any

C_{Tonality} = Correction for tonality

C_{Facade} = Correction for facade effects (ie 3dB(A))

** Semi-enclosed activities / areas





Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Sound Power Levels of Daily Activities
Date: 28-Jun-95

Item	Activities / Areas	SWL, dB(A)	Ref
<i>Enclosed activities / areas</i>			
1	Pig Stunning Area	112	Table 11.4
2	Pig Waiting Lairage **	117	Table 11.4
3	Pig Holding Lairage **	79	Table 11.4
4	Pig & Cattle Slaughter Hall	113	Table 11.4
5	Cattle Stunning Area	102	Table 11.4
6	By-Products Plant	103	Table 11.4
<i>Un-enclosed activities / areas</i>			
7	Meat Despatch Area	106	Table 11.4
8	Pig & Cattle Unloading Area	101	Table 11.4
9	Roof Fans for Unloading Area	103	Empirical
10	Lairage Scrubbers	117	Table 11.7
11	Scrubbers for Condemned Meat Area	105	Table 11.7
12	Scrubbers for By-Products Plant	108	Table 11.7

** Semi-enclosed activities / areas





Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Room-side Sound Pressure Levels
Date: 28-Jun-95

Item	Activities / Areas	SWL, dB(A)	r _o m	S _o m ²	α	R m ²	SPL dB(A)
<i>Enclosed activities / areas</i>							
1	Pig Stunning Area	112	3	700	0.05	37	103
2	Pig Waiting Lairage **	117	3	700	0.05	37	108
3	Pig Holding Lairage **	79	3	3800	0.05	200	65
4	Pig & Cattle Slaughter Hall	113	3	5650	0.05	297	98
5	Cattle Stunning Area	102	3	700	0.05	37	93
6	By-Products Plant	103	3	1550	0.05	82	91
<i>Un-enclosed activities / areas</i>							
7	Meat Despatch Area	106	#				
8	Pig & Cattle Unloading Area	101	#				
9	Roof Fans for Unloading Area	103	#				
10	Lairage Scrubbers	117	#				
11	Scrubbers for Condemned Meat Area	105	#				
12	Scrubbers for By-Products Plant	108	#				

Note:

1 $SPL = SWL + 10 \log [Q/(4\pi r^2) + 4/R]$

where

SWL = Sound power level of noise source

SPL = Sound pressure level at r from noise source

Q = Directivity factor (equals to 2 in this case)

r_o = Distance from the source

S_o = Surface area of room

R = Room constant (ie S_o α/(1-α))

α = Average absorption coefficient of the room

2 # - room effects are not applicable to this plant / activity

** Semi-enclosed activities / areas





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017
 Project : Sheung Shui Slaughter House
 Title : Distance between Plant and NSRs
 Date: 28-Jun-95

Item	Activities / Areas	Distance between plant & NSRs, m											
		1	2	7	8	9	10	11	12	13	14	15	16
<i>Enclosed activities / areas</i>													
1	Pig Stunning Area	210	130	250	420	390	420	500	620	450	540	560	580
2	Pig Waiting Lairage **	210	130	250	420	390	420	500	620	450	540	560	580
3	Pig Holding Lairage **	210	130	250	420	390	420	500	620	450	540	560	580
4	Pig & Cattle Slaughter Hall	210	130	250	420	390	420	500	620	450	540	560	580
5	Cattle Stunning Area	210	130	250	420	390	420	500	620	450	540	560	580
6	By-Products Plant	280	220	250	410	410	410	530	690	600	420	490	530
<i>Un-enclosed activities / areas</i>													
7	Meat Despatch Area	250	250	250	390	430	420	530	740	670	440	440	470
8	Pig & Cattle Unloading Area	300	120	360	550	430	480	510	600	450	730	750	740
9	Roof Fans for Unloading Area	300	120	360	550	430	480	510	600	450	730	750	740
10	Lairage Scrubbers	210	130	250	420	390	420	500	620	450	540	560	580
11	Scrubbers for Condemned Meat Area	250	250	250	390	430	420	530	740	670	440	440	470
12	Scrubbers for By-Products Plant	280	220	250	410	410	410	530	690	600	420	490	530





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Ground Absorptions, dB(A)
Date: 28-Jun-95

Item	Activities / Areas	Ground Absorption, dB(A)											
		NSRs											
		1	2	7	8	9	10	11	12	13	14	15	16
<i>Enclosed activities / areas</i>													
1	Pig Stunning Area	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
2	Pig Waiting Lairage **	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
3	Pig Holding Lairage **	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
4	Pig & Cattle Slaughter Hall	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
5	Cattle Stunning Area	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
6	By-Products Plant	-8	-8	-4	-5	-5	-5	-6	-6	-6	-5	-5	-6
<i>Un-enclosed activities / areas</i>													
7	Meat Despatch Area	-8	-8	-4	-5	-5	-5	-6	-6	-6	-5	-5	-5
8	Pig & Cattle Unloading Area	-8	-6	-5	-6	-5	-5	-6	-6	-5	-6	-6	-6
9	Roof Fans for Unloading Area	-8	-6	-5	-6	-5	-5	-6	-6	-5	-6	-6	-6
10	Lairage Scrubbers	-8	-7	-4	-5	-5	-5	-6	-6	-5	-6	-6	-6
11	Scrubbers for Condemned Meat Area	-8	-8	-4	-5	-5	-5	-6	-6	-6	-5	-5	-5
12	Scrubbers for By-Products Plant	-8	-8	-4	-5	-5	-5	-6	-6	-6	-5	-5	-6

Assumptions:

a	Average height of propagation, m =	1.5	1.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
b	Proportion of absorbent ground, % =	100	100	100	100	100	100	100	100	100	100	100	100

Note :

- 1 Calculation of ground absorption

$$C_g = 5.2 * I * \text{Log} \left(\frac{6 * H - 1.5}{d + 3.5} \right)$$
 where
 C_g = Correction for soft ground absorption
 I = Proportion of absorbent ground
 H = Average height of propagation
 d = Distance

** Semi-enclosed activities / areas





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Job Ref: 21017
Project : Sheung Shui Slaughter House
Title : Barrier Attenuations, dB(A)
Date: 28-Jun-95

Scenario : With 2 to 4m high barriers

Item	Activities / Areas	Barrier Attenuations, dB(A)											
		NSRs											
		1	2	7	8	9	10	11	12	13	14	15	16
<i>Enclosed activities / areas</i>													
1	Pig Stunning Area	*	*	*	*	*	*	*	*	*	*	*	*
2	Pig Waiting Lairage **	*	*	*	*	*	*	*	*	*	*	*	*
3	Pig Holding Lairage **	*	*	*	*	*	*	*	*	*	*	*	*
4	Pig & Cattle Slaughter Hall	*	*	*	*	*	*	*	*	*	*	*	*
5	Cattle Stunning Area	*	*	*	*	*	*	*	*	*	*	*	*
6	By-Products Plant	*	*	*	*	*	*	*	*	*	*	*	*
<i>Un-enclosed activities / areas</i>													
7	Meat Despatch Area	-18	-17	-7	-8	-8	-8	-8	-8	-7	-7	-8	-8
8	Pig & Cattle Unloading Area	-10	-11	-8	-8	-9	-8	-10	-10	-8	-7	-8	-8
9	Roof Fans for Unloading Area	*	*	*	*	*	*	*	*	*	*	*	*
10	Lairage Scrubbers	*	*	*	*	*	*	*	*	*	*	*	*
11	Scrubbers for Condemned Meat Area	*	*	*	*	*	*	*	*	*	*	*	*
12	Scrubbers for By-Products Plant	*	*	*	*	*	*	*	*	*	*	*	*

Note :

• Barrier Attenuations not applicable to this activity / area

** Semi-enclosed activities / areas





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)


Job Ref: 21017
Project: Sheung Shui Slaughter House
Title: Correction Factors for Activities and Areas
Date: 28-Jun-95

Item	Activities / Areas	SRI dB(A)	Tonality dB(A)	Silr Atten dB(A)	S m ²
<i>Enclosed activities / areas</i>					
1	Pig Stunning Area	36	6	*	100
2	Pig Waiting Lairage **	36	6	*	100
3	Pig Holding Lairage **	7	6	*	250
4	Pig & Cattle Slaughter Hall	36	0	*	350
5	Cattle Stunning Area	36	6	*	100
6	By-Products Plant	36	0	*	175
<i>Un-enclosed activities / areas</i>					
7	Meat Despatch Area	#	0	0	#
8	Pig & Cattle Unloading Area	#	6	0	#
9	Roof Fans for Unloading Area	#	0	-25	#
10	Lairage Scrubbers	#	0	-25	#
11	Scrubbers for Condemned Meat Area	#	0	-25	#
12	Scrubbers for By-Products Plant	#	0	-25	#

Note

- 1 # - room effects are not applicable to this plant / activity
 - 2 * - Silencer attenuations and barrier screening not applicable to this plant / activities
 - 3 S = Radiating surface of building envelope
- ** Semi-enclosed activities / areas






APPENDIX 7.7

Predicted vehicular noise within site boundary (with 2m to 4m high barriers)





Computer plot of road scheme -
vehicles within site
(with 2m to 4m high barriers)

21017

A7.7-1



PREDICTION OF NOISE FROM MO  PLANTS (as per BS5228 Part 1) 

Project : Sheung Shui Slaughter House
 Ref : 21017
 Date : 28-Jun-95

NSR : NSR 1
 Source : Vehicular movement within site

Scenario : 2m to 4m noise barriers at site boundaries



L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)	
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)		
105	11	1	15	48	2.9	0	-12	-17	3	-26.0	-18	3	
105	12	1	15	-	<1	0	-12	-	3	-	-	0	
105	13	1	15	336	4.1	0	-12	-25	3	-17.5	-16	4	
105	14	1	15	-	<1	0	-12	-	3	-	-	0	
105	15	1	15	335	4.1	0	-12	-25	3	-17.5	-16	4	
105	17	1	15	-	<1	0	-12	-	3	-	-	0	
105	18	1	15	-	<1	0	-12	-	3	-	-	0	
105	20	2	15	301	12.6	3	-12	-25	3	-18.0	-12	12	
105	21	2	15	262	14.5	3	-12	-24	3	-20.6	-11	11	
105	23	1	15	62	1.7	0	-12	-18	3	-25.8	-20	0	
Total traffic flow		12							Total SPL at NSR				17

Note 1.p = L_w - 33 + 10xlog(flow) - 10xlog(speed) + 10xlog(view angle/180) - 10xlog(distance) + barrier correction + 3

A7.7-2

Sheung Shui Slaughter House
 Supplementary Environmental Impact Assessment (Final Report)



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House

Ref : 21017

Date : 28-Jun-95

NSR : NSR 2

Scenario : 2m to 4m noise barriers at site boundaries

Source : Vehicular movement within site



Supplementary Environmental Impact Assessment (Final Report)

Sheung Shui Slaughter House

L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)	
105	11	1	15	340	10	0	-12	-25	3	-17.7	-13	8
105	12	1	15	337	3.6	0	-12	-25	3	-16.6	-17	4
105	13	1	15	270	2.1	0	-12	-24	3	-17.8	-19	2
105	14	1	15	311	2.3	0	-12	-25	3	-16.7	-19	3
105	15	1	15	256	2.2	0	-12	-24	3	-17.4	-19	3
105	17	1	15	291	3.9	0	-12	-25	3	-17.4	-17	5
105	18	1	15	289	5	0	-12	-25	3	-18.2	-16	5
105	20	2	15	223	7.2	3	-12	-23	3	-19.2	-14	10
105	21	2	15	184	7	3	-12	-23	3	-21.6	-14	8
105	23	1	15	222	5.2	0	-12	-23	3	-21.8	-15	3
Total traffic flow		12	Total SPL at NSR									17

Note: L_p = L_w - 33 + 10xlog(flow) - 10xlog(speed) + 10xlog(view angle/180) - 10xlog(distance) + barrier correction + 3

A7.7-3



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House
 Ref : 21017
 Date : 28-Jun-95

NSR : NSR 7
 Source : Vehicular movement within site

Scenario : 2m to 4m noise barriers at site boundaries



Sheung Shui Slaughter House
 Supplementary Environmental Impact Assessment (Final Report)

L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)	
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)		
105	11	1	15	158	9.5	0	-12	-22	3	-10.4	-13	18	
105	12	1	15	160	5.9	0	-12	-22	3	-9.6	-15	17	
105	13	1	15	192	4.5	0	-12	-23	3	-8.7	-16	16	
105	14	1	15	137	3.5	0	-12	-21	3	-9.9	-17	15	
105	15	1	15	198	5.1	0	-12	-23	3	-8.9	-15	16	
105	17	1	15	109	3.7	0	-12	-20	3	-9.5	-17	16	
105	18	1	15	111	3.4	0	-12	-20	3	-8.6	-17	17	
105	20	2	15	231	15	3	-12	-24	3	-8.1	-11	24	
105	21	2	15	270	13.2	3	-12	-24	3	-7.3	-11	23	
105	23	1	15	40	1.5	0	-12	-16	3	-10.9	-21	15	
Total traffic flow		12							Total SPL at NSR				29

Note: L_p = L_w - 33 + 10xlog(flow) - 10xlog(speed) + 10xlog(view angle/180) - 10xlog(distance) + barrier correction + 3

A7.7-4



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House

Ref : 21017

Date : 28-Jun-95

NSR : NSR 8

Source : Vehicular movement within site

Scenario : 2m to 4m noise barriers at site boundaries

L _{wa} dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)	
105	11	1	15	82	2.4	0	-12	-19	3	-10.7	-19	15
105	12	1	15	85	1.5	0	-12	-19	3	-12.5	-21	11
105	13	1	15	364	3.7	0	-12	-26	3	-8.7	-17	12
105	14	1	15	-	<1	0	-12	-	3	-	-	0
105	15	1	15	367	3.7	0	-12	-26	3	-8.9	-17	12
105	17	1	15	-	<1	0	-12	-	3	-	-	0
105	18	1	15	-	<1	0	-12	-	3	-	-	0
105	20	2	15	400	9.6	3	-12	-26	3	-8.2	-13	19
105	21	2	15	440	8.8	3	-12	-26	3	-7.5	-13	19
105	23	1	15	-	<1	0	-12	-	3	-	-	0
Total traffic flow		12							Total SPL at NSR			24

Note: $L_p = L_w - 33 + 10 \times \log(\text{flow}) - 10 \times \log(\text{speed}) + 10 \times \log(\text{view angle}/180) - 10 \times \log(\text{distance}) + \text{barrier correction} + 3$



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House

Ref : 21017

Date : 28-Jun-95

NSR : NSR 9

Scenario : 2m to 4m noise barriers at site boundaries

Source : Vehicular movement within site



L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)	
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)		
105	11	1	15	316	6.9	0	-12	-25	3	-10.7	-14	13	
105	12	1	15	319	3.7	0	-12	-25	3	-9.5	-17	12	
105	13	1	15	299	2.3	0	-12	-25	3	-9.0	-19	11	
105	14	1	15	296	2.3	0	-12	-25	3	-9.6	-19	10	
105	15	1	15	312	2.5	0	-12	-25	3	-9.2	-19	11	
105	17	1	15	267	3	0	-12	-24	3	-9.0	-18	12	
105	18	1	15	270	3	0	-12	-24	3	-8.3	-18	13	
105	20	2	15	345	7.8	3	-12	-25	3	-8.3	-14	19	
105	21	2	15	384	7.5	3	-12	-26	3	-8.2	-14	18	
105	23	1	15	198	2.6	0	-12	-23	3	-11.0	-18	11	
Total traffic flow		12							Total SPL at NSR				24

Note: L_p = L_w - 33 + 10xlog(flow) - 10xlog(speed) + 10xlog(view angle/180) - 10xlog(distance) + barrier correction + 3

A7.7-6



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House

Ref : 21017

Date : 28-Jun-95

NSR : NSR 10

Source : Vehicular movement within site

Scenario : 2m to 4m noise barriers at site boundaries



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

L _w dB(A)	Segment No.	Traffic flow vch	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)	
105	11	1	15	232	5.3	0	-12	-24	3	-10.7	-15	14
105	12	1	15	236	3	0	-12	-24	3	-10.2	-18	12
105	13	1	15	351	2.8	0	-12	-25	3	-8.9	-18	11
105	14	1	15	213	1.7	0	-12	-23	3	-10.4	-20	9
105	15	1	15	361	3	0	-12	-26	3	-9.0	-18	11
105	17	1	15	183	2.1	0	-12	-23	3	-9.8	-19	11
105	18	1	15	187	2.1	0	-12	-23	3	-8.9	-19	12
105	20	2	15	394	8.6	3	-12	-26	3	-8.3	-13	19
105	21	2	15	433	8.1	3	-12	-26	3	-7.6	-13	19
105	23	1	15	115	1.4	0	-12	-21	3	-10.3	-21	11
Total traffic flow		12	Total SPL at NSR									24

Note: L_p = L_w - 33 + 10xlog(flow) - 10xlog(speed) + 10xlog(view angle/180) - 10xlog(distance) + barrier correction + 3

A7.7-7



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House
 Ref : 21017
 Date : 28-Jun-95

NSR : NSR 11

Scenario : 2m to 4m noise barriers at site boundaries

Source : Vehicular movement within site



Sheung Shui Slaughter House
 Supplementary Environmental Impact Assessment (Final Report)

L _{wa} dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)	
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)		
105	11	1	15	417	5.7	0	-12	-26	3	-10.7	-15	11	
105	12	1	15	420	2.9	0	-12	-26	3	-9.4	-18	10	
105	13	1	15	373	1.7	0	-12	-26	3	-9.1	-20	8	
105	14	1	15	398	1.8	0	-12	-26	3	-9.6	-20	8	
105	15	1	15	390	1.9	0	-12	-26	3	-9.2	-20	8	
105	17	1	15	368	2.4	0	-12	-26	3	-8.9	-19	10	
105	18	1	15	372	2.6	0	-12	-26	3	-8.2	-18	11	
105	20	2	15	422	5.7	3	-12	-26	3	-8.5	-15	17	
105	21	2	15	461	5.6	3	-12	-27	3	-8.6	-15	16	
105	23	1	15	299	2.4	0	-12	-25	3	-11.2	-19	9	
Total traffic flow		12							Total SPL at NSR				22

Note: L_p = L_w - 33 + 10xlog(flow) - 10xlog(speed) + 10xlog(view angle/180) - 10xlog(distance) + barrier correction + 3

A7.7-8



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House

Ref : 21017

Date : 28-Jun-95

NSR : NSR 12

Scenario : 2m to 4m noise barriers at site boundaries

Source : Vehicular movement within site

L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)	
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)		
105	11	1	15	696	5.5	0	-12	-28	3	-10.8	-15	9	
105	12	1	15	699	2.6	0	-12	-28	3	-8.6	-18	8	
105	13	1	15	-	<1	0	-12	-	3	-	-	0	
105	14	1	15	676	1.7	0	-12	-28	3	-8.7	-20	6	
105	15	1	15	-	<1	0	-12	-	3	-	-	0	
105	17	1	15	647	2.4	0	-12	-28	3	-8.1	-19	8	
105	18	1	15	650	2.7	0	-12	-28	3	-7.6	-18	9	
105	20	2	15	359	2.8	3	-12	-26	3	-8.9	-18	14	
105	21	2	15	398	3	3	-12	-26	3	-11.3	-18	11	
105	23	1	15	578	2.7	0	-12	-28	3	-11.7	-18	6	
Total traffic flow		12							Total SPL at NSR				19

Note: $L_p = L_w - 33 + 10 \log(\text{flow}) - 10 \log(\text{speed}) + 10 \log(\text{view angle}/180) - 10 \log(\text{distance}) + \text{barrier correction} + 3$



A7.7-9



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House
 Ref : 21017
 Date : 28-Jun-95

NSR : NSR 13

Scenario : 2m to 4m noise barriers at site boundaries

Source : Vehicular movement within site



L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)	
105	11	1	15	681	7	0	-12	-28	3	-11.1	-14	10
105	12	1	15	682	3.1	0	-12	-28	3	-7.4	-18	10
105	13	1	15	-	<1	0	-12	-	3	-	-	0
105	14	1	15	657	2	0	-12	-28	3	-7.5	-20	8
105	15	1	15	-	<1	0	-12	-	3	-	-	0
105	17	1	15	632	3	0	-12	-28	3	-7.2	-18	10
105	18	1	15	633	3.5	0	-12	-28	3	-8.5	-17	10
105	20	2	15	-	<1	3	-12	-	3	-	-	0
105	21	2	15	130	1.4	3	-12	-21	3	-22.8	-21	1
105	23	1	15	563	3.8	0	-12	-28	3	-11.8	-17	7
Total traffic flow		12				Total SPL at NSR						18

Note: $L_p = L_w - 33 + 10 \times \log(\text{flow}) - 10 \times \log(\text{speed}) + 10 \times \log(\text{view angle}/180) - 10 \times \log(\text{distance}) + \text{barrier correction} + 3$



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House
 Ref : 21017
 Date : 28-Jun-95

NSR : NSR 14
 Source : Vehicular movement within site

Scenario : 2m to 4m noise barriers at site boundaries

L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)	
105	11	1	15	318	8.2	0	-12	-25	3	-10.2	-13	15
105	12	1	15	315	4.3	0	-12	-25	3	-11.2	-16	11
105	13	1	15	256	2.1	0	-12	-24	3	-9.9	-19	10
105	14	1	15	338	2.6	0	-12	-25	3	-8.7	-18	11
105	15	1	15	241	1.8	0	-12	-24	3	-8.8	-20	11
105	17	1	15	367	3.4	0	-12	-26	3	-8.9	-17	11
105	18	1	15	364	3.6	0	-12	-26	3	-12.0	-17	9
105	20	2	15	276	4.4	3	-12	-24	3	-8.1	-16	18
105	21	2	15	316	4.6	3	-12	-25	3	-10.6	-16	15
105	23	1	15	436	3.4	0	-12	-26	3	-6.6	-17	13
Total traffic flow		12	Total SPL at NSR									23

Note: L_p = L_w - 33 + 10xlog(flow) - 10xlog(speed) + 10xlog(view angle/180) - 10xlog(distance) + barrier correction + 3



A7.7-11



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House

Ref : 21017

Date : 28-Jun-95

NSR : NSR 15

Source : Vehicular movement within site

Scenario : 2m to 4m noise barriers at site boundaries



Supplementary Environmental Impact Assessment (Final Report)
Sheung Shui Slaughter House

L _{eq} dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)	
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)		
105	11	1	15	406	10.7	0	-12	-26	3	-10.1	-12	15	
105	12	1	15	405	5	0	-12	-26	3	-11.1	-16	11	
105	13	1	15	-	<1	0	-12	-	3	-	-	0	
105	14	1	15	429	3	0	-12	-26	3	-8.6	-18	11	
105	15	1	15	-	<1	0	-12	-	3	-	-	0	
105	17	1	15	455	4	0	-12	-27	3	-9.7	-17	10	
105	18	1	15	454	4.5	0	-12	-27	3	-11.7	-16	9	
105	20	2	15	112	1.7	3	-12	-20	3	-13.5	-20	12	
105	21	2	15	151	2.2	3	-12	-22	3	-12.4	-19	13	
105	23	1	15	524	3.9	0	-12	-27	3	-9.2	-17	10	
Total traffic flow		12							Total SPL at NSR				21

Note: $L_p = L_w - 33 + 10 \times \log(\text{flow}) + 10 \times \log(\text{speed}) + 10 \times \log(\text{view angle}/180) - 10 \times \log(\text{distance}) + \text{barrier correction} + 3$

A7.7-12



PREDICTION OF NOISE FROM MOBILE PLANTS (as per BS5228 Part 1)

Project : Sheung Shui Slaughter House

Ref : 21017

Date : 28-Jun-95

NSR : NSR 16

Scenario : 2m to 4m noise barriers at site boundaries


Source : Vehicular movement within site



L _w dB(A)	Segment No.	Traffic flow veh	Speed kph	Distance m	View angle deg	Corrections for						Contribution from each segment dB(A)
						Traffic flow dB(A)	Speed dB(A)	Distance dB(A)	Facade dB(A)	Barrier dB(A)	View angle dB(A)	
105	11	1	15	443	9.5	0	-12	-26	3	-10.0	-13	14
105	12	1	15	445	3.8	0	-12	-26	3	-11.0	-17	9
105	13	1	15	201	1.1	0	-12	-23	3	-10.7	-22	7
105	14	1	15	417	2.3	0	-12	-26	3	-8.3	-19	10
105	15	1	15	221	1.1	0	-12	-23	3	-10.1	-22	8
105	17	1	15	492	3.4	0	-12	-27	3	-12.1	-17	7
105	18	1	15	494	4.2	0	-12	-27	3	-12.5	-16	7
105	20	2	15	185	2.3	3	-12	-23	3	-12.0	-19	13
105	21	2	15	146	1.9	3	-12	-22	3	-22.6	-20	2
105	23	1	15	561	3.7	0	-12	-27	3	-12.5	-17	6
Total traffic flow		12							Total SPL at NSR			20

Note: $L_p = L_w - 33 + 10 \times \log(\text{flow}) - 10 \times \log(\text{speed}) + 10 \times \log(\text{view angle}/180) - 10 \times \log(\text{distance}) + \text{barrier correction} + 3$







APPENDIX 7.8

Output file of "RoadNoise" (no mitigations)





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

```

RRRRRR      0000000      PPPPPPP      LLL      AAAAAA      NN      NN
RR RR      00      00      PP      PP      LLL      AA      AA      NNN      NN
RR RR      00      00      PP      PP      LLL      AA      AA      NNNN      NN
RRRRRR      00      00      PPPPPPP      LLL      AAAAAAAA      NN      NN      NN
RR RR      00      00      PP      LLL      AA      AA      NN      NNN
RR RR      00      00      PP      LLL      AA      AA      NN      NNN
RR RR      00      00      PP      LLLLLLLL      AA      AA      NN      NN
RR RR      0000000      PP      LLLLLLLL      AA      AA      NN      NN
  
```

(C) WS ATKINS ENGINEERING SCIENCES
WOODCOTE GROVE
ASHLEY ROAD
EPSOM, SURREY, ENGLAND. KT18 5BW
TELEPHONE EPSOM (0372) 726140

=====
== R O P L A N == VERSION 8.06 == KRT == WS ATKINS ES AUG 91 ==
=====

roadNoise licenced to Westwood Hong & Associates
Licenced from 15-NOV-94 to 15-NOV-94
Last used at - 17:52:21 on 31-JUL-95

TEXT .0 .0 .0 .0 .0 .0

R U N N A M E: SHUENG SHUI SLAUGHTER HOUSE





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ROPLAN 88 ***
31 JUL 1995 * PAGE: 2

RUN NAME : SHUENG SHUI SLAUGHTER HOUSE

RECEIVER	CHUK WAN ROAD	PO WAN ROAD (SOUTH)	PO WAN ROAD (NORTH)	ALL ROADS	
R1-1	48.3	43.9	34.9	49.8	GIF
R1-1	49.5	44.9	36.0	50.9	IIF
R1-2	54.1	48.5	36.1	55.2	
R1-2	55.2	49.7	37.2	56.3	
R2-1	51.7	46.7	29.1	52.9	
R2-1	52.9	47.8	30.3	54.1	
R16-1	53.2	56.4	41.3	58.2	GIF
R16-1	58.6	57.8	42.4	61.3	IIF
R16-1	59.3	59.2	43.2	62.3	2IF
R16-2	32.1	59.6	.0	59.6	
R16-2	33.2	61.0	.0	61.0	
R16-2	34.0	62.3	.0	62.3	
R16-3	.0	60.2	.0	60.2	
R16-3	.0	61.4	.0	61.4	
R16-3	.0	62.4	.0	62.4	
R16-4	53.5	51.9	41.7	55.9	
R16-4	56.0	52.9	42.9	57.8	
R16-4	57.2	53.6	43.6	58.9	
PST-1	46.8	60.7	33.3	60.9	
PST-1	49.3	61.8	34.4	62.1	
PST-1	50.5	62.6	35.2	62.8	
PST-2	45.8	64.5	31.3	64.6	
PST-2	49.6	65.7	32.4	65.8	
PST-2	51.0	66.4	33.2	66.5	
PST-3	.0	63.7	.0	63.7	
PST-3	.0	65.0	.0	65.0	
PST-3	.0	65.7	.0	65.7	
PST-4	26.9	68.3	.0	68.3	
PST-4	28.1	70.5	.0	70.5	
PST-4	28.8	71.2	.0	71.2	
PST-5	26.4	68.4	.0	68.4	
PST-5	27.6	71.1	.0	71.1	
PST-5	28.3	71.7	.0	71.7	
R15-1	47.5	49.7	34.5	51.8	
R15-1	48.7	50.8	35.8	53.0	
R15-2	42.7	49.5	26.0	50.3	
R15-2	44.4	50.7	28.4	51.6	
R15-3	40.6	31.8	8.1	41.1	
R15-3	42.3	31.8	8.4	42.7	

RETURNING TO UNIT 5
TRAFFIC FLOWS SEGMENTS BARRIERS CONTOUR STARTS CONTOUR COORDS RECEIVERS
DATA LINES 3 17 53 0 0 39

257
Stop - Program terminated.





*** R O P L A N 8 8 ***
31 JUL 1995 * PAGE: 1 RUN NAME : SHUENG SHUI SLAUGHTER HOUSE
TEXT .0 .0 .0 .0 .0 .0
FILENAME : 21017-C.MAS
TEXT .0 .0 .0 .0 .0 .0
CALCULATION OF TRAFFIC NOISE FOR DEVELOPMENT
TEXT .0 .0 .0 .0 .0 .0
NOISE CONTRIBUTION FROM TRAFFIC WITHIN THE DEVELOPMENT
TEXT .0 .0 .0 .0 .0 .0
***** ALL ROADS HAVE BEEN LINKED UP *****
PRI= -1.0 .0 .0 .0 .0 .0
READING 21017-A.FLO ON UNIT 99
RETURNING TO UNIT 5
READING 21017-A.SEG ON UNIT 99
RETURNING TO UNIT 5
READING 21017-B.BAR ON UNIT 99
RETURNING TO UNIT 5
READING 21017-C.REC ON UNIT 99
*** WARNING *** CHANGING TO 1-HOUR FLOW RATES





APPENDIX 7.9

Input files of "RoadNoise" (no mitigations)





TEXT
SHUENG SHUI SLAUGHTER HOUSE
TEXT
FILENAME :21017-C.MAS
TEXT
CALCULATION OF TRAFFIC NOISE FOR DEVELOPMENT
TEXT
NOISE CONTRIBUTION FROM TRAFFIC WITHIN THE DEVELOPMENT
TEXT
***** ALL ROADS HAVE BEEN LINKED UP *****
PRJ= -1.0
TEXT
TRAFFIC FLOWS DATA FOR YEAR 1995
READ
21017-A.FLO
TEXT
TO LOAD UP ROAD SEGMENTS
READ
21017-A.SEG
TEXT
***** LOAD ALL BARRIERS *****
READ
21017-B.BAR
LINK
CHUK WAN ROAD
1
LINK
PO WAN ROAD (SOUTH OF CHUK WAN ROAD)
2
LINK
PO WAN ROAD (NORTH OF CHUK WAN ROAD)
3
LINK
ALL ROADS
1, 2, 3
TEXT
***** LINK UP ALL ROAD UNDER CATEGORY *****
TEXT
***** LOAD UP RECEIVERS *****
READ
21017-C.REC
TEXT
***** END OF PROGRAM *****
END





TEXT
SHEUNG SHUI SLAUGHTER HOUSE
TEXT
FILENAME: 21017-A.FLO
TEXT
FLOW DATA FOR TRAFFIC AT YEAR 1995
TEXT
TOTAL TRAFFIC FLOW
TEXT
CHUK WAN ROAD
FLO= -300.0PHV= 100.0SPD= 50.0BAS= 2.0FNO= 1.0
TEXT
PO WAN ROAD (SOUTH OF CHUK WAN ROAD)
FNO= 2.0
TEXT
PO WAN ROAD (NORTH OF CHUK WAN ROAD)
FLO= -10.0FNO= 3.0
RETN





TEXT

SHEUNG SHUI SLAUGHTER HOUSE

TEXT

FILENAME: 21017-A.SEG

TEXT

CHUK WAN ROAD

SEG= 11.0UFN= 1.0CAT= 1.0RSX=830278.8RSY=841437.7HCS= 7.5

HCG= 3.0GND= 1.0NCY= .0WCY= 3.0DCY= .0HCY= .0

RST= 1.0RTD= .8RCT= .0REX=830297.5REY=841448.4HCE= 7.5

SEND

REX=830327.7REY=841455.7HCE= 7.5

SEND

REX=830359.6REY=841445.0HCE= 7.6

SEND

REX=830486.9REY=841274.2HCE= 7.7

SEND

REX=830533.1REY=841228.0HCE= 7.8

SEND

TEXT

PO WAN ROAD (SOUTH OF CHUK WAN ROAD)

SEG= 21.0UFN= 2.0CAT= 2.0RSX=830532.1RSY=841228.9WCY= 5.0

REX=830534.6REY=841138.9HCE= 7.6

SEND

REX=830549.3REY=841068.3HCE= 7.6

SEND

REX=830604.0REY=840985.5HCE= 7.6

SEND

REX=830824.8REY=840783.4HCE= 7.7

SEND

REX=830859.5REY=840766.9HCE= 7.8

SEND

REX=830913.6REY=840761.8HCE= 7.7

SEND

REX=830932.1REY=840755.2HCE= 7.6

SEND

REX=830981.2REY=840712.7HCE= 7.7

SEND

TEXT

PO WAN ROAD (NORTH OF CHUK WAN ROAD)

SEG= 31.0UFN= 3.0CAT= 3.0RSX=830532.0RSY=841228.8HCS= 7.8

REX=830568.8REY=841307.4HCE= 8.6

SEND

REX=830597.3REY=841338.3HCE= 8.6

SEND

REX=830666.9REY=841400.9HCE= 8.5

SEND

REX=830785.9REY=841468.9HCE= 8.5

SEND

RETN





TEXT

SHEUNG SHUI SLAUGHTER HOUSE

TEXT

FILENAME: 21017-B.BAR

NBA= 101.OBSX=830789.2BSY=841460.4HBS= 8.5BEX= 830670.1BEY=841391.8
HBE= 8.5WBA= .0FOA= .0
NBA= 102.OBEX=830605.6BEY=841332.6HBE= 8.6
NBA= 103.OBEX=830575.9BEY=841303.6HBE= 8.6
NBA= 104.OBEX=830546.0BEY=841230.1HBE= 7.8
NBA= 105.OBEX=830538.2BEY=841194.4HBE= 7.7
NBA= 106.OBEX=830555.1BEY=841139.7HBE= 10.6
NBA= 107.OBEX=830577.6BEY=841057.9HBE= 10.6
NBA= 108.OBEX=830598.8BEY=841037.6HBE= 10.6
NBA= 109.OBEX=830618.9BEY=841002.7HBE= 7.6
NBA= 110.OBEX=830608.6BEY=840991.8HBE= 7.6
NBA= 111.OBEX=830827.1BEY=840789.7HBE= 7.7
NBA= 112.OBEX=830860.8BEY=840774.9HBE= 7.8
NBA= 113.OBEX=830914.9BEY=840767.6HBE= 7.7
NBA= 114.OBEX=830935.2BEY=840761.4HBE= 7.6
NBA= 115.OBEX=830970.8BEY=840733.3HBE= 7.6

TEXT

SEWAGE TREATMENT WORKS

NBA= 40.OBSX=830258.3BSY=841383.6HBS= 12.0BEX=830208.6BEY=841270.9
HBE= 12.0WBA= .0FOA= .0
NBA= 41.OBSX=830171.6BSY=841320.0BEX=830294.4BEY=841333.9HBE= 12.0
NBA= 42.OBSX=830349.5BSY=841244.4BEX=830310.3BEY=841143.4HBE= 12.0
NBA= 43.OBSX=830275.9BSY=841189.4BEX=830391.8BEY=841198.9HBE= 12.0
NBA= 44.OBSX=830336.6BSY=841120.4BEX=830357.1BEY=841103.4HBE= 12.0
NBA= 45.OBSX=830342.6BSY=841124.9BEX=830349.8BEY=841100.3HBE= 12.0
NBA= 46.OBSX=830457.5BSY=841088.6BEX=830470.4BEY=841044.9HBE= 12.0
NBA= 47.OBSX=830442.6BSY=841071.3BEX=830486.0BEY=841061.4HBE= 12.0
NBA= 48.OBSX=830434.1BSY=841061.2BEX=830443.6BEY=841034.1HBE= 12.0
NBA= 49.OBSX=830423.9BSY=841050.4BEX=830452.5BEY=841044.0HBE= 12.0
NBA= 50.OBSX=830408.1BSY=841027.6BEX=830396.1BEY=841001.3HBE= 12.0
NBA= 51.OBSX=830389.6BSY=841006.2BEX=830414.0BEY=841021.6HBE= 12.0
NBA= 52.OBSX=830485.0BSY=841043.8BEX=830486.1BEY=841028.1HBE= 12.0
NBA= 53.OBSX=830477.1BSY=841034.5BEX=830493.1BEY=841035.8HBE= 12.0
NBA= 54.OBSX=830445.3BSY=841004.8BEX=830448.0BEY=840992.7HBE= 12.0
NBA= 55.OBSX=830441.6BSY=840998.5BEX=830453.3BEY=840998.4HBE= 12.0
NBA= 56.OBSX=830513.4BSY=841035.6BEX=830516.9BEY=841021.5HBE= 12.0
NBA= 57.OBSX=830506.9BSY=841029.6BEX=830521.5BEY=841027.8HBE= 12.0
NBA= 58.OBSX=830463.6BSY=840982.1BEX=830467.4BEY=840968.9HBE= 12.0
NBA= 59.OBSX=830457.8BSY=840975.9BEX=830471.9BEY=840973.3HBE= 12.0
NBA= 60.OBSX=830539.3BSY=841012.6BEX=830475.3BEY=840958.7HBE= 12.0
NBA= 61.OBSX=830529.4BSY=841018.6BEX=830485.9BEY=840953.0HBE= 12.0
NBA= 62.OBSX=830557.8BSY=840995.9BEX=830546.9BEY=840995.4HBE= 12.0
NBA= 63.OBSX=830551.5BSY=841001.6BEX=830552.6BEY=840989.3HBE= 12.0
NBA= 64.OBSX=830547.1BSY=840957.3BEX=830501.3BEY=840949.8HBE= 12.0
NBA= 65.OBSX=830524.8BSY=840977.6BEX=830522.5BEY=840932.8HBE= 12.0

TEXT

GODOWNS

NBA= 66.OBSX=830623.4BSY=840952.0HBS= 50.0BEX=830709.3BEY=840839.2
HBE= 50.0
NBA= 67.OBSX=830607.3BSY=840931.8BEX=830726.1BEY=840857.2HBE= 50.0
NBA= 68.OBSX=830568.2BSY=840931.4BEX=830576.6BEY=840829.3HBE= 50.0
NBA= 69.OBSX=830522.3BSY=840882.8BEX=830628.2BEY=840885.7HBE= 50.0
NBA= 70.OBSX=830644.6BSY=840866.4BEX=830699.1BEY=840784.5HBE= 50.0
NBA= 71.OBSX=830627.6BSY=840847.3BEX=830713.3BEY=840809.8HBE= 50.0





NBA= 72.0BSX=830620.4BSY=840839.5BEX=830704.5BEY=840712.1HBE= 50.0
NBA= 73.0BSX=830598.8BSY=840811.4BEX=830729.8BEY=840741.8HBE= 50.0
NBA= 74.0BSX=830718.1BSY=840830.7BEX=830757.3BEY=840825.4HBE= 50.0
NBA= 75.0BSX=830734.6BSY=840850.4BEX=830744.8BEY=840809.2HBE= 50.0
NBA= 76.0BSX=830789.2BSY=840798.6BEX=830821.5BEY=840739.2HBE= 50.0
NBA= 77.0BSX=830773.9BSY=840781.0BEX=830840.9BEY=840760.8HBE= 50.0
RETN






TEXT
SHEUNG SHUI SLAUGHTER HOUSE
TEXT
FILENAME: 21017-C.REC
TEXT
R1-1
HRA= 5.6HRG= 1.5AN1= 61.0AN2= 244.1OPX=830574.6OPY=841734.3
COA= 1.0COD= 1000.0HPF= 3.0REF= 1.0
GO
RPT= 1.0
TEXT
R1-2
AN1= 60.7AN2= 243.4OPX=830460.0OPY=841621.9
GO
RPT= 1.0
TEXT
R2-1
AN1= 125.8AN2= 308.7OPX=830253.6OPY=841723.9
GO
RPT= 1.0
TEXT
R16-1
HRA= 6.2AN1= 221.3AN2= 45.4OPX=830613.0OPY=841124.4
GO
RPT= 2.0
TEXT
R16-2
AN1= 132.1AN2= 316.0OPX=830615.6OPY=841106.7
GO
RPT= 2.0
TEXT
R16-3
AN1= 78.5AN2= 259.6OPX=830665.6OPY=841069.9
GO
RPT= 2.0
TEXT
R16-4
AN1= 256.1AN2= 81.9OPX=830674.3OPY=841171.9
GO
RPT= 2.0
TEXT
PST-1
AN1= 159.0AN2= 353.0OPX=830774.7OPY=840999.0
GO
RPT= 2.0
TEXT
PST-2
AN1= 156.1AN2= 347.1OPX=830765.1OPY=840941.9
GO
RPT= 2.0
TEXT
PST-3
AN1= 91.4AN2= 285.9OPX=830850.6OPY=840877.3
GO
RPT= 2.0
TEXT
PST-4
HRA= 6.9AN1= 132.1AN2= 316.0OPX=830940.0OPY=840785.0





GO
RPT= 2.0
TEXT
PST-5
OPX=830971.0OPY=840756.0
GO
RPT= 2.0
TEXT
R15-1
HRA= 6.2ANI= 306.1AN2= 140.0OPX=830333.6OPY=840958.1
GO
RPT= 1.0
TEXT
R15-2
OPX=830465.4OPY=840838.8
GO
RPT= 1.0
TEXT
R15-3
OPX=830526.1OPY=840783.9
GO
RPT= 1.0
RETN





APPENDIX 7.10

Output files of "RoadNoise" (with 2m high barrier)



```

RRRRRR      000000      PPPPPPP      LLL      AAAAAA      NN      NN
RR RR      00 00      PP PP      LLL      AA AA      NNN NN
RR RR      00 00      PP PP      LLL      AA AA      NNNN NN
RRRRRR      00 00      PPPPPPP      LLL      AAAAAAA      NN NN NN
RR RR      00 00      PP      LLL      AA AA      NN NNNN
RR RR      00 00      PP      LLL      AA AA      NN NNN
RR RR      00 00      PP      LLLLLLLL      AA AA      NN NN
RR RR      000000      PP      LLLLLLLL      AA AA      NN NN
  
```

(C) WS ATKINS ENGINEERING SCIENCES
WOODCOTE GROVE
ASHLEY ROAD
EPSOM, SURREY, ENGLAND. KT18 5BW
TELEPHONE EPSOM (0372) 726140

=====
== R O P L A N == VERSION 8.06 == KRT == WS ATKINS ES AUG 91 ==
=====

roadNoise licenced to Westwood Hong & Associates
Licenced from 15-NOV-94 to 15-NOV-99
Last used at - 09:01:10 on 2-AUG-95

TEXT .0 .0 .0 .0 .0 .0

R U N N A M E : SHUENG SHUI SLAUGHTER HOUSE





```

*** ROPLAN 88 ***          RUN NAME : SHUENG SHUI SLAUGHTER HOUSE
2 AUG 1995      * PAGE: 1
TEXT      .0      .0      .0      .0      .0      .0

FILENAME :21017-E.MAS

TEXT      .0      .0      .0      .0      .0      .0

CALCULATION OF TRAFFIC NOISE FOR DEVELOPMENT

TEXT      .0      .0      .0      .0      .0      .0

NOISE CONTRIBUTION FROM TRAFFIC WITHIN THE DEVELOPMENT

TEXT      .0      .0      .0      .0      .0      .0

***** ALL ROADS HAVE BEEN LINKED UP *****

PRI=     -1.0      .0      .0      .0      .0      .0
READING 21017-A.FLO          ON UNIT  99
RETURNING TO UNIT  5
READING 21017-A.SEG          ON UNIT  99
RETURNING TO UNIT  5
READING 21017-E.BAR          ON UNIT  99
RETURNING TO UNIT  5
READING 21017-C.REC          ON UNIT  99
*** WARNING *** CHANGING TO 1-HOUR FLOW RATES

```





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ROPLAN 88 ***
2 AUG 1995 * PAGE: 2

RUN NAME : SHUENG SHUI SLAUGHTER HOUSE

RECEIVER	CHUK WAN ROAD	PO WAN ROAD (SOUTH)	PO WAN ROAD (NORTH)	ALL ROADS
R1-1	48.3	43.7	34.9	49.8 G/F
R1-1	49.5	44.8	36.0	50.9 I/F
R1-2	54.1	48.4	36.1	55.2
R1-2	55.2	49.6	37.2	56.3
R2-1	51.7	46.7	29.1	52.9
R2-1	52.9	47.8	30.3	54.1
R16-1	53.2	56.4	41.3	58.2
R16-1	58.6	57.8	42.4	61.3
R16-1	59.3	59.2	43.2	62.3
R16-2	32.1	59.6	.0	59.6 G/F
R16-2	33.2	61.0	.0	61.0 I/F
R16-2	34.0	62.3	.0	62.3 I/F
R16-3	.0	60.1	.0	60.1
R16-3	.0	61.4	.0	61.4
R16-3	.0	62.3	.0	62.3
R16-4	53.5	51.9	41.7	55.9
R16-4	56.0	52.9	42.9	57.8
R16-4	57.2	53.6	43.6	58.9
PST-1	46.8	60.7	33.3	60.9
PST-1	49.3	61.8	34.4	62.1
PST-1	50.5	62.6	35.2	62.8
PST-2	45.8	64.5	31.3	64.6
PST-2	49.6	65.7	32.4	65.8
PST-2	51.0	66.4	33.2	66.5
PST-3	.0	63.4	.0	63.4
PST-3	.0	64.6	.0	64.6
PST-3	.0	65.4	.0	65.4
PST-4	26.9	65.4	.0	65.4
PST-4	28.1	67.6	.0	67.6
PST-4	28.8	68.8	.0	68.8
PST-5	26.4	64.0	.0	64.0
PST-5	27.6	65.9	.0	65.9
PST-5	28.3	68.2	.0	68.2
R15-1	47.5	49.7	34.5	51.8
R15-1	48.7	50.8	35.8	53.0
R15-2	42.7	49.5	26.0	50.3
R15-2	44.4	50.7	28.4	51.6
R15-3	40.6	31.9	8.1	41.1
R15-3	42.3	31.9	8.4	42.7


RETURNING TO UNIT 5

TRAFFIC FLOWS DATA LINES	SEGMENTS	BARRIERS	CONTOUR STARTS	CONTOUR COORDS	RECEIVERS
3	17	53	0	0	39

259

Stop - Program terminated.





APPENDIX 7.11

Input files of "RoadNoise" (with 2m high barrier)





TEXT
SHUENG SHUI SLAUGHTER HOUSE
TEXT
FILENAME :21017-E.MAS
TEXT
CALCULATION OF TRAFFIC NOISE FOR DEVELOPMENT
TEXT
NOISE CONTRIBUTION FROM TRAFFIC WITHIN THE DEVELOPMENT
TEXT
***** ALL ROADS HAVE BEEN LINKED UP *****
PRI= -1.0
TEXT
TRAFFIC FLOWS DATA FOR YEAR 1995
READ
21017-A.FLO
TEXT
TO LOAD UP ROAD SEGMENTS
READ
21017-A.SEG
TEXT
***** LOAD ALL BARRIERS *****
READ
21017-E.BAR
LINK
CHUK WAN ROAD
1
LINK
PO WAN ROAD (SOUTH OF CHUK WAN ROAD)
2
LINK
PO WAN ROAD (NORTH OF CHUK WAN ROAD)
3
LINK
ALL ROADS
1, 2, 3
TEXT
***** LINK UP ALL ROAD UNDER CATEGORY *****
TEXT
***** LOAD UP RECEIVERS *****
READ
21017-C.REC
TEXT
***** END OF PROGRAM *****
END





TEXT
SHEUNG SHUI SLAUGHTER HOUSE
TEXT
FILENAME: 21017-A.FLO
TEXT
FLOW DATA FOR TRAFFIC AT YEAR 1995
TEXT
TOTAL TRAFFIC FLOW
TEXT
CHUK WAN ROAD
FLO= -300.0PHV= 100.0SPD= 50.0BAS= 2.0FNO= 1.0
TEXT
PO WAN ROAD (SOUTH OF CHUK WAN ROAD)
FNO= 2.0
TEXT
PO WAN ROAD (NORTH OF CHUK WAN ROAD)
FLO= -10.0FNO= 3.0
RETN





TEXT
SHEUNG SHUI SLAUGHTER HOUSE
TEXT
FILENAME: 21017-A.SEG
TEXT
CHUK WAN ROAD
SEG= 11.0UFN= 1.0CAT= 1.0RSX=830278.8RSY=841437.7HCS= 7.5
HCG= 3.0GND= 1.0NCY= .0WCY= 3.0DCY= .0HCY= .0
RST= 1.0RTD= .8RCT= .0REX=830297.5REY=841448.4HCE= 7.5
SEND
REX=830327.7REY=841455.7HCE= 7.5
SEND
REX=830359.6REY=841445.0HCE= 7.6
SEND
REX=830486.9REY=841274.2HCE= 7.7
SEND
REX=830533.1REY=841228.0HCE= 7.8
SEND
TEXT
PO WAN ROAD (SOUTH OF CHUK WAN ROAD)
SEG= 21.0UFN= 2.0CAT= 2.0RSX=830532.1RSY=841228.9WCY= 5.0
REX=830534.6REY=841138.9HCE= 7.6
SEND
REX=830549.3REY=841068.3HCE= 7.6
SEND
REX=830604.0REY=840985.5HCE= 7.6
SEND
REX=830824.8REY=840783.4HCE= 7.7
SEND
REX=830859.5REY=840766.9HCE= 7.8
SEND
REX=830913.6REY=840761.8HCE= 7.7
SEND
REX=830932.1REY=840755.2HCE= 7.6
SEND
REX=830981.2REY=840712.7HCE= 7.7
SEND
TEXT
PO WAN ROAD (NORTH OF CHUK WAN ROAD)
SEG= 31.0UFN= 3.0CAT= 3.0RSX=830532.0RSY=841228.8HCS= 7.8
REX=830568.8REY=841307.4HCE= 8.6
SEND
REX=830597.3REY=841338.3HCE= 8.6
SEND
REX=830666.9REY=841400.9HCE= 8.5
SEND
REX=830785.9REY=841468.9HCE= 8.5
SEND
RETN





TEXT
SHEUNG SHUI SLAUGHTER HOUSE
TEXT
FILENAME: 21017-C.REC
TEXT
R1-1
HRA= 5.6HRG= 1.5AN1= 61.0AN2= 244.1OPX=830574.6OPY=841734.3
COA= 1.0COD= 1000.0HPF= 3.0REF= 1.0
GO
RPT= 1.0
TEXT
R1-2
AN1= 60.7AN2= 243.4OPX=830460.0OPY=841621.9
GO
RPT= 1.0
TEXT
R2-1
AN1= 125.8AN2= 308.7OPX=830253.6OPY=841723.9
GO
RPT= 1.0
TEXT
R16-1
HRA= 6.2AN1= 221.3AN2= 45.4OPX=830613.0OPY=841124.4
GO
RPT= 2.0
TEXT
R16-2
AN1= 132.1AN2= 316.0OPX=830615.6OPY=841106.7
GO
RPT= 2.0
TEXT
R16-3
AN1= 78.5AN2= 259.6OPX=830665.6OPY=841069.9
GO
RPT= 2.0
TEXT
R16-4
AN1= 256.1AN2= 81.9OPX=830674.3OPY=841171.9
GO
RPT= 2.0
TEXT
PST-1
AN1= 159.0AN2= 353.0OPX=830774.7OPY=840999.0
GO
RPT= 2.0
TEXT
PST-2
AN1= 156.1AN2= 347.1OPX=830765.1OPY=840941.9
GO
RPT= 2.0
TEXT
PST-3
AN1= 91.4AN2= 285.9OPX=830850.6OPY=840877.3
GO
RPT= 2.0
TEXT
PST-4
HRA= 6.9AN1= 132.1AN2= 316.0OPX=830940.0OPY=840785.0





GO
RPT= 2.0
TEXT
PST-5
OPX=830971.0OPY=840756.0
GO
RPT= 2.0
TEXT
R15-1
HRA= 6.2AN1= 306.1AN2= 140.0OPX=830333.6OPY=840958.1
GO
RPT= 1.0
TEXT
R15-2
OPX=830465.4OPY=840838.8
GO
RPT= 1.0
TEXT
R15-3
OPX=830526.1OPY=840783.9
GO
RPT= 1.0
RETN





TEXT

SHEUNG SHUI SLAUGHTER HOUSE

TEXT

FILENAME: 21017-E.BAR

NBA= 101.OBSX=830789.2BSY=841460.4HBS= 8.5BEX=830670.1BEY=841391.8

HBE= 8.5WBA= .0FOA= .0

NBA= 102.OBEX=830605.6BEY=841332.6HBE= 8.6

NBA= 103.OBEX=830575.9BEY=841303.6HBE= 8.6

NBA= 104.OBEX=830546.0BEY=841230.1HBE= 7.8

NBA= 105.OBEX=830538.2BEY=841194.4HBE= 7.7

NBA= 106.OBEX=830555.1BEY=841139.7HBE= 10.6

NBA= 107.OBEX=830577.6BEY=841057.9HBE= 10.6

NBA= 108.OBEX=830598.8BEY=841037.6HBE= 10.6

NBA= 109.OBEX=830618.9BEY=841002.7HBE= 7.6

NBA= 110.OBEX=830608.6BEY=840991.8HBE= 7.6

NBA= 111.OBEX=830827.1BEY=840789.7HBE= 7.7

NBA= 112.OBEX=830860.8BEY=840774.9HBE= 7.8

NBA= 113.OBEX=830914.9BEY=840767.6HBE= 7.7

TEXT

2M HIGH ROADSIDE BARRIER

NBA= 114.OBEX=830935.2BEY=840761.4HBE= 9.6

NBA= 115.OBEX=830970.8BEY=840733.3HBE= 9.6

TEXT

SEWAGE TREATMENT WORKS

NBA= 40.OBSX=830258.3BSY=841383.6HBS= 12.0BEX=830208.6BEY=841270.9

HBE= 12.0WBA= .0FOA= .0

NBA= 41.OBSX=830171.6BSY=841320.0BEX=830294.4BEY=841333.9HBE= 12.0

NBA= 42.OBSX=830349.5BSY=841244.4BEX=830310.3BEY=841143.4HBE= 12.0

NBA= 43.OBSX=830275.9BSY=841189.4BEX=830391.8BEY=841198.9HBE= 12.0

NBA= 44.OBSX=830336.6BSY=841120.4BEX=830357.1BEY=841103.4HBE= 12.0

NBA= 45.OBSX=830342.6BSY=841124.9BEX=830349.8BEY=841100.3HBE= 12.0

NBA= 46.OBSX=830457.5BSY=841088.6BEX=830470.4BEY=841044.9HBE= 12.0

NBA= 47.OBSX=830442.6BSY=841071.3BEX=830486.0BEY=841061.4HBE= 12.0

NBA= 48.OBSX=830434.1BSY=841061.2BEX=830443.6BEY=841034.1HBE= 12.0

NBA= 49.OBSX=830423.9BSY=841050.4BEX=830452.5BEY=841044.0HBE= 12.0

NBA= 50.OBSX=830408.1BSY=841027.6BEX=830396.1BEY=841001.3HBE= 12.0

NBA= 51.OBSX=830389.6BSY=841006.2BEX=830414.0BEY=841021.6HBE= 12.0

NBA= 52.OBSX=830485.0BSY=841043.8BEX=830486.1BEY=841028.1HBE= 12.0

NBA= 53.OBSX=830477.1BSY=841034.5BEX=830493.1BEY=841035.8HBE= 12.0

NBA= 54.OBSX=830445.3BSY=841004.8BEX=830448.0BEY=840992.7HBE= 12.0

NBA= 55.OBSX=830441.6BSY=840998.5BEX=830453.3BEY=840998.4HBE= 12.0

NBA= 56.OBSX=830513.4BSY=841035.6BEX=830516.9BEY=841021.5HBE= 12.0

NBA= 57.OBSX=830506.9BSY=841029.6BEX=830521.5BEY=841027.8HBE= 12.0

NBA= 58.OBSX=830463.6BSY=840982.1BEX=830467.4BEY=840968.9HBE= 12.0

NBA= 59.OBSX=830457.8BSY=840975.9BEX=830471.9BEY=840973.3HBE= 12.0

NBA= 60.OBSX=830539.3BSY=841012.6BEX=830475.3BEY=840958.7HBE= 12.0

NBA= 61.OBSX=830529.4BSY=841018.6BEX=830485.9BEY=840953.0HBE= 12.0

NBA= 62.OBSX=830557.8BSY=840995.9BEX=830546.9BEY=840995.4HBE= 12.0

NBA= 63.OBSX=830551.5BSY=841001.6BEX=830552.6BEY=840989.3HBE= 12.0

NBA= 64.OBSX=830547.1BSY=840957.3BEX=830501.3BEY=840949.8HBE= 12.0

NBA= 65.OBSX=830524.8BSY=840977.6BEX=830522.5BEY=840932.8HBE= 12.0

TEXT

GODOWNS

NBA= 66.OBSX=830623.4BSY=840952.0HBS= 50.0BEX=830709.3BEY=840839.2

HBE= 50.0

NBA= 67.OBSX=830607.3BSY=840931.8BEX=830726.1BEY=840857.2HBE= 50.0

NBA= 68.OBSX=830568.2BSY=840931.4BEX=830576.6BEY=840829.3HBE= 50.0


NBA= 69.OBSX=830522.3BSY=840882.8BEX=830628.2BEY=840885.7HBE= 50.0





NBA= 70.0BSX=830644.6BSY=840866.4BEX=830699.1BEY=840784.5HBE= 50.0
NBA= 71.0BSX=830627.6BSY=840847.3BEX=830713.3BEY=840809.8HBE= 50.0
NBA= 72.0BSX=830620.4BSY=840839.5BEX=830704.5BEY=840712.1HBE= 50.0
NBA= 73.0BSX=830598.8BSY=840811.4BEX=830729.8BEY=840741.8HBE= 50.0
NBA= 74.0BSX=830718.1BSY=840830.7BEX=830757.3BEY=840825.4HBE= 50.0
NBA= 75.0BSX=830734.6BSY=840850.4BEX=830744.8BEY=840809.2HBE= 50.0
NBA= 76.0BSX=830789.2BSY=840798.6BEX=830821.5BEY=840739.2HBE= 50.0
NBA= 77.0BSX=830773.9BSY=840781.0BEX=830840.9BEY=840760.8HBE= 50.0
RETN





9

APPENDIX 7.12

Output files of "RoadNoise" (with 3m high barrier)

9





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

```

RRRRRR      000000      PPPPPPP      LLL      AAAAAA      NN      NN
RR  RR      00      00      PP  PP      LLL      AA  AA      NNN  NN
RR  RR      00      00      PP  PP      LLL      AA  AA      NNNN  NN
RRRRRR      00      00      PPPPPPP      LLL      AAAAAAA      NN  NN  NN
RR  RR      00      00      PP      LLL      AA  AA      NN  NNNN
RR  RR      00      00      PP      LLL      AA  AA      NN  NNN
RR  RR      00      00      PP      LLLLLLLL      AA  AA      NN  NN
RR  RR      000000      PP      LLLLLLLL      AA  AA      NN  NN
  
```

(C) WS ATKINS ENGINEERING SCIENCES
WOODCOTE GROVE
ASHLEY ROAD
EPSOM, SURREY, ENGLAND, KT18 5BW
TELEPHONE EPSOM (0372) 726140

=====
== R O P L A N == VERSION 8.06 == KRT == WS ATKINS ES AUG 91 ==
=====

roadNoise licenced to Westwood Hong & Associates
Licenced from 15-NOV-94 to 15-NOV-94
Last used at - 17:38:12 on 1-AUG-95

TEXT .0 .0 .0 .0 .0 .0

R U N N A M E: SHUENG SHUI SLAUGHTER HOUSE





! * * R O P L A N 8 8 * * * * R U N N A M E : S H U E N G S H U I S L A U G H T E R H O U S E
2 A U G 1 9 9 5 * P A G E : 1
TEXT .0 .0 .0 .0 .0 .0
FILENAME : 21017-D.MAS
TEXT .0 .0 .0 .0 .0 .0
CALCULATION OF TRAFFIC NOISE FOR DEVELOPMENT
TEXT .0 .0 .0 .0 .0 .0
NOISE CONTRIBUTION FROM TRAFFIC WITHIN THE DEVELOPMENT
TEXT .0 .0 .0 .0 .0 .0
***** ALL ROADS HAVE BEEN LINKED UP *****
PRI= -1.0 .0 .0 .0 .0 .0
READING 21017-A.FLO ON UNIT 99
RETURNING TO UNIT 5
READING 21017-A.SEG ON UNIT 99
RETURNING TO UNIT 5
READING 21017-D.BAR ON UNIT 99
RETURNING TO UNIT 5
READING 21017-C.REC ON UNIT 99
*** WARNING *** CHANGING TO 1-HOUR FLOW RATES





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

*** ROPLAN 88 ***
2 AUG 1995 * PAGE: 2

RUN NAME : SHUENG SHUI SLAUGHTER HOUSE

RECEIVER	CHUK WAN ROAD	PO WAN ROAD (SOUTH)	PO WAN ROAD (NORTH)	ALL ROADS	
R1-1	48.3	43.7	34.9	49.8	1/F
R1-1	49.5	44.7	36.0	50.9	1/F
R1-2	54.1	48.4	36.1	55.2	
R1-2	55.2	49.6	37.2	56.3	
R2-1	51.7	46.7	29.1	52.9	
R2-1	52.9	47.8	30.3	54.1	
R16-1	53.2	56.4	41.3	58.2	
R16-1	58.6	57.8	42.4	61.3	
R16-1	59.3	59.2	43.2	62.3	
R16-2	32.1	59.6	.0	59.6	0/F
R16-2	33.2	61.0	.0	61.0	1/F
R16-2	34.0	62.3	.0	62.3	2/F
R16-3	.0	60.1	.0	60.1	
R16-3	.0	61.3	.0	61.3	
R16-3	.0	62.3	.0	62.3	
R16-4	53.5	51.9	41.7	55.9	
R16-4	56.0	52.9	42.9	57.8	
R16-4	57.2	53.6	43.6	58.9	
PST-1	46.8	60.7	33.3	60.9	
PST-1	49.3	61.8	34.4	62.1	
PST-1	50.5	62.6	35.2	62.8	
PST-2	45.8	64.5	31.3	64.6	
PST-2	49.6	65.7	32.4	65.8	
PST-2	51.0	66.4	33.2	66.5	
PST-3	.0	63.4	.0	63.4	
PST-3	.0	64.6	.0	64.6	
PST-3	.0	65.3	.0	65.3	
PST-4	26.9	65.0	.0	65.0	
PST-4	28.1	67.1	.0	67.1	
PST-4	28.8	68.1	.0	68.1	
PST-5	26.4	63.3	.0	63.3	
PST-5	27.6	64.8	.0	64.8	
PST-5	28.3	66.1	.0	66.1	
R15-1	47.5	49.7	34.5	51.8	
R15-1	48.7	50.8	35.8	53.0	
R15-2	42.7	49.5	26.0	50.3	
R15-2	44.4	50.7	28.4	51.6	
R15-3	40.6	31.9	8.1	41.1	
R15-3	42.3	31.9	8.4	42.7	


RETURNING TO UNIT 5

TRAFFIC FLOWS DATA LINES	SEGMENTS	BARRIERS	CONTOUR STARTS	CONTOUR COORDS	RECEIVERS
3	17	53	0	0	39

259

Stop - Program terminated.







APPENDIX 7.13

Input files of "RoadNoise" (with 3m high barrier)





TEXT
SHUENG SHUI SLAUGHTER HOUSE
TEXT
FILENAME :21017-D.MAS
TEXT
CALCULATION OF TRAFFIC NOISE FOR DEVELOPMENT
TEXT
NOISE CONTRIBUTION FROM TRAFFIC WITHIN THE DEVELOPMENT
TEXT
***** ALL ROADS HAVE BEEN LINKED UP *****
PRI= -1.0
TEXT
TRAFFIC FLOWS DATA FOR YEAR 1995
READ
21017-A.FLO
TEXT
TO LOAD UP ROAD SEGMENTS
READ
21017-A.SEG
TEXT
***** LOAD ALL BARRIERS *****
READ
21017-D.BAR
LINK
CHUK WAN ROAD
1
LINK
PO WAN ROAD (SOUTH OF CHUK WAN ROAD)
2
LINK
PO WAN ROAD (NORTH OF CHUK WAN ROAD)
3
LINK
ALL ROADS
1, 2, 3
TEXT
***** LINK UP ALL ROAD UNDER CATEGORY *****
TEXT
***** LOAD UP RECEIVERS *****
READ
21017-C.REC
TEXT
***** END OF PROGRAM *****
END





TEXT
SHEUNG SHUI SLAUGHTER HOUSE
TEXT
FILENAME: 21017-A.FLO
TEXT
FLOW DATA FOR TRAFFIC AT YEAR 1995
TEXT
TOTAL TRAFFIC FLOW
TEXT
CHUK WAN ROAD
FLO= -300.0PHV= 100.0SPD= 50.0BAS= 2.0FNO= 1.0
TEXT
PO WAN ROAD (SOUTH OF CHUK WAN ROAD)
FNO= 2.0
TEXT
PO WAN ROAD (NORTH OF CHUK WAN ROAD)
FLO= -10.0FNO= 3.0
RETN





TEXT

SHEUNG SHUI SLAUGHTER HOUSE

TEXT

FILENAME: 21017-A.SEG

TEXT

CHUK WAN ROAD

SEG= 11.0UFN= 1.0CAT= 1.0RSX=830278.8RSY=841437.7HCS= 7.5

HCG= 3.0GND= 1.0NCY= .0WCY= 3.0DCY= .0HCY= .0

RST= 1.0RTD= .8RCT= .0REX=830297.5REY=841448.4HCE= 7.5

SEND

REX=830327.7REY=841455.7HCE= 7.5

SEND

REX=830359.6REY=841445.0HCE= 7.6

SEND

REX=830486.9REY=841274.2HCE= 7.7

SEND

REX=830533.1REY=841228.0HCE= 7.8

SEND

TEXT

PO WAN ROAD (SOUTH OF CHUK WAN ROAD)

SEG= 21.0UFN= 2.0CAT= 2.0RSX=830532.1RSY=841228.9WCY= 5.0

REX=830534.6REY=841138.9HCE= 7.6

SEND

REX=830549.3REY=841068.3HCE= 7.6

SEND

REX=830604.0REY=840985.5HCE= 7.6

SEND

REX=830824.8REY=840783.4HCE= 7.7

SEND

REX=830859.5REY=840766.9HCE= 7.8

SEND

REX=830913.6REY=840761.8HCE= 7.7

SEND

REX=830932.1REY=840755.2HCE= 7.6

SEND

REX=830981.2REY=840712.7HCE= 7.7

SEND

TEXT

PO WAN ROAD (NORTH OF CHUK WAN ROAD)

SEG= 31.0UFN= 3.0CAT= 3.0RSX=830532.0RSY=841228.8HCS= 7.8

REX=830568.8REY=841307.4HCE= 8.6

SEND

REX=830597.3REY=841338.3HCE= 8.6

SEND

REX=830666.9REY=841400.9HCE= 8.5

SEND

REX=830785.9REY=841468.9HCE= 8.5

SEND

RETN





TEXT
SHEUNG SHUI SLAUGHTER HOUSE
TEXT
FILENAME: 21017-C.REC
TEXT
R1-1
HRA= 5.6HRG= 1.5AN1= 61.0AN2= 244.1OPX=830574.6OPY=841734.3
COA= 1.0COD= 1000.0HPF= 3.0REF= 1.0
GO
RPT= 1.0
TEXT
R1-2
AN1= 60.7AN2= 243.4OPX=830460.0OPY=841621.9
GO
RPT= 1.0
TEXT
R2-1
AN1= 125.8AN2= 308.7OPX=830253.6OPY=841723.9
GO
RPT= 1.0
TEXT
R16-1
HRA= 6.2AN1= 221.3AN2= 45.4OPX=830613.0OPY=841124.4
GO
RPT= 2.0
TEXT
R16-2
AN1= 132.1AN2= 316.0OPX=830615.6OPY=841106.7
GO
RPT= 2.0
TEXT
R16-3
AN1= 78.5AN2= 259.6OPX=830665.6OPY=841069.9
GO
RPT= 2.0
TEXT
R16-4
AN1= 256.1AN2= 81.9OPX=830674.3OPY=841171.9
GO
RPT= 2.0
TEXT
PST-1
AN1= 159.0AN2= 353.0OPX=830774.7OPY=840999.0
GO
RPT= 2.0
TEXT
PST-2
AN1= 156.1AN2= 347.1OPX=830765.1OPY=840941.9
GO
RPT= 2.0
TEXT
PST-3
AN1= 91.4AN2= 285.9OPX=830850.6OPY=840877.3
GO
RPT= 2.0
TEXT
PST-4
HRA= 6.9AN1= 132.1AN2= 316.0OPX=830940.0OPY=840785.0





GO
RPT= 2.0
TEXT
PST-5
OPX=830971.0OPY=840756.0
GO
RPT= 2.0
TEXT
R15-1
HRA= 6.2ANI= 306.1AN2= 140.0OPX=830333.6OPY=840958.1
GO
RPT= 1.0
TEXT
R15-2
OPX=830465.4OPY=840838.8
GO
RPT= 1.0
TEXT
R15-3
OPX=830526.1OPY=840783.9
GO
RPT= 1.0
RETN





TEXT

SHEUNG SHUI SLAUGHTER HOUSE

TEXT

FILENAME: 21017-D.BAR

NBA= 101.0BSX=830789.2BSY=841460.4HBS= 8.5BEX=830670.1BEY=841391.8
HBE= 8.5WBA= .0FOA= .0
NBA= 102.0BEX=830605.6BEY=841332.6HBE= 8.6
NBA= 103.0BEX=830575.9BEY=841303.6HBE= 8.6
NBA= 104.0BEX=830546.0BEY=841230.1HBE= 7.8
NBA= 105.0BEX=830538.2BEY=841194.4HBE= 7.7
NBA= 106.0BEX=830555.1BEY=841139.7HBE= 10.6
NBA= 107.0BEX=830577.6BEY=841057.9HBE= 10.6
NBA= 108.0BEX=830598.8BEY=841037.6HBE= 10.6
NBA= 109.0BEX=830618.9BEY=841002.7HBE= 7.6
NBA= 110.0BEX=830608.6BEY=840991.8HBE= 7.6
NBA= 111.0BEX=830827.1BEY=840789.7HBE= 7.7
NBA= 112.0BEX=830860.8BEY=840774.9HBE= 7.8
NBA= 113.0BEX=830914.9BEY=840767.6HBE= 7.7

TEXT

3M HIGH ROADSIDE BARRIER

NBA= 114.0BEX=830935.2BEY=840761.4HBE= 10.6
NBA= 115.0BEX=830970.8BEY=840733.3HBE= 10.6

TEXT

SEWAGE TREATMENT WORKS

NBA= 40.0BSX=830258.3BSY=841383.6HBS= 12.0BEX=830208.6BEY=841270.9
HBE= 12.0WBA= .0FOA= .0
NBA= 41.0BSX=830171.6BSY=841320.0BEX=830294.4BEY=841333.9HBE= 12.0
NBA= 42.0BSX=830349.5BSY=841244.4BEX=830310.3BEY=841143.4HBE= 12.0
NBA= 43.0BSX=830275.9BSY=841189.4BEX=830391.8BEY=841198.9HBE= 12.0
NBA= 44.0BSX=830336.6BSY=841120.4BEX=830357.1BEY=841103.4HBE= 12.0
NBA= 45.0BSX=830342.6BSY=841124.9BEX=830349.8BEY=841100.3HBE= 12.0
NBA= 46.0BSX=830457.5BSY=841088.6BEX=830470.4BEY=841044.9HBE= 12.0
NBA= 47.0BSX=830442.6BSY=841071.3BEX=830486.0BEY=841061.4HBE= 12.0
NBA= 48.0BSX=830434.1BSY=841061.2BEX=830443.6BEY=841034.1HBE= 12.0
NBA= 49.0BSX=830423.9BSY=841050.4BEX=830452.5BEY=841044.0HBE= 12.0
NBA= 50.0BSX=830408.1BSY=841027.6BEX=830396.1BEY=841001.3HBE= 12.0
NBA= 51.0BSX=830389.6BSY=841006.2BEX=830414.0BEY=841021.6HBE= 12.0
NBA= 52.0BSX=830485.0BSY=841043.8BEX=830486.1BEY=841028.1HBE= 12.0
NBA= 53.0BSX=830477.1BSY=841034.5BEX=830493.1BEY=841035.8HBE= 12.0
NBA= 54.0BSX=830445.3BSY=841004.8BEX=830448.0BEY=840992.7HBE= 12.0
NBA= 55.0BSX=830441.6BSY=840998.5BEX=830453.3BEY=840998.4HBE= 12.0
NBA= 56.0BSX=830513.4BSY=841035.6BEX=830516.9BEY=841021.5HBE= 12.0
NBA= 57.0BSX=830506.9BSY=841029.6BEX=830521.5BEY=841027.8HBE= 12.0
NBA= 58.0BSX=830463.6BSY=840982.1BEX=830467.4BEY=840968.9HBE= 12.0
NBA= 59.0BSX=830457.8BSY=840975.9BEX=830471.9BEY=840973.3HBE= 12.0
NBA= 60.0BSX=830539.3BSY=841012.6BEX=830475.3BEY=840958.7HBE= 12.0
NBA= 61.0BSX=830529.4BSY=841018.6BEX=830485.9BEY=840953.0HBE= 12.0
NBA= 62.0BSX=830557.8BSY=840995.9BEX=830546.9BEY=840995.4HBE= 12.0
NBA= 63.0BSX=830551.5BSY=841001.6BEX=830552.6BEY=840989.3HBE= 12.0
NBA= 64.0BSX=830547.1BSY=840957.3BEX=830501.3BEY=840949.8HBE= 12.0
NBA= 65.0BSX=830524.8BSY=840977.6BEX=830522.5BEY=840932.8HBE= 12.0

TEXT

GODOWNS

NBA= 66.0BSX=830623.4BSY=840952.0HBS= 50.0BEX=830709.3BEY=840839.2
HBE= 50.0
NBA= 67.0BSX=830607.3BSY=840931.8BEX=830726.1BEY=840857.2HBE= 50.0
NBA= 68.0BSX=830568.2BSY=840931.4BEX=830576.6BEY=840829.3HBE= 50.0
NBA= 69.0BSX=830522.3BSY=840882.8BEX=830628.2BEY=840885.7HBE= 50.0





NBA= 70.0BSX=830644.6BSY=840866.4BEX=830699.1BEY=840784.5HBE= 50.0
NBA= 71.0BSX=830627.6BSY=840847.3BEX=830713.3BEY=840809.8HBE= 50.0
NBA= 72.0BSX=830620.4BSY=840839.5BEX=830704.5BEY=840712.1HBE= 50.0
NBA= 73.0BSX=830598.8BSY=840811.4BEX=830729.8BEY=840741.8HBE= 50.0
NBA= 74.0BSX=830718.1BSY=840830.7BEX=830757.3BEY=840825.4HBE= 50.0
NBA= 75.0BSX=830734.6BSY=840850.4BEX=830744.8BEY=840809.2HBE= 50.0
NBA= 76.0BSX=830789.2BSY=840798.6BEX=830821.5BEY=840739.2HBE= 50.0
NBA= 77.0BSX=830773.9BSY=840781.0BEX=830840.9BEY=840760.8HBE= 50.0
RETN







APPENDIX 7.14

Prediction of train noise from siding (no mitigations)



9

9



Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 1
 Scenario : No mitigations

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	320
	View angle, θ ₂ , deg	58
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-6
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-3
	Corr for barrier effect, dB(A)	-10
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	28
	Criterion	60
	Exceedence	0





Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 2
 Scenario : No mitigations

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	120
	View angle, θ ₂ , deg	34
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-2
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-5
	Corr for barrier effect, dB(A)	-10
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	30
	Criterion	60
	Exceedence	0





Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 7
 Scenario : No mitigations

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	210
	View angle, θ ₂ , deg	73
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-4
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-2
	Corr for barrier effect, dB(A)	0
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	41
	Criterion	60
	Exceedence	0





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95.

NSR : NSR 8
 Scenario : No mitigations

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	330
	View angle, θ ₂ , deg	40
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-6
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-4
	Corr for barrier effect, dB(A)	0
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	36
	Criterion	60
	Exceedence	0





Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 9
 Scenario : No mitigations

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	380
	View angle, θ ₂ , deg	50
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-7
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-3
	Corr for barrier effect, dB(A)	0
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	37
	Criterion	60
	Exceedence	0





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 10
 Scenario : No mitigations

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	390
	View angle, θ ₂ , deg	45
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-7
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-4
	Corr for barrier effect, dB(A)	0
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	36
	Criterion	60
	Exceedence	0





**Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)**

Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 11
 Scenario : No mitigations

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	500
	View angle, θ ₂ , deg	37
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-8
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-5
	Corr for barrier effect, dB(A)	0
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	34
	Criterion	60
	Exceedence	0





Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 12
 Scenario : No mitigations

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	550
	View angle, θ ₂ , deg	24
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-8
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-7
	Corr for barrier effect, dB(A)	0
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	32
	Criterion	60
	Exceedence	0





Project : Sheung Shui Slaughter House
Title : Train Noise Impact Assessment (from siding)
Date : 27 June 95

NSR : NSR 13
Scenario : No mitigations

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	310
	View angle, θ ₂ , deg	22
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-6
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-7
	Corr for barrier effect, dB(A)	0
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	34
	Criterion	60
	Exceedence	0





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 14
 Scenario : No mitigations

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	110
	View angle, θ ₂ , deg	7
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-1
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-12
	Corr for barrier effect, dB(A)	0
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	34
	Criterion	60
	Exceedence	0





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 15
 Scenario : No mitigations

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	140
	View angle, θ ₂ , deg	11
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-2
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-10
	Corr for barrier effect, dB(A)	0
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	35
	Criterion	60
	Exceedence	0






Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 16
 Scenario : No mitigations

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	440
	View angle, θ ₂ , deg	25
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-7
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-6
	Corr for barrier effect, dB(A)	-10
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	23
	Criterion	60
	Exceedence	0







APPENDIX 7.15

Prediction of train noise from siding (with 2m to 4m high barriers)





Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 1
 Scenario : 2m to 4m noise barriers at site boundaries

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	320
	View angle, θ ₂ , deg	58
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-6
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-3
	Corr for barrier effect, dB(A)	-10
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	28
	Criterion	60
	Exceedence	0





Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 2
 Scenario : 2m to 4m noise barriers at site boundaries

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	120
	View angle, θ ₂ , deg	34
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-2
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-5
	Corr for barrier effect, dB(A)	-10
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	30
	Criterion	60
	Exceedence	0





Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 7
 Scenario : 2m to 4m noise barriers at site boundaries

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	210
	View angle, θ ₂ , deg	73
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-4
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-2
	Corr for barrier effect, dB(A)	-10
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	31
	Criterion	60
	Exceedence	0





Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 8
 Scenario : 2m to 4m noise barriers at site boundaries

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	330
	View angle, θ ₂ , deg	40
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-6
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-4
	Corr for barrier effect, dB(A)	-10
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	26
	Criterion	60
	Exceedence	0





Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 9
 Scenario : 2m to 4m noise barriers at site boundaries

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	380
	View angle, θ ₂ , deg	50
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-7
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-3
	Corr for barrier effect, dB(A)	-10
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	27
	Criterion	60
	Exceedence	0





Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 10
 Scenario : 2m to 4m noise barriers at site boundaries

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	390
	View angle, θ ₂ , deg	45
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-7
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-4
	Corr for barrier effect, dB(A)	-10
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	26
	Criterion	60
	Exceedence	0





Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 11
 Scenario : 2m to 4m noise barriers at site boundaries

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	500
	View angle, θ ₂ , deg	37
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-8
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-5
	Corr for barrier effect, dB(A)	-10
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	24
	Criterion	60
	Exceedence	0





Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 12
 Scenario : 2m to 4m noise barriers at site boundaries

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	550
	View angle, θ ₂ , deg	24
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-8
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-7
	Corr for barrier effect, dB(A)	-10
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	22
	Criterion	60
	Exceedence	0





Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 13
 Scenario : 2m to 4m noise barriers at site boundaries

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	310
	View angle, θ ₂ , deg	22
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-6
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-7
	Corr for barrier effect, dB(A)	-10
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	24
	Criterion	60
	Exceedence	0





Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 14
 Scenario : 2m to 4m noise barriers at site boundaries

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	110
	View angle, θ ₂ , deg	7
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-1
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-12
	Corr for barrier effect, dB(A)	-10
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	24
	Criterion	60
	Exceedence	0





Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 15
 Scenario : 2m to 4m noise barriers at site boundaries

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	140
	View angle, θ ₂ , deg	11
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-2
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-10
	Corr for barrier effect, dB(A)	-10
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hr} for train activity, dB(A)	25
	Criterion	60
	Exceedence	0





Project : Sheung Shui Slaughter House
 Title : Train Noise Impact Assessment (from siding)
 Date : 27 June 95

NSR : NSR 16
 Scenario : 2m to 4m noise barriers at site boundaries

Period	Description	Freight Trains
L _{eq} , 0.5hr calculation (Daytime)	Measured SEL, dB(A)	86
	Distance from Mic to track, d ₁ , m	80
	View angle (at Mic), θ ₁ , deg	110
	Measurement train speed, v ₁ , kph	80
	Total number of events, N	1
	Distance from track to NSR, d ₂ , m	440
	View angle, θ ₂ , deg	25
	Train speed at siding, v ₂ , kph	20
	Corr for no. of events, 10log(N), dB(A)	0
	Corr for distance, 10log(d ₁ /d ₂), dB(A)	-7
	Corr for view angle, 10log(θ ₂ /θ ₁), dB(A)	-6
	Corr for barrier effect, dB(A)	-10
	Corr for speed, 10log(v ₂ /v ₁), dB(A)	-6
	Corr for sound energy spread over 0.5 hr duration	-33
	L _{eq, 0.5hrs} for train activity, dB(A)	23
	Criterion	60
Exceedence	0	







Appendix 8.1

Sewage Services (Sewage Charge) Regulation



B210 L.N. 59 of 1995

L. S. NO. 2 TO GAZETTE NO. 8/1995

L.N. 59 of 1995

SEWAGE SERVICES (SEWAGE CHARGE) REGULATION

(Made by the Governor in Council under section 12 of the
Sewage Services Ordinance (105 of 1994))

1. Commencement

This Regulation shall come into operation on 1 April 1995.

2. Sewage charges

(1) Subject to subsection (2), for the purposes of section 3(1) of the Ordinance, the prescribed rate shall be \$1.20 per cubic metre of water supplied, other than water supplied specifically for flushing purposes.

(2) For a trade, business or manufacture listed in the Schedule, the amount charged under section 3(1) of the Ordinance shall be equal to 80% of the volume of water supplied, other than water supplied specifically for flushing purposes, multiplied by the rate prescribed under this section.

3. Reduction of sewage charge by Drainage Authority

For the purposes of section 9(1)(d) of the Ordinance, no sewage charge shall be reduced, waived, or refunded unless the volume of wastewater being discharged into a communal drain or communal sewer is not more than 85% of the volume of water on which the sewage charge is based.

4. Transitional

Sewage charges shall not be collected in respect of water supplied during a billing period under the Waterworks Ordinance (Cap. 102) which period commenced before the day the Sewage Services Ordinance (105 of 1994) comes into operation.

SCHEDULE

{s. 2(2)}

TRADE, BUSINESS OR MANUFACTURE

1. bleaching and dyeing of garments
2. bleaching and dyeing of knitted fabric
3. bleaching and dyeing of woven fabric

B212 L.N. 59 of 1995

L. S. NO. 2 TO GAZETTE NO. 8/1995

4. bleaching and dyeing of yarn
5. knit outerwear
6. soft drinks and carbonated waters industries
7. breweries and manufacture of malt liquor
8. distilling, rectifying and blending spirits
9. restaurants
10. ice-making industry

J. G. HERD,
Clerk to the Executive Council.

COUNCIL CHAMBER,
21 February 1995.

Explanatory Note

The purpose of this Regulation is to establish the sewage charges under the Sewage Services Ordinance (105 of 1994).



B214 L.N. 60 of 1995

L. S. NO. 2 TO GAZETTE NO. 8/1995

L.N. 60 of 1995

**SEWAGE SERVICES (TRADE EFFLUENT SURCHARGE)
REGULATION**

(Made by the Governor in Council under section 12 of the
Sewage Services Ordinance (105 of 1994))

1. Commencement

This Regulation shall come into operation on 1 April 1995.

2. Interpretation

In this Regulation—

- "COD" (化學需氧量) means Chemical Oxygen Demand;
- "COD_s" (化學需氧量(沉淀)) means Chemical Oxygen Demand-Settled which is a measurement of the oxygen demand of the water soluble portion of a sample of trade effluent after gravity separation of the nonsoluble portions by the sample being left sitting still for 60 minutes;
- "COD_t" (化學需氧量(總量)) means Chemical Oxygen Demand-Total which is a measurement of the oxygen demand of a total sample of trade effluent without allowing the time necessary to allow gravity separation of the sample;
- "strength of domestic sewage" (住宅污水濃度) means sewage where COD_t equals 500g/m³ and COD_t—COD_s equals 150g/m³;
- "water control zone" (水質管制區) means any part of Hong Kong declared to be a water control zone under section 4 of the Water Pollution Control Ordinance (Cap. 358).

3. Trade effluent surcharge rates

(1) Subject to subsection (2) and section 4, a consumer or agent who is liable to pay a trade effluent surcharge under section 4 of the Ordinance shall, where the premises to which the surcharge relates produce trade effluent in the course of a trade, business or manufacture listed in column 2 of Schedule 1, pay a surcharge—

- (a) where the premises are located in a water control zone, at the rate specified in column 3 of Schedule 1; or
- (b) where the premises are located outside a water control zone, at the rate specified in column 4 of Schedule 1,

for each cubic metre of water supplied by the Water Authority, other than water supplied specifically for flushing purposes.

B216 L.N. 60 of 1995

L. S. NO. 2 TO GAZETTE NO. 8/1995

(2) For a trade, business or manufacture listed in Schedule 3, the amount of the trade effluent surcharge determined under this section or section 4, as the case may be, shall be equal to 80% of the volume of water supplied, other than water supplied specifically for flushing purposes, multiplied by the applicable rate.

4. Variation of trade effluent surcharge rate

(1) Where a consumer or agent believes that—

- (a) the COD_s of trade effluent discharged from his premises is less than the COD_s specified in column 4 of Schedule 2 for the relevant trade, business or manufacture; or
- (b) the difference between the COD_1 and the COD_s of trade effluent discharged from his premises is less than the difference between the COD_1 specified in column 3 and the COD_s specified in column 4 of Schedule 2 for the relevant trade, business or manufacture,

he may, at his own expense, have his trade effluent tested by an approved laboratory in accordance with the technical memorandum issued by the Secretary for Works and submit the results to the Drainage Authority together with any other relevant information that the Drainage Authority requires.

(2) Where the Drainage Authority is satisfied that the COD_s is less than the COD_s in column 4 of Schedule 2 for the relevant trade, business or manufacture or the difference between the COD_1 and the COD_s is less than the difference between the COD_1 in column 3 and the COD_s in column 4 of Schedule 2 for the relevant trade, business or manufacture, he shall determine a new trade effluent surcharge rate using the applicable matrix in Part I or II of Schedule 4.

(3) A trade effluent surcharge rate determined under subsection (2) shall take effect from the beginning of the billing period during which such determination was made and shall be in effect for 1 year at which time the rate established under section 3 shall apply subject to the consumer or agent having further tests done under subsection (1) and the Drainage Authority making another determination under this section.

(4) Where tests performed under this section show that trade effluent being discharged is equal in strength to, or less in strength than, the strength of domestic sewage, the Drainage Authority shall not impose a trade effluent surcharge for a period of 1 year in accordance with subsection (3).

B218 L.N. 60 of 1995

L. S. NO. 2 TO GAZETTE NO. 8/1995

**5. Reduction of trade effluent surcharge
by Drainage Authority**

For the purposes of section 9(1)(d) of the Ordinance, no trade effluent surcharge shall be reduced, waived or refunded unless the volume of wastewater being discharged into a communal drain or communal sewer is not more than 85% of the volume of water on which the trade effluent surcharge is based.

6. Financial penalties for unpaid trade effluent surcharges

(1) Where a consumer or agent fails to pay trade effluent surcharges on or before the date specified for payment, the Drainage Authority may add a late payment penalty equal to 5% of the unpaid amount.

(2) Where an amount referred to in subsection (1) remains unpaid 6 months after the date specified for payment, the Drainage Authority may add an additional late payment penalty equal to 10% of the total amount owing.

7. Notification of incorrect category of use

(1) Where a consumer or agent receives a bill for trade effluent surcharges and the bill states that the trade effluent surcharges are based on a trade, business or manufacture that is incorrect, the consumer or agent shall, not more than 30 days after the date the bill was issued, notify the Drainage Authority that it is incorrect and advise the Drainage Authority of the correct trade, business or manufacture or, if he does not know the correct trade, business or manufacture, supply sufficient information on the use of the premises so that the Drainage Authority can determine the correct trade, business or manufacture.

(2) A person who fails to notify the Drainage Authority and supply the required information under subsection (1), or supplies false information, commits an offence and is liable on conviction to a fine at level 6.

8. Transitional

Trade effluent surcharges shall not be collected in respect of water supplied during a billing period under the Waterworks Ordinance (Cap. 102) which period commenced before the day the Sewage Services Ordinance (105 of 1994) comes into operation.



Sheung Shui Slaughter House
Supplementary Environmental Impact Assessment (Final Report)

B220 L.N. 60 of 1995

L. S. NO. 2 TO GAZETTE NO. 8/1995

SCHEDULE I

[s. 3]

Item	Trade, business or manufacture	Rate for	Rate for
		premises located in a water control zone	premises located outside a water control zone
		\$/m ³	\$/m ³
1.	yarn sizing	3.78	10.67
2.	washing new garments, excluding laundries	0.82	0.82
3.	bleaching and dyeing of garments	0.64	0.64
4.	bleaching and dyeing of knitted fabric	1.01	1.01
5.	bleaching and dyeing of woven fabric	1.73	1.73
6.	textile stencilling and printing	1.32	1.32
7.	knit outerwear	1.01	1.01
8.	wearing apparel other than knit outerwear	1.80	1.80
9.	spinning cotton	0.34	0.34
10.	laundries	0.60	0.60
11.	soap and cleaning preparations, perfumes, cosmetics	3.78	16.05
12.	medicines	3.78	4.98
13.	paints, varnishes and lacquers	1.16	1.16
14.	basic industrial chemicals	3.78	4.02
15.	tanneries and leather finishing	2.56	2.56
16.	pulp, paper and paperboard	4.09	4.09
17.	soft drinks and carbonated waters industries	1.49	1.49
18.	breweries and manufacture of malt liquor	3.29	3.29
19.	distilling, rectifying and blending spirits	0.11	0.11
20.	cocoa, chocolate and sugar confectionery	3.78	4.26
21.	vermicelli, noodles, and similar farinaceous products	3.29	5.16
22.	bakery products	3.29	5.16
23.	grain mill products	5.98	9.54
24.	vegetable oil, peanut oil, peppermint oil and aniseed oil	3.78	19.55
25.	canning, preserving and processing of fish and crustaceans	1.73	1.73
26.	canning and preserving fruit and vegetables	3.63	3.63
27.	dairy products	3.78	9.15
28.	slaughtering, preparing and preserving meat	3.78	9.01
29.	soy and other sauces	3.78	8.38
30.	restaurants	3.78	9.12



B222 L.N. 60 of 1995

L. S. NO. 2 TO GAZETTE NO. 8/1995

SCHEDULE 2

[s. 4]

Item	Trade, business or manufacture	COD, g/m ³	COD, g/m ³
1.	yarn sizing	5 160	4 436
2.	washing new garments, excluding laundries	660	330
3.	bleaching and dyeing of garments	730	635
4.	bleaching and dyeing of knitted fabric	980	837
5.	bleaching and dyeing of woven fabric	1 290	1 090
6.	textile stencilling and printing	890	404
7.	knit outerwear	1 051	935
8.	wearing apparel other than knit outerwear	990	476
9.	spinning cotton	570	541
10.	laundries	725	425
11.	soap and cleaning preparations, perfumes, cosmetics	7 805	7 453
12.	medicines	2 910	2 482
13.	paints, varnishes and lacquers	1 000	619
14.	basic industrial chemicals	2 500	2 262
15.	tanneries and leather finishing	1 755	1 436
16.	pulp, paper and paperboard	1 870	947
17.	soft drinks and carbonated waters industries	1 200	914
18.	breweries and manufacture of malt liquor	1 780	1 304
19.	distilling, rectifying and blending spirits	580	485
20.	cocoa, chocolate and sugar confectionery	2 500	2 214
21.	vermicelli, noodles, and similar farinaceous products	2 500	1 548
22.	bakery products	2 500	1 548
23.	grain mill products	2 860	680
24.	vegetable oil, peanut oil, peppermint oil and aniseed oil	7 600	5 315
25.	canning, preserving and processing of fish and crustaceans	1 495	1 257
26.	canning and preserving fruit and vegetables	1 990	1 628
27.	dairy products	3 960	3 084
28.	slaughtering, preparing and preserving meat	3 870	2 823
29.	soy and other sauces	3 900	3 243
30.	restaurants	3 600	2 315





B224 L.N. 60 of 1995

L. S. NO. 2 TO GAZETTE NO. 8/1995

SCHEDULE 3

[s. 3]

TRADE, BUSINESS OR MANUFACTURE

1. bleaching and dyeing of garments
2. bleaching and dyeing of knitted fabric
3. bleaching and dyeing of woven fabric
4. knit outerwear
5. soft drinks and carbonated waters industries
6. breweries and manufacture of malt liquor
7. distilling, rectifying and blending spirits
8. restaurants



[s. 4]

SCHEDULE 4

PART I

TRADE EFFLUENT SURCHARGE RATE MATRIX FOR WATER CONTROL ZONE

COD _{Cr} (g/m ³)	COD _{Cr} (g/m ³)																
	0	100	150	200	250	300	350	400	500	600	700	800	900	1000	1200	1500	2000
2000	53.70	52.82	52.84	52.86	52.88	52.90	52.91	52.92	52.93	52.94	52.95	52.96	52.97	52.98	52.99	53.00	53.01
1500	52.82	52.84	52.86	52.88	52.90	52.91	52.92	52.93	52.94	52.95	52.96	52.97	52.98	52.99	53.00	53.01	53.02
1200	52.06	52.08	52.10	52.12	52.13	52.14	52.15	52.16	52.17	52.18	52.19	52.20	52.21	52.22	52.23	52.24	52.25
1000	51.49	51.49	51.49	51.54	51.54	51.54	51.54	51.54	51.54	51.54	51.54	51.54	51.54	51.54	51.54	51.54	51.54
750	51.01	51.01	51.01	51.06	51.06	51.06	51.06	51.06	51.06	51.06	51.06	51.06	51.06	51.06	51.06	51.06	51.06
600	50.84	50.84	50.84	50.89	50.89	50.89	50.89	50.89	50.89	50.89	50.89	50.89	50.89	50.89	50.89	50.89	50.89
500	50.34	50.34	50.34	50.39	50.39	50.39	50.39	50.39	50.39	50.39	50.39	50.39	50.39	50.39	50.39	50.39	50.39
400	50.11	50.11	50.11	50.16	50.16	50.16	50.16	50.16	50.16	50.16	50.16	50.16	50.16	50.16	50.16	50.16	50.16
300	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00
250	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00
200	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00
150	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00
120	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00
100	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00
0	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00	50.00



B230 L.N. 60 of 1995

L. S. NO. 2 TO GAZETTE NO. 8/1995

J. G. HERD,
Clerk to the Executive Council.

COUNCIL CHAMBER,
21 February 1995.

Explanatory Note

The purpose of this Regulation is to establish the trade effluent surcharges under the Sewage Services Ordinance (105 of 1994).






Appendix 12.1

Wastewater Treatment Plant Operation Manual

Scrubbers





APPENDIX 12.1

WASTEWATER TREATMENT PLANT OPERATION MANUAL

Plant Startup

A12.1 The following procedures are a guide to the initial start up of the SBR wastewater treatment plant:

a) Equipment Check

- Prior to the installation of the system's main switchboard it would have been tested and run under simulated conditions.
- Following the installation of the mechanical and electrical equipment and any pressure testing that might be required of the air line joints, the plant will be ready for commissioning after the following procedures have been carried out.
- The treatment tank should be cleared of any rubbish, builders or otherwise.
- All equipment within the tank should be cleared of any rubbish, builders or otherwise.
- Each of the isolating valves on the air reticulation pipework supplying the air reticulation pipework supplying the air diffusers should be left in the open position.
- The decanter electrical/ mechanical actuator drive unit should be inspected to ensure that all bracket, bolt and clevis connections are secure.
- Check that the level arm bolts and clamp are firmly secured and the microswitches are aligned with the striker plate/ bolt - adjust if necessary.
- The decanter should be in its rest/ parked position approximately 30° off top centre and temporarily secured in this position.
- Check the clip bindings securing the rubber boot gland seal.
- Check the clip bindings securing the rubber boot gland seal.
- Check that the wall plate attached to the gland seal is secure to the tank wall and that the silicone joint has been squeezed out and trimmed.
- Check that pipe works and air diffuses are set up and aligned properly and that supports actually claim the pipework. The bracket and brace of the dropper pipes must be such that the bracket secures the pipe while the brace rests freely against the tank wall.
- Check the distance from the tank floor to the air diffuser is approximately 500 mm and that the open bottom of the diffuser faces the floor.
- Check that power has been connected and all items of equipment inspected. Start the commissioning operations by putting power to the systems.

b) Plant Commissioning

- Prior to putting water into the tank the air blowers should be operated in the manual mode to see that all is in running order and that bearings are not overheating and that the blower/ motor is running in the right direction and not sucking. Stop the blower.
- Oversee the client's contractor in the preparation of the system in general for the commissioning of the plant and in the presence of the operator selected by the client. This will involve the filling of the treatment tank with town water to a level sufficient only to cover the square hole that the decanter shaft passes through.
- The above should only be carried out after the final inspection and cleaning out of rubbish within the tank.
- The blower can now be run again in the manual mode to allow an inspection of the air diffuser operation at the treatment tank to ensure they are all receiving an air supply by bubbling at the surface.
- When satisfied, the blower can be shut down and in the off position at the main switchboard (MSB).
- With water in the tank inspect the wall plate for leaks.
- Check the gland seal for leaks at the rubber boot and tighten the bindings if required, there may be a trickle of water passing the "O" rings in the early period of operation. This is not unusual and should take up in time when they are bedded in after the normal running up and down of the decanter in the course of its duty.
- Conclude this operation when satisfied all is in order by connecting the actuator to the lever/ clevis and operating the decanter manually down/ up.
- The actuator stroke length and therefore the decant depth to Bottom Water Level (BWL) may be varied by adjusting the physical setting of the micro switches in the actuator.
- After satisfying that the blower aerates the tank and the decanter moves freely up and down, the items of equipment should be switched to the "off" position at the MSB.
- Run the mixers and a sludge wasting pump in the manual mode to check that all is in running order.
- With all the items of equipment isolated at the MSB and having satisfied that they are properly installed and tested the plant to be operated in the automatic mode (normal running) as and when required. The water level in the tank should be left at the BWL mark, to allow for seeding of the plant.
- The time cycles for intermittent aeration, settling and decant have been pre-set in the PLC programme. The plant can be set to work on the automatic mode by switching each item of equipment to auto, remembering to leave the tie rope slack on the decanter security.

c) Normal Operation

- The intermittent aeration cycle will commence first with air blower running for a pre-set period.
- The plant will commence the setting cycle for a pre-set during which time the plant will be under automatic shut down (off).
- On completion of the settling period the decant cycle will commence automatically and the cleaner will move forward and down.
- The downward path (decanting) will continue until BWL is reached and the striker makes and activates the microswitch at which time the electrical/mechanical actuator will be reversed to again return the decanter to the parked/ rest position. At the same time of these operations taking place, i.e. the reversal, the air blower will start up and the commencement of another aeration cycle will take place, and a complete cycle will have been completed.
- During the decant sequence, the sludge pump will cut-in automatically for a pre-set period to waste sludge to the sludge holding tank. The amount of sludge to be wasted will be determined by the MLSS concentration in the SBR. It is important to note that during the start-up period, no sludge wasting is required until the MLSS concentration exceeded the designed level.

Process Startup

A12.2 Process start-up procedures are as follows:

a) Seeding:

- After the SBR plant has been started up according to procedures activated sludge from an existing wastewater treatment facility should be transported to seed the plant at Bottom Water Level.
- Source of activated sludge = To be collected from the secondary clarifier underflow or returned activated sludge line of a conventional activated sludge plant.

b) Selection of source.

- Careful selection of the source of supply is very important to ensure subsequent health and performance of the SBR plant. Selection criteria are as follows:-
 - the source (i.e. the activated sludge plant) does not have a sludge bulking problem or history;

- the activated sludge to be obtained is devoid of filamentous microorganisms but full of "Rotifiers", "Ciliates" and free swimming microorganisms;
- the activated sludge shows good floc and settling characteristics;
- the type of wastewater treated by the source is compatible; and
- the effluent quality of the source is excellent.

c) Acclimatization.

- The seed activated sludge will need time to get acclimatized to its new food. This requires an incremental increase in organic loading until the ultimate design load and operating conditions are reached.
- A feeding/ organic loading program is provided later as a guide. Adjustments in feeding rates will be necessary depending on plant performance during the course of the start-up period. It is important not to try to achieve ultimate operating conditions too quickly as it may "overload" the load the plant failure. Such a situation may take a long time to recover.

d) Biomass Build up.

- The most important function of the start-up results, the following parameters must be kept under control.
- organic loading - incremental increase based on performance efficiency.
- dissolved oxygen - a minimum DO concentration profile of 2-3 mg/L is reached at the end of the aeration sequence.
- proper basin environment
 - low influent oil and grease (< 30mg/l)
 - low influent suspended solids (< 200mg/L)
 - pH7 (basin)
 - no toxicants
 - water temperature < 35°C

Daily Work Schedule

A12.3 The daily work shedule is as follows:-

Time	Description
9:00am-10:00am	<ol style="list-style-type: none"> 1. Check that whether the equipment and plant facilities are running properly and satisfactorily. 2. Observe oil & grease level. 3. Observe visual indicators of process performance (e.g. odour, colour of effluent and appearance of activated sludge).
10:00am - 10:30am	<ol style="list-style-type: none"> 1. Switch on the sludge dewatering system
10:30am-11:30am	<ol style="list-style-type: none"> 1. Take water samples at the following locations:- <ol style="list-style-type: none"> i) Equalization tank (Mon, Wed & Fri) ii) SBR basin iii) Discharge chambers of SBR basins (Mon, Wed & Fri) 2. Deliver the water samples to the in-house laboratory (or an independent accredited laboratory) for analysis.
11:30am-1:00pm	Analysis of water sample from SBR basin for the following parameters:- <ol style="list-style-type: none"> i) pH ii) Temperature iii) DO
2:00pm - 4:00pm	<ol style="list-style-type: none"> 1. Carry out plant maintenance work 2. Prepare caustic solution
4:00pm - 5:30pm	<ol style="list-style-type: none"> 1. Clean up and dispose of screenings from the bar screen. 2. Switch off the sludge dewatering system. Clean up and dispose of dry sludge cake from the filter press. 3. Maintain general cleanliness of the plant and its surroundings. 4. Keep records of plant operations and observation.

Daily:

- Check blower drive;
- Check water surface and remove any large flotsam (rags, sticks, etc.);
- Check decanter and actuator for proper function;
- Check blowers and blower motors for proper rotation, excessive vibration, noise, or heat buildup;
- Check for submersible pump function when called for by control panel;
- Check that proper aeration pattern is obtained;
- Check blower inlet filters for clogging; and
- Check system for obvious leaks.

Weekly:



- Check lubrication levels in all blowers;
- Check grease fittings in blowers and blower motors; and
- Check for scum build-up/caking on water surface, structures.

Monthly:

- Check all fittings, connections and mountings for tightness.

Weekly Water Testing Schedule

A12.4 The weekly water testing schedule is as follows:-

Day	Sampling Location		
	Equalization Tank	SBR Basins	Discharge Chambers
Monday	BOD ₅ , SS	--	BOD ₅ , SS
Tuesday	--	--	--
Wednesday	COD _{cr} , O&G	MLSS (BWL), MLVSS (BWL)	COD _{cr} , O&G
Thursday	--	--	--
Friday	BOD ₅ , SS	--	BOD ₅ , SS
Saturday	--	--	--

Note:

1. The above schedule excludes daily pH, temperature and DO measurements for water samples from SBR basins by the plant operator.
2. The water testing schedule may be changed if necessary.
3. Testing results to be recorded properly for checking.

SCRUBBERS

Recommended Handling Procedures

- A12.5 The scrubber should not be rolled, slid, dropped, swung into other objects, or forced out of shape. Impact and excessive distortions may crack or craze the inner corrosion barrier.
- A12.6 Care should be taken to prevent tools from being dropped inside or otherwise striking the shell. Soft soled shoes should be worn by the workmen entering the scrubber. Ladders used against the inside or outside walls should be wooden or have padded protection on both ends. These should not be permitted to scratch the surface.
- A12.7 A crane is recommended for lifting the scrubber should this be necessary at any stage. The clearance between the head shackle of the crane and the scrubber should at least equal the overall length of the scrubber. If this is not possible, a spreader bar must be used.
- A12.8 If the scrubber is not equipped with lifting lugs, it should be lifted with a woven rigger's sling (3" minimum width) at each end of the scrubber. When moving the scrubber, it should be fully supported or cradled to prevent twists or stresses.
- A12.9 Chains or cables should never be put around the scrubber. Slings should be kept away from nozzles, flanges, or gaskets.
- A12.10 During storage or repositioning, the scrubber should only be placed on firm, even surfaces. Never allow the scrubber to rest on stones, tools, chocks, or other hard uneven objects.

Installation

Foundation

- A12.11 The foundation for the scrubber unit should be level, and of a construction which will support the total operating weight of scrubber and pump. The foundation should absorb any vibration and form a permanent support for the pump base.
- A12.12 Bolts should be embedded in the foundation and should be of sufficient length to allow for the addition of shims for leveling the scrubber and pump.
- A12.13 After scrubber is mounted on the foundation and shims are inserted, the nuts should be pulled down evenly. Check level again after tightening nuts to assure proper alignment of the pump and motor.

Alignment of Recirculation Pump

A12.13 Alignment of the pump and driver through the coupling is of extreme importance for trouble-free mechanical operation. If the driver was mounted at the factory, the unit was aligned prior to shipment. However, in transit and subsequent handling, this factory alignment was possibly disturbed, and it is recommended the alignment be checked.

Piping the Pump

A12.14 Piping must not be connected to the pump until base, pump, and driver are in complete alignment.

A3.15 Due to the non-metallic construction, care must be taken during installation to avoid unnecessary pipe strain. All piping must be supported independently of the pump. Never draw the piping to the suction or discharge of the pump. The piping should be as short and direct as possible. Avoid all unnecessary elbows, bends and fittings.

A12.16 As they increase friction losses in the piping, the length of the suction pipe should be as short as possible and with diameter larger than the pump section. The pump shaft should turn freely by hand after the piping has been connected to the pump.

Scrubber Start-up

Preparation of Starting

A12.17 After the scrubber is properly installed, the sump section should be filled with fresh water, drained to remove any dirt or foreign matter, and then refilled until the water starts flowing through the overflow drain. The bottom drain must be closed after the clean out of flushing. The fresh make-up water flow should be adjusted to the desired rate with a throttle valve. Once this adjustment is made, the throttle valve should not be disturbed by anyone except the operator responsible for operation of the scrubber. (A small amount of water is lost during operation by evaporation. If fresh water is not continuously fed to the sump, the sump can eventually run dry and damage the recirculating pump.)

A12.18 Turn the shaft of the recirculating pump by hand to be sure rotating element is free. If it rubs or binds :-

- A. Check alignment.
- B. Check for piping strains on casing flanges, or other on casing.
- C. Check impeller clearance.

A12.19 Jog motor to check rotation if operating in wrong direction, reverse leads.

A12.20 Open the suction valve fully and open the venting screw on the pump casing to release any trapped air. The pump casing and suction pipe must always be full of liquid before the pump is started.

Starting

A12.21 After the recirculating pump is primed, the system may be started as follows :-

1. Start the pump with discharge valve fully open.
2. Start the scrubber centrifugal exhaust fan, (Refer to Installation and Maintenance Manual for centrifugal and axial fans.)
3. Start the chemical dosing pump system. (if equipped)

A12.22 The liquid rate to the spray header may be adjusted to the specified flow rate with a throttle valve in the pump discharge line.

A12.23 When the pump is first operated, the liquid distribution system should be checked to ensure that all spray nozzles are operating freely and are not clogged from dirt or foreign matter collected in the piping during installation. This can be indirectly determined by a pressure gauge reading. If the pressure is low or zero, either the pump has lost its prime or a nozzle has not been installed. High pressure indicates a low liquid due to either plugged nozzles or piping or both. Any clogged nozzles should be cleaned before putting the scrubber into continuous operation.

Trouble Check List

A. Not enough recirculating liquid, or no liquid delivered :-

1. Air pocket in suction line or leaking pipe.
2. Speed too low. (Result, reduced TDH)
3. Impeller or suction pipe plugged with solids.
4. Wrong rotation of pump.
5. Suction strainer plugged, if used in suction line.
6. Spray nozzles clogged.

B. Scrubber over/under gas flow capacity :-

1. Check ducting installation.
2. Adjust damper at duct.
3. Check exhaust fan operation. (Refer to installation & Maintenance Manual for centrifugal and axial fans).

Power Panel Operation

A. Auto Operation

The system will automatically start and stop at the fix time as set in the built-in timer when the operation mode switch is turned to "AUTO".

B. Manual Operation

The system will be manually controlled when the operation mode switch is turned to "MANUAL".

Scrubber Maintenance

A12.24 With Tellerettes, the packing may never have to be cleaned during the life of the scrubber as long as the scrubber is operated properly. Should the scrubber be run dry and a heavy formation of dirt, crystallized salts, or other foreign matter accumulate on the packing, it can usually be removed by recirculating a chemical solution through the scrubber for a short time. This will dissolve and carry away the particulate accumulation. Before this is done., however, Ceilcote should be consulted to verify the specific chemical resistance of the shell. Atmospheric steam cleaning can also be employed by allowing steam to rise up through the packing. The scrubber and packing should not be exposed to atmospheric steam for more than half an hour.

A12.25 Spray nozzles should be inspected at least once every 3 months, and any clogged nozzles should be cleaned.

A12.26 Inspection doors should never be removed while the fan is in operation.

A12.27 The recirculation pump filter if installed should be cleaned once a month to prevent the possibility of clogged spray nozzles.

A12.28 The pump section should be inspected at least every three months and cleaned if necessary.

A12.29 The scrubber is fabricated from Duracor reinforced plastic which resists the mists, gases, and liquids originally specified for the scrubber and air system. If the operation of process is changed from the original design, the Ceilcote Company should be consulted to ensure that the changed conditions will not affect the scrubber.


A12.30 The exterior and interior surfaces of the scrubber will never require any protective coatings.



Appendix A

Contract Clauses and Operation Requirements





CONTRACT CLAUSES AND OPERATION REQUIREMENTS

Noise during Construction Phase

- 1 While it is not feasible to dictate the methods of construction to the contractor, noise control requirements should be incorporated in the tender/contract documents to specify the noise standards to be met, and any noise monitoring to be carried out by the contractor.
- 2 The following specification clauses are recommended:
 - (a) The Contractor shall consider noise as an environmental constraint in the planning and execution of the Works.
 - (b) The Contractor shall comply with the Noise Control Ordinance (Cap 400) including its subsidiary regulations and technical memoranda.
 - (c) In addition to the requirements imposed by the Noise Control Ordinance, to control noise generated from equipment and activities for the purpose of carrying out any construction work other than percussive piling during the time period from 0700 to 1900 hours on any day not being a general holiday, the following requirements shall also be compiled with:
 - (i) The noise level measured at 1m from the most affected external facade of the nearby noise sensitive receivers during any 30 min period shall not exceed an equivalent sound level (L_{eq}) of 75dB(A);and
 - (ii) Should the above level be exceeded, work shall stop and shall not recommence until the Contractor has taken appropriate measures acceptable to the Engineer that are necessary for compliance. Any stoppage or reduction in output in output resulting from compliance with this clause shall not entitle the Contractor to any claims of extension of time or to any additional costs whatsoever.
 - (d) The Contractor shall ensure that all equipment to be used on site shall be effectively sound-reduced by means of silencers, mufflers, acoustic linings or shields, acoustic sheds or screens or other means to avoid disturbance to any nearby noise sensitive receivers. All hand-held percussive breakers and air compressors used by the Contractor shall comply with the Noise Control (Hand-held Percussive Breakers) Regulations and Noise Control (Air Compressors) Regulations respectively under the Noise Control Ordinance (Ordinance No. 75/88, NCO amendment 1992 No. 6)

- (e) The Contractor shall advise and arrange methods of working to minimize noise impacts, and shall provide experienced personnel with suitable training to ensure that these methods are implemented. The Contractor's attention is particularly drawn to the proximity of the Noise Sensitive Receivers to the site.
- (f) For the purpose of the above clauses, any domestic premise, hotel, hostel, temporary housing accommodation, hospital, medical clinic, educational institution, place of public worship, library, court of law, performing art centre, shall be considered a noise receiver.

Noise during Operation Phase

- 3 Effective plant management and operational procedures will assist in reducing noise impacts. Possibilities include employing efficient ante-mortem handling techniques, and maintenance procedures. The implementation of careful plant management is also in the best interests of the plant operator since the stress caused by poorly treated animals has been known to cause deterioration in the final product and is thus in the operators interest to reduce stress as much as possible. For example, pale, soft, exudative muscle (PSE, watery pork) is the direct result of rough ante-mortem handling, inefficient slaughter techniques and careless handling of carcasses.
- 4 Examples of good operational procedures, to reduce noise, include:
 - (a) gentle movement of animals;
 - (b) prohibition of heavy handling of animals;
 - (c) provision of adequate drinking water for animals (reduction of stress);
 - (d) closure of windows in waiting lairage when animals occupy this lairage immediately prior to slaughter;
 - (e) prohibition of horn blowing, banging of vehicles, and shouting, in the meat despatch area;
 - (f) prohibition of throwing carcasses onto lorry floor. "Hot" carcass should not be permitted to be in contact with another "hot" carcass; and
 - (g) closure of all doors, to prevent noise breakout.

- 5 Examples of management procedures include:
- (a) supervision of all area, and supervision to take action whenever any necessary noise is caused;
 - (b) maintenance of all plant, machinery, equipment to ensure that all silencing, muffling, or damping equipment are working efficiently;
 - (c) pro-active inspections to enable problems to be identified before a noise nuisance arises. This would include reviewing ongoing management or operational procedures to improve on existing standards; and
 - (d) implementation of Quality Assurance Procedures.
- 6 Furthermore, plant management have the responsibility to ensure that operational procedures which relate to non-slaughterhouse staff are also enforced. These would include goods vehicle drivers, and livestock handling staff. The type of noise that can be reduced by this means includes, noise from horn blowing, banging of vehicles while maneuvering, and unnecessary running of engines.
- 7 The potential for vehicle noise is increased in those countries which enforce a chilled meat regime due to refrigeration units fitted to the vehicles. These are normally dual powered, diesel engines for operation during vehicle movements, electric motor powered while on slaughterhouse premises. The electric motor drives are normally substantially quieter than diesel powered types. The provision of a sufficient number of power points for the electric motors is therefore necessary as part of any design for a modern slaughterhouse that despatches chilled meat. Although the present meat industry in Hong Kong does not require the need for refrigerated vehicle this may change if the philosophy to follow other countries practices of supplying chilled meat rather than "hot" meat is implemented.
- 8 Conditions for operating the slaughterhouse which pertain to noise control are as follows:
- (a) the Operator shall carry out monitoring to ensure that the TM standards are maintained;
 - (b) the Operator shall be required to develop operating procedures and a manual prior commencing operations at Sheung Shui;
 - (c) all equipment provided for operations at Sheung Shui which generate impact noise shall be suitably dampened and silenced;
 - (d) all fans shall be silenced;

- (e) where necessary windows are only to be opened to provide emergency ventilation;
- (f) procedures shall be developed to stipulate humane handling of animals; and
- (g) delivery vehicles shall be prohibited from unnecessary idling on site.

Construction Phase - Air Pollution

Avoidance of Dust Nuisance

- 9 The Contractor shall comply with current enactments and regulations as required in Clause 34 of the GCC, including the Air Pollution Control Ordinance (CAP 311).
- 10 The Contractor shall be responsible for ensuring that no earth, rock or debris is deposited on public or private rights of way as a result of his operations, including any deposits arising from the movement of plant or vehicles. The Contractor shall provide a washpit or a wheel washing and/or vehicle cleaning facility at the exists from the Site whence excavated material is hauled, to the satisfaction of the Engineer and to the requirements of the Commissioner of Police. Water in wheel washing facilities shall be changed at frequent intervals and sediments shall be removed regularly. The Contractor shall provide a hard surfaced road between the wheel washing facilities and any unfinished road.
- 11 The Contractor shall install effective dust suppression measures as may be necessary to ensure that at the Site boundary and any nearby sensitive receiver the concentration of total suspended particulate shall not exceed those defined in the Hong Kong Air Quality Objectives which is $500 \mu\text{g}/\text{m}^3$ for 1 hour.
- 12 The Contractor shall implement dust suppression measures which shall include, but not be limited to the following:
 - (a) Stockpiles of sand and aggregate greater than 20 m^3 shall be enclosed on three sides, with walls extending above the pile and 2 metres beyond the front of the pile;
 - (b) Effective water sprays shall be used during the delivery and handling of all raw sand and aggregate, and other similar materials, when dust is likely to be created and to dampen all stored materials during dry and windy weather;

- (c) Areas within the Site where there is a regular movement of vehicles shall have an approved sealed hard surface as directed and be kept clear of loose surface material;
- (d) Conveyor belts shall be fitted with windboards, and conveyor transfer points and hopper discharge areas shall be enclosed to minimize dust emission. All conveyors carrying materials which have the potential to create dust shall be totally enclosed and fitted with belt cleaners;
- (e) Unless otherwise approved by the Engineer the Contractor shall restrict all motorized vehicles on the Site to a maximum speed of 15 km per hour; and
- (f) Any vehicle with an open load carrying area used for moving potentially dust producing materials shall have properly fitting side and tail boards. Materials having the potential to create dust shall not be loaded to a level higher than the side and tail boards, and shall be covered by a clean tarpaulin in good condition. The tarpaulin shall be properly secured and shall extend at least 300 mm over the edges of the side and tail boards.

General Requirements

- 13 The Contractor shall not install any furnace, boiler or other similar plant or equipment using any fuel that may produce air pollutants without the prior written consent of the Director of Environment Protection (DEP) pursuant to the Air Pollution Control Ordinance.
- 14 The Contractor shall not burn debris or other materials on the Site.
- 15 Emissions of pollutants from the construction operation shall be limited such that the ambient level should not exceed those as stated in Table 21.1.

Operation Phase Under Control

Rendering Plants

- 16 Raw materials should be transported from the point of production as quickly as practicable. The aim is to keep the time interval between raw materials arising and being processed to the minimum. The design and use of vehicles or containers should be such as to minimize the emission of any offensive odour or spillage of any liquid or solid matter.
- 17 Raw materials should be processed as soon as possible and normally not later than 24 hours after receipt. The Director of Urban Services (DUS) may consider requiring refrigeration for the storage and transport of raw materials, having regard

- to the age and type of material involved. Raw materials should be kept dry and cool, out of direct sunlight and in a fully enclosed container or buildings.
- 18 All buildings where raw materials are received, transferred or processed should be constructed so that the surfaces are impervious. All surfaces and equipment liable to come into contact with raw or processed material should be impervious, capable of being readily cleansed and should be kept clean.
 - 19 All floors and yards should be of impervious construction laid full to drains which should be provided with all the necessary sedimentation tanks and grease interceptors to prevent the transmission of material likely to impair the free flow of the effluent. All interceptors and sedimentation tanks should be readily and regularly emptied and cleaned.
 - 20 The integrity of the buildings should be maintained to prevent the uncontrolled escape of ventilation air from the building.
 - 21 Doors should be close fitting and should be kept closed other than for the movement of materials and where appropriate self-closing personnel doors should be provided.
 - 22 All vehicles, containers, trailers and equipment used for the collection, transfer and handling of raw materials and waste should be readily cleansable, impervious and kept clean. Refrigeration at the process site and during transit will reduce odorous emissions.
 - 23 The following odour control measures should be required for the processed:
 - (a) maintenance of high air extraction rates in the raw material reception area vented to suitable arrestment plant;
 - (b) double doors forming an air lock through which vehicles enter;
 - (c) maintenance of adequate negative pressure within the raw material handling and processing areas to prevent the escape of odours. Tanks or receptors for holding liquid wastes or usable putrescible products should either be in an area under adequate negative pressure or sealed and vented. All such extraction should be ducted to suitable arrestment plant.
 - 24 Suitable hosing points or other methods should be provided for the effective cleaning of any area of spillage and for the effective cleaning of plant. Spillages should be cleaned up as soon as possible.

- 25 All points of transfer should be designed to be leak-proof and spillproof. Suitable means for cleaning and transferring spillages back to the raw material reception area should be provided.
- 26 All processing plant surfaces and equipment should be impervious capable of being readily cleansed and should be kept clean.
- 27 For batch processes, cookers should be charged under a sufficiently reduced pressure to prevent the escape of substances prescribed for air or offensive odours, or the charging area should be hooded and the extracted gas vented to a suitable arrestment plant. Automated charging should normally be used.
- 28 All emissions of substances prescribed for air or offensive odours should whenever practicable be prevented or contained and ducted to suitable arrestment plant as approved by the EPD.
- 29 Cooker exhaust gases should pass in turn through an interceptor, indirect condenser and arrestment plant to minimize vapour and odour emission.
- 30 All grinding and sieving plant should be constructed and linked in a manner which avoids spillage.
- 31 Stocks of dusty material should be stored in suitable silos, closed containers or an enclosed store.
- 32 Storage silos for dusty materials should be vented to air through suitable equipment.
- 33 The transportation and handling of dusty materials should be carried out by methods which do not give rise to dust emissions. Preferred methods include enclosed containers or covered conveyors. Transfer points should be enclosed and ducted to suitable equipment as approved by Director of Environmental Protection.
- 34 Attention is drawn to the risk of explosion from the handling and storage of dusty materials.
- 35 All tanks should be lidded, sealed or vented to suitable arrestment plant to prevent odour emissions. Catchment provisions, for example, bunding or spillage containment kerbs, should be provided.
- 36 Where necessary to prevent odour emissions, tankers or transportable tanks should be vented to suitable arrestment plant or back vented.



- 37 Bulk storage tanks should be fitted with a high-level alarm or volume indicator to warn of and thereby prevent overfilling.
- 38 The handling and treatment of liquid effluent should be carried out as soon as to prevent the emission of offensive odours.

General Operational Requirements

- 48 Any malfunction or breakdown leading to abnormal emissions should be dealt with promptly and process operations adjusted until normal operations can be restored. All such malfunctions should be recorded in the log book. If there is likely to be an effect on the local community DEP should be informed without delay. DEP may need to identify key arrestment plant the failure of which should be notified to them immediately.
- 49 Staff at all levels should receive the necessary formal training and instruction in their duties relating to control of the process and emissions to air. Particular emphasis should be given to training for start-up, shut down and abnormal conditions.
- 50 Good housekeeping should be practised at all times. The adoption of good cleaning and working practices as a routine will reduce process odour emissions and consequently lead to higher arrestment plant efficiency.
- 51 Any solid waste remaining on completion of the process, still capable of the emission of substances prescribed to air, offensive odours or persistent mist should be stored within an enclosed area which should be extracted to suitable arrestment as specified by DEP.
- 52 A proper cleaning programme should be instituted. This should cover all structures, equipment and internal surfaces and non-disposable containers used for raw materials collections. The cleaning and disinfecting of all drainage, collecting tanks, yards and roads should be undertaken at least once a week. Care must be taken in the cleaning of arrestment equipment to prevent or minimize the emission of pollutants.
- 53 A senior manager should be designated to be specifically responsible for all aspects of liaison with DEP and where applicable with members of the general public.

Water Quality

Construction Phase

- 54 On the basis of the foregoing assessments it is recommended that the Contract Document includes clauses for the protection of water quality during construction.

- 55 Around all works areas where the potential for spillage of oil, fuel, cement or bituminous material exists, the Contractor shall provide methods for the protection of the adjacent land and water courses.
- 56 Sediment traps will be required at suitable intervals around the perimeter of the site and around cement to contain and treat any spillages prior to discharge to the drainage system provided.
- 57 All water and liquid waste products arising on-site shall be collected, and removed from the Site via a suitable and properly designed drainage system.
- 58 All effluents from toilet and canteen facilities provided for the workforce engaged on-site, shall comply with the standards given in the ' TM ' prior to discharge to the foul sewer. No chemical toilets shall be permitted on-site during the construction phase.
- 59 Disposal of all waste waters arising on-site during the construction phase shall be through a connection made to the existing sewerage and shall achieve the standards set in the TM i, (Table 2 thereof).
- 60 The Contractor shall at all times ensure the existing stream courses and drains adjacent to the Site are kept safe and free from any debris or construction material arising from the Works.
- 61 The Contractor shall ensure that the following conditions are met in his design of the slaughterhouse and ancillary buildings:
 - (a) all internal walls of the slaughterhouse and any ancillary buildings shall be flat, smooth and finished with a washable surface;
 - (b) floors shall be of concrete construction with a negative gradient of 1.5% sloping towards the drainage collection system;
 - (c) floors will be finished with an impact resistant non-slip floor covering material;
 - (d) drainage collection systems shall be provided with manure traps in all areas where livestock pass through or are held prior to slaughter;
 - (e) internal drainage systems will have traps and gratings to separate the solids from the liquid wastes. The distance between the traps and the length of the runs will be as short as is practical to minimize the risk of blockages;
 - (f) a suspect carcass area will be provided which shall be adjacent to the main

slaughter area but will be provided with a self contained drainage system which will lead to a catch pit for separate treatment of the effluent;

- (g) the lairage area shall be provided with concrete floors with drains located outwith the pens, and with curbs on the edges of the separate pens to prevent the spread of manure and liquid wastes;
- (h) an adequate supply of portable water will be provided in an enclosed tank with sufficient pressure to supply the plant during the operations; and
- (i) the Contractor shall provide a sewage treatment plant capable of treating all liquid effluent arising on-site to the level required to achieve the discharge consents set by Government.

Operation Phase


62 Conditions for operating the slaughterhouse which pertain to the protection of water quality are as follows:

- (a) confirmatory monitoring will be required to ensure the discharge consents set by Government are being met and that the effluent treatment systems are maintained to the standards set;
- (b) the Operator shall be required to develop standard operating procedures and a manual prior to commencing operations at Sheung Shui;
- (c) all equipment provided for operations at Sheung Shui Slaughterhouse which is in contact with food products shall be made of stainless steel. All heavy plant and working platforms shall be galvanized and equipment designed to avoid angles and areas which could be difficult to clean;
- (d) wooden equipment and finishings shall not be used in daily operations;
- (e) personal hygiene shall be given high priority and shall be encouraged through the provision of adequate shower and washing facilities for the number of employees per shift;
- (f) a laundry shall be provided on-site for all aprons, overalls and other items of protective clothing used during each shift;
- (g) an adequate supply of hot water shall be maintained during each shift to permit washing down of the plant prior to, during and after each shift;
- (h) drains and manure traps provided in all areas where livestock are transported through or held, shall be cleared at least once per day;

- (i) animals held in lairage shall be provided with an adequate supply of fresh drinking water provided in fixed troughs; and
- (j) lairage areas shall be cleaned out at least once per day with the liquid and solids wastes separated for individual treatment.

Table	Maximum Levels of Air Pollutants						
	Concentration ($\mu\text{g}/\text{m}^3$) (i)						
	Average Time						
	1 hour	8 hour	24 hour	3 month	1 year		
Pollutants	(ii)	(iii)	(iii)	(iv)	(iv)		
Sulphur Dioxide	800		350		80		
Total Suspended Particles	500		260		80		
Respirable Suspended Particulate (v)			180		55		
Nitrogen Dioxide	300		150		80		
Carbon Monoxide	30000	10000					
Photochemical Oxidant (as O_3) (vi)	240						
Lead					1.5		





Appendix B

Schedule of Accomodation for Sheung Shui Slaughterhouse



SCHEDULE OF ACCOMMODATION

(Areas are nett - no allowance for structural elements and general circulation space)

Room No.	Description	Level	Units (No.)	Area (m ²)	Staff (No.)	Remarks
A. <u>Lairage Block</u> (3 Storeys)						(12000 Pigs, 2200 Cattle and Goat)
1.1	Pig wholesaling lairage	1	1	5100		5000 Pigs. (Pens 3.9m x 3.6m = 20 Pigs) 0.7m ² /Pigs
1.2	Cattle wholesaling lairage	1	1	2900		450 Cattle (Pens 2.4m x 7.3m = 40 Cattle) 3m ² /Cattle
1.3	Livestock truck unload bays	1	7	400		Covered (1 with ramp)
1.4	AFD office, laboratory, store, meeting/rest rm. with pantry	1	1	220	40	A/C 80m ² for laboratory, 30m ² for store, 30m ² for meeting/rest room & 80m ² for office
1.5	AFD toilet, changing, showers	1	1	70	40	Male:Female, 1:1 61 nos. of locker space to be provided
1.6	Management office	4	1	130	20	A/C 30m ² for rest room
1.7	Management toilet, changing, showers	4	1	60	26	Male:Female, 1:1
1.8	Wholesalers' offices	4	6	200	60	No facilities provided
1.9	Dealers' offices	2	4	120	120	No facilities provided
1.10	Lairage toilet, changing, showers - for wholesalers	4	1	80	60	Male:Female, 9:1 Lockers' to be provided
1.11	Lairage toilet, changing, showers - for dealers and workers	1 2	2	225 120	180 90	Male:Female, 9:1 Lockers' to be provided
1.12	Facilities stores	1 - 3	3	30		For cleaning equipment
1.13	Manure collection room	1	2	220		Enclosed room with chute from 1/F and 2/F
1.14	Cattle fodder stores	1 4	1 2	10 300		5m high head room with hoist
1.15	Pig feed store room	1	1	60		
1.16	Pig holding lairage	1 & 3	1	2700		2500 Pigs. As 1.1
1.17	Cattle holding lairage	2	1	8300		1350 Cattle. As 1.2
1.18	Goat Pens	3	1	300		300 Goats. As 1.1. 0.7m ² /goat
1.19	Animal admission offices	3	4	40	6	A/C. Pig 30m ² , Cattle 10m ²
1.20	Pig waiting lairage	3	1	4600		4500 Pigs. As 1.1
1.21	Cattle waiting lairage	3	1	2000		400 Cattle. (Pens 12.2m x 6m = 20 Cattle)
1.22	Ramps between floors (for livestock)	1 - 3	4	1500		2 each for cattle and pigs sloped at 10°
1.23	Goats lift	1 - 4	2	20		



Room No.	Description	Level	Units (No.)	Area (m ²)	Staff (No.)	Remarks
1.24	Livestock connecting walkway to Slaughter floor	3	3	100		For pigs, cattle, goats and suckling pigs
1.25	Water storage tanks	4				5000 cu m capacity
1.26	AFD isolation Pens	1	1	20		For 2 cattle (with crush) and 10 pigs
1.27	Toilets at Waiting Lairage	3	1	15	50	Male:Female, 9:1
1.28	AFD - Livestock, monitoring system and computer room	1	1	150		10m ² computer room with A/C provided
B. Slaughter Block (2 Storeys)						
2.0 Processing Area						
2.1	Pig slaughter hall	2	1	3200		4 Pig lines, 125m long, 5m spacing
2.2	Cattle slaughter hall	2	1	1500		1 Cattle line, 95m long, (including goat corridor)
2.3	Hall toilets	2	2	60	250	Male:Female, 4:1
2.4	Master Butchers' offices	2	2	70	14	Each for 1 Master Butcher and 6 Foremen. A/C
2.5	Knife rooms	2	2	30		Near M. B. offices
2.6	Suckling pig slaughter	2	1	70		In pig slaughter area
2.7	Goat slaughter room	2	1	50		In cattle slaughter area
2.8	Inspectors' office, laboratory	2	1	160	35	A/C 50m ² for Laboratory
2.9	Electrical and Mechanical room	2	1	50		For slaughter equipment
2.10	Freezer for parasitic beef holding	3	1	12		Capacity 5 cattle (-20°C)
2.11	Conveyor corridors and descenders	2 - 1	2	500		For cattle and pig conveying from slaughter to meat despatch
2.12	Store	2	2	20		For storage of plastic bags, tags, tying materials etc.
2.13	Goods lift	1 - 2	2	15		
2.14	Pig viscera handling area (Porkers)	1	1	550		include tying store
2.15	Cattle viscera handling area	1	1	750		Contractor area. With load-out bay
2.16	Pig viscera handling area (Roasters)	1	1	370		Contractor area. With load-out bay
2.17	Pig bristle chute room	1	1	55		With load-out bay (enclosed)
2.18	Manure pump room	1	1	10		
2.19	Skid/gambrel cleaning area	1	1	150		
2.2	Hide room	1	1	90		Contractor area. With load-out bay
2.21	Contractor toilets, changing, showers	1	1	160	120	Male:Female, 9:1
2.22	Beef viscera holding chiller	1	1	20		For 1-2 days production (0-5°C)
2.23	Government staff rest room	2	2	63	63	1 for inspector, 1 for Government Worker
2.24	Inspectors' and Government staff pantry	2	1	10		



Room No.	Description	Level	Units (No.)	Area (m ²)	Staff (No.)	Remarks
3.0 Isolation Slaughter Area						
3.1	Pig isolation lairage	1	1	50		For 30 Pigs (2 pens)
3.2	Cattle isolation lairage	1	1	25		For 3 Cattle (1 pen)
3.3	Livestock load-in bay	1	1	40		
3.4	Pig and cattle isolation slaughter room	1	1	130		For slaughter of diseased animals
3.5	Walk-in chiller	1	1	20		Capacity 15 Pigs and 3 Cattle (0-5°C)
3.6	Inspector's office	1	1	10	1	A/C
4.0 By-Product Handling Areas (Assuming no. B.P.P. required)						
4.1	Seized meat freezer	1	1	40		With racking (-20°C)
4.2	Walk-in chiller	1	2	30		With racking (0-5°C)
4.3	Condemned product collection area	1	1	40		
4.4	Condemned product loading bay	1	1	70		Enclosed load-out area
4.5	Blood coagulation room	1	1	200		
4.6	Edible blood shop	1	1	20		
5.0 Electrical and Mechanical Areas						
5.1	Refrigeration plant room	1	1	400		Includes control room. Refrigerant cooling system, heat pumps
5.2	Plant room workshop and store	1	1	125		
5.3	Boiler house / Hot water generation	1	1	350		Dual-fuel calorifiers; Boiler chimney outside; Hot water tanks outside; Includes fuel storey system (D.G. Store Cat. II)
5.4	-Air compressor room, -Underground fuel tank	1	1	55		-pneumatic system(for processing area) located outside; 1 for boiler, 1 for emergency generator
5.5	Emergency generator	1	1	70		Fuel storage underground
5.6	Electrical switch room and transformer	1	2	220		
5.7	E&M workshop	1	1	150		
5.8	Office	1	1	40		A/C
5.9	E&M staff toilet, changing, showers	1	1	70	30	Male:Female. 9:1
6.0 Miscellaneous Areas						
6.1	Dangerous goods store	1	1	20		
6.2	General duties store	1	1	20		
6.3	General duties, toilets, changing, showers	1	1	100	60	Male:Female. 6:4
7.0 Refrigeration Area						
7.1	Pig chill rooms	1	2	130		300 Pigs capacity each (0-5°C)
7.2	Cattle chill room	1	1	20		10 Cattle capacity (0-5°C)
7.3	Pig freezer rooms	1	2	130		(-20°C)



Room No.	Description	Level	Units (No.)	Area (m ²)	Staff (No.)	Remarks
C. Meat Despatch Block (Single storey)						
8.1	Meat despatch bank	1	1	2300		With loading bay space for 30 meat trucks
D. Administration Block (3 storeys)						
9.0 Administration Office Area						
9.1	Shroff office	1	1	20	4	A/C
9.2	Administration office	4	1	75	15	A/C
9.3	Accounts office	1	1	75	15	A/C
9.4	Conference room	4	1	65	30	A/C
9.5	Staff toilet, changing, showers	1 & 4	1	65	34	Male:Female, 1:1
9.6	Store rooms	1	3	90		
9.7	Rest room	4	1	20		A/C
9.8	Ammunition room	4	1	5		A/C
9.9	Pantry	1 & 4	1	10		A/C
9.10	Passenger lift	1 & 3	2	10		
9.11	Entrance Lobby	1	1	100		A/C
10.0 Training Facilities for Meat Inspectors						
10.1	Classroom	4	1	70	30	A/C
10.2	Veterinary laboratory and office	4	1	140	2	For 2 Vets, 30 Students, A/C
10.3	Lecturers' office	4	1	15	2	A/C
10.4	Toilets	4	1	10		Male:Female, 1:1
10.5	Pantry	4	1	10		
10.6	Store room	4	1	15		
11.0 Amenities Areas						
11.1	Meat despatch workers' toilets, changing, showers	1	1	260	330	Male:Female, 9:1, provision for 285 staff only. Locker's space for 330 to be provided
11.2	Slaughtering staff toilet, showers, changing	3	1	250	250	Male:Female, 4:1
11.3	Clothing store	3	1	50		For issue and receipt of clothing
11.4	First aid room	3	1	10		A/C
11.5	Slaughter hall hygiene control area	3	1	100		Washing area provided
11.6	Inspectors' toilets, changing, shower	3	1	100	49	Male : Female, 6:4 Locker's space provided
11.7	Government workers' toilets, changing, shower	3	1	80	42	Male : Female, 6:4 Locker's space provided

Room No.	Description	Level	Units (No.)	Area (m ²)	Staff (No.)	Remarks
12.0	Canteen (Contractor Area)					
12.1	Canteen	2	1	350		To serve 350 people No facilities provided
12.2	Kitchen and store	2	1	175		No facilities provided
12.3	Canteen staff toilets, changing and shower	2	1	35	20	Male:Female, 1:1
12.4	Canteen toilets	2	1	40	350	Male:Female, 3:1
13.0	Guard Room					
13.1	Guard Room	1	1	20	15	In 2 shifts
13.2	Guard room toilet, changing, showers	1	1	35	15	In 2 shifts. Male:Female, 9:1
E	Parking Areas					
14.1	Meat delivery trucks	1	1	4320		180 trucks (8m x 3m) 50 at meat despatch bank
14.2	Private cars	1	1	1250		100 cars (5m x 2.5m)
14.3	Meat truck washing bay	1	1	50		
F	Railway Siding Area					
15.1	Railway sidings	1	3			G1, G2, G3 covered
15.2	Rail wagon unload platform	1	1	2600		Length, 1/2 train (16 wagons), covered
15.3	NFH office	1	1	20	5	
15.4	Sun Lun Truck Office	1	1	90	60	
15.5	Sun Lun Transport Office	1	1	35	16	
15.6	Hoi Yuen Transport Office	1	1	20	15	
15.7	China Travel Office	1	1	5	1	
15.8	Tai Sun Office	1	1	60	27	
15.9	KCRC Offices and toilet area	1	2	40	15	Staff on shift
15.10	Toilets, changing, Shower	1	1	60	110	Male: Female, 1:1. Toilets for 110 person, changing for 30 person
15.11	Livestock truck washing bay	1	1	60		
15.12	Livestock truck parking	1	1			40 trucks (11-x 3.5m) included in 15.15, rail unload yard
15.13	Rail unload yard	1	1	3640		22m width
15.14	Waste Water Treatment Plant	U/G	1	6150		
15.15	Livestock walkways to lairage	1	7	190		Covered
15.16	By-product plant	1	1	3000		Subject to evaluation
15.17	Pig holding pens for Tsuen Wan Abattoir	1	1	1000		Transit pens, 1500 pigs, 0.5m ² /pig
15.18	Movable Ramp	1	1	1		





Room No.	Description	Level	Units (No.)	Area (m ²)	Staff (No.)	Remarks
G. Miscellaneous						
16.1	F.S. control room	1	1	15		5m x 3m
16.2	Fire pump room	Roof	1	30		5m x 6m
16.3	F.S. tank	Roof	1			36cum
16.4	Sprinkler tank	Roof	1			70cum
16.5	Sprinkler pump room	Roof	1	30		5m x 6m
16.6	Flushing water tank	Roof	1			15cum
16.7	Water meter room	Roof	1	30		5m x 6m
16.8	Electricity meter room					2m x 3m on each floor
16.9	Gas meter kiosk	1	1	12		3m x 4m
16.10	M.D.F. room	1	1	12		3m x 4m



