

本署檔號
OUR REF: (105) in EP2/N9/C/181
來函檔號
YOUR REF:
電話
TEL. NO.: 2835 1153
圖文傳真
FAX NO : 2591 0558
電子郵件
E-MAIL:
網址
HOMEPAGE: <http://www.epd.gov.hk>

**Environmental Protection Department
Branch Office**

28th Floor, Southorn Centre,
130 Hennessy Road,
Wan Chai, Hong Kong.



環境保護署分處

香港灣仔
軒尼詩道
一百三十號
修頓中心廿八樓

21 October 2022

By Registered Post & Fax

Fill Management Division

Dear ,

**Environmental Impact Assessment (EIA) Ordinance, Cap.499
Application for Approval of EIA Report**

**Project Title: New Contaminated Sediment Disposal Facility
to the West of Lamma Island**

(Application No. EIA-284/2022)

I refer to your above application received on 30 May 2022 for approval of an EIA report under Section 6(2) of the EIA Ordinance and our previous letter of 27 July 2022 advising you to exhibit the EIA report for public inspection in accordance with Section 6(4) of the EIA Ordinance.

Having considered the public comments received during the public inspection period, I now advise you under Section 8(3) of the EIA Ordinance that the above EIA report as exhibited under Section 7(1) of the EIA Ordinance is approved.

It should be noted that the approval of the EIA report shall not relieve you of the responsibility to comply with other legislation or Government requirements for implementing the Project.

Under Section 15 of the EIA Ordinance, the approved EIA report (Register No.: AEIAR – 241/2022) will be placed on the EIA Ordinance Register. The approved EIA report will also be placed on the EIA Ordinance website (<http://www.epd.gov.hk/eia/>).

Should you have any queries on the above application, please contact my colleague Mr. Simon HO at 2835 1153.

Yours sincerely,

A handwritten signature in blue ink, appearing to read 'VICTOR W.T. YEUNG', with a long horizontal stroke extending to the right.

(Victor W.T. YEUNG)

Principal Environmental Protection Officer
for Director of Environmental Protection

c.c.

ACE EIA Subcommittee Secretariat (Attn: Ms. Sally SHEK)

Fax: 2872 0603