

APPENDIX 8F

Bird species recorded within the Study Area

Appendix 8F Bird species recorded within the Study Area (consultants' data)

Common name	Species names	Habitats	Commonness
Grey Heron	<i>Ardea cinerea</i>	M, FD	CL
Great Egret	<i>Egretta alba</i>	FD	CL
Little Egret	<i>Egretta garzetta</i>	M, FD, M, S	CW
Reef Egret	<i>Egretta sacra</i>	M, FD	CL
Chinese Pond Heron	<i>Ardeola bacchus</i>	CL, M, FD, S	CW
Striated Heron	<i>Butorides striatus</i>	S	CL
Night Heron	<i>Nycticorax nycticorax</i>	M, FD, S	CL
Black-eared Kite	<i>Milvus migrans</i>	M, GS, PL, FD, W	CW
Crested Serpent Eagle	<i>Spilornis cheela</i>	PL	R
White-bellied Sea Eagle	<i>Haliaeetus leucogaster</i>	C	CL
Buzzard	<i>Buteo buteo</i>	PL	CL
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	CL, M, FD, S, U	CW
Moorhen	<i>Gallinula chloropus</i>	M	CL
Common Sandpiper	<i>Actitis hypoleucos</i>	M, FD, S	CW
Rufous Turtle-dove	<i>Streptopelia orientalis</i>	PL, W	CW
Spotted Dove	<i>Streptopelia chinensis</i>	CL, M, PL, FD, S, U	CW
Greater Coucal	<i>Centropus sinensis</i>	PL, GS	CW
Lesser Coucal	<i>Centropus bengalensis</i>	W	CL
Common Kingfisher	<i>Alcedo atthis</i>	M, FD, S	CW
White-breasted Kingfisher	<i>Halcyon smyrnensis</i>	M, FD, S	CW
Black-capped Kingfisher	<i>Halcyon pileata</i>	M	CL
Barn Swallow	<i>Hirundo rustica</i>	GS	CW
Grey Wagtail	<i>Motacilla cinerea</i>	S	CW
White Wagtail	<i>Motacilla alba</i>	CL, FD, GS, W, S, U	CW
Richard's Pipit	<i>Anthus richardi</i>	GS, U	CW
Olive-backed Pipit	<i>Anthus hodgsoni</i>	GS, PL, W, U	CW
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	CL, GS, M, PL, S, W, U	CW
Chinese Bulbul	<i>Pycnonotus sinensis</i>	CL, GS, M, PL, W, S	CW
Chestnut Bulbul	<i>Hemixos castanonotus</i>	PL, W	R
Red-flanked Bluetail	<i>Tarsiger cyanurus</i>	PL, W	CL
Magpie Robin	<i>Copsychus saularis</i>	CL, M, GS, PL, W, S, U	CW
Daurian Redstart	<i>Phoenicurus auroreus</i>	PL, W	CL
Violet Whistling Thrush	<i>Myiophonus caeruleus</i>	PL	CW
White's Thrush	<i>Zoothera dauma</i>	W	R
Grey-backed Thrush	<i>Turdus hortulorum</i>	W	CL
Blackbird	<i>Turdus merula</i>	W	CL
Masked Laughingthrush	<i>Garrulax perspicillatus</i>	GS, PL, W	CW
Hwamei	<i>Garrulax canorus</i>	PL	CL
Yellow-bellied Prinia	<i>Prinia flaviventris</i>	CL, GS, M, W	CW
Chinese Bush Warbler	<i>Cettia canturians</i>	GS	CL
Common Tailorbird	<i>Orthotomus sutorius</i>	CL, M, GS, PL, W, U	CW
Pallas's Warbler	<i>Phylloscopus proregulus</i>	W	CL
Yellow-browed Warbler	<i>Phylloscopus inornatus</i>	PL, W	CW
Dusky Warbler	<i>Phylloscopus fuscatus</i>	GS	CL
Great Tit	<i>Parus major</i>	CL, M, PL, W	CW
Fork-tailed Sunbird	<i>Aethopyga christinae</i>	PL	CL
Japanese White-eye	<i>Zosterops japonicus</i>	M, PL, W	CW
Rufous-backed Shrike	<i>Lanius schach</i>	FD, GS, PL	CW
Black-necked Starling	<i>Sturnus nigricollis</i>	FD, M, U	CW
Red-billed Starling	<i>Sturnus sericeus</i>	FD, M, W	CL
Crested Myna	<i>Acridotheres cristatellus</i>	FD, GS, M, PL, U	CW
Hill Myna	<i>Gracula religiosa</i>	W	I
Black Drongo	<i>Dicrurus macrocercus</i>	M, PL	CW
Blue Magpie	<i>Urocissa erythrorhyncha</i>	PL	CW
Magpie	<i>Pica pica</i>	GS, PL, FD, W, U	CW
Large-billed Crow	<i>Corvus macrorhynchos</i>	M, S, W	CW
House Crow	<i>Corvus splendens</i>	PL	CL/R?

Common name	Species names	Habitats	Commonness
Tree Sparrow	<i>Passer montanus</i>	M, GS, W, U	CW
White-backed Munia	<i>Lonchura striata</i>	CL, PL	CL
Masked Bunting	<i>Emberiza spodocephala</i>	M	CW

Habitats: CL = Cultivated land, FD = Fish pond, GS = grass-scrubland, M = mangrove/marsh; PL = plantation, S = stream, W = woodland, U = urbanized area, C = coastal areas

Commonness & Distribution: CW = common and widespread, U = uncommon and localised, R = rare and localized, I = introduced.