



- DRAINAGE NOTES:**
1. ALL SURFACE WATER TO BE COLLECTED BY EXISTING U-CHANNELS ALONG SEA WALL & DIRECTED TO PITS FOR RECYCLING AT MANUFACTURING PROCESS.
 2. NO SURFACE WATER TO BE DISCHARGED TO MANHOLES OR SEA.
 3. ALL TRACKS SHALL USE THE EXISTING WASTEWATER DRAINAGE & ENVIRONMENTAL PROTECTIO FACILITIES (RECYCLING, DRAINAGE/SEDIMENTATION TANK, WHEEL WASHING BAY ETC.) FOR CLEAN-UP & WASH-OUT PROPOSE. NEW BATCHING PLANT WILL NOT GENERATE ANY SLURRY WATER.
 4. WASTEWATER TO BE COLLECTED TO SEDIMENTATION PITS AT EASTERN END AND NOT DISCHARGED TO SEA OR LAND. WASTEWATER WILL BE RECYCLING AT MANUFACTURING PROCESS.

REV	DATE	BY	SUB	APP	DESCRIPTION	REV	DATE	BY	SUB	APP	DESCRIPTION

DESIGNED BY	RL	DRAWING TITLE	Schematic Diagram of Site Drainage
DRAWN BY	RL		
CHECKED BY	FC		
IN CHARGE	ST		
DATE			

ARUP Ove Arup & Partners
 Hong Kong Limited

JOB TITLE: EIA Study for Cement Works / Concrete Batching Plant

FILE NAME	CADD DATE
SCALE	N.T.S.
FIGURE NUMBER	6.2
SHEET NO	STAGE CODE REV
	P 0