

B (809800,826000)




500m Study Area

A (809800,824600)



Scale: As shown

Figure B7-G1 Cumulative 3-month Pb Concentration ($\mu\text{g}/\text{m}^3$) at 8.5mPD emitted from Source Location A4 (Mitigated Scenario 2)



B (809800,826000)



500m Study Area

A (809800,824600)




Scale: As shown

Figure B7-G2 Cumulative 3-month Pb Concentration ($\mu\text{g}/\text{m}^3$) at 8.5mPD emitted from Source Location A6 (Mitigated Scenario 2)



Scale: As shown

Figure B7-G3 Cumulative 3-month Pb Concentration ($\mu\text{g}/\text{m}^3$) at 8.5mPD emitted from Source Location A8 (Mitigated Scenario 2)



B (809800,826000)




500m Study Area

A (809800,824600)



Scale: As shown
 Figure 7-G4 Cumulative 3 Month Pb Concentration ($\mu\text{g}/\text{m}^3$) at 22.5mPD emitted from Source Location A9 (Mitigated Scenario 2)



B (809800,826000)




500m Study Area

A (809800,824600)



Scale: As shown
Figure B7-G5 Cumulative 3-month Pb Concentration ($\mu\text{g}/\text{m}^3$) at 61.5mPD emitted from Source Location A2 (Mitigated Scenario 2)



B (809800,826000)



500m Study Area

A (809800,824600)



Scale: As shown
 Figure B7-G6 Cumulative 3-month Pb Concentration ($\mu\text{g}/\text{m}^3$) at 61.5mPD emitted from Source Location A5 (Mitigated Scenario 2)