

B (809800,826000)



500m Study Area

A (809800,824600)



Scale: As shown

Figure 7-J1 Cumulative 1-hour Hg Concentration ($\mu\text{g}/\text{m}^3$) at 8.5mPD emitted from Source Location A4 (Mitigated Scenario 2)



B (809800,826000)



500m Study Area

A (809800,824600)



Scale: As shown

Figure 7-J2 Cumulative 1-hour Hg Concentration ($\mu\text{g}/\text{m}^3$) at 8.5mPD emitted from Source Location A6 (Mitigated Scenario 2)



B (809800,826000)




500m Study Area

A (809800,824600)



Scale: As shown

Figure 7-J3 Cumulative 1-hour Hg Concentration ($\mu\text{g}/\text{m}^3$) at 8.5mPD emitted from Source Location A8 (Mitigated Scenario 2)



B (809800,826000)



500m Study Area

A (809800,824600)




Scale: As shown

Figure 7-J4 Cumulative 1 Hour Hg Concentration ($\mu\text{g}/\text{m}^3$) at 22.5mPD emitted from Source Location A5 (Mitigated Scenario 2)



Scale: As shown

Figure 7-J5 Cumulative 1-hour Hg Concentration ($\mu\text{g}/\text{m}^3$) at 61.5mPD emitted from Source Location A2 (Mitigated Scenario 2)



B (809800,826000)



500m Study Area

A (809800,824600)



Scale: As shown

Figure 7-J6 Cumulative 1-hour Hg Concentration ($\mu\text{g}/\text{m}^3$) at 61.5mPD emitted from Source Location A5 (Mitigated Scenario 2)