

B (809800,826000)



500m Study Area

A (809800,824600)



Scale: As shown

Figure 8-C1 Cumulative 24-hour RSP Concentration ($\mu\text{g}/\text{m}^3$) at 8.5mPD emitted from Source Location A4 (Scenario 3 Phase II Eco Park without CEDD Fill Bank)




B (809800,826000)

500m Study Area

A (809800,824600)



Scale: As shown
Figure 8-C2 Cumulative 24-hour RSP Concentration ($\mu\text{g}/\text{m}^3$) at 8.5mPD emitted from Source Location A6 (Scenario 3 Phase II Eco Park without CEDD Fill Bank)



B (809800,826000)




500m Study Area

A (809800,824600)



Scale: As shown
 Figure 8-C3 Cumulative 24-hour RSP Concentration ($\mu\text{g}/\text{m}^3$) at 8.5mPD emitted from Source Location A8 (Scenario 3 Phase II Eco Park without CEDD Fill Bank)



B (809800,826000)




500m Study Area

A (809800,824600)



Scale: As shown

Figure 8-C4 Cumulative 24-hour RSP Concentration ($\mu\text{g}/\text{m}^3$) at 17.3mPD emitted from Source Location A3 (Scenario 3 Phase II Eco Park without CEDD Fill Bank)




B (809800,826000)

500m Study Area

A (809800,824600)

Scale: As shown

Figure 8-C5 Cumulative 24-hour RSP Concentration ($\mu\text{g}/\text{m}^3$) at 61.5mPD emitted from Source Location A1 (Scenario 3 Phase II Eco Park without CEDD Fill Bank)



B (809800,826000)

500m Study Area

A (809800,824600)

Scale: As shown

Figure 8-C6 Cumulative 24-hour RSP Concentration ($\mu\text{g}/\text{m}^3$) at 61.5mPD emitted from Source Location A2 (Scenario 3 Phase II Eco Park without CEDD Fill Bank)



B (809800,826000)

500m Study Area

A (809800,824600)



Scale: As shown
Figure 8-C7 Cumulative 24-hour RSP Concentration ($\mu\text{g}/\text{m}^3$) at 61.5mPD emitted from Source Location A5 (Scenario 3 Phase II Eco Park without CEDD Fill Bank)