


Scale: As shown  
Figure 8-D1 Cumulative 1-hour NO<sub>2</sub> Concentration ( $\mu\text{g}/\text{m}^3$ ) at 8.5mPD emitted from Source Location A4 (Scenario 3)



B (809800,826000)




500m Study Area

A (809800,824600)



Scale: As shown  
Figure 8-D2 Cumulative 1-hour NO<sub>2</sub> Concentration ( $\mu\text{g}/\text{m}^3$ ) at 8.5mPD emitted from Source Location A6 (Scenario 3)



B (809800,826000)




500m Study Area


A (809800,824600)



Scale: As shown  
Figure 8-D3 Cumulative 1-hour NO<sub>2</sub> Concentration ( $\mu\text{g}/\text{m}^3$ ) at 8.5mPD emitted from Source Location A8 (Scenario 3)



Scale: As shown  
Figure B8-D4 Cumulative 1-hour NO<sub>2</sub> Concentration ( $\mu\text{g}/\text{m}^3$ ) at 17.3mPD emitted from Source Location A5 (Scenario 3)



B (809800,826000)



500m Study Area

A (809800,824600)



Scale: As shown  
 Figure 8-D5 Cumulative 1-hour NO<sub>2</sub> Concentration ( $\mu\text{g}/\text{m}^3$ ) at 61.5mPD emitted from Source Location A1 (Scenario 3)




B (809800,826000)

500m Study Area

A (809800,824600)



Scale: As shown  
 Figure 8-D6 Cumulative 1-hour NO<sub>2</sub> Concentration (  $\mu\text{g}/\text{m}^3$  ) at 61.5mPD emitted from Source Location A2 (Scenario 3)



B (809800,826000)



500m Study Area

A (809800,824600)



Scale: As shown  
 Figure 8-D7 Cumulative 1-hour NO<sub>2</sub> Concentration ( $\mu\text{g}/\text{m}^3$ ) at 61.5mPD emitted from Source Location A5 (Scenario 3)