TABLE OF CONTENTS

Volume 2

List of Figures

Figure 2.10 Proposed Layout of Worn Chair East PTW Figure 2.20 Figure 2.20 Figure 2.20 Figure 2.20 Figure 2.20 Figure 2.20 Chair Sing Layout of Wan Chair East PTW Figure 2.20 Layout of Proposed Layout of Wan Chair East PTW Figure 2.20 Proposed Layout of Central PTW Figure 2.20 Existing Layout of Sandy Bay PTW Figure 2.20 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Fung Mat Road State (Pigure 2.40) Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Fung Mat Road State (Pigure 2.40) Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Sandy Bay PTW Figure 2.40 Proposed Layout of Sandy Bay PTW Figure 2.41 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Sandy Bay PTW Figure 2.40 Proposed Layout of Cyberport STW Figure 2.41 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Aberdeen PTW Figure 2.40 Proposed Layout of Wah Fu PTW Figure 2.41 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Aberdeen PTW Figure 2.40 Proposed Layout of Aberdeen PTW Figure 2.41 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Aberdeen PTW Figure 2.41 Existing Layout of Aberdeen PTW Figure 2.41 Layout of Proposed	Figure 2.1a	Existing Layout of North Point PTW	Figure 3.9	Locations of Representative Air Sensitive Receivers - Stonecutters Island STW and Disinfection
Figure 2.2.0. Proposed Layout of Wan Chai East PTW Figure 3.1.1 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Wan Chai East PTW Figure 2.3.0. Proposed Layout of Central PTW Figure 3.1.1 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Funny Mat Road Star Pty Figure 2.4.0. Existing Layout of Sandy Bay PTW Figure 3.1.1 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Funny Mat Road Star Pty Figure 2.5.0. Skinging Layout of Cyberport STW Figure 3.1.1 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Short Pty Pty Figure 2.5.0. Skinging Layout of Wah Fu PTW Figure 3.1.1 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Aberdon PTW Figure 3.1.1 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Aberdon PTW Figure 2.1.1 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Aberdon PTW Figure 3.1.1 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Aberdon PTW Figure 3.1.1 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Aberdon PTW Figure 3.1.1 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Aberdon PTW Figure 3.1.1 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Aberdon PTW Figure 3.1.1	Figure 2.1b	Proposed Layout of North Point PTW		Facilities
Figure 2.3 Existing Layout of Central PTW Figure 2.4 Proposed Layout of Central PTW Figure 2.4 Existing Layout of Central PTW Figure 2.4 Existing Layout of Central PTW Figure 2.4 Existing Layout of Sandy Bay PTW Figure 2.4 Existing Layout of What Fur PTW Figure 2.4 Existing Layout of Aberdeen PTW Figure 2.4 Existing Layout Pth Aberdeen PTW Figure 2.4 Existing Layout of Aberdeen PTW Figure 2.4 Existing Layout of Aberdeen PTW Figure 2.4 Existing Layout of Aberdeen PTW Figure 2.4 Existing Layout Pth Aberdeen PTW Figure 2.4 Exis	Figure 2.2a	Existing Layout of Wan Chai East PTW	Figure 3.10	Layout of Proposed Upgrade Works and Locations of Odour Emission Sources - North Point PTW
Figure 2.35 Proposed Layout of Central PTW 1940 Proposed Layout of Sandy Bay PTW 1940 Proposed Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Fung Mai Read Site Pigure 2.15 Existing Layout of Optopron STW 1940 Proposed Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Poppor PTW 1940 Proposed Layout of Optopron PTW 1940 Proposed Layout of Wah Fu PTW 1940 Proposed Layout of Aberdeen PTW 1940 Proposed Layout Of A	Figure 2.2b	Proposed Layout of Wan Chai East PTW	Figure 3.11	Layout of Proposed Upgrade Works and Locations of Odour Emission Sources - Wan Chai East
Figure 2.45 Existing Layout of Sandy Bay PTW Figure 2.56 Proposed Layout of Sandy Bay PTW Figure 2.57 Proposed Layout of Sandy Bay PTW Figure 2.58 Proposed Layout of Cyberport STW Figure 2.59 Proposed Layout of Cyberport STW Figure 2.50 Proposed Layout of Cyberport PTW Figure 2.50 Proposed Layout of Cyberport PTW Figure 2.51 Layout of Proposed Upgrade Works and Locations of Odour Emission Sources - Cyberport PTW Figure 2.52 Proposed Layout of Wah Fu PTW Figure 2.54 Existing Layout of Wah Fu PTW Figure 2.55 Proposed Layout of Wah Fu PTW Figure 2.55 Proposed Layout of Mah Fu PTW Figure 2.57 Proposed Layout of Mah Fu PTW Figure 2.57 Proposed Layout of Mah Fu PTW Figure 2.58 Existing Layout of Abardson PTW Figure 2.59 Proposed Layout of Abardson PTW Figure 2.50 Pr	Figure 2.3a	Existing Layout of Central PTW		PTW
Figure 2.54 Existing Layout of Cyberport STW Figure 2.55 Existing Layout of Cyberport STW Figure 2.56 Existing Layout of Cyberport STW Figure 2.57 Existing Layout of Cyberport STW Figure 2.58 Existing Layout of Cyberport STW Figure 2.59 Proposed Layout of Cyberport STW Figure 2.50 Existing Layout of Wah Fu PTW Figure 2.50 Proposed Layout of Aberdeen PTW Figure 2.50 Proposed Layout of Aberdeen PTW Figure 2.50 Existing Layout of Aberdeen PTW Figure 2.50 Proposed Lay	Figure 2.3b	Proposed Layout of Central PTW	Figure 3.12	Layout of Proposed Upgrade Works and Locations of Odour Emission Sources - Central PTW
Figure 2.54 Skisting Layout of Cyberport STW Figure 2.55 Proposed Layout of Cyberport PTW Figure 2.65 Proposed Layout of Wah Fu PTW Figure 2.66 Existing Layout of Wah Fu PTW Figure 2.67 Existing Layout of Wah Fu PTW Figure 2.67 Existing Layout of Wah Fu PTW Figure 2.67 Existing Layout of Wah Fu PTW Figure 2.76 Existing Layout of Aberdeen PTW Figure 2.76 Existing Layout of Aberdeen PTW Figure 2.76 Proposed Layout of Aberdeen PTW Figure 2.76 Proposed Layout of Aberdeen PTW Figure 2.76 Existing Layout Proposed Upgrade Works and Locations of Odour Emission Sources - Abordeen PTW Figure 2.76 Existing Layout of Proposed Upgrade Works and Locations of Odour Emission Sources - Aberdeen PTW Figure 2.76 Existing Layout of Proposed Upgrade Works and L	Figure 2.4a	Existing Layout of Sandy Bay PTW	Figure 3.13	Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Fung Mat Road Site
Figure 2.55 Proposed Layout of Cyberport PTW Figure 3.66 Existing Layout of Wah Fu PTW Figure 3.76 Proposed Layout of Aberdeen PTW Figure 3.76 Proposed Layout of Ap Lei Chau PTW Figure 3.76 Proposed Layout of Ap Lei Chau PTW Figure 3.76 Proposed Layout of Ap Lei Chau PTW Figure 3.76 Proposed Layout of Ap Lei Chau PTW Figure 3.76 Proposed Layout of Ap Lei Chau PTW Figure 3.76 Proposed Layout of Ap Lei Chau PTW Figure 3.76 Proposed Layout of Ap Lei Chau PTW Figure 3.76 Proposed Layout of Ap Lei Chau PTW Figure 3.76 Proposed Layout of Ap Lei Chau PTW Figure 3.76 Proposed Layout Of Ap Lei Chau PTW Figure 3.76 Proposed Layout Of Ap Lei Chau PTW Figure 3.76 Proposed Layout Of Ap Lei Chau PTW Figure 3.76 Proposed Layout Parl for SCISTW Upgrading Figure 3.76 Proposed Layout Parl Figure 3.76 Prop	Figure 2.4b	Proposed Layout of Sandy Bay PTW	Figure 3.14	Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Sandy Bay PTW
Figure 2.64 Pigure 2.65 Pigure 2.67 Pigure 2.68 Pigure 3.17 Pigure 3.16 Pigure 3.18 Layout of Proposed Logarde Works and Locations of Odour Emission Sources – Aberdeen PTW Figure 2.76 Pigure 2.76 Pigure 3.17 Pigure 3.17 Pigure 3.17 Pigure 3.17 Pigure 3.17 Pigure 3.18 Pigure 3.19 Pi	Figure 2.5a	Existing Layout of Cyberport STW	Figure 3.15	Layout of Proposed Upgrade Works and Locations of Odour Emission Sources - Cyberport PTW
Figure 2.50 Proposed Layout of Wah Fu PTW Figure 3.70 Proposed Layout of Aberdeen PTW Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.70 Proposed SCS Alignment and Works Areas (Shee	Figure 2.5b	Proposed Layout of Cyberport PTW	Figure 3.16	Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Wah Fu PTW
Figure 2.7a Existing Layout of Aberdeen PTW Figure 3.7b Proposed Layout of Aberdeen PTW Figure 2.7b Proposed Layout of Aberdeen PTW Figure 2.8c Existing Layout of Aberdeen PTW Figure 2.8d Proposed Layout of Ap Lei Chau PTW Figure 2.8d Proposed Layout of Ap Lei Chau PTW Figure 2.8d Proposed Layout of Ap Lei Chau PTW Figure 2.8d Proposed Layout of Ap Lei Chau PTW Figure 2.8d Proposed Layout of Ap Lei Chau PTW Figure 3.2d Proposed Layout of Ap Lei Chau PTW Figure 3.2d Proposed Layout of Ap Lei Chau PTW Figure 3.2d Proposed Layout of Ap Lei Chau PTW Figure 3.2d Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2d Contours of 24-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Ap Lei Chau PTW Figure 2.10a Layout Plan for SCISTW Upgrading Figure 2.10b Layout Plan for SCISTW Upgrading Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Ap Lei Chau PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan	Figure 2.6a	Existing Layout of Wah Fu PTW	Figure 3.17	Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Aberdeen PTW
Figure 2.7b Proposed Layout of Aberdeen PTW Figure 3.2b Proposed Layout of Ap Lei Chau PTW Figure 3.2b Proposed Layout of Ap Lei Chau PTW Figure 3.2b Proposed Layout of Ap Lei Chau PTW Figure 3.2b Proposed Layout of Ap Lei Chau PTW Figure 3.2b Proposed Layout of Ap Lei Chau PTW Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2b Proposed ScS Alignment and Works Areas (Sheets 1 to 19)	Figure 2.6b	Proposed Layout of Wah Fu PTW	Figure 3.18	Layout of Proposed Upgrade Works and Locations of Odour Emission Sources – Ap Lei Chau PTW
Figure 2.8a Existing Layout of Ap Lei Chau PTW Figure 2.8b Proposed Layout of Ap Lei Chau PTW Figure 2.9b Proposed Layout of Ap Lei Chau PTW Figure 2.9c Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2d Contours of 24-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Ap Lei Chau PTW Figure 2.10b Layout Plan for SCISTW Upgrading Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Ap Lei Chau PTW Figure 2.10b Layout Plan for SCISTW Upgrading Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – North Point PTW Figure 2.11b Alternative Consideration of Tunnel Alignments Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 2.11b Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 3.1b Contours of Representative Air Sensitive Receivers – North Point PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Standy Bay PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Standy Bay PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Standy Bay PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Standy Bay PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Standy Bay PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Standy Bay PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Standy Bay PTW Figure 3.2d Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5	Figure 2.7a	Existing Layout of Aberdeen PTW	Figure 3.19	Location of Odour Emission Source – Stonecutters Island STW (Sheets 1 to 3)
Figure 2.8b Proposed Layout of Ap Lei Chau PTW Figure 3.2 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.23 Contours of 24-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Ap Lei Chau PTW Figure 2.10 Layout Plan for SCISTW Upgrading Figure 3.25 Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – North Point PTW Figure 2.10 Layout Plan for SCISTW Upgrading Figure 3.25 Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – North Point PTW Figure 2.10 Alternative Consideration of Tunnel Alignments Figure 3.25 Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 3.26 Contours of Cumulative 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW Figure 3.26 Contours of Representative Air Sensitive Receivers – North Point PTW Figure 3.26 Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Central PTW Figure 3.26 Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Sandy Bay PTW Figure 3.26 Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Sandy Bay PTW Figure 3.26 Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Sandy Bay PTW Aberdeen PTW Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Sandy Bay PTW Aberdeen PTW Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Stoneculters Island Figure 3.50 Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Stoneculters Island Figure 3.50 Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Stoneculters Island Figure 3.50 Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Stoneculters Island Figure 3.50 Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Stoneculters Island Figure 3.50 Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Stoneculters Island Figure 3.50 Contours of 1-hr Average TSP	Figure 2.7b	Proposed Layout of Aberdeen PTW	Figure 3.20	Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground – Cyberport PTW
Figure 2.9 Proposed SCS Alignment and Works Areas (Sheets 1 to 19) Figure 3.2 Contours of 24-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Ap Lei Chau PTW Figure 2.10 Layout Plan for SCISTW Upgrading Figure 2.10 Layout Plan for SCISTW Upgrading Figure 2.11 Alternative Consideration of Tunnel Alignments Figure 2.12 Alternative Consideration of Tunnel Alignments Figure 2.12 Tentative Construction Programme Figure 3.1 Locations of Representative Air Sensitive Receivers – North Point PTW Figure 3.2 Locations of Representative Air Sensitive Receivers – Central PTW Figure 3.2 Locations of Representative Air Sensitive Receivers – Central PTW Figure 3.4 Locations of Representative Air Sensitive Receivers – Fung Mat Road Site (for Construction Phase Only) Figure 3.5 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.7 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.7 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.7 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.7 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.7	Figure 2.8a	Existing Layout of Ap Lei Chau PTW	Figure 3.21	Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground – Ap Lei Chau PTW
Figure 2.10Layout Plan for SCISTW UpgradingFigure 3.24Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground – North Point PTWFigure 2.10Alternative Consideration of Tunnel AlignmentsFigure 3.25Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground – Wan Chai East PTWFigure 2.12Tentative Construction ProgrammeEast PTWFigure 3.21Locations of Representative Air Sensitive Receivers – North Point PTWFigure 3.26Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground – Central PTWFigure 3.22Locations of Representative Air Sensitive Receivers – Wan Chai East PTWFigure 3.27Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground – Fung Mat Road SiteFigure 3.23Locations of Representative Air Sensitive Receivers – Central PTWFigure 3.28Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground – Sandy Bay PTWFigure 3.4Locations of Representative Air Sensitive Receivers – Fung Mat Road Site (for Construction Phase)Figure 3.29Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground – Wah Fu PTW and Aberdeen PTWFigure 3.5Locations of Representative Air Sensitive Receivers – Sandy Bay PTWFigure 3.30Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground – Stonecutters IslandFigure 3.6Locations of Representative Air Sensitive Receivers – Sandy Bay PTWFigure 3.30Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground – Stonecutters IslandFigure 3.6Locations of Representative Air Sensitive Receivers – Sandy Bay PTWFigure 3.30Contours of 1-hr Average TSP Concentration (μg/m³	Figure 2.8b	Proposed Layout of Ap Lei Chau PTW	Figure 3.22	Contours of 24-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Cyberport PTW
Figure 2.10 Layout Plan for SCISTW Upgrading Figure 2.11 Alternative Consideration of Tunnel Alignments Figure 2.12 Tentative Construction Programme Figure 3.25 Contours of Cumulative 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground- Wan Chai East PTW Figure 3.12 Locations of Representative Air Sensitive Receivers – North Point PTW Figure 3.2 Locations of Representative Air Sensitive Receivers – Central PTW Figure 3.3 Locations of Representative Air Sensitive Receivers – Central PTW Figure 3.4 Locations of Representative Air Sensitive Receivers – Fung Mat Road Site (for Construction Phase Only) Figure 3.5 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.7 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.8 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.8 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.7 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.8 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.8 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.7 Locations of Locations of Representative Air Sensitive Receivers – Sandy Bay PT	Figure 2.9	Proposed SCS Alignment and Works Areas (Sheets 1 to 19)	Figure 3.23	Contours of 24-hr Average TSP Concentration ($\mu g/m^3$) at 1.5m above Ground – Ap Lei Chau PTW
Figure 2.11 Alternative Consideration of Tunnel Alignments Figure 2.12 Tentative Construction Programme Figure 3.25 Tentative Construction Programme Figure 3.25 Tentative Construction Programme Figure 3.26 Tentative Construction Programme Figure 3.27 Tentative Construction Programme Figure 3.26 Tentative Air Sensitive Receivers – North Point PTW Figure 3.27 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Central PTW Figure 3.27 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Fung Mat Road Site Figure 3.28 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Sandy Bay PTW Figure 3.40 Locations of Representative Air Sensitive Receivers – Fung Mat Road Site (for Construction Phase Only) Figure 3.50 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.60 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.60 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.60 Locations of Representative Air Sensitive Receivers – Cyberport PTW Figure 3.60 Locations of Representative Air Sensitive Receivers – Cyberport PTW Figure 3.70 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island Aberdeen PTW Figure 3.60 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island Figure 3.60 Locations of Representative Air Sensitive Receivers – Cyberport PTW Figure 3.60 Locations of Representative Air Sensitive Receivers – Cyberport PTW Figure 3.70 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island Figure 3.60 Locations of Representative Air Sensitive Receivers – Cyberport PTW Figure 3.70 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island Figure 3.70 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island	Figure 2.10a	Layout Plan for SCISTW Upgrading	Figure 3.24	Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – North Point PTW
Figure 2.12 Tentative Construction Programme Figure 3.14 Locations of Representative Air Sensitive Receivers – North Point PTW Figure 3.25 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Central PTW Figure 3.26 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Fung Mat Road Site Figure 3.27 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Fung Mat Road Site Figure 3.28 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Sandy Bay PTW Figure 3.29 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Sandy Bay PTW Figure 3.29 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Wah Fu PTW and Aberdeen PTW Figure 3.50 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island Figure 3.60 STW	Figure 2.10b	Layout Plan for SCISTW Upgrading	Figure 3.25	Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wan Chai East PTW
Figure 3.1 Locations of Representative Air Sensitive Receivers – North Point PTW Figure 3.2 Locations of Representative Air Sensitive Receivers – Wan Chai East PTW Figure 3.2 Locations of Representative Air Sensitive Receivers – Central PTW Figure 3.3 Locations of Representative Air Sensitive Receivers – Central PTW Figure 3.4 Locations of Representative Air Sensitive Receivers – Fung Mat Road Site (for Construction Phase Only) Figure 3.5 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Cyberport PTW Figure 3.7 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.8 Locations of Representative Air Sensitive Receivers – Cyberport PTW Figure 3.9 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Wah Fu PTW and Aberdeen PTW Figure 3.5 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Cyberport PTW Figure 3.7 Sigure 3.8 Sigure 3.9 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island Sigure 3.0 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island Sigure 3.0 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island Sigure 3.0 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island Sigure 3.0 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island Sigure 3.0 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island Sigure 3.0 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island Sigure 3.0 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island Sigure 3.0 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island Sigure 3.0 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m	Figure 2.11	Alternative Consideration of Tunnel Alignments	Figure 3.25a	Contours of Cumulative 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground– Wan Chai
Figure 3.2 Locations of Representative Air Sensitive Receivers – Wan Chai East PTW Figure 3.27 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Fung Mat Road Site Figure 3.3 Locations of Representative Air Sensitive Receivers – Central PTW Figure 3.28 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Sandy Bay PTW Figure 3.4 Locations of Representative Air Sensitive Receivers – Fung Mat Road Site (for Construction Phase Only) Figure 3.5 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Cyberport PTW Figure 3.7 Sigure 3.8 Sigure 3.9 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island Sigure 3.9 Sigure	Figure 2.12	Tentative Construction Programme		East PTW
Figure 3.3 Locations of Representative Air Sensitive Receivers – Central PTW Figure 3.4 Locations of Representative Air Sensitive Receivers – Fung Mat Road Site (for Construction Phase Only) Figure 3.5 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Cyberport PTW Figure 3.7 Locations of Representative Air Sensitive Receivers – Cyberport PTW Figure 3.8 Locations of Representative Air Sensitive Receivers – Cyberport PTW Figure 3.8 Locations of Representative Air Sensitive Receivers – Cyberport PTW Figure 3.8 STW	Figure 3.1	Locations of Representative Air Sensitive Receivers – North Point PTW	Figure 3.26	Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground– Central PTW
Figure 3.4 Locations of Representative Air Sensitive Receivers – Fung Mat Road Site (for Construction Phase Only) Figure 3.5 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Cyberport PTW Figure 3.7 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Wah Fu PTW and Aberdeen PTW Figure 3.8 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island STW	Figure 3.2	Locations of Representative Air Sensitive Receivers – Wan Chai East PTW	Figure 3.27	Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground– Fung Mat Road Site
Only) Aberdeen PTW Figure 3.5 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Cyberport PTW Aberdeen PTW Figure 3.30 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island STW	Figure 3.3	Locations of Representative Air Sensitive Receivers – Central PTW	Figure 3.28	Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground- Sandy Bay PTW
Figure 3.5 Locations of Representative Air Sensitive Receivers – Sandy Bay PTW Figure 3.6 Locations of Representative Air Sensitive Receivers – Cyberport PTW Figure 3.7 Contours of 1-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Stonecutters Island STW	Figure 3.4	Locations of Representative Air Sensitive Receivers - Fung Mat Road Site (for Construction Phase	Figure 3.29	Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground- Wah Fu PTW and
Figure 3.6 Locations of Representative Air Sensitive Receivers – Cyberport PTW STW		Only)		Aberdeen PTW
	Figure 3.5	Locations of Representative Air Sensitive Receivers – Sandy Bay PTW	Figure 3.30	Contours of 1-hr Average TSP Concentration (µg/m³) at 1.5m above Ground- Stonecutters Island
n	Figure 3.6	Locations of Representative Air Sensitive Receivers – Cyberport PTW		STW
Figure 3.7 Locations of Representative Air Sensitive Receivers – Wah Fu PTW and Aberdeen PTW Figure 3.31 Contours of 24-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– North Point PTW	Figure 3.7	Locations of Representative Air Sensitive Receivers – Wah Fu PTW and Aberdeen PTW	Figure 3.31	Contours of 24-hr Average TSP Concentration (µg/m³) at 1.5m above Ground- North Point PTW
Figure 3.8 Locations of Representative Air Sensitive Receivers – Ap Lei Chau PTW Figure 3.32 Contours of 24-hr Average TSP Concentration (μg/m³) at 1.5m above Ground– Wan Chai East PTW	Figure 3.8	Locations of Representative Air Sensitive Receivers – Ap Lei Chau PTW	Figure 3.32	Contours of 24-hr Average TSP Concentration (µg/m³) at 1.5m above Ground– Wan Chai East PTW

Figure 3.32a	" " '	Figure 4.6	Locations of Representative Noise Sensitive Receivers – Wah Fu PTW and Aberdeen PTW
	Chai East PTW	Figure 4.7	Locations of Representative Noise Sensitive Receivers – Aberdeen PTW Temporary Construction
Figure 3.33	Contours of 24-hr Average TSP Concentration (μg/m³) at 1.5m above Ground – Central PTW		Site
Figure 3.34	Contours of 24-hr Average TSP Concentration (μg/m³) at 1.5m above Ground – Fung Mat Road Site	Figure 4.8	Locations of Representative Noise Sensitive Receivers – Ap Lei Chau PTW
Figure 3.35	Contours of 24-hr Average TSP Concentration (μg/m³) at 1.5m above Ground – Sandy Bay PTW	Figure 4.9	Locations of Representative Noise Sensitive Receivers – Stonecutters Island STW and Disinfection
Figure 3.36	Contours of 24-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Wah Fu PTW and		Facilities
	Aberdeen PTW	Figure 4.10	Layout of Dormitories within FSD Diving Training Centre
Figure 3.37	Contours of 24-hr Average TSP Concentration (µg/m³) at 1.5m above Ground – Stonecutters Island	Figure 4.11	Layout of Classroom within the FSD Diving Training Centre
	STW	Figure 4.12	Typical Section of Movable Noise Barrier
Figure 3.38	Contours of Odour Concentration (ou) at 30m above Ground – North Point PTW	Figure 4.13	Use of Acoustic Mat for Bored Piling Chisel
Figure 3.39	Contours of Odour Concentration (ou) at 25m above Ground – Wan Chai East PTW	Figure 5.1	Layout Plan of the Worst-affected NSR in Relation to Tunnel Alignment
Figure 3.40	Contours of Odour Concentration (ou) at 30m above Ground - Central PTW	Figure 5.2	Cross Section and Geological Profile for the Worst-affected NSR – Le Meridien Cyberport
Figure 3.41	Contours of Odour Concentration (ou) at 20m above Ground – Fung Mat Road Site	Figure 6.1	Locations of Water Quality Sensitive Receivers (Sheets 1 to 2)
Figure 3.42	Contours of Odour Concentration (ou) at 25m above Ground – Sandy Bay PTW	Figure 6.2	Locations of Water Control Zones & Fish Spawning Ground
Figure 3.43	Contours of Odour Concentration (ou) at 1.5m above Ground – Cyberport PTW (Sheet 1 of 2)	Figure 6.3	Semi-enclosed Bays
Figure 3.43	Contours of Odour Concentration (ou) at 25m above Ground – Cyberport PTW (Sheet 2 of 2)	Figure 6.4	Measured SCISTW Effluent Quality Data
Figure 3.44	Contours of Odour Concentration (ou) at 15m above Ground - Wah Fu PTW and Aberdeen PTW	Figure 6.4a	Sewage Discharge Routes under Normal Operation of the NWKPS During HATS Stage 1
	(sheet 1 of 3)	Figure 6.4b	Sewage Discharge Routes During Modification to the NWKPS under Construction Phase of HATS
Figure 3.44	Contours of Odour Concentration (ou) at 20m above Ground - Wah Fu PTW and Abberdeen PTW		Stage 2A
	(sheet 2 of 3)	Figure 6.4c	Sewage Discharge Routes during Modification to the Existing Main Pumping Station or during
Figure 3.44	(sheet 2 of 3) Contours of Odour Concentration (ou) at 30m above Ground – Wah Fu PTW and Aberdeen PTW	Figure 6.4c	Sewage Discharge Routes during Modification to the Existing Main Pumping Station or during Interconnection to the New Pumping Station under Construction Phase of HATS Stage 2A
Figure 3.44		Figure 6.4c	
Figure 3.44 Figure 3.45	Contours of Odour Concentration (ou) at 30m above Ground – Wah Fu PTW and Aberdeen PTW	-	Interconnection to the New Pumping Station under Construction Phase of HATS Stage 2A
-	Contours of Odour Concentration (ou) at 30m above Ground – Wah Fu PTW and Aberdeen PTW (sheet 3 of 3)	Figure 6.4d	Interconnection to the New Pumping Station under Construction Phase of HATS Stage 2A Sewage Discharge Routes after Commissioning of HATS Stage 2A
Figure 3.45	Contours of Odour Concentration (ou) at 30m above Ground – Wah Fu PTW and Aberdeen PTW (sheet 3 of 3) Contours of Odour Concentration (ou) at 30m above Ground – Ap Lei Chau PTW	Figure 6.4d Figure 6.5	Interconnection to the New Pumping Station under Construction Phase of HATS Stage 2A Sewage Discharge Routes after Commissioning of HATS Stage 2A 2014 Coastline Configuration
Figure 3.45	Contours of Odour Concentration (ou) at 30m above Ground – Wah Fu PTW and Aberdeen PTW (sheet 3 of 3) Contours of Odour Concentration (ou) at 30m above Ground – Ap Lei Chau PTW Contours of Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1)	Figure 6.4d Figure 6.5 Figure 6.6	Interconnection to the New Pumping Station under Construction Phase of HATS Stage 2A Sewage Discharge Routes after Commissioning of HATS Stage 2A 2014 Coastline Configuration 2021 and Ultimate Coastline Configurations
Figure 3.45 Figure 3.46	Contours of Odour Concentration (ou) at 30m above Ground – Wah Fu PTW and Aberdeen PTW (sheet 3 of 3) Contours of Odour Concentration (ou) at 30m above Ground – Ap Lei Chau PTW Contours of Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1) (Sheet 1 of 2)	Figure 6.4d Figure 6.5 Figure 6.6 Figure 6.7	Interconnection to the New Pumping Station under Construction Phase of HATS Stage 2A Sewage Discharge Routes after Commissioning of HATS Stage 2A 2014 Coastline Configuration 2021 and Ultimate Coastline Configurations Trends of Annual Mean Depth Averaged Total Inorganic Nitrogen Levels
Figure 3.45 Figure 3.46	Contours of Odour Concentration (ou) at 30m above Ground – Wah Fu PTW and Aberdeen PTW (sheet 3 of 3) Contours of Odour Concentration (ou) at 30m above Ground – Ap Lei Chau PTW Contours of Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1) (Sheet 1 of 2) Contours of Odour Concentration (ou) at 20m above Ground – Stonecutters Island STW (Option 2)	Figure 6.4d Figure 6.5 Figure 6.6 Figure 6.7 Figure 6.8	Interconnection to the New Pumping Station under Construction Phase of HATS Stage 2A Sewage Discharge Routes after Commissioning of HATS Stage 2A 2014 Coastline Configuration 2021 and Ultimate Coastline Configurations Trends of Annual Mean Depth Averaged Total Inorganic Nitrogen Levels Trends of Annual Mean Depth Averaged Ammonia Nitrogen Levels
Figure 3.45 Figure 3.46 Figure 3.46	Contours of Odour Concentration (ou) at 30m above Ground – Wah Fu PTW and Aberdeen PTW (sheet 3 of 3) Contours of Odour Concentration (ou) at 30m above Ground – Ap Lei Chau PTW Contours of Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1) (Sheet 1 of 2) Contours of Odour Concentration (ou) at 20m above Ground – Stonecutters Island STW (Option 2) (Sheet 2 of 2)	Figure 6.4d Figure 6.5 Figure 6.6 Figure 6.7 Figure 6.8 Figure 6.9	Interconnection to the New Pumping Station under Construction Phase of HATS Stage 2A Sewage Discharge Routes after Commissioning of HATS Stage 2A 2014 Coastline Configuration 2021 and Ultimate Coastline Configurations Trends of Annual Mean Depth Averaged Total Inorganic Nitrogen Levels Trends of Annual Mean Depth Averaged Ammonia Nitrogen Levels Trends of Annual Mean Depth Averaged Nitrate Levels
Figure 3.45 Figure 3.46 Figure 3.46	Contours of Odour Concentration (ou) at 30m above Ground – Wah Fu PTW and Aberdeen PTW (sheet 3 of 3) Contours of Odour Concentration (ou) at 30m above Ground – Ap Lei Chau PTW Contours of Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1) (Sheet 1 of 2) Contours of Odour Concentration (ou) at 20m above Ground – Stonecutters Island STW (Option 2) (Sheet 2 of 2) Contours of Cumulative Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW	Figure 6.4d Figure 6.5 Figure 6.6 Figure 6.7 Figure 6.8 Figure 6.9 Figure 6.10	Interconnection to the New Pumping Station under Construction Phase of HATS Stage 2A Sewage Discharge Routes after Commissioning of HATS Stage 2A 2014 Coastline Configuration 2021 and Ultimate Coastline Configurations Trends of Annual Mean Depth Averaged Total Inorganic Nitrogen Levels Trends of Annual Mean Depth Averaged Ammonia Nitrogen Levels Trends of Annual Mean Depth Averaged Nitrate Levels Trends of Annual Mean Depth Averaged Nitrite Levels
Figure 3.45 Figure 3.46 Figure 3.46 Figure 3.47	Contours of Odour Concentration (ou) at 30m above Ground – Wah Fu PTW and Aberdeen PTW (sheet 3 of 3) Contours of Odour Concentration (ou) at 30m above Ground – Ap Lei Chau PTW Contours of Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1) (Sheet 1 of 2) Contours of Odour Concentration (ou) at 20m above Ground – Stonecutters Island STW (Option 2) (Sheet 2 of 2) Contours of Cumulative Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1) (Sheet 1 of 2)	Figure 6.4d Figure 6.5 Figure 6.6 Figure 6.7 Figure 6.8 Figure 6.9 Figure 6.10 Figure 6.11	Interconnection to the New Pumping Station under Construction Phase of HATS Stage 2A Sewage Discharge Routes after Commissioning of HATS Stage 2A 2014 Coastline Configuration 2021 and Ultimate Coastline Configurations Trends of Annual Mean Depth Averaged Total Inorganic Nitrogen Levels Trends of Annual Mean Depth Averaged Ammonia Nitrogen Levels Trends of Annual Mean Depth Averaged Nitrate Levels Trends of Annual Mean Depth Averaged Nitrite Levels Trends of Annual Mean Depth Averaged Unionized Ammonia Levels
Figure 3.45 Figure 3.46 Figure 3.46 Figure 3.47	Contours of Odour Concentration (ou) at 30m above Ground – Wah Fu PTW and Aberdeen PTW (sheet 3 of 3) Contours of Odour Concentration (ou) at 30m above Ground – Ap Lei Chau PTW Contours of Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1) (Sheet 1 of 2) Contours of Odour Concentration (ou) at 20m above Ground – Stonecutters Island STW (Option 2) (Sheet 2 of 2) Contours of Cumulative Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1) (Sheet 1 of 2) Contours of Cumulative Odour Concentration (ou) at 20m above Ground – Stonecutters Island STW	Figure 6.4d Figure 6.5 Figure 6.6 Figure 6.7 Figure 6.8 Figure 6.9 Figure 6.10 Figure 6.11 Figure 6.12	Interconnection to the New Pumping Station under Construction Phase of HATS Stage 2A Sewage Discharge Routes after Commissioning of HATS Stage 2A 2014 Coastline Configuration 2021 and Ultimate Coastline Configurations Trends of Annual Mean Depth Averaged Total Inorganic Nitrogen Levels Trends of Annual Mean Depth Averaged Ammonia Nitrogen Levels Trends of Annual Mean Depth Averaged Nitrate Levels Trends of Annual Mean Depth Averaged Nitrite Levels Trends of Annual Mean Depth Averaged Unionized Ammonia Levels Trends of Annual Mean Depth Averaged Phosphate Levels
Figure 3.45 Figure 3.46 Figure 3.47 Figure 3.47	Contours of Odour Concentration (ou) at 30m above Ground – Wah Fu PTW and Aberdeen PTW (sheet 3 of 3) Contours of Odour Concentration (ou) at 30m above Ground – Ap Lei Chau PTW Contours of Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1) (Sheet 1 of 2) Contours of Odour Concentration (ou) at 20m above Ground – Stonecutters Island STW (Option 2) (Sheet 2 of 2) Contours of Cumulative Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1) (Sheet 1 of 2) Contours of Cumulative Odour Concentration (ou) at 20m above Ground – Stonecutters Island STW (Option 2) (Sheet 2 of 2)	Figure 6.4d Figure 6.5 Figure 6.6 Figure 6.7 Figure 6.8 Figure 6.9 Figure 6.10 Figure 6.11 Figure 6.12 Figure 6.13	Interconnection to the New Pumping Station under Construction Phase of HATS Stage 2A Sewage Discharge Routes after Commissioning of HATS Stage 2A 2014 Coastline Configuration 2021 and Ultimate Coastline Configurations Trends of Annual Mean Depth Averaged Total Inorganic Nitrogen Levels Trends of Annual Mean Depth Averaged Ammonia Nitrogen Levels Trends of Annual Mean Depth Averaged Nitrate Levels Trends of Annual Mean Depth Averaged Nitrite Levels Trends of Annual Mean Depth Averaged Unionized Ammonia Levels Trends of Annual Mean Depth Averaged Phosphate Levels Trends of Tenth Percentile Depth Averaged Dissolved Oxygen
Figure 3.45 Figure 3.46 Figure 3.47 Figure 3.47 Figure 4.1	Contours of Odour Concentration (ou) at 30m above Ground – Wah Fu PTW and Aberdeen PTW (sheet 3 of 3) Contours of Odour Concentration (ou) at 30m above Ground – Ap Lei Chau PTW Contours of Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1) (Sheet 1 of 2) Contours of Odour Concentration (ou) at 20m above Ground – Stonecutters Island STW (Option 2) (Sheet 2 of 2) Contours of Cumulative Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1) (Sheet 1 of 2) Contours of Cumulative Odour Concentration (ou) at 20m above Ground – Stonecutters Island STW (Option 2) (Sheet 2 of 2) Locations of Representative Noise Sensitive Receivers – North Point PTW	Figure 6.4d Figure 6.5 Figure 6.6 Figure 6.7 Figure 6.8 Figure 6.9 Figure 6.10 Figure 6.11 Figure 6.12 Figure 6.13 Figure 6.14	Interconnection to the New Pumping Station under Construction Phase of HATS Stage 2A Sewage Discharge Routes after Commissioning of HATS Stage 2A 2014 Coastline Configuration 2021 and Ultimate Coastline Configurations Trends of Annual Mean Depth Averaged Total Inorganic Nitrogen Levels Trends of Annual Mean Depth Averaged Ammonia Nitrogen Levels Trends of Annual Mean Depth Averaged Nitrate Levels Trends of Annual Mean Depth Averaged Nitrite Levels Trends of Annual Mean Depth Averaged Unionized Ammonia Levels Trends of Annual Mean Depth Averaged Phosphate Levels Trends of Tenth Percentile Depth Averaged Dissolved Oxygen Trends of Tenth Percentile Bottom Dissolved Oxygen
Figure 3.45 Figure 3.46 Figure 3.47 Figure 3.47 Figure 4.1 Figure 4.2	Contours of Odour Concentration (ou) at 30m above Ground – Wah Fu PTW and Aberdeen PTW (sheet 3 of 3) Contours of Odour Concentration (ou) at 30m above Ground – Ap Lei Chau PTW Contours of Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1) (Sheet 1 of 2) Contours of Odour Concentration (ou) at 20m above Ground – Stonecutters Island STW (Option 2) (Sheet 2 of 2) Contours of Cumulative Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1) (Sheet 1 of 2) Contours of Cumulative Odour Concentration (ou) at 20m above Ground – Stonecutters Island STW (Option 2) (Sheet 2 of 2) Locations of Representative Noise Sensitive Receivers – North Point PTW Locations of Representative Noise Sensitive Receivers – Wan Chai East PTW	Figure 6.4d Figure 6.5 Figure 6.6 Figure 6.7 Figure 6.8 Figure 6.9 Figure 6.10 Figure 6.11 Figure 6.12 Figure 6.13 Figure 6.14 Figure 6.15	Interconnection to the New Pumping Station under Construction Phase of HATS Stage 2A Sewage Discharge Routes after Commissioning of HATS Stage 2A 2014 Coastline Configuration 2021 and Ultimate Coastline Configurations Trends of Annual Mean Depth Averaged Total Inorganic Nitrogen Levels Trends of Annual Mean Depth Averaged Ammonia Nitrogen Levels Trends of Annual Mean Depth Averaged Nitrate Levels Trends of Annual Mean Depth Averaged Nitrite Levels Trends of Annual Mean Depth Averaged Unionized Ammonia Levels Trends of Annual Mean Depth Averaged Phosphate Levels Trends of Tenth Percentile Depth Averaged Dissolved Oxygen Trends of Tenth Percentile Bottom Dissolved Oxygen Dissolved Oxygen Sampling Results in Surface, Middle and Bottom Layers
Figure 3.45 Figure 3.46 Figure 3.47 Figure 3.47 Figure 4.1 Figure 4.2 Figure 4.3	Contours of Odour Concentration (ou) at 30m above Ground – Wah Fu PTW and Aberdeen PTW (sheet 3 of 3) Contours of Odour Concentration (ou) at 30m above Ground – Ap Lei Chau PTW Contours of Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1) (Sheet 1 of 2) Contours of Odour Concentration (ou) at 20m above Ground – Stonecutters Island STW (Option 2) (Sheet 2 of 2) Contours of Cumulative Odour Concentration (ou) at 40m above Ground – Stonecutters Island STW (Option 1) (Sheet 1 of 2) Contours of Cumulative Odour Concentration (ou) at 20m above Ground – Stonecutters Island STW (Option 2) (Sheet 2 of 2) Locations of Representative Noise Sensitive Receivers – North Point PTW Locations of Representative Noise Sensitive Receivers – Wan Chai East PTW Locations of Representative Noise Sensitive Receivers – Central PTW and Fung Mat Road Site	Figure 6.4d Figure 6.5 Figure 6.6 Figure 6.7 Figure 6.8 Figure 6.9 Figure 6.10 Figure 6.11 Figure 6.12 Figure 6.13 Figure 6.14 Figure 6.15 Figure 6.16	Interconnection to the New Pumping Station under Construction Phase of HATS Stage 2A Sewage Discharge Routes after Commissioning of HATS Stage 2A 2014 Coastline Configuration 2021 and Ultimate Coastline Configurations Trends of Annual Mean Depth Averaged Total Inorganic Nitrogen Levels Trends of Annual Mean Depth Averaged Ammonia Nitrogen Levels Trends of Annual Mean Depth Averaged Nitrate Levels Trends of Annual Mean Depth Averaged Nitrite Levels Trends of Annual Mean Depth Averaged Unionized Ammonia Levels Trends of Annual Mean Depth Averaged Phosphate Levels Trends of Tenth Percentile Depth Averaged Dissolved Oxygen Trends of Tenth Percentile Bottom Dissolved Oxygen Dissolved Oxygen Sampling Results in Surface, Middle and Bottom Layers Trends of Annual Mean Depth Averaged E.coli Levels

ii

Figure 6.19	Trends of Sediment Quality at EPD Sediment Quality Monitoring Station (VS6)	Figure 6.52	Depth-averaged Dissolved Oxygen – Scenario A, Wet Season, Neap Tide Low Water – Beaches and
Figure 6.20	Trends of Sediment Quality at EPD Sediment Quality Monitoring Station (NS2)		Fish Culture Zones
Figure 6.21	Monthly Averaged Atomic Ratio of Nitrogen and Phosphorus	Figure 6.53	Mid-depth <i>E.coli</i> – Scenario A, Wet Season, Spring Tide Mid-ebb – WSD Flushing Water Intakes
Figure 6.22	Monthly Averaged Atomic Ratio of Silicon and Phosphorus	Figure 6.54	Mid-depth <i>E.coli</i> – Scenario A, Wet Season, Neap Tide Low Water – WSD Flushing Water Intakes
Figure 6.23	Trends of Monthly Phosphate Levels (Sheets 1 to 4)	Figure 6.55	Mid-depth Suspended Solids – Scenario A, Wet Season, Spring Tide Mid-ebb – WSD Flushing Water
Figure 6.24	Trends of Monthly Ammonia Nitrogen Levels (Sheets 1 to 4)		Intakes
Figure 6.25	Trends of Monthly Silica Levels (Sheets 1 to 4)	Figure 6.56	Mid-depth Suspended Solids - Scenario A, Wet Season, Neap Tide Low Water - WSD Flushing
Figure 6.26	Depth Averaged Flow Vectors (Scenarios 1a & 1b)		Water Intakes
Figure 6.27	Depth Averaged Flow Vectors (Scenarios 2a & 2b)	Figure 6.57	Depth-averaged E.coli - Scenario B, Wet Season, Spring Tide Mid-ebb - Beaches and Fish Culture
Figure 6.28	Depth Averaged Flow Vectors (Scenarios 3a & 3b)		Zones
Figure 6.29	Annual Mean Depth Averaged Total Inorganic Nitrogen (Non-compliance with WQO)	Figure 6.58	Depth-averaged E.coli - Scenario B, Wet Season, Neap Tide Low Water - Beaches and Fish Culture
Figure 6.30	Annual Mean Depth Averaged Total Inorganic Nitrogen (Non-compliance with WQC)		Zones
Figure 6.31	Annual Mean Depth Averaged Orthophosphate Phosphorus	Figure 6.59	Depth-averaged E.coli - Scenario B, Dry Season, Spring Tide Mid-ebb - Beaches and Fish Culture
Figure 6.32	Annual Mean Depth Averaged Unionized Ammonia		Zones
Figure 6.33	Depth Averaged Unionized Ammonia – Annual Maximum Four-day Average	Figure 6.60	Depth-averaged E.coli - Scenario B, Dry Season, Neap Tide Low Water - Beaches and Fish Culture
Figure 6.34	Depth Averaged Unionized Ammonia – Annual Maximum One-hour Average		Zones
Figure 6.35	Annual Geometric Mean Depth Averaged <i>E.coli</i>	Figure 6.60a	Depth-averaged E.coli - Scenario B and Scenario D - Secondary Contact Recreation Subzone in
Figure 6.36	Annual Tenth Percentile Depth Averaged Dissolved Oxygen		Tsuen Wan District
Figure 6.37	Annual Tenth Percentile Bottom Dissolved Oxygen	Figure 6.61	Depth-averaged Dissolved Oxygen - Scenario B, Wet Season, Spring Tide Mid-ebb - Beaches and
Figure 6.38	Depth Averaged Dissolved Oxygen – Annual Minimum Monthly Average		Fish Culture Zones
Figure 6.39	Minimum dissolved Oxygen	Figure 6.62	Depth-averaged Dissolved Oxygen - Scenario B, Wet Season, Neap Tide Low Water - Beaches and
Figure 6.40	Annual Mean Depth Averaged Five-day Biochemical Oxygen Demand		Fish Culture Zones
Figure 6.41	Annual Mean Depth Averaged Suspended Solids	Figure 6.63	Depth-averaged Dissolved Oxygen - Scenario B, Dry Season, Spring Tide Mid-ebb - Beaches and
Figure 6.42	Annual Maximum Sedimentation Flux		Fish Culture Zones
Figure 6.43	Annual Maximum Depth Averaged Total Residual Chlorine	Figure 6.64	Depth-averaged Dissolved Oxygen - Scenario B, Dry Season, Neap Tide Low Water - Beaches and
Figure 6.44	Annual Maximum Depth Averaged Dichloroacetic Acid		Fish Culture Zones
Figure 6.45	Annual Maximum Depth Averaged Trichloroacetic Acid	Figure 6.65	Mid-depth <i>E.coli</i> – Scenario B, Wet Season, Spring Tide Mid-ebb – WSD Flushing Water Intakes
Figure 6.46	Annual Maximum Depth Averaged Bromoform	Figure 6.66	Mid-depth E.coli - Scenario B, Wet Season, Neap Tide Low Water - WSD Flushing Water Intakes
Figure 6.47	Approximate Locations and Extents of Mixing Zone and Initial Dilution Zone	Figure 6.67	Mid-depth <i>E.coli</i> – Scenario B, Dry Season, Spring Tide Mid-ebb – WSD Flushing Water Intakes
Figure 6.48	Annual Mean Depth Averaged Orthophosphate Phosphorus (Sensitivity Test – Scenario 2F)	Figure 6.68	Mid-depth E.coli - Scenario B, Dry Season, Neap Tide Low Water - WSD Flushing Water Intakes
Figure 6.49	Depth-averaged E.coli - Scenario A, Wet Season, Spring Tide Mid-ebb - Beaches and Fish Culture	Figure 6.69	Mid-depth Suspended Solids – Scenario B, Wet Season, Spring Tide Mid-ebb – WSD Flushing Water
	Zones		Intakes
Figure 6.50	Depth-averaged E.coli - Scenario A, Wet Season, Neap Tide Low Water - Beaches and Fish Culture	Figure 6.70	Mid-depth Suspended Solids - Scenario B, Wet Season, Neap Tide Low Water - WSD Flushing
	Zones		Water Intakes
Figure 6.51	Depth-averaged Dissolved Oxygen - Scenario A, Wet Season, Spring Tide Mid-ebb - Beaches and	Figure 6.71	Mid-depth Suspended Solids – Scenario B, Dry Season, Spring Tide Mid-ebb – WSD Flushing Water
	Fish Culture Zones		Intakes

Figure 6.72	Mid-depth Suspended Solids - Scenario B, Dry Season, Neap Tide Low Water - WSD Flushing	Figure 11.11 Seasonal Variation Distribution of Finless Porpoise in Hong Kong
	Water Intakes	Figure 11.12 Locations for the Records of Horseshoe Crab in Hong Kong
Figure 6.73	Depth-averaged E.coli - Scenario D, Dry Season - Beaches and Fish Culture Zones	Figure 11.13 Locations of Corals Recorded at Aberdeen PTW
Figure 6.74	Depth-averaged Dissolved Oxygen - Scenario D, Dry Season - Beaches and Fish Culture Zones	Figure 13.1.1 Existing Aerial Photography at North Point (Sheet 1 of 9)
Figure 6.75	Mid-depth E.coli - Scenario D, Dry Season - WSD Flushing Water Intakes	Figure 13.1.2 Existing Aerial Photography at Wan Chai (Sheet 2 of 9)
Figure 6.76	Mid-depth Suspended Solids - Scenario D, Dry Season - WSD Flushing Water Intakes	Figure 13.1.3 Existing Aerial Photography at Sheung Wan (Sheet 3 of 9)
Figure 6.77	Depth-averaged E.coli - Scenario E, Wet Season - Beaches and Fish Culture Zones	Figure 13.1.4 Existing Aerial Photography at Sandy Bay (Sheet 4 of 9)
Figure 6.78	Depth-averaged E.coli - Scenario E, Dry Season - Beaches and Fish Culture Zones	Figure 13.1.5 Existing Aerial Photography at Cyberport (Sheet 5 of 9)
Figure 6.79	Depth-averaged Dissolved Oxygen - Scenario E, Wet Season - Beaches and Fish Culture Zones	Figure 13.1.6 Existing Aerial Photography at Wah Fu Estate (Sheet 6 of 9)
Figure 6.80	Depth-averaged Dissolved Oxygen - Scenario E, Dry Season - Beaches and Fish Culture Zones	Figure 13.1.7 Existing Aerial Photography at Aberdeen (Sheet 7 of 9)
Figure 6.81	Mid-depth E.coli - Scenario E, Wet Season - WSD Flushing Water Intakes	Figure 13.1.8 Existing Aerial Photography at Ap Lei Chau (Sheet 8 of 9)
Figure 6.82	Mid-depth E.coli - Scenario E, Dry Season - WSD Flushing Water Intakes	Figure 13.1.9 Existing Aerial Photography at Stonecutters Island (Sheet 9 of 9)
Figure 6.83	Mid-depth Suspended Solids – Scenario E, Wet Season – WSD Flushing Water Intakes	Figure 13.2.1 Baseline Landscape Resources and Landscape Character Area at North Point (Sheet 1 of 9)
Figure 6.84	Mid-depth Suspended Solids – Scenario E, Dry Season – WSD Flushing Water Intakes	Figure 13.2.2 Baseline Landscape Resources and Landscape Character Area at Wan Chai East (Sheet 2 of 9)
Figure 7.1	Site Conceptual Model for HHRA	Figure 13.2.3 Baseline Landscape Resources and Landscape Character Area at Central (Sheet 3 of 9)
Figure 8.1	Site Conceptual Model for ERA	Figure 13.2.4 Baseline Landscape Resources and Landscape Character Area at Sandy Bay (Sheet 4 of 9)
Figure 10.1a	Habitat Map - North Point	Figure 13.2.5 Baseline Landscape Resources and Landscape Character Area at Cyberport (Sheet 5 of 9)
Figure 10.1b	Habitat Map - Wan Chai East	Figure 13.2.6 Baseline Landscape Resources and Landscape Character Area at Wah Fu (Sheet 6 of 9)
Figure 10.1c	Habitat Map - Central (Sheets 1 to 2)	Figure 13.2.7 Baseline Landscape Resources and Landscape Character Area at Aberdeen (Sheet 7 of 9)
Figure 10.1d	Habitat Map - Sai Ying Pun	Figure 13.2.8 Baseline Landscape Resources and Landscape Character Area at Ap Lei Chau (Sheet 8 of 9)
Figure 10.1e	Habitat Map - Sandy Bay	Figure 13.2.9 Baseline Landscape Resources and Landscape Character Area of Stonecutters Island (Sheet 9 of 9)
Figure 10.1f	Habitat Map - Cyberport	Figure 13.2.10 Baseline Landscape Resources Photos
Figure 10.1g	Habitat Map - Wah Fu	Figure 13.2.11 Baseline Landscape Character Area at North Point (Sheet 1 of 9)
Figure 10.1h	Habitat Map - Aberdeen	Figure 13.2.12 Baseline Landscape Character Area at Wan Chai East (Sheet 2 of 9)
Figure 10.1i	Habitat Map - Ap Lei Chau (Sheets 1 to 3)	Figure 13.2.13 Baseline Landscape Character Area at Central (Sheet 3 of 9)
Figure 10.1j	Habitat Map - Stonecutters Island (Sheets 1 to 5)	Figure 13.2.14 Baseline Landscape Character Area at Sandy Bay (Sheet 4 of 9)
Figure 11.1	Locations of Ecological Resources (Sheets 1 to 2)	Figure 13.2.15 Baseline Landscape Character Area at Cyberport (Sheet 5 of 9)
Figure 11.2	120 Sampling Stations on Marine Benthos	Figure 13.2.16 Baseline Landscape Character Area at Wah Fu (Sheet 6 of 9)
Figure 11.3	Survey Locations on Benthos and Intertidal Shores	Figure 13.2.17 Baseline Landscape Character Area at Aberdeen (Sheet 7 of 9)
Figure 11.4	Survey Locations on Coral Community	Figure 13.2.18 Baseline Landscape Character Area at Ap Lei Chau (Sheet 8 of 9)
Figure 11.5	Coral Survey Locations at Aberdeen PTW	Figure 13.2.19 Baseline Landscape Character Area of Stonecutters Island (Sheet 9 of 9)
Figure 11.6	Sampling Locations on Marine Benthos Study in Chiu Keng Wan	Figure 13.3.1 Zone of Visual Influence and VSRs at North Point (Sheet 1 of 9)
Figure 11.7	Intertidal Survey Locations at Aberdeen PTW	Figure 13.3.2 Zone of Visual Influence and VSRs at Wan Chai East (Sheet 2 of 9)
Figure 11.8	Distribution of Chinese White Dolphin in Hong Kong	Figure 13.3.3 Zone of Visual Influence and VSRs at Central (Sheet 3 of 9)
Figure 11.9	Seasonal Variation in Distribution of Chinese White Dolphin in Hong Kong (2006 – 2007)	Figure 13.3.4 Zone of Visual Influence and VSRs at Sandy Bay (Sheet 4 of 9)
Figure 11.10	Distribution of Finless Porpoise in Hong Kong	Figure 13.3.5 Zone of Visual Influence and VSRs at Cyberport (Sheet 5 of 9)

Figure 13.3.6 Zone of Visual Influence and VSRs at Wah Fu (Sheet 6 of 9)	Figure 13.5.4 Viewpoint 4.1 Photomontage at Sandy Bay (sheet 4 of 9)
Figure 13.3.7 Zone of Visual Influence and VSRs at Aberdeen (Sheet 7 of 9)	Figure 13.5.5 Viewpoint 5.1 Photomontage at Cyberport (sheet 5 of 9)
Figure 13.3.8 Zone of Visual Influence and VSRs at Ap Lei Chau (Sheet 8 of 9)	Figure 13.5.6 Viewpoint 6.1 Photomontage at Wah Fu (sheet 6 of 9)
Figure 13.3.9 Zone of Visual Influence and VSRs at Stonecutters (Sheet 9 of 9)	Figure 13.5.7 Viewpoint 7.1 Photomontage at Aberdeen (sheet 7 of 9)
Figure 13.3.10 VSRs Photos at North Point (sheet 1 of 14)	Figure 13.5.8 Viewpoint 8.1 Photomontage at Ap Lei Chau (sheet 8 of 9)
Figure 13.3.11 VSRs Photos at North Point (sheet 2 of 14)	Figure 13.5.9 Viewpoint 9.1 Photomontage at Stonecutters Island (sheet 9 of 9)
Figure 13.3.12 VSRs Photos at Wan Chai East (sheet 3 of 14)	Figure 14A.1 Schematic Tunnel Alignment
Figure 13.3.13 VSRs Photos at Wan Chai East (sheet 4 of 14)	Figure 14A.2 Hong Kong EIAO Societal Risk Guideline
Figure 13.3.14 VSRs Photos at Central (sheet 5 of 14)	Figure 14A.3 Project Site and Adjacent Gas Holder Depot
Figure 13.3.15 VSRs Photos at Central (sheet 6 of 14)	Figure 14A.4A Layout Plan of HKCG Depot
Figure 13.3.16 VSRs Photos at Sandy Bay (sheet 7 of 14)	Figure 14A.4B Towngas Distribution Network
Figure 13.3.17 VSRs Photos at Cyberport (sheet 8 of 14)	Figure 14A.5 Ap Lei Chau Project Site and Adjacent Facilities
Figure 13.3.18 VSRs Photos at Wah Fu (sheet 9 of 14)	Figure 14A.6 Layout Plan of the Shell Depot
Figure 13.3.19 VSRs Photos at Aberdeen (sheet 10 of 14)	Figure 14A.7 Layout Plan of the LPG Compound
Figure 13.3.20 VSRs Photos at Ap Lei Chau (sheet 11 of 14)	Figure 14A.8 General Layout of Aberdeen PTW
Figure 13.3.21 VSRs Photos at Ap Lei Chau (sheet 12 of 14)	Figure 14A.9 Seawall to be Affected by Construction Work of Aberdeen PTW
Figure 13.3.22 VSRs Photos at Stonecutters Island (sheet 13 of 14)	Figure 14A.10 Layout Plan for the Upgraded Aberdeen PTW
Figure 13.3.23 VSRs Photos at Stonecutters Island (sheet 14 of 14)	Figure 14A.11 Explosive Transport Route
Figure 13.4.1 Landscape Mitigation Measure (sheet 1 of 10)	Figure 14A.12 Control Blasting Adjacent to HKCG Gas Holder
Figure 13.4.2 Landscape Mitigation Measure Plan in North Point (sheet 2 of 10)	Figure 14A.13 Mobile Crane Working Area for Drop Shaft Construction at Aberdeen PTW Site
Figure 13.4.3 Landscape Mitigation Measure Plan in Wan Chai East (sheet 3 of 10)	Figure 14A.14 Selected Cross-section for Ground Settlement Prediction
Figure 13.4.4 Landscape Mitigation Measure Plan in Central (sheet 4 of 10)	Figure 14A.15 Schematic for Architectural Features Preventing Ground Population Injury from Fragmented LPG
Figure 13.4.5 Landscape Mitigation Measure Plan in Sandy Bay (sheet 5 of 10)	Cylinder
Figure 13.4.6 Landscape Mitigation Measure Plan in Cyberport (sheet 6 of 10)	Figure 14A.16 General Layout of Ap Lei Chau PTW
Figure 13.4.7 Landscape Mitigation Measure Plan in Wah Fu (sheet 7 of 10)	Figure 14A.17 Layout Plan for the Upgraded Ap Lei Chau PTW
Figure 13.4.8 Landscape Mitigation Measure Plan in Aberdeen (sheet 8 of 10)	Figure 14A.18 Mobile Crane Working Area for Construction Drop Shaft of Ap Lei Chau PTW Site
Figure 13.4.9 Landscape Mitigation Measure Plan in Ap Lei Chau (sheet 9 of 10)	Figure 14A.19 Possible Locations for Crane Erection at Ap Lei Chau PTW
Figure 13.4.10 Landscape Mitigation Measure Plan in Stonecutters Island (sheet 10 of 10)	Figure 14A.20 Individual Risk for the Aberdeen Project
Figure 13.4.11 Landscape Mitigation Measure in Section (sheet 1 of 5)	Figure 14A.21A Individual Risk for the Ap Lei Chau Project (LPG Compound)
Figure 13.4.12 Landscape Mitigation Measure in Section (sheet 2 of 5)	Figure 14A.21B Individual Risk for the Ap Lei Chau Project (LPG Transit Depot)
Figure 13.4.13 Landscape Mitigation Measure in Section (sheet 3 of 5)	Figure 14A.22 Societal Risk at Various Phases for the Aberdeen Project
Figure 13.4.14 Landscape Mitigation Measure in Section (sheet 4 of 5)	Figure 14A.23A Societal Risk at Various Phases for the Ap Lei Chau Project (LPG Compound)
Figure 13.4.15 Landscape Mitigation Measure in Section (sheet 5 of 5)	Figure 14A.23B Societal Risk at Various Phases for the Ap Lei Chau Project (LPG Transit Depot)
Figure 13.5.1 Viewpoint 1.1 Photomontage at North Point (sheet 1 of 9)	Figure 14A.24 Tentative Locations for Ground Settlement Monitoring
Figure 13.5.2 Viewpoint 2.1 Photomontage at Wan Chai (sheet 2 of 9)	Figure 14C.1 Societal Risk Guideline
Figure 13.5.3 Viewpoint 3.1 Photomontage at Central (sheet 3 of 9)	Figure 14C.2 General Layout of Chlorination Plant and Proposed Dechlorination Disinfection System with

	Transportation Route of Chemical Delivery Road Tankers
Figure 14C.3	Aerial View of SCISTW and Surrounding Area
Figure 14C.4	Preliminary Layout of Proposed Chlorine Contact Tank and Dechlorination Facility
Figure 14C.5	Preliminary Layout of the Chlorination Plant
Figure 14C.6	Population in Vicinity of HATS Stage 2A
Figure 14C.7	Layout Plan of SCISTW Site at HATS Stage 2A
Figure 14C.8	Routes of the Sodium Hypochlorite and Ferric Chloride Delivery Pipelines
Figure 14C.9a	Cross Section of Service Duct Accommodating Ferric Chloride Delivery Pipe and Pipe Trench
	Accommodating Sodium Hypochlorite Delivery Pipelines at Section C
Figure 14C.9b	Cross Section of Pipe Trench Accommodating Sodium Hypochlorite Dosing Pipelines at Section D
Figure 14C.9c	Cross Section of Ferric Chloride Service Duct and Sodium Hypochlorite Pipe Trench at Section E
Figure 14C.9d	Cross Section of Additional Bund Wall at Section F and G, Kerb and U-Channel at Section H
Figure 14C.10	Examples of Different Types of Hose Coupling
Figure 14C.11	Photos showing the Ferric Chloride Tank Farm and Adjacent Chemical Dosing Building
Figure 14C.12	Cross Section from Sodium Hypochlorite Tank Farm to Ferric Chloride Tank Farm at Stage 2A
Figure 14C.13	Estimated Fatality Probability at Various Distance from Toxic Gas Release Locations
Figure 14C.14	Individual Risk Contour
Figure 14C.15	Societal Risk Curve