



Figure 13.12: Disturbance exclusion and reduced density buffers

Buffer distance	Buffer (Ring values only i.e. must add 0,20,30 + 50 to get total within the 50m buffer)										Buffer Total
	0m	20m	30m	50m	100m	150m	200m	300m	400m	500m	
Aquaculture ponds	3.98	0.62	0.26	0.23	1.81	3.18	3.79	11.26	15.72	19.23	60.09
Drainage Ditches	0.02	0.04	0.01	0.03	0.04	0.06	0.03	0.11	0.14	0.14	0.49
Watercourse									0.78	1.08	1.86
Mangrove									0.71	1.19	1.90
Marsh		1.52	0.83	1.73	3.16	2.52	1.86	1.84	0.92		14.38
<b>Total</b>	<b>4.01</b>	<b>2.17</b>	<b>1.10</b>	<b>1.99</b>	<b>5.01</b>	<b>5.77</b>	<b>5.68</b>	<b>13.21</b>	<b>18.28</b>	<b>21.50</b>	<b>78.72</b>

Note: Areas in hectares

<b>RPS</b>	<b>Figure 13.12 Location of Disturbance Exclusion and Reduced Density Buffers for Waterbird Species of Conservation Importance during Construction and Operation Phases</b>				
	Drawn: PD	Scale: NTS	Ver: 2	Date: Dec 2005	Project: P244
Willow Mere House, Compass Point Business Park, Stocks Bridge Way, St. Ives, Cambridgeshire, PE27 5JL. Tel: 01480 466335 Fax: 01480 466911					