

Environmental Protection Department

Agreement No. CE7/2008 (EP)

Organic Waste Treatment Facilities, Phase I – Feasibility Study

Environmental Impact Assessment Report

December 2009

| | Name | Signature |
|----------------------|------------|-----------|
| Prepared & Checked: | Kenny YIU | |
| Reviewed & Approved: | Matthew KO | Nuch |

| Version: B | Date: | 28 December 2009 |
|------------|-------|------------------|

The information contained in this report is, to the best of our knowledge, correct at the time of printing. The interpretation and recommendations in the report are based on our experience, using reasonable professional skill and judgment, and based upon the information that was available to us. These interpretations and recommendations are not necessarily relevant to any aspect outside the restricted requirements of our brief. This report has been prepared for the sole and specific use of our client and AECOM Environment accepts no responsibility for its use by others.

This report is copyright and may not be reproduced in whole or in part without prior written permission.

AECOM Asia Co. Ltd.

11/F, Grand Central Plaza, Tower 2, 138 Shatin Rural Committee Road, Shatin, NT, Hong Kong Tel: (852) 2893 1551 Fax: (852) 2891 0305 www.aecom.com

Important Message Rebranding as AECOM

To better serve our clients, all Maunsell AECOM operations in Hong Kong have been integrated into one operating entity and rebranded as AECOM. The (name of legacy legal entity) operation is now part of AECOM Asia Co. Ltd.

Agreement No. CE 7/2008 (EP) Organic Waste Treatment Facilities, Phase I – Feasibility Study

ENVIRONMENTAL IMPACT ASSESSMENT REPORT

Contents

| INTRODUCTION | 1-1 |
|--|---|
| Project Background | 1-1 |
| | |
| | |
| | |
| | |
| Caracter of the Entropertal and an area and an area and an area and area an | |
| PROJECT DESCRIPTION | 2- 1 |
| Purpose and Objective of the Project | 2-1 |
| | |
| | |
| | |
| Consideration of Alternative Construction Methods and Sequences of Works | 2-6 |
| | |
| | |
| | |
| AIR QUALITY | 3-1 |
| Introduction | 3-1 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| HAZARD TO LIFE | 4- 1 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| References | 4-27 |
| | Project Background Objectives of the EIA Study Consideration of Environmental Impact Assessment Ordinance EIA Study Area Structure of the EIA Report PROJECT DESCRIPTION. Purpose and Objective of the Project Need for the Project Consideration of Different Site Options. Outline of Project Elements Consideration of Alternative Construction Methods and Sequences of Works Construction Programme Interactions with Other Projects. AIR QUALITY Introduction Environmental Legislation, Standards and Guidelines Description of the Environment. Air Sensitive Receivers Potential Source of Impacts. Assessment Methodology Prediction and Evaluation of Impacts. Recommended Air Quality Mitigation Measures Evaluation of Residual Impacts Environmental Monitoring and Audit Conclusion HAZARD TO LIFE Introduction Study Approach Study Approach Study Basis Hazard Identification Frequency Estimation Consequence Analysis Risk Summation Risk Mitigation Measure Identification and Analysis Analysis of Mitigation Measures Recommended Mitigation and Safety Measures during Construction Phase Recommended Safety Measures for Plant Design and Operation Mitigated Scenarios. Conclusion. |

| 5 | WATER QUALITY | 5-1 |
|---|---|------|
| | Introduction | 5-1 |
| | Environmental Legislation, Policies, Plans, Standards and Criteria | 5-1 |
| | Description of the Environment | |
| | Water Sensitive Receivers | |
| | Assessment Methodology | |
| | Identification of Environmental Impacts | |
| | Cumulative Water Quality Impact Prediction and Evaluation of Environmental Impacts | |
| | Mitigation Measures of Adverse Environmental Impacts | |
| | Evaluation of Residual Impacts | 5-12 |
| | Environmental Monitoring and Audit | |
| | Conclusion | |
| 6 | WASTE MANAGEMENT | 6-1 |
| | Introduction | 6-1 |
| | Environmental Legislation, Policies, Plans, Standards and Criteria | |
| | Environmental Guidelines | |
| | Assessment Approach and Methodology | |
| | Identification of Environmental Impacts | |
| | Evaluation of Environmental Impacts during Construction Phase | 6-3 |
| | Evaluation of Waste Impacts for Operational Phase | |
| | Mitigation of Adverse Environmental Impacts during Construction Phase | 6-6 |
| | Mitigation of Adverse Environmental Impacts during Operation Phase | 6-9 |
| | Impacts Caused by Handling, Collection and Disposal of Waste | 6-11 |
| | Contamination Preventive Measures | |
| | Approach to Prevent Land Contamination | |
| | Evaluation of Residual Impacts Environmental Monitoring and Audit | |
| | Conclusion | |
| 7 | LANDSCAPE AND VISUAL | 7-1 |
| - | | |
| | Introduction | |
| | Project Description Environmental Legislation and Standards | |
| | Methodology of Assessment of Landscape Impacts | |
| | Methodology of Assessment of Visual Impacts | 7-4 |
| | Baseline Study | |
| | Reviewing of Planning and Development Control Framework | |
| | Landscape Resources (LRs) | |
| | Landscape Character Areas (LCAs) | |
| | Landscape Sensitivity | 7-9 |
| | Tree Survey Results | |
| | Zone of Visual Influence (ZVI) | |
| | Visual Sensitive Receivers (VSRs) | |
| | Landscape Impact Assessment | |
| | Visual Impact Assessment | |
| | Conclusion | 7-33 |
| 8 | NOISE | |
| | Introduction | |
| | Environmental Legislation, Policies, Plans, Standards and Criteria | |
| | Description of the Environment | |
| | Identification of Environmental Impacts | |
| | Evaluation of Environmental Impacts | |
| | Mitigation of Adverse Environmental Impacts Environmental Monitoring and Audit | |
| | Environmental Monitoring and Addit | 0-4 |

| | Conclu | sion8-4 |
|---------|---------|--|
| 9 | ENVIR | ONMENTAL MONITORING AND AUDIT9-1 |
| | Introdu | ction9-1 |
| | | ality9-1 |
| | | to Life9-1 |
| | Water (| Quality9-1 |
| | Waste | Management9-2 |
| | Landso | ape and Visual9-2 |
| | Noise | 9-2 |
| 10 | CONCI | LUSIONS AND SUMMARY OF ENVIRONMENTAL OUTCOMES10-1 |
| | Cumm | omy of EIA Findings |
| | | ary of EIA Findings |
| | Overall | Condusion10-3 |
| 11 | IMPLE | MENTATION SCHEDULE AND RECOMMENDED MITIGATION MEASURES 11-1 |
| List of | Tables | |
| Table 2 | 2.1 | Summary of Assessment Results for Site Selection |
| Table 2 | | Strengths and Weaknesses of Anaerobic Digestion and Composting |
| Table 2 | | Construction Program |
| Table 2 | | Concurrent Projects |
| Table 3 | | Hong Kong Air Quality Objectives |
| Table 3 | | Reference Levels for HCI, HF and VOCs Acute and Chronic Exposure |
| Table 3 | | Annual Average Concentrations of Air Pollutants in the Latest Five Years (Year 2004 - 2008) at Tung Chung Air Quality Monitoring Station |
| Table 3 | | Air Sensitive Receivers |
| Table 3 | | Standards to be Applied for the Emission Level of Cogen Units |
| Table 3 | 3.6 | Standards to be Applied to the Emission Level of the Centralized Air Pollution Control Unit |
| Table 3 | 3.7 | Emission Level of Centralized Air Pollution Control Unit |
| Table 3 | | Emission Level of Cogen Units |
| Table 3 | | Emission Level of Flaring Gas System |
| Table 3 | | Conversion Factors for Wake-affected Point Sources and Area Sources |
| Table 4 | l.1 | Time Modes for Temporal Variation of Road Population |
| Table 4 | l.2 | Assumed Length and Occupancy of Different Classes of Vehicle |
| Table 4 | l.3 | Projected Traffic Population |
| Table 4 | 1.4 | Projected Number of Passengers for Railway Lines |
| Table 4 | 15 | Population for OWTF during Operation Phase |
| Table 4 | l.6 | Time Modes for Temporal Variation of Population |
| Table 4 | l.7 | Indoor/Outdoor Ratios for Different Population Categories |
| Table 4 | | Wind Direction Frequencies at Chek Lap Kok Weather Station |
| Table 4 | | Properties of Chlorine |
| Table 4 | l.10 | Hazardous Scenarios of Chlorine Outflow from the SHWWTW Buildings According to |
| Table 4 | | 1992 SHWWTW HA Report |
| Table 4 | 1.11 | Hazardous Scenarios of Chlorine Outflow from the SHWWTW Buildings Taking Into Account Use of Reinforced Concrete Panels |
| Table 4 | 1 12 | Hazardous Scenarios for Onsite Transport of Chlorine |
| Table 4 | | Summary of Chlorine Incidents of Water Treatment Plant from MHIDAS |
| Table 4 | | Properties of Biogas (Natural Gas) |
| Table 4 | | Hazards Associated with Biogas Storage |
| Table 4 | | Release Scenarios |
| Table 4 | | Assessment Criteria for Biogas Hazards |
| Table 4 | | Hazard Distances |
| Table 4 | | Summary of Release Frequencies to Outside of Building |
| Table 4 | | Onsite Road Transport Failure Case Frequencies |

| Table 4.21 | Probability of Fatality |
|------------|--|
| Table 4.22 | Summary of PLL |
| Table 4.23 | Feasible Risk Mitigation Measures |
| Table 4.24 | Quantification of Risk Mitigation Measures and Cost Estimation |
| Table 4.25 | Quantification of Risk Mitigation Measures and Cost Estimation |
| Table 4.26 | Estimated ICAF and MJE for Selected Mitigated Measures |
| Table 5.1 | Summary of Water Quality Objectives for the North Western WCZ |
| Table 5.2 | Baseline Marine Water Quality Condition for North Western WCZ |
| Table 6.1 | Estimated Amount of Excavated Materials to be Generated, Reused and Disposed of |
| Table 6.2 | Estimated Amount of C&D Materials to be Generated, Reused and Disposed of |
| Table 6.3 | Summary of Waste Generation during Construction Phase |
| Table 6.4 | Summary of Waste Generation during Operation Phase |
| Table 6.5 | Summary of Waste Handling Procedures and Disposal Routes during Construction Phase |
| Table 6.6 | Summary of Waste Handling Procedures and Disposal Routes during Operation Phase |
| Table 6.7 | Materials used during the Operational Phase of the Project with Land Contamination Potential |
| Table 7.1 | Relationship between Receptor Sensitivity and Impact Magnitude in Defining Impact Significance |
| Table 7.2 | Landscape Resources (LRs) within a 500m Radius of the Site |
| Table 7.3 | Landscape Character Areas (LCAs) |
| Table 7.4 | Landscape Resources (LRs) and Landscape Character Areas (LCAs) and their Sensitivity to Change |
| Table 7.5 | Visual Sensitive Receivers (VSRs) and their Sensitivity to Change |
| Table 7.6 | Visual Sensitive Receivers (VSRs) and their Magnitude of Impacts |
| Table 7.7 | Proposed Landscape and Visual Mitigation Measures for Construction Phase |
| Table 7.8 | Proposed Landscape and Visual Mitigation Measures for Operation Phase |
| Table 7.9 | Significance of Landscape Impacts in Construction and Operation Phases |
| Table 7.10 | Significance of Visual Impacts in Construction and Operation Phases |
| Table 8.1 | Area Sensitivity Ratings (ASRs) |
| Table 8.2 | Acceptable Noise Levels for Construction Work (Restricted Hours) |
| Table 8.3 | Acceptable Noise Levels for Fixed Noise Sources |
| Table 10.1 | Summary of Key Environmental Outcomes / Benefits |
| Table 11.1 | Project Implementation Schedule |

List of Figures

| Figure 1.1 | Site Location Plan |
|-------------|--|
| Figure 2.1 | Locations of Potential Sites for Organic Waste Treatment Facilities (OWTF) |
| Figure 2.2 | Preliminary Site Layout |
| Figure 2.3 | Process Flow Diagram (PFD) |
| Figure 3.1 | Site Location Plan and Locations of Representative Air Sensitive Receivers |
| Figure 3.2 | Contours of Cumulative Maximum 1-hour Average NO ₂ Concentration in ug/m ³ at 8mPD |
| Figure 3.3 | Contours of Cumulative Maximum 24-hour Average NO ₂ Concentration in ug/m ³ at 8mPD |
| Figure 3.4 | Contours of Cumulative Annual Average NO ₂ Concentration in ug/m ³ at 8mPD |
| Figure 3.5 | Contours of Cumulative Maximum 24-hour Average RSP Concentration in ug/m ³ at 32.5mPD |
| Figure 3.6 | Contours of Cumulative Annual Average RSP Concentration in ug/m ³ at 8mPD |
| Figure 3.7 | Contours of Cumulative Maximum 1-hour Average SO ₂ Concentration in ug/m ³ at 14mPD |
| Figure 3.8 | Contours of Cumulative Maximum 24-hour Average SO ₂ Concentration in ug/m ³ at 14mPD |
| Figure 3.9 | Contours of Cumulative Annual Average SO ₂ Concentration in ug/m ³ at 14mPD |
| Figure 3 10 | Contours of Maximum 1-hour Average HCl Concentration in ug/m ³ at 29 5mPD |

AECOM Asia Co. Ltd.
P:\60047803\1.01\Deliverables\EIA\EIA Report\14Dec09\TOC_final EIA.doc December 2009 iv

| Figure 3.11 | Contours of Annual Average HCl Concentration in ug/m³ at 32.5mPD |
|-------------|---|
| Figure 3.12 | Contours of Maximum 1-hour Average HF Concentration in ug/m³ at 29.5mPD |
| Figure 3.13 | Contours of Annual Average HF Concentration in ug/m³ at 32.5mPD |
| Figure 3.14 | Contours of Maximum 1-hour Average VOC Concentration in ug/m ³ at 32.5 mPD |
| Figure 3.15 | Contours of Odour Concentration in OU /5-sec average (contributed from OWTF |
| | emissions only) at 32.5 mPD |
| Figure 4.1 | Consultation Zone |
| Figure 4.2 | Societal Risk Guidelines |
| Figure 4.3 | Population Restrictions Endorsed by the CCPHI |
| Figure 4.4 | Presentation of Consequence Results |
| Figure 4.5 | Hazard Distance due to Biogas Storage |
| Figure 4.6 | WTW Combined Risk - Individual Risk Contours |
| Figure 4.7 | Societal Risk (All Scenarios - Unmitigated) |
| Figure 4.8 | Contribution of OWTF to Societal Risk for Year 2013 Scenario without LLP |
| Figure 4.9 | Societal Risk (Mitigated Scenarios) |
| Figure 4.10 | Location of 3m Height Fence |
| Figure 7.1 | Location Plan |
| Figure 7.2 | Proposed Site Layout Plan and Aerial View |
| Figure 7.3 | Landscape Impact Assessment Area |
| Figure 7.4 | Landscape Character Map of Hong Kong |
| Figure 7.5 | Landscape Resources |
| Figure 7.6 | Landscape Character Areas |
| Figure 7.7 | Visual Sensitive Receivers & Location of View Angles (1 of 3) |
| Figure 7.8 | Visual Sensitive Receivers & Location of View Angles (2 of 3) |
| Figure 7.9 | Visual Sensitive Receivers & Location of View Angles (3 of 3) |
| Figure 7.10 | View Angles from Visual Sensitive Receivers (VSR 1) |
| Figure 7.11 | View Angles from Visual Sensitive Receivers (VSR 2) |
| Figure 7.12 | View Angles from Visual Sensitive Receivers (VSR 3) |
| Figure 7.13 | View Angles from Visual Sensitive Receivers (VSR 4) |
| Figure 7.14 | View Angles from Visual Sensitive Receivers (VSR 5) |
| Figure 7.15 | View Angles from Visual Sensitive Receivers (VSR 6) |
| Figure 7.16 | View Angles from Visual Sensitive Receivers (VSR 7) |
| Figure 7.17 | View Angles from Visual Sensitive Receivers (VSR 8) |
| Figure 7.18 | View Angles from Visual Sensitive Receivers (VSR 9) |
| Figure 7.19 | View Angles from Visual Sensitive Receivers (VSR 10) |
| Figure 7.20 | Landscape Master Plan |
| Figure 7.21 | Aerial View at Opening Year |
| Figure 7.22 | Aerial View – Year 10 of Operation |
| Figure 7.23 | Photomontage View Angle A – Existing Condition |
| Figure 7.24 | Photomontage View Angle A – Unmitigated Impacts |
| Figure 7.25 | Photomontage View Angle A – Day 1 with Mitigation Measures |
| Figure 7.26 | Photomontage View Angle A – Year 10 with Mitigation Measures |
| Figure 7.27 | Photomontage View Angle B – Existing Condition |
| Figure 7.28 | Photomontage View Angle B – Unmitigated Impacts |
| Figure 7.29 | Photomontage View Angle B – Day 1 with Mitigation Measures |
| Figure 7.30 | Photomontage View Angle B – Year 10 with Mitigation Measures |
| Figure 8.1 | Noise Assessment Study Area |
| Figure 8.2 | Nearest Noise Sensitive Receivers to OWTF |
| | |

AECOM Asia Co. Ltd.
P:\60047803\1.01\Deliverables\EIA\EIA Report\14Dec09\TOC_final EIA.doc December 2009

List of Appendices

| Appendix 2.1 | Summary of Findings of Stage I Exercise |
|--------------|--|
| Appendix 3.1 | Calculation of Emission Rates of Organic Waste Treatment Facilities |
| Appendix 3.2 | Calculation of the Composite Emission Factors for Each Road Link |
| Appendix 3.3 | Calculation of Emissions from Marine Vessels |
| Appendix 3.4 | Calculation of Emission Rates of Siu Ho Wan Sewage Treatment Works and North |
| | Lantau Refuse Transfer Station |
| Appendix 3.5 | Locations of Air Emission Sources in the Assessment |
| Appendix 3.6 | Predicted Air Quality Assessment Results |
| Appendix 4.1 | Population Data |
| Appendix 4.2 | Historical Incidents Review |
| Appendix 4.3 | Generic Frequency Estimations |
| Appendix 4.4 | Chlorine Dispersion Consequence Results |
| Appendix 4.5 | Sample fN Pairs (Year 2011 Scenario - events relevant to transport of chlorine and |
| | OWTF population) |
| Appendix 4.6 | Illustration of Double Membrane Type Gas Buffer |

AECOM Asia Co. Ltd.
P:\60047803\1.01\Deliverables\EIA\EIA Report\14Dec09\TOC_final EIA.doc December 2009 νi