



Installation of Submarine Gas Pipelines
and Associated Facilities from
To Kwa Wan to North Point
for Former Kai Tak Airport Development
Consultancy Services for Feasibility Study and Detailed Design

Environmental Impact Assessment Report Volume 1 of 3 - Main Text

June 2010

The Hong Kong and China Gas Company Limited



Installation of Submarine Gas Pipelines
and Associated Facilities from
To Kwa Wan to North Point
for Former Kai Tak Airport Development
Consultancy Services for Feasibility Study and Detailed Design

Environmental Impact Assessment Report Volume 1 of 3 - Main Text

June 2010

The Hong Kong and China Gas Company Limited

17th Floor, 363 Java Road, North Point, Hong Kong

Issue and revision record

Revision	Date	Originator	Checker	Approver	Description
A	Dec 2008	Various	Florence Yuen	Dr Anne Kerr	1 st Draft
B	Feb 2010	Various	Florence Yuen	Dr Anne Kerr	2 nd Draft
C	Apr 2010	Various	Florence Yuen	Dr Anne Kerr	Formal Submission
D	Jun 2010	Various	Florence Yuen	Dr Anne Kerr	Formal Submission (Revised)

This document is issued for the party which commissioned it and for specific purposes connected with the above-captioned project only. It should not be relied upon by any other party or used for any other purpose.

We accept no responsibility for the consequences of this document being relied upon by any other party, or being used for any other purpose, or containing any error or omission which is due to an error or omission in data supplied to us by other parties

This document contains confidential information and proprietary intellectual property. It should not be shown to other parties without consent from us and from the party which commissioned it.

Content

Chapter	Title	Page
1.	Introduction	1-1
1.1	Background	1-1
1.2	Purpose of the EIA Report	1-1
1.3	Scope and Objectives of the EIA Study	1-1
1.4	Documents Reviewed	1-3
2.	Project Description	2-1
2.1	Project Background	2-1
2.2	Project Alignment	2-1
2.3	Scope of the Project	2-2
2.4	Relationship between the existing cross-harbour gas pipelines and pigging stations and the proposed gas pipelines and pigging stations	2-3
2.5	Do-nothing Scenario	2-3
2.6	Consideration of Alternative Alignment Options	2-4
2.7	Consideration of Alternative Pigging Stations Locations/Designs	2-5
2.8	Consideration of Alternative Construction Methods	2-10
2.9	Selection of the Preferred Option	2-15
2.10	Tentative Project Programme	2-15
2.11	Concurrent Projects	2-15
3.	Water Quality Impact Assessment	3-1
3.1	Introduction	3-1
3.2	Environmental Legislation, Standards, Guidelines and Criteria	3-1
3.3	Description of the Environment	3-7
3.4	Water Sensitive Receivers	3-19
3.5	Assessment Methodology	3-19
3.6	Identification of Environmental Impact	3-28
3.7	Prediction and Evaluation of Environmental Impacts	3-33
3.8	Mitigation of Adverse Environmental Impact	3-78
3.9	Evaluation of Residual Impacts	3-80
3.10	Environmental Monitoring and Audit	3-82
3.11	Summary	3-82
4.	Waste Management Impact Assessment	4-1
4.1	Introduction	4-1
4.2	Environmental Legislation, Standards, Guidelines and Criteria	4-1
4.3	Assessment Methodology	4-3
4.4	Baseline Condition of Marine Dredged Sediment	4-9
4.5	Identification and Evaluation of Environmental Impacts	4-18
4.6	Mitigation of Adverse Environmental Impacts	4-20
4.7	Evaluation of Residual Impacts	4-25
4.8	Environmental Monitoring and Audit	4-25
4.9	Summary	4-25

Installation of Submarine Gas Pipelines
and Associated Facilities from
To Kwa Wan to North Point
for Former Kai Tak Airport Development
Consultancy Services for Feasibility Study and Detailed Design
Environmental Impact Assessment Report



5.	Marine Ecological Impact Assessment	5-1
5.1	Introduction	5-1
5.2	Environmental Legislation, Standards, Guidelines and Criteria	5-1
5.3	Assessment Methodology	5-3
5.4	Baseline Conditions & Marine Ecological Sensitive Receivers	5-4
5.5	Ecological Importance	5-12
5.6	Identification, Prediction and Evaluation of Environmental Impacts	5-16
5.7	Mitigation of Adverse Environmental Impact	5-21
5.8	Cumulative Impact	5-23
5.9	Evaluation of Residual Impacts	5-24
5.10	Environmental Monitoring and Audit	5-24
5.11	Summary	5-24
5.12	References	5-25
6.	Fisheries Impact Assessment	6-1
6.1	Introduction	6-1
6.2	Environmental Legislation, Standards, Guidelines and Criteria	6-1
6.3	Fisheries Impact Assessment Methodology	6-1
6.4	Baseline Conditions	6-2
6.5	Identification of Fisheries Impacts	6-3
6.6	Assessment of Fisheries Impacts	6-6
6.7	Mitigation of Adverse Environmental Impacts	6-8
6.8	Evaluation of Residual Fisheries Impacts	6-8
6.9	Evaluation of Cumulative Fisheries Impacts	6-8
6.10	Environmental Monitoring and Audit	6-9
6.11	Summary	6-10
6.12	Reference	6-10
7.	Hazard to Life	7-1
7.	Hazard to Life	7-1
7.1	Introduction	7-1
7.2	Approach and Methodology	7-1
7.3	Applicable Regulations	7-2
7.4	Design Description and Review	7-2
7.5	Hazard Identification	7-4
7.6	Risk Assessment	7-8
7.7	Summary	7-11
8.	Landscape Impact Assessment	8-1
8.1	Introduction	8-1
8.2	Environmental Legislation, Standards, Guidelines and Criteria	8-1
8.3	Assessment Methodology	8-2
8.4	Baseline Study	8-5
8.5	Landscape Impact Assessment	8-6
8.6	Environmental Monitoring and Audit	8-11
8.7	Summary	8-11

Installation of Submarine Gas Pipelines
and Associated Facilities from
To Kwa Wan to North Point
for Former Kai Tak Airport Development
Consultancy Services for Feasibility Study and Detailed Design
Environmental Impact Assessment Report



9.	Cultural Heritage Impact Assessment	9-1
9.1	Introduction	9-1
9.2	Environmental Legislation, Standards, Guidelines and Criteria	9-1
9.3	Cultural Heritage Impact Assessment Methodology	9-3
9.4	Baseline Conditions	9-3
9.5	Identification of Cultural Heritage Impact	9-4
9.6	Assessment of Cultural Heritage Impact	9-4
9.7	Mitigation of Adverse Environmental Impact	9-4
9.8	Evaluation of Residual Cultural Heritage Impact	9-4
9.9	Environmental Monitoring and Audit	9-4
9.10	Summary	9-4
10.	Noise Impact Assessment	10-1
10.1	Introduction	10-1
10.2	Relevant Legislation, Standards & Guidelines	10-1
10.3	Study Area	10-3
10.4	Noise Sensitive Uses	10-3
10.5	Assessment Approach & Methodology	10-4
10.6	Analysis of Construction Activities and Sources of Noise Impact	10-5
10.7	Possible Noise Mitigation Measures and Mitigated Impacts	10-10
10.8	Potential Concurrent Projects	10-13
10.9	Evaluation of Residual Impacts	10-13
10.10	Environmental Monitoring and Audit (EM&A) Requirements	10-13
10.11	Summary	10-13
11.	Construction Dust Impact Assessment	11-1
11.1	Introduction	11-1
11.2	Relevant Legislation, Standards & Guidelines	11-1
11.3	Study Area and Air Sensitive Uses	11-2
11.4	Background Air Quality	11-3
11.5	Construction Phase Impacts	11-4
11.6	Potential Cumulative Impacts due to Concurrent Works	11-6
11.7	Operational Phase Impacts	11-6
11.8	Environmental Monitoring and Audit Requirements	11-6
11.9	Summary	11-6
12.	Environmental Monitoring and Audit (EM&A) Requirements	12-1
12.1	Water Quality	12-1
12.2	Waste Management	12-1
12.3	Marine Ecology	12-1
12.4	Fisheries	12-1
12.5	Hazard to Life	12-1
12.6	Landscape	12-2
12.7	Cultural Heritage	12-2
12.8	Noise	12-2
12.9	Construction Dust	12-2

13.	Impact Summary	13-1
13.1	Water Quality	13-1
13.2	Waste Management	13-1
13.3	Marine Ecology	13-1
13.4	Fisheries	13-2
13.5	Hazard to Life	13-2
13.6	Landscape	13-3
13.7	Cultural Heritage	13-3
13.8	Noise	13-3
13.9	Construction Dust	13-4
13.10	Overall Summary	13-5
14.	Implementation Schedule	14-1
15.	Summary of Environmental Outcomes	15-1
15.1	Population and Environmental Sensitive Areas Protected	15-1
15.2	Environmental Friendly Designs Recommended and Problems Avoided	15-1
15.3	Environmental Benefits of the Project	15-2

Tables

Table 3.1:	Summary of Water Quality Objectives for Victoria Harbour WCZ	3-2
Table 3.2:	Summary of Water Quality Objectives for Western Buffer WCZ	3-3
Table 3.3:	Summary of Water Quality Objectives for Eastern Buffer WCZ	3-4
Table 3.4:	WSD's Water Quality Criteria for Flushing Water at Sea Water Intakes	3-5
Table 3.5:	Marine Water Quality in Victoria Harbour Water Control Zone at Selected Stations in 2007	3-8
Table 3.6:	Marine Water Quality in Eastern and Western Buffer Water Control Zones at Selected Stations in 2007	3-10
Table 3.7:	Marine Water Quality in Victoria Harbour Water Control Zone at Selected Stations in 2008	3-12
Table 3.8:	Marine Water Quality in Eastern and Western Buffer Water Control Zones at Selected Stations in 2008	3-14
Table 3.9:	Marine Water Quality at To Kwa Wan and Shau Kei Wan Typhoon Shelters in 2007	3-16
Table 3.10:	Bottom Sediment Quality at Selected Stations in 2003 – 2007	3-18
Table 3.11:	Summary of Parameters for Sediment Plume Model (Delft3D-WAQ)	3-21
Table 3.12:	Sediment Quality near the Dredging Area	3-22
Table 3.13:	Maximum Production Rate for Scenario 1	3-25
Table 3.14:	Maximum Production Rates for Scenario 2	3-26
Table 3.15:	Depth-averaged and Surface SS levels near the Dredging Area	3-30
Table 3.16:	DO, TIN and UIA levels near the Dredging Area	3-31
Table 3.17:	Specifications for General Fill Material and Granular Fill Material	3-32
Table 3.18:	Predicted Suspended Solids Elevations at Marine Ecology and Fisheries Sensitive Receivers for Scenario 1A	3-34
Table 3.19:	Predicted Suspended Solids Elevations at Marine Ecology and Fisheries Sensitive Receivers for Scenario 1B	3-35
Table 3.20:	Predicted Suspended Solids Elevations at Marine Ecology and Fisheries Sensitive Receivers for Scenario 2A	3-36
Table 3.21:	Predicted Suspended Solids Elevations at Marine Ecology and Fisheries Sensitive Receivers for Scenario 2B	3-37

Installation of Submarine Gas Pipelines
and Associated Facilities from
To Kwa Wan to North Point
for Former Kai Tak Airport Development
Consultancy Services for Feasibility Study and Detailed Design
Environmental Impact Assessment Report



Table 3.22:	Predicted Suspended Solids Concentrations at Cooling and Sea Water Intakes for Scenario 1A	3-38
Table 3.23:	Predicted Suspended Solids Concentrations at Cooling and Sea Water Intakes for Scenario 1B	3-39
Table 3.24:	Predicted Suspended Solids Concentrations at Cooling and Sea Water Intakes for Scenario 2A	3-40
Table 3.25:	Predicted Suspended Solids Concentrations at Cooling and Sea Water Intakes for Scenario 2B	3-42
Table 3.26:	Predicted Dissolved Oxygen Concentrations for Scenario 1A	3-45
Table 3.27:	Predicted Total Inorganic Nitrogen and Unionised Ammonia Concentrations for Scenario 1A	3-48
Table 3.28:	Predicted Dissolved Oxygen Concentrations for Scenario 1B	3-51
Table 3.29:	Predicted Total Inorganic Nitrogen and Unionised Ammonia Concentrations for Scenario 1B	3-54
Table 3.30:	Predicted Dissolved Oxygen Concentrations for Scenario 2A	3-58
Table 3.31:	Predicted Total Inorganic Nitrogen and Unionised Ammonia Concentrations for Scenario 2A	3-61
Table 3.32:	Predicted Dissolved Oxygen Concentrations for Scenario 2B	3-64
Table 3.33:	Predicted Total Inorganic Nitrogen and Unionised Ammonia Concentrations for Scenario 2B	3-67
Table 3.34:	Comparison of Marine Sediment Elutriate Test Results with Water Quality Standards	3-72
Table 4.1:	Coordinates, Type and Depth of Vibrocores	4-4
Table 4.2:	Sample Arrangement for Chemical Testing	4-5
Table 4.3:	Testing Methods and Reporting Limits for Metals and Metalloids Analysis	4-6
Table 4.4:	Testing Methods and Reporting Limits for TBT, PAHs and PCBs Analysis	4-6
Table 4.5:	Sediment Quality Criteria for the Classification of Sediment	4-7
Table 4.6:	Composite Sample Arrangement for Biological Testing	4-8
Table 4.7:	Test Species for Biological Testing	4-8
Table 4.8:	Test endpoints and decision criteria for biological testing	4-9
Table 4.9:	Contaminant Levels of Vibrocore Samples and Their Categories	4-11
Table 4.10:	Summary of Classification of Vibrocore Samples	4-17
Table 4.11:	Summary of Ancillary Tests Results	4-17
Table 4.12:	Summary of Toxicity Test Failure	4-18
Table 4.13:	Summary of Waste Handling Procedures and Disposal Routes	4-24
Table 5.1:	Evaluation of the Ecological Importance of the Inter-tidal Habitats in Victoria Harbour WCZ	5-13
Table 5.2:	Evaluation of the Ecological Importance of the Marine Benthic Habitat in Victoria Harbour WCZ	5-13
Table 5.3:	Evaluation of the Ecological Importance of the Sub-tidal Habitats	5-14
Table 5.4:	Evaluation of the Ecological Importance of the Marine Waters	5-15
Table 5.5:	Evaluating hard coral species found in the Study Area	5-15
Table 5.6:	Evaluation of the Significance of Ecological Impact	5-19
Table 5.7:	Summary of Potential Ecological Impacts on Coral Communities after Mitigation	5-22
Table 6.1:	Evaluation of Potential Fisheries Impacts during Construction Phase	6-6
Table 6.2:	Evaluation of Potential Fisheries Impacts during Operation Phase	6-8
Table 7.1:	5x5 Risk Assessment Matrix	7-8
Table 7.2:	Consequence Evaluation Criteria	7-8
Table 7.3:	Likelihood Evaluation Criteria	7-9
Table 7.4:	Risk Assessment of Different Failure Causes of the Underground Pipelines during Operation	7-9
Table 7.5:	Risk Assessment of Different Failure Causes of the Submarine Pipelines during Operation	7-10
Table 8.1:	Relationship between Receptor Sensitivity and Impact Magnitude in Defining Impact Significance	8-4
Table 8.2:	Proposed Construction Phase Landscape and Visual Mitigation Measures	8-7
Table 8.3:	Operation Phase Landscape and Visual Mitigation Measures	8-8

Table 8.4:	Significance of Landscape Impacts in Construction and Operation Phases (Negative Impacts unless otherwise stated)	8-10
Table 10.1	Noise Standards for Daytime Construction Activities	10-1
Table 10.2	Basic Noise Levels (BNL, Leq dB(A))	10-2
Table 10.3	Locations of the Existing Representative NSRs for CNIA	10-4
Table 10.4	Tentative Construction Activities and Construction Plant List for Submarine Works	10-5
Table 10.5	Tentative Construction Activities and Construction Plant List for Landmain Works	10-6
Table 10.6	Unmitigated Noise Impact due to the Laying of Submarine Gas Main	10-7
Table 10.7	Unmitigated Noise Impact due to Landfall Site Construction	10-8
Table 10.8	Unmitigated Noise Impact due to the Construction of Piggings Station	10-8
Table 10.9	Cumulative Construction Noise Impact (Unmitigated)	10-9
Table 10.10	Total Maximum Allowable Sound Power Level (SWL) for Test before Backfilling and Hydrostatic/Commissioning Test during Construction Phase	10-10
Table 10.11	Recommended Quiet PME and the SWL	10-10
Table 10.12	Maximum SWLs of Plant Inventory with Mitigation Measures Implemented	10-11
Table 10.13	Mitigated Noise Impact due to the Landfall Site Construction	10-11
Table 10.14	Cumulative Construction Noise Impact (Mitigated)	10-12
Table 11.1:	Hong Kong Air Quality Objectives	11-1
Table 11.2:	Representative ASRs within the Assessment Area	11-3
Table 11.3:	5-year-averaged Background Air Quality of Kwun Tong and Eastern Air Quality Monitoring Stations	11-3
Table 11.4	Construction Activities and Potential Emission Sources	11-4