☐ Urgent ☐	☐ Return Receipt Requested ☐ Sign ☐ Encrypt ☐ Mark Subject Restricted ☐ Expand personal&public
	[Supersede][SI] S.16 Application No. A/HSK/493 - SI to provide clarifications 19/10/2023 14:33
From: To: Cc: File Ref:	Louis Tse Town Planning Board <tpbpd@pland.gov.hk> "cshtsui@pland.gov.hk" <cshtsui@pland.gov.hk>, Bon Tang , Matthew Ng Lee , Grace Wong</cshtsui@pland.gov.hk></tpbpd@pland.gov.hk>
email) of the su Should you requattention Kind Regards, Louis TSE   Tow R-riches Group	
收件者: Town I 副本: cshtsui@ Matthew Ng Wong	Tse 3年10月19日下午12:32 Planning Board <tpbpd@pland.gov.hk> pland.gov.hk <cshtsui@pland.gov.hk>; Bon Tang ; Grace ; Orpheus Lee  Application No. A/HSK/493 - SI to provide clarifications</cshtsui@pland.gov.hk></tpbpd@pland.gov.hk>
please do not h Kind Regards, Louis TSE   Tow R-riches Group	
nos	

SI for A\_HSK\_493 (20231019).pdf



Our Ref. : DD124 Lot 2238 S.A RP

Your Ref. : TPB/A/HSK/493

顧問有限公司 **盈卓物業** 

The Secretary
Town Planning Board
15/F, North Point Government office
333 Java Road
North Point, Hong Kong

By Email

19 October 2023

Dear Sir,

#### **Supplementary Information**

Temporary Warehouse for a Period of 3 Years in "Residential (Group B) 3" Zone, Lot 2238 S.A RP (Part) in D.D. 124 and Adjoining Government Land, Hung Shui Kiu, Yuen Long, New Territories

(S.16 Planning Application No. A/HSK/493)

We are writing to submit supplementary information for the subject application, details are as follows:

- (i) An as-built drainage plan and a fire service installations proposal are provided to supersede our previous submission (**Appendices I** to **II**).
- (ii) The application site (the Site) is the subject of a previous application No. A/HSK/336 which was approved by the Town Planning Board in 2021. When compared with the previous application No. A/HSK/336, the layout and all development parameters are the same as the current application.

Should you require more information regarding the application, please contact our Mr. Orpheus LEE at or the undersigned at your convenience. Your kind attention to the matter is much appreciated.

Yours faithfully,

For and on behalf of

**R-riches Property Consultants Limited** 

**Louis TSE** 

**Town Planner** 

cc DPO/TMYLW, PlanD


(Attn.: Mr. Charlie TSUI


email: cshtsui@pland.gov.hk

### As-built drainage Plan

Temporary Warehouse for a Period of 3 Years In "Residential (Group B) 3" Zone, Lot 2238 S.A RP (Part) in D.D. 124 and Adjoining Government Land, Hung Shui Kiu, Yuen Long, New Territories

(Application No. A/HSK/493)

























## Appendix II



**NORTH** 

Proposed 135m<sup>3</sup> Sprinkler Water Tank Proposed 2m3 Proposed FS & Sprinkler Fibre Glass Water Tank

⊗ 5 kg 5 kg co2 type fire extinguisher

HRHose Reel Set

150mm Fire Alarm Bell

Visual Alarm Device

Sprinkler inlet and Sprinkler Control Valve Group

Pump Schedule

Sprinkler Pump

Hose Reel Pump

Inlet + Control Valve

#### FS Notes:

Pump Room

- Sufficient emergency lighting shall be provided throughout the entire building in accordance with Bs5266: Part 1 and BS EN 1838
- Sufficient directional and exit sign shall be provided in accordance with BS 5266: Part 1 and FSD Circular letter 5/2008.
- Sufficient portable hand-operated approved appliance as required by occupancy and as marked on plans.
- 4. An Automatic Sprinkler System Supplied by 135 m<sup>3</sup> Sprinkler Water Tank and Hazard Class OH 3 shall be provided to all Structure in accordance with BS EN 12845:2003 and FSD Circular Letter No. 3/2006
  - The Sprinkler Water Tank, Sprinkler Pump Room, Sprinkler Inlet and Sprinkler Control Valve Group shall be clearly marked on plans.
- An hose reel system should be supplied by a 2.0m<sup>3</sup> F.S Water tank.
  - There shall be sufficient hose reel to ensure that every part of each building can be reached by a length of not more than 30m of hose reel tubing. The F.S water tank, F.S pump room and hose reel shall be clearly marked on plans.
- 6. Fire alarm system shall be provided throughout the entire building in accordance with BS 5839-1: 2002 + A2: 2008 and FSD Circular Letter No.1/2009 & 3/2010. One actuation point and one audio warning device to be located at each hose reel point. The actuation point should include facilities for fire pump start and audio/visual warning device initiation.
- 7. One No.5.0 kg CO2 F.E shall be provided for F.S Pump Room & Sprinkler Pump Room.
- Sprinkler Tank Water Supply Pipe should be connected to Town Main.
- Sprinkler pump(SP1,SP2,JP) & Hose Reel pump (HR-1,HR-2,JP)shall be provided at F.S pump Room.
- 10. A Secondary power supply shall be provided to electrical fire services installations.
- 11. The storage limitation follows the LPC Rules incorporating BS EN 12845:2003. Category I: Free standing storage (ST1) of furniture of not higher than 4m.

# TEMPORARY WAREHOUSE

(FURNITURE STORAGE) FOR A PERIOD OF 3 YEARS

02

LOT 2238 S.A RP (PART) IN ADJOINING GOVERNMENT LAND

Designation	Flow Rate (Litre/min)	Discharge Head (Kpa)	Motor Roting (Kw)
SP1, SP2	2250/1350/1100	140/290/320	18.5
SP-JP	60	450	2.2
HR-1 HR-2	100	600	2.2
HR-JP	60	400	2.2

Drawing Title	
FSIs Propo	sal
Scale of A4	
1:300	
Drawn	16.1.2020
Revised	Date