


TYPICAL CABLE TRENCH FOR SINGLE LV CABLE



TYPICAL CABLE TRENCH FOR MULTIPLE LV CABLES

LEGEND :

- (LV) LV CABLE
- N NUMBER OF CABLE CIRCUITS


NOTES:

1. ALL SOIL BACKFILLING BENEATH CABLE TILES SHALL BE SIFTED THROUGH 12mm WIRE MESH.
2. ALL DIMENSIONS ARE IN mm.

C GENERAL REVISION		B GENERAL REVISION		A SYNTHETIC CABLE TILE SPECIFIED														
		REVS.	16-2-04	16-6-07	28-6-07													
		INITIAL	C.Y.P	W.B.LEE	YX.MAN													
DRAWN: S.C.T.		DATE: 15 Aug. 2003		TITLE: TYPICAL LV CABLE TRENCH														
CHECKED: K. K. LEUNG		APPROVED: W. B. LEE		PROJECT NO.				CONTRACT NO.										
SCALE: 1 : 15		SHEET(S) IN SET: 1		ASSET MANAGEMENT DRG. NO. T GEN 255000 DE 33000201 CA														

ALL RIGHTS RESERVED AND REPRODUCTION IN ANY FORM MUST BE APPROVED BY CLP POWER

Typical LV Cable Trench



Vehicle Access Plan